

uiacmanager
template : Object
nextmatchs : Vector
public_functions : Vector
uiacmanager() : void
common_header() : void
list_apps() : void
access_form() : void
newOperation() : void

uimainscreen
public_functions : Vector
uimainscreen() : void
mainscreen() : void
index() : void

uiapplications
public_functions : Vector
bo : Object
nextmatchs : Object
uiapplications() : void
get_list() : void
display_row(label: String,value: String) : void
add() : void
edit() : void
delete() : void
register_all_hooks() : void

uimenuclass
t : Object
rowColor : Vector
uimenuclass() : void
section_item(pref_link: String,pref_text: String,bgcolor: String) : void
display_section(_menuData: Vector) : String
createHTMLCode(_hookname: String) : String

public_functions : Vector
start : int
limit : int
query : String
order : String
sort : String
debug : boolean
bo : Object
nextmatchs : Object
uiserver() : void
_debug_sqsof() : void
save_sessiondata() : void
formatted_list(name: String,list: Vector) : String
list_servers() : void
edit() : void
delete() : void

ui
grants : String
cat_id : int
start : int
search : String
filter : String
public_functions : Vector
uilog() : void
list_log() : void
format_row(rno: int,rcolor: String) : String

uiaccess
template : Object
public_functions : Vector
uiaccess_list() : void
list_history() : void

uiserver
ctor,id: int,default: boolean,java: boolean) : String

ui
public_functions : Vector
bo : Object
nextmatchs : Object
uiaccounts() : void
row_action(action: String,type: S
list_groups() : void
list_users(param_cd: String) : vo
edit_group() : void
edit_user() : void
view_user() : void
delete_group() : void
delete_user() : void
group_manager(cd: String,accou
edit_group_managers(group_inf

log
ctor
ow: Vector) : Vector

uiconfig
public_functions : Vector
index() : void

uicurrentsessions
template : Object
bo : Object
public_functions : Vector
uicurrentsessions() : void
header() : void
store_location(info: String) : void
list_sessions() : void
kill() : void

ccess_history
Object
ctions : Vector
nistory() : void
y() : void

ui
bo : Object
nextmatch
xslltpl : Ob
start : int
query : Stri
sort : Strin
order : Stri
cat_id : int
debug : bo
public_fun
uicategorie
_debug_sq
save_sessi
index() : v
edit() : voi
delete() : v
newOperat

accounts
string,account_id: int) : String id int_id: int) : void o: Vector,_errors: String) : boolean

categories
t s : Object object ing g ng olean ctions : Vector es() : void sof() : void ondata() : void oid d oid ion() : void

hash_table(rows: Vector,head: St makeparms(parmlist: Vector) : St edit_table(rows: Vector,head: Str newOperation(opts: Vector,name make_printlist(layout: Vector,col make_tblhead(printlist: Vector,he html_head(head: Vector,table: Ve arr_merge(a1: String,a2: String,a arr_keys(fields: Vector,array: boc

boacc
so : Object public_functions : Vector xml_functions : Vector soap_functions : Vector boaccounts() : void DONTlist_methods(_type: check_rights(action: String add_group(values: Vector) edit_group(values: Vector) save_user(values: Vector) : update_user(userData: Vec set_group_managers() : vc validate_group(values: Vec validate_user(values: Vecto delete_group(account_id: delete_user() : boolean load_group_users(account load_group_managers(acc load_group_apps(account. rpc_add_user(data: String)

html
ring,obj: Object,frtn: String) : String ring ing,obj: Object,frtn: String) : String : String,sel: String) : String s: int) : Vector ead: Vector) : Vector ctor,printlist: Vector) : String 3: String,a4: String,a5: String,a6: String,a7: String,a8: String) : Vector lean) : Vector

counts
String) : Vector g,access: String) : boolean : void : void : void ctor) : void oid ctor) : Vector or) : Vector int) : void _id: int) : Vector ount_id: int) : Vector _id: int) : Vector : int

soaccess_history
db : Object
soaccess_history() : void test_account_id(account_id: String) : String list_history(account_id: String,start: String,order: String,sort: String) : Vector total(account_id: String) : String return_logged_out(account_id: String) : String

soapplications
db : Object
soapplications() : void read(app_name: String) : Vector get_list() : Vector add(data: Vector) : boolean save(data: Vector) : boolean exists(app_name: String) : boolean app_order() : String delete(app_name: String) : int register_hook(app: Vector) : int

soserver
is : Object
debug : boolean
soserver() : void list_servers(data: Vector,total: String) read(id: int) : Vector add(server_info: Vector) : int update(server_id: Vector) : Vector delete(id: int) : boolean

soaccounts
soaccounts() : void add_user(user_data: Vector) : int

solog
db : Object
owner : Object
solog() : void get_error_cols() : Vector get_error_cols_e() : Vector get_error_e(parms: Vector) get_no_errors() : String get_error(parms: Vector) :

: Vector

: Vector
Vector

bocategories
cats : Object
start : int
query : String
sort : String
order : String
filter : String
cat_id : int
total : int
bocategories() : void
save_sessiondata(data: Vector) : void
read_sessiondata() : void
get_list(global_cats: boolean) : Vector
save_cat(values: Vector) : int
exists(data: boolean) : void
formatted_list(data: String) : String
check_values(data: String,values: Vector) : void
newOperation() : void

boaccess_history
boaccess_history() : void
list_history(account_id: String,start: String,order: String) : Vector
total(account_id: String) : String
return_logged_out(account_id: String) : String

bocurrentsessions
ui : Object
so : Object
public_functions : Vector
total() : String
list_sessions(start: String,order: String,sort: String) : Vector
kill() : void

id
or
ector) : Vector

```

,sort: String) : Vector

```

cor

boacmanager
ui : Object
so : Object
public_functions : Vector
boacmanager() : void
submit() : void

bo
public_functions :
xml_functions : V
soap_functions : V
debug : boolean
start : int
so : Object
limit : int
query : String
sort : String
order : String
total : int
<u>use_session : boo</u>
boserver(session:
save_sessiondata(
read_sessiondata(
list_servers() : Vect
read(id: int) : Vect
edit(server_info: V
delete(id: int) : bo

bolog
public_functions : Vector
bolog(session: boolean) : Vector
get_error_cols() : Vector
get_error_cols_e() : Vector
get_error(values: String) : Vector
get_no_errors() : Vector
get_error_e(values: String) : Vector

server
Vector
ector
/ector
lean
boolean) : void
data: String) : void
) : void
tor
or
'ector) : Vector
olean

boconfig
public_functions : Vector
xml_functions : Vector
soap_functions : Vector
list_methods(_type: String) : Vector
rpc_values(data: Vector) : boolean

id
ector
Vector

boapplications
so : Object
boapplications() : void
get_list() : Vector
read(app_name: String) : Vector
add(data: String) : boolean
save(data: String) : boolean
exists(app_name: String) : boolean
app_order() : String
delete(app_name: String) : int