
SciPy Reference Guide

Release 0.12.0

Written by the SciPy community

May 01, 2013

CONTENTS

1	SciPy Tutorial	3
1.1	Introduction	3
1.2	Basic functions	6
1.3	Special functions (<code>scipy.special</code>)	9
1.4	Integration (<code>scipy.integrate</code>)	11
1.5	Optimization (<code>scipy.optimize</code>)	14
1.6	Interpolation (<code>scipy.interpolate</code>)	26
1.7	Fourier Transforms (<code>scipy.fftpack</code>)	37
1.8	Signal Processing (<code>scipy.signal</code>)	40
1.9	Linear Algebra (<code>scipy.linalg</code>)	47
1.10	Sparse Eigenvalue Problems with ARPACK	60
1.11	Compressed Sparse Graph Routines <code>scipy.sparse.csgraph</code>	63
1.12	Spatial data structures and algorithms (<code>scipy.spatial</code>)	66
1.13	Statistics (<code>scipy.stats</code>)	72
1.14	Multi-dimensional image processing (<code>scipy.ndimage</code>)	90
1.15	File IO (<code>scipy.io</code>)	111
1.16	Weave (<code>scipy.weave</code>)	117
2	Contributing to SciPy	153
2.1	Contributing new code	153
2.2	Contributing by helping maintain existing code	154
2.3	Other ways to contribute	154
2.4	Useful links, FAQ, checklist	155
3	API - importing from Scipy	159
3.1	Guidelines for importing functions from Scipy	159
3.2	API definition	160
4	Release Notes	163
4.1	SciPy 0.12.0 Release Notes	163
4.2	SciPy 0.11.0 Release Notes	168
4.3	SciPy 0.10.0 Release Notes	173
4.4	SciPy 0.9.0 Release Notes	177
4.5	SciPy 0.8.0 Release Notes	181
4.6	SciPy 0.7.2 Release Notes	186
4.7	SciPy 0.7.1 Release Notes	186
4.8	SciPy 0.7.0 Release Notes	188
5	Reference	195

5.1	Clustering package (<code>scipy.cluster</code>)	195
5.2	K-means clustering and vector quantization (<code>scipy.cluster.vq</code>)	195
5.3	Hierarchical clustering (<code>scipy.cluster.hierarchy</code>)	199
5.4	Constants (<code>scipy.constants</code>)	214
5.5	Discrete Fourier transforms (<code>scipy.fftpack</code>)	229
5.6	Integration and ODEs (<code>scipy.integrate</code>)	243
5.7	Interpolation (<code>scipy.interpolate</code>)	258
5.8	Input and output (<code>scipy.io</code>)	297
5.9	Linear algebra (<code>scipy.linalg</code>)	306
5.10	Low-level BLAS functions	416
5.11	Finding functions	416
5.12	All functions	416
5.13	Low-level LAPACK functions	435
5.14	Finding functions	435
5.15	All functions	436
5.16	Miscellaneous routines (<code>scipy.misc</code>)	485
5.17	Multi-dimensional image processing (<code>scipy.ndimage</code>)	495
5.18	Orthogonal distance regression (<code>scipy.odr</code>)	546
5.19	Optimization and root finding (<code>scipy.optimize</code>)	554
5.20	Nonlinear solvers	613
5.21	Signal processing (<code>scipy.signal</code>)	614
5.22	Sparse matrices (<code>scipy.sparse</code>)	700
5.23	Sparse linear algebra (<code>scipy.sparse.linalg</code>)	787
5.24	Compressed Sparse Graph Routines (<code>scipy.sparse.csgraph</code>)	811
5.25	Spatial algorithms and data structures (<code>scipy.spatial</code>)	821
5.26	Distance computations (<code>scipy.spatial.distance</code>)	854
5.27	Special functions (<code>scipy.special</code>)	868
5.28	Statistical functions (<code>scipy.stats</code>)	895
5.29	Statistical functions for masked arrays (<code>scipy.stats.mstats</code>)	1001
5.30	C/C++ integration (<code>scipy.weave</code>)	1026
Bibliography		1031
Python Module Index		1041
Index		1043

Release 0.12
Date May 01, 2013

SciPy (pronounced “Sigh Pie”) is open-source software for mathematics, science, and engineering.

SCIPY TUTORIAL

1.1 Introduction

Contents

- Introduction
 - SciPy Organization
 - Finding Documentation

SciPy is a collection of mathematical algorithms and convenience functions built on the Numpy extension for Python. It adds significant power to the interactive Python session by exposing the user to high-level commands and classes for the manipulation and visualization of data. With SciPy, an interactive Python session becomes a data-processing and system-prototyping environment rivaling systems such as MATLAB, IDL, Octave, R-Lab, and SciLab.

The additional power of using SciPy within Python, however, is that a powerful programming language is also available for use in developing sophisticated programs and specialized applications. Scientific applications written in SciPy benefit from the development of additional modules in numerous niche's of the software landscape by developers across the world. Everything from parallel programming to web and data-base subroutines and classes have been made available to the Python programmer. All of this power is available in addition to the mathematical libraries in SciPy.

This document provides a tutorial for the first-time user of SciPy to help get started with some of the features available in this powerful package. It is assumed that the user has already installed the package. Some general Python facility is also assumed such as could be acquired by working through the Tutorial in the Python distribution. For further introductory help the user is directed to the Numpy documentation.

For brevity and convenience, we will often assume that the main packages (numpy, scipy, and matplotlib) have been imported as:

```
>>> import numpy as np
>>> import scipy as sp
>>> import matplotlib as mpl
>>> import matplotlib.pyplot as plt
```

These are the import conventions that our community has adopted after discussion on public mailing lists. You will see these conventions used throughout NumPy and SciPy source code and documentation. While we obviously don't require you to follow these conventions in your own code, it is highly recommended.

1.1.1 SciPy Organization

SciPy is organized into subpackages covering different scientific computing domains. These are summarized in the following table:

Subpackage	Description
cluster	Clustering algorithms
constants	Physical and mathematical constants
fftpack	Fast Fourier Transform routines
integrate	Integration and ordinary differential equation solvers
interpolate	Interpolation and smoothing splines
io	Input and Output
linalg	Linear algebra
ndimage	N-dimensional image processing
odr	Orthogonal distance regression
optimize	Optimization and root-finding routines
signal	Signal processing
sparse	Sparse matrices and associated routines
spatial	Spatial data structures and algorithms
special	Special functions
stats	Statistical distributions and functions
weave	C/C++ integration

Scipy sub-packages need to be imported separately, for example:

```
>>> from scipy import linalg, optimize
```

Because of their ubiquitousness, some of the functions in these subpackages are also made available in the `scipy` namespace to ease their use in interactive sessions and programs. In addition, many basic array functions from `numpy` are also available at the top-level of the `scipy` package. Before looking at the sub-packages individually, we will first look at some of these common functions.

1.1.2 Finding Documentation

Scipy and Numpy have HTML and PDF versions of their documentation available at <http://docs.scipy.org/>, which currently details nearly all available functionality. However, this documentation is still work-in-progress, and some parts may be incomplete or sparse. As we are a volunteer organization and depend on the community for growth, your participation - everything from providing feedback to improving the documentation and code - is welcome and actively encouraged.

Python also provides the facility of documentation strings. The functions and classes available in SciPy use this method for on-line documentation. There are two methods for reading these messages and getting help. Python provides the command `help` in the `pydoc` module. Entering this command with no arguments (i.e. `>>> help`) launches an interactive help session that allows searching through the keywords and modules available to all of Python. Running the command `help` with an object as the argument displays the calling signature, and the documentation string of the object.

The `pydoc` method of `help` is sophisticated but uses a pager to display the text. Sometimes this can interfere with the terminal you are running the interactive session within. A `scipy`-specific help system is also available under the command `sp.info`. The signature and documentation string for the object passed to the `help` command are printed to standard output (or to a writeable object passed as the third argument). The second keyword argument of `sp.info` defines the maximum width of the line for printing. If a module is passed as the argument to `help` than a list of the functions and classes defined in that module is printed. For example:


```
>>> sp.info(optimize.fmin)
fmin(func, x0, args=(), xtol=0.0001, ftol=0.0001, maxiter=None, maxfun=None,
      full_output=0, disp=1, retall=0, callback=None)
```

Minimize a function using the downhill simplex algorithm.

Parameters

```
func : callable func(x,*args)
      The objective function to be minimized.
x0 : ndarray
     Initial guess.
args : tuple
      Extra arguments passed to func, i.e. ``f(x,*args)``.
callback : callable
          Called after each iteration, as callback(xk), where xk is the
          current parameter vector.
```

Returns

```
xopt : ndarray
      Parameter that minimizes function.
fopt : float
      Value of function at minimum: ``fopt = func(xopt)``.
iter : int
      Number of iterations performed.
funcalls : int
          Number of function calls made.
warnflag : int
          1 : Maximum number of function evaluations made.
          2 : Maximum number of iterations reached.
allvecs : list
          Solution at each iteration.
```

Other parameters

```
xtol : float
      Relative error in xopt acceptable for convergence.
ftol : number
      Relative error in func(xopt) acceptable for convergence.
maxiter : int
          Maximum number of iterations to perform.
maxfun : number
          Maximum number of function evaluations to make.
full_output : bool
             Set to True if fopt and warnflag outputs are desired.
disp : bool
       Set to True to print convergence messages.
retall : bool
        Set to True to return list of solutions at each iteration.
```

Notes

Uses a Nelder-Mead simplex algorithm to find the minimum of function of one or more variables.

Another useful command is `source`. When given a function written in Python as an argument, it prints out a listing of the source code for that function. This can be helpful in learning about an algorithm or understanding exactly what

a function is doing with its arguments. Also don't forget about the Python command `dir` which can be used to look at the namespace of a module or package.

1.2 Basic functions

Contents

- Basic functions
 - Interaction with Numpy
 - * Index Tricks
 - * Shape manipulation
 - * Polynomials
 - * Vectorizing functions (vectorize)
 - * Type handling
 - * Other useful functions

1.2.1 Interaction with Numpy

Scipy builds on Numpy, and for all basic array handling needs you can use Numpy functions:

```
>>> import numpy as np
>>> np.some_function()
```

Rather than giving a detailed description of each of these functions (which is available in the Numpy Reference Guide or by using the `help`, `info` and `source` commands), this tutorial will discuss some of the more useful commands which require a little introduction to use to their full potential.

To use functions from some of the Scipy modules, you can do:

```
>>> from scipy import some_module
>>> some_module.some_function()
```

The top level of `scipy` also contains functions from `numpy` and `numpy.lib.scimath`. However, it is better to use them directly from the `numpy` module instead.

Index Tricks

There are some class instances that make special use of the slicing functionality to provide efficient means for array construction. This part will discuss the operation of `np.mgrid`, `np.ogrid`, `np.r_`, and `np.c_` for quickly constructing arrays.

For example, rather than writing something like the following

```
>>> concatenate(( [3], [0]*5, arange(-1, 1.002, 2/9.0) ))
```

with the `r_` command one can enter this as

```
>>> r_[3, [0]*5, -1:1:10j]
```

which can ease typing and make for more readable code. Notice how objects are concatenated, and the slicing syntax is (ab)used to construct ranges. The other term that deserves a little explanation is the use of the complex number `10j` as the step size in the slicing syntax. This non-standard use allows the number to be interpreted as the number of points to produce in the range rather than as a step size (note we would have used the long integer notation, `10L`, but

this notation may go away in Python as the integers become unified). This non-standard usage may be unsightly to some, but it gives the user the ability to quickly construct complicated vectors in a very readable fashion. When the number of points is specified in this way, the end- point is inclusive.

The “r” stands for row concatenation because if the objects between commas are 2 dimensional arrays, they are stacked by rows (and thus must have commensurate columns). There is an equivalent command `c_` that stacks 2d arrays by columns but works identically to `r_` for 1d arrays.

Another very useful class instance which makes use of extended slicing notation is the function `mgrid`. In the simplest case, this function can be used to construct 1d ranges as a convenient substitute for `arange`. It also allows the use of complex-numbers in the step-size to indicate the number of points to place between the (inclusive) end-points. The real purpose of this function however is to produce N, N-d arrays which provide coordinate arrays for an N-dimensional volume. The easiest way to understand this is with an example of its usage:

```
>>> mgrid[0:5,0:5]
array([[0, 0, 0, 0, 0],
       [1, 1, 1, 1, 1],
       [2, 2, 2, 2, 2],
       [3, 3, 3, 3, 3],
       [4, 4, 4, 4, 4]],
      [[0, 1, 2, 3, 4],
       [0, 1, 2, 3, 4],
       [0, 1, 2, 3, 4],
       [0, 1, 2, 3, 4],
       [0, 1, 2, 3, 4]])
>>> mgrid[0:5:4j,0:5:4j]
array([[ 0.    ,  0.    ,  0.    ,  0.    ],
       [ 1.6667,  1.6667,  1.6667,  1.6667],
       [ 3.3333,  3.3333,  3.3333,  3.3333],
       [ 5.    ,  5.    ,  5.    ,  5.    ]],
      [[ 0.    ,  1.6667,  3.3333,  5.    ],
       [ 0.    ,  1.6667,  3.3333,  5.    ],
       [ 0.    ,  1.6667,  3.3333,  5.    ],
       [ 0.    ,  1.6667,  3.3333,  5.    ]])
```

Having meshed arrays like this is sometimes very useful. However, it is not always needed just to evaluate some N-dimensional function over a grid due to the array-broadcasting rules of Numpy and SciPy. If this is the only purpose for generating a meshgrid, you should instead use the function `ogrid` which generates an “open” grid using `newaxis` judiciously to create N, N-d arrays where only one dimension in each array has length greater than 1. This will save memory and create the same result if the only purpose for the meshgrid is to generate sample points for evaluation of an N-d function.

Shape manipulation

In this category of functions are routines for squeezing out length- one dimensions from N-dimensional arrays, ensuring that an array is at least 1-, 2-, or 3-dimensional, and stacking (concatenating) arrays by rows, columns, and “pages” (in the third dimension). Routines for splitting arrays (roughly the opposite of stacking arrays) are also available.

Polynomials

There are two (interchangeable) ways to deal with 1-d polynomials in SciPy. The first is to use the `poly1d` class from Numpy. This class accepts coefficients or polynomial roots to initialize a polynomial. The polynomial object can then be manipulated in algebraic expressions, integrated, differentiated, and evaluated. It even prints like a polynomial:

```
>>> p = poly1d([3,4,5])
>>> print p
```

```

    2
3 x + 4 x + 5
>>> print p*p
    4    3    2
9 x + 24 x + 46 x + 40 x + 25
>>> print p.integ(k=6)
    3    2
x + 2 x + 5 x + 6
>>> print p.deriv()
6 x + 4
>>> p([4,5])
array([ 69, 100])

```

The other way to handle polynomials is as an array of coefficients with the first element of the array giving the coefficient of the highest power. There are explicit functions to add, subtract, multiply, divide, integrate, differentiate, and evaluate polynomials represented as sequences of coefficients.

Vectorizing functions (vectorize)

One of the features that NumPy provides is a class `vectorize` to convert an ordinary Python function which accepts scalars and returns scalars into a “vectorized-function” with the same broadcasting rules as other Numpy functions (*i.e.* the Universal functions, or ufuncs). For example, suppose you have a Python function named `addsubtract` defined as:

```

>>> def addsubtract(a,b):
...     if a > b:
...         return a - b
...     else:
...         return a + b

```

which defines a function of two scalar variables and returns a scalar result. The class `vectorize` can be used to “vectorize” this function so that

```

>>> vec_addsubtract = vectorize(addsubtract)

```

returns a function which takes array arguments and returns an array result:

```

>>> vec_addsubtract([0,3,6,9],[1,3,5,7])
array([1, 6, 1, 2])

```

This particular function could have been written in vector form without the use of `vectorize`. But, what if the function you have written is the result of some optimization or integration routine. Such functions can likely only be vectorized using `vectorize`.

Type handling

Note the difference between `np.iscomplex/np.isreal` and `np.iscomplexobj/np.isrealobj`. The former command is array based and returns byte arrays of ones and zeros providing the result of the element-wise test. The latter command is object based and returns a scalar describing the result of the test on the entire object.

Often it is required to get just the real and/or imaginary part of a complex number. While complex numbers and arrays have attributes that return those values, if one is not sure whether or not the object will be complex-valued, it is better to use the functional forms `np.real` and `np.imag`. These functions succeed for anything that can be turned into a Numpy array. Consider also the function `np.real_if_close` which transforms a complex-valued number with tiny imaginary part into a real number.

Occasionally the need to check whether or not a number is a scalar (Python (long)int, Python float, Python complex, or rank-0 array) occurs in coding. This functionality is provided in the convenient function `np.isscalar` which returns a 1 or a 0.

Finally, ensuring that objects are a certain Numpy type occurs often enough that it has been given a convenient interface in SciPy through the use of the `np.cast` dictionary. The dictionary is keyed by the type it is desired to cast to and the dictionary stores functions to perform the casting. Thus, `np.cast['f'](d)` returns an array of `np.float32` from `d`. This function is also useful as an easy way to get a scalar of a certain type:

```
>>> np.cast['f'](np.pi)
array(3.1415927410125732, dtype=float32)
```

Other useful functions

There are also several other useful functions which should be mentioned. For doing phase processing, the functions `angle`, and `unwrap` are useful. Also, the `linspace` and `logspace` functions return equally spaced samples in a linear or log scale. Finally, it's useful to be aware of the indexing capabilities of Numpy. Mention should be made of the function `select` which extends the functionality of `where` to include multiple conditions and multiple choices. The calling convention is `select(condlist, choicelist, default=0)`. `select` is a vectorized form of the multiple if-statement. It allows rapid construction of a function which returns an array of results based on a list of conditions. Each element of the return array is taken from the array in a `choicelist` corresponding to the first condition in `condlist` that is true. For example

```
>>> x = r_[-2:3]
>>> x
array([-2, -1,  0,  1,  2])
>>> np.select([x > 3, x >= 0], [0, x+2])
array([0, 0, 2, 3, 4])
```

Some additional useful functions can also be found in the module `scipy.misc`. For example the `factorial` and `comb` functions compute $n!$ and $n!/k!(n-k)!$ using either exact integer arithmetic (thanks to Python's Long integer object), or by using floating-point precision and the gamma function. Another function returns a common image used in image processing: `lena`.

Finally, two functions are provided that are useful for approximating derivatives of functions using discrete-differences. The function `central_diff_weights` returns weighting coefficients for an equally-spaced N -point approximation to the derivative of order o . These weights must be multiplied by the function corresponding to these points and the results added to obtain the derivative approximation. This function is intended for use when only samples of the function are available. When the function is an object that can be handed to a routine and evaluated, the function `derivative` can be used to automatically evaluate the object at the correct points to obtain an N -point approximation to the o -th derivative at a given point.

1.3 Special functions (`scipy.special`)

The main feature of the `scipy.special` package is the definition of numerous special functions of mathematical physics. Available functions include `airy`, `elliptic`, `bessel`, `gamma`, `beta`, `hypergeometric`, `parabolic cylinder`, `mathieu`, `spheroidal wave`, `struve`, and `kelvin`. There are also some low-level stats functions that are not intended for general use as an easier interface to these functions is provided by the `stats` module. Most of these functions can take array arguments and return array results following the same broadcasting rules as other math functions in Numerical Python. Many of these functions also accept complex numbers as input. For a complete list of the available functions with a one-line description type `>>> help(special)`. Each function also has its own documentation accessible using `help`. If you don't see a function you need, consider writing it and contributing it to the library. You can write the function in either C, Fortran, or Python. Look in the source code of the library for examples of each of these kinds of functions.

1.3.1 Bessel functions of real order(`jn`, `jn_zeros`)


Bessel functions are a family of solutions to Bessel's differential equation with real or complex order α :

$$x^2 \frac{d^2 y}{dx^2} + x \frac{dy}{dx} + (x^2 - \alpha^2)y = 0$$

Among other uses, these functions arise in wave propagation problems such as the vibrational modes of a thin drum head. Here is an example of a circular drum head anchored at the edge:

```
>>> from scipy import *
>>> from scipy.special import jn, jn_zeros
>>> def drumhead_height(n, k, distance, angle, t):
...     nth_zero = jn_zeros(n, k)
...     return cos(t)*cos(n*angle)*jn(n, distance*nth_zero)
>>> theta = r_[0:2*pi:50j]
>>> radius = r_[0:1:50j]
>>> x = array([r*cos(theta) for r in radius])
>>> y = array([r*sin(theta) for r in radius])
>>> z = array([drumhead_height(1, 1, r, theta, 0.5) for r in radius])

>>> import pylab
>>> from mpl_toolkits.mplot3d import Axes3D
>>> from matplotlib import cm
>>> fig = pylab.figure()
>>> ax = Axes3D(fig)
>>> ax.plot_surface(x, y, z, rstride=1, cstride=1, cmap=cm.jet)
>>> ax.set_xlabel('X')
>>> ax.set_ylabel('Y')
>>> ax.set_zlabel('Z')
>>> pylab.show()
```



1.4 Integration (`scipy.integrate`)

The `scipy.integrate` sub-package provides several integration techniques including an ordinary differential equation integrator. An overview of the module is provided by the help command:

```
>>> help(integrate)
Methods for Integrating Functions given function object.

quad          -- General purpose integration.
dblquad       -- General purpose double integration.
tplquad       -- General purpose triple integration.
fixed_quad    -- Integrate func(x) using Gaussian quadrature of order n.
quadrature    -- Integrate with given tolerance using Gaussian quadrature.
romberg       -- Integrate func using Romberg integration.

Methods for Integrating Functions given fixed samples.

trapez        -- Use trapezoidal rule to compute integral from samples.
cumtrapz      -- Use trapezoidal rule to cumulatively compute integral.
simps         -- Use Simpson's rule to compute integral from samples.
romb          -- Use Romberg Integration to compute integral from
               (2**k + 1) evenly-spaced samples.

See the special module's orthogonal polynomials (special) for Gaussian
quadrature roots and weights for other weighting factors and regions.

Interface to numerical integrators of ODE systems.

odeint        -- General integration of ordinary differential equations.
ode           -- Integrate ODE using VODE and ZVODE routines.
```

1.4.1 General integration (`quad`)

The function `quad` is provided to integrate a function of one variable between two points. The points can be $\pm\infty$ ($\pm\text{inf}$) to indicate infinite limits. For example, suppose you wish to integrate a `bessel` function `jv(2.5, x)` along the interval `[0, 4.5]`.

$$I = \int_0^{4.5} J_{2.5}(x) dx.$$

This could be computed using `quad`:

```
>>> result = integrate.quad(lambda x: special.jv(2.5,x), 0, 4.5)
>>> print result
(1.1178179380783249, 7.86663172481899801e-09)

>>> I = sqrt(2/pi)*(18.0/27*sqrt(2)*cos(4.5)-4.0/27*sqrt(2)*sin(4.5)+
sqrt(2*pi)*special.fresnel(3/sqrt(pi))[0])
>>> print I
1.117817938088701

>>> print abs(result[0]-I)
1.03761443881e-11
```

The first argument to `quad` is a “callable” Python object (*i.e.* a function, method, or class instance). Notice the use of a `lambda`-function in this case as the argument. The next two arguments are the limits of integration. The return value is a tuple, with the first element holding the estimated value of the integral and the second element holding an upper

bound on the error. Notice, that in this case, the true value of this integral is

$$I = \sqrt{\frac{2}{\pi}} \left(\frac{18}{27} \sqrt{2} \cos(4.5) - \frac{4}{27} \sqrt{2} \sin(4.5) + \sqrt{2\pi} \text{Si} \left(\frac{3}{\sqrt{\pi}} \right) \right),$$

where

$$\text{Si}(x) = \int_0^x \sin\left(\frac{\pi}{2}t^2\right) dt.$$

is the Fresnel sine integral. Note that the numerically-computed integral is within 1.04×10^{-11} of the exact result — well below the reported error bound.

Infinite inputs are also allowed in `quad` by using `± inf` as one of the arguments. For example, suppose that a numerical value for the exponential integral:

$$E_n(x) = \int_1^\infty \frac{e^{-xt}}{t^n} dt.$$

is desired (and the fact that this integral can be computed as `special.expn(n, x)` is forgotten). The functionality of the function `special.expn` can be replicated by defining a new function `vec_expint` based on the routine `quad`:

```
>>> from scipy.integrate import quad
>>> def integrand(t, n, x):
...     return exp(-x*t) / t**n

>>> def expint(n, x):
...     return quad(integrand, 1, Inf, args=(n, x))[0]

>>> vec_expint = vectorize(expint)

>>> vec_expint(3, arange(1.0, 4.0, 0.5))
array([ 0.1097,  0.0567,  0.0301,  0.0163,  0.0089,  0.0049])
>>> special.expn(3, arange(1.0, 4.0, 0.5))
array([ 0.1097,  0.0567,  0.0301,  0.0163,  0.0089,  0.0049])
```

The function which is integrated can even use the `quad` argument (though the error bound may underestimate the error due to possible numerical error in the integrand from the use of `quad`). The integral in this case is

$$I_n = \int_0^\infty \int_1^\infty \frac{e^{-xt}}{t^n} dt dx = \frac{1}{n}.$$

```
>>> result = quad(lambda x: expint(3, x), 0, inf)
>>> print result
(0.33333333324560266, 2.8548934485373678e-09)

>>> I3 = 1.0/3.0
>>> print I3
0.3333333333333333

>>> print I3 - result[0]
8.77306560731e-11
```

This last example shows that multiple integration can be handled using repeated calls to `quad`. The mechanics of this for double and triple integration have been wrapped up into the functions `dblquad` and `tplquad`. The function, `dblquad` performs double integration. Use the help function to be sure that the arguments are defined in the correct order. In addition, the limits on all inner integrals are actually functions which can be constant functions. An example of using double integration to compute several values of I_n is shown below:


```

>>> from scipy.integrate import quad, dblquad
>>> def I(n):
...     return dblquad(lambda t, x: exp(-x*t)/t**n, 0, Inf, lambda x: 1, lambda x: Inf)

>>> print I(4)
(0.25000000000435768, 1.0518245707751597e-09)
>>> print I(3)
(0.33333333325010883, 2.8604069919261191e-09)
>>> print I(2)
(0.49999999999857514, 1.8855523253868967e-09)

```

1.4.2 Gaussian quadrature (integrate.gauss_quadtol)

A few functions are also provided in order to perform simple Gaussian quadrature over a fixed interval. The first is `fixed_quad` which performs fixed-order Gaussian quadrature. The second function is `quadrature` which performs Gaussian quadrature of multiple orders until the difference in the integral estimate is beneath some tolerance supplied by the user. These functions both use the module `special.orthogonal` which can calculate the roots and quadrature weights of a large variety of orthogonal polynomials (the polynomials themselves are available as special functions returning instances of the polynomial class — e.g. `special.legendre`).

1.4.3 Integrating using samples

There are three functions for computing integrals given only samples: `trapez`, `simps`, and `romb`. The first two functions use Newton-Coates formulas of order 1 and 2 respectively to perform integration. These two functions can handle, non-equally-spaced samples. The trapezoidal rule approximates the function as a straight line between adjacent points, while Simpson's rule approximates the function between three adjacent points as a parabola.

If the samples are equally-spaced and the number of samples available is $2^k + 1$ for some integer k , then Romberg integration can be used to obtain high-precision estimates of the integral using the available samples. Romberg integration uses the trapezoid rule at step-sizes related by a power of two and then performs Richardson extrapolation on these estimates to approximate the integral with a higher-degree of accuracy. (A different interface to Romberg integration useful when the function can be provided is also available as `romberg`).

1.4.4 Ordinary differential equations (odeint)

Integrating a set of ordinary differential equations (ODEs) given initial conditions is another useful example. The function `odeint` is available in SciPy for integrating a first-order vector differential equation:

$$\frac{dy}{dt} = \mathbf{f}(y, t),$$

given initial conditions $\mathbf{y}(0) = y_0$, where \mathbf{y} is a length N vector and \mathbf{f} is a mapping from \mathcal{R}^N to \mathcal{R}^N . A higher-order ordinary differential equation can always be reduced to a differential equation of this type by introducing intermediate derivatives into the \mathbf{y} vector.

For example suppose it is desired to find the solution to the following second-order differential equation:

$$\frac{d^2w}{dz^2} - zw(z) = 0$$

with initial conditions $w(0) = \frac{1}{\sqrt[3]{3^2}\Gamma(\frac{2}{3})}$ and $\frac{dw}{dz}|_{z=0} = -\frac{1}{\sqrt[3]{3}\Gamma(\frac{1}{3})}$. It is known that the solution to this differential equation with these boundary conditions is the Airy function

$$w = \text{Ai}(z),$$

which gives a means to check the integrator using `special.airy`.

First, convert this ODE into standard form by setting $\mathbf{y} = \left[\frac{dw}{dz}, w \right]$ and $t = z$. Thus, the differential equation becomes

$$\frac{d\mathbf{y}}{dt} = \begin{bmatrix} ty_1 \\ y_0 \end{bmatrix} = \begin{bmatrix} 0 & t \\ 1 & 0 \end{bmatrix} \begin{bmatrix} y_0 \\ y_1 \end{bmatrix} = \begin{bmatrix} 0 & t \\ 1 & 0 \end{bmatrix} \mathbf{y}.$$

In other words,

$$\mathbf{f}(\mathbf{y}, t) = \mathbf{A}(t) \mathbf{y}.$$

As an interesting reminder, if $\mathbf{A}(t)$ commutes with $\int_0^t \mathbf{A}(\tau) d\tau$ under matrix multiplication, then this linear differential equation has an exact solution using the matrix exponential:

$$\mathbf{y}(t) = \exp\left(\int_0^t \mathbf{A}(\tau) d\tau\right) \mathbf{y}(0),$$

However, in this case, $\mathbf{A}(t)$ and its integral do not commute.

There are many optional inputs and outputs available when using `odeint` which can help tune the solver. These additional inputs and outputs are not needed much of the time, however, and the three required input arguments and the output solution suffice. The required inputs are the function defining the derivative, `fprime`, the initial conditions vector, `y0`, and the time points to obtain a solution, `t`, (with the initial value point as the first element of this sequence). The output to `odeint` is a matrix where each row contains the solution vector at each requested time point (thus, the initial conditions are given in the first output row).

The following example illustrates the use of `odeint` including the usage of the `Dfun` option which allows the user to specify a gradient (with respect to `y`) of the function, $\mathbf{f}(\mathbf{y}, t)$.

```
>>> from scipy.integrate import odeint
>>> from scipy.special import gamma, airy
>>> y1_0 = 1.0/3**(2.0/3.0)/gamma(2.0/3.0)
>>> y0_0 = -1.0/3**(1.0/3.0)/gamma(1.0/3.0)
>>> y0 = [y0_0, y1_0]
>>> def func(y, t):
...     return [t*y[1], y[0]]

>>> def gradient(y,t):
...     return [[0,t], [1,0]]

>>> x = arange(0,4.0, 0.01)
>>> t = x
>>> ychk = airy(x)[0]
>>> y = odeint(func, y0, t)
>>> y2 = odeint(func, y0, t, Dfun=gradient)

>>> print ychk[:36:6]
[ 0.355028  0.339511  0.324068  0.308763  0.293658  0.278806]

>>> print y[:36:6,1]
[ 0.355028  0.339511  0.324067  0.308763  0.293658  0.278806]

>>> print y2[:36:6,1]
[ 0.355028  0.339511  0.324067  0.308763  0.293658  0.278806]
```

1.5 Optimization (`scipy.optimize`)

The `scipy.optimize` package provides several commonly used optimization algorithms. A detailed listing is available: `scipy.optimize` (can also be found by `help(scipy.optimize)`).

The module contains:

1. Unconstrained and constrained minimization of multivariate scalar functions (`minimize`) using a variety of algorithms (e.g. BFGS, Nelder-Mead simplex, Newton Conjugate Gradient, COBYLA or SLSQP)
2. Global (brute-force) optimization routines (e.g., `anneal`, `basinhopping`)
3. Least-squares minimization (`leastsq`) and curve fitting (`curve_fit`) algorithms
4. Scalar univariate functions minimizers (`minimize_scalar`) and root finders (`newton`)
5. Multivariate equation system solvers (`root`) using a variety of algorithms (e.g. hybrid Powell, Levenberg-Marquardt or large-scale methods such as Newton-Krylov).

Below, several examples demonstrate their basic usage.

1.5.1 Unconstrained minimization of multivariate scalar functions (`minimize`)

The `minimize` function provides a common interface to unconstrained and constrained minimization algorithms for multivariate scalar functions in `scipy.optimize`. To demonstrate the minimization function consider the problem of minimizing the Rosenbrock function of N variables:

$$f(\mathbf{x}) = \sum_{i=1}^{N-1} 100(x_i - x_{i-1}^2)^2 + (1 - x_{i-1})^2.$$

The minimum value of this function is 0 which is achieved when $x_i = 1$.

Note that the Rosenbrock function and its derivatives are included in `scipy.optimize`. The implementations shown in the following sections provide examples of how to define an objective function as well as its jacobian and hessian functions.

Nelder-Mead Simplex algorithm (`method='Nelder-Mead'`)

In the example below, the `minimize` routine is used with the *Nelder-Mead* simplex algorithm (selected through the `method` parameter):

```
>>> import numpy as np
>>> from scipy.optimize import minimize

>>> def rosen(x):
...     """The Rosenbrock function"""
...     return sum(100.0*(x[1:]-x[:-1]**2.0)**2.0 + (1-x[:-1])**2.0)

>>> x0 = np.array([1.3, 0.7, 0.8, 1.9, 1.2])
>>> res = minimize(rosen, x0, method='nelder-mead',
...               options={'xtol': 1e-8, 'disp': True})
Optimization terminated successfully.
    Current function value: 0.000000
    Iterations: 339
    Function evaluations: 571

>>> print res.x
[ 1.  1.  1.  1.  1.]
```

The simplex algorithm is probably the simplest way to minimize a fairly well-behaved function. It requires only function evaluations and is a good choice for simple minimization problems. However, because it does not use any gradient evaluations, it may take longer to find the minimum.

Another optimization algorithm that needs only function calls to find the minimum is *Powell's* method available by setting `method='powell'` in `minimize`.

Broyden-Fletcher-Goldfarb-Shanno algorithm (`method='BFGS'`)

In order to converge more quickly to the solution, this routine uses the gradient of the objective function. If the gradient is not given by the user, then it is estimated using first-differences. The Broyden-Fletcher-Goldfarb-Shanno (BFGS) method typically requires fewer function calls than the simplex algorithm even when the gradient must be estimated.

To demonstrate this algorithm, the Rosenbrock function is again used. The gradient of the Rosenbrock function is the vector:

$$\begin{aligned}\frac{\partial f}{\partial x_j} &= \sum_{i=1}^N 200 (x_i - x_{i-1}^2) (\delta_{i,j} - 2x_{i-1}\delta_{i-1,j}) - 2(1 - x_{i-1}) \delta_{i-1,j} \\ &= 200 (x_j - x_{j-1}^2) - 400x_j (x_{j+1} - x_j^2) - 2(1 - x_j).\end{aligned}$$

This expression is valid for the interior derivatives. Special cases are

$$\begin{aligned}\frac{\partial f}{\partial x_0} &= -400x_0 (x_1 - x_0^2) - 2(1 - x_0), \\ \frac{\partial f}{\partial x_{N-1}} &= 200 (x_{N-1} - x_{N-2}^2).\end{aligned}$$

A Python function which computes this gradient is constructed by the code-segment:

```
>>> def rosen_der(x):
...     xm = x[1:-1]
...     xm_m1 = x[:-2]
...     xm_p1 = x[2:]
...     der = np.zeros_like(x)
...     der[1:-1] = 200*(xm-xm_m1**2) - 400*(xm_p1 - xm**2)*xm - 2*(1-xm)
...     der[0] = -400*x[0]*(x[1]-x[0]**2) - 2*(1-x[0])
...     der[-1] = 200*(x[-1]-x[-2]**2)
...     return der
```

This gradient information is specified in the `minimize` function through the `jac` parameter as illustrated below.

```
>>> res = minimize(rosen, x0, method='BFGS', jac=rosen_der,
...                 options={'disp': True})
Optimization terminated successfully.
    Current function value: 0.000000
    Iterations: 51
    Function evaluations: 63
    Gradient evaluations: 63
>>> print res.x
[ 1.  1.  1.  1.  1.]
```

Newton-Conjugate-Gradient algorithm (`method='Newton-CG'`)

The method which requires the fewest function calls and is therefore often the fastest method to minimize functions of many variables uses the Newton-Conjugate Gradient algorithm. This method is a modified Newton's method and uses a conjugate gradient algorithm to (approximately) invert the local Hessian. Newton's method is based on fitting the function locally to a quadratic form:

$$f(\mathbf{x}) \approx f(\mathbf{x}_0) + \nabla f(\mathbf{x}_0) \cdot (\mathbf{x} - \mathbf{x}_0) + \frac{1}{2} (\mathbf{x} - \mathbf{x}_0)^T \mathbf{H}(\mathbf{x}_0) (\mathbf{x} - \mathbf{x}_0).$$

where $\mathbf{H}(\mathbf{x}_0)$ is a matrix of second-derivatives (the Hessian). If the Hessian is positive definite then the local minimum of this function can be found by setting the gradient of the quadratic form to zero, resulting in

$$\mathbf{x}_{\text{opt}} = \mathbf{x}_0 - \mathbf{H}^{-1} \nabla f.$$

The inverse of the Hessian is evaluated using the conjugate-gradient method. An example of employing this method to minimizing the Rosenbrock function is given below. To take full advantage of the Newton-CG method, a function which computes the Hessian must be provided. The Hessian matrix itself does not need to be constructed, only a vector which is the product of the Hessian with an arbitrary vector needs to be available to the minimization routine. As a result, the user can provide either a function to compute the Hessian matrix, or a function to compute the product of the Hessian with an arbitrary vector.

Full Hessian example:

The Hessian of the Rosenbrock function is

$$\begin{aligned} H_{ij} = \frac{\partial^2 f}{\partial x_i \partial x_j} &= 200(\delta_{i,j} - 2x_{i-1}\delta_{i-1,j}) - 400x_i(\delta_{i+1,j} - 2x_i\delta_{i,j}) - 400\delta_{i,j}(x_{i+1} - x_i^2) + 2\delta_{i,j}, \\ &= (202 + 1200x_i^2 - 400x_{i+1})\delta_{i,j} - 400x_i\delta_{i+1,j} - 400x_{i-1}\delta_{i-1,j}, \end{aligned}$$

if $i, j \in [1, N-2]$ with $i, j \in [0, N-1]$ defining the $N \times N$ matrix. Other non-zero entries of the matrix are

$$\begin{aligned} \frac{\partial^2 f}{\partial x_0^2} &= 1200x_0^2 - 400x_1 + 2, \\ \frac{\partial^2 f}{\partial x_0 \partial x_1} &= \frac{\partial^2 f}{\partial x_1 \partial x_0} = -400x_0, \\ \frac{\partial^2 f}{\partial x_{N-1} \partial x_{N-2}} &= \frac{\partial^2 f}{\partial x_{N-2} \partial x_{N-1}} = -400x_{N-2}, \\ \frac{\partial^2 f}{\partial x_{N-1}^2} &= 200. \end{aligned}$$

For example, the Hessian when $N = 5$ is

$$\mathbf{H} = \begin{bmatrix} 1200x_0^2 - 400x_1 + 2 & -400x_0 & 0 & 0 & 0 \\ -400x_0 & 202 + 1200x_1^2 - 400x_2 & -400x_1 & 0 & 0 \\ 0 & -400x_1 & 202 + 1200x_2^2 - 400x_3 & -400x_2 & 0 \\ 0 & 0 & -400x_2 & 202 + 1200x_3^2 - 400x_4 & -400x_3 \\ 0 & 0 & 0 & -400x_3 & 200 \end{bmatrix}.$$

The code which computes this Hessian along with the code to minimize the function using Newton-CG method is shown in the following example:

```
>>> def rosen_hess(x):
...     x = np.asarray(x)
...     H = np.diag(-400*x[:-1], 1) - np.diag(400*x[:-1], -1)
...     diagonal = np.zeros_like(x)
...     diagonal[0] = 1200*x[0]**2 - 400*x[1] + 2
...     diagonal[-1] = 200
...     diagonal[1:-1] = 202 + 1200*x[1:-1]**2 - 400*x[2:]
...     H = H + np.diag(diagonal)
...     return H

>>> res = minimize(rosen, x0, method='Newton-CG',
...                 jac=rosen_der, hess=rosen_hess,
...                 options={'avextol': 1e-8, 'disp': True})
Optimization terminated successfully.
Current function value: 0.000000
```

```

    Iterations: 19
    Function evaluations: 22
    Gradient evaluations: 19
    Hessian evaluations: 19
>>> print res.x
[ 1.  1.  1.  1.  1.]

```

Hessian product example:

For larger minimization problems, storing the entire Hessian matrix can consume considerable time and memory. The Newton-CG algorithm only needs the product of the Hessian times an arbitrary vector. As a result, the user can supply code to compute this product rather than the full Hessian by giving a `hess` function which take the minimization vector as the first argument and the arbitrary vector as the second argument (along with extra arguments passed to the function to be minimized). If possible, using Newton-CG with the Hessian product option is probably the fastest way to minimize the function.

In this case, the product of the Rosenbrock Hessian with an arbitrary vector is not difficult to compute. If \mathbf{p} is the arbitrary vector, then $\mathbf{H}(\mathbf{x}) \mathbf{p}$ has elements:

$$\mathbf{H}(\mathbf{x}) \mathbf{p} = \begin{bmatrix} (1200x_0^2 - 400x_1 + 2) p_0 - 400x_0 p_1 \\ \vdots \\ -400x_{i-1} p_{i-1} + (202 + 1200x_i^2 - 400x_{i+1}) p_i - 400x_i p_{i+1} \\ \vdots \\ -400x_{N-2} p_{N-2} + 200 p_{N-1} \end{bmatrix}.$$

Code which makes use of this Hessian product to minimize the Rosenbrock function using `minimize` follows:

```

>>> def rosen_hess_p(x,p):
...     x = np.asarray(x)
...     Hp = np.zeros_like(x)
...     Hp[0] = (1200*x[0]**2 - 400*x[1] + 2)*p[0] - 400*x[0]*p[1]
...     Hp[1:-1] = -400*x[:-2]*p[:-2] + (202+1200*x[1:-1]**2-400*x[2:]) *p[1:-1] \
...               -400*x[1:-1]*p[2:]
...     Hp[-1] = -400*x[-2]*p[-2] + 200*p[-1]
...     return Hp

>>> res = minimize(rosen, x0, method='Newton-CG',
...               jac=rosen_der, hess=rosen_hess_p,
...               options={'avextol': 1e-8, 'disp': True})
Optimization terminated successfully.
    Current function value: 0.000000
    Iterations: 20
    Function evaluations: 23
    Gradient evaluations: 20
    Hessian evaluations: 44
>>> print res.x
[ 1.  1.  1.  1.  1.]

```

1.5.2 Constrained minimization of multivariate scalar functions (`minimize`)

The `minimize` function also provides an interface to several constrained minimization algorithm. As an example, the Sequential Least Squares Programming optimization algorithm (SLSQP) will be considered here. This algorithm

allows to deal with constrained minimization problems of the form:

$$\begin{aligned} & \min F(x) \\ & \text{subject to} \quad C_j(X) = 0, \quad j = 1, \dots, \text{MEQ} \\ & \quad \quad \quad C_j(x) \geq 0, \quad j = \text{MEQ} + 1, \dots, M \\ & \quad \quad \quad XL \leq x \leq XU, \quad I = 1, \dots, N. \end{aligned}$$

As an example, let us consider the problem of maximizing the function:

$$f(x, y) = 2xy + 2x - x^2 - 2y^2$$

subject to an equality and an inequality constraints defined as:

$$\begin{aligned} x^3 - y &= 0 \\ y - 1 &\geq 0 \end{aligned}$$

The objective function and its derivative are defined as follows.

```
>>> def func(x, sign=1.0):
...     """ Objective function """
...     return sign*(2*x[0]*x[1] + 2*x[0] - x[0]**2 - 2*x[1]**2)

>>> def func_deriv(x, sign=1.0):
...     """ Derivative of objective function """
...     dfdx0 = sign*(-2*x[0] + 2*x[1] + 2)
...     dfdx1 = sign*(2*x[0] - 4*x[1])
...     return np.array([ dfdx0, dfdx1 ])
```

Note that since `minimize` only minimizes functions, the `sign` parameter is introduced to multiply the objective function (and its derivative by -1) in order to perform a maximization.

Then constraints are defined as a sequence of dictionaries, with keys `type`, `fun` and `jac`.

```
>>> cons = ({'type': 'eq',
...         'fun' : lambda x: np.array([x[0]**3 - x[1]]),
...         'jac' : lambda x: np.array([3.0*(x[0]**2.0), -1.0])},
...        {'type': 'ineq',
...         'fun' : lambda x: np.array([x[1] - 1]),
...         'jac' : lambda x: np.array([0.0, 1.0])})
```

Now an unconstrained optimization can be performed as:

```
>>> res = minimize(func, [-1.0,1.0], args=(-1.0,), jac=func_deriv,
...               method='SLSQP', options={'disp': True})
Optimization terminated successfully. (Exit mode 0)
Current function value: -2.0
Iterations: 4
Function evaluations: 5
Gradient evaluations: 4
>>> print res.x
[ 2.  1.]
```

and a constrained optimization as:

```
>>> res = minimize(func, [-1.0,1.0], args=(-1.0,), jac=func_deriv,
...               constraints=cons, method='SLSQP', options={'disp': True})
Optimization terminated successfully. (Exit mode 0)
Current function value: -1.00000018311
Iterations: 9
```

```

Function evaluations: 14
Gradient evaluations: 9
>>> print res.x
[ 1.00000009  1.          ]
    
```

1.5.3 Least-square fitting (`leastsq`)

All of the previously-explained minimization procedures can be used to solve a least-squares problem provided the appropriate objective function is constructed. For example, suppose it is desired to fit a set of data $\{\mathbf{x}_i, y_i\}$ to a known model, $y = f(\mathbf{x}, \mathbf{p})$ where \mathbf{p} is a vector of parameters for the model that need to be found. A common method for determining which parameter vector gives the best fit to the data is to minimize the sum of squares of the residuals. The residual is usually defined for each observed data-point as

$$e_i(\mathbf{p}, y_i, \mathbf{x}_i) = \|y_i - f(\mathbf{x}_i, \mathbf{p})\|.$$

An objective function to pass to any of the previous minimization algorithms to obtain a least-squares fit is.

$$J(\mathbf{p}) = \sum_{i=0}^{N-1} e_i^2(\mathbf{p}).$$

The `leastsq` algorithm performs this squaring and summing of the residuals automatically. It takes as an input argument the vector function $\mathbf{e}(\mathbf{p})$ and returns the value of \mathbf{p} which minimizes $J(\mathbf{p}) = \mathbf{e}^T \mathbf{e}$ directly. The user is also encouraged to provide the Jacobian matrix of the function (with derivatives down the columns or across the rows). If the Jacobian is not provided, it is estimated.

An example should clarify the usage. Suppose it is believed some measured data follow a sinusoidal pattern

$$y_i = A \sin(2\pi k x_i + \theta)$$

where the parameters A , k , and θ are unknown. The residual vector is

$$e_i = |y_i - A \sin(2\pi k x_i + \theta)|.$$

By defining a function to compute the residuals and (selecting an appropriate starting position), the least-squares fit routine can be used to find the best-fit parameters \hat{A} , \hat{k} , $\hat{\theta}$. This is shown in the following example:

```

>>> from numpy import *
>>> x = arange(0, 6e-2, 6e-2/30)
>>> A, k, theta = 10, 1.0/3e-2, pi/6
>>> y_true = A*sin(2*pi*k*x+theta)
>>> y_meas = y_true + 2*random.randn(len(x))

>>> def residuals(p, y, x):
...     A, k, theta = p
...     err = y-A*sin(2*pi*k*x+theta)
...     return err

>>> def peval(x, p):
...     return p[0]*sin(2*pi*p[1]*x+p[2])

>>> p0 = [8, 1/2.3e-2, pi/3]
>>> print array(p0)
[ 8.          43.4783  1.0472]

>>> from scipy.optimize import leastsq
>>> plsq = leastsq(residuals, p0, args=(y_meas, x))
>>> print plsq[0]
[ 10.9437  33.3605  0.5834]
    
```



```
>>> print array([A, k, theta])
[ 10.      33.3333  0.5236]

>>> import matplotlib.pyplot as plt
>>> plt.plot(x, peval(x, plsq[0]), x, y_meas, 'o', x, y_true)
>>> plt.title('Least-squares fit to noisy data')
>>> plt.legend(['Fit', 'Noisy', 'True'])
>>> plt.show()
```

1.5.4 Univariate function minimizers (`minimize_scalar`)

Often only the minimum of an univariate function (i.e. a function that takes a scalar as input) is needed. In these circumstances, other optimization techniques have been developed that can work faster. These are accessible from the `minimize_scalar` function which proposes several algorithms.

Unconstrained minimization (`method='brent'`)

There are actually two methods that can be used to minimize an univariate function: `brent` and `golden`, but `golden` is included only for academic purposes and should rarely be used. These can be respectively selected through the `method` parameter in `minimize_scalar`. The `brent` method uses Brent's algorithm for locating a minimum. Optimally a bracket (the `bs` parameter) should be given which contains the minimum desired. A bracket is a triple (a, b, c) such that $f(a) > f(b) < f(c)$ and $a < b < c$. If this is not given, then alternatively two starting points can be chosen and a bracket will be found from these points using a simple marching algorithm. If these two starting points are not provided 0 and 1 will be used (this may not be the right choice for your function and result in an unexpected minimum being returned).

Here is an example:

```
>>> from scipy.optimize import minimize_scalar
>>> f = lambda x: (x - 2) * (x + 1)**2
>>> res = minimize_scalar(f, method='brent')
>>> print res.x
1.0
```

Bounded minimization (`method='bounded'`)

Very often, there are constraints that can be placed on the solution space before minimization occurs. The `bounded` method in `minimize_scalar` is an example of a constrained minimization procedure that provides a rudimentary interval constraint for scalar functions. The interval constraint allows the minimization to occur only between two fixed endpoints, specified using the mandatory `bs` parameter.

For example, to find the minimum of $J_1(x)$ near $x = 5$, `minimize_scalar` can be called using the interval $[4, 7]$ as a constraint. The result is $x_{\min} = 5.3314$:

```
>>> from scipy.special import j1
>>> res = minimize_scalar(j1, bs=(4, 7), method='bounded')
>>> print res.x
5.33144184241
```

1.5.5 Root finding

Scalar functions

If one has a single-variable equation, there are four different root finding algorithms that can be tried. Each of these algorithms requires the endpoints of an interval in which a root is expected (because the function changes signs). In general `brentq` is the best choice, but the other methods may be useful in certain circumstances or for academic purposes.

Fixed-point solving

A problem closely related to finding the zeros of a function is the problem of finding a fixed-point of a function. A fixed point of a function is the point at which evaluation of the function returns the point: $g(x) = x$. Clearly the fixed point of g is the root of $f(x) = g(x) - x$. Equivalently, the root of f is the fixed_point of $g(x) = f(x) + x$. The routine `fixed_point` provides a simple iterative method using Aitkens sequence acceleration to estimate the fixed point of g given a starting point.

Sets of equations

Finding a root of a set of non-linear equations can be achieved using the `root` function. Several methods are available, amongst which `hybr` (the default) and `lm` which respectively use the hybrid method of Powell and the Levenberg-Marquardt method from MINPACK.

The following example considers the single-variable transcendental equation

$$x + 2 \cos(x) = 0,$$

a root of which can be found as follows:

```
>>> import numpy as np
>>> from scipy.optimize import root
>>> def func(x):
...     return x + 2 * np.cos(x)
>>> sol = root(func, 0.3)
>>> sol.x
array([-1.02986653])
>>> sol.fun
array([-6.66133815e-16])
```

Consider now a set of non-linear equations

$$\begin{aligned}x_0 \cos(x_1) &= 4, \\x_0 x_1 - x_1 &= 5.\end{aligned}$$

We define the objective function so that it also returns the Jacobian and indicate this by setting the `jac` parameter to `True`. Also, the Levenberg-Marquardt solver is used here.

```
>>> def func2(x):
...     f = [x[0] * np.cos(x[1]) - 4,
...          x[1]*x[0] - x[1] - 5]
...     df = np.array([[np.cos(x[1]), -x[0] * np.sin(x[1])],
...                    [x[1], x[0] - 1]])
...     return f, df
>>> sol = root(func2, [1, 1], jac=True, method='lm')
>>> sol.x
array([ 6.50409711,  0.90841421])
```

Root finding for large problems

Methods `hybr` and `lm` in `root` cannot deal with a very large number of variables (N), as they need to calculate and invert a dense $N \times N$ Jacobian matrix on every Newton step. This becomes rather inefficient when N grows.

Consider for instance the following problem: we need to solve the following integrodifferential equation on the square $[0, 1] \times [0, 1]$:

$$(\partial_x^2 + \partial_y^2)P + 5 \left(\int_0^1 \int_0^1 \cosh(P) dx dy \right)^2 = 0$$

with the boundary condition $P(x, 1) = 1$ on the upper edge and $P = 0$ elsewhere on the boundary of the square. This can be done by approximating the continuous function P by its values on a grid, $P_{n,m} \approx P(nh, mh)$, with a small grid spacing h . The derivatives and integrals can then be approximated; for instance $\partial_x^2 P(x, y) \approx (P(x+h, y) - 2P(x, y) + P(x-h, y))/h^2$. The problem is then equivalent to finding the root of some function `residual(P)`, where `P` is a vector of length $N_x N_y$.

Now, because $N_x N_y$ can be large, methods `hybr` or `lm` in `root` will take a long time to solve this problem. The solution can however be found using one of the large-scale solvers, for example `krylov`, `broyden2`, or `anderson`. These use what is known as the inexact Newton method, which instead of computing the Jacobian matrix exactly, forms an approximation for it.

The problem we have can now be solved as follows:

```
import numpy as np
from scipy.optimize import root
from numpy import cosh, zeros_like, mgrid, zeros

# parameters
nx, ny = 75, 75
hx, hy = 1./(nx-1), 1./(ny-1)

P_left, P_right = 0, 0
P_top, P_bottom = 1, 0

def residual(P):
    d2x = zeros_like(P)
    d2y = zeros_like(P)

    d2x[1:-1] = (P[2:] - 2*P[1:-1] + P[:-2]) / hx/hx
    d2x[0] = (P[1] - 2*P[0] + P_left) / hx/hx
    d2x[-1] = (P_right - 2*P[-1] + P[-2]) / hx/hx

    d2y[:,1:-1] = (P[:,2:] - 2*P[:,1:-1] + P[:, :-2]) / hy/hy
    d2y[:,0] = (P[:,1] - 2*P[:,0] + P_bottom) / hy/hy
    d2y[:, -1] = (P_top - 2*P[:, -1] + P[:, -2]) / hy/hy

    return d2x + d2y + 5*cosh(P).mean()**2

# solve
guess = zeros((nx, ny), float)
sol = root(residual, guess, method='krylov', options={'disp': True})
#sol = root(residual, guess, method='broyden2', options={'disp': True, 'max_rank': 50})
#sol = root(residual, guess, method='anderson', options={'disp': True, 'M': 10})
print 'Residual', abs(residual(sol.x)).max()

# visualize
import matplotlib.pyplot as plt
x, y = mgrid[0:1:(nx*1j), 0:1:(ny*1j)]
```

```
plt.pcolor(x, y, sol.x)
plt.colorbar()
plt.show()
```

Still too slow? Preconditioning.

When looking for the zero of the functions $f_i(\mathbf{x}) = 0$, $i = 1, 2, \dots, N$, the krylov solver spends most of its time inverting the Jacobian matrix,

$$J_{ij} = \frac{\partial f_i}{\partial x_j}.$$

If you have an approximation for the inverse matrix $M \approx J^{-1}$, you can use it for *preconditioning* the linear inversion problem. The idea is that instead of solving $J\mathbf{s} = \mathbf{y}$ one solves $MJ\mathbf{s} = M\mathbf{y}$: since matrix MJ is “closer” to the identity matrix than J is, the equation should be easier for the Krylov method to deal with.

The matrix M can be passed to `root` with method `krylov` as an option `options['jac_options']['inner_M']`. It can be a (sparse) matrix or a `scipy.sparse.linalg.LinearOperator` instance.

For the problem in the previous section, we note that the function to solve consists of two parts: the first one is application of the Laplace operator, $[\partial_x^2 + \partial_y^2]P$, and the second is the integral. We can actually easily compute the Jacobian corresponding to the Laplace operator part: we know that in one dimension

$$\partial_x^2 \approx \frac{1}{h_x^2} \begin{pmatrix} -2 & 1 & 0 & 0 \dots \\ 1 & -2 & 1 & 0 \dots \\ 0 & 1 & -2 & 1 \dots \\ \dots & & & \dots \end{pmatrix} = h_x^{-2} L$$

so that the whole 2-D operator is represented by

$$J_1 = \partial_x^2 + \partial_y^2 \simeq h_x^{-2} L \otimes I + h_y^{-2} I \otimes L$$

The matrix J_2 of the Jacobian corresponding to the integral is more difficult to calculate, and since *all* of its entries are nonzero, it will be difficult to invert. J_1 on the other hand is a relatively simple matrix, and can be inverted by `scipy.sparse.linalg.splu` (or the inverse can be approximated by `scipy.sparse.linalg.spilu`). So we are content to take $M \approx J_1^{-1}$ and hope for the best.

In the example below, we use the preconditioner $M = J_1^{-1}$.

```
import numpy as np
from scipy.optimize import root
from scipy.sparse import spdiags, kron
from scipy.sparse.linalg import spilu, LinearOperator
from numpy import cosh, zeros_like, mgrid, zeros, eye

# parameters
nx, ny = 75, 75
hx, hy = 1./(nx-1), 1./(ny-1)

P_left, P_right = 0, 0
P_top, P_bottom = 1, 0

def get_preconditioner():
    """Compute the preconditioner M"""
    diags_x = zeros((3, nx))
```

```

diags_x[0,:] = 1/hx/hx
diags_x[1,:] = -2/hx/hx
diags_x[2,:] = 1/hx/hx
Lx = spdiags(diags_x, [-1,0,1], nx, nx)

diags_y = zeros((3, ny))
diags_y[0,:] = 1/hy/hy
diags_y[1,:] = -2/hy/hy
diags_y[2,:] = 1/hy/hy
Ly = spdiags(diags_y, [-1,0,1], ny, ny)

J1 = kron(Lx, eye(ny)) + kron(eye(nx), Ly)

# Now we have the matrix 'J_1'. We need to find its inverse 'M' --
# however, since an approximate inverse is enough, we can use
# the *incomplete LU* decomposition

J1_ilu = spilu(J1)

# This returns an object with a method .solve() that evaluates
# the corresponding matrix-vector product. We need to wrap it into
# a LinearOperator before it can be passed to the Krylov methods:

M = LinearOperator(shape=(nx*ny, nx*ny), matvec=J1_ilu.solve)
return M

def solve(preconditioning=True):
    """Compute the solution"""
    count = [0]

    def residual(P):
        count[0] += 1

        d2x = zeros_like(P)
        d2y = zeros_like(P)

        d2x[1:-1] = (P[2:] - 2*P[1:-1] + P[:-2])/hx/hx
        d2x[0] = (P[1] - 2*P[0] + P_left)/hx/hx
        d2x[-1] = (P_right - 2*P[-1] + P[-2])/hx/hx

        d2y[:,1:-1] = (P[:,2:] - 2*P[:,1:-1] + P[:, :-2])/hy/hy
        d2y[:,0] = (P[:,1] - 2*P[:,0] + P_bottom)/hy/hy
        d2y[:, -1] = (P_top - 2*P[:, -1] + P[:, -2])/hy/hy

        return d2x + d2y + 5*cosh(P).mean()*2

    # preconditioner
    if preconditioning:
        M = get_preconditioner()
    else:
        M = None

    # solve
    guess = zeros((nx, ny), float)

    sol = root(residual, guess, method='krylov',
               options={'disp': True,
                       'jac_options': {'inner_M': M}})

```

```

print 'Residual', abs(residual(sol.x)).max()
print 'Evaluations', count[0]

return sol.x

def main():
    sol = solve(preconditioning=True)

    # visualize
    import matplotlib.pyplot as plt
    x, y = mgrid[0:1:(nx*1j), 0:1:(ny*1j)]
    plt.clf()
    plt.pcolor(x, y, sol)
    plt.clim(0, 1)
    plt.colorbar()
    plt.show()

if __name__ == "__main__":
    main()

```

Resulting run, first without preconditioning:

```

0: |F(x)| = 803.614; step 1; tol 0.000257947
1: |F(x)| = 345.912; step 1; tol 0.166755
2: |F(x)| = 139.159; step 1; tol 0.145657
3: |F(x)| = 27.3682; step 1; tol 0.0348109
4: |F(x)| = 1.03303; step 1; tol 0.00128227
5: |F(x)| = 0.0406634; step 1; tol 0.00139451
6: |F(x)| = 0.00344341; step 1; tol 0.00645373
7: |F(x)| = 0.000153671; step 1; tol 0.00179246
8: |F(x)| = 6.7424e-06; step 1; tol 0.00173256
Residual 3.57078908664e-07
Evaluations 317

```

and then with preconditioning:

```

0: |F(x)| = 136.993; step 1; tol 7.49599e-06
1: |F(x)| = 4.80983; step 1; tol 0.00110945
2: |F(x)| = 0.195942; step 1; tol 0.00149362
3: |F(x)| = 0.000563597; step 1; tol 7.44604e-06
4: |F(x)| = 1.00698e-09; step 1; tol 2.87308e-12
Residual 9.29603061195e-11
Evaluations 77

```

Using a preconditioner reduced the number of evaluations of the `residual` function by a factor of 4. For problems where the residual is expensive to compute, good preconditioning can be crucial — it can even decide whether the problem is solvable in practice or not.

Preconditioning is an art, science, and industry. Here, we were lucky in making a simple choice that worked reasonably well, but there is a lot more depth to this topic than is shown here.

References

Some further reading and related software:

1.6 Interpolation (`scipy.interpolate`)

Contents

- Interpolation (`scipy.interpolate`)
 - 1-D interpolation (`interp1d`)
 - Multivariate data interpolation (`griddata`)
 - Spline interpolation
 - * Spline interpolation in 1-d: Procedural (`interpolate.splXXX`)
 - * Spline interpolation in 1-d: Object-oriented (`UnivariateSpline`)
 - * Two-dimensional spline representation: Procedural (`bisplrep`)
 - * Two-dimensional spline representation: Object-oriented (`BivariateSpline`)
 - Using radial basis functions for smoothing/interpolation
 - * 1-d Example
 - * 2-d Example

There are several general interpolation facilities available in SciPy, for data in 1, 2, and higher dimensions:

- A class representing an interpolant (`interp1d`) in 1-D, offering several interpolation methods.
- Convenience function `griddata` offering a simple interface to interpolation in N dimensions (N = 1, 2, 3, 4, ...). Object-oriented interface for the underlying routines is also available.
- Functions for 1- and 2-dimensional (smoothed) cubic-spline interpolation, based on the FORTRAN library FITPACK. There are both procedural and object-oriented interfaces for the FITPACK library.
- Interpolation using Radial Basis Functions.


1.6.1 1-D interpolation (`interp1d`)

The `interp1d` class in `scipy.interpolate` is a convenient method to create a function based on fixed data points which can be evaluated anywhere within the domain defined by the given data using linear interpolation. An instance of this class is created by passing the 1-d vectors comprising the data. The instance of this class defines a `__call__` method and can therefore be treated like a function which interpolates between known data values to obtain unknown values (it also has a docstring for help). Behavior at the boundary can be specified at instantiation time. The following example demonstrates its use, for linear and cubic spline interpolation:

```
>>> from scipy.interpolate import interp1d

>>> x = np.linspace(0, 10, 10)
>>> y = np.cos(-x**2/8.0)
>>> f = interp1d(x, y)
>>> f2 = interp1d(x, y, kind='cubic')

>>> xnew = np.linspace(0, 10, 40)
>>> import matplotlib.pyplot as plt
>>> plt.plot(x, y, 'o', xnew, f(xnew), '-', xnew, f2(xnew), '--')
>>> plt.legend(['data', 'linear', 'cubic'], loc='best')
>>> plt.show()
```



1.6.2 Multivariate data interpolation (griddata)

Suppose you have multidimensional data, for instance for an underlying function $f(x, y)$ you only know the values at points $(x[i], y[i])$ that do not form a regular grid.

Suppose we want to interpolate the 2-D function

```
>>> def func(x, y):
>>>     return x*(1-x)*np.cos(4*np.pi*x) * np.sin(4*np.pi*y**2)**2
```

on a grid in $[0, 1] \times [0, 1]$

```
>>> grid_x, grid_y = np.mgrid[0:1:100j, 0:1:200j]
```

but we only know its values at 1000 data points:

```
>>> points = np.random.rand(1000, 2)
>>> values = func(points[:,0], points[:,1])
```

This can be done with `griddata` – below we try out all of the interpolation methods:

```
>>> from scipy.interpolate import griddata
>>> grid_z0 = griddata(points, values, (grid_x, grid_y), method='nearest')
>>> grid_z1 = griddata(points, values, (grid_x, grid_y), method='linear')
>>> grid_z2 = griddata(points, values, (grid_x, grid_y), method='cubic')
```

One can see that the exact result is reproduced by all of the methods to some degree, but for this smooth function the piecewise cubic interpolant gives the best results:


```
>>> import matplotlib.pyplot as plt
>>> plt.subplot(221)
>>> plt.imshow(func(grid_x, grid_y).T, extent=(0,1,0,1), origin='lower')
>>> plt.plot(points[:,0], points[:,1], 'k.', ms=1)
>>> plt.title('Original')
>>> plt.subplot(222)
>>> plt.imshow(grid_z0.T, extent=(0,1,0,1), origin='lower')
>>> plt.title('Nearest')
>>> plt.subplot(223)
```



```

>>> plt.imshow(grid_z1.T, extent=(0,1,0,1), origin='lower')
>>> plt.title('Linear')
>>> plt.subplot(224)
>>> plt.imshow(grid_z2.T, extent=(0,1,0,1), origin='lower')
>>> plt.title('Cubic')
>>> plt.gcf().set_size_inches(6, 6)
>>> plt.show()

```



1.6.3 Spline interpolation

Spline interpolation in 1-d: Procedural (`interpolate.splXXX`)

Spline interpolation requires two essential steps: (1) a spline representation of the curve is computed, and (2) the spline is evaluated at the desired points. In order to find the spline representation, there are two different ways to represent a curve and obtain (smoothing) spline coefficients: directly and parametrically. The direct method finds the spline representation of a curve in a two-dimensional plane using the function `splrep`. The first two arguments are the

only ones required, and these provide the x and y components of the curve. The normal output is a 3-tuple, (t, c, k) , containing the knot-points, t , the coefficients c and the order k of the spline. The default spline order is cubic, but this can be changed with the input keyword, k .

For curves in N -dimensional space the function `splprep` allows defining the curve parametrically. For this function only 1 input argument is required. This input is a list of N -arrays representing the curve in N -dimensional space. The length of each array is the number of curve points, and each array provides one component of the N -dimensional data point. The parameter variable is given with the keyword argument, u , which defaults to an equally-spaced monotonic sequence between 0 and 1. The default output consists of two objects: a 3-tuple, (t, c, k) , containing the spline representation and the parameter variable u .

The keyword argument, s , is used to specify the amount of smoothing to perform during the spline fit. The default value of s is $s = m - \sqrt{2m}$ where m is the number of data-points being fit. Therefore, **if no smoothing is desired a value of $s = 0$ should be passed to the routines.**

Once the spline representation of the data has been determined, functions are available for evaluating the spline (`splev`) and its derivatives (`splev`, `spalde`) at any point and the integral of the spline between any two points (`splint`). In addition, for cubic splines ($k = 3$) with 8 or more knots, the roots of the spline can be estimated (`sproot`). These functions are demonstrated in the example that follows.

```
>>> import numpy as np
>>> import matplotlib.pyplot as plt
>>> from scipy import interpolate
```

Cubic-spline

```
>>> x = np.arange(0, 2*np.pi+np.pi/4, 2*np.pi/8)
>>> y = np.sin(x)
>>> tck = interpolate.splrep(x, y, s=0)
>>> xnew = np.arange(0, 2*np.pi, np.pi/50)
>>> ynew = interpolate.splev(xnew, tck, der=0)

>>> plt.figure()
>>> plt.plot(x, y, 'x', xnew, ynew, xnew, np.sin(xnew), x, y, 'b')
>>> plt.legend(['Linear', 'Cubic Spline', 'True'])
>>> plt.axis([-0.05, 6.33, -1.05, 1.05])
>>> plt.title('Cubic-spline interpolation')
>>> plt.show()
```

Derivative of spline

```
>>> yder = interpolate.splev(xnew, tck, der=1)
>>> plt.figure()
>>> plt.plot(xnew, yder, xnew, np.cos(xnew), '--')
>>> plt.legend(['Cubic Spline', 'True'])
>>> plt.axis([-0.05, 6.33, -1.05, 1.05])
>>> plt.title('Derivative estimation from spline')
>>> plt.show()
```

Integral of spline

```
>>> def integ(x, tck, constant=-1):
>>>     x = np.atleast_1d(x)
>>>     out = np.zeros(x.shape, dtype=x.dtype)
>>>     for n in xrange(len(out)):
>>>         out[n] = interpolate.splint(0, x[n], tck)
>>>     out += constant
>>>     return out
>>>
>>> yint = integ(xnew, tck)
```

```
>>> plt.figure()
>>> plt.plot(xnew, yint, xnew, -np.cos(xnew), '--')
>>> plt.legend(['Cubic Spline', 'True'])
>>> plt.axis([-0.05, 6.33, -1.05, 1.05])
>>> plt.title('Integral estimation from spline')
>>> plt.show()
```

Roots of spline

```
>>> print interpolate.sproot(tck)
[ 0.          3.1416]
```

Parametric spline

```
>>> t = np.arange(0, 1.1, .1)
>>> x = np.sin(2*np.pi*t)
>>> y = np.cos(2*np.pi*t)
>>> tck, u = interpolate.splprep([x, y], s=0)
>>> unew = np.arange(0, 1.01, 0.01)
>>> out = interpolate.splev(unew, tck)
>>> plt.figure()
>>> plt.plot(x, y, 'x', out[0], out[1], np.sin(2*np.pi*unew), np.cos(2*np.pi*unew), x, y, 'b')
>>> plt.legend(['Linear', 'Cubic Spline', 'True'])
>>> plt.axis([-1.05, 1.05, -1.05, 1.05])
>>> plt.title('Spline of parametrically-defined curve')
>>> plt.show()
```

Spline interpolation in 1-d: Object-oriented (`UnivariateSpline`)

The spline-fitting capabilities described above are also available via an object-oriented interface. The one dimensional splines are objects of the `UnivariateSpline` class, and are created with the x and y components of the curve provided as arguments to the constructor. The class defines `__call__`, allowing the object to be called with the x -axis values at which the spline should be evaluated, returning the interpolated y -values. This is shown in the example below for the subclass `InterpolatedUnivariateSpline`. The methods `integral`, `derivatives`, and `roots` methods are also available on `UnivariateSpline` objects, allowing definite integrals, derivatives, and roots to be computed for the spline.

The `UnivariateSpline` class can also be used to smooth data by providing a non-zero value of the smoothing parameter s , with the same meaning as the `s` keyword of the `splprep` function described above. This results in a spline that has fewer knots than the number of data points, and hence is no longer strictly an interpolating spline, but rather a smoothing spline. If this is not desired, the `InterpolatedUnivariateSpline` class is available. It is a subclass of `UnivariateSpline` that always passes through all points (equivalent to forcing the smoothing parameter to 0). This class is demonstrated in the example below.

The `LSQUnivariateSpline` is the other subclass of `UnivariateSpline`. It allows the user to specify the number and location of internal knots as explicitly with the parameter t . This allows creation of customized splines with non-linear spacing, to interpolate in some domains and smooth in others, or change the character of the spline.

```
>>> import numpy as np
>>> import matplotlib.pyplot as plt
>>> from scipy import interpolate
```


InterpolatedUnivariateSpline

```
>>> x = np.arange(0, 2*np.pi+np.pi/4, 2*np.pi/8)
>>> y = np.sin(x)
>>> s = interpolate.InterpolatedUnivariateSpline(x, y)
```

```

>>> xnew = np.arange(0, 2*np.pi, np.pi/50)
>>> ynew = s(xnew)

>>> plt.figure()
>>> plt.plot(x, y, 'x', xnew, ynew, xnew, np.sin(xnew), x, y, 'b')
>>> plt.legend(['Linear', 'InterpolatedUnivariateSpline', 'True'])
>>> plt.axis([-0.05, 6.33, -1.05, 1.05])
>>> plt.title('InterpolatedUnivariateSpline')
>>> plt.show()
    
```




LSQUnivariateSpline with non-uniform knots

```

>>> t = [np.pi/2-.1, np.pi/2+.1, 3*np.pi/2-.1, 3*np.pi/2+.1]
>>> s = interpolate.LSQUnivariateSpline(x, y, t, k=2)
>>> ynew = s(xnew)

>>> plt.figure()
>>> plt.plot(x, y, 'x', xnew, ynew, xnew, np.sin(xnew), x, y, 'b')
>>> plt.legend(['Linear', 'LSQUnivariateSpline', 'True'])
>>> plt.axis([-0.05, 6.33, -1.05, 1.05])
>>> plt.title('Spline with Specified Interior Knots')
>>> plt.show()
    
```



Two-dimensional spline representation: Procedural (`bisplrep`)

For (smooth) spline-fitting to a two dimensional surface, the function `bisplrep` is available. This function takes as required inputs the **1-D** arrays `x`, `y`, and `z` which represent points on the surface $z = f(x, y)$. The default output is a list `[tx, ty, c, kx, ky]` whose entries represent respectively, the components of the knot positions, the coefficients of the spline, and the order of the spline in each coordinate. It is convenient to hold this list in a single object, `tck`, so that it can be passed easily to the function `bisplev`. The keyword, `s`, can be used to change the amount of smoothing performed on the data while determining the appropriate spline. The default value is $s = m - \sqrt{2m}$ where m is the number of data points in the `x`, `y`, and `z` vectors. As a result, if no smoothing is desired, then $s = 0$ should be passed to `bisplrep`.

To evaluate the two-dimensional spline and its partial derivatives (up to the order of the spline), the function `bisplev` is required. This function takes as the first two arguments **two 1-D arrays** whose cross-product specifies the domain over which to evaluate the spline. The third argument is the `tck` list returned from `bisplrep`. If desired, the fourth and fifth arguments provide the orders of the partial derivative in the `x` and `y` direction respectively.

It is important to note that two dimensional interpolation should not be used to find the spline representation of images. The algorithm used is not amenable to large numbers of input points. The signal processing toolbox contains more appropriate algorithms for finding the spline representation of an image. The two dimensional interpolation commands are intended for use when interpolating a two dimensional function as shown in the example that follows. This example uses the `mgrid` command in SciPy which is useful for defining a “mesh-grid” in many dimensions. (See also the `ogrid` command if the full-mesh is not needed). The number of output arguments and the number of dimensions of each argument is determined by the number of indexing objects passed in `mgrid`.


```
>>> import numpy as np
>>> from scipy import interpolate
>>> import matplotlib.pyplot as plt
```

Define function over sparse 20x20 grid

```
>>> x, y = np.mgrid[-1:1:20j, -1:1:20j]
>>> z = (x+y)*np.exp(-6.0*(x*x+y*y))

>>> plt.figure()
>>> plt.pcolor(x, y, z)
>>> plt.colorbar()
```


```
>>> plt.title("Sparsely sampled function.")
>>> plt.show()
```



Interpolate function over new 70x70 grid

```
>>> xnew,ynew = np.mgrid[-1:1:70j,-1:1:70j]
>>> tck = interpolate.bisplrep(x,y,z,s=0)
>>> znew = interpolate.bisplev(xnew[:,0],ynew[0,:],tck)

>>> plt.figure()
>>> plt.pcolor(xnew,ynew,znew)
>>> plt.colorbar()
>>> plt.title("Interpolated function.")
>>> plt.show()
```



Two-dimensional spline representation: Object-oriented (`BivariateSpline`)

The `BivariateSpline` class is the 2-dimensional analog of the `UnivariateSpline` class. It and its subclasses implement the FITPACK functions described above in an object oriented fashion, allowing objects to be instantiated that can be called to compute the spline value by passing in the two coordinates as the two arguments.

1.6.4 Using radial basis functions for smoothing/interpolation

Radial basis functions can be used for smoothing/interpolating scattered data in n-dimensions, but should be used with caution for extrapolation outside of the observed data range.

1-d Example

This example compares the usage of the `Rbf` and `UnivariateSpline` classes from the `scipy.interpolate` module.

```
>>> import numpy as np
>>> from scipy.interpolate import Rbf, InterpolatedUnivariateSpline
>>> import matplotlib.pyplot as plt


>>> # setup data
>>> x = np.linspace(0, 10, 9)
>>> y = np.sin(x)
>>> xi = np.linspace(0, 10, 101)

>>> # use fitpack2 method
>>> ius = InterpolatedUnivariateSpline(x, y)
>>> yi = ius(xi)

>>> plt.subplot(2, 1, 1)
>>> plt.plot(x, y, 'bo')
>>> plt.plot(xi, yi, 'g')
>>> plt.plot(xi, np.sin(xi), 'r')
>>> plt.title('Interpolation using univariate spline')

>>> # use RBF method
>>> rbf = Rbf(x, y)
>>> fi = rbf(xi)

>>> plt.subplot(2, 1, 2)
>>> plt.plot(x, y, 'bo')
>>> plt.plot(xi, fi, 'g')
>>> plt.plot(xi, np.sin(xi), 'r')
>>> plt.title('Interpolation using RBF - multiquadrics')
>>> plt.show()
```



2-d Example


This example shows how to interpolate scattered 2d data.

```
>>> import numpy as np
>>> from scipy.interpolate import Rbf
>>> import matplotlib.pyplot as plt
>>> from matplotlib import cm

>>> # 2-d tests - setup scattered data
>>> x = np.random.rand(100)*4.0-2.0
>>> y = np.random.rand(100)*4.0-2.0
>>> z = x*np.exp(-x**2-y**2)
>>> ti = np.linspace(-2.0, 2.0, 100)
>>> XI, YI = np.meshgrid(ti, ti)

>>> # use RBF
>>> rbf = Rbf(x, y, z, epsilon=2)
>>> ZI = rbf(XI, YI)

>>> # plot the result
>>> n = plt.normalize(-2., 2.)
>>> plt.subplot(1, 1, 1)
>>> plt.pcolor(XI, YI, ZI, cmap=cm.jet)
>>> plt.scatter(x, y, 100, z, cmap=cm.jet)
>>> plt.title('RBF interpolation - multiquadrics')
>>> plt.xlim(-2, 2)
>>> plt.ylim(-2, 2)
>>> plt.colorbar()
```

1.7 Fourier Transforms (`scipy.fftpack`)

Warning: This is currently a stub page

Contents

- Fourier Transforms (`scipy.fftpack`)
 - Fast Fourier transforms
 - One dimensional discrete Fourier transforms
 - Two and n dimensional discrete Fourier transforms
 - Discrete Cosine Transforms
 - * type I
 - * type II
 - * type III
 - Discrete Sine Transforms
 - * type I
 - * type II
 - * type III
 - * References
 - FFT convolution
 - Cache Destruction

Fourier analysis is fundamentally a method for expressing a function as a sum of periodic components, and for recovering the signal from those components. When both the function and its Fourier transform are replaced with discretized counterparts, it is called the discrete Fourier transform (DFT). The DFT has become a mainstay of numerical computing in part because of a very fast algorithm for computing it, called the Fast Fourier Transform (FFT), which was known to Gauss (1805) and was brought to light in its current form by Cooley and Tukey [CT]. Press et al. [NR] provide an accessible introduction to Fourier analysis and its applications.

1.7.1 Fast Fourier transforms

1.7.2 One dimensional discrete Fourier transforms

fft, ifft, rfft, irfft

1.7.3 Two and n dimensional discrete Fourier transforms

fft in more than one dimension

1.7.4 Discrete Cosine Transforms

Return the Discrete Cosine Transform [Mak] of arbitrary type sequence x .

For a single dimension array x , `dct(x, norm='ortho')` is equal to MATLAB `dct(x)`.

There are theoretically 8 types of the DCT [WPC], only the first 3 types are implemented in scipy. 'The' DCT generally refers to DCT type 2, and 'the' Inverse DCT generally refers to DCT type 3.

type I

There are several definitions of the DCT-I; we use the following (for `norm=None`):

$$y_k = x_0 + (-1)^k x_{N-1} + 2 \sum_{n=1}^{N-2} x_n \cos\left(\frac{\pi nk}{N-1}\right), \quad 0 \leq k < N.$$

Only None is supported as normalization mode for DCT-I. Note also that the DCT-I is only supported for input size > 1

type II

There are several definitions of the DCT-II; we use the following (for `norm=None`):

$$y_k = 2 \sum_{n=0}^{N-1} x_n \cos\left(\frac{\pi(2n+1)k}{2N}\right) \quad 0 \leq k < N.$$

If `norm='ortho'`, y_k is multiplied by a scaling factor f :

$$f = \begin{cases} \sqrt{1/(4N)}, & \text{if } k = 0 \\ \sqrt{1/(2N)}, & \text{otherwise} \end{cases}$$

Which makes the corresponding matrix of coefficients orthonormal ($OO' = Id$).

type III

There are several definitions of the DCT-III, we use the following (for `norm=None`):

$$y_k = x_0 + 2 \sum_{n=1}^{N-1} x_n \cos\left(\frac{\pi n(2k+1)}{2N}\right) \quad 0 \leq k < N,$$

or, for `norm='ortho'`:

$$y_k = \frac{x_0}{\sqrt{N}} + \frac{1}{\sqrt{N}} \sum_{n=1}^{N-1} x_n \cos\left(\frac{\pi n(2k+1)}{2N}\right) \quad 0 \leq k < N.$$

The (unnormalized) DCT-III is the inverse of the (unnormalized) DCT-II, up to a factor $2N$. The orthonormalized DCT-III is exactly the inverse of the orthonormalized DCT-II.

1.7.5 Discrete Sine Transforms

Return the Discrete Sine Transform [Mak] of arbitrary type sequence `x`.

There are theoretically 8 types of the DST for different combinations of even/odd boundary conditions and boundary off sets [WPS], only the first 3 types are implemented in scipy.

type I

There are several definitions of the DST-I; we use the following for `norm=None`. DST-I assumes the input is odd around `n=-1` and `n=N`.

$$y_k = 2 \sum_{n=0}^{N-1} x_n \sin\left(\frac{\pi(n+1)(k+1)}{N+1}\right), \quad 0 \leq k < N.$$

Only `None` is supported as normalization mode for DST-I. Note also that the DCT-I is only supported for input size > 1 . The (unnormalized) DCT-I is its own inverse, up to a factor $2(N+1)$.

type II

There are several definitions of the DST-II; we use the following (for `norm=None`). DST-II assumes the input is odd around `n=-1/2` and even around `n=N`

$$y_k = 2 \sum_{n=0}^{N-1} x_n \sin\left(\frac{\pi(n+1/2)(k+1)}{N}\right), \quad 0 \leq k < N.$$

type III

There are several definitions of the DST-III, we use the following (for `norm=None`). DST-III assumes the input is odd around `n=-1` and even around `n=N-1`

$$y_k = (-1)^k x_{N-1} + 2 \sum_{n=0}^{N-2} x_n \sin\left(\frac{\pi(n+1)(k+1/2)}{N}\right), \quad 0 \leq k < N.$$

The (unnormalized) DCT-III is the inverse of the (unnormalized) DCT-II, up to a factor $2N$.

References

1.7.6 FFT convolution

`scipy.fftpack.convolve` performs a convolution of two one-dimensional arrays in frequency domain.

1.7.7 Cache Destruction

To accelerate repeat transforms on arrays of the same shape and dtype, `scipy.fftpack` keeps a cache of the prime factorization of length of the array and pre-computed trigonometric functions. These caches can be destroyed by calling the appropriate function in `scipy.fftpack._fftpack`. `dst(type=1)` and `idst(type=1)` share a cache (`*dst1_cache`). As do `dst(type=2)`, `dst(type=3)`, `idst(type=3)`, and `idst(type=3)` (`*dst2_cache`).

1.8 Signal Processing (`scipy.signal`)

The signal processing toolbox currently contains some filtering functions, a limited set of filter design tools, and a few B-spline interpolation algorithms for one- and two-dimensional data. While the B-spline algorithms could technically be placed under the interpolation category, they are included here because they only work with equally-spaced data and make heavy use of filter-theory and transfer-function formalism to provide a fast B-spline transform. To understand this section you will need to understand that a signal in SciPy is an array of real or complex numbers.

1.8.1 B-splines

A B-spline is an approximation of a continuous function over a finite- domain in terms of B-spline coefficients and knot points. If the knot- points are equally spaced with spacing Δx , then the B-spline approximation to a 1-dimensional function is the finite-basis expansion.

$$y(x) \approx \sum_j c_j \beta^o \left(\frac{x}{\Delta x} - j \right).$$

In two dimensions with knot-spacing Δx and Δy , the function representation is

$$z(x, y) \approx \sum_j \sum_k c_{jk} \beta^o \left(\frac{x}{\Delta x} - j \right) \beta^o \left(\frac{y}{\Delta y} - k \right).$$

In these expressions, $\beta^o(\cdot)$ is the space-limited B-spline basis function of order, o . The requirement of equally-spaced knot-points and equally-spaced data points, allows the development of fast (inverse-filtering) algorithms for determining the coefficients, c_j , from sample-values, y_n . Unlike the general spline interpolation algorithms, these algorithms can quickly find the spline coefficients for large images.

The advantage of representing a set of samples via B-spline basis functions is that continuous-domain operators (derivatives, re- sampling, integral, etc.) which assume that the data samples are drawn from an underlying continuous function can be computed with relative ease from the spline coefficients. For example, the second-derivative of a spline is

$$y''(x) = \frac{1}{\Delta x^2} \sum_j c_j \beta^{o''} \left(\frac{x}{\Delta x} - j \right).$$

Using the property of B-splines that

$$\frac{d^2 \beta^o(w)}{dw^2} = \beta^{o-2}(w+1) - 2\beta^{o-2}(w) + \beta^{o-2}(w-1)$$

it can be seen that

$$y''(x) = \frac{1}{\Delta x^2} \sum_j c_j \left[\beta^{o-2} \left(\frac{x}{\Delta x} - j + 1 \right) - 2\beta^{o-2} \left(\frac{x}{\Delta x} - j \right) + \beta^{o-2} \left(\frac{x}{\Delta x} - j - 1 \right) \right].$$

If $o = 3$, then at the sample points,

$$\begin{aligned} \Delta x^2 y'(x)|_{x=n\Delta x} &= \sum_j c_j \delta_{n-j+1} - 2c_j \delta_{n-j} + c_j \delta_{n-j-1}, \\ &= c_{n+1} - 2c_n + c_{n-1}. \end{aligned}$$

Thus, the second-derivative signal can be easily calculated from the spline fit. If desired, smoothing splines can be found to make the second-derivative less sensitive to random-errors.

The savvy reader will have already noticed that the data samples are related to the knot coefficients via a convolution operator, so that simple convolution with the sampled B-spline function recovers the original data from the spline coefficients. The output of convolutions can change depending on how boundaries are handled (this becomes increasingly more important as the number of dimensions in the data-set increases). The algorithms relating to B-splines in the signal-processing sub package assume mirror-symmetric boundary conditions. Thus, spline coefficients are computed based on that assumption, and data-samples can be recovered exactly from the spline coefficients by assuming them to be mirror-symmetric also.

Currently the package provides functions for determining second- and third-order cubic spline coefficients from equally spaced samples in one- and two-dimensions (`signal.qspline1d`, `signal.qspline2d`, `signal.cspline1d`, `signal.cspline2d`). The package also supplies a function (`signal.bspline`) for evaluating the bspline basis function, $\beta^o(x)$ for arbitrary order and x . For large o , the B-spline basis function can be approximated well by a zero-mean Gaussian function with standard-deviation equal to $\sigma_o = (o + 1) / 12$:

$$\beta^o(x) \approx \frac{1}{\sqrt{2\pi\sigma_o^2}} \exp\left(-\frac{x^2}{2\sigma_o}\right).$$

A function to compute this Gaussian for arbitrary x and o is also available (`signal.gauss_spline`). The following code and Figure uses spline-filtering to compute an edge-image (the second-derivative of a smoothed spline) of Lena's face which is an array returned by the command `lena`. The command `signal.sepfir2d` was used to apply a separable two-dimensional FIR filter with mirror-symmetric boundary conditions to the spline coefficients. This function is ideally suited for reconstructing samples from spline coefficients and is faster than `signal.convolve2d` which convolves arbitrary two-dimensional filters and allows for choosing mirror-symmetric boundary conditions.


```
>>> from numpy import *
>>> from scipy import signal, misc
>>> import matplotlib.pyplot as plt

>>> image = misc.lena().astype(float32)
>>> derfilt = array([1.0, -2, 1.0], float32)
>>> ck = signal.cspline2d(image, 8.0)
>>> deriv = signal.sepfir2d(ck, derfilt, [1]) + \
>>>         signal.sepfir2d(ck, [1], derfilt)
```


Alternatively we could have done:

```
laplacian = array([[0, 1, 0], [1, -4, 1], [0, 1, 0]], float32)
deriv2 = signal.convolve2d(ck, laplacian, mode='same', boundary='symm')

>>> plt.figure()
>>> plt.imshow(image)
>>> plt.gray()
>>> plt.title('Original image')
>>> plt.show()
```



```
>>> plt.figure()
>>> plt.imshow(deriv)
>>> plt.gray()
>>> plt.title('Output of spline edge filter')
>>> plt.show()
```



1.8.2 Filtering

Filtering is a generic name for any system that modifies an input signal in some way. In SciPy a signal can be thought of as a Numpy array. There are different kinds of filters for different kinds of operations. There are two broad kinds of filtering operations: linear and non-linear. Linear filters can always be reduced to multiplication of the flattened Numpy array by an appropriate matrix resulting in another flattened Numpy array. Of course, this is not usually the best way to compute the filter as the matrices and vectors involved may be huge. For example filtering a 512×512 image with this method would require multiplication of a $512^2 \times 512^2$ matrix with a 512^2 vector. Just trying to store the $512^2 \times 512^2$ matrix using a standard Numpy array would require 68,719,476,736 elements. At 4 bytes per element

this would require 256GB of memory. In most applications most of the elements of this matrix are zero and a different method for computing the output of the filter is employed.

Convolution/Correlation

Many linear filters also have the property of shift-invariance. This means that the filtering operation is the same at different locations in the signal and it implies that the filtering matrix can be constructed from knowledge of one row (or column) of the matrix alone. In this case, the matrix multiplication can be accomplished using Fourier transforms.

Let $x[n]$ define a one-dimensional signal indexed by the integer n . Full convolution of two one-dimensional signals can be expressed as

$$y[n] = \sum_{k=-\infty}^{\infty} x[k] h[n-k].$$

This equation can only be implemented directly if we limit the sequences to finite support sequences that can be stored in a computer, choose $n = 0$ to be the starting point of both sequences, let $K + 1$ be that value for which $y[n] = 0$ for all $n > K + 1$ and $M + 1$ be that value for which $x[n] = 0$ for all $n > M + 1$, then the discrete convolution expression is

$$y[n] = \sum_{k=\max(n-M,0)}^{\min(n,K)} x[k] h[n-k].$$

For convenience assume $K \geq M$. Then, more explicitly the output of this operation is

$$\begin{aligned} y[0] &= x[0] h[0] \\ y[1] &= x[0] h[1] + x[1] h[0] \\ y[2] &= x[0] h[2] + x[1] h[1] + x[2] h[0] \\ &\vdots \\ y[M] &= x[0] h[M] + x[1] h[M-1] + \dots + x[M] h[0] \\ y[M+1] &= x[1] h[M] + x[2] h[M-1] + \dots + x[M+1] h[0] \\ &\vdots \\ y[K] &= x[K-M] h[M] + \dots + x[K] h[0] \\ y[K+1] &= x[K+1-M] h[M] + \dots + x[K] h[1] \\ &\vdots \\ y[K+M-1] &= x[K-1] h[M] + x[K] h[M-1] \\ y[K+M] &= x[K] h[M]. \end{aligned}$$

Thus, the full discrete convolution of two finite sequences of lengths $K + 1$ and $M + 1$ respectively results in a finite sequence of length $K + M + 1 = (K + 1) + (M + 1) - 1$.

One dimensional convolution is implemented in SciPy with the function `signal.convolve`. This function takes as inputs the signals x , h , and an optional flag and returns the signal y . The optional flag allows for specification of which part of the output signal to return. The default value of 'full' returns the entire signal. If the flag has a value of 'same' then only the middle K values are returned starting at $y[\lfloor \frac{M-1}{2} \rfloor]$ so that the output has the same length as the largest input. If the flag has a value of 'valid' then only the middle $K - M + 1 = (K + 1) - (M + 1) + 1$ output values are returned where z depends on all of the values of the smallest input from $h[0]$ to $h[M]$. In other words only the values $y[M]$ to $y[K]$ inclusive are returned.

This same function `signal.convolve` can actually take N -dimensional arrays as inputs and will return the N -dimensional convolution of the two arrays. The same input flags are available for that case as well.

Correlation is very similar to convolution except for the minus sign becomes a plus sign. Thus

$$w[n] = \sum_{k=-\infty}^{\infty} y[k] x[n+k]$$

is the (cross) correlation of the signals y and x . For finite-length signals with $y[n] = 0$ outside of the range $[0, K]$ and $x[n] = 0$ outside of the range $[0, M]$, the summation can simplify to

$$w[n] = \sum_{k=\max(0, -n)}^{\min(K, M-n)} y[k] x[n+k].$$

Assuming again that $K \geq M$ this is

$$\begin{aligned} w[-K] &= y[K] x[0] \\ w[-K+1] &= y[K-1] x[0] + y[K] x[1] \\ &\vdots \\ w[M-K] &= y[K-M] x[0] + y[K-M+1] x[1] + \dots + y[K] x[M] \\ w[M-K+1] &= y[K-M-1] x[0] + \dots + y[K-1] x[M] \\ &\vdots \\ w[-1] &= y[1] x[0] + y[2] x[1] + \dots + y[M+1] x[M] \\ w[0] &= y[0] x[0] + y[1] x[1] + \dots + y[M] x[M] \\ w[1] &= y[0] x[1] + y[1] x[2] + \dots + y[M-1] x[M] \\ w[2] &= y[0] x[2] + y[1] x[3] + \dots + y[M-2] x[M] \\ &\vdots \\ w[M-1] &= y[0] x[M-1] + y[1] x[M] \\ w[M] &= y[0] x[M]. \end{aligned}$$

The SciPy function `signal.correlate` implements this operation. Equivalent flags are available for this operation to return the full $K+M+1$ length sequence ('full') or a sequence with the same size as the largest sequence starting at $w[-K + \lfloor \frac{M-1}{2} \rfloor]$ ('same') or a sequence where the values depend on all the values of the smallest sequence ('valid'). This final option returns the $K-M+1$ values $w[M-K]$ to $w[0]$ inclusive.

The function `signal.correlate` can also take arbitrary N -dimensional arrays as input and return the N -dimensional convolution of the two arrays on output.

When $N = 2$, `signal.correlate` and/or `signal.convolve` can be used to construct arbitrary image filters to perform actions such as blurring, enhancing, and edge-detection for an image.

Convolution is mainly used for filtering when one of the signals is much smaller than the other ($K \gg M$), otherwise linear filtering is more easily accomplished in the frequency domain (see Fourier Transforms).

Difference-equation filtering

A general class of linear one-dimensional filters (that includes convolution filters) are filters described by the difference equation

$$\sum_{k=0}^N a_k y[n-k] = \sum_{k=0}^M b_k x[n-k]$$

where $x[n]$ is the input sequence and $y[n]$ is the output sequence. If we assume initial rest so that $y[n] = 0$ for $n < 0$, then this kind of filter can be implemented using convolution. However, the convolution filter sequence $h[n]$ could

be infinite if $a_k \neq 0$ for $k \geq 1$. In addition, this general class of linear filter allows initial conditions to be placed on $y[n]$ for $n < 0$ resulting in a filter that cannot be expressed using convolution.

The difference equation filter can be thought of as finding $y[n]$ recursively in terms of it's previous values

$$a_0 y[n] = -a_1 y[n-1] - \dots - a_N y[n-N] + \dots + b_0 x[n] + \dots + b_M x[n-M].$$

Often $a_0 = 1$ is chosen for normalization. The implementation in SciPy of this general difference equation filter is a little more complicated than would be implied by the previous equation. It is implemented so that only one signal needs to be delayed. The actual implementation equations are (assuming $a_0 = 1$).

$$\begin{aligned} y[n] &= b_0 x[n] + z_0[n-1] \\ z_0[n] &= b_1 x[n] + z_1[n-1] - a_1 y[n] \\ z_1[n] &= b_2 x[n] + z_2[n-1] - a_2 y[n] \\ &\vdots \\ z_{K-2}[n] &= b_{K-1} x[n] + z_{K-1}[n-1] - a_{K-1} y[n] \\ z_{K-1}[n] &= b_K x[n] - a_K y[n], \end{aligned}$$

where $K = \max(N, M)$. Note that $b_K = 0$ if $K > M$ and $a_K = 0$ if $K > N$. In this way, the output at time n depends only on the input at time n and the value of z_0 at the previous time. This can always be calculated as long as the K values $z_0[n-1] \dots z_{K-1}[n-1]$ are computed and stored at each time step.

The difference-equation filter is called using the command `signal.lfilter` in SciPy. This command takes as inputs the vector b , the vector, a , a signal x and returns the vector y (the same length as x) computed using the equation given above. If x is N -dimensional, then the filter is computed along the axis provided. If, desired, initial conditions providing the values of $z_0[-1]$ to $z_{K-1}[-1]$ can be provided or else it will be assumed that they are all zero. If initial conditions are provided, then the final conditions on the intermediate variables are also returned. These could be used, for example, to restart the calculation in the same state.

Sometimes it is more convenient to express the initial conditions in terms of the signals $x[n]$ and $y[n]$. In other words, perhaps you have the values of $x[-M]$ to $x[-1]$ and the values of $y[-N]$ to $y[-1]$ and would like to determine what values of $z_m[-1]$ should be delivered as initial conditions to the difference-equation filter. It is not difficult to show that for $0 \leq m < K$,

$$z_m[n] = \sum_{p=0}^{K-m-1} (b_{m+p+1} x[n-p] - a_{m+p+1} y[n-p]).$$

Using this formula we can find the initial condition vector $z_0[-1]$ to $z_{K-1}[-1]$ given initial conditions on y (and x). The command `signal.lfiltic` performs this function.

Other filters

The signal processing package provides many more filters as well.

Median Filter

A median filter is commonly applied when noise is markedly non-Gaussian or when it is desired to preserve edges. The median filter works by sorting all of the array pixel values in a rectangular region surrounding the point of interest. The sample median of this list of neighborhood pixel values is used as the value for the output array. The sample median is the middle array value in a sorted list of neighborhood values. If there are an even number of elements in the neighborhood, then the average of the middle two values is used as the median. A general purpose median filter that works on N -dimensional arrays is `signal.medfilt`. A specialized version that works only for two-dimensional arrays is available as `signal.medfilt2d`.

Order Filter

A median filter is a specific example of a more general class of filters called order filters. To compute the output at a particular pixel, all order filters use the array values in a region surrounding that pixel. These array values are sorted and then one of them is selected as the output value. For the median filter, the sample median of the list of array values is used as the output. A general order filter allows the user to select which of the sorted values will be used as the output. So, for example one could choose to pick the maximum in the list or the minimum. The order filter takes an additional argument besides the input array and the region mask that specifies which of the elements in the sorted list of neighbor array values should be used as the output. The command to perform an order filter is `signal.order_filter`.

Wiener filter

The Wiener filter is a simple deblurring filter for denoising images. This is not the Wiener filter commonly described in image reconstruction problems but instead it is a simple, local-mean filter. Let x be the input signal, then the output is

$$y = \begin{cases} \frac{\sigma_x^2}{\sigma_x^2} m_x + \left(1 - \frac{\sigma_x^2}{\sigma_x^2}\right) x & \sigma_x^2 \geq \sigma^2, \\ m_x & \sigma_x^2 < \sigma^2, \end{cases}$$

where m_x is the local estimate of the mean and σ_x^2 is the local estimate of the variance. The window for these estimates is an optional input parameter (default is 3×3). The parameter σ^2 is a threshold noise parameter. If σ is not given then it is estimated as the average of the local variances.

Hilbert filter

The Hilbert transform constructs the complex-valued analytic signal from a real signal. For example if $x = \cos \omega n$ then $y = \text{hilbert}(x)$ would return (except near the edges) $y = \exp(j\omega n)$. In the frequency domain, the hilbert transform performs

$$Y = X \cdot H$$

where H is 2 for positive frequencies, 0 for negative frequencies and 1 for zero-frequencies.

1.8.3 Least-Squares Spectral Analysis

Least-squares spectral analysis (LSSA) is a method of estimating a frequency spectrum, based on a least squares fit of sinusoids to data samples, similar to Fourier analysis. Fourier analysis, the most used spectral method in science, generally boosts long-periodic noise in long gapped records; LSSA mitigates such problems.

Lomb-Scargle Periodograms (`lombscargle`)

The Lomb-Scargle method performs spectral analysis on unevenly sampled data and is known to be a powerful way to find, and test the significance of, weak periodic signals.

For a time series comprising N_t measurements $X_j \equiv X(t_j)$ sampled at times t_j where ($j = 1, \dots, N_t$), assumed to have been scaled and shifted such that its mean is zero and its variance is unity, the normalized Lomb-Scargle periodogram at frequency f is

$$P_n(f) \frac{1}{2} \left\{ \frac{\left[\sum_j^{N_t} X_j \cos \omega(t_j - \tau) \right]^2}{\sum_j^{N_t} \cos^2 \omega(t_j - \tau)} + \frac{\left[\sum_j^{N_t} X_j \sin \omega(t_j - \tau) \right]^2}{\sum_j^{N_t} \sin^2 \omega(t_j - \tau)} \right\}.$$

Here, $\omega \equiv 2\pi f$ is the angular frequency. The frequency dependent time offset τ is given by

$$\tan 2\omega\tau = \frac{\sum_j^{N_t} \sin 2\omega t_j}{\sum_j^{N_t} \cos 2\omega t_j}.$$

The `lombscargle` function calculates the periodogram using a slightly modified algorithm due to Townsend¹ which allows the periodogram to be calculated using only a single pass through the input arrays for each frequency.

The equation is refactored as:

$$P_n(f) = \frac{1}{2} \left[\frac{(c_\tau XC + s_\tau XS)^2}{c_\tau^2 CC + 2c_\tau s_\tau CS + s_\tau^2 SS} + \frac{(c_\tau XS - s_\tau XC)^2}{c_\tau^2 SS - 2c_\tau s_\tau CS + s_\tau^2 CC} \right]$$

and

$$\tan 2\omega\tau = \frac{2CS}{CC - SS}.$$

Here,

$$c_\tau = \cos \omega\tau, \quad s_\tau = \sin \omega\tau$$

while the sums are

$$XC = \sum_j^{N_t} X_j \cos \omega t_j$$

$$XS = \sum_j^{N_t} X_j \sin \omega t_j$$

$$CC = \sum_j^{N_t} \cos^2 \omega t_j$$

$$SS = \sum_j^{N_t} \sin^2 \omega t_j$$

$$CS = \sum_j^{N_t} \cos \omega t_j \sin \omega t_j.$$

This requires $N_f(2N_t + 3)$ trigonometric function evaluations giving a factor of ~ 2 speed increase over the straight-forward implementation.

References

Some further reading and related software:

1.9 Linear Algebra (`scipy.linalg`)

When SciPy is built using the optimized ATLAS LAPACK and BLAS libraries, it has very fast linear algebra capabilities. If you dig deep enough, all of the raw lapack and blas libraries are available for your use for even more speed. In this section, some easier-to-use interfaces to these routines are described.

All of these linear algebra routines expect an object that can be converted into a 2-dimensional array. The output of these routines is also a two-dimensional array.

`scipy.linalg` contains all the functions in `numpy.linalg`, plus some other more advanced ones not contained in `numpy.linalg`.

Another advantage of using `scipy.linalg` over `numpy.linalg` is that it is always compiled with BLAS/LAPACK support, while for `numpy` this is optional. Therefore, the `scipy` version might be faster depending on how `numpy` was installed.

¹ R.H.D. Townsend, "Fast calculation of the Lomb-Scargle periodogram using graphics processing units.", The Astrophysical Journal Supplement Series, vol 191, pp. 247-253, 2010

Therefore, unless you don't want to add `scipy` as a dependency to your `numpy` program, use `scipy.linalg` instead of `numpy.linalg`

1.9.1 `numpy.matrix` vs 2D `numpy.ndarray`

The classes that represent matrices, and basic operations such as matrix multiplications and transpose are a part of `numpy`. For convenience, we summarize the differences between `numpy.matrix` and `numpy.ndarray` here.

`numpy.matrix` is matrix class that has a more convenient interface than `numpy.ndarray` for matrix operations. This class supports for example MATLAB-like creation syntax via the, has matrix multiplication as default for the `*` operator, and contains `I` and `T` members that serve as shortcuts for inverse and transpose:

```
>>> import numpy as np
>>> A = np.mat(' [1 2;3 4]')
>>> A
matrix([[1, 2],
        [3, 4]])
>>> A.I
matrix([[ -2. ,  1. ],
        [ 1.5, -0.5]])
>>> b = np.mat(' [5 6]')
>>> b
matrix([[5, 6]])
>>> b.T
matrix([[5],
        [6]])
>>> A*b.T
matrix([[17],
        [39]])
```

Despite its convenience, the use of the `numpy.matrix` class is discouraged, since it adds nothing that cannot be accomplished with 2D `numpy.ndarray` objects, and may lead to a confusion of which class is being used. For example, the above code can be rewritten as:

```
>>> import numpy as np
>>> from scipy import linalg
>>> A = np.array([[1,2],[3,4]])
>>> A
array([[1, 2],
       [3, 4]])
>>> linalg.inv(A)
array([[ -2. ,  1. ],
       [ 1.5, -0.5]])
>>> b = np.array([[5,6]]) #2D array
>>> b
array([[5, 6]])
>>> b.T
array([[5],
       [6]])
>>> A*b #not matrix multiplication!
array([[ 5, 12],
       [15, 24]])
>>> A.dot(b.T) #matrix multiplication
array([[17],
       [39]])
>>> b = np.array([5,6]) #1D array
>>> b
array([5, 6])
```

```
>>> b.T #not matrix transpose!
array([5, 6])
>>> A.dot(b) #does not matter for multiplication
array([17, 39])
```

`scipy.linalg` operations can be applied equally to `numpy.matrix` or to 2D `numpy.ndarray` objects.

1.9.2 Basic routines

Finding Inverse

The inverse of a matrix \mathbf{A} is the matrix \mathbf{B} such that $\mathbf{AB} = \mathbf{I}$ where \mathbf{I} is the identity matrix consisting of ones down the main diagonal. Usually \mathbf{B} is denoted $\mathbf{B} = \mathbf{A}^{-1}$. In SciPy, the matrix inverse of the Numpy array, A , is obtained using `linalg.inv(A)`, or using `A.I` if A is a `Matrix`. For example, let

$$\mathbf{A} = \begin{bmatrix} 1 & 3 & 5 \\ 2 & 5 & 1 \\ 2 & 3 & 8 \end{bmatrix}$$

then

$$\mathbf{A}^{-1} = \frac{1}{25} \begin{bmatrix} -37 & 9 & 22 \\ 14 & 2 & -9 \\ 4 & -3 & 1 \end{bmatrix} = \begin{bmatrix} -1.48 & 0.36 & 0.88 \\ 0.56 & 0.08 & -0.36 \\ 0.16 & -0.12 & 0.04 \end{bmatrix}.$$

The following example demonstrates this computation in SciPy

```
>>> import numpy as np
>>> from scipy import linalg
>>> A = np.array([[1,2],[3,4]])
array([[1, 2],
       [3, 4]])
>>> linalg.inv(A)
array([[ -2. ,  1. ],
       [ 1.5, -0.5]])
>>> A.dot(linalg.inv(A)) #double check
array([[ 1.00000000e+00,  0.00000000e+00],
       [ 4.44089210e-16,  1.00000000e+00]])
```

Solving linear system

Solving linear systems of equations is straightforward using the `scipy` command `linalg.solve`. This command expects an input matrix and a right-hand-side vector. The solution vector is then computed. An option for entering a symmetric matrix is offered which can speed up the processing when applicable. As an example, suppose it is desired to solve the following simultaneous equations:

$$\begin{aligned} x + 3y + 5z &= 10 \\ 2x + 5y + z &= 8 \\ 2x + 3y + 8z &= 3 \end{aligned}$$

We could find the solution vector using a matrix inverse:

$$\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 & 3 & 5 \\ 2 & 5 & 1 \\ 2 & 3 & 8 \end{bmatrix}^{-1} \begin{bmatrix} 10 \\ 8 \\ 3 \end{bmatrix} = \frac{1}{25} \begin{bmatrix} -232 \\ 129 \\ 19 \end{bmatrix} = \begin{bmatrix} -9.28 \\ 5.16 \\ 0.76 \end{bmatrix}.$$

However, it is better to use the `linalg.solve` command which can be faster and more numerically stable. In this case it however gives the same answer as shown in the following example:

```
>>> import numpy as np
>>> from scipy import linalg
>>> A = np.array([[1,2],[3,4]])
>>> A
array([[1, 2],
       [3, 4]])
>>> b = np.array([[5],[6]])
>>> b
array([[5],
       [6]])
>>> linalg.inv(A).dot(b) #slow
array([[ -4. ],
       [  4.5]])
>>> A.dot(linalg.inv(A).dot(b))-b #check
array([[ 8.88178420e-16],
       [ 2.66453526e-15]])
>>> np.linalg.solve(A,b) #fast
array([[ -4. ],
       [  4.5]])
>>> A.dot(np.linalg.solve(A,b))-b #check
array([[ 0.],
       [ 0.]])
```

Finding Determinant

The determinant of a square matrix \mathbf{A} is often denoted $|\mathbf{A}|$ and is a quantity often used in linear algebra. Suppose a_{ij} are the elements of the matrix \mathbf{A} and let $M_{ij} = |\mathbf{A}_{ij}|$ be the determinant of the matrix left by removing the i^{th} row and j^{th} column from \mathbf{A} . Then for any row i ,

$$|\mathbf{A}| = \sum_j (-1)^{i+j} a_{ij} M_{ij}.$$

This is a recursive way to define the determinant where the base case is defined by accepting that the determinant of a 1×1 matrix is the only matrix element. In SciPy the determinant can be calculated with `linalg.det`. For example, the determinant of

$$\mathbf{A} = \begin{bmatrix} 1 & 3 & 5 \\ 2 & 5 & 1 \\ 2 & 3 & 8 \end{bmatrix}$$

is

$$\begin{aligned} |\mathbf{A}| &= 1 \begin{vmatrix} 5 & 1 \\ 3 & 8 \end{vmatrix} - 3 \begin{vmatrix} 2 & 1 \\ 2 & 8 \end{vmatrix} + 5 \begin{vmatrix} 2 & 5 \\ 2 & 3 \end{vmatrix} \\ &= 1(5 \cdot 8 - 3 \cdot 1) - 3(2 \cdot 8 - 2 \cdot 1) + 5(2 \cdot 3 - 2 \cdot 5) = -25. \end{aligned}$$

In SciPy this is computed as shown in this example:

```
>>> import numpy as np
>>> from scipy import linalg
>>> A = np.array([[1,2],[3,4]])
>>> A
array([[1, 2],
       [3, 4]])
>>> linalg.det(A)
-2.0
```

Computing norms

Matrix and vector norms can also be computed with SciPy. A wide range of norm definitions are available using different parameters to the order argument of `linalg.norm`. This function takes a rank-1 (vectors) or a rank-2 (matrices) array and an optional order argument (default is 2). Based on these inputs a vector or matrix norm of the requested order is computed.

For vector x , the order parameter can be any real number including `inf` or `-inf`. The computed norm is

$$\|x\| = \begin{cases} \max |x_i| & \text{ord} = \text{inf} \\ \min |x_i| & \text{ord} = -\text{inf} \\ \left(\sum_i |x_i|^{\text{ord}}\right)^{1/\text{ord}} & |\text{ord}| < \infty. \end{cases}$$

For matrix \mathbf{A} the only valid values for norm are $\pm 2, \pm 1, \pm \text{inf}$, and 'fro' (or 'f') Thus,

$$\|\mathbf{A}\| = \begin{cases} \max_i \sum_j |a_{ij}| & \text{ord} = \text{inf} \\ \min_i \sum_j |a_{ij}| & \text{ord} = -\text{inf} \\ \max_j \sum_i |a_{ij}| & \text{ord} = 1 \\ \min_j \sum_i |a_{ij}| & \text{ord} = -1 \\ \max \sigma_i & \text{ord} = 2 \\ \min \sigma_i & \text{ord} = -2 \\ \sqrt{\text{trace}(\mathbf{A}^H \mathbf{A})} & \text{ord} = \text{'fro'}$$

where σ_i are the singular values of \mathbf{A} .

Examples:

```
>>> import numpy as np
>>> from scipy import linalg
>>> A=np.array([[1,2],[3,4]])
>>> A
array([[1, 2],
       [3, 4]])
>>> linalg.norm(A)
5.472255750516612
>>> linalg.norm(A,'fro') # frobenius norm is the default
5.472255750516612
>>> linalg.norm(A,1) # L1 norm (max column sum)
6
>>> linalg.norm(A,-1)
4
>>> linalg.norm(A,inf) # L inf norm (max row sum)
7
```

Solving linear least-squares problems and pseudo-inverses

Linear least-squares problems occur in many branches of applied mathematics. In this problem a set of linear scaling coefficients is sought that allow a model to fit data. In particular it is assumed that data y_i is related to data x_i through a set of coefficients c_j and model functions $f_j(x_i)$ via the model

$$y_i = \sum_j c_j f_j(x_i) + \epsilon_i$$

where ϵ_i represents uncertainty in the data. The strategy of least squares is to pick the coefficients c_j to minimize

$$J(\mathbf{c}) = \sum_i \left| y_i - \sum_j c_j f_j(x_i) \right|^2.$$

Theoretically, a global minimum will occur when

$$\frac{\partial J}{\partial c_n^*} = 0 = \sum_i \left(y_i - \sum_j c_j f_j(x_i) \right) (-f_n^*(x_i))$$

or

$$\begin{aligned} \sum_j c_j \sum_i f_j(x_i) f_n^*(x_i) &= \sum_i y_i f_n^*(x_i) \\ \mathbf{A}^H \mathbf{A} \mathbf{c} &= \mathbf{A}^H \mathbf{y} \end{aligned}$$

where

$$\{\mathbf{A}\}_{ij} = f_j(x_i).$$

When $\mathbf{A}^H \mathbf{A}$ is invertible, then

$$\mathbf{c} = (\mathbf{A}^H \mathbf{A})^{-1} \mathbf{A}^H \mathbf{y} = \mathbf{A}^\dagger \mathbf{y}$$

where \mathbf{A}^\dagger is called the pseudo-inverse of \mathbf{A} . Notice that using this definition of \mathbf{A} the model can be written

$$\mathbf{y} = \mathbf{A} \mathbf{c} + \boldsymbol{\epsilon}.$$

The command `linalg.lstsq` will solve the linear least squares problem for \mathbf{c} given \mathbf{A} and \mathbf{y} . In addition `linalg.pinv` or `linalg.pinv2` (uses a different method based on singular value decomposition) will find \mathbf{A}^\dagger given \mathbf{A} .

The following example and figure demonstrate the use of `linalg.lstsq` and `linalg.pinv` for solving a data-fitting problem. The data shown below were generated using the model:

$$y_i = c_1 e^{-x_i} + c_2 x_i$$

where $x_i = 0.1i$ for $i = 1 \dots 10$, $c_1 = 5$, and $c_2 = 4$. Noise is added to y_i and the coefficients c_1 and c_2 are estimated using linear least squares.


```
>>> from numpy import *
>>> from scipy import linalg
>>> import matplotlib.pyplot as plt

>>> c1,c2= 5.0,2.0
>>> i = r_[1:11]
>>> xi = 0.1*i
>>> yi = c1*exp(-xi)+c2*xi
>>> zi = yi + 0.05*max(yi)*random.randn(len(yi))

>>> A = c_[exp(-xi)[:,newaxis],xi[:,newaxis]]
>>> c,resid,rank,sigma = linalg.lstsq(A,zi)

>>> xi2 = r_[0.1:1.0:100j]
>>> yi2 = c[0]*exp(-xi2) + c[1]*xi2

>>> plt.plot(xi,zi,'x',xi2,yi2)
>>> plt.axis([0,1.1,3.0,5.5])
>>> plt.xlabel('$x_i$')
>>> plt.title('Data fitting with linalg.lstsq')
>>> plt.show()
```

Generalized inverse

The generalized inverse is calculated using the command `linalg.pinv` or `linalg.pinv2`. These two commands differ in how they compute the generalized inverse. The first uses the `linalg.lstsq` algorithm while the second uses singular value decomposition. Let \mathbf{A} be an $M \times N$ matrix, then if $M > N$ the generalized inverse is

$$\mathbf{A}^\dagger = (\mathbf{A}^H \mathbf{A})^{-1} \mathbf{A}^H$$

while if $M < N$ matrix the generalized inverse is

$$\mathbf{A}^\# = \mathbf{A}^H (\mathbf{A} \mathbf{A}^H)^{-1}.$$

In both cases for $M = N$, then

$$\mathbf{A}^\dagger = \mathbf{A}^\# = \mathbf{A}^{-1}$$

as long as \mathbf{A} is invertible.

1.9.3 Decompositions

In many applications it is useful to decompose a matrix using other representations. There are several decompositions supported by SciPy.

Eigenvalues and eigenvectors

The eigenvalue-eigenvector problem is one of the most commonly employed linear algebra operations. In one popular form, the eigenvalue-eigenvector problem is to find for some square matrix \mathbf{A} scalars λ and corresponding vectors \mathbf{v} such that

$$\mathbf{A} \mathbf{v} = \lambda \mathbf{v}.$$

For an $N \times N$ matrix, there are N (not necessarily distinct) eigenvalues — roots of the (characteristic) polynomial

$$|\mathbf{A} - \lambda \mathbf{I}| = 0.$$

The eigenvectors, \mathbf{v} , are also sometimes called right eigenvectors to distinguish them from another set of left eigenvectors that satisfy

$$\mathbf{v}_L^H \mathbf{A} = \lambda \mathbf{v}_L^H$$

or

$$\mathbf{A}^H \mathbf{v}_L = \lambda^* \mathbf{v}_L.$$

With its default optional arguments, the command `linalg.eig` returns λ and \mathbf{v} . However, it can also return \mathbf{v}_L and just λ by itself (`linalg.eigvals` returns just λ as well).

In addition, `linalg.eig` can also solve the more general eigenvalue problem

$$\begin{aligned} \mathbf{A} \mathbf{v} &= \lambda \mathbf{B} \mathbf{v} \\ \mathbf{A}^H \mathbf{v}_L &= \lambda^* \mathbf{B}^H \mathbf{v}_L \end{aligned}$$

for square matrices \mathbf{A} and \mathbf{B} . The standard eigenvalue problem is an example of the general eigenvalue problem for $\mathbf{B} = \mathbf{I}$. When a generalized eigenvalue problem can be solved, then it provides a decomposition of \mathbf{A} as

$$\mathbf{A} = \mathbf{B} \mathbf{V} \mathbf{\Lambda} \mathbf{V}^{-1}$$

where \mathbf{V} is the collection of eigenvectors into columns and $\mathbf{\Lambda}$ is a diagonal matrix of eigenvalues.

By definition, eigenvectors are only defined up to a constant scale factor. In SciPy, the scaling factor for the eigenvectors is chosen so that $\|\mathbf{v}\|^2 = \sum_i v_i^2 = 1$.

As an example, consider finding the eigenvalues and eigenvectors of the matrix

$$\mathbf{A} = \begin{bmatrix} 1 & 5 & 2 \\ 2 & 4 & 1 \\ 3 & 6 & 2 \end{bmatrix}.$$

The characteristic polynomial is

$$\begin{aligned} |\mathbf{A} - \lambda \mathbf{I}| &= (1 - \lambda)[(4 - \lambda)(2 - \lambda) - 6] - \\ &\quad 5[2(2 - \lambda) - 3] + 2[12 - 3(4 - \lambda)] \\ &= -\lambda^3 + 7\lambda^2 + 8\lambda - 3. \end{aligned}$$

The roots of this polynomial are the eigenvalues of \mathbf{A} :

$$\begin{aligned} \lambda_1 &= 7.9579 \\ \lambda_2 &= -1.2577 \\ \lambda_3 &= 0.2997. \end{aligned}$$

The eigenvectors corresponding to each eigenvalue can be found using the original equation. The eigenvectors associated with these eigenvalues can then be found.

```
>>> import numpy as np
>>> from scipy import linalg
>>> A = np.array([[1,2],[3,4]])
>>> la,v = linalg.eig(A)
>>> l1,l2 = la
>>> print l1, l2 #eigenvalues
(-0.372281323269+0j) (5.37228132327+0j)
>>> print v[:,0] #first eigenvector
[-0.82456484  0.56576746]
>>> print v[:,1] #second eigenvector
[-0.41597356 -0.90937671]
>>> print np.sum(abs(v**2),axis=0) #eigenvectors are unitary
[ 1.  1. ]
>>> v1 = np.array(v[:,0]).T
>>> print linalg.norm(A.dot(v1)-l1*v1) #check the computation
3.23682852457e-16
```

Singular value decomposition

Singular Value Decomposition (SVD) can be thought of as an extension of the eigenvalue problem to matrices that are not square. Let \mathbf{A} be an $M \times N$ matrix with M and N arbitrary. The matrices $\mathbf{A}^H \mathbf{A}$ and $\mathbf{A} \mathbf{A}^H$ are square hermitian matrices² of size $N \times N$ and $M \times M$ respectively. It is known that the eigenvalues of square hermitian matrices are real and non-negative. In addition, there are at most $\min(M, N)$ identical non-zero eigenvalues of $\mathbf{A}^H \mathbf{A}$ and $\mathbf{A} \mathbf{A}^H$. Define these positive eigenvalues as σ_i^2 . The square-root of these are called singular values of \mathbf{A} . The eigenvectors of $\mathbf{A}^H \mathbf{A}$ are collected by columns into an $N \times N$ unitary³ matrix \mathbf{V} while the eigenvectors of $\mathbf{A} \mathbf{A}^H$ are collected by columns in the unitary matrix \mathbf{U} , the singular values are collected in an $M \times N$ zero matrix $\mathbf{\Sigma}$ with main diagonal entries set to the singular values. Then

$$\mathbf{A} = \mathbf{U} \mathbf{\Sigma} \mathbf{V}^H$$

is the singular-value decomposition of \mathbf{A} . Every matrix has a singular value decomposition. Sometimes, the singular values are called the spectrum of \mathbf{A} . The command `linalg.svd` will return \mathbf{U} , \mathbf{V}^H , and σ_i as an array of the singular values. To obtain the matrix $\mathbf{\Sigma}$ use `linalg.diagsvd`. The following example illustrates the use of `linalg.svd`.

```
>>> import numpy as np
>>> from scipy import linalg
>>> A = np.array([[1, 2, 3], [4, 5, 6]])
>>> A
array([[1, 2, 3],
       [4, 5, 6]])
>>> M,N = A.shape
>>> U,s,Vh = linalg.svd(A)
>>> Sig = linalg.diagsvd(s,M,N)
>>> U, Vh = U, Vh
>>> U
array([[ -0.3863177,  -0.92236578],
       [-0.92236578,   0.3863177 ]])
>>> Sig
array([[ 9.508032,  0.,  0.],
       [ 0.,  0.77286964,  0.]])
>>> Vh
array([[ -0.42866713, -0.56630692, -0.7039467 ],
       [ 0.80596391,  0.11238241, -0.58119908],
       [ 0.40824829, -0.81649658,  0.40824829]])
>>> U.dot(Sig.dot(Vh)) #check computation
array([[ 1.,  2.,  3.],
       [ 4.,  5.,  6.]])
```

LU decomposition

The LU decomposition finds a representation for the $M \times N$ matrix \mathbf{A} as

$$\mathbf{A} = \mathbf{P} \mathbf{L} \mathbf{U}$$

where \mathbf{P} is an $M \times M$ permutation matrix (a permutation of the rows of the identity matrix), \mathbf{L} is in $M \times K$ lower triangular or trapezoidal matrix ($K = \min(M, N)$) with unit-diagonal, and \mathbf{U} is an upper triangular or trapezoidal matrix. The SciPy command for this decomposition is `linalg.lu`.

Such a decomposition is often useful for solving many simultaneous equations where the left-hand-side does not change but the right hand side does. For example, suppose we are going to solve

$$\mathbf{A} \mathbf{x}_i = \mathbf{b}_i$$

² A hermitian matrix \mathbf{D} satisfies $\mathbf{D}^H = \mathbf{D}$.

³ A unitary matrix \mathbf{D} satisfies $\mathbf{D}^H \mathbf{D} = \mathbf{I} = \mathbf{D} \mathbf{D}^H$ so that $\mathbf{D}^{-1} = \mathbf{D}^H$.

for many different \mathbf{b}_i . The LU decomposition allows this to be written as

$$\mathbf{PLU}\mathbf{x}_i = \mathbf{b}_i.$$

Because \mathbf{L} is lower-triangular, the equation can be solved for $\mathbf{U}\mathbf{x}_i$ and finally \mathbf{x}_i very rapidly using forward- and back-substitution. An initial time spent factoring \mathbf{A} allows for very rapid solution of similar systems of equations in the future. If the intent for performing LU decomposition is for solving linear systems then the command `linalg.lu_factor` should be used followed by repeated applications of the command `linalg.lu_solve` to solve the system for each new right-hand-side.

Cholesky decomposition

Cholesky decomposition is a special case of LU decomposition applicable to Hermitian positive definite matrices. When $\mathbf{A} = \mathbf{A}^H$ and $\mathbf{x}^H \mathbf{A} \mathbf{x} \geq 0$ for all \mathbf{x} , then decompositions of \mathbf{A} can be found so that

$$\begin{aligned} \mathbf{A} &= \mathbf{U}^H \mathbf{U} \\ \mathbf{A} &= \mathbf{L} \mathbf{L}^H \end{aligned}$$

where \mathbf{L} is lower-triangular and \mathbf{U} is upper triangular. Notice that $\mathbf{L} = \mathbf{U}^H$. The command `linalg.cholesky` computes the cholesky factorization. For using cholesky factorization to solve systems of equations there are also `linalg.cho_factor` and `linalg.cho_solve` routines that work similarly to their LU decomposition counterparts.

QR decomposition

The QR decomposition (sometimes called a polar decomposition) works for any $M \times N$ array and finds an $M \times M$ unitary matrix \mathbf{Q} and an $M \times N$ upper-trapezoidal matrix \mathbf{R} such that

$$\mathbf{A} = \mathbf{Q}\mathbf{R}.$$

Notice that if the SVD of \mathbf{A} is known then the QR decomposition can be found

$$\mathbf{A} = \mathbf{U}\mathbf{\Sigma}\mathbf{V}^H = \mathbf{Q}\mathbf{R}$$

implies that $\mathbf{Q} = \mathbf{U}$ and $\mathbf{R} = \mathbf{\Sigma}\mathbf{V}^H$. Note, however, that in SciPy independent algorithms are used to find QR and SVD decompositions. The command for QR decomposition is `linalg.qr`.

Schur decomposition

For a square $N \times N$ matrix, \mathbf{A} , the Schur decomposition finds (not-necessarily unique) matrices \mathbf{T} and \mathbf{Z} such that

$$\mathbf{A} = \mathbf{Z}\mathbf{T}\mathbf{Z}^H$$

where \mathbf{Z} is a unitary matrix and \mathbf{T} is either upper-triangular or quasi-upper triangular depending on whether or not a real schur form or complex schur form is requested. For a real schur form both \mathbf{T} and \mathbf{Z} are real-valued when \mathbf{A} is real-valued. When \mathbf{A} is a real-valued matrix the real schur form is only quasi-upper triangular because 2×2 blocks extrude from the main diagonal corresponding to any complex-valued eigenvalues. The command `linalg.schur` finds the Schur decomposition while the command `linalg.rsf2csf` converts \mathbf{T} and \mathbf{Z} from a real Schur form to a complex Schur form. The Schur form is especially useful in calculating functions of matrices.

The following example illustrates the schur decomposition:

```

>>> from scipy import linalg
>>> A = mat('[1 3 2; 1 4 5; 2 3 6]')
>>> T,Z = linalg.schur(A)
>>> T1,Z1 = linalg.schur(A,'complex')
>>> T2,Z2 = linalg.rs2csf(T,Z)
>>> print T
[[ 9.90012467  1.78947961 -0.65498528]
 [ 0.          0.54993766 -1.57754789]
 [ 0.          0.51260928  0.54993766]]
>>> print T2
[[ 9.90012467 +0.00000000e+00j -0.32436598 +1.55463542e+00j
 -0.88619748 +5.69027615e-01j]
 [ 0.00000000 +0.00000000e+00j  0.54993766 +8.99258408e-01j
  1.06493862 +1.37016050e-17j]
 [ 0.00000000 +0.00000000e+00j  0.00000000 +0.00000000e+00j
  0.54993766 -8.99258408e-01j]]
>>> print abs(T1-T2) # different
[[ 1.24357637e-14  2.09205364e+00  6.56028192e-01]
 [ 0.00000000e+00  4.00296604e-16  1.83223097e+00]
 [ 0.00000000e+00  0.00000000e+00  4.57756680e-16]]
>>> print abs(Z1-Z2) # different
[[ 0.06833781  1.10591375  0.23662249]
 [ 0.11857169  0.5585604  0.29617525]
 [ 0.12624999  0.75656818  0.22975038]]
>>> T,Z,T1,Z1,T2,Z2 = map(mat,(T,Z,T1,Z1,T2,Z2))
>>> print abs(A-Z*T*Z.H) # same
[[ 1.11022302e-16  4.44089210e-16  4.44089210e-16]
 [ 4.44089210e-16  1.33226763e-15  8.88178420e-16]
 [ 8.88178420e-16  4.44089210e-16  2.66453526e-15]]
>>> print abs(A-Z1*T1*Z1.H) # same
[[ 1.00043248e-15  2.22301403e-15  5.55749485e-15]
 [ 2.88899660e-15  8.44927041e-15  9.77322008e-15]
 [ 3.11291538e-15  1.15463228e-14  1.15464861e-14]]
>>> print abs(A-Z2*T2*Z2.H) # same
[[ 3.34058710e-16  8.88611201e-16  4.18773089e-18]
 [ 1.48694940e-16  8.95109973e-16  8.92966151e-16]
 [ 1.33228956e-15  1.33582317e-15  3.55373104e-15]]

```

1.9.4 Matrix Functions

Consider the function $f(x)$ with Taylor series expansion

$$f(x) = \sum_{k=0}^{\infty} \frac{f^{(k)}(0)}{k!} x^k.$$

A matrix function can be defined using this Taylor series for the square matrix \mathbf{A} as

$$f(\mathbf{A}) = \sum_{k=0}^{\infty} \frac{f^{(k)}(0)}{k!} \mathbf{A}^k.$$

While, this serves as a useful representation of a matrix function, it is rarely the best way to calculate a matrix function.

Exponential and logarithm functions

The matrix exponential is one of the more common matrix functions. It can be defined for square matrices as

$$e^{\mathbf{A}} = \sum_{k=0}^{\infty} \frac{1}{k!} \mathbf{A}^k.$$

The command `linalg.expm3` uses this Taylor series definition to compute the matrix exponential. Due to poor convergence properties it is not often used.

Another method to compute the matrix exponential is to find an eigenvalue decomposition of \mathbf{A} :

$$\mathbf{A} = \mathbf{V}\mathbf{\Lambda}\mathbf{V}^{-1}$$

and note that

$$e^{\mathbf{A}} = \mathbf{V}e^{\mathbf{\Lambda}}\mathbf{V}^{-1}$$

where the matrix exponential of the diagonal matrix $\mathbf{\Lambda}$ is just the exponential of its elements. This method is implemented in `linalg.expm2`.

The preferred method for implementing the matrix exponential is to use scaling and a Padé approximation for e^x . This algorithm is implemented as `linalg.expm`.

The inverse of the matrix exponential is the matrix logarithm defined as the inverse of the matrix exponential.

$$\mathbf{A} \equiv \exp(\log(\mathbf{A})).$$

The matrix logarithm can be obtained with `linalg.logm`.

Trigonometric functions

The trigonometric functions `sin`, `cos`, and `tan` are implemented for matrices in `linalg.sinm`, `linalg.cosm`, and `linalg.tanm` respectively. The matrix `sin` and `cosine` can be defined using Euler's identity as

$$\begin{aligned} \sin(\mathbf{A}) &= \frac{e^{j\mathbf{A}} - e^{-j\mathbf{A}}}{2j} \\ \cos(\mathbf{A}) &= \frac{e^{j\mathbf{A}} + e^{-j\mathbf{A}}}{2}. \end{aligned}$$

The tangent is

$$\tan(x) = \frac{\sin(x)}{\cos(x)} = [\cos(x)]^{-1} \sin(x)$$

and so the matrix tangent is defined as

$$[\cos(\mathbf{A})]^{-1} \sin(\mathbf{A}).$$

Hyperbolic trigonometric functions

The hyperbolic trigonometric functions `sinh`, `cosh`, and `tanh` can also be defined for matrices using the familiar definitions:

$$\begin{aligned} \sinh(\mathbf{A}) &= \frac{e^{\mathbf{A}} - e^{-\mathbf{A}}}{2} \\ \cosh(\mathbf{A}) &= \frac{e^{\mathbf{A}} + e^{-\mathbf{A}}}{2} \\ \tanh(\mathbf{A}) &= [\cosh(\mathbf{A})]^{-1} \sinh(\mathbf{A}). \end{aligned}$$

These matrix functions can be found using `linalg.sinhm`, `linalg.coshm`, and `linalg.tanhm`.

Arbitrary function

Finally, any arbitrary function that takes one complex number and returns a complex number can be called as a matrix function using the command `linalg.funm`. This command takes the matrix and an arbitrary Python function. It then implements an algorithm from Golub and Van Loan's book "Matrix Computations" to compute function applied to the matrix using a Schur decomposition. Note that *the function needs to accept complex numbers* as input in order to work with this algorithm. For example the following code computes the zeroth-order Bessel function applied to a matrix.

```
>>> from scipy import special, random, linalg
>>> A = random.rand(3,3)
>>> B = linalg.funm(A, lambda x: special.jv(0,x))
>>> print A
[[ 0.72578091  0.34105276  0.79570345]
 [ 0.65767207  0.73855618  0.541453   ]
 [ 0.78397086  0.68043507  0.4837898  ]]
>>> print B
[[ 0.72599893 -0.20545711 -0.22721101]
 [-0.27426769  0.77255139 -0.23422637]
 [-0.27612103 -0.21754832  0.7556849  ]]
>>> print linalg.eigvals(A)
[ 1.91262611+0.j  0.21846476+0.j -0.18296399+0.j]
>>> print special.jv(0, linalg.eigvals(A))
[ 0.27448286+0.j  0.98810383+0.j  0.99164854+0.j]
>>> print linalg.eigvals(B)
[ 0.27448286+0.j  0.98810383+0.j  0.99164854+0.j]
```

Note how, by virtue of how matrix analytic functions are defined, the Bessel function has acted on the matrix eigenvalues.

1.9.5 Special matrices

SciPy and NumPy provide several functions for creating special matrices that are frequently used in engineering and science.

Type	Function	Description
block diagonal	<code>scipy.linalg.block_diag</code>	Create a block diagonal matrix from the provided arrays.
circulant	<code>scipy.linalg.circulant</code>	Construct a circulant matrix.
companion	<code>scipy.linalg.companion</code>	Create a companion matrix.
Hadamard	<code>scipy.linalg.hadamard</code>	Construct a Hadamard matrix.
Hankel	<code>scipy.linalg.hankel</code>	Construct a Hankel matrix.
Hilbert	<code>scipy.linalg.hilbert</code>	Construct a Hilbert matrix.
Inverse Hilbert	<code>scipy.linalg.invhilbert</code>	Construct the inverse of a Hilbert matrix.
Leslie	<code>scipy.linalg.leslie</code>	Create a Leslie matrix.
Pascal	<code>scipy.linalg.pascal</code>	Create a Pascal matrix.
Toeplitz	<code>scipy.linalg toeplitz</code>	Construct a Toeplitz matrix.
Van der Monde	<code>numpy.vander</code>	Generate a Van der Monde matrix.

For examples of the use of these functions, see their respective docstrings.

1.10 Sparse Eigenvalue Problems with ARPACK

1.10.1 Introduction

ARPACK is a Fortran package which provides routines for quickly finding a few eigenvalues/eigenvectors of large sparse matrices. In order to find these solutions, it requires only left-multiplication by the matrix in question. This operation is performed through a *reverse-communication* interface. The result of this structure is that ARPACK is able to find eigenvalues and eigenvectors of any linear function mapping a vector to a vector.

All of the functionality provided in ARPACK is contained within the two high-level interfaces `scipy.sparse.linalg.eigs` and `scipy.sparse.linalg.eigsh`. `eigs` provides interfaces to find the eigenvalues/vectors of real or complex nonsymmetric square matrices, while `eigsh` provides interfaces for real-symmetric or complex-hermitian matrices.

1.10.2 Basic Functionality

ARPACK can solve either standard eigenvalue problems of the form

$$A\mathbf{x} = \lambda\mathbf{x}$$

or general eigenvalue problems of the form

$$A\mathbf{x} = \lambda M\mathbf{x}$$

The power of ARPACK is that it can compute only a specified subset of eigenvalue/eigenvector pairs. This is accomplished through the keyword `which`. The following values of `which` are available:

- `which = 'LM'` : Eigenvalues with largest magnitude (`eigs`, `eigsh`), that is, largest eigenvalues in the euclidean norm of complex numbers.
- `which = 'SM'` : Eigenvalues with smallest magnitude (`eigs`, `eigsh`), that is, smallest eigenvalues in the euclidean norm of complex numbers.
- `which = 'LR'` : Eigenvalues with largest real part (`eigs`)
- `which = 'SR'` : Eigenvalues with smallest real part (`eigs`)
- `which = 'LI'` : Eigenvalues with largest imaginary part (`eigs`)
- `which = 'SI'` : Eigenvalues with smallest imaginary part (`eigs`)
- `which = 'LA'` : Eigenvalues with largest algebraic value (`eigsh`), that is, largest eigenvalues inclusive of any negative sign.
- `which = 'SA'` : Eigenvalues with smallest algebraic value (`eigsh`), that is, smallest eigenvalues inclusive of any negative sign.
- `which = 'BE'` : Eigenvalues from both ends of the spectrum (`eigsh`)

Note that ARPACK is generally better at finding extremal eigenvalues: that is, eigenvalues with large magnitudes. In particular, using `which = 'SM'` may lead to slow execution time and/or anomalous results. A better approach is to use *shift-invert mode*.

1.10.3 Shift-Invert Mode

Shift invert mode relies on the following observation. For the generalized eigenvalue problem

$$A\mathbf{x} = \lambda M\mathbf{x}$$

it can be shown that

$$(A - \sigma M)^{-1} M\mathbf{x} = \nu\mathbf{x}$$

where

$$\nu = \frac{1}{\lambda - \sigma}$$

1.10.4 Examples

Imagine you'd like to find the smallest and largest eigenvalues and the corresponding eigenvectors for a large matrix. ARPACK can handle many forms of input: dense matrices such as `numpy.ndarray` instances, sparse matrices such as `scipy.sparse.csr_matrix`, or a general linear operator derived from `scipy.sparse.linalg.LinearOperator`. For this example, for simplicity, we'll construct a symmetric, positive-definite matrix.

```
>>> import numpy as np
>>> from scipy.linalg import eigh
>>> from scipy.sparse.linalg import eigsh
>>> np.set_printoptions(suppress=True)
>>>
>>> np.random.seed(0)
>>> X = np.random.random((100,100)) - 0.5
>>> X = np.dot(X, X.T) #create a symmetric matrix
```

We now have a symmetric matrix `X` with which to test the routines. First compute a standard eigenvalue decomposition using `eigh`:

```
>>> evals_all, evecs_all = eigh(X)
```

As the dimension of `X` grows, this routine becomes very slow. Especially if only a few eigenvectors and eigenvalues are needed, ARPACK can be a better option. First let's compute the largest eigenvalues (which = 'LM') of `X` and compare them to the known results:

```
>>> evals_large, evecs_large = eigsh(X, 3, which='LM')
>>> print evals_all[-3:]
[ 29.1446102  30.05821805  31.19467646]
>>> print evals_large
[ 29.1446102  30.05821805  31.19467646]
>>> print np.dot(evecs_large.T, evecs_all[:, -3:])
[[-1.  0.  0.]
 [ 0.  1.  0.]
 [-0.  0. -1.]]
```

The results are as expected. ARPACK recovers the desired eigenvalues, and they match the previously known results. Furthermore, the eigenvectors are orthogonal, as we'd expect. Now let's attempt to solve for the eigenvalues with smallest magnitude:

```
>>> evals_small, evecs_small = eigsh(X, 3, which='SM')
scipy.sparse.linalg.eigen.arpack.arpack.ArpackNoConvergence:
ARPACK error -1: No convergence (1001 iterations, 0/3 eigenvectors converged)
```

Oops. We see that as mentioned above, ARPACK is not quite as adept at finding small eigenvalues. There are a few ways this problem can be addressed. We could increase the tolerance (`tol`) to lead to faster convergence:

```
>>> evals_small, evecs_small = eigsh(X, 3, which='SM', tol=1E-2)
>>> print evals_all[:3]
[ 0.0003783  0.00122714  0.00715878]
>>> print evals_small
[ 0.00037831  0.00122714  0.00715881]
>>> print np.dot(evecs_small.T, evecs_all[:, :3])
[[ 0.99999999  0.00000024 -0.00000049]
 [-0.00000023  0.99999999  0.00000056]
 [ 0.00000031 -0.00000037  0.99999852]]
```

This works, but we lose the precision in the results. Another option is to increase the maximum number of iterations (`maxiter`) from 1000 to 5000:

```
>>> evals_small, evecs_small = eigsh(X, 3, which='SM', maxiter=5000)
>>> print evals_all[:3]
[ 0.0003783  0.00122714  0.00715878]
>>> print evals_small
[ 0.0003783  0.00122714  0.00715878]
>>> print np.dot(evecs_small.T, evecs_all[:, :3])
[[ 1.  0.  0.]
 [-0.  1.  0.]
 [ 0.  0. -1.]]
```

We get the results we'd hoped for, but the computation time is much longer. Fortunately, ARPACK contains a mode that allows quick determination of non-external eigenvalues: *shift-invert mode*. As mentioned above, this mode involves transforming the eigenvalue problem to an equivalent problem with different eigenvalues. In this case, we hope to find eigenvalues near zero, so we'll choose `sigma = 0`. The transformed eigenvalues will then satisfy $\nu = 1/(\sigma - \lambda) = 1/\lambda$, so our small eigenvalues λ become large eigenvalues ν .

```
>>> evals_small, evecs_small = eigsh(X, 3, sigma=0, which='LM')
>>> print evals_all[:3]
[ 0.0003783  0.00122714  0.00715878]
>>> print evals_small
[ 0.0003783  0.00122714  0.00715878]
>>> print np.dot(evecs_small.T, evecs_all[:, :3])
[[ 1.  0.  0.]
 [ 0. -1. -0.]
 [-0. -0.  1.]]
```

We get the results we were hoping for, with much less computational time. Note that the transformation from $\nu \rightarrow \lambda$ takes place entirely in the background. The user need not worry about the details.

The shift-invert mode provides more than just a fast way to obtain a few small eigenvalues. Say you desire to find internal eigenvalues and eigenvectors, e.g. those nearest to $\lambda = 1$. Simply set `sigma = 1` and ARPACK takes care of the rest:

```
>>> evals_mid, evecs_mid = eigsh(X, 3, sigma=1, which='LM')
>>> i_sort = np.argsort(abs(1. / (1 - evals_all)))[-3:]
>>> print evals_all[i_sort]
[ 1.16577199  0.85081388  1.06642272]
>>> print evals_mid
[ 0.85081388  1.06642272  1.16577199]
```

```
>>> print np.dot(evecs_mid.T, evecs_all[:,i_sort])
[[-0.  1.  0.]
 [-0. -0.  1.]
 [ 1.  0.  0.]]
```

The eigenvalues come out in a different order, but they're all there. Note that the shift-invert mode requires the internal solution of a matrix inverse. This is taken care of automatically by `eigsh` and `eigs`, but the operation can also be specified by the user. See the docstring of `scipy.sparse.linalg.eigsh` and `scipy.sparse.linalg.eigs` for details.

1.10.5 References

1.11 Compressed Sparse Graph Routines `scipy.sparse.csgraph`

1.11.1 Example: Word Ladders

A [Word Ladder](#) is a word game invented by Lewis Carroll in which players find paths between words by switching one letter at a time. For example, one can link “ape” and “man” in the following way:

ape → apt → ait → bit → big → bag → mag → man

Note that each step involves changing just one letter of the word. This is just one possible path from “ape” to “man”, but is it the shortest possible path? If we desire to find the shortest word ladder path between two given words, the sparse graph submodule can help.

First we need a list of valid words. Many operating systems have such a list built-in. For example, on linux, a word list can often be found at one of the following locations:

```
/usr/share/dict
/var/lib/dict
```

Another easy source for words are the scrabble word lists available at various sites around the internet (search with your favorite search engine). We'll first create this list. The system word lists consist of a file with one word per line. The following should be modified to use the particular word list you have available:

```
>>> word_list = open('/usr/share/dict/words').readlines()
>>> word_list = map(str.strip, word_list)
```

We want to look at words of length 3, so let's select just those words of the correct length. We'll also eliminate words which start with upper-case (proper nouns) or contain non alpha-numeric characters like apostrophes and hyphens. Finally, we'll make sure everything is lower-case for comparison later:

```
>>> word_list = [word for word in word_list if len(word) == 3]
>>> word_list = [word for word in word_list if word[0].islower()]
>>> word_list = [word for word in word_list if word.isalpha()]
>>> word_list = map(str.lower, word_list)
>>> len(word_list)
586
```

Now we have a list of 586 valid three-letter words (the exact number may change depending on the particular list used). Each of these words will become a node in our graph, and we will create edges connecting the nodes associated with each pair of words which differs by only one letter.

There are efficient ways to do this, and inefficient ways to do this. To do this as efficiently as possible, we're going to use some sophisticated numpy array manipulation:

```

>>> import numpy as np
>>> word_list = np.asarray(word_list)
>>> word_list.dtype
dtype('|S3')
>>> word_list.sort() # sort for quick searching later
    
```

We have an array where each entry is three bytes. We'd like to find all pairs where exactly one byte is different. We'll start by converting each word to a three-dimensional vector:

```

>>> word_bytes = np.ndarray((word_list.size, word_list.itemsize),
...                          dtype='int8',
...                          buffer=word_list.data)
>>> word_bytes.shape
(586, 3)
    
```

Now we'll use the [Hamming distance](#) between each point to determine which pairs of words are connected. The Hamming distance measures the fraction of entries between two vectors which differ: any two words with a hamming distance equal to $1/N$, where N is the number of letters, are connected in the word ladder:

```

>>> from scipy.spatial.distance import pdist, squareform
>>> from scipy.sparse import csr_matrix
>>> hamming_dist = pdist(word_bytes, metric='hamming')
>>> graph = csr_matrix(squareform(hamming_dist < 1.5 / word_list.itemsize))
    
```

When comparing the distances, we don't use an equality because this can be unstable for floating point values. The inequality produces the desired result as long as no two entries of the word list are identical. Now that our graph is set up, we'll use a shortest path search to find the path between any two words in the graph:

```

>>> i1 = word_list.searchsorted('ape')
>>> i2 = word_list.searchsorted('man')
>>> word_list[i1]
'ape'
>>> word_list[i2]
'man'
    
```

We need to check that these match, because if the words are not in the list that will not be the case. Now all we need is to find the shortest path between these two indices in the graph. We'll use dijkstra's algorithm, because it allows us to find the path for just one node:

```

>>> from scipy.sparse.csgraph import dijkstra
>>> distances, predecessors = dijkstra(graph, indices=i1,
...                                 return_predecessors=True)
>>> print distances[i2]
5.0
    
```

So we see that the shortest path between 'ape' and 'man' contains only five steps. We can use the predecessors returned by the algorithm to reconstruct this path:

```

>>> path = []
>>> i = i2
>>> while i != i1:
>>>     path.append(word_list[i])
>>>     i = predecessors[i]
>>> path.append(word_list[i1])
>>> print path[::-1]
['ape', 'apt', 'opt', 'oat', 'mat', 'man']
    
```

This is three fewer links than our initial example: the path from ape to man is only five steps.

Using other tools in the module, we can answer other questions. For example, are there three-letter words which are not linked in a word ladder? This is a question of connected components in the graph:

```
>>> from scipy.sparse.csgraph import connected_components
>>> N_components, component_list = connected_components(graph)
>>> print N_components
15
```

In this particular sample of three-letter words, there are 15 connected components: that is, 15 distinct sets of words with no paths between the sets. How many words are in each of these sets? We can learn this from the list of components:

```
>>> [np.sum(component_list == i) for i in range(15)]
[571, 1, 1, 1, 2, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1]
```

There is one large connected set, and 14 smaller ones. Let's look at the words in the smaller ones:

```
>>> [list(word_list[np.where(component_list == i)]) for i in range(1, 15)]
[['aha'],
 ['chi'],
 ['ebb'],
 ['ems', 'emu'],
 ['gnu'],
 ['ism'],
 ['khz'],
 ['nth'],
 ['ova'],
 ['qua'],
 ['ugh'],
 ['ups'],
 ['urn'],
 ['use']]
```

These are all the three-letter words which do not connect to others via a word ladder.

We might also be curious about which words are maximally separated. Which two words take the most links to connect? We can determine this by computing the matrix of all shortest paths. Note that by convention, the distance between two non-connected points is reported to be infinity, so we'll need to remove these before finding the maximum:

```
>>> distances, predecessors = dijkstra(graph, return_predecessors=True)
>>> np.max(distances[~np.isinf(distances)])
13.0
```

So there is at least one pair of words which takes 13 steps to get from one to the other! Let's determine which these are:

```
>>> i1, i2 = np.where(distances == 13)
>>> zip(word_list[i1], word_list[i2])
[('imp', 'ohm'),
 ('imp', 'ohs'),
 ('ohm', 'imp'),
 ('ohm', 'ump'),
 ('ohs', 'imp'),
 ('ohs', 'ump'),
 ('ump', 'ohm'),
 ('ump', 'ohs')]
```

We see that there are two pairs of words which are maximally separated from each other: 'imp' and 'ump' on one hand, and 'ohm' and 'ohs' on the other hand. We can find the connecting list in the same way as above:

```
>>> path = []
>>> i = i2[0]
>>> while i != i1[0]:
>>>     path.append(word_list[i])
>>>     i = predecessors[i1[0], i]
>>> path.append(word_list[i1[0]])
>>> print path[::-1]
['imp', 'amp', 'asp', 'ask', 'ark', 'are', 'aye', 'rye', 'roe', 'woe', 'woo', 'who', 'oho', 'ohm']
```

This gives us the path we desired to see.

Word ladders are just one potential application of `scipy`'s fast graph algorithms for sparse matrices. Graph theory makes appearances in many areas of mathematics, data analysis, and machine learning. The sparse graph tools are flexible enough to handle many of these situations.

1.12 Spatial data structures and algorithms (`scipy.spatial`)

`scipy.spatial` can compute triangulations, Voronoi diagrams, and convex hulls of a set of points, by leveraging the `Qhull` library.

Moreover, it contains `KDTree` implementations for nearest-neighbor point queries, and utilities for distance computations in various metrics.

1.12.1 Delaunay triangulations

The Delaunay triangulation is a subdivision of a set of points into a non-overlapping set of triangles, such that no point is inside the circumcircle of any triangle. In practice, such triangulations tend to avoid triangles with small angles.

Delaunay triangulation can be computed using `scipy.spatial` as follows:


```
>>> from scipy.spatial import Delaunay
>>> points = np.array([[0, 0], [0, 1.1], [1, 0], [1, 1]])
>>> tri = Delaunay(points)
```

We can visualize it:

```
>>> import matplotlib.pyplot as plt
>>> plt.triplot(points[:,0], points[:,1], tri.simplices.copy())
>>> plt.plot(points[:,0], points[:,1], 'o')
```

And add some further decorations:

```
>>> for j, p in enumerate(points):
...     plt.text(p[0]-0.03, p[1]+0.03, j, ha='right') # label the points
>>> for j, s in enumerate(tri.simplices):
...     p = points[s].mean(axis=0)
...     plt.text(p[0], p[1], '#%d' % j, ha='center') # label triangles
>>> plt.xlim(-0.5, 1.5); plt.ylim(-0.5, 1.5)
>>> plt.show()
```



The structure of the triangulation is encoded in the following way: the `simplices` attribute contains the indices of the points in the `points` array that make up the triangle. For instance:

```
>>> i = 1
>>> tri.simplices[i,:]
array([3, 1, 0], dtype=int32)
>>> points[tri.simplices[i,:]]
array([[ 1. ,  1. ],
       [ 0. ,  1.1],
       [ 0. ,  0. ]])
```

Moreover, neighboring triangles can also be found out:

```
>>> tri.neighbors[i]
array([-1,  0, -1], dtype=int32)
```

What this tells us is that this triangle has triangle #0 as a neighbor, but no other neighbors. Moreover, it tells us that neighbor 0 is opposite the vertex 1 of the triangle:

```
>>> points[tri.simplices[i, 1]]
array([ 0. ,  1.1])
```

Indeed, from the figure we see that this is the case.

Qhull can also perform tessellations to simplices also for higher-dimensional point sets (for instance, subdivision into tetrahedra in 3-D).

Coplanar points

It is important to note that not *all* points necessarily appear as vertices of the triangulation, due to numerical precision issues in forming the triangulation. Consider the above with a duplicated point:

```
>>> points = np.array([[0, 0], [0, 1], [1, 0], [1, 1], [1, 1]])
>>> tri = Delaunay(points)
>>> np.unique(tri.simplices.ravel())
array([0, 1, 2, 3], dtype=int32)
```

Observe that point #4, which is a duplicate, does not occur as a vertex of the triangulation. That this happened is recorded:

```
>>> tri.coplanar
array([[4, 0, 3]], dtype=int32)
```

This means that point 4 resides near triangle 0 and vertex 3, but is not included in the triangulation.

Note that such degeneracies can occur not only because of duplicated points, but also for more complicated geometrical reasons, even in point sets that at first sight seem well-behaved.

However, Qhull has the “QJ” option, which instructs it to perturb the input data randomly until degeneracies are resolved:

```
>>> tri = Delaunay(points, qhull_options="QJ Pp")
>>> points[tri.simplices]
array([[1, 1],
       [1, 0],
       [0, 0]],
      [[1, 1],
       [1, 1],
       [1, 0]],
      [[0, 1],
       [1, 1],
       [0, 0]],
      [[0, 1],
       [1, 1],
       [1, 1]])
```

Two new triangles appeared. However, we see that they are degenerate and have zero area.

1.12.2 Convex hulls

Convex hull is the smallest convex object containing all points in a given point set.


These can be computed via the Qhull wrappers in `scipy.spatial` as follows:

```
>>> from scipy.spatial import ConvexHull
>>> points = np.random.rand(30, 2) # 30 random points in 2-D
>>> hull = ConvexHull(points)
```

The convex hull is represented as a set of N-1 dimensional simplices, which in 2-D means line segments. The storage scheme is exactly the same as for the simplices in the Delaunay triangulation discussed above.

We can illustrate the above result:

```
>>> import matplotlib.pyplot as plt
>>> plt.plot(points[:,0], points[:,1], 'o')
>>> for simplex in hull.simplices:
>>>     plt.plot(points[simplex,0], points[simplex,1], 'k-')
>>> plt.show()
```

The same can be achieved with `scipy.spatial.convex_hull_plot_2d`.

1.12.3 Voronoi diagrams


A Voronoi diagram is a subdivision of the space into the nearest neighborhoods of a given set of points.

There are two ways to approach this object using `scipy.spatial`. First, one can use the `KDTree` to answer the question “which of the points is closest to this one”, and define the regions that way:

```
>>> from scipy.spatial import KDTree
>>> points = np.array([[0, 0], [0, 1], [0, 2], [1, 0], [1, 1], [1, 2],
...                  [2, 0], [2, 1], [2, 2]])
>>> tree = KDTree(points)
>>> tree.query([0.1, 0.1])
(0.14142135623730953, 0)
```

So the point $(0.1, 0.1)$ belongs to region 0. In color:

```
>>> x = np.linspace(-0.5, 2.5, 31)
>>> y = np.linspace(-0.5, 2.5, 33)
>>> xx, yy = np.meshgrid(x, y)
>>> xy = np.c_[xx.ravel(), yy.ravel()]
>>> import matplotlib.pyplot as plt
>>> plt.pcolor(x, y, tree.query(xy)[1].reshape(33, 31))
>>> plt.plot(points[:,0], points[:,1], 'ko')
>>> plt.show()
```



This does not, however, give the Voronoi diagram as a geometrical object.

The representation in terms of lines and points can be again obtained via the Qhull wrappers in `scipy.spatial`:

```
>>> from scipy.spatial import Voronoi
>>> vor = Voronoi(points)
>>> vor.vertices
array([[ 0.5,  0.5],
       [ 1.5,  0.5],
       [ 0.5,  1.5],
       [ 1.5,  1.5]])
```

The Voronoi vertices denote the set of points forming the polygonal edges of the Voronoi regions. In this case, there are 9 different regions:

```
>>> vor.regions
[[-1, 0], [-1, 1], [1, -1, 0], [3, -1, 2], [-1, 3], [-1, 2], [3, 1, 0, 2], [2, -1, 0], [3, -1, 1]]
```

Negative value `-1` again indicates a point at infinity. Indeed, only one of the regions, `[3, 1, 0, 2]`, is bounded. Note here that due to similar numerical precision issues as in Delaunay triangulation above, there may be fewer Voronoi regions than input points.

The ridges (lines in 2-D) separating the regions are described as a similar collection of simplices as the convex hull pieces:

```
>>> vor.ridge_vertices
[[-1, 0], [-1, 0], [-1, 1], [-1, 1], [0, 1], [-1, 3], [-1, 2], [2, 3], [-1, 3], [-1, 2], [0, 2], [1,
```

These numbers indicate indices of the Voronoi vertices making up the line segments. `-1` is again a point at infinity — only four of the 12 lines is a bounded line segment while the others extend to infinity.

The Voronoi ridges are perpendicular to lines drawn between the input points. Which two points each ridge corresponds to is also recorded:

```
>>> vor.ridge_points
array([[0, 3],
       [0, 1],
       [6, 3],
       [6, 7],
       [3, 4],
```

```
[5, 8],
[5, 2],
[5, 4],
[8, 7],
[2, 1],
[4, 1],
[4, 7]], dtype=int32)
```

This information, taken together, is enough to construct the full diagram.

We can plot it as follows. First the points and the Voronoi vertices:


```
>>> plt.plot(points[:,0], points[:,1], 'o')
>>> plt.plot(vor.vertices[:,0], vor.vertices[:,1], '*')
>>> plt.xlim(-1, 3); plt.ylim(-1, 3)
```

Plotting the finite line segments goes as for the convex hull, but now we have to guard for the infinite edges:

```
>>> for simplex in vor.ridge_vertices:
>>>     simplex = np.asarray(simplex)
>>>     if np.all(simplex >= 0):
>>>         plt.plot(vor.vertices[simplex,0], vor.vertices[simplex,1], 'k-')
```

The ridges extending to infinity require a bit more care:

```
>>> center = points.mean(axis=0)
>>> for pointidx, simplex in zip(vor.ridge_points, vor.ridge_vertices):
>>>     simplex = np.asarray(simplex)
>>>     if np.any(simplex < 0):
>>>         i = simplex[simplex >= 0][0] # finite end Voronoi vertex
>>>         t = points[pointidx[1]] - points[pointidx[0]] # tangent
>>>         t /= np.linalg.norm(t)
>>>         n = np.array([-t[1], t[0]]) # normal
>>>         midpoint = points[pointidx].mean(axis=0)
>>>         far_point = vor.vertices[i] + np.sign(np.dot(midpoint - center, n)) * n * 100
>>>         plt.plot([vor.vertices[i,0], far_point[0]],
...                [vor.vertices[i,1], far_point[1]], 'k--')
>>> plt.show()
```



This plot can also be created using `scipy.spatial.voronoi_plot_2d`.

1.13 Statistics (`scipy.stats`)

1.13.1 Introduction

In this tutorial we discuss many, but certainly not all, features of `scipy.stats`. The intention here is to provide a user with a working knowledge of this package. We refer to the [reference manual](#) for further details.

Note: This documentation is work in progress.

1.13.2 Random Variables

There are two general distribution classes that have been implemented for encapsulating *continuous random variables* and *discrete random variables*. Over 80 continuous random variables (RVs) and 10 discrete random variables have been implemented using these classes. Besides this, new routines and distributions can easily added by the end user. (If you create one, please contribute it).

All of the statistics functions are located in the sub-package `scipy.stats` and a fairly complete listing of these functions can be obtained using `info(stats)`. The list of the random variables available can also be obtained from the docstring for the stats sub-package.

In the discussion below we mostly focus on continuous RVs. Nearly all applies to discrete variables also, but we point out some differences here: *Specific Points for Discrete Distributions*.

Getting Help

First of all, all distributions are accompanied with help functions. To obtain just some basic information we can call

```
>>> from scipy import stats
>>> from scipy.stats import norm
>>> print norm.__doc__
```

To find the support, i.e., upper and lower bound of the distribution, call:

```
>>> print 'bounds of distribution lower: %s, upper: %s' % (norm.a,norm.b)
bounds of distribution lower: -inf, upper: inf
```

We can list all methods and properties of the distribution with `dir(norm)`. As it turns out, some of the methods are private methods although they are not named as such (their name does not start with a leading underscore), for example `veccdf` or `xa` and `xb` are only available for internal calculation.

To obtain the *real* main methods, we list the methods of the frozen distribution. (We explain the meaning of a *frozen* distribution below).

```
>>> rv = norm()
>>> dir(rv) #reformatted
['__class__', '__delattr__', '__dict__', '__doc__', '__getattr__',
 '__hash__', '__init__', '__module__', '__new__', '__reduce__', '__reduce_ex__',
 '__repr__', '__setattr__', '__str__', '__weakref__', 'args', 'cdf', 'dist',
 'entropy', 'isf', 'kwds', 'moment', 'pdf', 'pmf', 'ppf', 'rvs', 'sf', 'stats']
```

Finally, we can obtain the list of available distribution through introspection:

```

>>> import warnings
>>> warnings.simplefilter('ignore', DeprecationWarning)
>>> dist_continu = [d for d in dir(stats) if
...                 isinstance(getattr(stats,d), stats.rv_continuous)]
>>> dist_discrete = [d for d in dir(stats) if
...                  isinstance(getattr(stats,d), stats.rv_discrete)]
>>> print 'number of continuous distributions:', len(dist_continu)
number of continuous distributions: 84
>>> print 'number of discrete distributions: ', len(dist_discrete)
number of discrete distributions: 12

```

Common Methods

The main public methods for continuous RVs are:

- rvs: Random Variates
- pdf: Probability Density Function
- cdf: Cumulative Distribution Function
- sf: Survival Function (1-CDF)
- ppf: Percent Point Function (Inverse of CDF)
- isf: Inverse Survival Function (Inverse of SF)
- stats: Return mean, variance, (Fisher's) skew, or (Fisher's) kurtosis
- moment: non-central moments of the distribution

Lets take a normal RV as an example.

```

>>> norm.cdf(0)
0.5

```

To compute the cdf at a number of points, we can pass a list or a numpy array.

```

>>> norm.cdf([-1., 0, 1])
array([ 0.15865525,  0.5          ,  0.84134475])
>>> import numpy as np
>>> norm.cdf(np.array([-1., 0, 1]))
array([ 0.15865525,  0.5          ,  0.84134475])

```

Thus, the basic methods such as *pdf*, *cdf*, and so on are vectorized with `np.vectorize`.

Other generally useful methods are supported too:

```

>>> norm.mean(), norm.std(), norm.var()
(0.0, 1.0, 1.0)
>>> norm.stats(moments = "mv")
(array(0.0), array(1.0))

```

To find the median of a distribution we can use the percent point function `ppf`, which is the inverse of the `cdf`:

```

>>> norm.ppf(0.5)

```

To generate a set of random variates:

```

>>> norm.rvs(size=5)
array([-0.35687759,  1.34347647, -0.11710531, -1.00725181, -0.51275702])

```

Don't think that `norm.rvs(5)` generates 5 variates:

```
>>> norm.rvs(5)
7.131624370075814
```

This brings us, in fact, to topic of the next subsection.

Shifting and Scaling

All continuous distributions take `loc` and `scale` as keyword parameters to adjust the location and scale of the distribution, e.g. for the standard normal distribution the location is the mean and the scale is the standard deviation.

```
>>> norm.stats(loc = 3, scale = 4, moments = "mv")
(array(3.0), array(16.0))
```

In general the standardized distribution for a random variable X is obtained through the transformation $(X - \text{loc}) / \text{scale}$. The default values are `loc = 0` and `scale = 1`.

Smart use of `loc` and `scale` can help modify the standard distributions in many ways. To illustrate the scaling further, the cdf of an exponentially distributed RV with mean $1/\lambda$ is given by

$$F(x) = 1 - \exp(-\lambda x)$$

By applying the scaling rule above, it can be seen that by taking `scale = 1./lambda` we get the proper scale.

```
>>> from scipy.stats import expon
>>> expon.mean(scale = 3.)
3.0
```

The uniform distribution is also interesting:

```
>>> from scipy.stats import uniform
>>> uniform.cdf([0,1,2,3,4,5], loc = 1, scale = 4)
array([ 0. ,  0. ,  0.25,  0.5 ,  0.75,  1.  ])
```

Finally, recall from the previous paragraph that we are left with the problem of the meaning of `norm.rvs(5)`. As it turns out, calling a distribution like this, the first argument, i.e., the 5, gets passed to set the `loc` parameter. Lets see:

```
>>> np.mean(norm.rvs(5, size=500))
4.983550784784704
```

Thus, to explain the output of the example of the last section: `norm.rvs(5)` generates a normally distributed random variate with mean `loc=5`.

I prefer to set the `loc` and `scale` parameter explicitly, by passing the values as keywords rather than as arguments. This is less of a hassle as it may seem. We clarify this below when we explain the topic of *freezing a RV*.

Shape Parameters

While a general continuous random variable can be shifted and scaled with the `loc` and `scale` parameters, some distributions require additional shape parameters. For instance, the gamma distribution, with density

$$\gamma(x, n) = \frac{\lambda(\lambda x)^{n-1}}{\Gamma(n)} e^{-\lambda x},$$

requires the shape parameter n . Observe that setting λ can be obtained by setting the `scale` keyword to $1/\lambda$.

Lets check the number and name of the shape parameters of the gamma distribution. (We know from the above that this should be 1.)

```
>>> from scipy.stats import gamma
>>> gamma.numargs
1
>>> gamma.shapes
'a'
```

Now we set the value of the shape variable to 1 to obtain the exponential distribution, so that we compare easily whether we get the results we expect.

```
>>> gamma(1, scale=2.).stats(moments = "mv")
(array(2.0), array(4.0))
```

Freezing a Distribution

Passing the `loc` and `scale` keywords time and again can become quite bothersome. The concept of *freezing* a RV is used to solve such problems.

```
>>> rv = gamma(1, scale=2.)
```

By using `rv` we no longer have to include the scale or the shape parameters anymore. Thus, distributions can be used in one of two ways, either by passing all distribution parameters to each method call (such as we did earlier) or by freezing the parameters for the instance of the distribution. Let us check this:

```
>>> rv.mean(), rv.std()
(2.0, 2.0)
```

This is indeed what we should get.

Broadcasting

The basic methods `pdf` and so on satisfy the usual numpy broadcasting rules. For example, we can calculate the critical values for the upper tail of the t distribution for different probabilities and degrees of freedom.

```
>>> stats.t.isf([0.1, 0.05, 0.01], [[10], [11]])
array([[ 1.37218364,  1.81246112,  2.76376946],
       [ 1.36343032,  1.79588482,  2.71807918]])
```

Here, the first row are the critical values for 10 degrees of freedom and the second row for 11 degrees of freedom (d.o.f.). Thus, the broadcasting rules give the same result of calling `isf` twice:

```
>>> stats.t.isf([0.1, 0.05, 0.01], 10)
array([ 1.37218364,  1.81246112,  2.76376946])
>>> stats.t.isf([0.1, 0.05, 0.01], 11)
array([ 1.36343032,  1.79588482,  2.71807918])
```

If the array with probabilities, i.e. `[0.1, 0.05, 0.01]` and the array of degrees of freedom i.e., `[10, 11, 12]`, have the same array shape, then element wise matching is used. As an example, we can obtain the 10% tail for 10 d.o.f., the 5% tail for 11 d.o.f. and the 1% tail for 12 d.o.f. by calling

```
>>> stats.t.isf([0.1, 0.05, 0.01], [10, 11, 12])
array([ 1.37218364,  1.79588482,  2.68099799])
```

Specific Points for Discrete Distributions

Discrete distribution have mostly the same basic methods as the continuous distributions. However `pdf` is replaced the probability mass function `pmf`, no estimation methods, such as `fit`, are available, and `scale` is not a valid keyword

parameter. The location parameter, keyword `loc` can still be used to shift the distribution.

The computation of the cdf requires some extra attention. In the case of continuous distribution the cumulative distribution function is in most standard cases strictly monotonic increasing in the bounds (a,b) and has therefore a unique inverse. The cdf of a discrete distribution, however, is a step function, hence the inverse cdf, i.e., the percent point function, requires a different definition:

```
ppf(q) = min{x : cdf(x) >= q, x integer}
```

For further info, see the docs [here](#).

We can look at the hypergeometric distribution as an example

```
>>> from scipy.stats import hypergeom
>>> [M, n, N] = [20, 7, 12]
```

If we use the cdf at some integer points and then evaluate the ppf at those cdf values, we get the initial integers back, for example

```
>>> x = np.arange(4)*2
>>> x
array([0, 2, 4, 6])
>>> prb = hypergeom.cdf(x, M, n, N)
>>> prb
array([ 0.0001031991744066,  0.0521155830753351,  0.6083591331269301,
        0.9897832817337386])
>>> hypergeom.ppf(prb, M, n, N)
array([ 0.,  2.,  4.,  6.]
```

If we use values that are not at the kinks of the cdf step function, we get the next higher integer back:

```
>>> hypergeom.ppf(prb+1e-8, M, n, N)
array([ 1.,  3.,  5.,  7.])
>>> hypergeom.ppf(prb-1e-8, M, n, N)
array([ 0.,  2.,  4.,  6.]
```

Fitting Distributions

The main additional methods of the not frozen distribution are related to the estimation of distribution parameters:

- *fit*: maximum likelihood estimation of distribution parameters, including location and scale
- `fit_loc_scale`: estimation of location and scale when shape parameters are given
- `nnlf`: negative log likelihood function
- `expect`: Calculate the expectation of a function against the pdf or pmf

Performance Issues and Cautionary Remarks

The performance of the individual methods, in terms of speed, varies widely by distribution and method. The results of a method are obtained in one of two ways: either by explicit calculation, or by a generic algorithm that is independent of the specific distribution.

Explicit calculation, on the one hand, requires that the method is directly specified for the given distribution, either through analytic formulas or through special functions in `scipy.special` or `numpy.random` for `rvs`. These are usually relatively fast calculations.

The generic methods, on the other hand, are used if the distribution does not specify any explicit calculation. To define a distribution, only one of pdf or cdf is necessary; all other methods can be derived using numeric integration and root finding. However, these indirect methods can be *very* slow. As an example, `rgv = stats.gausshyper.rvs(0.5, 2, 2, 2, size=100)` creates random variables in a very indirect way and takes about 19 seconds for 100 random variables on my computer, while one million random variables from the standard normal or from the t distribution take just above one second.

Remaining Issues

The distributions in `scipy.stats` have recently been corrected and improved and gained a considerable test suite, however a few issues remain:

- skew and kurtosis, 3rd and 4th moments and entropy are not thoroughly tested and some coarse testing indicates that there are still some incorrect results left.
- the distributions have been tested over some range of parameters, however in some corner ranges, a few incorrect results may remain.
- the maximum likelihood estimation in *fit* does not work with default starting parameters for all distributions and the user needs to supply good starting parameters. Also, for some distribution using a maximum likelihood estimator might inherently not be the best choice.

1.13.3 Building Specific Distributions

The next examples shows how to build your own distributions. Further examples show the usage of the distributions and some statistical tests.

Making a Continuous Distribution, i.e., Subclassing `rv_continuous`

Making continuous distributions is fairly simple.

```
>>> import scipy
>>> class deterministic_gen(scipy.stats.rv_continuous):
...     def _cdf(self, x): return np.where(x<0, 0., 1.)
...     def _stats(self): return 0., 0., 0., 0.
...
>>> deterministic = deterministic_gen(name="deterministic")
>>> deterministic.cdf(np.arange(-3, 3, 0.5))
array([ 0.,  0.,  0.,  0.,  0.,  0.,  1.,  1.,  1.,  1.,  1.,  1.])
```

Interestingly, the pdf is now computed automatically:

```
>>> deterministic.pdf(np.arange(-3, 3, 0.5))
array([[ 0.00000000e+00,  0.00000000e+00,  0.00000000e+00,
         0.00000000e+00,  0.00000000e+00,  0.00000000e+00,
         5.83333333e+04,  4.16333634e-12,  4.16333634e-12,
         4.16333634e-12,  4.16333634e-12,  4.16333634e-12])
```

Be aware of the performance issues mentions in *Performance Issues and Cautionary Remarks*. The computation of unspecified common methods can become very slow, since only general methods are called which, by their very nature, cannot use any specific information about the distribution. Thus, as a cautionary example:

```
>>> from scipy.integrate import quad
>>> quad(deterministic.pdf, -1e-1, 1e-1)
(4.163336342344337e-13, 0.0)
```

But this is not correct: the integral over this pdf should be 1. Lets make the integration interval smaller:

```
>>> quad(deterministic.pdf, -1e-3, 1e-3) # warning removed
(1.000076872229173, 0.0010625571718182458)
```

This looks better. However, the problem originated from the fact that the pdf is not specified in the class definition of the deterministic distribution.

Subclassing `rv_discrete`

In the following we use `stats.rv_discrete` to generate a discrete distribution that has the probabilities of the truncated normal for the intervals centered around the integers.

General Info

From the docstring of `rv_discrete`, i.e.,

```
>>> from scipy.stats import rv_discrete
>>> help(rv_discrete)
```

we learn that:

“You can construct an arbitrary discrete rv where $P\{X=x_k\} = p_k$ by passing to the `rv_discrete` initialization method (through the `values=` keyword) a tuple of sequences (`xk`, `pk`) which describes only those values of `X` (`xk`) that occur with nonzero probability (`pk`).”

Next to this, there are some further requirements for this approach to work:

- The keyword `name` is required.
- The support points of the distribution `xk` have to be integers.
- The number of significant digits (decimals) needs to be specified.

In fact, if the last two requirements are not satisfied an exception may be raised or the resulting numbers may be incorrect.

An Example

Lets do the work. First

```
>>> npoints = 20 # number of integer support points of the distribution minus 1
>>> npointsh = npoints / 2
>>> npointsf = float(npoints)
>>> nbound = 4 # bounds for the truncated normal
>>> normbound = (1+1/npointsf) * nbound # actual bounds of truncated normal
>>> grid = np.arange(-npointsh, npointsh+2, 1) # integer grid
>>> gridlimitsnorm = (grid-0.5) / npointsh * nbound # bin limits for the truncnorm
>>> gridlimits = grid - 0.5 # used later in the analysis
>>> grid = grid[:-1]
>>> probs = np.diff(stats.truncnorm.cdf(gridlimitsnorm, -normbound, normbound))
>>> gridint = grid
```

And finally we can subclass `rv_discrete`:

```
>>> normdiscrete = stats.rv_discrete(values=(gridint,
...                                     np.round(probs, decimals=7)), name='normdiscrete')
```

Now that we have defined the distribution, we have access to all common methods of discrete distributions.


```
>>> print 'mean = %6.4f, variance = %6.4f, skew = %6.4f, kurtosis = %6.4f' % \
...       normdiscrete.stats(moments = 'mvsk')
mean = -0.0000, variance = 6.3302, skew = 0.0000, kurtosis = -0.0076


>>> nd_std = np.sqrt(normdiscrete.stats(moments='v'))
```

Testing the Implementation

Lets generate a random sample and compare observed frequencies with the probabilities.

```
>>> n_sample = 500
>>> np.random.seed(87655678) # fix the seed for replicability
>>> rvs = normdiscrete.rvs(size=n_sample)
>>> rvsnd = rvs
>>> f, l = np.histogram(rvs, bins=gridlimits)
>>> sfreq = np.vstack([gridint, f, probs*n_sample]).T
>>> print sfreq
[[-1.00000000e+01  0.00000000e+00  2.95019349e-02]
 [-9.00000000e+00  0.00000000e+00  1.32294142e-01]
 [-8.00000000e+00  0.00000000e+00  5.06497902e-01]
 [-7.00000000e+00  2.00000000e+00  1.65568919e+00]
 [-6.00000000e+00  1.00000000e+00  4.62125309e+00]
 [-5.00000000e+00  9.00000000e+00  1.10137298e+01]
 [-4.00000000e+00  2.60000000e+01  2.24137683e+01]
 [-3.00000000e+00  3.70000000e+01  3.89503370e+01]
 [-2.00000000e+00  5.10000000e+01  5.78004747e+01]
 [-1.00000000e+00  7.10000000e+01  7.32455414e+01]
 [ 0.00000000e+00  7.40000000e+01  7.92618251e+01]
 [ 1.00000000e+00  8.90000000e+01  7.32455414e+01]
 [ 2.00000000e+00  5.50000000e+01  5.78004747e+01]
 [ 3.00000000e+00  5.00000000e+01  3.89503370e+01]
 [ 4.00000000e+00  1.70000000e+01  2.24137683e+01]
 [ 5.00000000e+00  1.10000000e+01  1.10137298e+01]
 [ 6.00000000e+00  4.00000000e+00  4.62125309e+00]
 [ 7.00000000e+00  3.00000000e+00  1.65568919e+00]
 [ 8.00000000e+00  0.00000000e+00  5.06497902e-01]
 [ 9.00000000e+00  0.00000000e+00  1.32294142e-01]
 [ 1.00000000e+01  0.00000000e+00  2.95019349e-02]]
```





Next, we can test, whether our sample was generated by our normdiscrete distribution. This also verifies whether the random numbers are generated correctly.

The chisquare test requires that there are a minimum number of observations in each bin. We combine the tail bins into larger bins so that they contain enough observations.

```
>>> f2 = np.hstack([f[:5].sum(), f[5:-5], f[-5:].sum()])
>>> p2 = np.hstack([probs[:5].sum(), probs[5:-5], probs[-5:].sum()])
>>> ch2, pval = stats.chisquare(f2, p2*n_sample)

>>> print 'chisquare for normdiscrete: chi2 = %6.3f pvalue = %6.4f' % (ch2, pval)
chisquare for normdiscrete: chi2 = 12.466 pvalue = 0.4090
```

The pvalue in this case is high, so we can be quite confident that our random sample was actually generated by the distribution.

1.13.4 Analysing One Sample

First, we create some random variables. We set a seed so that in each run we get identical results to look at. As an example we take a sample from the Student t distribution:

```
>>> np.random.seed(282629734)
>>> x = stats.t.rvs(10, size=1000)
```

Here, we set the required shape parameter of the t distribution, which in statistics corresponds to the degrees of freedom, to 10. Using size=1000 means that our sample consists of 1000 independently drawn (pseudo) random numbers. Since we did not specify the keyword arguments *loc* and *scale*, those are set to their default values zero and one.

Descriptive Statistics

x is a numpy array, and we have direct access to all array methods, e.g.

```
>>> print x.max(), x.min() # equivalent to np.max(x), np.min(x)
5.26327732981 -3.78975572422
```

```
>>> print x.mean(), x.var() # equivalent to np.mean(x), np.var(x)
0.0140610663985 1.28899386208
```

How do the some sample properties compare to their theoretical counterparts?

```
>>> m, v, s, k = stats.t.stats(10, moments='mvsk')
>>> n, (smin, smax), sm, sv, ss, sk = stats.describe(x)

>>> print 'distribution:',
distribution:
>>> sstr = 'mean = %6.4f, variance = %6.4f, skew = %6.4f, kurtosis = %6.4f'
>>> print sstr %(m, v, s, k)
mean = 0.0000, variance = 1.2500, skew = 0.0000, kurtosis = 1.0000
>>> print 'sample:      ',
sample:
>>> print sstr %(sm, sv, ss, sk)
mean = 0.0141, variance = 1.2903, skew = 0.2165, kurtosis = 1.0556
```

Note: stats.describe uses the unbiased estimator for the variance, while np.var is the biased estimator.

For our sample the sample statistics differ a by a small amount from their theoretical counterparts.

T-test and KS-test

We can use the t-test to test whether the mean of our sample differs in a statistically significant way from the theoretical expectation.

```
>>> print 't-statistic = %6.3f pvalue = %6.4f' % stats.ttest_1samp(x, m)
t-statistic = 0.391 pvalue = 0.6955
```

The pvalue is 0.7, this means that with an alpha error of, for example, 10%, we cannot reject the hypothesis that the sample mean is equal to zero, the expectation of the standard t-distribution.

As an exercise, we can calculate our ttest also directly without using the provided function, which should give us the same answer, and so it does:

```
>>> tt = (sm-m)/np.sqrt(sv/float(n)) # t-statistic for mean
>>> pval = stats.t.sf(np.abs(tt), n-1)*2 # two-sided pvalue = Prob(abs(t)>tt)
>>> print 't-statistic = %6.3f pvalue = %6.4f' % (tt, pval)
t-statistic = 0.391 pvalue = 0.6955
```

The Kolmogorov-Smirnov test can be used to test the hypothesis that the sample comes from the standard t-distribution

```
>>> print 'KS-statistic D = %6.3f pvalue = %6.4f' % stats.kstest(x, 't', (10,))
KS-statistic D = 0.016 pvalue = 0.9606
```

Again the p-value is high enough that we cannot reject the hypothesis that the random sample really is distributed according to the t-distribution. In real applications, we don't know what the underlying distribution is. If we perform the Kolmogorov-Smirnov test of our sample against the standard normal distribution, then we also cannot reject the hypothesis that our sample was generated by the normal distribution given that in this example the p-value is almost 40%.

```
>>> print 'KS-statistic D = %6.3f pvalue = %6.4f' % stats.kstest(x, 'norm')
KS-statistic D = 0.028 pvalue = 0.3949
```

However, the standard normal distribution has a variance of 1, while our sample has a variance of 1.29. If we standardize our sample and test it against the normal distribution, then the p-value is again large enough that we cannot reject the hypothesis that the sample came from the normal distribution.

```
>>> d, pval = stats.kstest((x-x.mean())/x.std(), 'norm')
>>> print 'KS-statistic D = %6.3f pvalue = %6.4f' % (d, pval)
KS-statistic D = 0.032 pvalue = 0.2402
```

Note: The Kolmogorov-Smirnov test assumes that we test against a distribution with given parameters, since in the last case we estimated mean and variance, this assumption is violated, and the distribution of the test statistic on which the p-value is based, is not correct.

Tails of the distribution

Finally, we can check the upper tail of the distribution. We can use the percent point function `ppf`, which is the inverse of the cdf function, to obtain the critical values, or, more directly, we can use the inverse of the survival function

```
>>> crit01, crit05, crit10 = stats.t.ppf([1-0.01, 1-0.05, 1-0.10], 10)
>>> print 'critical values from ppf at 1%, 5% and 10% %8.4f %8.4f %8.4f' % (crit01, crit05, crit10)
critical values from ppf at 1%, 5% and 10% 2.7638 1.8125 1.3722
>>> print 'critical values from isf at 1%, 5% and 10% %8.4f %8.4f %8.4f' % tuple(stats.t.isf([0.01, 0.05, 0.10]))
critical values from isf at 1%, 5% and 10% 2.7638 1.8125 1.3722

>>> freq01 = np.sum(x>crit01) / float(n) * 100
>>> freq05 = np.sum(x>crit05) / float(n) * 100
>>> freq10 = np.sum(x>crit10) / float(n) * 100
>>> print 'sample %-frequency at 1%, 5% and 10% tail %8.4f %8.4f %8.4f' % (freq01, freq05, freq10)
sample %-frequency at 1%, 5% and 10% tail 1.4000 5.8000 10.5000
```

In all three cases, our sample has more weight in the top tail than the underlying distribution. We can briefly check a larger sample to see if we get a closer match. In this case the empirical frequency is quite close to the theoretical probability, but if we repeat this several times the fluctuations are still pretty large.

```
>>> freq05l = np.sum(stats.t.rvs(10, size=10000) > crit05) / 10000.0 * 100
>>> print 'larger sample %-frequency at 5% tail %8.4f' % freq05l
larger sample %-frequency at 5% tail 4.8000
```

We can also compare it with the tail of the normal distribution, which has less weight in the tails:

```
>>> print 'tail prob. of normal at 1%, 5% and 10% %8.4f %8.4f %8.4f' % \
... tuple(stats.norm.sf([crit01, crit05, crit10])*100)
tail prob. of normal at 1%, 5% and 10% 0.2857 3.4957 8.5003
```

The chisquare test can be used to test, whether for a finite number of bins, the observed frequencies differ significantly from the probabilities of the hypothesized distribution.

```
>>> quantiles = [0.0, 0.01, 0.05, 0.1, 1-0.10, 1-0.05, 1-0.01, 1.0]
>>> crit = stats.t.ppf(quantiles, 10)
>>> print crit
[ -Inf -2.76376946 -1.81246112 -1.37218364 1.37218364 1.81246112
 2.76376946 Inf]
>>> n_sample = x.size
>>> freqcount = np.histogram(x, bins=crit)[0]
>>> tprob = np.diff(quantiles)
>>> nprob = np.diff(stats.norm.cdf(crit))
>>> tch, tpval = stats.chisquare(freqcount, tprob*n_sample)
>>> nch, npval = stats.chisquare(freqcount, nprob*n_sample)
>>> print 'chisquare for t: chi2 = %6.3f pvalue = %6.4f' % (tch, tpval)
chisquare for t: chi2 = 2.300 pvalue = 0.8901
>>> print 'chisquare for normal: chi2 = %6.3f pvalue = %6.4f' % (nch, npval)
chisquare for normal: chi2 = 64.605 pvalue = 0.0000
```

We see that the standard normal distribution is clearly rejected while the standard t-distribution cannot be rejected. Since the variance of our sample differs from both standard distribution, we can again redo the test taking the estimate for scale and location into account.

The fit method of the distributions can be used to estimate the parameters of the distribution, and the test is repeated using probabilities of the estimated distribution.

```
>>> tdof, tloc, tscale = stats.t.fit(x)
>>> nloc, nscale = stats.norm.fit(x)
>>> tprob = np.diff(stats.t.cdf(crit, tdof, loc=tloc, scale=tscale))
>>> nprob = np.diff(stats.norm.cdf(crit, loc=nloc, scale=nscale))
>>> tch, tprob = stats.chisquare(freqcount, tprob*n_sample)
>>> nch, nprob = stats.chisquare(freqcount, nprob*n_sample)
>>> print 'chisquare for t:      chi2 = %6.3f pvalue = %6.4f' % (tch, tprob)
chisquare for t:      chi2 = 1.577 pvalue = 0.9542
>>> print 'chisquare for normal: chi2 = %6.3f pvalue = %6.4f' % (nch, nprob)
chisquare for normal: chi2 = 11.084 pvalue = 0.0858
```

Taking account of the estimated parameters, we can still reject the hypothesis that our sample came from a normal distribution (at the 5% level), but again, with a p-value of 0.95, we cannot reject the t distribution.

Special tests for normal distributions

Since the normal distribution is the most common distribution in statistics, there are several additional functions available to test whether a sample could have been drawn from a normal distribution

First we can test if skew and kurtosis of our sample differ significantly from those of a normal distribution:

```
>>> print 'normal skewtest teststat = %6.3f pvalue = %6.4f' % stats.skewtest(x)
normal skewtest teststat = 2.785 pvalue = 0.0054
>>> print 'normal kurtosistest teststat = %6.3f pvalue = %6.4f' % stats.kurtosistest(x)
normal kurtosistest teststat = 4.757 pvalue = 0.0000
```

These two tests are combined in the normality test

```
>>> print 'normaltest teststat = %6.3f pvalue = %6.4f' % stats.normaltest(x)
normaltest teststat = 30.379 pvalue = 0.0000
```

In all three tests the p-values are very low and we can reject the hypothesis that the our sample has skew and kurtosis of the normal distribution.

Since skew and kurtosis of our sample are based on central moments, we get exactly the same results if we test the standardized sample:

```
>>> print 'normaltest teststat = %6.3f pvalue = %6.4f' % \
...      stats.normaltest((x-x.mean())/x.std())
normaltest teststat = 30.379 pvalue = 0.0000
```

Because normality is rejected so strongly, we can check whether the normaltest gives reasonable results for other cases:

```
>>> print 'normaltest teststat = %6.3f pvalue = %6.4f' % stats.normaltest(stats.t.rvs(10, size=100))
normaltest teststat = 4.698 pvalue = 0.0955
>>> print 'normaltest teststat = %6.3f pvalue = %6.4f' % stats.normaltest(stats.norm.rvs(size=1000))
normaltest teststat = 0.613 pvalue = 0.7361
```

When testing for normality of a small sample of t-distributed observations and a large sample of normal distributed observation, then in neither case can we reject the null hypothesis that the sample comes from a normal distribution. In the first case this is because the test is not powerful enough to distinguish a t and a normally distributed random variable in a small sample.

1.13.5 Comparing two samples

In the following, we are given two samples, which can come either from the same or from different distribution, and we want to test whether these samples have the same statistical properties.

Comparing means

Test with sample with identical means:

```
>>> rvs1 = stats.norm.rvs(loc=5, scale=10, size=500)
>>> rvs2 = stats.norm.rvs(loc=5, scale=10, size=500)
>>> stats.ttest_ind(rvs1, rvs2)
(-0.54890361750888583, 0.5831943748663857)
```

Test with sample with different means:

```
>>> rvs3 = stats.norm.rvs(loc=8, scale=10, size=500)
>>> stats.ttest_ind(rvs1, rvs3)
(-4.5334142901750321, 6.507128186505895e-006)
```

Kolmogorov-Smirnov test for two samples `ks_2samp`

For the example where both samples are drawn from the same distribution, we cannot reject the null hypothesis since the pvalue is high

```
>>> stats.ks_2samp(rvs1, rvs2)
(0.025999999999999995, 0.99541195173064878)
```

In the second example, with different location, i.e. means, we can reject the null hypothesis since the pvalue is below 1%

```
>>> stats.ks_2samp(rvs1, rvs3)
(0.11399999999999999, 0.0027132103661283141)
```

1.13.6 Kernel Density Estimation

A common task in statistics is to estimate the probability density function (PDF) of a random variable from a set of data samples. This task is called density estimation. The most well-known tool to do this is the histogram. A histogram is a useful tool for visualization (mainly because everyone understands it), but doesn't use the available data very efficiently. Kernel density estimation (KDE) is a more efficient tool for the same task. The `gaussian_kde` estimator can be used to estimate the PDF of univariate as well as multivariate data. It works best if the data is unimodal.

Univariate estimation

We start with a minimal amount of data in order to see how `gaussian_kde` works, and what the different options for bandwidth selection do. The data sampled from the PDF is show as blue dashes at the bottom of the figure (this is called a rug plot):

```
>>> from scipy import stats
>>> import matplotlib.pyplot as plt
```



```


>>> x1 = np.array([-7, -5, 1, 4, 5], dtype=np.float)
>>> kde1 = stats.gaussian_kde(x1)
>>> kde2 = stats.gaussian_kde(x1, bw_method='silverman')

>>> fig = plt.figure()
>>> ax = fig.add_subplot(111)

>>> ax.plot(x1, np.zeros(x1.shape), 'b+', ms=20) # rug plot
>>> x_eval = np.linspace(-10, 10, num=200)
>>> ax.plot(x_eval, kde1(x_eval), 'k-', label="Scott's Rule")
>>> ax.plot(x_eval, kde2(x_eval), 'r-', label="Silverman's Rule")

>>> plt.show()

```



We see that there is very little difference between Scott's Rule and Silverman's Rule, and that the bandwidth selection with a limited amount of data is probably a bit too wide. We can define our own bandwidth function to get a less smoothed out result.

```


>>> def my_kde_bandwidth(obj, fac=1./5):
...     """We use Scott's Rule, multiplied by a constant factor."""
...     return np.power(obj.n, -1./(obj.d+4)) * fac

>>> fig = plt.figure()
>>> ax = fig.add_subplot(111)

>>> ax.plot(x1, np.zeros(x1.shape), 'b+', ms=20) # rug plot
>>> kde3 = stats.gaussian_kde(x1, bw_method=my_kde_bandwidth)
>>> ax.plot(x_eval, kde3(x_eval), 'g-', label="With smaller BW")

>>> plt.show()

```



We see that if we set bandwidth to be very narrow, the obtained estimate for the probability density function (PDF) is simply the sum of Gaussians around each data point.

We now take a more realistic example, and look at the difference between the two available bandwidth selection rules. Those rules are known to work well for (close to) normal distributions, but even for unimodal distributions that are quite strongly non-normal they work reasonably well. As a non-normal distribution we take a Student's T distribution with 5 degrees of freedom.

```
import numpy as np
import matplotlib.pyplot as plt
from scipy import stats

np.random.seed(12456)
x1 = np.random.normal(size=200) # random data, normal distribution
xs = np.linspace(x1.min()-1, x1.max()+1, 200)

kde1 = stats.gaussian_kde(x1)
kde2 = stats.gaussian_kde(x1, bw_method='silverman')

fig = plt.figure(figsize=(8, 6))

ax1 = fig.add_subplot(211)
ax1.plot(x1, np.zeros(x1.shape), 'b+', ms=12) # rug plot
ax1.plot(xs, kde1(xs), 'k-', label="Scott's Rule")
ax1.plot(xs, kde2(xs), 'b-', label="Silverman's Rule")
ax1.plot(xs, stats.norm.pdf(xs), 'r--', label="True PDF")

ax1.set_xlabel('x')
ax1.set_ylabel('Density')
ax1.set_title("Normal (top) and Student's T$_{df=5}$ (bottom) distributions")
ax1.legend(loc=1)

x2 = stats.t.rvs(5, size=200) # random data, T distribution
xs = np.linspace(x2.min() - 1, x2.max() + 1, 200)

kde3 = stats.gaussian_kde(x2)
kde4 = stats.gaussian_kde(x2, bw_method='silverman')
```


```

ax2 = fig.add_subplot(212)
ax2.plot(x2, np.zeros(x2.shape), 'b+', ms=12) # rug plot
ax2.plot(xs, kde3(xs), 'k-', label="Scott's Rule")
ax2.plot(xs, kde4(xs), 'b-', label="Silverman's Rule")
ax2.plot(xs, stats.t.pdf(xs, 5), 'r--', label="True PDF")

ax2.set_xlabel('x')
ax2.set_ylabel('Density')

plt.show()

```



We now take a look at a bimodal distribution with one wider and one narrower Gaussian feature. We expect that this will be a more difficult density to approximate, due to the different bandwidths required to accurately resolve each feature.

```

>>> from functools import partial

>>> loc1, scale1, size1 = (-2, 1, 175)
>>> loc2, scale2, size2 = (2, 0.2, 50)
>>> x2 = np.concatenate([np.random.normal(loc=loc1, scale=scale1, size=size1),
...                       np.random.normal(loc=loc2, scale=scale2, size=size2)])

>>> x_eval = np.linspace(x2.min() - 1, x2.max() + 1, 500)

```

```


>>> kde = stats.gaussian_kde(x2)
>>> kde2 = stats.gaussian_kde(x2, bw_method='silverman')
>>> kde3 = stats.gaussian_kde(x2, bw_method=partial(my_kde_bandwidth, fac=0.2))
>>> kde4 = stats.gaussian_kde(x2, bw_method=partial(my_kde_bandwidth, fac=0.5))

>>> pdf = stats.norm.pdf
>>> bimodal_pdf = pdf(x_eval, loc=loc1, scale=scale1) * float(size1) / x2.size + \
...             pdf(x_eval, loc=loc2, scale=scale2) * float(size2) / x2.size

>>> fig = plt.figure(figsize=(8, 6))
>>> ax = fig.add_subplot(111)

>>> ax.plot(x2, np.zeros(x2.shape), 'b+', ms=12)
>>> ax.plot(x_eval, kde(x_eval), 'k-', label="Scott's Rule")
>>> ax.plot(x_eval, kde2(x_eval), 'b-', label="Silverman's Rule")
>>> ax.plot(x_eval, kde3(x_eval), 'g-', label="Scott * 0.2")
>>> ax.plot(x_eval, kde4(x_eval), 'c-', label="Scott * 0.5")
>>> ax.plot(x_eval, bimodal_pdf, 'r--', label="Actual PDF")

>>> ax.set_xlim([x_eval.min(), x_eval.max()])
>>> ax.legend(loc=2)
>>> ax.set_xlabel('x')
>>> ax.set_ylabel('Density')
>>> plt.show()
    
```



As expected, the KDE is not as close to the true PDF as we would like due to the different characteristic size of the

two features of the bimodal distribution. By halving the default bandwidth (`Scott * 0.5`) we can do somewhat better, while using a factor 5 smaller bandwidth than the default doesn't smooth enough. What we really need though in this case is a non-uniform (adaptive) bandwidth.

Multivariate estimation

With `gaussian_kde` we can perform multivariate as well as univariate estimation. We demonstrate the bivariate case. First we generate some random data with a model in which the two variates are correlated.

```
>>> def measure(n):
...     """Measurement model, return two coupled measurements."""
...     m1 = np.random.normal(size=n)
...     m2 = np.random.normal(scale=0.5, size=n)
...     return m1+m2, m1-m2

>>> m1, m2 = measure(2000)
>>> xmin = m1.min()
>>> xmax = m1.max()
>>> ymin = m2.min()
>>> ymax = m2.max()
```

Then we apply the KDE to the data:

```
>>> X, Y = np.mgrid[xmin:xmax:100j, ymin:ymax:100j]
>>> positions = np.vstack([X.ravel(), Y.ravel()])
>>> values = np.vstack([m1, m2])
>>> kernel = stats.gaussian_kde(values)
>>> Z = np.reshape(kernel.evaluate(positions).T, X.shape)
```


Finally we plot the estimated bivariate distribution as a colormap, and plot the individual data points on top.

```
>>> fig = plt.figure(figsize=(8, 6))
>>> ax = fig.add_subplot(111)

>>> ax.imshow(np.rot90(Z), cmap=plt.cm.gist_earth_r,
...           extent=[xmin, xmax, ymin, ymax])
>>> ax.plot(m1, m2, 'k.', markersize=2)

>>> ax.set_xlim([xmin, xmax])
>>> ax.set_ylim([ymin, ymax])

>>> plt.show()
```



1.14 Multi-dimensional image processing (`scipy.ndimage`)

1.14.1 Introduction

Image processing and analysis are generally seen as operations on two-dimensional arrays of values. There are however a number of fields where images of higher dimensionality must be analyzed. Good examples of these are medical imaging and biological imaging. `numpy` is suited very well for this type of applications due its inherent multi-dimensional nature. The `scipy.ndimage` packages provides a number of general image processing and analysis functions that are designed to operate with arrays of arbitrary dimensionality. The packages currently includes functions for linear and non-linear filtering, binary morphology, B-spline interpolation, and object measurements.

1.14.2 Properties shared by all functions

All functions share some common properties. Notably, all functions allow the specification of an output array with the `output` argument. With this argument you can specify an array that will be changed in-place with the result with the operation. In this case the result is not returned. Usually, using the `output` argument is more efficient, since an existing array is used to store the result.

The type of arrays returned is dependent on the type of operation, but it is in most cases equal to the type of the input. If, however, the `output` argument is used, the type of the result is equal to the type of the specified output argument.

If no output argument is given, it is still possible to specify what the result of the output should be. This is done by simply assigning the desired `numpy` type object to the output argument. For example:

```
>>> correlate(np.arange(10), [1, 2.5])
array([ 0,  2,  6,  9, 13, 16, 20, 23, 27, 30])
>>> correlate(np.arange(10), [1, 2.5], output=np.float64)
array([ 0.,  2.5,  6.,  9.5, 13., 16.5, 20., 23.5, 27., 30.5])
```

1.14.3 Filter functions

The functions described in this section all perform some type of spatial filtering of the the input array: the elements in the output are some function of the values in the neighborhood of the corresponding input element. We refer to this neighborhood of elements as the filter kernel, which is often rectangular in shape but may also have an arbitrary footprint. Many of the functions described below allow you to define the footprint of the kernel, by passing a mask through the *footprint* parameter. For example a cross shaped kernel can be defined as follows:

```
>>> footprint = array([[0,1,0],[1,1,1],[0,1,0]])
>>> footprint
array([[0, 1, 0],
       [1, 1, 1],
       [0, 1, 0]])
```

Usually the origin of the kernel is at the center calculated by dividing the dimensions of the kernel shape by two. For instance, the origin of a one-dimensional kernel of length three is at the second element. Take for example the correlation of a one-dimensional array with a filter of length 3 consisting of ones:

```
>>> a = [0, 0, 0, 1, 0, 0, 0]
>>> correlate1d(a, [1, 1, 1])
array([0, 0, 1, 1, 1, 0, 0])
```

Sometimes it is convenient to choose a different origin for the kernel. For this reason most functions support the *origin* parameter which gives the origin of the filter relative to its center. For example:

```
>>> a = [0, 0, 0, 1, 0, 0, 0]
>>> correlate1d(a, [1, 1, 1], origin = -1)
array([0 1 1 1 0 0 0])
```

The effect is a shift of the result towards the left. This feature will not be needed very often, but it may be useful especially for filters that have an even size. A good example is the calculation of backward and forward differences:

```
>>> a = [0, 0, 1, 1, 1, 0, 0]
>>> correlate1d(a, [-1, 1]) # backward difference
array([ 0  0  1  0  0 -1  0])
>>> correlate1d(a, [-1, 1], origin = -1) # forward difference
array([ 0  1  0  0 -1  0  0])
```

We could also have calculated the forward difference as follows:

```
>>> correlate1d(a, [0, -1, 1])
array([ 0  1  0  0 -1  0  0])
```

However, using the origin parameter instead of a larger kernel is more efficient. For multi-dimensional kernels *origin* can be a number, in which case the origin is assumed to be equal along all axes, or a sequence giving the origin along each axis.

Since the output elements are a function of elements in the neighborhood of the input elements, the borders of the array need to be dealt with appropriately by providing the values outside the borders. This is done by assuming that the arrays are extended beyond their boundaries according certain boundary conditions. In the functions described

below, the boundary conditions can be selected using the *mode* parameter which must be a string with the name of the boundary condition. Following boundary conditions are currently supported:

“nearest”	Use the value at the boundary	[1 2 3]->[1 1 2 3 3]
“wrap”	Periodically replicate the array	[1 2 3]->[3 1 2 3 1]
“reflect”	Reflect the array at the boundary	[1 2 3]->[1 1 2 3 3]
“constant”	Use a constant value, default is 0.0	[1 2 3]->[0 1 2 3 0]

The “constant” mode is special since it needs an additional parameter to specify the constant value that should be used.

Note: The easiest way to implement such boundary conditions would be to copy the data to a larger array and extend the data at the borders according to the boundary conditions. For large arrays and large filter kernels, this would be very memory consuming, and the functions described below therefore use a different approach that does not require allocating large temporary buffers.

Correlation and convolution

The `correlate1d` function calculates a one-dimensional correlation along the given axis. The lines of the array along the given axis are correlated with the given *weights*. The *weights* parameter must be a one-dimensional sequences of numbers.

The function `correlate` implements multi-dimensional correlation of the input array with a given kernel.

The `convolve1d` function calculates a one-dimensional convolution along the given axis. The lines of the array along the given axis are convoluted with the given *weights*. The *weights* parameter must be a one-dimensional sequences of numbers.

Note: A convolution is essentially a correlation after mirroring the kernel. As a result, the *origin* parameter behaves differently than in the case of a correlation: the result is shifted in the opposite directions.

The function `convolve` implements multi-dimensional convolution of the input array with a given kernel.

Note: A convolution is essentially a correlation after mirroring the kernel. As a result, the *origin* parameter behaves differently than in the case of a correlation: the results is shifted in the opposite direction.

Smoothing filters

The `gaussian_filter1d` function implements a one-dimensional Gaussian filter. The standard-deviation of the Gaussian filter is passed through the parameter *sigma*. Setting *order* = 0 corresponds to convolution with a Gaussian kernel. An order of 1, 2, or 3 corresponds to convolution with the first, second or third derivatives of a Gaussian. Higher order derivatives are not implemented.

The `gaussian_filter` function implements a multi-dimensional Gaussian filter. The standard-deviations of the Gaussian filter along each axis are passed through the parameter *sigma* as a sequence or numbers. If *sigma* is not a sequence but a single number, the standard deviation of the filter is equal along all directions. The order of the filter can be specified separately for each axis. An order of 0 corresponds to convolution with a Gaussian kernel. An order of 1, 2, or 3 corresponds to convolution with the first, second or third derivatives of a Gaussian. Higher order derivatives are not implemented. The *order* parameter must be a number, to specify the same order for all axes, or a sequence of numbers to specify a different order for each axis.

Note: The multi-dimensional filter is implemented as a sequence of one-dimensional Gaussian filters. The intermediate arrays are stored in the same data type as the output. Therefore, for output types with a lower precision, the results may be imprecise because intermediate results may be stored with insufficient precision. This can be prevented by specifying a more precise output type.

The `uniform_filter1d` function calculates a one-dimensional uniform filter of the given *size* along the given axis.

The `uniform_filter` implements a multi-dimensional uniform filter. The sizes of the uniform filter are given for each axis as a sequence of integers by the *size* parameter. If *size* is not a sequence, but a single number, the sizes along all axis are assumed to be equal.

Note: The multi-dimensional filter is implemented as a sequence of one-dimensional uniform filters. The intermediate arrays are stored in the same data type as the output. Therefore, for output types with a lower precision, the results may be imprecise because intermediate results may be stored with insufficient precision. This can be prevented by specifying a more precise output type.

Filters based on order statistics

The `minimum_filter1d` function calculates a one-dimensional minimum filter of given *size* along the given axis.

The `maximum_filter1d` function calculates a one-dimensional maximum filter of given *size* along the given axis.

The `minimum_filter` function calculates a multi-dimensional minimum filter. Either the sizes of a rectangular kernel or the footprint of the kernel must be provided. The *size* parameter, if provided, must be a sequence of sizes or a single number in which case the size of the filter is assumed to be equal along each axis. The *footprint*, if provided, must be an array that defines the shape of the kernel by its non-zero elements.

The `maximum_filter` function calculates a multi-dimensional maximum filter. Either the sizes of a rectangular kernel or the footprint of the kernel must be provided. The *size* parameter, if provided, must be a sequence of sizes or a single number in which case the size of the filter is assumed to be equal along each axis. The *footprint*, if provided, must be an array that defines the shape of the kernel by its non-zero elements.

The `rank_filter` function calculates a multi-dimensional rank filter. The *rank* may be less than zero, i.e., *rank* = -1 indicates the largest element. Either the sizes of a rectangular kernel or the footprint of the kernel must be provided. The *size* parameter, if provided, must be a sequence of sizes or a single number in which case the size of the filter is assumed to be equal along each axis. The *footprint*, if provided, must be an array that defines the shape of the kernel by its non-zero elements.

The `percentile_filter` function calculates a multi-dimensional percentile filter. The *percentile* may be less than zero, i.e., *percentile* = -20 equals *percentile* = 80. Either the sizes of a rectangular kernel or the footprint of the kernel must be provided. The *size* parameter, if provided, must be a sequence of sizes or a single number in which case the size of the filter is assumed to be equal along each axis. The *footprint*, if provided, must be an array that defines the shape of the kernel by its non-zero elements.

The `median_filter` function calculates a multi-dimensional median filter. Either the sizes of a rectangular kernel or the footprint of the kernel must be provided. The *size* parameter, if provided, must be a sequence of sizes or a single number in which case the size of the filter is assumed to be equal along each axis. The *footprint* if provided, must be an array that defines the shape of the kernel by its non-zero elements.

Derivatives

Derivative filters can be constructed in several ways. The function `gaussian_filter1d` described in *Smoothing filters* can be used to calculate derivatives along a given axis using the *order* parameter. Other derivative filters are the Prewitt and Sobel filters:

The `prewitt` function calculates a derivative along the given axis.

The `sobel` function calculates a derivative along the given axis.

The Laplace filter is calculated by the sum of the second derivatives along all axes. Thus, different Laplace filters can be constructed using different second derivative functions. Therefore we provide a general function that takes a function argument to calculate the second derivative along a given direction and to construct the Laplace filter:

The function `generic_laplace` calculates a laplace filter using the function passed through `derivative2` to calculate second derivatives. The function `derivative2` should have the following signature:

```
derivative2(input, axis, output, mode, cval, *extra_arguments, **extra_keywords)
```

It should calculate the second derivative along the dimension `axis`. If `output` is not `None` it should use that for the output and return `None`, otherwise it should return the result. `mode`, `cval` have the usual meaning.

The `extra_arguments` and `extra_keywords` arguments can be used to pass a tuple of extra arguments and a dictionary of named arguments that are passed to `derivative2` at each call.

For example:

```
>>> def d2(input, axis, output, mode, cval):
...     return correlatefd(input, [1, -2, 1], axis, output, mode, cval, 0)
...
>>> a = zeros((5, 5))
>>> a[2, 2] = 1
>>> generic_laplace(a, d2)
array([[ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  1., -4.,  1.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  0.,  0.,  0.,  0.]])
```

To demonstrate the use of the `extra_arguments` argument we could do:

```
>>> def d2(input, axis, output, mode, cval, weights):
...     return correlatefd(input, weights, axis, output, mode, cval, 0)
...
>>> a = zeros((5, 5))
>>> a[2, 2] = 1
>>> generic_laplace(a, d2, extra_arguments = ([1, -2, 1],))
array([[ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  1., -4.,  1.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  0.,  0.,  0.,  0.]])
```

or:

```
>>> generic_laplace(a, d2, extra_keywords = {'weights': [1, -2, 1]})
array([[ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  1., -4.,  1.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  0.,  0.,  0.,  0.]])
```

The following two functions are implemented using `generic_laplace` by providing appropriate functions for the second derivative function:

The function `laplace` calculates the Laplace using discrete differentiation for the second derivative (i.e. convolution with `[1, -2, 1]`).

The function `gaussian_laplace` calculates the Laplace using `gaussian_filter` to calculate the second derivatives. The standard-deviations of the Gaussian filter along each axis are passed through the parameter `sigma` as a sequence or numbers. If `sigma` is not a sequence but a single number, the standard deviation of the filter is equal along all directions.

The gradient magnitude is defined as the square root of the sum of the squares of the gradients in all directions. Similar to the generic Laplace function there is a `generic_gradient_magnitude` function that calculated the gradient magnitude of an array:

The function `generic_gradient_magnitude` calculates a gradient magnitude using the function passed through `derivative` to calculate first derivatives. The function `derivative` should have the following

signature:

```
derivative(input, axis, output, mode, cval, *extra_arguments, **extra_keywords)
```

It should calculate the derivative along the dimension *axis*. If *output* is not None it should use that for the output and return None, otherwise it should return the result. *mode*, *cval* have the usual meaning.

The *extra_arguments* and *extra_keywords* arguments can be used to pass a tuple of extra arguments and a dictionary of named arguments that are passed to *derivative* at each call.

For example, the `sobel` function fits the required signature:

```
>>> a = zeros((5, 5))
>>> a[2, 2] = 1
>>> generic_gradient_magnitude(a, sobel)
array([[ 0.          ,  0.          ,  0.          ,  0.          ,  0.          ],
       [ 0.          ,  1.41421356,  2.          ,  1.41421356,  0.          ],
       [ 0.          ,  2.          ,  0.          ,  2.          ,  0.          ],
       [ 0.          ,  1.41421356,  2.          ,  1.41421356,  0.          ],
       [ 0.          ,  0.          ,  0.          ,  0.          ,  0.          ]])
```

See the documentation of `generic_laplace` for examples of using the *extra_arguments* and *extra_keywords* arguments.

The `sobel` and `prewitt` functions fit the required signature and can therefore directly be used with `generic_gradient_magnitude`. The following function implements the gradient magnitude using Gaussian derivatives:

The function `gaussian_gradient_magnitude` calculates the gradient magnitude using `gaussian_filter` to calculate the first derivatives. The standard-deviations of the Gaussian filter along each axis are passed through the parameter *sigma* as a sequence or numbers. If *sigma* is not a sequence but a single number, the standard deviation of the filter is equal along all directions.

Generic filter functions

To implement filter functions, generic functions can be used that accept a callable object that implements the filtering operation. The iteration over the input and output arrays is handled by these generic functions, along with such details as the implementation of the boundary conditions. Only a callable object implementing a callback function that does the actual filtering work must be provided. The callback function can also be written in C and passed using a `PyObject` (see *Extending ndimage in C* for more information).

The `generic_filter1d` function implements a generic one-dimensional filter function, where the actual filtering operation must be supplied as a python function (or other callable object). The `generic_filter1d` function iterates over the lines of an array and calls `function` at each line. The arguments that are passed to `function` are one-dimensional arrays of the `tFloat64` type. The first contains the values of the current line. It is extended at the beginning and the end, according to the *filter_size* and *origin* arguments. The second array should be modified in-place to provide the output values of the line. For example consider a correlation along one dimension:

```
>>> a = arange(12).reshape(3,4)
>>> correlate1d(a, [1, 2, 3])
array([[ 3,  8, 14, 17],
       [27, 32, 38, 41],
       [51, 56, 62, 65]])
```

The same operation can be implemented using `generic_filter1d` as follows:

```
>>> def fnc(iline, oline):
...     oline[...] = iline[:-2] + 2 * iline[1:-1] + 3 * iline[2:]
...
>>> generic_filter1d(a, fnc, 3)
array([[ 3,  8, 14, 17],
```

```

        [27, 32, 38, 41],
        [51, 56, 62, 65]])
    
```

Here the origin of the kernel was (by default) assumed to be in the middle of the filter of length 3. Therefore, each input line was extended by one value at the beginning and at the end, before the function was called.

Optionally extra arguments can be defined and passed to the filter function. The *extra_arguments* and *extra_keywords* arguments can be used to pass a tuple of extra arguments and/or a dictionary of named arguments that are passed to derivative at each call. For example, we can pass the parameters of our filter as an argument:

```

>>> def fnc(iline, oline, a, b):
...     oline[...] = iline[:-2] + a * iline[1:-1] + b * iline[2:]
...
>>> generic_filter1d(a, fnc, 3, extra_arguments = (2, 3))
array([[ 3,  8, 14, 17],
       [27, 32, 38, 41],
       [51, 56, 62, 65]])
    
```

or:

```

>>> generic_filter1d(a, fnc, 3, extra_keywords = {'a':2, 'b':3})
array([[ 3,  8, 14, 17],
       [27, 32, 38, 41],
       [51, 56, 62, 65]])
    
```

The `generic_filter` function implements a generic filter function, where the actual filtering operation must be supplied as a python function (or other callable object). The `generic_filter` function iterates over the array and calls function at each element. The argument of function is a one-dimensional array of the `tFloat64` type, that contains the values around the current element that are within the footprint of the filter. The function should return a single value that can be converted to a double precision number. For example consider a correlation:

```

>>> a = arange(12).reshape(3,4)
>>> correlate(a, [[1, 0], [0, 3]])
array([[ 0,  3,  7, 11],
       [12, 15, 19, 23],
       [28, 31, 35, 39]])
    
```

The same operation can be implemented using *generic_filter* as follows:

```

>>> def fnc(buffer):
...     return (buffer * array([1, 3])).sum()
...
>>> generic_filter(a, fnc, footprint = [[1, 0], [0, 1]])
array([[ 0  3  7 11],
       [12 15 19 23],
       [28 31 35 39]])
    
```

Here a kernel footprint was specified that contains only two elements. Therefore the filter function receives a buffer of length equal to two, which was multiplied with the proper weights and the result summed.

When calling `generic_filter`, either the sizes of a rectangular kernel or the footprint of the kernel must be provided. The *size* parameter, if provided, must be a sequence of sizes or a single number in which case the size of the filter is assumed to be equal along each axis. The *footprint*, if provided, must be an array that defines the shape of the kernel by its non-zero elements.

Optionally extra arguments can be defined and passed to the filter function. The *extra_arguments* and *extra_keywords* arguments can be used to pass a tuple of extra arguments and/or a dictionary of named arguments that are passed to derivative at each call. For example, we can pass the parameters of our filter as an argument:

```

>>> def fnc(buffer, weights):
...     weights = asarray(weights)
...     return (buffer * weights).sum()
...
    
```

```
>>> generic_filter(a, fnc, footprint = [[1, 0], [0, 1]], extra_arguments = ([1, 3],))
array([[ 0,  3,  7, 11],
       [12, 15, 19, 23],
       [28, 31, 35, 39]])
```

or:

```
>>> generic_filter(a, fnc, footprint = [[1, 0], [0, 1]], extra_keywords= {'weights': [1, 3]})
array([[ 0,  3,  7, 11],
       [12, 15, 19, 23],
       [28, 31, 35, 39]])
```

These functions iterate over the lines or elements starting at the last axis, i.e. the last index changes the fastest. This order of iteration is guaranteed for the case that it is important to adapt the filter depending on spatial location. Here is an example of using a class that implements the filter and keeps track of the current coordinates while iterating. It performs the same filter operation as described above for `generic_filter`, but additionally prints the current coordinates:

```
>>> a = arange(12).reshape(3,4)
>>>
>>> class fnc_class:
...     def __init__(self, shape):
...         # store the shape:
...         self.shape = shape
...         # initialize the coordinates:
...         self.coordinates = [0] * len(shape)
...
...     def filter(self, buffer):
...         result = (buffer * array([1, 3])).sum()
...         print self.coordinates
...         # calculate the next coordinates:
...         axes = range(len(self.shape))
...         axes.reverse()
...         for jj in axes:
...             if self.coordinates[jj] < self.shape[jj] - 1:
...                 self.coordinates[jj] += 1
...                 break
...             else:
...                 self.coordinates[jj] = 0
...         return result
...
>>> fnc = fnc_class(shape = (3,4))
>>> generic_filter(a, fnc.filter, footprint = [[1, 0], [0, 1]])
[0, 0]
[0, 1]
[0, 2]
[0, 3]
[1, 0]
[1, 1]
[1, 2]
[1, 3]
[2, 0]
[2, 1]
[2, 2]
[2, 3]
array([[ 0,  3,  7, 11],
       [12, 15, 19, 23],
       [28, 31, 35, 39]])
```

For the `generic_filter1d` function the same approach works, except that this function does not iterate over the axis that is being filtered. The example for `generic_filter1d` then becomes this:

```
>>> a = arange(12).reshape(3,4)
>>>
>>> class fnc1d_class:
...     def __init__(self, shape, axis = -1):
...         # store the filter axis:
...         self.axis = axis
...         # store the shape:
...         self.shape = shape
...         # initialize the coordinates:
...         self.coordinates = [0] * len(shape)
...
...     def filter(self, iline, oline):
...         oline[...] = iline[:-2] + 2 * iline[1:-1] + 3 * iline[2:]
...         print self.coordinates
...         # calculate the next coordinates:
...         axes = range(len(self.shape))
...         # skip the filter axis:
...         del axes[self.axis]
...         axes.reverse()
...         for jj in axes:
...             if self.coordinates[jj] < self.shape[jj] - 1:
...                 self.coordinates[jj] += 1
...                 break
...             else:
...                 self.coordinates[jj] = 0
...
>>> fnc = fnc1d_class(shape = (3,4))
>>> generic_filter1d(a, fnc.filter, 3)
[0, 0]
[1, 0]
[2, 0]
array([[ 3,  8, 14, 17],
       [27, 32, 38, 41],
       [51, 56, 62, 65]])
```

Fourier domain filters

The functions described in this section perform filtering operations in the Fourier domain. Thus, the input array of such a function should be compatible with an inverse Fourier transform function, such as the functions from the `numpy.fft` module. We therefore have to deal with arrays that may be the result of a real or a complex Fourier transform. In the case of a real Fourier transform only half of the of the symmetric complex transform is stored. Additionally, it needs to be known what the length of the axis was that was transformed by the real fft. The functions described here provide a parameter *n* that in the case of a real transform must be equal to the length of the real transform axis before transformation. If this parameter is less than zero, it is assumed that the input array was the result of a complex Fourier transform. The parameter *axis* can be used to indicate along which axis the real transform was executed.

The `fourier_shift` function multiplies the input array with the multi-dimensional Fourier transform of a shift operation for the given shift. The *shift* parameter is a sequences of shifts for each dimension, or a single value for all dimensions.

The `fourier_gaussian` function multiplies the input array with the multi-dimensional Fourier transform of a Gaussian filter with given standard-deviations *sigma*. The *sigma* parameter is a sequences of values for each dimension, or a single value for all dimensions.

The `fourier_uniform` function multiplies the input array with the multi-dimensional Fourier transform of a uniform filter with given sizes *size*. The *size* parameter is a sequences of values for each dimension, or a single value for all dimensions.

The `fourier_ellipsoid` function multiplies the input array with the multi-dimensional Fourier transform of an elliptically shaped filter with given sizes *size*. The *size* parameter is a sequences of values for each dimension, or a single value for all dimensions. This function is only implemented for dimensions 1, 2, and 3.

1.14.4 Interpolation functions

This section describes various interpolation functions that are based on B-spline theory. A good introduction to B-splines can be found in: M. Unser, “Splines: A Perfect Fit for Signal and Image Processing,” IEEE Signal Processing Magazine, vol. 16, no. 6, pp. 22-38, November 1999.

Spline pre-filters

Interpolation using splines of an order larger than 1 requires a pre-filtering step. The interpolation functions described in section *Interpolation functions* apply pre-filtering by calling `spline_filter`, but they can be instructed not to do this by setting the *prefilter* keyword equal to `False`. This is useful if more than one interpolation operation is done on the same array. In this case it is more efficient to do the pre-filtering only once and use a prefiltered array as the input of the interpolation functions. The following two functions implement the pre-filtering:

The `spline_filter1d` function calculates a one-dimensional spline filter along the given axis. An output array can optionally be provided. The order of the spline must be larger than 1 and less than 6.

The `spline_filter` function calculates a multi-dimensional spline filter.

Note: The multi-dimensional filter is implemented as a sequence of one-dimensional spline filters. The intermediate arrays are stored in the same data type as the output. Therefore, if an output with a limited precision is requested, the results may be imprecise because intermediate results may be stored with insufficient precision. This can be prevented by specifying a output type of high precision.

Interpolation functions

Following functions all employ spline interpolation to effect some type of geometric transformation of the input array. This requires a mapping of the output coordinates to the input coordinates, and therefore the possibility arises that input values outside the boundaries are needed. This problem is solved in the same way as described in *Filter functions* for the multi-dimensional filter functions. Therefore these functions all support a *mode* parameter that determines how the boundaries are handled, and a *cval* parameter that gives a constant value in case that the ‘constant’ mode is used.

The `geometric_transform` function applies an arbitrary geometric transform to the input. The given *mapping* function is called at each point in the output to find the corresponding coordinates in the input. *mapping* must be a callable object that accepts a tuple of length equal to the output array rank and returns the corresponding input coordinates as a tuple of length equal to the input array rank. The output shape and output type can optionally be provided. If not given they are equal to the input shape and type.

For example:

```
>>> a = arange(12).reshape(4,3).astype(np.float64)
>>> def shift_func(output_coordinates):
...     return (output_coordinates[0] - 0.5, output_coordinates[1] - 0.5)
...
>>> geometric_transform(a, shift_func)
array([[ 0.    ,  0.    ,  0.    ],
       [ 0.    ,  1.3625,  2.7375],
```

```
[ 0.    ,  4.8125,  6.1875],
 [ 0.    ,  8.2625,  9.6375]])
```

Optionally extra arguments can be defined and passed to the filter function. The *extra_arguments* and *extra_keywords* arguments can be used to pass a tuple of extra arguments and/or a dictionary of named arguments that are passed to derivative at each call. For example, we can pass the shifts in our example as arguments:

```
>>> def shift_func(output_coordinates, s0, s1):
...     return (output_coordinates[0] - s0, output_coordinates[1] - s1)
...
>>> geometric_transform(a, shift_func, extra_arguments = (0.5, 0.5))
array([[ 0.    ,  0.    ,  0.    ],
       [ 0.    ,  1.3625,  2.7375],
       [ 0.    ,  4.8125,  6.1875],
       [ 0.    ,  8.2625,  9.6375]])
```

or:

```
>>> geometric_transform(a, shift_func, extra_keywords = {'s0': 0.5, 's1': 0.5})
array([[ 0.    ,  0.    ,  0.    ],
       [ 0.    ,  1.3625,  2.7375],
       [ 0.    ,  4.8125,  6.1875],
       [ 0.    ,  8.2625,  9.6375]])
```

Note: The mapping function can also be written in C and passed using a `PyCObject`. See [Extending ndimage in C](#) for more information.

The function `map_coordinates` applies an arbitrary coordinate transformation using the given array of coordinates. The shape of the output is derived from that of the coordinate array by dropping the first axis. The parameter *coordinates* is used to find for each point in the output the corresponding coordinates in the input. The values of *coordinates* along the first axis are the coordinates in the input array at which the output value is found. (See also the `numarray.coordinates` function.) Since the coordinates may be non-integer coordinates, the value of the input at these coordinates is determined by spline interpolation of the requested order. Here is an example that interpolates a 2D array at (0.5, 0.5) and (1, 2):

```
>>> a = arange(12).reshape(4,3).astype(np.float64)
>>> a
array([[ 0.,  1.,  2.],
       [ 3.,  4.,  5.],
       [ 6.,  7.,  8.],
       [ 9., 10., 11.]])
>>> map_coordinates(a, [[0.5, 2], [0.5, 1]])
array([ 1.3625  7.    ])
```

The `affine_transform` function applies an affine transformation to the input array. The given transformation *matrix* and *offset* are used to find for each point in the output the corresponding coordinates in the input. The value of the input at the calculated coordinates is determined by spline interpolation of the requested order. The transformation *matrix* must be two-dimensional or can also be given as a one-dimensional sequence or array. In the latter case, it is assumed that the matrix is diagonal. A more efficient interpolation algorithm is then applied that exploits the separability of the problem. The output shape and output type can optionally be provided. If not given they are equal to the input shape and type.

The `shift` function returns a shifted version of the input, using spline interpolation of the requested *order*.

The `zoom` function returns a rescaled version of the input, using spline interpolation of the requested *order*.

The `rotate` function returns the input array rotated in the plane defined by the two axes given by the parameter *axes*, using spline interpolation of the requested *order*. The angle must be given in degrees. If *reshape* is true, then the size of the output array is adapted to contain the rotated input.

1.14.5 Morphology

Binary morphology

Binary morphology (need something to put here).

The `generate_binary_structure` functions generates a binary structuring element for use in binary morphology operations. The *rank* of the structure must be provided. The size of the structure that is returned is equal to three in each direction. The value of each element is equal to one if the square of the Euclidean distance from the element to the center is less or equal to *connectivity*. For instance, two dimensional 4-connected and 8-connected structures are generated as follows:

```
>>> generate_binary_structure(2, 1)
array([[False,  True,  False],
       [ True,  True,  True],
       [False,  True,  False]], dtype=bool)
>>> generate_binary_structure(2, 2)
array([[ True,  True,  True],
       [ True,  True,  True],
       [ True,  True,  True]], dtype=bool)
```

Most binary morphology functions can be expressed in terms of the basic operations erosion and dilation:

The `binary_erosion` function implements binary erosion of arrays of arbitrary rank with the given structuring element. The origin parameter controls the placement of the structuring element as described in *Filter functions*. If no structuring element is provided, an element with connectivity equal to one is generated using `generate_binary_structure`. The *border_value* parameter gives the value of the array outside boundaries. The erosion is repeated *iterations* times. If *iterations* is less than one, the erosion is repeated until the result does not change anymore. If a *mask* array is given, only those elements with a true value at the corresponding mask element are modified at each iteration.

The `binary_dilation` function implements binary dilation of arrays of arbitrary rank with the given structuring element. The origin parameter controls the placement of the structuring element as described in *Filter functions*. If no structuring element is provided, an element with connectivity equal to one is generated using `generate_binary_structure`. The *border_value* parameter gives the value of the array outside boundaries. The dilation is repeated *iterations* times. If *iterations* is less than one, the dilation is repeated until the result does not change anymore. If a *mask* array is given, only those elements with a true value at the corresponding mask element are modified at each iteration.

Here is an example of using `binary_dilation` to find all elements that touch the border, by repeatedly dilating an empty array from the border using the data array as the mask:

```
>>> struct = array([[0, 1, 0], [1, 1, 1], [0, 1, 0]])
>>> a = array([[1,0,0,0,0], [1,1,0,1,0], [0,0,1,1,0], [0,0,0,0,0]])
>>> a
array([[1, 0, 0, 0, 0],
       [1, 1, 0, 1, 0],
       [0, 0, 1, 1, 0],
       [0, 0, 0, 0, 0]])
>>> binary_dilation(zeros(a.shape), struct, -1, a, border_value=1)
array([[ True, False, False, False, False],
       [ True,  True, False, False, False],
       [False, False, False, False, False],
       [False, False, False, False, False]], dtype=bool)
```

The `binary_erosion` and `binary_dilation` functions both have an *iterations* parameter which allows the erosion or dilation to be repeated a number of times. Repeating an erosion or a dilation with a given structure *n* times is equivalent to an erosion or a dilation with a structure that is *n-1* times dilated with itself. A function is provided that allows the calculation of a structure that is dilated a number of times with itself:

The `iterate_structure` function returns a structure by dilation of the input structure *iteration* - 1 times with itself. For instance:

```
>>> struct = generate_binary_structure(2, 1)
>>> struct
array([[False,  True,  False],
       [ True,  True,  True],
       [False,  True,  False]], dtype=bool)
>>> iterate_structure(struct, 2)
array([[False,  False,  True,  False,  False],
       [False,  True,  True,  True,  False],
       [ True,  True,  True,  True,  True],
       [False,  True,  True,  True,  False],
       [False,  False,  True,  False,  False]], dtype=bool)
```

If the origin of the original structure is equal to 0, then it is also equal to 0 for the iterated structure. If not, the origin must also be adapted if the equivalent of the *iterations* erosions or dilations must be achieved with the iterated structure. The adapted origin is simply obtained by multiplying with the number of iterations. For convenience the `iterate_structure` also returns the adapted origin if the *origin* parameter is not None:

```
>>> iterate_structure(struct, 2, -1)
(array([[False,  False,  True,  False,  False],
       [False,  True,  True,  True,  False],
       [ True,  True,  True,  True,  True],
       [False,  True,  True,  True,  False],
       [False,  False,  True,  False,  False]], dtype=bool), [-2, -2])
```

Other morphology operations can be defined in terms of erosion and dilation. Following functions provide a few of these operations for convenience:

The `binary_opening` function implements binary opening of arrays of arbitrary rank with the given structuring element. Binary opening is equivalent to a binary erosion followed by a binary dilation with the same structuring element. The origin parameter controls the placement of the structuring element as described in *Filter functions*. If no structuring element is provided, an element with connectivity equal to one is generated using `generate_binary_structure`. The *iterations* parameter gives the number of erosions that is performed followed by the same number of dilations.

The `binary_closing` function implements binary closing of arrays of arbitrary rank with the given structuring element. Binary closing is equivalent to a binary dilation followed by a binary erosion with the same structuring element. The origin parameter controls the placement of the structuring element as described in *Filter functions*. If no structuring element is provided, an element with connectivity equal to one is generated using `generate_binary_structure`. The *iterations* parameter gives the number of dilations that is performed followed by the same number of erosions.

The `binary_fill_holes` function is used to close holes in objects in a binary image, where the structure defines the connectivity of the holes. The origin parameter controls the placement of the structuring element as described in *Filter functions*. If no structuring element is provided, an element with connectivity equal to one is generated using `generate_binary_structure`.

The `binary_hit_or_miss` function implements a binary hit-or-miss transform of arrays of arbitrary rank with the given structuring elements. The hit-or-miss transform is calculated by erosion of the input with the first structure, erosion of the logical *not* of the input with the second structure, followed by the logical *and* of these two erosions. The origin parameters control the placement of the structuring elements as described in *Filter functions*. If *origin2* equals None it is set equal to the *origin1* parameter. If the first structuring element is not provided, a structuring element with connectivity equal to one is generated using `generate_binary_structure`, if *structure2* is not provided, it is set equal to the logical *not* of *structure1*.

Grey-scale morphology

Grey-scale morphology operations are the equivalents of binary morphology operations that operate on arrays with arbitrary values. Below we describe the grey-scale equivalents of erosion, dilation, opening and closing. These operations are implemented in a similar fashion as the filters described in *Filter functions*, and we refer to this section for the description of filter kernels and footprints, and the handling of array borders. The grey-scale morphology operations optionally take a *structure* parameter that gives the values of the structuring element. If this parameter is not given the structuring element is assumed to be flat with a value equal to zero. The shape of the structure can optionally be defined by the *footprint* parameter. If this parameter is not given, the structure is assumed to be rectangular, with sizes equal to the dimensions of the *structure* array, or by the *size* parameter if *structure* is not given. The *size* parameter is only used if both *structure* and *footprint* are not given, in which case the structuring element is assumed to be rectangular and flat with the dimensions given by *size*. The *size* parameter, if provided, must be a sequence of sizes or a single number in which case the size of the filter is assumed to be equal along each axis. The *footprint* parameter, if provided, must be an array that defines the shape of the kernel by its non-zero elements.

Similar to binary erosion and dilation there are operations for grey-scale erosion and dilation:

The `grey_erosion` function calculates a multi-dimensional grey-scale erosion.

The `grey_dilation` function calculates a multi-dimensional grey-scale dilation.

Grey-scale opening and closing operations can be defined similar to their binary counterparts:

The `grey_opening` function implements grey-scale opening of arrays of arbitrary rank. Grey-scale opening is equivalent to a grey-scale erosion followed by a grey-scale dilation.

The `grey_closing` function implements grey-scale closing of arrays of arbitrary rank. Grey-scale opening is equivalent to a grey-scale dilation followed by a grey-scale erosion.

The `morphological_gradient` function implements a grey-scale morphological gradient of arrays of arbitrary rank. The grey-scale morphological gradient is equal to the difference of a grey-scale dilation and a grey-scale erosion.

The `morphological_laplace` function implements a grey-scale morphological laplace of arrays of arbitrary rank. The grey-scale morphological laplace is equal to the sum of a grey-scale dilation and a grey-scale erosion minus twice the input.

The `white_tophat` function implements a white top-hat filter of arrays of arbitrary rank. The white top-hat is equal to the difference of the input and a grey-scale opening.

The `black_tophat` function implements a black top-hat filter of arrays of arbitrary rank. The black top-hat is equal to the difference of the a grey-scale closing and the input.

1.14.6 Distance transforms

Distance transforms are used to calculate the minimum distance from each element of an object to the background. The following functions implement distance transforms for three different distance metrics: Euclidean, City Block, and Chessboard distances.

The function `distance_transform_cdt` uses a chamfer type algorithm to calculate the distance transform of the input, by replacing each object element (defined by values larger than zero) with the shortest distance to the background (all non-object elements). The structure determines the type of chamfering that is done. If the structure is equal to 'cityblock' a structure is generated using `generate_binary_structure` with a squared distance equal to 1. If the structure is equal to 'chessboard', a structure is generated using `generate_binary_structure` with a squared distance equal to the rank of the array. These choices correspond to the common interpretations of the cityblock and the chessboard distance metrics in two dimensions. In addition to the distance transform, the feature transform can be calculated. In this case the index of the closest background element is returned along the first axis of the result. The `return_distances`, and `return_indices` flags can be used to indicate if the distance transform, the feature transform, or both must be returned.

The `distances` and `indices` arguments can be used to give optional output arrays that must be of the correct size and type (both `Int32`).

The basics of the algorithm used to implement this function is described in: G. Borgefors, “Distance transformations in arbitrary dimensions.”, Computer Vision, Graphics, and Image Processing, 27:321-345, 1984.

The function `distance_transform_edt` calculates the exact euclidean distance transform of the input, by replacing each object element (defined by values larger than zero) with the shortest euclidean distance to the background (all non-object elements).

In addition to the distance transform, the feature transform can be calculated. In this case the index of the closest background element is returned along the first axis of the result. The `return_distances`, and `return_indices` flags can be used to indicate if the distance transform, the feature transform, or both must be returned.

Optionally the sampling along each axis can be given by the `sampling` parameter which should be a sequence of length equal to the input rank, or a single number in which the sampling is assumed to be equal along all axes.

The `distances` and `indices` arguments can be used to give optional output arrays that must be of the correct size and type (`Float64` and `Int32`).

The algorithm used to implement this function is described in: C. R. Maurer, Jr., R. Qi, and V. Raghavan, “A linear time algorithm for computing exact euclidean distance transforms of binary images in arbitrary dimensions. IEEE Trans. PAMI 25, 265-270, 2003.

The function `distance_transform_bf` uses a brute-force algorithm to calculate the distance transform of the input, by replacing each object element (defined by values larger than zero) with the shortest distance to the background (all non-object elements). The metric must be one of “euclidean”, “cityblock”, or “chessboard”.

In addition to the distance transform, the feature transform can be calculated. In this case the index of the closest background element is returned along the first axis of the result. The `return_distances`, and `return_indices` flags can be used to indicate if the distance transform, the feature transform, or both must be returned.

Optionally the sampling along each axis can be given by the `sampling` parameter which should be a sequence of length equal to the input rank, or a single number in which the sampling is assumed to be equal along all axes.

This parameter is only used in the case of the euclidean distance transform.

The `distances` and `indices` arguments can be used to give optional output arrays that must be of the correct size and type (`Float64` and `Int32`).

Note: This function uses a slow brute-force algorithm, the function `distance_transform_cdt` can be used to more efficiently calculate cityblock and chessboard distance transforms. The function `distance_transform_edt` can be used to more efficiently calculate the exact euclidean distance transform.

1.14.7 Segmentation and labeling

Segmentation is the process of separating objects of interest from the background. The most simple approach is probably intensity thresholding, which is easily done with `numpy` functions:

```
>>> a = array([[1, 2, 2, 1, 1, 0],
...           [0, 2, 3, 1, 2, 0],
...           [1, 1, 1, 3, 3, 2],
...           [1, 1, 1, 1, 2, 1]])
>>> where(a > 1, 1, 0)
array([[0, 1, 1, 0, 0, 0],
       [0, 1, 1, 0, 1, 0],
       [0, 0, 0, 1, 1, 1],
       [0, 0, 0, 0, 1, 0]])
```

The result is a binary image, in which the individual objects still need to be identified and labeled. The function `label` generates an array where each object is assigned a unique number:

The `label` function generates an array where the objects in the input are labeled with an integer index. It returns a tuple consisting of the array of object labels and the number of objects found, unless the `output` parameter is given, in which case only the number of objects is returned. The connectivity of the objects is defined by a structuring element. For instance, in two dimensions using a four-connected structuring element gives:

```

>>> a = array([[0,1,1,0,0,0],[0,1,1,0,1,0],[0,0,0,1,1,1],[0,0,0,0,1,0]])
>>> s = [[0, 1, 0], [1,1,1], [0,1,0]]
>>> label(a, s)
(array([[0, 1, 1, 0, 0, 0],
       [0, 1, 1, 0, 2, 0],
       [0, 0, 0, 2, 2, 2],
       [0, 0, 0, 0, 2, 0]]), 2)

```

These two objects are not connected because there is no way in which we can place the structuring element such that it overlaps with both objects. However, an 8-connected structuring element results in only a single object:

```

>>> a = array([[0,1,1,0,0,0],[0,1,1,0,1,0],[0,0,0,1,1,1],[0,0,0,0,1,0]])
>>> s = [[1,1,1], [1,1,1], [1,1,1]]
>>> label(a, s)[0]
array([[0, 1, 1, 0, 0, 0],
       [0, 1, 1, 0, 1, 0],
       [0, 0, 0, 1, 1, 1],
       [0, 0, 0, 0, 1, 0]])

```

If no structuring element is provided, one is generated by calling `generate_binary_structure` (see *Binary morphology*) using a connectivity of one (which in 2D is the 4-connected structure of the first example). The input can be of any type, any value not equal to zero is taken to be part of an object. This is useful if you need to ‘re-label’ an array of object indices, for instance after removing unwanted objects. Just apply the label function again to the index array. For instance:

```

>>> l, n = label([1, 0, 1, 0, 1])
>>> l
array([1 0 2 0 3])
>>> l = where(l != 2, 1, 0)
>>> l
array([1 0 0 0 3])
>>> label(l)[0]
array([1 0 0 0 2])

```

Note: The structuring element used by `label` is assumed to be symmetric.

There is a large number of other approaches for segmentation, for instance from an estimation of the borders of the objects that can be obtained for instance by derivative filters. One such an approach is watershed segmentation. The function `watershed_ift` generates an array where each object is assigned a unique label, from an array that localizes the object borders, generated for instance by a gradient magnitude filter. It uses an array containing initial markers for the objects:

The `watershed_ift` function applies a watershed from markers algorithm, using an Iterative Forest Transform, as described in: P. Felkel, R. Wegenkittl, and M. Bruckschwaiger, “Implementation and Complexity of the Watershed-from-Markers Algorithm Computed as a Minimal Cost Forest.”, Eurographics 2001, pp. C:26-35. The inputs of this function are the array to which the transform is applied, and an array of markers that designate the objects by a unique label, where any non-zero value is a marker. For instance:

```

>>> input = array([[0, 0, 0, 0, 0, 0, 0],
...               [0, 1, 1, 1, 1, 1, 0],
...               [0, 1, 0, 0, 0, 1, 0],
...               [0, 1, 0, 0, 0, 1, 0],
...               [0, 1, 0, 0, 0, 1, 0],
...               [0, 1, 1, 1, 1, 1, 0],
...               [0, 0, 0, 0, 0, 0, 0]], np.uint8)
>>> markers = array([[1, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 2, 0, 0, 0],

```

```

...         [0, 0, 0, 0, 0, 0, 0],
...         [0, 0, 0, 0, 0, 0, 0],
...         [0, 0, 0, 0, 0, 0, 0]], np.int8)
>>> watershed_ift(input, markers)
array([[1, 1, 1, 1, 1, 1, 1],
       [1, 1, 2, 2, 2, 1, 1],
       [1, 2, 2, 2, 2, 2, 1],
       [1, 2, 2, 2, 2, 2, 1],
       [1, 2, 2, 2, 2, 2, 1],
       [1, 1, 2, 2, 2, 1, 1],
       [1, 1, 1, 1, 1, 1, 1]], dtype=int8)
    
```

Here two markers were used to designate an object (*marker = 2*) and the background (*marker = 1*). The order in which these are processed is arbitrary: moving the marker for the background to the lower right corner of the array yields a different result:

```

>>> markers = array([[0, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 2, 0, 0, 0],
...                 [0, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 0, 0, 0, 1]], np.int8)
>>> watershed_ift(input, markers)
array([[1, 1, 1, 1, 1, 1, 1],
       [1, 1, 1, 1, 1, 1, 1],
       [1, 1, 2, 2, 2, 1, 1],
       [1, 1, 2, 2, 2, 1, 1],
       [1, 1, 2, 2, 2, 1, 1],
       [1, 1, 1, 1, 1, 1, 1],
       [1, 1, 1, 1, 1, 1, 1]], dtype=int8)
    
```

The result is that the object (*marker = 2*) is smaller because the second marker was processed earlier. This may not be the desired effect if the first marker was supposed to designate a background object. Therefore `watershed_ift` treats markers with a negative value explicitly as background markers and processes them after the normal markers. For instance, replacing the first marker by a negative marker gives a result similar to the first example:

```

>>> markers = array([[0, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 2, 0, 0, 0],
...                 [0, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 0, 0, 0, 0],
...                 [0, 0, 0, 0, 0, 0, -1]], np.int8)
>>> watershed_ift(input, markers)
array([[ -1,  -1,  -1,  -1,  -1,  -1,  -1],
       [-1,  -1,   2,   2,   2,  -1,  -1],
       [-1,   2,   2,   2,   2,   2,  -1],
       [-1,   2,   2,   2,   2,   2,  -1],
       [-1,   2,   2,   2,   2,   2,  -1],
       [-1,  -1,   2,   2,   2,  -1,  -1],
       [-1,  -1,  -1,  -1,  -1,  -1,  -1]], dtype=int8)
    
```

The connectivity of the objects is defined by a structuring element. If no structuring element is provided, one is generated by calling `generate_binary_structure` (see *Binary morphology*) using a connectivity of one (which in 2D is a 4-connected structure.) For example, using an 8-connected structure with the last example yields a different object:

```
>>> watershed_ift(input, markers,
...               structure = [[1,1,1], [1,1,1], [1,1,1]])
array([[ -1,  -1,  -1,  -1,  -1,  -1,  -1],
       [ -1,   2,   2,   2,   2,   2,  -1],
       [ -1,   2,   2,   2,   2,   2,  -1],
       [ -1,   2,   2,   2,   2,   2,  -1],
       [ -1,   2,   2,   2,   2,   2,  -1],
       [ -1,   2,   2,   2,   2,   2,  -1],
       [ -1,  -1,  -1,  -1,  -1,  -1,  -1]], dtype=int8)
```

Note: The implementation of `watershed_ift` limits the data types of the input to `UInt8` and `UInt16`.

1.14.8 Object measurements

Given an array of labeled objects, the properties of the individual objects can be measured. The `find_objects` function can be used to generate a list of slices that for each object, give the smallest sub-array that fully contains the object:

The `find_objects` function finds all objects in a labeled array and returns a list of slices that correspond to the smallest regions in the array that contains the object. For instance:

```
>>> a = array([[0,1,1,0,0,0],[0,1,1,0,1,0],[0,0,0,1,1,1],[0,0,0,0,1,0]])
>>> l, n = label(a)
>>> f = find_objects(l)
>>> a[f[0]]
array([[1 1],
       [1 1]])
>>> a[f[1]]
array([[0, 1, 0],
       [1, 1, 1],
       [0, 1, 0]])
```

`find_objects` returns slices for all objects, unless the `max_label` parameter is larger than zero, in which case only the first `max_label` objects are returned. If an index is missing in the `label` array, `None` is returned instead of a slice. For example:

```
>>> find_objects([1, 0, 3, 4], max_label = 3)
[(slice(0, 1, None),), None, (slice(2, 3, None),)]
```

The list of slices generated by `find_objects` is useful to find the position and dimensions of the objects in the array, but can also be used to perform measurements on the individual objects. Say we want to find the sum of the intensities of an object in image:

```
>>> image = arange(4 * 6).reshape(4, 6)
>>> mask = array([[0,1,1,0,0,0],[0,1,1,0,1,0],[0,0,0,1,1,1],[0,0,0,0,1,0]])
>>> labels = label(mask)[0]
>>> slices = find_objects(labels)
```

Then we can calculate the sum of the elements in the second object:

```
>>> where(labels[slices[1]] == 2, image[slices[1]], 0).sum()
80
```

That is however not particularly efficient, and may also be more complicated for other types of measurements. Therefore a few measurements functions are defined that accept the array of object labels and the index of the object to be measured. For instance calculating the sum of the intensities can be done by:

```
>>> sum(image, labels, 2)
80
```

For large arrays and small objects it is more efficient to call the measurement functions after slicing the array:

```
>>> sum(image[slices[1]], labels[slices[1]], 2)
80
```

Alternatively, we can do the measurements for a number of labels with a single function call, returning a list of results. For instance, to measure the sum of the values of the background and the second object in our example we give a list of labels:

```
>>> sum(image, labels, [0, 2])
array([178.0, 80.0])
```

The measurement functions described below all support the *index* parameter to indicate which object(s) should be measured. The default value of *index* is *None*. This indicates that all elements where the label is larger than zero should be treated as a single object and measured. Thus, in this case the *labels* array is treated as a mask defined by the elements that are larger than zero. If *index* is a number or a sequence of numbers it gives the labels of the objects that are measured. If *index* is a sequence, a list of the results is returned. Functions that return more than one result, return their result as a tuple if *index* is a single number, or as a tuple of lists, if *index* is a sequence.

The `sum` function calculates the sum of the elements of the object with label(s) given by *index*, using the *labels* array for the object labels. If *index* is *None*, all elements with a non-zero label value are treated as a single object. If *label* is *None*, all elements of *input* are used in the calculation.

The `mean` function calculates the mean of the elements of the object with label(s) given by *index*, using the *labels* array for the object labels. If *index* is *None*, all elements with a non-zero label value are treated as a single object. If *label* is *None*, all elements of *input* are used in the calculation.

The `variance` function calculates the variance of the elements of the object with label(s) given by *index*, using the *labels* array for the object labels. If *index* is *None*, all elements with a non-zero label value are treated as a single object. If *label* is *None*, all elements of *input* are used in the calculation.

The `standard_deviation` function calculates the standard deviation of the elements of the object with label(s) given by *index*, using the *labels* array for the object labels. If *index* is *None*, all elements with a non-zero label value are treated as a single object. If *label* is *None*, all elements of *input* are used in the calculation.

The `minimum` function calculates the minimum of the elements of the object with label(s) given by *index*, using the *labels* array for the object labels. If *index* is *None*, all elements with a non-zero label value are treated as a single object. If *label* is *None*, all elements of *input* are used in the calculation.

The `maximum` function calculates the maximum of the elements of the object with label(s) given by *index*, using the *labels* array for the object labels. If *index* is *None*, all elements with a non-zero label value are treated as a single object. If *label* is *None*, all elements of *input* are used in the calculation.

The `minimum_position` function calculates the position of the minimum of the elements of the object with label(s) given by *index*, using the *labels* array for the object labels. If *index* is *None*, all elements with a non-zero label value are treated as a single object. If *label* is *None*, all elements of *input* are used in the calculation.

The `maximum_position` function calculates the position of the maximum of the elements of the object with label(s) given by *index*, using the *labels* array for the object labels. If *index* is *None*, all elements with a non-zero label value are treated as a single object. If *label* is *None*, all elements of *input* are used in the calculation.

The `extrema` function calculates the minimum, the maximum, and their positions, of the elements of the object with label(s) given by *index*, using the *labels* array for the object labels. If *index* is *None*, all elements with a non-zero label value are treated as a single object. If *label* is *None*, all elements of *input* are used in the calculation. The result is a tuple giving the minimum, the maximum, the position of the minimum and the position of the maximum. The result is the same as a tuple formed by the results of the functions `minimum`, `maximum`, `minimum_position`, and `maximum_position` that are described above.

The `center_of_mass` function calculates the center of mass of the of the object with label(s) given by *index*, using the *labels* array for the object labels. If *index* is *None*, all elements with a non-zero label value are treated as a single object. If *label* is *None*, all elements of *input* are used in the calculation.

The `histogram` function calculates a histogram of the of the object with label(s) given by *index*, using the *labels* array for the object labels. If *index* is `None`, all elements with a non-zero label value are treated as a single object. If *label* is `None`, all elements of *input* are used in the calculation. Histograms are defined by their minimum (*min*), maximum (*max*) and the number of bins (*bins*). They are returned as one-dimensional arrays of type `Int32`.

1.14.9 Extending `ndimage` in C

A few functions in the `scipy.ndimage` take a call-back argument. This can be a python function, but also a `PyObject` containing a pointer to a C function. To use this feature, you must write your own C extension that defines the function, and define a Python function that returns a `PyObject` containing a pointer to this function.

An example of a function that supports this is `geometric_transform` (see *Interpolation functions*). You can pass it a python callable object that defines a mapping from all output coordinates to corresponding coordinates in the input array. This mapping function can also be a C function, which generally will be much more efficient, since the overhead of calling a python function at each element is avoided.

For example to implement a simple shift function we define the following function:

```
static int
_shift_function(int *output_coordinates, double* input_coordinates,
               int output_rank, int input_rank, void *callback_data)
{
    int ii;
    /* get the shift from the callback data pointer: */
    double shift = *(double*)callback_data;
    /* calculate the coordinates: */
    for(ii = 0; ii < irank; ii++)
        icoor[ii] = ocoor[ii] - shift;
    /* return OK status: */
    return 1;
}
```

This function is called at every element of the output array, passing the current coordinates in the *output_coordinates* array. On return, the *input_coordinates* array must contain the coordinates at which the input is interpolated. The ranks of the input and output array are passed through *output_rank* and *input_rank*. The value of the shift is passed through the *callback_data* argument, which is a pointer to void. The function returns an error status, in this case always 1, since no error can occur.

A pointer to this function and a pointer to the shift value must be passed to `geometric_transform`. Both are passed by a single `PyObject` which is created by the following python extension function:

```
static PyObject *
py_shift_function(PyObject *obj, PyObject *args)
{
    double shift = 0.0;
    if (!PyArg_ParseTuple(args, "d", &shift)) {
        PyErr_SetString(PyExc_RuntimeError, "invalid parameters");
        return NULL;
    } else {
        /* assign the shift to a dynamically allocated location: */
        double *cdata = (double*)malloc(sizeof(double));
        *cdata = shift;
        /* wrap function and callback_data in a CObject: */
        return PyObject_FromVoidPtrAndDesc(_shift_function, cdata,
                                           _destructor);
    }
}
```

The value of the shift is obtained and then assigned to a dynamically allocated memory location. Both this data pointer and the function pointer are then wrapped in a `PyObject`, which is returned. Additionally, a pointer to a destructor function is given, that will free the memory we allocated for the shift value when the `PyObject` is destroyed. This destructor is very simple:

```
static void
_destructor(void* cobject, void *cdata)
{
    if (cdata)
        free(cdata);
}
```

To use these functions, an extension module is built:

```
static PyMethodDef methods[] = {
    {"shift_function", (PyCFunction)py_shift_function, METH_VARARGS, ""},
    {NULL, NULL, 0, NULL}
};

void
initexample(void)
{
    Py_InitModule("example", methods);
}
```

This extension can then be used in Python, for example:

```
>>> import example
>>> array = arange(12).reshape=(4, 3).astype(np.float64)
>>> fnc = example.shift_function(0.5)
>>> geometric_transform(array, fnc)
array([[ 0.    0.    0.   ],
       [ 0.    1.3625  2.7375],
       [ 0.    4.8125  6.1875],
       [ 0.    8.2625  9.6375]])
```

C callback functions for use with `ndimage` functions must all be written according to this scheme. The next section lists the `ndimage` functions that accept a C callback function and gives the prototype of the callback function.

1.14.10 Functions that support C callback functions

The `ndimage` functions that support C callback functions are described here. Obviously, the prototype of the function that is provided to these functions must match exactly that what they expect. Therefore we give here the prototypes of the callback functions. All these callback functions accept a void `callback_data` pointer that must be wrapped in a `PyObject` using the Python `PyObject_FromVoidPtrAndDesc` function, which can also accept a pointer to a destructor function to free any memory allocated for `callback_data`. If `callback_data` is not needed, `PyObject_FromVoidPtr` may be used instead. The callback functions must return an integer error status that is equal to zero if something went wrong, or 1 otherwise. If an error occurs, you should normally set the python error status with an informative message before returning, otherwise, a default error message is set by the calling function.

The function `generic_filter` (see *Generic filter functions*) accepts a callback function with the following prototype:

The calling function iterates over the elements of the input and output arrays, calling the callback function at each element. The elements within the footprint of the filter at the current element are passed through the `buffer` parameter, and the number of elements within the footprint through `filter_size`. The calculated valued should be returned in the `return_value` argument.

The function `generic_filter1d` (see *Generic filter functions*) accepts a callback function with the following prototype:

The calling function iterates over the lines of the input and output arrays, calling the callback function at each line. The current line is extended according to the border conditions set by the calling function, and the result is copied into the array that is passed through the `input_line` array. The length of the input line (after extension) is passed through `input_length`. The callback function should apply the 1D filter and store the result in the array passed through `output_line`. The length of the output line is passed through `output_length`.

The function `geometric_transform` (see *Interpolation functions*) expects a function with the following prototype:

The calling function iterates over the elements of the output array, calling the callback function at each element. The coordinates of the current output element are passed through `output_coordinates`. The callback function must return the coordinates at which the input must be interpolated in `input_coordinates`. The rank of the input and output arrays are given by `input_rank` and `output_rank` respectively.

1.15 File IO (`scipy.io`)

See Also

`numpy-reference.routines.io` (in numpy)

1.15.1 MATLAB files

<code>loadmat(file_name[, mdict, appendmat])</code>	Load MATLAB file
<code>savemat(file_name, mdict[, appendmat, ...])</code>	Save a dictionary of names and arrays into a MATLAB-style <code>.mat</code> file.

Getting started:

```
>>> import scipy.io as sio
```

If you are using IPython, try tab completing on `sio`. You'll find:

```
sio.loadmat
sio.savemat
```

These are the high-level functions you will most likely use. You'll also find:

```
sio.matlab
```

This is the package from which `loadmat` and `savemat` are imported. Within `sio.matlab`, you will find the `mio` module - containing the machinery that `loadmat` and `savemat` use. From time to time you may find yourself re-using this machinery.

How do I start?

You may have a `.mat` file that you want to read into Scipy. Or, you want to pass some variables from Scipy / Numpy into MATLAB.

To save us using a MATLAB license, let's start in [Octave](#). Octave has MATLAB-compatible save / load functions. Start Octave (`octave` at the command line for me):

```
octave:1> a = 1:12
a =

    1    2    3    4    5    6    7    8    9   10   11   12

octave:2> a = reshape(a, [1 3 4])
a =

ans(:,:,1) =

    1    2    3

ans(:,:,2) =

    4    5    6

ans(:,:,3) =

    7    8    9

ans(:,:,4) =

   10   11   12

octave:3> save -6 octave_a.mat a % MATLAB 6 compatible
octave:4> ls octave_a.mat
octave_a.mat
```

Now, to Python:

```
>>> mat_contents = sio.loadmat('octave_a.mat')
>>> print mat_contents
{'a': array([[ 1.,  4.,  7., 10.],
            [ 2.,  5.,  8., 11.],
            [ 3.,  6.,  9., 12.]])},
 '__version__': '1.0',
 '__header__': 'MATLAB 5.0 MAT-file, written by
Octave 3.2.3, 2010-05-30 02:13:40 UTC',
 '__globals__': []}
>>> oct_a = mat_contents['a']
>>> print oct_a
[[[ 1.  4.  7. 10.]
 [ 2.  5.  8. 11.]
 [ 3.  6.  9. 12.]]]
>>> print oct_a.shape
(1, 3, 4)
```

Now let's try the other way round:

```
>>> import numpy as np
>>> vect = np.arange(10)
>>> print vect.shape
(10,)
>>> sio.savemat('np_vector.mat', {'vect':vect})
/Users/mb312/usr/local/lib/python2.6/site-packages/scipy/io/matlab/mio.py:196: FutureWarning: Us
oned_as=oned_as)
```

Then back to Octave:

```
octave:5> load np_vector.mat
octave:6> vect
vect =

  0
  1
  2
  3
  4
  5
  6
  7
  8
  9

octave:7> size(vect)
ans =

  10   1
```

Note the deprecation warning. The `oned_as` keyword determines the way in which one-dimensional vectors are stored. In the future, this will default to `row` instead of `column`:

```
>>> sio.savemat('np_vector.mat', {'vect':vect}, oned_as='row')
```

We can load this in Octave or MATLAB:

```
octave:8> load np_vector.mat
octave:9> vect
vect =

  0  1  2  3  4  5  6  7  8  9

octave:10> size(vect)
ans =

  1  10
```

MATLAB structs

MATLAB structs are a little bit like Python dicts, except the field names must be strings. Any MATLAB object can be a value of a field. As for all objects in MATLAB, structs are in fact arrays of structs, where a single struct is an array of shape (1, 1).

```
octave:11> my_struct = struct('field1', 1, 'field2', 2)
my_struct =
{
  field1 = 1
  field2 = 2
}

octave:12> save -6 octave_struct.mat my_struct
```

We can load this in Python:

```
>>> mat_contents = sio.loadmat('octave_struct.mat')
>>> print mat_contents
{'my_struct': array([[1.0], [2.0]]),
      dtype=[('field1', '<O8'), ('field2', '<O8')], '__version__': '1.0', '__header__': 'MATLAB 5.0'}
>>> oct_struct = mat_contents['my_struct']
>>> print oct_struct.shape
(1, 1)
>>> val = oct_struct[0,0]
>>> print val
[[1.0], [2.0]]
>>> print val['field1']
[[ 1.]]
>>> print val['field2']
[[ 2.]]
>>> print val.dtype
[('field1', '<O8'), ('field2', '<O8')]
```

In this version of Scipy (0.8.0), MATLAB structs come back as numpy structured arrays, with fields named for the struct fields. You can see the field names in the dtype output above. Note also:

```
>>> val = oct_struct[0,0]
```

and:

```
octave:13> size(my_struct)
ans =

     1     1
```

So, in MATLAB, the struct array must be at least 2D, and we replicate that when we read into Scipy. If you want all length 1 dimensions squeezed out, try this:

```
>>> mat_contents = sio.loadmat('octave_struct.mat', squeeze_me=True)
>>> oct_struct = mat_contents['my_struct']
>>> oct_struct.shape
()
```

Sometimes, it's more convenient to load the MATLAB structs as python objects rather than numpy structured arrays - it can make the access syntax in python a bit more similar to that in MATLAB. In order to do this, use the `struct_as_record=False` parameter to `loadmat`.

```
>>> mat_contents = sio.loadmat('octave_struct.mat', struct_as_record=False)
>>> oct_struct = mat_contents['my_struct']
>>> oct_struct[0,0].field1
array([[ 1.]])
```

`struct_as_record=False` works nicely with `squeeze_me`:

```
>>> mat_contents = sio.loadmat('octave_struct.mat', struct_as_record=False, squeeze_me=True)
>>> oct_struct = mat_contents['my_struct']
>>> oct_struct.shape # but no - it's a scalar
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
AttributeError: 'mat_struct' object has no attribute 'shape'
>>> print type(oct_struct)
<class 'scipy.io.matlab.mio5_params.mat_struct'>
>>> print oct_struct.field1
1.0
```

Saving struct arrays can be done in various ways. One simple method is to use dicts:

```
>>> a_dict = {'field1': 0.5, 'field2': 'a string'}
>>> sio.savemat('saved_struct.mat', {'a_dict': a_dict})
```

loaded as:

```
octave:21> load saved_struct
octave:22> a_dict
a_dict =
{
  field2 = a string
  field1 = 0.50000
}
```

You can also save structs back again to MATLAB (or Octave in our case) like this:

```
>>> dt = [('f1', 'f8'), ('f2', 'S10')]
>>> arr = np.zeros((2,), dtype=dt)
>>> print arr
[(0.0, '') (0.0, '')]
>>> arr[0]['f1'] = 0.5
>>> arr[0]['f2'] = 'python'
>>> arr[1]['f1'] = 99
>>> arr[1]['f2'] = 'not perl'
>>> sio.savemat('np_struct_arr.mat', {'arr': arr})
```

MATLAB cell arrays

Cell arrays in MATLAB are rather like python lists, in the sense that the elements in the arrays can contain any type of MATLAB object. In fact they are most similar to numpy object arrays, and that is how we load them into numpy.

```
octave:14> my_cells = {1, [2, 3]}
my_cells =

{
  [1,1] = 1
  [1,2] =

      2   3

}

octave:15> save -6 octave_cells.mat my_cells
```

Back to Python:

```
>>> mat_contents = sio.loadmat('octave_cells.mat')
>>> oct_cells = mat_contents['my_cells']
>>> print oct_cells.dtype
object
>>> val = oct_cells[0,0]
>>> print val
[[ 1.]]
>>> print val.dtype
float64
```

Saving to a MATLAB cell array just involves making a numpy object array:

```
>>> obj_arr = np.zeros((2,), dtype=np.object)
>>> obj_arr[0] = 1
>>> obj_arr[1] = 'a string'
>>> print obj_arr
[1 a string]
>>> sio.savemat('np_cells.mat', {'obj_arr':obj_arr})
```

```
octave:16> load np_cells.mat
octave:17> obj_arr
obj_arr =
```

```
{
  [1,1] = 1
  [2,1] = a string
}
```

1.15.2 IDL files

`readsav(file_name[, idict, python_dict, ...])` Read an IDL .sav file

1.15.3 Matrix Market files

<code>mminfo(source)</code>	Queries the contents of the Matrix Market file 'filename' to
<code>mmread(source)</code>	Reads the contents of a Matrix Market file 'filename' into a matrix.
<code>mmwrite(target, a[, comment, field, precision])</code>	Writes the sparse or dense matrix A to a Matrix Market formatted file.

1.15.4 Wav sound files (`scipy.io.wavfile`)

<code>read(file[, mmap])</code>	Return the sample rate (in samples/sec) and data from a WAV file
<code>write(filename, rate, data)</code>	Write a numpy array as a WAV file

1.15.5 Arff files (`scipy.io.arff`)

Module to read ARFF files, which are the standard data format for WEKA.

ARFF is a text file format which support numerical, string and data values. The format can also represent missing data and sparse data.

See the [WEKA website](#) for more details about arff format and available datasets.

Examples

```
>>> from scipy.io import arff
>>> from cStringIO import StringIO
>>> content = """
... @relation foo
... @attribute width numeric
... @attribute height numeric
... @attribute color {red,green,blue,yellow,black}
```



```

... @data
... 5.0,3.25,blue
... 4.5,3.75,green
... 3.0,4.00,red
... """
>>> f = StringIO(content)
>>> data, meta = arff.loadarff(f)
>>> data
array([(5.0, 3.25, 'blue'), (4.5, 3.75, 'green'), (3.0, 4.0, 'red')],
      dtype=[('width', '<f8'), ('height', '<f8'), ('color', '|S6')])
>>> meta
Dataset: foo
      width's type is numeric
      height's type is numeric
      color's type is nominal, range is ('red', 'green', 'blue', 'yellow', 'black')

```

`loadarff(f)` Read an arff file.

1.15.6 Netcdf (`scipy.io.netcdf`)

`netcdf_file(filename[, mode, mmap, version])` A file object for NetCDF data.

Allows reading of NetCDF files (version of [pupynere](#) package)

1.16 Weave (`scipy.weave`)

1.16.1 Outline

Contents

- Weave (`scipy.weave`)
 - Outline
 - Introduction
 - Requirements
 - Installation
 - Testing
 - * Testing Notes:
 - Benchmarks
 - Inline
 - * More with `printf`
 - * More examples
 - Binary search
 - Dictionary Sort
 - NumPy – `cast/copy/transpose`
 - wxPython
 - * Keyword Option
 - * Inline Arguments
 - * Distutils keywords
 - Keyword Option Examples
 - Returning Values
 - The issue with `locals()`
 - A quick look at the code
 - * Technical Details
 - * Passing Variables in/out of the C/C++ code
 - * Type Conversions
 - NumPy Argument Conversion
 - String, List, Tuple, and Dictionary Conversion
 - File Conversion
 - Callable, Instance, and Module Conversion
 - Customizing Conversions
 - * The Catalog
 - Function Storage
 - Catalog search paths and the `PYTHONCOMPILED` variable
 - Blitz
 - * Requirements
 - * Limitations
 - * NumPy efficiency issues: What compilation buys you
 - * The Tools
 - Parser
 - Blitz and NumPy
 - * Type definitions and coercion
 - * Cataloging Compiled Functions
 - * Checking Array Sizes
 - * Creating the Extension Module
 - Extension Modules
 - * A Simple Example
 - * Fibonacci Example
 - Customizing Type Conversions – Type Factories
 - Things I wish `weave` did

1.16.2 Introduction

The `scipy.weave` (below just `weave`) package provides tools for including C/C++ code within in Python code. This offers both another level of optimization to those who need it, and an easy way to modify and extend any supported extension libraries such as wxPython and hopefully VTK soon. Inlining C/C++ code within Python generally results in speed ups of 1.5x to 30x speed-up over algorithms written in pure Python (However, it is also possible to slow things down...). Generally algorithms that require a large number of calls to the Python API don't benefit as much from the conversion to C/C++ as algorithms that have inner loops completely convertible to C.

There are three basic ways to use `weave`. The `weave.inline()` function executes C code directly within Python, and `weave.blitz()` translates Python NumPy expressions to C++ for fast execution. `blitz()` was the original reason `weave` was built. For those interested in building extension libraries, the `ext_tools` module provides classes for building extension modules within Python.

Most of `weave`'s functionality should work on Windows and Unix, although some of its functionality requires `gcc` or a similarly modern C++ compiler that handles templates well. Up to now, most testing has been done on Windows 2000 with Microsoft's C++ compiler (MSVC) and with `gcc` (mingw32 2.95.2 and 2.95.3-6). All tests also pass on Linux (RH 7.1 with `gcc` 2.96), and I've had reports that it works on Debian also (thanks Pearu).

The `inline` and `blitz` provide new functionality to Python (although I've recently learned about the `PyInline` project which may offer similar functionality to `inline`). On the other hand, tools for building Python extension modules already exists (SWIG, SIP, `pycpp`, `CXX`, and others). As of yet, I'm not sure where `weave` fits in this spectrum. It is closest in flavor to `CXX` in that it makes creating new C/C++ extension modules pretty easy. However, if you're wrapping a gaggle of legacy functions or classes, SWIG and friends are definitely the better choice. `weave` is set up so that you can customize how Python types are converted to C types in `weave`. This is great for `inline()`, but, for wrapping legacy code, it is more flexible to specify things the other way around – that is how C types map to Python types. This `weave` does not do. I guess it would be possible to build such a tool on top of `weave`, but with good tools like SWIG around, I'm not sure the effort produces any new capabilities. Things like function overloading are probably easily implemented in `weave` and it might be easier to mix Python/C code in function calls, but nothing beyond this comes to mind. So, if you're developing new extension modules or optimizing Python functions in C, `weave.ext_tools()` might be the tool for you. If you're wrapping legacy code, stick with SWIG.

The next several sections give the basics of how to use `weave`. We'll discuss what's happening under the covers in more detail later on. Serious users will need to at least look at the type conversion section to understand how Python variables map to C/C++ types and how to customize this behavior. One other note. If you don't know C or C++ then these docs are probably of very little help to you. Further, it'd be helpful if you know something about writing Python extensions. `weave` does quite a bit for you, but for anything complex, you'll need to do some conversions, reference counting, etc.

Note: `weave` is actually part of the `SciPy` package. However, it also works fine as a standalone package (you can install from `scipy/weave` with `python setup.py install`). The examples here are given as if it is used as a stand alone package. If you are using from within `scipy`, you can use `from scipy import weave` and the examples will work identically.

1.16.3 Requirements

- Python

I use 2.1.1. Probably 2.0 or higher should work.

- C++ compiler

`weave` uses `distutils` to actually build extension modules, so it uses whatever compiler was originally used to build Python. `weave` itself requires a C++ compiler. If you used a C++ compiler to build Python, your probably fine.

On Unix gcc is the preferred choice because I've done a little testing with it. All testing has been done with gcc, but I expect the majority of compilers should work for `inline` and `ext_tools`. The one issue I'm not sure about is that I've hard coded things so that compilations are linked with the `stdc++` library. *Is this standard across Unix compilers, or is this a gcc-ism?*

For `blitz()`, you'll need a reasonably recent version of gcc. 2.95.2 works on windows and 2.96 looks fine on Linux. Other versions are likely to work. Its likely that KAI's C++ compiler and maybe some others will work, but I haven't tried. My advice is to use gcc for now unless your willing to tinker with the code some.

On Windows, either MSVC or gcc (`mingw32`) should work. Again, you'll need gcc for `blitz()` as the MSVC compiler doesn't handle templates well.

I have not tried Cygwin, so please report success if it works for you.

- NumPy

The python NumPy module is required for `blitz()` to work and for `numpy.distutils` which is used by `weave`.

1.16.4 Installation

There are currently two ways to get `weave`. First, `weave` is part of SciPy and installed automatically (as a sub-package) whenever SciPy is installed. Second, since `weave` is useful outside of the scientific community, it has been setup so that it can be used as a stand-alone module.

The stand-alone version can be downloaded from [here](#). Instructions for installing should be found there as well. `setup.py` file to simplify installation.

1.16.5 Testing

Once `weave` is installed, fire up python and run its unit tests.

```
>>> import weave
>>> weave.test()
runs long time... spews tons of output and a few warnings
.
.
.
.....
.....
.....
-----
Ran 184 tests in 158.418s
OK
>>>
```

This takes a while, usually several minutes. On Unix with remote file systems, I've had it take 15 or so minutes. In the end, it should run about 180 tests and spew some speed results along the way. If you get errors, they'll be reported at the end of the output. Please report errors that you find. Some tests are known to fail at this point.

If you only want to test a single module of the package, you can do this by running `test()` for that specific module.

```
>>> import weave.scalar_spec
>>> weave.scalar_spec.test()
.....
-----
Ran 7 tests in 23.284s
```

Testing Notes:

- Windows 1

I've had some test fail on windows machines where I have msvc, gcc-2.95.2 (in c:gcc-2.95.2), and gcc-2.95.3-6 (in c:gcc) all installed. My environment has c:gcc in the path and does not have c:gcc-2.95.2 in the path. The test process runs very smoothly until the end where several test using gcc fail with cpp0 not found by g++. If I check `os.system('gcc -v')` before running tests, I get gcc-2.95.3-6. If I check after running tests (and after failure), I get gcc-2.95.2. ??huh??. The `os.environ['PATH']` still has c:gcc first in it and is not corrupted (msvc/distutils messes with the environment variables, so we have to undo its work in some places). If anyone else sees this, let me know - - it may just be an quirk on my machine (unlikely). Testing with the gcc- 2.95.2 installation always works.

- Windows 2

If you run the tests from PythonWin or some other GUI tool, you'll get a ton of DOS windows popping up periodically as `weave` spawns the compiler multiple times. Very annoying. Anyone know how to fix this?

- wxPython

wxPython tests are not enabled by default because importing wxPython on a Unix machine without access to a X-term will cause the program to exit. Anyone know of a safe way to detect whether wxPython can be imported and whether a display exists on a machine?

1.16.6 Benchmarks

This section has not been updated from old scipy weave and Numeric....

This section has a few benchmarks – thats all people want to see anyway right? These are mostly taken from running files in the `weave/example` directory and also from the test scripts. Without more information about what the test actually do, their value is limited. Still, their here for the curious. Look at the example scripts for more specifics about what problem was actually solved by each run. These examples are run under windows 2000 using Microsoft Visual C++ and python2.1 on a 850 MHz PIII laptop with 320 MB of RAM. Speed up is the improvement (degredation) factor of `weave` compared to conventional Python functions. The `blitz()` comparisons are shown compared to NumPy.

Table 1.7: inline and ext_tools

Algorithm	Speed up
binary search	1.50
fibonacci (recursive)	82.10
fibonacci (loop)	9.17
return None	0.14
map	1.20
dictionary sort	2.54
vector quantization	37.40

Table 1.8: blitz – double precision

Algorithm	Speed up
<code>a = b + c</code> 512x512	3.05
<code>a = b + c + d</code> 512x512	4.59
5 pt avg. filter, 2D Image 512x512	9.01
Electromagnetics (FDTD) 100x100x100	8.61

The benchmarks shown `blitz` in the best possible light. NumPy (at least on my machine) is significantly worse for double precision than it is for single precision calculations. If your interested in single precision results, you can pretty much divide the double precision speed up by 3 and you'll be close.

1.16.7 Inline

`inline()` compiles and executes C/C++ code on the fly. Variables in the local and global Python scope are also available in the C/C++ code. Values are passed to the C/C++ code by assignment much like variables are passed into a standard Python function. Values are returned from the C/C++ code through a special argument called `return_val`. Also, the contents of mutable objects can be changed within the C/C++ code and the changes remain after the C code exits and returns to Python. (more on this later)

Here's a trivial `printf` example using `inline()`:

```
>>> import weave
>>> a = 1
>>> weave.inline('printf("%d\n",a);', ['a'])
1
```

In this, its most basic form, `inline(c_code, var_list)` requires two arguments. `c_code` is a string of valid C/C++ code. `var_list` is a list of variable names that are passed from Python into C/C++. Here we have a simple `printf` statement that writes the Python variable `a` to the screen. The first time you run this, there will be a pause while the code is written to a `.cpp` file, compiled into an extension module, loaded into Python, cataloged for future use, and executed. On windows (850 MHz PIII), this takes about 1.5 seconds when using Microsoft's C++ compiler (MSVC) and 6-12 seconds using `gcc` (`mingw32 2.95.2`). All subsequent executions of the code will happen very quickly because the code only needs to be compiled once. If you kill and restart the interpreter and then execute the same code fragment again, there will be a much shorter delay in the fractions of seconds range. This is because `weave` stores a catalog of all previously compiled functions in an on disk cache. When it sees a string that has been compiled, it loads the already compiled module and executes the appropriate function.

Note: If you try the `printf` example in a GUI shell such as IDLE, PythonWin, PyShell, etc., you're unlikely to see the output. This is because the C code is writing to `stdout`, instead of to the GUI window. This doesn't mean that `inline` doesn't work in these environments – it only means that standard out in C is not the same as the standard out for Python in these cases. Non input/output functions will work as expected.

Although effort has been made to reduce the overhead associated with calling `inline`, it is still less efficient for simple code snippets than using equivalent Python code. The simple `printf` example is actually slower by 30% or so than using Python `print` statement. And, it is not difficult to create code fragments that are 8-10 times slower using `inline` than equivalent Python. However, for more complicated algorithms, the speed up can be worth while – anywhere from 1.5- 30 times faster. Algorithms that have to manipulate Python objects (sorting a list) usually only see a factor of 2 or so improvement. Algorithms that are highly computational or manipulate NumPy arrays can see much larger improvements. The examples/vq.py file shows a factor of 30 or more improvement on the vector quantization algorithm that is used heavily in information theory and classification problems.

More with printf

MSVC users will actually see a bit of compiler output that `distutils` does not suppress the first time the code executes:

```
>>> weave.inline(r'printf("%d\n",a);', ['a'])
sc_e013937dbc8c647ac62438874e5795131.cpp
  Creating library C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp
  \Release\sc_e013937dbc8c647ac62438874e5795131.lib and
  object C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\sc_e013937dbc8c647ac62438874e5795131.obj
1
```

Nothing bad is happening, its just a bit annoying. * Anyone know how to turn this off?*

This example also demonstrates using 'raw strings'. The `r` preceding the code string in the last example denotes that this is a 'raw string'. In raw strings, the backslash character is not interpreted as an escape character, and so it isn't necessary to use a double backslash to indicate that the 'n' is meant to be interpreted in the C `printf` statement

instead of by Python. If your C code contains a lot of strings and control characters, raw strings might make things easier. Most of the time, however, standard strings work just as well.

The `printf` statement in these examples is formatted to print out integers. What happens if `a` is a string? `inline` will happily, compile a new version of the code to accept strings as input, and execute the code. The result?

```
>>> a = 'string'
>>> weave.inline(r'printf("%d\n",a);', ['a'])
32956972
```

In this case, the result is non-sensical, but also non-fatal. In other situations, it might produce a compile time error because `a` is required to be an integer at some point in the code, or it could produce a segmentation fault. Its possible to protect against passing `inline` arguments of the wrong data type by using asserts in Python.

```
>>> a = 'string'
>>> def protected_printf(a):
...     assert(type(a) == type(1))
...     weave.inline(r'printf("%d\n",a);', ['a'])
>>> protected_printf(1)
1
>>> protected_printf('string')
AssertionError...
```

For printing strings, the format statement needs to be changed. Also, `weave` doesn't convert strings to `char*`. Instead it uses `CXX Py::String` type, so you have to do a little more work. Here we convert it to a C++ `std::string` and then ask for the `char*` version.

```
>>> a = 'string'
>>> weave.inline(r'printf("%s\n",std::string(a).c_str());', ['a'])
string
```

XXX

This is a little convoluted. Perhaps strings should convert to `std::string` objects instead of `CXX` objects. Or maybe to `char*`.

As in this case, C/C++ code fragments often have to change to accept different types. For the given printing task, however, C++ streams provide a way of a single statement that works for integers and strings. By default, the stream objects live in the `std` (standard) namespace and thus require the use of `std::`.

```
>>> weave.inline('std::cout << a << std::endl;', ['a'])
1
>>> a = 'string'
>>> weave.inline('std::cout << a << std::endl;', ['a'])
string
```

Examples using `printf` and `cout` are included in `examples/print_example.py`.

More examples

This section shows several more advanced uses of `inline`. It includes a few algorithms from the [Python Cookbook](#) that have been re-written in inline C to improve speed as well as a couple examples using NumPy and wxPython.

Binary search

Lets look at the example of searching a sorted list of integers for a value. For inspiration, we'll use Kalle Svensson's `binary_search()` algorithm from the Python Cookbook. His recipe follows:

```
def binary_search(seq, t):
    min = 0; max = len(seq) - 1
    while 1:
        if max < min:
            return -1
        m = (min + max) / 2
        if seq[m] < t:
            min = m + 1
        elif seq[m] > t:
            max = m - 1
        else:
            return m
```

This Python version works for arbitrary Python data types. The C version below is specialized to handle integer values. There is a little type checking done in Python to assure that we're working with the correct data types before heading into C. The variables `seq` and `t` don't need to be declared because `weave` handles converting and declaring them in the C code. All other temporary variables such as `min`, `max`, etc. must be declared – it is C after all. Here's the new mixed Python/C function:

```
def c_int_binary_search(seq,t):
    # do a little type checking in Python
    assert (type(t) == type(1))
    assert (type(seq) == type([]))

    # now the C code
    code = """
        #line 29 "binary_search.py"
        int val, m, min = 0;
        int max = seq.length() - 1;
        PyObject *py_val;
        for(;;)
        {
            if (max < min )
            {
                return_val = Py::new_reference_to(Py::Int(-1));
                break;
            }
            m = (min + max) /2;
            val = py_to_int(PyList_GetItem(seq.ptr(),m), "val");
            if (val < t)
                min = m + 1;
            else if (val > t)
                max = m - 1;
            else
            {
                return_val = Py::new_reference_to(Py::Int(m));
                break;
            }
        }
        """
    return inline(code, ['seq', 't'])
```

We have two variables `seq` and `t` passed in. `t` is guaranteed (by the `assert`) to be an integer. Python integers are converted to C int types in the transition from Python to C. `seq` is a Python list. By default, it is translated to a CXX list object. Full documentation for the CXX library can be found at its [website](#). The basics are that the CXX provides C++ class equivalents for Python objects that simplify, or at least object orientify, working with Python objects in C/C++. For example, `seq.length()` returns the length of the list. A little more about CXX and its class methods, etc. is in the `** type conversions **` section.

Note: CXX uses templates and therefore may be a little less portable than another alternative by Gordan McMillan called SCXX which was inspired by CXX. It doesn't use templates so it should compile faster and be more portable. SCXX has a few less features, but it appears to me that it would mesh with the needs of weave quite well. Hopefully xxx_spec files will be written for SCXX in the future, and we'll be able to compare on a more empirical basis. Both sets of spec files will probably stick around, it just a question of which becomes the default.

Most of the algorithm above looks similar in C to the original Python code. There are two main differences. The first is the setting of `return_val` instead of directly returning from the C code with a `return` statement. `return_val` is an automatically defined variable of type `PyObject*` that is returned from the C code back to Python. You'll have to handle reference counting issues when setting this variable. In this example, CXX classes and functions handle the dirty work. All CXX functions and classes live in the namespace `Py::`. The following code converts the integer `m` to a CXX `Int()` object and then to a `PyObject*` with an incremented reference count using `Py::new_reference_to()`.

```
return_val = Py::new_reference_to(Py::Int(m));
```

The second big differences shows up in the retrieval of integer values from the Python list. The simple Python `seq[i]` call balloons into a C Python API call to grab the value out of the list and then a separate call to `py_to_int()` that converts the `PyObject*` to an integer. `py_to_int()` includes both a NULL check and a `PyInt_Check()` call as well as the conversion call. If either of the checks fail, an exception is raised. The entire C++ code block is executed with in a `try/catch` block that handles exceptions much like Python does. This removes the need for most error checking code.

It is worth note that CXX lists do have indexing operators that result in code that looks much like Python. However, the overhead in using them appears to be relatively high, so the standard Python API was used on the `seq.ptr()` which is the underlying `PyObject*` of the List object.

The `#line` directive that is the first line of the C code block isn't necessary, but it's nice for debugging. If the compilation fails because of the syntax error in the code, the error will be reported as an error in the Python file "binary_search.py" with an offset from the given line number (29 here).

So what was all our effort worth in terms of efficiency? Well not a lot in this case. The `examples/binary_search.py` file runs both Python and C versions of the functions As well as using the standard `bisect` module. If we run it on a 1 million element list and run the search 3000 times (for 0- 2999), here are the results we get:

```
C:\home\ej\wrk\scipy\weave\examples> python binary_search.py
Binary search for 3000 items in 1000000 length list of integers:
speed in python: 0.159999966621
speed of bisect: 0.121000051498
speed up: 1.32
speed in c: 0.110000014305
speed up: 1.45
speed in c(no asserts): 0.0900000333786
speed up: 1.78
```

So, we get roughly a 50-75% improvement depending on whether we use the Python asserts in our C version. If we move down to searching a 10000 element list, the advantage evaporates. Even smaller lists might result in the Python version being faster. I'd like to say that moving to NumPy lists (and getting rid of the `GetItem()` call) offers a substantial speed up, but my preliminary efforts didn't produce one. I think the $\log(N)$ algorithm is to blame. Because the algorithm is nice, there just isn't much time spent computing things, so moving to C isn't that big of a win. If there are ways to reduce conversion overhead of values, this may improve the C/Python speed up. Anyone have other explanations or faster code, please let me know.

Dictionary Sort

The demo in `examples/dict_sort.py` is another example from the Python Cookbook. [This submission](#), by Alex Martelli, demonstrates how to return the values from a dictionary sorted by their keys:

```
def sortedDictValues3(adict):
    keys = adict.keys()
    keys.sort()
    return map(adict.get, keys)
```

Alex provides 3 algorithms and this is the 3rd and fastest of the set. The C version of this same algorithm follows:

```
def c_sort(adict):
    assert(type(adict) == type({}))
    code = """
#line 21 "dict_sort.py"
Py::List keys = adict.keys();
Py::List items(keys.length()); keys.sort();
PyObject* item = NULL;
for(int i = 0; i < keys.length();i++)
{
    item = PyList_GET_ITEM(keys.ptr(),i);
    item = PyDict_GetItem(adict.ptr(),item);
    Py_XINCRREF(item);
    PyList_SetItem(items.ptr(),i,item);
}
return_val = Py::new_reference_to(items);
"""
    return inline_tools.inline(code, ['adict'], verbose=1)
```

Like the original Python function, the C++ version can handle any Python dictionary regardless of the key/value pair types. It uses CXX objects for the most part to declare python types in C++, but uses Python API calls to manipulate their contents. Again, this choice is made for speed. The C++ version, while more complicated, is about a factor of 2 faster than Python.

```
C:\home\ej\wrk\scipy\weave\examples> python dict_sort.py
Dict sort of 1000 items for 300 iterations:
speed in python: 0.319999933243
[0, 1, 2, 3, 4]
speed in c: 0.151000022888
speed up: 2.12
[0, 1, 2, 3, 4]
```

NumPy – cast/copy/transpose

CastCopyTranspose is a function called quite heavily by Linear Algebra routines in the NumPy library. Its needed in part because of the row-major memory layout of multi-dimensional Python (and C) arrays vs. the col-major order of the underlying Fortran algorithms. For small matrices (say 100x100 or less), a significant portion of the common routines such as LU decomposition or singular value decomposition are spent in this setup routine. This shouldn't happen. Here is the Python version of the function using standard NumPy operations.

```
def _castCopyAndTranspose(type, array):
    if a.typecode() == type:
        cast_array = copy.copy(NumPy.transpose(a))
    else:
        cast_array = copy.copy(NumPy.transpose(a).astype(type))
    return cast_array
```

And the following is an inline C version of the same function:

```

from weave.blitz_tools import blitz_type_factories
from weave import scalar_spec
from weave import inline
def _cast_copy_transpose(type, a_2d):
    assert(len(shape(a_2d)) == 2)
    new_array = zeros(shape(a_2d), type)
    NumPy_type = scalar_spec.NumPy_to_blitz_type_mapping[type]
    code = \
        """
        for(int i = 0; i < _Na_2d[0]; i++)
            for(int j = 0; j < _Na_2d[1]; j++)
                new_array(i, j) = (%s) a_2d(j, i);
        """ % NumPy_type
    inline(code, ['new_array', 'a_2d'],
           type_factories = blitz_type_factories, compiler='gcc')
    return new_array

```

This example uses blitz++ arrays instead of the standard representation of NumPy arrays so that indexing is simpler to write. This is accomplished by passing in the blitz++ “type factories” to override the standard Python to C++ type conversions. Blitz++ arrays allow you to write clean, fast code, but they also are sloooow to compile (20 seconds or more for this snippet). This is why they aren’t the default type used for Numeric arrays (and also because most compilers can’t compile blitz arrays...). `inline()` is also forced to use ‘gcc’ as the compiler because the default compiler on Windows (MSVC) will not compile blitz code. (‘gcc’ I think will use the standard compiler on Unix machine instead of explicitly forcing gcc (check this)) Comparisons of the Python vs inline C++ code show a factor of 3 speed up. Also shown are the results of an “inplace” transpose routine that can be used if the output of the linear algebra routine can overwrite the original matrix (this is often appropriate). This provides another factor of 2 improvement.

```

#C:\home\ej\wrk\scipy\weave\examples> python cast_copy_transpose.py
# Cast/Copy/Transposing (150,150)array 1 times
# speed in python: 0.870999932289
# speed in c: 0.25
# speed up: 3.48
# inplace transpose c: 0.129999995232
# speed up: 6.70

```

wxPython

`inline` knows how to handle wxPython objects. That’s nice in and of itself, but it also demonstrates that the type conversion mechanism is reasonably flexible. Chances are, it won’t take a ton of effort to support special types you might have. The examples/wx_example.py borrows the scrolled window example from the wxPython demo, except that it mixes inline C code in the middle of the drawing function.

```

def DoDrawing(self, dc):

    red = wxNamedColour("RED");
    blue = wxNamedColour("BLUE");
    grey_brush = wxLIGHT_GREY_BRUSH;
    code = \
        """
        #line 108 "wx_example.py"
        dc->BeginDrawing();
        dc->SetPen(wxPen(*red, 4, wxSOLID));
        dc->DrawRectangle(5, 5, 50, 50);
        dc->SetBrush(*grey_brush);
        dc->SetPen(wxPen(*blue, 4, wxSOLID));
        dc->DrawRectangle(15, 15, 50, 50);
        """

```

```

inline(code, ['dc', 'red', 'blue', 'grey_brush'])

dc.SetFont(wxFont(14, wxSWISS, wxNORMAL, wxNORMAL))
dc.SetTextForeground(wxColour(0xFF, 0x20, 0xFF))
te = dc.GetTextExtent("Hello World")
dc.DrawText("Hello World", 60, 65)

dc.SetPen(wxPen(wxNamedColour('VIOLET'), 4))
dc.DrawLine(5, 65+te[1], 60+te[0], 65+te[1])
...

```

Here, some of the Python calls to wx objects were just converted to C++ calls. There isn't any benefit, it just demonstrates the capabilities. You might want to use this if you have a computationally intensive loop in your drawing code that you want to speed up. On windows, you'll have to use the MSVC compiler if you use the standard wxPython DLLs distributed by Robin Dunn. That's because MSVC and gcc, while binary compatible in C, are not binary compatible for C++. In fact, it's probably best, no matter what platform you're on, to specify that `inline` use the same compiler that was used to build wxPython to be on the safe side. There isn't currently a way to learn this info from the library – you just have to know. Also, at least on the windows platform, you'll need to install the wxWindows libraries and link to them. I think there is a way around this, but I haven't found it yet – I get some linking errors dealing with wxString. One final note. You'll probably have to tweak `weave/wx_spec.py` or `weave/wx_info.py` for your machine's configuration to point at the correct directories etc. There. That should sufficiently scare people into not even looking at this... :)

Keyword Option

The basic definition of the `inline()` function has a slew of optional variables. It also takes keyword arguments that are passed to `distutils` as compiler options. The following is a formatted cut/paste of the argument section of `inline`'s doc-string. It explains all of the variables. Some examples using various options will follow.

```

def inline(code, arg_names, local_dict = None, global_dict = None,
           force = 0,
           compiler='',
           verbose = 0,
           support_code = None,
           customize=None,
           type_factories = None,
           auto_downcast=1,
           **kw):

```

`inline` has quite a few options as listed below. Also, the keyword arguments for `distutils` extension modules are accepted to specify extra information needed for compiling.

Inline Arguments

code string. A string of valid C++ code. It should not specify a return statement. Instead it should assign results that need to be returned to Python in the `return_val`. `arg_names` list of strings. A list of Python variable names that should be transferred from Python into the C/C++ code. `local_dict` optional. dictionary. If specified, it is a dictionary of values that should be used as the local scope for the C/C++ code. If `local_dict` is not specified the local dictionary of the calling function is used. `global_dict` optional. dictionary. If specified, it is a dictionary of values that should be used as the global scope for the C/C++ code. If `global_dict` is not specified the global dictionary of the calling function is used. `force` optional. 0 or 1. default 0. If 1, the C++ code is compiled every time `inline` is called. This is really only useful for debugging, and probably only useful if you're editing `support_code` a lot. `compiler` optional. string. The name of compiler to use when compiling. On windows, it understands 'msvc' and 'gcc' as well as all the compiler names understood by `distutils`. On Unix, it'll only understand the values understood by `distutils`. (I should add 'gcc' though to this).

On windows, the compiler defaults to the Microsoft C++ compiler. If this isn't available, it looks for mingw32 (the gcc compiler).

On Unix, it'll probably use the same compiler that was used when compiling Python. Cygwin's behavior should be similar.

verbose optional. 0,1, or 2. default 0. Specifies how much information is printed during the compile phase of inlining code. 0 is silent (except on windows with msvc where it still prints some garbage). 1 informs you when compiling starts, finishes, and how long it took. 2 prints out the command lines for the compilation process and can be useful if you're having problems getting code to work. Its handy for finding the name of the .cpp file if you need to examine it. verbose has no affect if the compilation isn't necessary. support_code optional. string. A string of valid C++ code declaring extra code that might be needed by your compiled function. This could be declarations of functions, classes, or structures. customize optional. base_info.custom_info object. An alternative way to specify support_code, headers, etc. needed by the function see the weave.base_info module for more details. (not sure this'll be used much). type_factories optional. list of type specification factories. These guys are what convert Python data types to C/C++ data types. If you'd like to use a different set of type conversions than the default, specify them here. Look in the type conversions section of the main documentation for examples. auto_downcast optional. 0 or 1. default 1. This only affects functions that have Numeric arrays as input variables. Setting this to 1 will cause all floating point values to be cast as float instead of double if all the NumPy arrays are of type float. If even one of the arrays has type double or double complex, all variables maintain there standard types.

Distutils keywords

`inline()` also accepts a number of `distutils` keywords for controlling how the code is compiled. The following descriptions have been copied from Greg Ward's `distutils.extension.Extension` class doc-strings for convenience: `sources` [string] list of source filenames, relative to the distribution root (where the setup script lives), in Unix form (slash-separated) for portability. Source files may be C, C++, SWIG (.i), platform-specific resource files, or whatever else is recognized by the "build_ext" command as source for a Python extension. Note: The `module_path` file is always appended to the front of this list `include_dirs` [string] list of directories to search for C/C++ header files (in Unix form for portability) `define_macros` [(name : string, value : string|None)] list of macros to define; each macro is defined using a 2-tuple, where 'value' is either the string to define it to or None to define it without a particular value (equivalent of "#define FOO" in source or -DFOO on Unix C compiler command line) `undef_macros` [string] list of macros to undefine explicitly `library_dirs` [string] list of directories to search for C/C++ libraries at link time `libraries` [string] list of library names (not filenames or paths) to link against `runtime_library_dirs` [string] list of directories to search for C/C++ libraries at run time (for shared extensions, this is when the extension is loaded) `extra_objects` [string] list of extra files to link with (eg. object files not implied by 'sources', static library that must be explicitly specified, binary resource files, etc.) `extra_compile_args` [string] any extra platform- and compiler-specific information to use when compiling the source files in 'sources'. For platforms and compilers where "command line" makes sense, this is typically a list of command-line arguments, but for other platforms it could be anything. `extra_link_args` [string] any extra platform- and compiler-specific information to use when linking object files together to create the extension (or to create a new static Python interpreter). Similar interpretation as for 'extra_compile_args'. `export_symbols` [string] list of symbols to be exported from a shared extension. Not used on all platforms, and not generally necessary for Python extensions, which typically export exactly one symbol: "init" + extension_name.

Keyword Option Examples

We'll walk through several examples here to demonstrate the behavior of `inline` and also how the various arguments are used. In the simplest (most) cases, `code` and `arg_names` are the only arguments that need to be specified. Here's a simple example run on Windows machine that has Microsoft VC++ installed.

```
>>> from weave import inline
>>> a = 'string'
>>> code = """
...     int l = a.length();
...     return_val = Py::new_reference_to(Py::Int(l));
```

```
...         """
>>> inline(code, ['a'])
    sc_86e98826b65b047ffd2cd5f479c627f12.cpp
Creating
    library C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\sc_86e98826b65b047ffd2cd5f479c627f12.lib
and object C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\sc_86e98826b65b047ffd2cd5f479c627f12.exp
6
>>> inline(code, ['a'])
6
```

When `inline` is first run, you'll notice that pause and some trash printed to the screen. The “trash” is actually part of the compilers output that distutils does not suppress. The name of the extension file, `sc_bighonkingnumber.cpp`, is generated from the md5 check sum of the C/C++ code fragment. On Unix or windows machines with only gcc installed, the trash will not appear. On the second call, the code fragment is not compiled since it already exists, and only the answer is returned. Now kill the interpreter and restart, and run the same code with a different string.

```
>>> from weave import inline
>>> a = 'a longer string'
>>> code = """
...     int l = a.length();
...     return_val = Py::new_reference_to(Py::Int(l));
...     """
>>> inline(code, ['a'])
15
```

Notice this time, `inline()` did not recompile the code because it found the compiled function in the persistent catalog of functions. There is a short pause as it looks up and loads the function, but it is much shorter than compiling would require.

You can specify the local and global dictionaries if you'd like (much like `exec` or `eval()` in Python), but if they aren't specified, the “expected” ones are used – i.e. the ones from the function that called `inline()`. This is accomplished through a little call frame trickery. Here is an example where the `local_dict` is specified using the same code example from above:

```
>>> a = 'a longer string'
>>> b = 'an even longer string'
>>> my_dict = {'a':b}
>>> inline(code, ['a'])
15
>>> inline(code, ['a'], my_dict)
21
```

Everytime, the `code` is changed, `inline` does a recompile. However, changing any of the other options in `inline` does not force a recompile. The `force` option was added so that one could force a recompile when tinkering with other variables. In practice, it is just as easy to change the `code` by a single character (like adding a space some place) to force the recompile.

Note: It also might be nice to add some methods for purging the cache and on disk catalogs.

I use `verbose` sometimes for debugging. When set to 2, it'll output all the information (including the name of the `.cpp` file) that you'd expect from running a `make` file. This is nice if you need to examine the generated code to see where things are going haywire. Note that error messages from failed compiles are printed to the screen even if `verbose` is set to 0.

The following example demonstrates using `gcc` instead of the standard `msvc` compiler on windows using same code fragment as above. Because the example has already been compiled, the `force=1` flag is needed to make `inline()`

ignore the previously compiled version and recompile using gcc. The verbose flag is added to show what is printed out:

```
>>>inline(code, ['a'], compiler='gcc', verbose=2, force=1)
running build_ext
building 'sc_86e98826b65b047ffd2cd5f479c627f13' extension
c:\gcc-2.95.2\bin\g++.exe -mno-cygwin -mdll -O2 -w -Wstrict-prototypes -IC:
\home\ej\wrk\scipy\weave -IC:\Python21\Include -c C:\DOCUME~1\eric\LOCAL
S~1\Temp\python21_compiled\sc_86e98826b65b047ffd2cd5f479c627f13.cpp
-o C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\sc_86e98826b65b047ffd2cd5f479c627f13
skipping C:\home\ej\wrk\scipy\weave\CXX\cxxextensions.c
(C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\cxxextensions.o up-to-date)
skipping C:\home\ej\wrk\scipy\weave\CXX\cxxsupport.cxx
(C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\cxxsupport.o up-to-date)
skipping C:\home\ej\wrk\scipy\weave\CXX\IndirectPythonInterface.cxx
(C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\indirectpythoninterface.o up-to-date)
skipping C:\home\ej\wrk\scipy\weave\CXX\cxx_extensions.cxx
(C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\cxx_extensions.o
up-to-date)
writing C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\sc_86e98826b65b047ffd2cd5f479c627f13
c:\gcc-2.95.2\bin\dllwrap.exe --driver-name g++ -mno-cygwin
-mdll -static --output-lib
C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\libsc_86e98826b65b047ffd2cd5f479c627f13
C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\sc_86e98826b65b047ffd2cd5f479c627f13.d
-sC:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\sc_86e98826b65b047ffd2cd5f479c627f13
C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\cxxextensions.o
C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\cxxsupport.o
C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\indirectpythoninterface.o
C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\temp\Release\cxx_extensions.o -IC:\Python21\libs
-lpython21 -o
C:\DOCUME~1\eric\LOCALS~1\Temp\python21_compiled\sc_86e98826b65b047ffd2cd5f479c627f13.pyd
15
```

That's quite a bit of output. `verbose=1` just prints the compile time.

```
>>>inline(code, ['a'], compiler='gcc', verbose=1, force=1)
Compiling code...
finished compiling (sec): 6.00800001621
15
```

Note: I've only used the `compiler` option for switching between 'msvc' and 'gcc' on windows. It may have use on Unix also, but I don't know yet.

The `support_code` argument is likely to be used a lot. It allows you to specify extra code fragments such as function, structure or class definitions that you want to use in the `code` string. Note that changes to `support_code` do *not* force a recompile. The catalog only relies on `code` (for performance reasons) to determine whether recompiling is necessary. So, if you make a change to `support_code`, you'll need to alter `code` in some way or use the `force` argument to get the code to recompile. I usually just add some innocuous whitespace to the end of one of the lines in `code` somewhere. Here's an example of defining a separate method for calculating the string length:

```
>>> from weave import inline
>>> a = 'a longer string'
>>> support_code = """
...         PyObject* length(Py::String a)
...         {
...             int l = a.length();
...             return Py::new_reference_to(Py::Int(l));
...         }
...     """
```

```
...         """
>>> inline("return_val = length(a);", ['a'],
...        support_code = support_code)
15
```

`customize` is a left over from a previous way of specifying compiler options. It is a `custom_info` object that can specify quite a bit of information about how a file is compiled. These `info` objects are the standard way of defining compile information for type conversion classes. However, I don't think they are as handy here, especially since we've exposed all the keyword arguments that `distutils` can handle. Between these keywords, and the `support_code` option, I think `customize` may be obsolete. We'll see if anyone cares to use it. If not, it'll get axed in the next version.

The `type_factories` variable is important to people who want to customize the way arguments are converted from Python to C. We'll talk about this in the next chapter `xx` of this document when we discuss type conversions.

`auto_downcast` handles one of the big type conversion issues that is common when using NumPy arrays in conjunction with Python scalar values. If you have an array of single precision values and multiply that array by a Python scalar, the result is upcast to a double precision array because the scalar value is double precision. This is not usually the desired behavior because it can double your memory usage. `auto_downcast` goes some distance towards changing the casting precedence of arrays and scalars. If your only using single precision arrays, it will automatically downcast all scalar values from double to single precision when they are passed into the C++ code. This is the default behavior. If you want all values to keep there default type, set `auto_downcast` to 0.

Returning Values

Python variables in the local and global scope transfer seamlessly from Python into the C++ snippets. And, if `inline` were to completely live up to its name, any modifications to variables in the C++ code would be reflected in the Python variables when control was passed back to Python. For example, the desired behavior would be something like:

```
# THIS DOES NOT WORK
>>> a = 1
>>> weave.inline("a++;", ['a'])
>>> a
2
```

Instead you get:

```
>>> a = 1
>>> weave.inline("a++;", ['a'])
>>> a
1
```

Variables are passed into C++ as if you are calling a Python function. Python's calling convention is sometimes called "pass by assignment". This means its as if a `c_a = a` assignment is made right before `inline` call is made and the `c_a` variable is used within the C++ code. Thus, any changes made to `c_a` are not reflected in Python's `a` variable. Things do get a little more confusing, however, when looking at variables with mutable types. Changes made in C++ to the contents of mutable types *are* reflected in the Python variables.

```
>>> a= [1,2]
>>> weave.inline("PyList_SetItem(a.ptr(),0,PyInt_FromLong(3));", ['a'])
>>> print a
[3, 2]
```

So modifications to the contents of mutable types in C++ are seen when control is returned to Python. Modifications to immutable types such as tuples, strings, and numbers do not alter the Python variables. If you need to make changes to an immutable variable, you'll need to assign the new value to the "magic" variable `return_val` in C++. This value is returned by the `inline()` function:


```
>>> a = 1
>>> a = weave.inline("return_val = Py::new_reference_to(Py::Int(a+1));", ['a'])
>>> a
2
```

The `return_val` variable can also be used to return newly created values. This is possible by returning a tuple. The following trivial example illustrates how this can be done:

```
# python version
def multi_return():
    return 1, '2nd'

# C version.
def c_multi_return():
    code = """
        py::tuple results(2);
        results[0] = 1;
        results[1] = "2nd";
        return_val = results;
    """
    return inline_tools.inline(code)
```

The example is available in `examples/tuple_return.py`. It also has the dubious honor of demonstrating how much `inline()` can slow things down. The C version here is about 7-10 times slower than the Python version. Of course, something so trivial has no reason to be written in C anyway.

The issue with `locals()` `inline` passes the `locals()` and `globals()` dictionaries from Python into the C++ function from the calling function. It extracts the variables that are used in the C++ code from these dictionaries, converts them to C++ variables, and then calculates using them. It seems like it would be trivial, then, after the calculations were finished to then insert the new values back into the `locals()` and `globals()` dictionaries so that the modified values were reflected in Python. Unfortunately, as pointed out by the Python manual, the `locals()` dictionary is not writable.

I suspect `locals()` is not writable because there are some optimizations done to speed lookups of the local namespace. I'm guessing local lookups don't always look at a dictionary to find values. Can someone "in the know" confirm or correct this? Another thing I'd like to know is whether there is a way to write to the local namespace of another stack frame from C/C++. If so, it would be possible to have some clean up code in compiled functions that wrote final values of variables in C++ back to the correct Python stack frame. I think this goes a long way toward making `inline` truly live up to its name. I don't think we'll get to the point of creating variables in Python for variables created in C – although I suppose with a C/C++ parser you could do that also.

A quick look at the code

`weave` generates a C++ file holding an extension function for each `inline` code snippet. These file names are generated using from the md5 signature of the code snippet and saved to a location specified by the `PYTHONCOMPILED` environment variable (discussed later). The `cpp` files are generally about 200-400 lines long and include quite a few functions to support type conversions, etc. However, the actual compiled function is pretty simple. Below is the familiar `printf` example:

```
>>> import weave
>>> a = 1
>>> weave.inline('printf("%d\\n", a);', ['a'])
1
```

And here is the extension function generated by `inline`:

```

static PyObject* compiled_func(PyObject*self, PyObject* args)
{
    py::object return_val;
    int exception_occured = 0;
    PyObject *py__locals = NULL;
    PyObject *py__globals = NULL;
    PyObject *py_a;
    py_a = NULL;

    if(!PyArg_ParseTuple(args, "OO:compiled_func", &py__locals, &py__globals))
        return NULL;

    try
    {
        PyObject* raw_locals = py_to_raw_dict(py__locals, "_locals");
        PyObject* raw_globals = py_to_raw_dict(py__globals, "_globals");
        /* argument conversion code */
        py_a = get_variable("a", raw_locals, raw_globals);
        int a = convert_to_int(py_a, "a");
        /* inline code */
        /* NDARRAY API VERSION 90907 */
        printf("%d\n", a); /*I would like to fill in changed locals and globals here...*/
    }
    catch(...)
    {
        return_val = py::object();
        exception_occured = 1;
    }
    /* cleanup code */
    if(!(PyObject*)return_val && !exception_occured)
    {
        return_val = Py_None;
    }
    return return_val.disown();
}

```

Every inline function takes exactly two arguments – the local and global dictionaries for the current scope. All variable values are looked up out of these dictionaries. The lookups, along with all inline code execution, are done within a C++ try block. If the variables aren't found, or there is an error converting a Python variable to the appropriate type in C++, an exception is raised. The C++ exception is automatically converted to a Python exception by SCXX and returned to Python. The `py_to_int()` function illustrates how the conversions and exception handling works. `py_to_int` first checks that the given `PyObject*` pointer is not NULL and is a Python integer. If all is well, it calls the Python API to convert the value to an `int`. Otherwise, it calls `handle_bad_type()` which gathers information about what went wrong and then raises a SCXX `TypeError` which returns to Python as a `TypeError`.

```

int py_to_int(PyObject* py_obj, char* name)
{
    if (!py_obj || !PyInt_Check(py_obj))
        handle_bad_type(py_obj, "int", name);
    return (int) PyInt_AsLong(py_obj);
}

void handle_bad_type(PyObject* py_obj, char* good_type, char* var_name)
{
    char msg[500];
    sprintf(msg, "received '%s' type instead of '%s' for variable '%s'",
            find_type(py_obj), good_type, var_name);
    throw Py::TypeError(msg);
}

```

```

char* find_type(PyObject* py_obj)
{
    if(py_obj == NULL) return "C NULL value";
    if(PyCallable_Check(py_obj)) return "callable";
    if(PyString_Check(py_obj)) return "string";
    if(PyInt_Check(py_obj)) return "int";
    if(PyFloat_Check(py_obj)) return "float";
    if(PyDict_Check(py_obj)) return "dict";
    if(PyList_Check(py_obj)) return "list";
    if(PyTuple_Check(py_obj)) return "tuple";
    if(PyFile_Check(py_obj)) return "file";
    if(PyModule_Check(py_obj)) return "module";

    //should probably do more interagation (and thinking) on these.
    if(PyCallable_Check(py_obj) && PyInstance_Check(py_obj)) return "callable";
    if(PyInstance_Check(py_obj)) return "instance";
    if(PyCallable_Check(py_obj)) return "callable";
    return "unknown type";
}

```

Since the `inline` is also executed within the `try/catch` block, you can use CXX exceptions within your code. It is usually a bad idea to directly `return` from your code, even if an error occurs. This skips the clean up section of the extension function. In this simple example, there isn't any clean up code, but in more complicated examples, there may be some reference counting that needs to be taken care of here on converted variables. To avoid this, either uses exceptions or set `return_val` to `NULL` and use `if/then's` to skip code after errors.

Technical Details

There are several main steps to using C/C++ code withing Python:

1. Type conversion
2. Generating C/C++ code
3. Compile the code to an extension module
4. Catalog (and cache) the function for future use

Items 1 and 2 above are related, but most easily discussed separately. Type conversions are customizable by the user if needed. Understanding them is pretty important for anything beyond trivial uses of `inline`. Generating the C/C++ code is handled by `ext_function` and `ext_module` classes and `.`. For the most part, compiling the code is handled by `distutils`. Some customizations were needed, but they were relatively minor and do not require changes to `distutils` itself. Cataloging is pretty simple in concept, but surprisingly required the most code to implement (and still likely needs some work). So, this section covers items 1 and 4 from the list. Item 2 is covered later in the chapter covering the `ext_tools` module, and `distutils` is covered by a completely separate document xxx.

Passing Variables in/out of the C/C++ code

Note: Passing variables into the C code is pretty straight forward, but there are subtlties to how variable modifications in C are returned to Python. see [Returning Values](#) for a more thorough discussion of this issue.

Type Conversions

Note: Maybe `xxx_converter` instead of `xxx_specification` is a more descriptive name. Might change in future version?

By default, `inline()` makes the following type conversions between Python and C++ types.

Table 1.9: Default Data Type Conversions

Python	C++
int	int
float	double
complex	std::complex
string	py::string
list	py::list
dict	py::dict
tuple	py::tuple
file	FILE*
callable	py::object
instance	py::object
numpy.ndarray	PyArrayObject*
wxXXX	wxXXX*

The `Py :` namespace is defined by the `SCXX` library which has C++ class equivalents for many Python types. `std :` is the namespace of the standard library in C++.

Note:

- I haven't figured out how to handle `long int` yet (I think they are currently converted to `int` - - check this).
 - Hopefully VTK will be added to the list soon
-

Python to C++ conversions fill in code in several locations in the generated `inline` extension function. Below is the basic template for the function. This is actually the exact code that is generated by calling `weave.inline("")`.

The `/* inline code */` section is filled with the code passed to the `inline()` function call. The `/*argument conversion code*/` and `/* cleanup code */` sections are filled with code that handles conversion from Python to C++ types and code that deallocates memory or manipulates reference counts before the function returns. The following sections demonstrate how these two areas are filled in by the default conversion methods. * Note: I'm not sure I have reference counting correct on a few of these. The only thing I increase/decrease the ref count on is NumPy arrays. If you see an issue, please let me know.

NumPy Argument Conversion

Integer, floating point, and complex arguments are handled in a very similar fashion. Consider the following inline function that has a single integer variable passed in:

```
>>> a = 1
>>> inline("", ['a'])
```

The argument conversion code inserted for `a` is:

```
/* argument conversion code */
int a = py_to_int (get_variable("a",raw_locals,raw_globals),"a");
```

`get_variable()` reads the variable `a` from the local and global namespaces. `py_to_int()` has the following form:

```
static int py_to_int(PyObject* py_obj, char* name)
{
    if (!py_obj || !PyInt_Check(py_obj))
        handle_bad_type(py_obj, "int", name);
    return (int) PyInt_AsLong(py_obj);
}
```

Similarly, the float and complex conversion routines look like:

```
static double py_to_float(PyObject* py_obj, char* name)
{
    if (!py_obj || !PyFloat_Check(py_obj))
        handle_bad_type(py_obj, "float", name);
    return PyFloat_AsDouble(py_obj);
}

static std::complex py_to_complex(PyObject* py_obj, char* name)
{
    if (!py_obj || !PyComplex_Check(py_obj))
        handle_bad_type(py_obj, "complex", name);
    return std::complex(PyComplex_RealAsDouble(py_obj),
                       PyComplex_ImagAsDouble(py_obj));
}
```

NumPy conversions do not require any clean up code.

String, List, Tuple, and Dictionary Conversion

Strings, Lists, Tuples and Dictionary conversions are all converted to SCXX types by default. For the following code,

```
>>> a = [1]
>>> inline("", ['a'])
```

The argument conversion code inserted for a is:

```
/* argument conversion code */
Py::List a = py_to_list(get_variable("a", raw_locals, raw_globals), "a");
```

`get_variable()` reads the variable `a` from the local and global namespaces. `py_to_list()` and its friends has the following form:

```
static Py::List py_to_list(PyObject* py_obj, char* name)
{
    if (!py_obj || !PyList_Check(py_obj))
        handle_bad_type(py_obj, "list", name);
    return Py::List(py_obj);
}

static Py::String py_to_string(PyObject* py_obj, char* name)
{
    if (!PyString_Check(py_obj))
        handle_bad_type(py_obj, "string", name);
    return Py::String(py_obj);
}

static Py::Dict py_to_dict(PyObject* py_obj, char* name)
{
    if (!py_obj || !PyDict_Check(py_obj))
        handle_bad_type(py_obj, "dict", name);
    return Py::Dict(py_obj);
}
```

```

}

static PyObject* py_to_tuple(PyObject* py_obj, char* name)
{
    if (!py_obj || !PyTuple_Check(py_obj))
        handle_bad_type(py_obj, "tuple", name);
    return Py::Tuple(py_obj);
}

```

SCXX handles reference counts on for strings, lists, tuples, and dictionaries, so clean up code isn't necessary.

File Conversion

For the following code,

```

>>> a = open("bob", 'w')
>>> inline("", ['a'])

```

The argument conversion code is:

```

/* argument conversion code */
PyObject* py_a = get_variable("a", raw_locals, raw_globals);
FILE* a = py_to_file(py_a, "a");

```

`get_variable()` reads the variable `a` from the local and global namespaces. `py_to_file()` converts `PyObject*` to a `FILE*` and increments the reference count of the `PyObject*`:

```

FILE* py_to_file(PyObject* py_obj, char* name)
{
    if (!py_obj || !PyFile_Check(py_obj))
        handle_bad_type(py_obj, "file", name);

    Py_INCREF(py_obj);
    return PyFile_AsFile(py_obj);
}

```

Because the `PyObject*` was incremented, the clean up code needs to decrement the counter

```

/* cleanup code */
Py_XDECREF(py_a);

```

Its important to understand that file conversion only works on actual files – i.e. ones created using the `open()` command in Python. It does not support converting arbitrary objects that support the file interface into C `FILE*` pointers. This can affect many things. For example, in initial `printf()` examples, one might be tempted to solve the problem of C and Python IDE's (PythonWin, PyCrust, etc.) writing to different stdout and stderr by using `fprintf()` and passing in `sys.stdout` and `sys.stderr`. For example, instead of

```

>>> weave.inline('printf("hello\n");')

```

You might try:

```

>>> buf = sys.stdout
>>> weave.inline('fprintf(buf, "hello\n");', ['buf'])

```

This will work as expected from a standard python interpreter, but in PythonWin, the following occurs:

```

>>> buf = sys.stdout
>>> weave.inline('fprintf(buf, "hello\n");', ['buf'])

```

The traceback tells us that `inline()` was unable to convert ‘buf’ to a C++ type (If instance conversion was implemented, the error would have occurred at runtime instead). Why is this? Let’s look at what the `buf` object really is:

```
>>> buf
pywin.framework.interact.InteractiveView instance at 00EAD014
```

PythonWin has reassigned `sys.stdout` to a special object that implements the Python file interface. This works great in Python, but since the special object doesn’t have a `FILE*` pointer underlying it, `fprintf` doesn’t know what to do with it (well this will be the problem when instance conversion is implemented...).

Callable, Instance, and Module Conversion

Note: Need to look into how ref counts should be handled. Also, Instance and Module conversion are not currently implemented.

```
>>> def a():
    pass
>>> inline("", ['a'])
```

Callable and instance variables are converted to `PyObject*`. Nothing is done to their reference counts.

```
/* argument conversion code */
PyObject* a = py_to_callable(get_variable("a", raw_locals, raw_globals), "a");
```

`get_variable()` reads the variable `a` from the local and global namespaces. The `py_to_callable()` and `py_to_instance()` don’t currently increment the ref count.

```
PyObject* py_to_callable(PyObject* py_obj, char* name)
{
    if (!py_obj || !PyCallable_Check(py_obj))
        handle_bad_type(py_obj, "callable", name);
    return py_obj;
}
```

```
PyObject* py_to_instance(PyObject* py_obj, char* name)
{
    if (!py_obj || !PyFile_Check(py_obj))
        handle_bad_type(py_obj, "instance", name);
    return py_obj;
}
```

There is no cleanup code for callables, modules, or instances.

Customizing Conversions

Converting from Python to C++ types is handled by `xxx_specification` classes. A type specification class actually serves in two related but different roles. The first is in determining whether a Python variable that needs to be converted should be represented by the given class. The second is as a code generator that generates C++ code needed to convert from Python to C++ types for a specific variable.

When

```
>>> a = 1
>>> weave.inline('printf("%d", a);', ['a'])
```

is called for the first time, the code snippet has to be compiled. In this process, the variable ‘a’ is tested against a list of type specifications (the default list is stored in `weave/ext_tools.py`). The *first* specification in the list is used to represent the variable.

Examples of `xxx_specification` are scattered throughout numerous “`xxx_spec.py`” files in the `weave` package. Closely related to the `xxx_specification` classes are `yyy_info` classes. These classes contain compiler, header, and support code information necessary for including a certain set of capabilities (such as `blitz++` or `CXX` support) in a compiled module. `xxx_specification` classes have one or more `yyy_info` classes associated with them. If you’d like to define your own set of type specifications, the current best route is to examine some of the existing spec and info files. Maybe looking over `sequence_spec.py` and `cxx_info.py` are a good place to start. After defining specification classes, you’ll need to pass them into `inline` using the `type_factories` argument. A lot of times you may just want to change how a specific variable type is represented. Say you’d rather have Python strings converted to `std::string` or maybe `char*` instead of using the `CXX` string object, but would like all other type conversions to have default behavior. This requires that a new specification class that handles strings is written and then prepended to a list of the default type specifications. Since it is closer to the front of the list, it effectively overrides the default string specification. The following code demonstrates how this is done: ...

The Catalog

`catalog.py` has a class called `catalog` that helps keep track of previously compiled functions. This prevents `inline()` and related functions from having to compile functions everytime they are called. Instead, `catalog` will check an in memory cache to see if the function has already been loaded into python. If it hasn’t, then it starts searching through persisent catalogs on disk to see if it finds an entry for the given function. By saving information about compiled functions to disk, it isn’t necessary to re-compile functions everytime you stop and restart the interpreter. Functions are compiled once and stored for future use.

When `inline(cpp_code)` is called the following things happen:

1. A fast local cache of functions is checked for the last function called for `cpp_code`. If an entry for `cpp_code` doesn’t exist in the cache or the cached function call fails (perhaps because the function doesn’t have compatible types) then the next step is to check the catalog.
2. The catalog class also keeps an in-memory cache with a list of all the functions compiled for `cpp_code`. If `cpp_code` has ever been called, then this cache will be present (loaded from disk). If the cache isn’t present, then it is loaded from disk.

If the cache is present, each function in the cache is called until one is found that was compiled for the correct argument types. If none of the functions work, a new function is compiled with the given argument types. This function is written to the on-disk catalog as well as into the in-memory cache.

3. When a lookup for `cpp_code` fails, the catalog looks through the on-disk function catalogs for the entries. The `PYTHONCOMPILED` variable determines where to search for these catalogs and in what order. If `PYTHONCOMPILED` is not present several platform dependent locations are searched. All functions found for `cpp_code` in the path are loaded into the in-memory cache with functions found earlier in the search path closer to the front of the call list.

If the function isn’t found in the on-disk catalog, then the function is compiled, written to the first writable directory in the `PYTHONCOMPILED` path, and also loaded into the in-memory cache.

Function Storage

Function caches are stored as dictionaries where the key is the entire C++ code string and the value is either a single function (as in the “level 1” cache) or a list of functions (as in the main catalog cache). On disk catalogs are stored in the same manor using standard Python shelves.

Early on, there was a question as to whether md5 check sums of the C++ code strings should be used instead of the actual code strings. I think this is the route `inline` Perl took. Some (admittedly quick) tests of the md5 vs. the entire string showed that using the entire string was at least a factor of 3 or 4 faster for Python. I think this is because it is more time consuming to compute the md5 value than it is to do look-ups of long strings in the dictionary. Look at the `examples/md5_speed.py` file for the test run.

Catalog search paths and the PYTHONCOMPILED variable

The default location for catalog files on Unix is `~/pythonXX_compiled` where XX is version of Python being used. If this directory doesn't exist, it is created the first time a catalog is used. The directory must be writable. If, for any reason it isn't, then the catalog attempts to create a directory based on your user id in the `/tmp` directory. The directory permissions are set so that only you have access to the directory. If this fails, I think you're out of luck. I don't think either of these should ever fail though. On Windows, a directory called `pythonXX_compiled` is created in the user's temporary directory.

The actual catalog file that lives in this directory is a Python shelve with a platform specific name such as `"nt21compiled_catalog"` so that multiple OSes can share the same file systems without trampling on each other. Along with the catalog file, the `.cpp` and `.so` or `.pyd` files created by inline will live in this directory. The catalog file simply contains keys which are the C++ code strings with values that are lists of functions. The function lists point at functions within these compiled modules. Each function in the lists executes the same C++ code string, but compiled for different input variables.

You can use the `PYTHONCOMPILED` environment variable to specify alternative locations for compiled functions. On Unix this is a colon (':') separated list of directories. On windows, it is a (';') separated list of directories. These directories will be searched prior to the default directory for a compiled function catalog. Also, the first writable directory in the list is where all new compiled function catalogs, `.cpp` and `.so` or `.pyd` files are written. Relative directory paths ('.' and '..') should work fine in the `PYTHONCOMPILED` variable as should environment variables.

There is a "special" path variable called `MODULE` that can be placed in the `PYTHONCOMPILED` variable. It specifies that the compiled catalog should reside in the same directory as the module that called it. This is useful if an admin wants to build a lot of compiled functions during the build of a package and then install them in site-packages along with the package. User's who specify `MODULE` in their `PYTHONCOMPILED` variable will have access to these compiled functions. Note, however, that if they call the function with a set of argument types that it hasn't previously been built for, the new function will be stored in their default directory (or some other writable directory in the `PYTHONCOMPILED` path) because the user will not have write access to the site-packages directory.

An example of using the `PYTHONCOMPILED` path on bash follows:

```
PYTHONCOMPILED=MODULE:/some/path;export PYTHONCOMPILED;
```

If you are using `python21` on linux, and the module `bob.py` in site-packages has a compiled function in it, then the catalog search order when calling that function for the first time in a python session would be:

```
/usr/lib/python21/site-packages/linuxpython_compiled
/some/path/linuxpython_compiled
~/python21_compiled/linuxpython_compiled
```

The default location is always included in the search path.

Note: hmmm. see a possible problem here. I should probably make a sub- directory such as `/usr/lib/python21/site-packages/python21_compiled/linuxpython_compiled` so that library files compiled with `python21` are tried to link with `python22` files in some strange scenarios. Need to check this.

The in-module cache (in `weave.inline_tools` reduces the overhead of calling inline functions by about a factor of 2. It can be reduced a little more for type loop calls where the same function is called over and over again if the cache was a single value instead of a dictionary, but the benefit is very small (less than 5%) and the utility is quite a bit less. So, we'll stick with a dictionary as the cache.

1.16.8 Blitz

Note: most of this section is lifted from old documentation. It should be pretty accurate, but there may be a few discrepancies.

`weave.blitz()` compiles NumPy Python expressions for fast execution. For most applications, compiled expressions should provide a factor of 2-10 speed-up over NumPy arrays. Using compiled expressions is meant to be as unobtrusive as possible and works much like Python's `exec` statement. As an example, the following code fragment takes a 5 point average of the 512x512 2d image, `b`, and stores it in array, `a`:

```
from scipy import * # or from NumPy import *
a = ones((512,512), Float64)
b = ones((512,512), Float64)
# ...do some stuff to fill in b...
# now average
a[1:-1,1:-1] = (b[1:-1,1:-1] + b[2:,1:-1] + b[:-2,1:-1] \
               + b[1:-1,2:] + b[1:-1,:-2]) / 5.
```

To compile the expression, convert the expression to a string by putting quotes around it and then use `weave.blitz`:

```
import weave
expr = "a[1:-1,1:-1] = (b[1:-1,1:-1] + b[2:,1:-1] + b[:-2,1:-1] \
                    "+ b[1:-1,2:] + b[1:-1,:-2]) / 5."
weave.blitz(expr)
```

The first time `weave.blitz` is run for a given expression and set of arguments, C++ code that accomplishes the exact same task as the Python expression is generated and compiled to an extension module. This can take up to a couple of minutes depending on the complexity of the function. Subsequent calls to the function are very fast. Further, the generated module is saved between program executions so that the compilation is only done once for a given expression and associated set of array types. If the given expression is executed with a new set of array types, the code must be compiled again. This does not overwrite the previously compiled function – both of them are saved and available for execution.

The following table compares the run times for standard NumPy code and compiled code for the 5 point averaging.

Method	Run Time (seconds)
Standard NumPy	0.46349
blitz (1st time compiling)	78.95526
blitz (subsequent calls)	0.05843 (factor of 8 speedup)

These numbers are for a 512x512 double precision image run on a 400 MHz Celeron processor under RedHat Linux 6.2.

Because of the slow compile times, it's probably most effective to develop algorithms as you usually do using the capabilities of `scipy` or the NumPy module. Once the algorithm is perfected, put quotes around it and execute it using `weave.blitz`. This provides the standard rapid prototyping strengths of Python and results in algorithms that run close to that of hand coded C or Fortran.

Requirements

Currently, the `weave.blitz` has only been tested under Linux with `gcc-2.95-3` and on Windows with `Mingw32 (2.95.2)`. Its compiler requirements are pretty heavy duty (see the [blitz++ home page](#)), so it won't work with just any compiler. Particularly `MSVC++` isn't up to snuff. A number of other compilers such as `KAI++` will also work, but my suspicions are that `gcc` will get the most use.

Limitations

1. Currently, `weave.blitz` handles all standard mathematic operators except for the `**` power operator. The built-in trigonometric, `log`, `floor/ceil`, and `fabs` functions might work (but haven't been tested). It also handles all types of array indexing supported by the NumPy module. `numarray`'s NumPy compatible array indexing modes are likewise supported, but `numarray`'s enhanced (array based) indexing modes are not supported.

`weave.blitz` does not currently support operations that use array broadcasting, nor have any of the special purpose functions in NumPy such as `take`, `compress`, etc. been implemented. Note that there are no obvious reasons why most of this functionality cannot be added to `scipy.weave`, so it will likely trickle into future versions. Using `slice()` objects directly instead of `start:stop:step` is also not supported.

2. Currently Python only works on expressions that include assignment such as

```
>>> result = b + c + d
```

This means that the result array must exist before calling `weave.blitz`. Future versions will allow the following:

```
>>> result = weave.blitz_eval("b + c + d")
```

3. `weave.blitz` works best when algorithms can be expressed in a “vectorized” form. Algorithms that have a large number of if/thens and other conditions are better hand written in C or Fortran. Further, the restrictions imposed by requiring vectorized expressions sometimes preclude the use of more efficient data structures or algorithms. For maximum speed in these cases, hand-coded C or Fortran code is the only way to go.
4. `weave.blitz` can produce different results than NumPy in certain situations. It can happen when the array receiving the results of a calculation is also used during the calculation. The NumPy behavior is to carry out the entire calculation on the right hand side of an equation and store it in a temporary array. This temporary array is assigned to the array on the left hand side of the equation. `blitz`, on the other hand, does a “running” calculation of the array elements assigning values from the right hand side to the elements on the left hand side immediately after they are calculated. Here is an example, provided by Prabhu Ramachandran, where this happens:

```
# 4 point average.
>>> expr = "u[1:-1, 1:-1] = (u[0:-2, 1:-1] + u[2:, 1:-1] + \
...          "u[1:-1,0:-2] + u[1:-1, 2:])*0.25"
>>> u = zeros((5, 5), 'd'); u[0,:] = 100
>>> exec (expr)
>>> u
array([[ 100.,  100.,  100.,  100.,  100.],
       [   0.,   25.,   25.,   25.,   0.],
       [   0.,   0.,   0.,   0.,   0.],
       [   0.,   0.,   0.,   0.,   0.],
       [   0.,   0.,   0.,   0.,   0.]])

>>> u = zeros((5, 5), 'd'); u[0,:] = 100
>>> weave.blitz (expr)
>>> u
array([[ 100. ,  100. ,  100. ,  100. ,  100. ],
       [   0. ,  25. ,  31.25 ,  32.8125 ,  0. ],
       [   0. ,  6.25 ,  9.375 ,  10.546875 ,  0. ],
       [   0. ,  1.5625 ,  2.734375 ,  3.3203125,  0. ],
       [   0. ,  0. ,  0. ,  0. ,  0. ]])
```

You can prevent this behavior by using a temporary array.

```
>>> u = zeros((5, 5), 'd'); u[0,:] = 100
>>> temp = zeros((4, 4), 'd');
>>> expr = "temp = (u[0:-2, 1:-1] + u[2:, 1:-1] + \"
...        \"u[1:-1,0:-2] + u[1:-1, 2:])*0.25;\"
...        \"u[1:-1,1:-1] = temp"
>>> weave.blitz (expr)
>>> u
array([[ 100.,  100.,  100.,  100.,  100.],
       [   0.,  25.,  25.,  25.,   0.],
       [   0.,   0.,   0.,   0.,   0.]])
```

```
[ 0., 0., 0., 0., 0.],  
[ 0., 0., 0., 0., 0.]])
```

5. One other point deserves mention lest people be confused. `weave.blitz` is not a general purpose Python->C compiler. It only works for expressions that contain NumPy arrays and/or Python scalar values. This focused scope concentrates effort on the computationally intensive regions of the program and sidesteps the difficult issues associated with a general purpose Python->C compiler.

NumPy efficiency issues: What compilation buys you

Some might wonder why compiling NumPy expressions to C++ is beneficial since operations on NumPy array operations are already executed within C loops. The problem is that anything other than the simplest expression are executed in less than optimal fashion. Consider the following NumPy expression:

```
a = 1.2 * b + c * d
```

When NumPy calculates the value for the 2d array, `a`, it does the following steps:

```
temp1 = 1.2 * b  
temp2 = c * d  
a = temp1 + temp2
```

Two things to note. Since `c` is an (perhaps large) array, a large temporary array must be created to store the results of `1.2 * b`. The same is true for `temp2`. Allocation is slow. The second thing is that we have 3 loops executing, one to calculate `temp1`, one for `temp2` and one for adding them up. A C loop for the same problem might look like:

```
for(int i = 0; i < M; i++)  
    for(int j = 0; j < N; j++)  
        a[i,j] = 1.2 * b[i,j] + c[i,j] * d[i,j]
```

Here, the 3 loops have been fused into a single loop and there is no longer a need for a temporary array. This provides a significant speed improvement over the above example (write me and tell me what you get).

So, converting NumPy expressions into C/C++ loops that fuse the loops and eliminate temporary arrays can provide big gains. The goal then, is to convert NumPy expression to C/C++ loops, compile them in an extension module, and then call the compiled extension function. The good news is that there is an obvious correspondence between the NumPy expression above and the C loop. The bad news is that NumPy is generally much more powerful than this simple example illustrates and handling all possible indexing possibilities results in loops that are less than straight forward to write. (take a peak in NumPy for confirmation). Luckily, there are several available tools that simplify the process.

The Tools

`weave.blitz` relies heavily on several remarkable tools. On the Python side, the main facilitators are Jerney Hylton's parser module and Travis Oliphant's NumPy module. On the compiled language side, Todd Veldhuizen's `blitz++` array library, written in C++ (shhhh. don't tell David Beazley), does the heavy lifting. Don't assume that, because it's C++, it's much slower than C or Fortran. `Blitz++` uses a jaw dropping array of template techniques (metaprogramming, template expression, etc) to convert innocent looking and readable C++ expressions into to code that usually executes within a few percentage points of Fortran code for the same problem. This is good. Unfortunately all the template raz-ma-taz is very expensive to compile, so the 200 line extension modules often take 2 or more minutes to compile. This isn't so good. `weave.blitz` works to minimize this issue by remembering where compiled modules live and reusing them instead of re-compiling every time a program is re-run.

Parser

Tearing NumPy expressions apart, examining the pieces, and then rebuilding them as C++ (blitz) expressions requires a parser of some sort. I can imagine someone attacking this problem with regular expressions, but it'd likely be ugly and fragile. Amazingly, Python solves this problem for us. It actually exposes its parsing engine to the world through the `parser` module. The following fragment creates an Abstract Syntax Tree (AST) object for the expression and then converts to a (rather unpleasant looking) deeply nested list representation of the tree.

```
>>> import parser
>>> import scipy.weave.misc
>>> ast = parser.suite("a = b * c + d")
>>> ast_list = ast.tolist()
>>> sym_list = scipy.weave.misc.translate_symbols(ast_list)
>>> pprint.pprint(sym_list)
['file_input',
 ['stmt',
  ['simple_stmt',
   ['small_stmt',
    ['expr_stmt',
     ['testlist',
      ['test',
       ['and_test',
        ['not_test',
         ['comparison',
          ['expr',
           ['xor_expr',
            ['and_expr',
             ['shift_expr',
              ['arith_expr',
               ['term',
                ['factor', ['power', ['atom', ['NAME', 'a']]]]]]]]]]]]]],
 ['EQUAL', '='],
 ['testlist',
  ['test',
   ['and_test',
    ['not_test',
     ['comparison',
      ['expr',
       ['xor_expr',
        ['and_expr',
         ['shift_expr',
          ['arith_expr',
           ['term',
            ['factor', ['power', ['atom', ['NAME', 'b']]]],
            ['STAR', '*'],
            ['factor', ['power', ['atom', ['NAME', 'c']]]]]],
            ['PLUS', '+'],
            ['term',
             ['factor', ['power', ['atom', ['NAME', 'd']]]]]]]]]]]]]],
 ['NEWLINE', '\n']],
 ['ENDMARKER', '']]
```

Despite its looks, with some tools developed by Jerney H., its possible to search these trees for specific patterns (sub-trees), extract the sub-tree, manipulate them converting python specific code fragments to blitz code fragments, and then re-insert it in the parse tree. The parser module documentation has some details on how to do this. Traversing the new blitzified tree, writing out the terminal symbols as you go, creates our new blitz++ expression string.

Blitz and NumPy

The other nice discovery in the project is that the data structure used for NumPy arrays and blitz arrays is nearly identical. NumPy stores “strides” as byte offsets and blitz stores them as element offsets, but other than that, they are the same. Further, most of the concept and capabilities of the two libraries are remarkably similar. It is satisfying that two completely different implementations solved the problem with similar basic architectures. It is also fortuitous. The work involved in converting NumPy expressions to blitz expressions was greatly diminished. As an example, consider the code for slicing an array in Python with a stride:

```
>>> a = b[0:4:2] + c
>>> a
[0, 2, 4]
```

In Blitz it is as follows:

```
Array<2,int> b(10);
Array<2,int> c(3);
// ...
Array<2,int> a = b(Range(0,3,2)) + c;
```

Here the range object works exactly like Python slice objects with the exception that the top index (3) is inclusive where as Python’s (4) is exclusive. Other differences include the type declarations in C++ and parentheses instead of brackets for indexing arrays. Currently, `weave.blitz` handles the inclusive/exclusive issue by subtracting one from upper indices during the translation. An alternative that is likely more robust/maintainable in the long run, is to write a `PyRange` class that behaves like Python’s range. This is likely very easy.

The stock blitz also doesn’t handle negative indices in ranges. The current implementation of the `blitz()` has a partial solution to this problem. It calculates an index that starts with a ‘-’ sign by subtracting it from the maximum index in the array so that:

```
upper index limit
/-----\
b[:-1] -> b(Range(0,Nb[0]-1-1))
```

This approach fails, however, when the top index is calculated from other values. In the following scenario, if `i+j` evaluates to a negative value, the compiled code will produce incorrect results and could even core-dump. Right now, all calculated indices are assumed to be positive.

```
b[:i-j] -> b(Range(0,i+j))
```

A solution is to calculate all indices up front using if/then to handle the +/- cases. This is a little work and results in more code, so it hasn’t been done. I’m holding out to see if blitz++ can be modified to handle negative indexing, but haven’t looked into how much effort is involved yet. While it needs fixin’, I don’t think there is a ton of code where this is an issue.

The actual translation of the Python expressions to blitz expressions is currently a two part process. First, all `x:y:z` slicing expressions are removed from the AST, converted to `slice(x,y,z)` and re-inserted into the tree. Any math needed on these expressions (subtracting from the maximum index, etc.) are also preformed here. `_beg` and `_end` are used as special variables that are defined as `blitz::fromBegin` and `blitz::toEnd`.

```
a[i+j:i+j+1,:] = b[2:3,:]
```

becomes a more verbose:

```
a[slice(i+j,i+j+1),slice(_beg,_end)] = b[slice(2,3),slice(_beg,_end)]
```

The second part does a simple string search/replace to convert to a blitz expression with the following translations:

```
slice(_beg,_end) -> _all # not strictly needed, but cuts down on code.
slice            -> blitz::Range
```

```
[           -> (
]           -> )
_stp       -> 1
```

`_all` is defined in the compiled function as `blitz::Range.all()`. These translations could of course happen directly in the syntax tree. But the string replacement is slightly easier. Note that name spaces are maintained in the C++ code to lessen the likelihood of name clashes. Currently no effort is made to detect name clashes. A good rule of thumb is don't use values that start with `'_'` or `'py_'` in compiled expressions and you'll be fine.

Type definitions and coercion

So far we've glossed over the dynamic vs. static typing issue between Python and C++. In Python, the type of value that a variable holds can change through the course of program execution. C/C++, on the other hand, forces you to declare the type of value a variables will hold prior at compile time. `weave.blitz` handles this issue by examining the types of the variables in the expression being executed, and compiling a function for those explicit types. For example:

```
a = ones((5,5),Float32)
b = ones((5,5),Float32)
weave.blitz("a = a + b")
```

When compiling this expression to C++, `weave.blitz` sees that the values for `a` and `b` in the local scope have type `Float32`, or `'float'` on a 32 bit architecture. As a result, it compiles the function using the float type (no attempt has been made to deal with 64 bit issues).

What happens if you call a compiled function with array types that are different than the ones for which it was originally compiled? No biggie, you'll just have to wait on it to compile a new version for your new types. This doesn't overwrite the old functions, as they are still accessible. See the catalog section in the `inline()` documentation to see how this is handled. Suffice to say, the mechanism is transparent to the user and behaves like dynamic typing with the occasional wait for compiling newly typed functions.

When working with combined scalar/array operations, the type of the array is *always* used. This is similar to the `save-space` flag that was recently added to NumPy. This prevents issues with the following expression perhaps unexpectedly being calculated at a higher (more expensive) precision that can occur in Python:

```
>>> a = array((1,2,3),typecode = Float32)
>>> b = a * 2.1 # results in b being a Float64 array.
```

In this example,

```
>>> a = ones((5,5),Float32)
>>> b = ones((5,5),Float32)
>>> weave.blitz("b = a * 2.1")
```

the `2.1` is cast down to a `float` before carrying out the operation. If you really want to force the calculation to be a `double`, define `a` and `b` as `double` arrays.

One other point of note. Currently, you must include both the right hand side and left hand side (assignment side) of your equation in the compiled expression. Also, the array being assigned to must be created prior to calling `weave.blitz`. I'm pretty sure this is easily changed so that a `compiled_eval` expression can be defined, but no effort has been made to allocate new arrays (and discern their type) on the fly.

Cataloging Compiled Functions

See [The Catalog](#) section in the `weave.inline()` documentation.

Checking Array Sizes

Surprisingly, one of the big initial problems with compiled code was making sure all the arrays in an operation were of compatible type. The following case is trivially easy:

```
a = b + c
```

It only requires that arrays `a`, `b`, and `c` have the same shape. However, expressions like:

```
a[i+j:i+j+1,:] = b[2:3,:] + c
```

are not so trivial. Since slicing is involved, the size of the slices, not the input arrays must be checked. Broadcasting complicates things further because arrays and slices with different dimensions and shapes may be compatible for math operations (broadcasting isn't yet supported by `weave.blitz`). Reductions have a similar effect as their results are different shapes than their input operand. The binary operators in NumPy compare the shapes of their two operands just before they operate on them. This is possible because NumPy treats each operation independently. The intermediate (temporary) arrays created during sub-operations in an expression are tested for the correct shape before they are combined by another operation. Because `weave.blitz` fuses all operations into a single loop, this isn't possible. The shape comparisons must be done and guaranteed compatible before evaluating the expression.

The solution chosen converts input arrays to “dummy arrays” that only represent the dimensions of the arrays, not the data. Binary operations on dummy arrays check that input array sizes are compatible and return a dummy array with the size correct size. Evaluating an expression of dummy arrays traces the changing array sizes through all operations and fails if incompatible array sizes are ever found.

The machinery for this is housed in `weave.size_check`. It basically involves writing a new class (dummy array) and overloading its math operators to calculate the new sizes correctly. All the code is in Python and there is a fair amount of logic (mainly to handle indexing and slicing) so the operation does impose some overhead. For large arrays (ie. 50x50x50), the overhead is negligible compared to evaluating the actual expression. For small arrays (ie. 16x16), the overhead imposed for checking the shapes with this method can cause the `weave.blitz` to be slower than evaluating the expression in Python.

What can be done to reduce the overhead? (1) The size checking code could be moved into C. This would likely remove most of the overhead penalty compared to NumPy (although there is also some calling overhead), but no effort has been made to do this. (2) You can also call `weave.blitz` with `check_size=0` and the size checking isn't done. However, if the sizes aren't compatible, it can cause a core-dump. So, foregoing `size_checking` isn't advisable until your code is well debugged.

Creating the Extension Module

`weave.blitz` uses the same machinery as `weave.inline` to build the extension module. The only difference is the code included in the function is automatically generated from the NumPy array expression instead of supplied by the user.

1.16.9 Extension Modules

`weave.inline` and `weave.blitz` are high level tools that generate extension modules automatically. Under the covers, they use several classes from `weave.ext_tools` to help generate the extension module. The main two classes are `ext_module` and `ext_function` (I'd like to add `ext_class` and `ext_method` also). These classes simplify the process of generating extension modules by handling most of the “boiler plate” code automatically.

Note: `inline` actually sub-classes `weave.ext_tools.ext_function` to generate slightly different code than the standard `ext_function`. The main difference is that the standard class converts function arguments to C types, while `inline` always has two arguments, the local and global dicts, and the grabs the variables that need to be converted to C from these.

A Simple Example

The following simple example demonstrates how to build an extension module within a Python function:

```
# examples/increment_example.py
from weave import ext_tools

def build_increment_ext():
    """ Build a simple extension with functions that increment numbers.
        The extension will be built in the local directory.
    """
    mod = ext_tools.ext_module('increment_ext')

    a = 1 # effectively a type declaration for 'a' in the
          # following functions.

    ext_code = "return_val = Py::new_reference_to(Py::Int(a+1));"
    func = ext_tools.ext_function('increment', ext_code, ['a'])
    mod.add_function(func)

    ext_code = "return_val = Py::new_reference_to(Py::Int(a+2));"
    func = ext_tools.ext_function('increment_by_2', ext_code, ['a'])
    mod.add_function(func)

    mod.compile()
```

The function `build_increment_ext()` creates an extension module named `increment_ext` and compiles it to a shared library (`.so` or `.pyd`) that can be loaded into Python. `increment_ext` contains two functions, `increment` and `increment_by_2`. The first line of `build_increment_ext()`,

```
mod = ext_tools.ext_module('increment_ext')
```

creates an `ext_module` instance that is ready to have `ext_function` instances added to it. `ext_function` instances are created much with a calling convention similar to `weave.inline()`. The most common call includes a C/C++ code snippet and a list of the arguments for the function. The following

```
ext_code = "return_val = Py::new_reference_to(Py::Int(a+1));"
func = ext_tools.ext_function('increment', ext_code, ['a'])
```

creates a C/C++ extension function that is equivalent to the following Python function:

```
def increment(a):
    return a + 1
```

A second method is also added to the module and then,

```
mod.compile()
```

is called to build the extension module. By default, the module is created in the current working directory. This example is available in the `examples/increment_example.py` file found in the `weave` directory. At the bottom of the file in the module's "main" program, an attempt to import `increment_ext` without building it is made. If this fails (the module doesn't exist in the `PYTHONPATH`), the module is built by calling `build_increment_ext()`. This approach only takes the time consuming (a few seconds for this example) process of building the module if it hasn't been built before.

```
if __name__ == "__main__":
    try:
```

```

import increment_ext
except ImportError:
    build_increment_ext()
import increment_ext
a = 1
print 'a, a+1:', a, increment_ext.increment(a)
print 'a, a+2:', a, increment_ext.increment_by_2(a)

```

Note: If we were willing to always pay the penalty of building the C++ code for a module, we could store the md5 checksum of the C++ code along with some information about the compiler, platform, etc. Then, `ext_module.compile()` could try importing the module before it actually compiles it, check the md5 checksum and other meta-data in the imported module with the meta-data of the code it just produced and only compile the code if the module didn't exist or the meta-data didn't match. This would reduce the above code to:

```

if __name__ == "__main__":
    build_increment_ext()

a = 1
print 'a, a+1:', a, increment_ext.increment(a)
print 'a, a+2:', a, increment_ext.increment_by_2(a)

```

Note: There would always be the overhead of building the C++ code, but it would only actually compile the code once. You pay a little in overhead and get cleaner “import” code. Needs some thought.

If you run `increment_example.py` from the command line, you get the following:

```

[eric@n0]$ python increment_example.py
a, a+1: 1 2
a, a+2: 1 3

```

If the module didn't exist before it was run, the module is created. If it did exist, it is just imported and used.

Fibonacci Example

`examples/fibonacci.py` provides a little more complex example of how to use `ext_tools`. Fibonacci numbers are a series of numbers where each number in the series is the sum of the previous two: 1, 1, 2, 3, 5, 8, etc. Here, the first two numbers in the series are taken to be 1. One approach to calculating Fibonacci numbers uses recursive function calls. In Python, it might be written as:

```

def fib(a):
    if a <= 2:
        return 1
    else:
        return fib(a-2) + fib(a-1)

```

In C, the same function would look something like this:

```

int fib(int a)
{
    if(a <= 2)
        return 1;
    else
        return fib(a-2) + fib(a-1);
}

```

Recursion is much faster in C than in Python, so it would be beneficial to use the C version for fibonacci number calculations instead of the Python version. We need an extension function that calls this C function to do this. This is possible by including the above code snippet as “support code” and then calling it from the extension function. Support code snippets (usually structure definitions, helper functions and the like) are inserted into the extension module C/C++ file before the extension function code. Here is how to build the C version of the fibonacci number generator:

```
def build_fibonacci():
    """ Builds an extension module with fibonacci calculators.
    """
    mod = ext_tools.ext_module('fibonacci_ext')
    a = 1 # this is effectively a type declaration

    # recursive fibonacci in C
    fib_code = """
        int fib1(int a)
        {
            if(a <= 2)
                return 1;
            else
                return fib1(a-2) + fib1(a-1);
        }
    """
    ext_code = """
        int val = fib1(a);
        return_val = Py::new_reference_to(Py::Int(val));
    """
    fib = ext_tools.ext_function('fib', ext_code, ['a'])
    fib.customize.add_support_code(fib_code)
    mod.add_function(fib)

    mod.compile()
```

XXX More about custom_info, and what xxx_info instances are good for.

Note: recursion is not the fastest way to calculate fibonacci numbers, but this approach serves nicely for this example.

1.16.10 Customizing Type Conversions – Type Factories

not written

1.16.11 Things I wish weave did

It is possible to get name clashes if you uses a variable name that is already defined in a header automatically included (such as `stdio.h`). For instance, if you try to pass in a variable named `stdout`, you’ll get a cryptic error report due to the fact that `stdio.h` also defines the name. `weave` should probably try and handle this in some way. Other things...

CONTRIBUTING TO SCIPY

This document aims to give an overview of how to contribute to SciPy. It tries to answer commonly asked questions, and provide some insight into how the community process works in practice. Readers who are familiar with the SciPy community and are experienced Python coders may want to jump straight to the [git workflow](#) documentation.

2.1 Contributing new code

If you have been working with the scientific Python toolstack for a while, you probably have some code lying around of which you think “this could be useful for others too”. Perhaps it’s a good idea then to contribute it to SciPy or another open source project. The first question to ask is then, where does this code belong? That question is hard to answer here, so we start with a more specific one: *what code is suitable for putting into SciPy?* Almost all of the new code added to scipy has in common that it’s potentially useful in multiple scientific domains and it fits in the scope of existing scipy submodules. In principle new submodules can be added too, but this is far less common. For code that is specific to a single application, there may be an existing project that can use the code. Some scikits ([scikit-learn](#), [scikits-image](#), [statsmodels](#), etc.) are good examples here; they have a narrower focus and because of that more domain-specific code than SciPy.

Now if you have code that you would like to see included in SciPy, how do you go about it? After checking that your code can be distributed in SciPy under a compatible license (see FAQ for details), the first step is to discuss on the scipy-dev mailing list. All new features, as well as changes to existing code, are discussed and decided on there. You can, and probably should, already start this discussion before your code is finished.

Assuming the outcome of the discussion on the mailing list is positive and you have a function or piece of code that does what you need it to do, what next? Before code is added to SciPy, it at least has to have good documentation, unit tests and correct code style.

1. **Unit tests** In principle you should aim to create unit tests that exercise all the code that you are adding. This gives some degree of confidence that your code runs correctly, also on Python versions and hardware or OSes that you don’t have available yourself. An extensive description of how to write unit tests is given in the NumPy [testing guidelines](#).
2. **Documentation** Clear and complete documentation is essential in order for users to be able to find and understand the code. Documentation for individual functions and classes – which includes at least a basic description, type and meaning of all parameters and returns values, and usage examples in [doctest](#) format – is put in docstrings. Those docstrings can be read within the interpreter, and are compiled into a reference guide in html and pdf format. Higher-level documentation for key (areas of) functionality is provided in tutorial format and/or in module docstrings. A guide on how to write documentation is given in [how to document](#).
3. **Code style** Uniformity of style in which code is written is important to others trying to understand the code. SciPy follows the standard Python guidelines for code style, [PEP8](#). In order to check that your

code conforms to PEP8, you can use the [pep8 package](#) style checker. Most IDEs and text editors have settings that can help you follow PEP8, for example by translating tabs by four spaces. Using [pyflakes](#) to check your code is also a good idea.

At the end of this document a checklist is given that may help to check if your code fulfills all requirements for inclusion in SciPy.

Another question you may have is: *where exactly do I put my code?* To answer this, it is useful to understand how the SciPy public API (application programming interface) is defined. For most modules the API is two levels deep, which means your new function should appear as `scipy.submodule.my_new_func`. `my_new_func` can be put in an existing or new file under `/scipy/<submodule>/`, its name is added to the `__all__` list in that file (which lists all public functions in the file), and those public functions are then imported in `/scipy/<submodule>/__init__.py`. Any private functions/classes should have a leading underscore (`_`) in their name. A more detailed description of what the public API of SciPy is, is given in [SciPy API](#).

Once you think your code is ready for inclusion in SciPy, you can send a pull request (PR) on Github. We won't go into the details of how to work with git here, this is described well in the [git workflow](#) section of the NumPy documentation and in the Github help pages. When you send the PR for a new feature, be sure to also mention this on the `scipy-dev` mailing list. This can prompt interested people to help review your PR. Assuming that you already got positive feedback before on the general idea of your code/feature, the purpose of the code review is to ensure that the code is correct, efficient and meets the requirements outlined above. In many cases the code review happens relatively quickly, but it's possible that it stalls. If you have addressed all feedback already given, it's perfectly fine to ask on the mailing list again for review (after a reasonable amount of time, say a couple of weeks, has passed). Once the review is completed, the PR is merged into the "master" branch of SciPy.

The above describes the requirements and process for adding code to SciPy. It doesn't yet answer the question though how decisions are made exactly. The basic answer is: decisions are made by consensus, by everyone who chooses to participate in the discussion on the mailing list. This includes developers, other users and yourself. Aiming for consensus in the discussion is important – SciPy is a project by and for the scientific Python community. In those rare cases that agreement cannot be reached, the [maintainers](#) of the module in question can decide the issue.

2.2 Contributing by helping maintain existing code

The previous section talked specifically about adding new functionality to SciPy. A large part of that discussion also applies to maintenance of existing code. Maintenance means fixing bugs, improving code quality or style, documenting existing functionality better, adding missing unit tests, keeping build scripts up-to-date, etc. The SciPy [Trac](#) bug tracker contains all reported bugs, build/documentation issues, etc. Fixing issues described in Trac tickets helps improve the overall quality of SciPy, and is also a good way of getting familiar with the project. You may also want to fix a bug because you ran into it and need the function in question to work correctly.

The discussion on code style and unit testing above applies equally to bug fixes. It is usually best to start by writing a unit test that shows the problem, i.e. it should pass but doesn't. Once you have that, you can fix the code so that the test does pass. That should be enough to send a PR for this issue. Unlike when adding new code, discussing this on the mailing list may not be necessary - if the old behavior of the code is clearly incorrect, no one will object to having it fixed. It may be necessary to add some warning or deprecation message for the changed behavior. This should be part of the review process.

2.3 Other ways to contribute

There are many ways to contribute other than contributing code. Participating in discussions on the `scipy-user` and `scipy-dev` *mailing lists* is a contribution in itself. The [scipy.org website](#) contains a lot of information on the SciPy community and can always use a new pair of hands. A redesign of this website is ongoing, see [scipy.github.com](#). The redesigned website is a static site based on Sphinx, the sources for it are also on Github at [scipy.org-new](#).

The SciPy *documentation* is constantly being improved by many developers and users. You can contribute by sending a PR on Github that improves the documentation, but there's also a [documentation wiki](#) that is very convenient for making edits to docstrings (and doesn't require git knowledge). Anyone can register a username on that wiki, ask on the scipy-dev mailing list for edit rights and make edits. The documentation there is updated every day with the latest changes in the SciPy master branch, and wiki edits are regularly reviewed and merged into master. Another advantage of the documentation wiki is that you can immediately see how the reStructuredText (reST) of docstrings and other docs is rendered as html, so you can easily catch formatting errors.

Code that doesn't belong in SciPy itself or in another package but helps users accomplish a certain task is valuable. [SciPy Central](#) is the place to share this type of code (snippets, examples, plotting code, etc.).

2.4 Useful links, FAQ, checklist

2.4.1 Checklist before submitting a PR

- Are there unit tests with good code coverage?
- Do all public function have docstrings including examples?
- Is the code style correct (PEP8, pyflakes)
- Is the new functionality tagged with `.. versionadded:: X.Y.Z` (with X.Y.Z the version number of the next release - can be found in setup.py)?
- Is the new functionality mentioned in the release notes of the next release?
- Is the new functionality added to the reference guide?
- In case of larger additions, is there a tutorial or more extensive module-level description?
- In case compiled code is added, is it integrated correctly via setup.py (and preferably also Bento/Numscons configuration files)?
- If you are a first-time contributor, did you add yourself to THANKS.txt? Please note that this is perfectly normal and desirable - the aim is to give every single contributor credit, and if you don't add yourself it's simply extra work for the reviewer (or worse, the reviewer may forget).
- Did you check that the code can be distributed under a BSD license?

2.4.2 Useful SciPy documents

- [The how to document guidelines](#)
- [NumPy/SciPy testing guidelines](#)
- [SciPy API](#)
- [SciPy maintainers](#)
- [NumPy/SciPy git workflow](#)

2.4.3 FAQ

I based my code on existing Matlab/R/... code I found online, is this OK?

It depends. SciPy is distributed under a BSD license, so if the code that you based your code on is also BSD licensed or has a BSD-compatible license (MIT, Apache, ...) then it's OK. Code which is GPL-licensed, has no clear license,

requires citation or is free for academic use only can't be included in SciPy. Therefore if you copied existing code with such a license or made a direct translation to Python of it, your code can't be included. See also [license compatibility](#).

Why is SciPy under the BSD license and not, say, the GPL?

Like Python, SciPy uses a “permissive” open source license, which allows proprietary re-use. While this allows companies to use and modify the software without giving anything back, it is felt that the larger user base results in more contributions overall, and companies often publish their modifications anyway, without being required to. See John Hunter's [BSD pitch](#).

How do I set up SciPy so I can edit files, run the tests and make commits?

The simplest method is setting up an in-place build. To create your local git repo and do the in-place build:

```
$ git clone https://github.com/scipy/scipy.git scipy
$ cd scipy
$ python setup.py build_ext -i
```

Then you need to either set up a symlink in your site-packages or add this directory to your PYTHONPATH environment variable, so Python can find it. Some IDEs (Spyder for example) have utilities to manage PYTHONPATH. On Linux and OS X, you can for example edit your `.bash_login` file to automatically add this dir on startup of your terminal. Add the line:

```
export PYTHONPATH="$HOME/scipy:${PYTHONPATH}"
```

Alternatively, to set up the symlink, use (prefix only necessary if you want to use your local instead of global site-packages dir):

```
$ python setupegg.py develop --prefix=${HOME}
```

To test that everything works, start the interpreter (not inside the scipy/ source dir) and run the tests:

```
$ python
>>> import scipy as sp
>>> sp.test()
```

Now editing a Python source file in SciPy allows you to immediately test and use your changes, by simply restarting the interpreter.

Note that while the above procedure is the most straightforward way to get started, you may want to look into using Bento or numscions for faster and more flexible building, or virtualenv to maintain development environments for multiple Python versions.

How do I set up a development version of SciPy in parallel to a released version that I use to do my job/research?

One simple way to achieve this is to install the released version in site-packages, by using a binary installer or pip for example, and set up the development version with an in-place build in a virtualenv. First install [virtualenv](#) and [virtualenvwrapper](#), then create your virtualenv (named scipy-dev here) with:

```
$ mkvirtualenv scipy-dev
```

Now, whenever you want to switch to the virtual environment, you can use the command `workon scipy-dev`, while the command `deactivate` exits from the virtual environment and brings back your previous shell. With `scipy-dev` activated, follow the in-place build with the symlink install above to actually install your development version of SciPy.

Can I use a programming language other than Python to speed up my code?

Yes. The languages used in SciPy are Python, Cython, C, C++ and Fortran. All of these have their pros and cons. If Python really doesn't offer enough performance, one of those languages can be used. Important concerns when using compiled languages are maintainability and portability. For maintainability, Cython is clearly preferred over C/C++/Fortran. Cython and C are more portable than C++/Fortran. A lot of the existing C and Fortran code in SciPy

is older, battle-tested code that was only wrapped in (but not specifically written for) Python/SciPy. Therefore the basic advice is: use Cython. If there's specific reasons why C/C++/Fortran should be preferred, please discuss those reasons first.

There's overlap between Trac and Github, which do I use for what?

Trac is the bug tracker, Github the code repository. Before the SciPy code repository moved to Github, the preferred way to contribute code was to create a patch and attach it to a Trac ticket. The overhead of this approach is much larger than sending a PR on Github, so please don't do this anymore. Use Trac for bug reports, Github for patches.

API - IMPORTING FROM SCIPY

In Python the distinction between what is the public API of a library and what are private implementation details is not always clear. Unlike in other languages like Java, it is possible in Python to access “private” function or objects. Occasionally this may be convenient, but be aware that if you do so your code may break without warning in future releases. Some widely understood rules for what is and isn’t public in Python are:

- Methods / functions / classes and module attributes whose names begin with a leading underscore are private.
- If a class name begins with a leading underscore none of its members are public, whether or not they begin with a leading underscore.
- If a module name in a package begins with a leading underscore none of its members are public, whether or not they begin with a leading underscore.
- If a module or package defines `__all__` that authoritatively defines the public interface.
- If a module or package doesn’t define `__all__` then all names that don’t start with a leading underscore are public.

Note: Reading the above guidelines one could draw the conclusion that every private module or object starts with an underscore. This is not the case; the presence of underscores do mark something as private, but the absence of underscores do not mark something as public.

In Scipy there are modules whose names don’t start with an underscore, but that should be considered private. To clarify which modules these are we define below what the public API is for Scipy, and give some recommendations for how to import modules/functions/objects from Scipy.

3.1 Guidelines for importing functions from Scipy

The `scipy` namespace itself only contains functions imported from `numpy`. These functions still exist for backwards compatibility, but should be imported from `numpy` directly.

Everything in the namespaces of `scipy` submodules is public. In general, it is recommended to import functions from submodule namespaces. For example, the function `curve_fit` (defined in `scipy/optimize/minpack.py`) should be imported like this:

```
from scipy import optimize
result = optimize.curve_fit(...)
```

This form of importing submodules is preferred for all submodules except `scipy.io` (because `io` is also the name of a module in the Python stdlib):

```
from scipy import interpolate
from scipy import integrate
import scipy.io as spio
```

In some cases, the public API is one level deeper. For example the `scipy.sparse.linalg` module is public, and the functions it contains are not available in the `scipy.sparse` namespace. Sometimes it may result in more easily understandable code if functions are imported from one level deeper. For example, in the following it is immediately clear that `lomax` is a distribution if the second form is chosen:

```
# first form
from scipy import stats
stats.lomax(...)

# second form
from scipy.stats import distributions
distributions.lomax(...)
```

In that case the second form can be chosen, **if** it is documented in the next section that the submodule in question is public.

3.2 API definition

Every submodule listed below is public. That means that these submodules are unlikely to be renamed or changed in an incompatible way, and if that is necessary a deprecation warning will be raised for one SciPy release before the change is made.

- `scipy.cluster`
 - `vq`
 - `hierarchy`
- `scipy.constants`
- `scipy.fftpack`
- `scipy.integrate`
- `scipy.interpolate`
- `scipy.io`
 - `arff`
 - `harwell_boeing`
 - `idl`
 - `matlab`
 - `netcdf`
 - `wavfile`
- `scipy.linalg`
 - `scipy.linalg.blas`
 - `scipy.linalg.lapack`
- `scipy.misc`
- `scipy.ndimage`

- `scipy.odr`
- `scipy.optimize`
- `scipy.signal`
- `scipy.sparse`
 - `linalg`
 - `csgraph`
- `scipy.spatial`
 - `distance`
- `scipy.special`
- `scipy.stats`
 - `distributions`
 - `mstats`
- `scipy.weave`

RELEASE NOTES

4.1 SciPy 0.12.0 Release Notes

Contents

- SciPy 0.12.0 Release Notes
 - New features
 - * `scipy.spatial` improvements
 - cKDTree feature-complete
 - Voronoi diagrams and convex hulls
 - Delaunay improvements
 - * Spectral estimators (`scipy.signal`)
 - * `scipy.optimize` improvements
 - Callback functions in L-BFGS-B and TNC
 - Basin hopping global optimization (`scipy.optimize.basinhopping`)
 - * `scipy.special` improvements
 - Revised complex error functions
 - Faster orthogonal polynomials
 - * `scipy.sparse.linalg` features
 - * Listing Matlab(R) file contents in `scipy.io`
 - * Documented BLAS and LAPACK low-level interfaces (`scipy.linalg`)
 - * Polynomial interpolation improvements (`scipy.interpolate`)
 - Deprecated features
 - * `scipy.lib.lapack`
 - * `fblas` and `cblas`
 - Backwards incompatible changes
 - * Removal of `scipy.io.save_as_module`
 - Other changes
 - Authors

SciPy 0.12.0 is the culmination of 7 months of hard work. It contains many new features, numerous bug-fixes, improved test coverage and better documentation. There have been a number of deprecations and API changes in this release, which are documented below. All users are encouraged to upgrade to this release, as there are a large number of bug-fixes and optimizations. Moreover, our development attention will now shift to bug-fix releases on the 0.12.x branch, and on adding new features on the master branch.

Some of the highlights of this release are:

- Completed QHull wrappers in `scipy.spatial`.
- cKDTree now a drop-in replacement for KDTree.

- A new global optimizer, `basinhopping`.
- Support for Python 2 and Python 3 from the same code base (no more 2to3).

This release requires Python 2.6, 2.7 or 3.1-3.3 and NumPy 1.5.1 or greater. Support for Python 2.4 and 2.5 has been dropped as of this release.

4.1.1 New features

`scipy.spatial` improvements

cKDTree feature-complete

Cython version of KDTree, `cKDTree`, is now feature-complete. Most operations (construction, `query`, `query_ball_point`, `query_pairs`, `count_neighbors` and `sparse_distance_matrix`) are between 200 and 1000 times faster in `cKDTree` than in `KDTree`. With very minor caveats, `cKDTree` has exactly the same interface as `KDTree`, and can be used as a drop-in replacement.

Voronoi diagrams and convex hulls

`scipy.spatial` now contains functionality for computing Voronoi diagrams and convex hulls using the Qhull library. (Delaunay triangulation was available since Scipy 0.9.0.)

Delaunay improvements

It's now possible to pass in custom Qhull options in Delaunay triangulation. Coplanar points are now also recorded, if present. Incremental construction of Delaunay triangulations is now also possible.

Spectral estimators (`scipy.signal`)

The functions `scipy.signal.periodogram` and `scipy.signal.welch` were added, providing DFT-based spectral estimators.

`scipy.optimize` improvements

Callback functions in L-BFGS-B and TNC

A callback mechanism was added to L-BFGS-B and TNC minimization solvers.

Basin hopping global optimization (`scipy.optimize.basinhopping`)

A new global optimization algorithm. `Basinhopping` is designed to efficiently find the global minimum of a smooth function.

`scipy.special` improvements

Revised complex error functions

The computation of special functions related to the error function now uses a new [Faddeeva library from MIT](#) which increases their numerical precision. The scaled and imaginary error functions `erfcx` and `erfi` were also added, and the Dawson integral `dawsn` can now be evaluated for a complex argument.

Faster orthogonal polynomials

Evaluation of orthogonal polynomials (the `eval_*` routines) is now faster in `scipy.special`, and their `out=` argument functions properly.

`scipy.sparse.linalg` features

- In `scipy.sparse.linalg.spsolve`, the `b` argument can now be either a vector or a matrix.
- `scipy.sparse.linalg.inv` was added. This uses `spsolve` to compute a sparse matrix inverse.
- `scipy.sparse.linalg.expm` was added. This computes the exponential of a sparse matrix using a similar algorithm to the existing dense array implementation in `scipy.linalg.expm`.

Listing Matlab(R) file contents in `scipy.io`

A new function `whosmat` is available in `scipy.io` for inspecting contents of MAT files without reading them to memory.

Documented BLAS and LAPACK low-level interfaces (`scipy.linalg`)

The modules `scipy.linalg.blas` and `scipy.linalg.lapack` can be used to access low-level BLAS and LAPACK functions.

Polynomial interpolation improvements (`scipy.interpolate`)

The barycentric, Krogh, piecewise and `pchip` polynomial interpolators in `scipy.interpolate` accept now an `axis` argument.

4.1.2 Deprecated features

`scipy.lib.lapack`

The module `scipy.lib.lapack` is deprecated. You can use `scipy.linalg.lapack` instead. The module `scipy.lib.blas` was deprecated earlier in SciPy 0.10.0.

fblas and *cblas*

Accessing the modules `scipy.linalg.fblas`, `cblas`, `flapack`, `clapack` is deprecated. Instead, use the modules `scipy.linalg.lapack` and `scipy.linalg.blas`.

4.1.3 Backwards incompatible changes

Removal of `scipy.io.save_as_module`

The function `scipy.io.save_as_module` was deprecated in SciPy 0.11.0, and is now removed.

Its private support modules `scipy.io.dumbdbm_patched` and `scipy.io.dumb_shelve` are also removed.

4.1.4 Other changes

4.1.5 Authors

- Anton Akhmerov +

- Alexander Eberspächer +
- Anne Archibald
- Jisk Attema +
- K.-Michael Aye +
- bemasc +
- Sebastian Berg +
- François Boulogne +
- Matthew Brett
- Lars Buitinck
- Steven Byrnes +
- Tim Cera +
- Christian +
- Keith Clawson +
- David Cournapeau
- Nathan Crock +
- endolith
- Bradley M. Froehle +
- Matthew R Goodman
- Christoph Gohlke
- Ralf Gommers
- Robert David Grant +
- Yaroslav Halchenko
- Charles Harris
- Jonathan Helmus
- Andreas Hilboll
- Hugo +
- Oleksandr Huziy
- Jeroen Demeyer +
- Johannes Schönberger +
- Steven G. Johnson +
- Chris Jordan-Squire
- Jonathan Taylor +
- Niklas Kroeger +
- Jerome Kieffer +
- kingson +
- Josh Lawrence

- Denis Laxalde
- Alex Leach +
- Tim Leslie
- Richard Lindsley +
- Lorenzo Luengo +
- Stephen McQuay +
- MinRK
- Sturla Molden +
- Eric Moore +
- mszep +
- Matt Newville +
- Vlad Niculae
- Travis Oliphant
- David Parker +
- Fabian Pedregosa
- Josef Perktold
- Zach Ploskey +
- Alex Reinhart +
- Gilles Rochefort +
- Ciro Duran Santilli +
- Jan Schlueter +
- Jonathan Scholz +
- Anthony Scopatz
- Skipper Seabold
- Fabrice Silva +
- Scott Sinclair
- Jacob Stevenson +
- Sturla Molden +
- Julian Taylor +
- thorstenkranz +
- John Travers +
- True Price +
- Nicky van Foreest
- Jacob Vanderplas
- Patrick Varilly
- Daniel Velkov +

- Pauli Virtanen
- Stefan van der Walt
- Warren Weckesser

A total of 75 people contributed to this release. People with a “+” by their names contributed a patch for the first time.

4.2 SciPy 0.11.0 Release Notes

Contents

- SciPy 0.11.0 Release Notes
 - New features
 - * Sparse Graph Submodule
 - * `scipy.optimize` improvements
 - Unified interfaces to minimizers
 - Unified interface to root finding algorithms
 - * `scipy.linalg` improvements
 - New matrix equation solvers
 - QZ and QR Decomposition
 - Pascal matrices
 - * Sparse matrix construction and operations
 - * LSMR iterative solver
 - * Discrete Sine Transform
 - * `scipy.interpolate` improvements
 - * Binned statistics (`scipy.stats`)
 - Deprecated features
 - Backwards incompatible changes
 - * Removal of `scipy.maxentropy`
 - * Minor change in behavior of `splev`
 - * Behavior of `scipy.integrate.complex_ode`
 - * Minor change in behavior of T-tests
 - Other changes
 - Authors

SciPy 0.11.0 is the culmination of 8 months of hard work. It contains many new features, numerous bug-fixes, improved test coverage and better documentation. Highlights of this release are:

- A new module has been added which provides a number of common sparse graph algorithms.
- New unified interfaces to the existing optimization and root finding functions have been added.

All users are encouraged to upgrade to this release, as there are a large number of bug-fixes and optimizations. Our development attention will now shift to bug-fix releases on the 0.11.x branch, and on adding new features on the master branch.

This release requires Python 2.4-2.7 or 3.1-3.2 and NumPy 1.5.1 or greater.

4.2.1 New features

Sparse Graph Submodule

The new submodule `scipy.sparse.csgraph` implements a number of efficient graph algorithms for graphs stored as sparse adjacency matrices. Available routines are:

- `connected_components` - determine connected components of a graph
- `laplacian` - compute the laplacian of a graph
- `shortest_path` - compute the shortest path between points on a positive graph
- `dijkstra` - use Dijkstra's algorithm for shortest path
- `floyd_warshall` - use the Floyd-Warshall algorithm for shortest path
- `breadth_first_order` - compute a breadth-first order of nodes
- `depth_first_order` - compute a depth-first order of nodes
- `breadth_first_tree` - construct the breadth-first tree from a given node
- `depth_first_tree` - construct a depth-first tree from a given node
- `minimum_spanning_tree` - construct the minimum spanning tree of a graph

`scipy.optimize` improvements

The optimize module has received a lot of attention this release. In addition to added tests, documentation improvements, bug fixes and code clean-up, the following improvements were made:

- A unified interface to minimizers of univariate and multivariate functions has been added.
- A unified interface to root finding algorithms for multivariate functions has been added.
- The L-BFGS-B algorithm has been updated to version 3.0.

Unified interfaces to minimizers

Two new functions `scipy.optimize.minimize` and `scipy.optimize.minimize_scalar` were added to provide a common interface to minimizers of multivariate and univariate functions respectively. For multivariate functions, `scipy.optimize.minimize` provides an interface to methods for unconstrained optimization (`fmin`, `fmin_powell`, `fmin_cg`, `fmin_ncg`, `fmin_bfgs` and `anneal`) or constrained optimization (`fmin_l_bfgs_b`, `fmin_tnc`, `fmin_cobyla` and `fmin_slsqp`). For univariate functions, `scipy.optimize.minimize_scalar` provides an interface to methods for unconstrained and bounded optimization (`brent`, `golden`, `fminbound`). This allows for easier comparing and switching between solvers.

Unified interface to root finding algorithms

The new function `scipy.optimize.root` provides a common interface to root finding algorithms for multivariate functions, embedding `fsolve`, `leastsq` and `nonlin` solvers.

`scipy.linalg` improvements

New matrix equation solvers

Solvers for the Sylvester equation (`scipy.linalg.solve_sylvester`, discrete and continuous Lyapunov equations (`scipy.linalg.solve_lyapunov`, `scipy.linalg.solve_discrete_lyapunov`) and discrete and continuous algebraic Riccati equations (`scipy.linalg.solve_continuous_are`,

`scipy.linalg.solve_discrete_are`) have been added to `scipy.linalg`. These solvers are often used in the field of linear control theory.

QZ and QR Decomposition

It is now possible to calculate the QZ, or Generalized Schur, decomposition using `scipy.linalg.qz`. This function wraps the LAPACK routines `sgges`, `dgges`, `cgges`, and `zgges`.

The function `scipy.linalg.qr_multiply`, which allows efficient computation of the matrix product of Q (from a QR decomposition) and a vector, has been added.

Pascal matrices

A function for creating Pascal matrices, `scipy.linalg.pascal`, was added.

Sparse matrix construction and operations

Two new functions, `scipy.sparse.diags` and `scipy.sparse.block_diag`, were added to easily construct diagonal and block-diagonal sparse matrices respectively.

`scipy.sparse.csc_matrix` and `scipy.sparse.csr_matrix` now support the operations `sin`, `tan`, `arcsin`, `arctan`, `sinh`, `tanh`, `arcsinh`, `arctanh`, `rint`, `sign`, `expm1`, `log1p`, `deg2rad`, `rad2deg`, `floor`, `ceil` and `trunc`. Previously, these operations had to be performed by operating on the matrices' `data` attribute.

LSMR iterative solver

LSMR, an iterative method for solving (sparse) linear and linear least-squares systems, was added as `scipy.sparse.linalg.lsmr`.

Discrete Sine Transform

Bindings for the discrete sine transform functions have been added to `scipy.fftpack`.

`scipy.interpolate` improvements

For interpolation in spherical coordinates, the three classes `scipy.interpolate.SmoothSphereBivariateSpline`, `scipy.interpolate.LSQSphereBivariateSpline`, and `scipy.interpolate.RectSphereBivariateSpline` have been added.

Binned statistics (`scipy.stats`)

The `stats` module has gained functions to do binned statistics, which are a generalization of histograms, in 1-D, 2-D and multiple dimensions: `scipy.stats.binned_statistic`, `scipy.stats.binned_statistic_2d` and `scipy.stats.binned_statistic_dd`.

4.2.2 Deprecated features

`scipy.sparse.cs_graph_components` has been made a part of the sparse graph submodule, and renamed to `scipy.sparse.csgraph.connected_components`. Calling the former routine will result in a deprecation warning.

`scipy.misc.radon` has been deprecated. A more full-featured radon transform can be found in `scikits-image`.

`scipy.io.save_as_module` has been deprecated. A better way to save multiple Numpy arrays is the `numpy.savez` function.

The `xa` and `xb` parameters for all distributions in `scipy.stats.distributions` already weren't used; they have now been deprecated.

4.2.3 Backwards incompatible changes

Removal of `scipy.maxentropy`

The `scipy.maxentropy` module, which was deprecated in the 0.10.0 release, has been removed. Logistic regression in `scikits.learn` is a good and modern alternative for this functionality.

Minor change in behavior of `splev`

The spline evaluation function now behaves similarly to `interp1d` for size-1 arrays. Previous behavior:

```
>>> from scipy.interpolate import splev, splrep, interp1d
>>> x = [1,2,3,4,5]
>>> y = [4,5,6,7,8]
>>> tck = splrep(x, y)
>>> splev([1], tck)
4.
>>> splev(1, tck)
4.
```

Corrected behavior:

```
>>> splev([1], tck)
array([ 4.])
>>> splev(1, tck)
array(4.)
```

This affects also the `UnivariateSpline` classes.

Behavior of `scipy.integrate.complex_ode`

The behavior of the `y` attribute of `complex_ode` is changed. Previously, it expressed the complex-valued solution in the form:

```
z = ode.y[:,2] + 1j * ode.y[1::2]
```

Now, it is directly the complex-valued solution:

```
z = ode.y
```

Minor change in behavior of T-tests

The T-tests `scipy.stats.ttest_ind`, `scipy.stats.ttest_rel` and `scipy.stats.ttest_1samp` have been changed so that `0 / 0` now returns `NaN` instead of `1`.

4.2.4 Other changes

The SuperLU sources in `scipy.sparse.linalg` have been updated to version 4.3 from upstream.

The function `scipy.signal.bode`, which calculates magnitude and phase data for a continuous-time system, has been added.

The two-sample T-test `scipy.stats.ttest_ind` gained an option to compare samples with unequal variances, i.e. Welch's T-test.

`scipy.misc.logsumexp` now takes an optional `axis` keyword argument.

4.2.5 Authors

This release contains work by the following people (contributed at least one patch to this release, names in alphabetical order):

- Jeff Armstrong
- Chad Baker
- Brandon Beacher +
- behrisch +
- borishim +
- Matthew Brett
- Lars Buitinck
- Luis Pedro Coelho +
- Johann Cohen-Tanugi
- David Cournapeau
- dougal +
- Ali Ebrahim +
- endolith +
- Bjørn Forsman +
- Robert Gantner +
- Sebastian Gassner +
- Christoph Gohlke
- Ralf Gommers
- Yaroslav Halchenko
- Charles Harris
- Jonathan Helmus +
- Andreas Hilboll +
- Marc Honnorat +
- Jonathan Hunt +
- Maxim Ivanov +

- Thouis (Ray) Jones
- Christopher Kuster +
- Josh Lawrence +
- Denis Laxalde +
- Travis Oliphant
- Joonas Paalasmaa +
- Fabian Pedregosa
- Josef Perktold
- Gavin Price +
- Jim Radford +
- Andrew Schein +
- Skipper Seabold
- Jacob Silterra +
- Scott Sinclair
- Alexis Tabary +
- Martin Teichmann
- Matt Terry +
- Nicky van Foreest +
- Jacob Vanderplas
- Patrick Varilly +
- Pauli Virtanen
- Nils Wagner +
- Darryl Wally +
- Stefan van der Walt
- Liming Wang +
- David Warde-Farley +
- Warren Weckesser
- Sebastian Werk +
- Mike Wimmer +
- Tony S Yu +

A total of 55 people contributed to this release. People with a “+” by their names contributed a patch for the first time.

4.3 SciPy 0.10.0 Release Notes

Contents

- SciPy 0.10.0 Release Notes
 - New features
 - * Bento: new optional build system
 - * Generalized and shift-invert eigenvalue problems in `scipy.sparse.linalg`
 - * Discrete-Time Linear Systems (`scipy.signal`)
 - * Enhancements to `scipy.signal`
 - * Additional decomposition options (`scipy.linalg`)
 - * Additional special matrices (`scipy.linalg`)
 - * Enhancements to `scipy.stats`
 - * Basic support for Harwell-Boeing file format for sparse matrices
 - Deprecated features
 - * `scipy.maxentropy`
 - * `scipy.lib.blas`
 - * Numsccons build system
 - Backwards-incompatible changes
 - Other changes
 - Authors

SciPy 0.10.0 is the culmination of 8 months of hard work. It contains many new features, numerous bug-fixes, improved test coverage and better documentation. There have been a limited number of deprecations and backwards-incompatible changes in this release, which are documented below. All users are encouraged to upgrade to this release, as there are a large number of bug-fixes and optimizations. Moreover, our development attention will now shift to bug-fix releases on the 0.10.x branch, and on adding new features on the development master branch.

Release highlights:

- Support for Bento as optional build system.
- Support for generalized eigenvalue problems, and all shift-invert modes available in ARPACK.

This release requires Python 2.4-2.7 or 3.1- and NumPy 1.5 or greater.

4.3.1 New features

Bento: new optional build system

Scipy can now be built with **Bento**. Bento has some nice features like parallel builds and partial rebuilds, that are not possible with the default build system (`distutils`). For usage instructions see `BENTO_BUILD.txt` in the `scipy` top-level directory.

Currently Scipy has three build systems, `distutils`, `numsccons` and `bento`. `Numsccons` is deprecated and is planned and will likely be removed in the next release.

Generalized and shift-invert eigenvalue problems in `scipy.sparse.linalg`

The sparse eigenvalue problem solver functions `scipy.sparse.eigs/eigh` now support generalized eigenvalue problems, and all shift-invert modes available in ARPACK.

Discrete-Time Linear Systems (`scipy.signal`)

Support for simulating discrete-time linear systems, including `scipy.signal.dlsim`, `scipy.signal.dimpulse`, and `scipy.signal.dstep`, has been added to SciPy. Conversion of linear systems from continuous-time to discrete-time representations is also present via the `scipy.signal.cont2discrete` function.

Enhancements to `scipy.signal`

A Lomb-Scargle periodogram can now be computed with the new function `scipy.signal.lombscargle`.

The forward-backward filter function `scipy.signal.filtfilt` can now filter the data in a given axis of an n-dimensional numpy array. (Previously it only handled a 1-dimensional array.) Options have been added to allow more control over how the data is extended before filtering.

FIR filter design with `scipy.signal.firwin2` now has options to create filters of type III (zero at zero and Nyquist frequencies) and IV (zero at zero frequency).

Additional decomposition options (`scipy.linalg`)

A sort keyword has been added to the Schur decomposition routine (`scipy.linalg.schur`) to allow the sorting of eigenvalues in the resultant Schur form.

Additional special matrices (`scipy.linalg`)

The functions `hilbert` and `invhilbert` were added to `scipy.linalg`.

Enhancements to `scipy.stats`

- The *one-sided form* of Fisher's exact test is now also implemented in `stats.fisher_exact`.
- The function `stats.chi2_contingency` for computing the chi-square test of independence of factors in a contingency table has been added, along with the related utility functions `stats.contingency.margins` and `stats.contingency.expected_freq`.

Basic support for Harwell-Boeing file format for sparse matrices

Both read and write are support through a simple function-based API, as well as a more complete API to control number format. The functions may be found in `scipy.sparse.io`.

The following features are supported:

- Read and write sparse matrices in the CSC format
- Only real, symmetric, assembled matrix are supported (RUA format)

4.3.2 Deprecated features

`scipy.maxentropy`

The `maxentropy` module is unmaintained, rarely used and has not been functioning well for several releases. Therefore it has been deprecated for this release, and will be removed for `scipy 0.11`. Logistic regression in `scikits.learn`

is a good alternative for this functionality. The `scipy.maxentropy.logsumexp` function has been moved to `scipy.misc`.

`scipy.lib.blas`

There are similar BLAS wrappers in `scipy.linalg` and `scipy.lib`. These have now been consolidated as `scipy.linalg.blas`, and `scipy.lib.blas` is deprecated.

Numscons build system

The numscs build system is being replaced by Bento, and will be removed in one of the next scipy releases.

4.3.3 Backwards-incompatible changes

The deprecated name `invnorm` was removed from `scipy.stats.distributions`, this distribution is available as `invgauss`.

The following deprecated nonlinear solvers from `scipy.optimize` have been removed:

- ```broyden_modified``` (bad performance)
- ```broyden1_modified``` (bad performance)
- ```broyden_generalized``` (equivalent to ```anderson```)
- ```anderson2``` (equivalent to ```anderson```)
- ```broyden3``` (obsoleted by new limited-memory broyden methods)
- ```vackar``` (renamed to ```diagbroyden```)

4.3.4 Other changes

`scipy.constants` has been updated with the CODATA 2010 constants.

`__all__` dicts have been added to all modules, which has cleaned up the namespaces (particularly useful for interactive work).

An API section has been added to the documentation, giving recommended import guidelines and specifying which submodules are public and which aren't.

4.3.5 Authors

This release contains work by the following people (contributed at least one patch to this release, names in alphabetical order):

- Jeff Armstrong +
- Matthew Brett
- Lars Buitinck +
- David Cournapeau
- FISH 2000 +
- Michael McNeil Forbes +
- Matty G +
- Christoph Gohlke

- Ralf Gommers
- Yaroslav Halchenko
- Charles Harris
- Thouis (Ray) Jones +
- Chris Jordan-Squire +
- Robert Kern
- Chris Lasher +
- Wes McKinney +
- Travis Oliphant
- Fabian Pedregosa
- Josef Perktold
- Thomas Robitaille +
- Pim Schellart +
- Anthony Scopatz +
- Skipper Seabold +
- Fazlul Shahriar +
- David Simcha +
- Scott Sinclair +
- Andrey Smirnov +
- Collin RM Stocks +
- Martin Teichmann +
- Jake Vanderplas +
- Gaël Varoquaux +
- Pauli Virtanen
- Stefan van der Walt
- Warren Weckesser
- Mark Wiebe +

A total of 35 people contributed to this release. People with a “+” by their names contributed a patch for the first time.

4.4 SciPy 0.9.0 Release Notes

Contents

- SciPy 0.9.0 Release Notes
 - Python 3
 - Scipy source code location to be changed
 - New features
 - * Delaunay tessellations (`scipy.spatial`)
 - * N-dimensional interpolation (`scipy.interpolate`)
 - * Nonlinear equation solvers (`scipy.optimize`)
 - * New linear algebra routines (`scipy.linalg`)
 - * Improved FIR filter design functions (`scipy.signal`)
 - * Improved statistical tests (`scipy.stats`)
 - Deprecated features
 - * Obsolete nonlinear solvers (in `scipy.optimize`)
 - Removed features
 - * Old correlate/convolve behavior (in `scipy.signal`)
 - * `scipy.stats`
 - * `scipy.sparse`
 - * `scipy.sparse.linalg.arpack.speigs`
 - Other changes
 - * ARPACK interface changes

SciPy 0.9.0 is the culmination of 6 months of hard work. It contains many new features, numerous bug-fixes, improved test coverage and better documentation. There have been a number of deprecations and API changes in this release, which are documented below. All users are encouraged to upgrade to this release, as there are a large number of bug-fixes and optimizations. Moreover, our development attention will now shift to bug-fix releases on the 0.9.x branch, and on adding new features on the development trunk.

This release requires Python 2.4 - 2.7 or 3.1 - and NumPy 1.5 or greater.

Please note that SciPy is still considered to have “Beta” status, as we work toward a SciPy 1.0.0 release. The 1.0.0 release will mark a major milestone in the development of SciPy, after which changing the package structure or API will be much more difficult. Whilst these pre-1.0 releases are considered to have “Beta” status, we are committed to making them as bug-free as possible.

However, until the 1.0 release, we are aggressively reviewing and refining the functionality, organization, and interface. This is being done in an effort to make the package as coherent, intuitive, and useful as possible. To achieve this, we need help from the community of users. Specifically, we need feedback regarding all aspects of the project - everything - from which algorithms we implement, to details about our function’s call signatures.

4.4.1 Python 3

Scipy 0.9.0 is the first SciPy release to support Python 3. The only module that is not yet ported is `scipy.weave`.

4.4.2 Scipy source code location to be changed

Soon after this release, Scipy will stop using SVN as the version control system, and move to Git. The development source code for Scipy can from then on be found at

<http://github.com/scipy/scipy>

4.4.3 New features

Delaunay tessellations (`scipy.spatial`)

Scipy now includes routines for computing Delaunay tessellations in N dimensions, powered by the [Qhull](#) computational geometry library. Such calculations can now make use of the new `scipy.spatial.Delaunay` interface.

N-dimensional interpolation (`scipy.interpolate`)

Support for scattered data interpolation is now significantly improved. This version includes a `scipy.interpolate.griddata` function that can perform linear and nearest-neighbour interpolation for N-dimensional scattered data, in addition to cubic spline (C1-smooth) interpolation in 2D and 1D. An object-oriented interface to each interpolator type is also available.

Nonlinear equation solvers (`scipy.optimize`)

Scipy includes new routines for large-scale nonlinear equation solving in `scipy.optimize`. The following methods are implemented:

- Newton-Krylov (`scipy.optimize.newton_krylov`)
- (Generalized) secant methods:
 - Limited-memory Broyden methods (`scipy.optimize.broyden1`, `scipy.optimize.broyden2`)
 - Anderson method (`scipy.optimize.anderson`)
- Simple iterations (`scipy.optimize.diagbroyden`, `scipy.optimize.excitingmixing`, `scipy.optimize.linearmixing`)

The `scipy.optimize.nonlin` module was completely rewritten, and some of the functions were deprecated (see above).

New linear algebra routines (`scipy.linalg`)

Scipy now contains routines for effectively solving triangular equation systems (`scipy.linalg.solve_triangular`).

Improved FIR filter design functions (`scipy.signal`)

The function `scipy.signal.firwin` was enhanced to allow the design of highpass, bandpass, bandstop and multi-band FIR filters.

The function `scipy.signal.firwin2` was added. This function uses the window method to create a linear phase FIR filter with an arbitrary frequency response.

The functions `scipy.signal.kaiser_atten` and `scipy.signal.kaiser_beta` were added.

Improved statistical tests (`scipy.stats`)

A new function `scipy.stats.fisher_exact` was added, that provides Fisher's exact test for 2x2 contingency tables.

The function `scipy.stats.kendalltau` was rewritten to make it much faster ($O(n \log(n))$ vs $O(n^2)$).

4.4.4 Deprecated features

Obsolete nonlinear solvers (in `scipy.optimize`)

The following nonlinear solvers from `scipy.optimize` are deprecated:

- `broyden_modified` (bad performance)
- `broyden1_modified` (bad performance)
- `broyden_generalized` (equivalent to `anderson`)
- `anderson2` (equivalent to `anderson`)
- `broyden3` (obsoleted by new limited-memory broyden methods)
- `vackar` (renamed to `diagbroyden`)

4.4.5 Removed features

The deprecated modules `helpmod`, `pexec` and `ppimport` were removed from `scipy.misc`.

The `output_type` keyword in many `scipy.ndimage` interpolation functions has been removed.

The `econ` keyword in `scipy.linalg.qr` has been removed. The same functionality is still available by specifying `mode='economic'`.

Old correlate/convolve behavior (in `scipy.signal`)

The old behavior for `scipy.signal.convolve`, `scipy.signal.convolve2d`, `scipy.signal.correlate` and `scipy.signal.correlate2d` was deprecated in 0.8.0 and has now been removed. Convolve and correlate used to swap their arguments if the second argument has dimensions larger than the first one, and the mode was relative to the input with the largest dimension. The current behavior is to never swap the inputs, which is what most people expect, and is how correlation is usually defined.

`scipy.stats`

Many functions in `scipy.stats` that are either available from `numpy` or have been superseded, and have been deprecated since version 0.7, have been removed: `std`, `var`, `mean`, `median`, `cov`, `corrcoef`, `z`, `zs`, `stderr`, `samplestd`, `samplevar`, `pdfapprox`, `pdf_moments` and `erfc`. These changes are mirrored in `scipy.stats.mstats`.

`scipy.sparse`

Several methods of the sparse matrix classes in `scipy.sparse` which had been deprecated since version 0.7 were removed: `save`, `rowcol`, `getdata`, `listprint`, `ensure_sorted_indices`, `matvec`, `matmat` and `rmatvec`.

The functions `spkron`, `speye`, `spidentity`, `lil_eye` and `lil_diags` were removed from `scipy.sparse`. The first three functions are still available as `scipy.sparse.kron`, `scipy.sparse.eye` and `scipy.sparse.identity`.

The `dims` and `nzmax` keywords were removed from the sparse matrix constructor. The `colind` and `rowind` attributes were removed from CSR and CSC matrices respectively.

`scipy.sparse.linalg.arpack.speigs`

A duplicated interface to the ARPACK library was removed.

4.4.6 Other changes

ARPACK interface changes

The interface to the ARPACK eigenvalue routines in `scipy.sparse.linalg` was changed for more robustness.

The eigenvalue and SVD routines now raise `ArpackNoConvergence` if the eigenvalue iteration fails to converge. If partially converged results are desired, they can be accessed as follows:

```
import numpy as np
from scipy.sparse.linalg import eigs, ArpackNoConvergence

m = np.random.randn(30, 30)
try:
    w, v = eigs(m, 6)
except ArpackNoConvergence, err:
    partially_converged_w = err.eigenvalues
    partially_converged_v = err.eigenvectors
```

Several bugs were also fixed.

The routines were moreover renamed as follows:

- `eigen` → `eigs`
- `eigen_symmetric` → `eigsh`
- `svd` → `svds`

4.5 SciPy 0.8.0 Release Notes

Contents

- SciPy 0.8.0 Release Notes
 - Python 3
 - Major documentation improvements
 - Deprecated features
 - * Swapping inputs for correlation functions (`scipy.signal`)
 - * Obsolete code deprecated (`scipy.misc`)
 - * Additional deprecations
 - New features
 - * DCT support (`scipy.fftpack`)
 - * Single precision support for fft functions (`scipy.fftpack`)
 - * Correlation functions now implement the usual definition (`scipy.signal`)
 - * Additions and modification to LTI functions (`scipy.signal`)
 - * Improved waveform generators (`scipy.signal`)
 - * New functions and other changes in `scipy.linalg`
 - * New function and changes in `scipy.optimize`
 - * New sparse least squares solver
 - * ARPACK-based sparse SVD
 - * Alternative behavior available for `scipy.constants.find`
 - * Incomplete sparse LU decompositions
 - * Faster matlab file reader and default behavior change
 - * Faster evaluation of orthogonal polynomials
 - * Lambert W function
 - * Improved hypergeometric 2F1 function
 - * More flexible interface for Radial basis function interpolation
 - Removed features
 - * `scipy.io`

SciPy 0.8.0 is the culmination of 17 months of hard work. It contains many new features, numerous bug-fixes, improved test coverage and better documentation. There have been a number of deprecations and API changes in this release, which are documented below. All users are encouraged to upgrade to this release, as there are a large number of bug-fixes and optimizations. Moreover, our development attention will now shift to bug-fix releases on the 0.8.x branch, and on adding new features on the development trunk. This release requires Python 2.4 - 2.6 and NumPy 1.4.1 or greater.

Please note that SciPy is still considered to have “Beta” status, as we work toward a SciPy 1.0.0 release. The 1.0.0 release will mark a major milestone in the development of SciPy, after which changing the package structure or API will be much more difficult. Whilst these pre-1.0 releases are considered to have “Beta” status, we are committed to making them as bug-free as possible.

However, until the 1.0 release, we are aggressively reviewing and refining the functionality, organization, and interface. This is being done in an effort to make the package as coherent, intuitive, and useful as possible. To achieve this, we need help from the community of users. Specifically, we need feedback regarding all aspects of the project - everything - from which algorithms we implement, to details about our function’s call signatures.

4.5.1 Python 3

Python 3 compatibility is planned and is currently technically feasible, since NumPy has been ported. However, since the Python 3 compatible NumPy 1.5 has not been released yet, support for Python 3 in SciPy is not yet included in SciPy 0.8. SciPy 0.9, planned for fall 2010, will very likely include experimental support for Python 3.

4.5.2 Major documentation improvements

SciPy documentation is greatly improved.

4.5.3 Deprecated features

Swapping inputs for correlation functions (`scipy.signal`)

Concern `correlate`, `correlate2d`, `convolve` and `convolve2d`. If the second input is larger than the first input, the inputs are swapped before calling the underlying computation routine. This behavior is deprecated, and will be removed in `scipy` 0.9.0.

Obsolete code deprecated (`scipy.misc`)

The modules `helpmod`, `ppimport` and `pexec` from `scipy.misc` are deprecated. They will be removed from SciPy in version 0.9.

Additional deprecations

- `linalg`: The function `solveh_banded` currently returns a tuple containing the Cholesky factorization and the solution to the linear system. In SciPy 0.9, the return value will be just the solution.
- The function `constants.codata.find` will generate a `DeprecationWarning`. In SciPy version 0.8.0, the keyword argument `'disp'` was added to the function, with the default value `'True'`. In 0.9.0, the default will be `'False'`.
- The `qshape` keyword argument of `signal.chirp` is deprecated. Use the argument `vertex_zero` instead.
- Passing the coefficients of a polynomial as the argument `f0` to `signal.chirp` is deprecated. Use the function `signal.sweep_poly` instead.
- The `io.recaster` module has been deprecated and will be removed in 0.9.0.

4.5.4 New features

DCT support (`scipy.fftpack`)

New realtransforms have been added, namely `dct` and `idct` for Discrete Cosine Transform; type I, II and III are available.

Single precision support for fft functions (`scipy.fftpack`)

fft functions can now handle single precision inputs as well: `fft(x)` will return a single precision array if `x` is single precision.

At the moment, for FFT sizes that are not composites of 2, 3, and 5, the transform is computed internally in double precision to avoid rounding error in FFTPACK.

Correlation functions now implement the usual definition (`scipy.signal`)

The outputs should now correspond to their matlab and R counterparts, and do what most people expect if the `old_behavior=False` argument is passed:

- `correlate`, `convolve` and their 2d counterparts do not swap their inputs depending on their relative shape anymore;

- correlation functions now conjugate their second argument while computing the slided sum-products, which correspond to the usual definition of correlation.

Additions and modification to LTI functions (`scipy.signal`)

- The functions `impulse2` and `step2` were added to `scipy.signal`. They use the function `scipy.signal.lsim2` to compute the impulse and step response of a system, respectively.
- The function `scipy.signal.lsim2` was changed to pass any additional keyword arguments to the ODE solver.

Improved waveform generators (`scipy.signal`)

Several improvements to the `chirp` function in `scipy.signal` were made:

- The waveform generated when `method="logarithmic"` was corrected; it now generates a waveform that is also known as an “exponential” or “geometric” chirp. (See <http://en.wikipedia.org/wiki/Chirp>.)
- A new `chirp` method, “hyperbolic”, was added.
- Instead of the keyword `qshape`, `chirp` now uses the keyword `vertex_zero`, a boolean.
- `chirp` no longer handles an arbitrary polynomial. This functionality has been moved to a new function, `sweep_poly`.

A new function, `sweep_poly`, was added.

New functions and other changes in `scipy.linalg`

The functions `cho_solve_banded`, `circulant`, `companion`, `hadamard` and `leslie` were added to `scipy.linalg`.

The function `block_diag` was enhanced to accept scalar and 1D arguments, along with the usual 2D arguments.

New function and changes in `scipy.optimize`

The `curve_fit` function has been added; it takes a function and uses non-linear least squares to fit that to the provided data.

The `leastsq` and `fsolve` functions now return an array of size one instead of a scalar when solving for a single parameter.

New sparse least squares solver

The `lsqr` function was added to `scipy.sparse`. This routine finds a least-squares solution to a large, sparse, linear system of equations.

ARPACK-based sparse SVD

A naive implementation of SVD for sparse matrices is available in `scipy.sparse.linalg.eigen.arpack`. It is based on using an symmetric solver on $\langle A, A \rangle$, and as such may not be very precise.

Alternative behavior available for `scipy.constants.find`

The keyword argument `disp` was added to the function `scipy.constants.find`, with the default value `True`. When `disp` is `True`, the behavior is the same as in SciPy version 0.7. When `False`, the function returns the list of keys instead of printing them. (In SciPy version 0.9, the default will be reversed.)

Incomplete sparse LU decompositions

SciPy now wraps SuperLU version 4.0, which supports incomplete sparse LU decompositions. These can be accessed via `scipy.sparse.linalg.spilu`. Upgrade to SuperLU 4.0 also fixes some known bugs.

Faster matlab file reader and default behavior change

We've rewritten the matlab file reader in Cython and it should now read matlab files at around the same speed that Matlab does.

The reader reads matlab named and anonymous functions, but it can't write them.

Until scipy 0.8.0 we have returned arrays of matlab structs as numpy object arrays, where the objects have attributes named for the struct fields. As of 0.8.0, we return matlab structs as numpy structured arrays. You can get the older behavior by using the optional `struct_as_record=False` keyword argument to `scipy.io.loadmat` and friends.

There is an inconsistency in the matlab file writer, in that it writes numpy 1D arrays as column vectors in matlab 5 files, and row vectors in matlab 4 files. We will change this in the next version, so both write row vectors. There is a `FutureWarning` when calling the writer to warn of this change; for now we suggest using the `oned_as='row'` keyword argument to `scipy.io.savemat` and friends.

Faster evaluation of orthogonal polynomials

Values of orthogonal polynomials can be evaluated with new vectorized functions in `scipy.special`: `eval_legendre`, `eval_chebyt`, `eval_chebyu`, `eval_chebyc`, `eval_chebys`, `eval_jacobi`, `eval_laguerre`, `eval_genlaguerre`, `eval_hermite`, `eval_hermitenorm`, `eval_gegenbauer`, `eval_sh_legendre`, `eval_sh_chebyt`, `eval_sh_chebyu`, `eval_sh_jacobi`. This is faster than constructing the full coefficient representation of the polynomials, which was previously the only available way.

Note that the previous orthogonal polynomial routines will now also invoke this feature, when possible.

Lambert W function

`scipy.special.lambertw` can now be used for evaluating the Lambert W function.

Improved hypergeometric 2F1 function

Implementation of `scipy.special.hyp2f1` for real parameters was revised. The new version should produce accurate values for all real parameters.

More flexible interface for Radial basis function interpolation

The `scipy.interpolate.Rbf` class now accepts a callable as input for the "function" argument, in addition to the built-in radial basis functions which can be selected with a string argument.

4.5.5 Removed features

scipy.stsci: the package was removed

The module *scipy.misc.limits* was removed.

The IO code in both NumPy and SciPy is being extensively reworked. NumPy will be where basic code for reading and writing NumPy arrays is located, while SciPy will house file readers and writers for various data formats (data, audio, video, images, matlab, etc.).

Several functions in `scipy.io` are removed in the 0.8.0 release including: *npfile*, *save*, *load*, *create_module*, *create_shelf*, *objload*, *objsave*, *fopen*, *read_array*, *write_array*, *fread*, *fwrite*, *bswap*, *packbits*, *unpackbits*, and *convert_objectarray*. Some of these functions have been replaced by NumPy's raw reading and writing capabilities, memory-mapping capabilities, or array methods. Others have been moved from SciPy to NumPy, since basic array reading and writing capability is now handled by NumPy.

4.6 SciPy 0.7.2 Release Notes

Contents

- [SciPy 0.7.2 Release Notes](#)

SciPy 0.7.2 is a bug-fix release with no new features compared to 0.7.1. The only change is that all C sources from Cython code have been regenerated with Cython 0.12.1. This fixes the incompatibility between binaries of SciPy 0.7.1 and NumPy 1.4.

4.7 SciPy 0.7.1 Release Notes

Contents

- [SciPy 0.7.1 Release Notes](#)
 - [scipy.io](#)
 - [scipy.odr](#)
 - [scipy.signal](#)
 - [scipy.sparse](#)
 - [scipy.special](#)
 - [scipy.stats](#)
 - [Windows binaries for python 2.6](#)
 - [Universal build for scipy](#)

SciPy 0.7.1 is a bug-fix release with no new features compared to 0.7.0.

Bugs fixed:

- Several fixes in Matlab file IO

Bugs fixed:

- Work around a failure with Python 2.6

Memory leak in `lfilter` have been fixed, as well as support for array object

Bugs fixed:

- #880, #925: lfilter fixes
- #871: bicgstab fails on Win32

Bugs fixed:

- #883: `scipy.io.mmread` with `scipy.sparse.lil_matrix` broken
- `lil_matrix` and `csc_matrix` reject now unexpected sequences, cf. <http://thread.gmane.org/gmane.comp.python.scientific.user/19996>

Several bugs of varying severity were fixed in the special functions:

- #503, #640: `iv`: problems at large arguments fixed by new implementation
- #623: `jv`: fix errors at large arguments
- #679: `struve`: fix wrong output for $v < 0$
- #803: `pbdv` produces invalid output
- #804: `lqmn`: fix crashes on some input
- #823: `betainc`: fix documentation
- #834: `exp1` strange behavior near negative integer values
- #852: `jn_zeros`: more accurate results for large s , also in `jnp/yn/ynp_zeros`
- #853: `jv`, `yv`, `iv`: invalid results for non-integer $v < 0$, complex x
- #854: `jv`, `yv`, `iv`, : return nan more consistently when out-of-domain
- #927: `ellipj`: fix segfault on Windows
- #946: `ellpj`: fix segfault on Mac OS X/python 2.6 combination.
- `ive`, `jve`, `yve`, `kv`, `kve`: with real-valued input, return nan for out-of-domain instead of returning only the real part of the result.

Also, when `scipy.special.errprint(1)` has been enabled, warning messages are now issued as Python warnings instead of printing them to `stderr`.

- `linregress`, `mannwhitneyu`, `describe`: errors fixed
- `kstwobign`, `norm`, `expon`, `exponweib`, `exponpow`, `frechet`, `genexpon`, `rdist`, `truncexpon`, `planck`: improvements to numerical accuracy in distributions

4.7.1 Windows binaries for python 2.6

python 2.6 binaries for windows are now included. The binary for python 2.5 requires numpy 1.2.0 or above, and the one for python 2.6 requires numpy 1.3.0 or above.

4.7.2 Universal build for scipy

Mac OS X binary installer is now a proper universal build, and does not depend on gfortran anymore (libgfortran is statically linked). The python 2.5 version of scipy requires numpy 1.2.0 or above, the python 2.6 version requires numpy 1.3.0 or above.

4.8 SciPy 0.7.0 Release Notes

Contents

- SciPy 0.7.0 Release Notes
 - Python 2.6 and 3.0
 - Major documentation improvements
 - Running Tests
 - Building SciPy
 - Sandbox Removed
 - Sparse Matrices
 - Statistics package
 - Reworking of IO package
 - New Hierarchical Clustering module
 - New Spatial package
 - Reworked fftpack package
 - New Constants package
 - New Radial Basis Function module
 - New complex ODE integrator
 - New generalized symmetric and hermitian eigenvalue problem solver
 - Bug fixes in the interpolation package
 - Weave clean up
 - Known problems

SciPy 0.7.0 is the culmination of 16 months of hard work. It contains many new features, numerous bug-fixes, improved test coverage and better documentation. There have been a number of deprecations and API changes in this release, which are documented below. All users are encouraged to upgrade to this release, as there are a large number of bug-fixes and optimizations. Moreover, our development attention will now shift to bug-fix releases on the 0.7.x branch, and on adding new features on the development trunk. This release requires Python 2.4 or 2.5 and NumPy 1.2 or greater.

Please note that SciPy is still considered to have “Beta” status, as we work toward a SciPy 1.0.0 release. The 1.0.0 release will mark a major milestone in the development of SciPy, after which changing the package structure or API will be much more difficult. Whilst these pre-1.0 releases are considered to have “Beta” status, we are committed to making them as bug-free as possible. For example, in addition to fixing numerous bugs in this release, we have also doubled the number of unit tests since the last release.

However, until the 1.0 release, we are aggressively reviewing and refining the functionality, organization, and interface. This is being done in an effort to make the package as coherent, intuitive, and useful as possible. To achieve this, we need help from the community of users. Specifically, we need feedback regarding all aspects of the project - everything - from which algorithms we implement, to details about our function’s call signatures.

Over the last year, we have seen a rapid increase in community involvement, and numerous infrastructure improvements to lower the barrier to contributions (e.g., more explicit coding standards, improved testing infrastructure, better documentation tools). Over the next year, we hope to see this trend continue and invite everyone to become more involved.

4.8.1 Python 2.6 and 3.0

A significant amount of work has gone into making SciPy compatible with Python 2.6; however, there are still some issues in this regard. The main issue with 2.6 support is NumPy. On UNIX (including Mac OS X), NumPy 1.2.1 mostly works, with a few caveats. On Windows, there are problems related to the compilation process. The upcoming

NumPy 1.3 release will fix these problems. Any remaining issues with 2.6 support for SciPy 0.7 will be addressed in a bug-fix release.

Python 3.0 is not supported at all; it requires NumPy to be ported to Python 3.0. This requires immense effort, since a lot of C code has to be ported. The transition to 3.0 is still under consideration; currently, we don't have any timeline or roadmap for this transition.

4.8.2 Major documentation improvements

SciPy documentation is greatly improved; you can view a HTML reference manual [online](#) or download it as a PDF file. The new reference guide was built using the popular [Sphinx tool](#).

This release also includes an updated tutorial, which hadn't been available since SciPy was ported to NumPy in 2005. Though not comprehensive, the tutorial shows how to use several essential parts of Scipy. It also includes the `ndimage` documentation from the `numarray` manual.

Nevertheless, more effort is needed on the documentation front. Luckily, contributing to Scipy documentation is now easier than before: if you find that a part of it requires improvements, and want to help us out, please register a user name in our web-based documentation editor at <http://docs.scipy.org/> and correct the issues.

4.8.3 Running Tests

NumPy 1.2 introduced a new testing framework based on `nose`. Starting with this release, SciPy now uses the new NumPy test framework as well. Taking advantage of the new testing framework requires `nose` version 0.10, or later. One major advantage of the new framework is that it greatly simplifies writing unit tests - which has all ready paid off, given the rapid increase in tests. To run the full test suite:

```
>>> import scipy
>>> scipy.test('full')
```

For more information, please see [The NumPy/SciPy Testing Guide](#).

We have also greatly improved our test coverage. There were just over 2,000 unit tests in the 0.6.0 release; this release nearly doubles that number, with just over 4,000 unit tests.

4.8.4 Building SciPy

Support for NumScons has been added. NumScons is a tentative new build system for NumPy/SciPy, using `SCons` at its core.

`SCons` is a next-generation build system, intended to replace the venerable `Make` with the integrated functionality of `autoconf/automake` and `ccache`. `Scons` is written in Python and its configuration files are Python scripts. `NumScons` is meant to replace NumPy's custom version of `distutils` providing more advanced functionality, such as `autoconf`, improved fortran support, more tools, and support for `numpy.distutils/scons` cooperation.

4.8.5 Sandbox Removed

While porting SciPy to NumPy in 2005, several packages and modules were moved into `scipy.sandbox`. The sandbox was a staging ground for packages that were undergoing rapid development and whose APIs were in flux. It was also a place where broken code could live. The sandbox has served its purpose well, but was starting to create confusion. Thus `scipy.sandbox` was removed. Most of the code was moved into `scipy`, some code was made into a `scikit`, and the remaining code was just deleted, as the functionality had been replaced by other code.

4.8.6 Sparse Matrices

Sparse matrices have seen extensive improvements. There is now support for integer dtypes such `int8`, `uint32`, etc. Two new sparse formats were added:

- new class `dia_matrix`: the sparse DIagonal format
- new class `bsr_matrix`: the Block CSR format

Several new sparse matrix construction functions were added:

- `sparse.kron`: sparse Kronecker product
- `sparse.bmat`: sparse version of `numpy.bmat`
- `sparse.vstack`: sparse version of `numpy.vstack`
- `sparse.hstack`: sparse version of `numpy.hstack`

Extraction of submatrices and nonzero values have been added:

- `sparse.tril`: extract lower triangle
- `sparse.triu`: extract upper triangle
- `sparse.find`: nonzero values and their indices

`csr_matrix` and `csc_matrix` now support slicing and fancy indexing (e.g., `A[1:3, 4:7]` and `A[[3, 2, 6, 8], :]`). Conversions among all sparse formats are now possible:

- using member functions such as `.tocsr()` and `.tolil()`
- using the `.asformat()` member function, e.g. `A.asformat('csr')`
- using constructors `A = lil_matrix([[1, 2]]); B = csr_matrix(A)`

All sparse constructors now accept dense matrices and lists of lists. For example:

- `A = csr_matrix(rand(3, 3))` and `B = lil_matrix([[1, 2], [3, 4]])`

The handling of diagonals in the `spdiags` function has been changed. It now agrees with the MATLAB(TM) function of the same name.

Numerous efficiency improvements to format conversions and sparse matrix arithmetic have been made. Finally, this release contains numerous bugfixes.

4.8.7 Statistics package

Statistical functions for masked arrays have been added, and are accessible through `scipy.stats.mstats`. The functions are similar to their counterparts in `scipy.stats` but they have not yet been verified for identical interfaces and algorithms.

Several bugs were fixed for statistical functions, of those, `kstest` and `percentileofscore` gained new keyword arguments.

Added deprecation warning for `mean`, `median`, `var`, `std`, `cov`, and `corrcoef`. These functions should be replaced by their numpy counterparts. Note, however, that some of the default options differ between the `scipy.stats` and numpy versions of these functions.

Numerous bug fixes to `stats.distributions`: all generic methods now work correctly, several methods in individual distributions were corrected. However, a few issues remain with higher moments (`skew`, `kurtosis`) and entropy. The maximum likelihood estimator, `fit`, does not work out-of-the-box for some distributions - in some cases, starting values have to be carefully chosen, in other cases, the generic implementation of the maximum likelihood method might not be the numerically appropriate estimation method.

We expect more bugfixes, increases in numerical precision and enhancements in the next release of scipy.

4.8.8 Reworking of IO package

The IO code in both NumPy and SciPy is being extensively reworked. NumPy will be where basic code for reading and writing NumPy arrays is located, while SciPy will house file readers and writers for various data formats (data, audio, video, images, matlab, etc.).

Several functions in `scipy.io` have been deprecated and will be removed in the 0.8.0 release including `npfile`, `save`, `load`, `create_module`, `create_shelf`, `objload`, `objsave`, `fopen`, `read_array`, `write_array`, `fread`, `fwrite`, `bswap`, `packbits`, `unpackbits`, and `convert_objectarray`. Some of these functions have been replaced by NumPy's raw reading and writing capabilities, memory-mapping capabilities, or array methods. Others have been moved from SciPy to NumPy, since basic array reading and writing capability is now handled by NumPy.

The Matlab (TM) file readers/writers have a number of improvements:

- default version 5
- v5 writers for structures, cell arrays, and objects
- v5 readers/writers for function handles and 64-bit integers
- new `struct_as_record` keyword argument to `loadmat`, which loads struct arrays in matlab as record arrays in numpy
- string arrays have `dtype='U...'` instead of `dtype=object`
- `loadmat` no longer squeezes singleton dimensions, i.e. `squeeze_me=False` by default

4.8.9 New Hierarchical Clustering module

This module adds new hierarchical clustering functionality to the `scipy.cluster` package. The function interfaces are similar to the functions provided MATLAB(TM)'s Statistics Toolbox to help facilitate easier migration to the NumPy/SciPy framework. Linkage methods implemented include single, complete, average, weighted, centroid, median, and ward.

In addition, several functions are provided for computing inconsistency statistics, cophenetic distance, and maximum distance between descendants. The `fcluster` and `fclusterdata` functions transform a hierarchical clustering into a set of flat clusters. Since these flat clusters are generated by cutting the tree into a forest of trees, the `leaders` function takes a linkage and a flat clustering, and finds the root of each tree in the forest. The `ClusterNode` class represents a hierarchical clusterings as a field-navigable tree object. `to_tree` converts a matrix-encoded hierarchical clustering to a `ClusterNode` object. Routines for converting between MATLAB and SciPy linkage encodings are provided. Finally, a `dendrogram` function plots hierarchical clusterings as a dendrogram, using `matplotlib`.

4.8.10 New Spatial package

The new spatial package contains a collection of spatial algorithms and data structures, useful for spatial statistics and clustering applications. It includes rapidly compiled code for computing exact and approximate nearest neighbors, as well as a pure-python kd-tree with the same interface, but that supports annotation and a variety of other algorithms. The API for both modules may change somewhat, as user requirements become clearer.

It also includes a `distance` module, containing a collection of distance and dissimilarity functions for computing distances between vectors, which is useful for spatial statistics, clustering, and kd-trees. Distance and dissimilarity functions provided include Bray-Curtis, Canberra, Chebyshev, City Block, Cosine, Dice, Euclidean, Hamming,

Jaccard, Kulsinski, Mahalanobis, Matching, Minkowski, Rogers-Tanimoto, Russell-Rao, Squared Euclidean, Standardized Euclidean, Sokal-Michener, Sokal-Sneath, and Yule.

The `pdist` function computes pairwise distance between all unordered pairs of vectors in a set of vectors. The `cdist` computes the distance on all pairs of vectors in the Cartesian product of two sets of vectors. Pairwise distance matrices are stored in condensed form; only the upper triangular is stored. `squareform` converts distance matrices between square and condensed forms.

4.8.11 Reworked `fftpack` package

FFTW2, FFTW3, MKL and DJBFFT wrappers have been removed. Only (NETLIB) `fftpack` remains. By focusing on one backend, we hope to add new features - like float32 support - more easily.

4.8.12 New Constants package

`scipy.constants` provides a collection of physical constants and conversion factors. These constants are taken from CODATA Recommended Values of the Fundamental Physical Constants: 2002. They may be found at physics.nist.gov/constants. The values are stored in the dictionary `physical_constants` as a tuple containing the value, the units, and the relative precision - in that order. All constants are in SI units, unless otherwise stated. Several helper functions are provided.

4.8.13 New Radial Basis Function module

`scipy.interpolate` now contains a Radial Basis Function module. Radial basis functions can be used for smoothing/interpolating scattered data in n-dimensions, but should be used with caution for extrapolation outside of the observed data range.

4.8.14 New complex ODE integrator

`scipy.integrate.ode` now contains a wrapper for the ZVODE complex-valued ordinary differential equation solver (by Peter N. Brown, Alan C. Hindmarsh, and George D. Byrne).

4.8.15 New generalized symmetric and hermitian eigenvalue problem solver

`scipy.linalg.eigh` now contains wrappers for more LAPACK symmetric and hermitian eigenvalue problem solvers. Users can now solve generalized problems, select a range of eigenvalues only, and choose to use a faster algorithm at the expense of increased memory usage. The signature of the `scipy.linalg.eigh` changed accordingly.

4.8.16 Bug fixes in the interpolation package

The shape of return values from `scipy.interpolate.interpld` used to be incorrect, if interpolated data had more than 2 dimensions and the `axis` keyword was set to a non-default value. This has been fixed. Moreover, `interpld` returns now a scalar (0D-array) if the input is a scalar. Users of `scipy.interpolate.interpld` may need to revise their code if it relies on the previous behavior.

4.8.17 Weave clean up

There were numerous improvements to `scipy.weave`. `blitz++` was relicensed by the author to be compatible with the SciPy license. `wx_spec.py` was removed.

4.8.18 Known problems

Here are known problems with scipy 0.7.0:

- weave test failures on windows: those are known, and are being revised.
- weave test failure with gcc 4.3 (std::labs): this is a gcc 4.3 bug. A workaround is to add `#include <cstdlib>` in `scipy/weave/blitz/blitz/funcs.h` (line 27). You can make the change in the installed scipy (in site-packages).

REFERENCE

5.1 Clustering package (`scipy.cluster`)

`scipy.cluster.vq`

Clustering algorithms are useful in information theory, target detection, communications, compression, and other areas. The `vq` module only supports vector quantization and the k-means algorithms.

`scipy.cluster.hierarchy`

The `hierarchy` module provides functions for hierarchical and agglomerative clustering. Its features include generating hierarchical clusters from distance matrices, computing distance matrices from observation vectors, calculating statistics on clusters, cutting linkages to generate flat clusters, and visualizing clusters with dendrograms.

5.2 K-means clustering and vector quantization (`scipy.cluster.vq`)

Provides routines for k-means clustering, generating code books from k-means models, and quantizing vectors by comparing them with centroids in a code book.

<code>whiten(obs)</code>	Normalize a group of observations on a per feature basis.
<code>vq(obs, code_book)</code>	Assign codes from a code book to observations.
<code>kmeans(obs, k_or_guess[, iter, thresh])</code>	Performs k-means on a set of observation vectors forming k clusters.
<code>kmeans2(data, k[, iter, thresh, minit, missing])</code>	Classify a set of observations into k clusters using the k-means algorithm.

`scipy.cluster.vq.whiten(obs)`

Normalize a group of observations on a per feature basis.

Before running k-means, it is beneficial to rescale each feature dimension of the observation set with whitening. Each feature is divided by its standard deviation across all observations to give it unit variance.

Parameters `obs` : ndarray

Each row of the array is an observation. The columns are the features seen during each observation.

```
>>> #          f0      f1      f2
>>> obs = [[ 1.,    1.,    1.], #o0
...        [ 2.,    2.,    2.], #o1
...        [ 3.,    3.,    3.], #o2
...        [ 4.,    4.,    4.]] #o3
```

Returns **result** : ndarray
 Contains the values in *obs* scaled by the standard deviation of each column.

Examples

```
>>> from scipy.cluster.vq import whiten
>>> features = np.array([[1.9, 2.3, 1.7],
...                     [1.5, 2.5, 2.2],
...                     [0.8, 0.6, 1.7]])
>>> whiten(features)
array([[ 4.17944278,  2.69811351,  7.21248917],
       [ 3.29956009,  2.93273208,  9.33380951],
       [ 1.75976538,  0.7038557 ,  7.21248917]])
```

`scipy.cluster.vq.vq` (*obs*, *code_book*)

Assign codes from a code book to observations.

Assigns a code from a code book to each observation. Each observation vector in the ‘M’ by ‘N’ *obs* array is compared with the centroids in the code book and assigned the code of the closest centroid.

The features in *obs* should have unit variance, which can be achieved by passing them through the `whiten` function. The code book can be created with the k-means algorithm or a different encoding algorithm.

Parameters **obs** : ndarray
 Each row of the ‘N’ x ‘M’ array is an observation. The columns are the “features” seen during each observation. The features must be whitened first using the `whiten` function or something equivalent.

code_book : ndarray
 The code book is usually generated using the k-means algorithm. Each row of the array holds a different code, and the columns are the features of the code.

```
>>> #           f0    f1    f2    f3
>>> code_book = [
...             [ 1.,  2.,  3.,  4.], #c0
...             [ 1.,  2.,  3.,  4.], #c1
...             [ 1.,  2.,  3.,  4.]] #c2
```

Returns **code** : ndarray
 A length N array holding the code book index for each observation.
dist : ndarray
 The distortion (distance) between the observation and its nearest code.

Notes

This currently forces 32-bit math precision for speed. Anyone know of a situation where this undermines the accuracy of the algorithm?

Examples

```
>>> from numpy import array
>>> from scipy.cluster.vq import vq
>>> code_book = array([[1.,1.,1.],
...                  [2.,2.,2.]])
>>> features = array([[ 1.9,2.3,1.7],
...                  [ 1.5,2.5,2.2],
...                  [ 0.8,0.6,1.7]])
>>> vq(features,code_book)
(array([1, 1, 0], 'i'), array([ 0.43588989,  0.73484692,  0.83066239]))
```


`scipy.cluster.vq.kmeans` (*obs*, *k_or_guess*, *iter*=20, *thresh*=1e-05)

Performs k-means on a set of observation vectors forming k clusters.

The k-means algorithm adjusts the centroids until sufficient progress cannot be made, i.e. the change in distortion since the last iteration is less than some threshold. This yields a code book mapping centroids to codes and vice versa.

Distortion is defined as the sum of the squared differences between the observations and the corresponding centroid.

Parameters

obs : ndarray
Each row of the M by N array is an observation vector. The columns are the features seen during each observation. The features must be whitened first with the `whiten` function.

k_or_guess : int or ndarray
The number of centroids to generate. A code is assigned to each centroid, which is also the row index of the centroid in the code_book matrix generated.
The initial k centroids are chosen by randomly selecting observations from the observation matrix. Alternatively, passing a k by N array specifies the initial k centroids.

iter : int, optional
The number of times to run k-means, returning the codebook with the lowest distortion. This argument is ignored if initial centroids are specified with an array for the `k_or_guess` parameter. This parameter does not represent the number of iterations of the k-means algorithm.

thresh : float, optional
Terminates the k-means algorithm if the change in distortion since the last k-means iteration is less than or equal to thresh.

Returns

codebook : ndarray
A k by N array of k centroids. The i'th centroid codebook[i] is represented with the code i. The centroids and codes generated represent the lowest distortion seen, not necessarily the globally minimal distortion.

distortion : float
The distortion between the observations passed and the centroids generated.

See Also

`kmeans2` a different implementation of k-means clustering with more methods for generating initial centroids but without using a distortion change threshold as a stopping criterion.

`whiten` must be called prior to passing an observation matrix to `kmeans`.

Examples

```
>>> from numpy import array
>>> from scipy.cluster.vq import vq, kmeans, whiten
>>> features = array([[ 1.9,2.3],
...                  [ 1.5,2.5],
...                  [ 0.8,0.6],
...                  [ 0.4,1.8],
...                  [ 0.1,0.1],
...                  [ 0.2,1.8],
...                  [ 2.0,0.5],
...                  [ 0.3,1.5],
...                  [ 1.0,1.0]])
>>> whitened = whiten(features)
>>> book = array((whitened[0],whitened[2]))
>>> kmeans(whitened,book)
```

```
(array([[ 2.3110306 ,  2.86287398],
        [ 0.93218041,  1.24398691]]), 0.85684700941625547)

>>> from numpy import random
>>> random.seed((1000,2000))
>>> codes = 3
>>> kmeans(whitened, codes)
(array([[ 2.3110306 ,  2.86287398],
        [ 1.32544402,  0.65607529],
        [ 0.40782893,  2.02786907]]), 0.5196582527686241)
```

`scipy.cluster.vq.kmeans2` (*data*, *k*, *iter=10*, *thresh=1e-05*, *minit='random'*, *missing='warn'*)

Classify a set of observations into *k* clusters using the k-means algorithm.

The algorithm attempts to minimize the Euclidian distance between observations and centroids. Several initialization methods are included.

Parameters

data : ndarray
A 'M' by 'N' array of 'M' observations in 'N' dimensions or a length 'M' array of 'M' one-dimensional observations.

k : int or ndarray
The number of clusters to form as well as the number of centroids to generate. If *minit* initialization string is 'matrix', or if a ndarray is given instead, it is interpreted as initial cluster to use instead.

iter : int
Number of iterations of the k-means algorithm to run. Note that this differs in meaning from the *iters* parameter to the `kmeans` function.

thresh : float
(not used yet)

minit : string
Method for initialization. Available methods are 'random', 'points', 'uniform', and 'matrix':
'random': generate *k* centroids from a Gaussian with mean and variance estimated from the data.
'points': choose *k* observations (rows) at random from data for the initial centroids.
'uniform': generate *k* observations from the data from a uniform distribution defined by the data set (unsupported).
'matrix': interpret the *k* parameter as a *k* by *M* (or length *k* array for one-dimensional data) array of initial centroids.

Returns

centroid : ndarray
A 'k' by 'N' array of centroids found at the last iteration of k-means.

label : ndarray
label[*i*] is the code or index of the centroid the *i*'th observation is closest to.

5.2.1 Background information

The k-means algorithm takes as input the number of clusters to generate, *k*, and a set of observation vectors to cluster. It returns a set of centroids, one for each of the *k* clusters. An observation vector is classified with the cluster number or centroid index of the centroid closest to it.

A vector *v* belongs to cluster *i* if it is closer to centroid *i* than any other centroids. If *v* belongs to *i*, we say centroid *i* is the dominating centroid of *v*. The k-means algorithm tries to minimize distortion, which is defined as the sum of the squared distances between each observation vector and its dominating centroid. Each step of the k-means algorithm refines the choices of centroids to reduce distortion. The change in distortion is used as a stopping criterion: when

the change is lower than a threshold, the k-means algorithm is not making sufficient progress and terminates. One can also define a maximum number of iterations.

Since vector quantization is a natural application for k-means, information theory terminology is often used. The centroid index or cluster index is also referred to as a “code” and the table mapping codes to centroids and vice versa is often referred as a “code book”. The result of k-means, a set of centroids, can be used to quantize vectors. Quantization aims to find an encoding of vectors that reduces the expected distortion.

All routines expect `obs` to be a M by N array where the rows are the observation vectors. The codebook is a k by N array where the i 'th row is the centroid of code word i . The observation vectors and centroids have the same feature dimension.

As an example, suppose we wish to compress a 24-bit color image (each pixel is represented by one byte for red, one for blue, and one for green) before sending it over the web. By using a smaller 8-bit encoding, we can reduce the amount of data by two thirds. Ideally, the colors for each of the 256 possible 8-bit encoding values should be chosen to minimize distortion of the color. Running k-means with $k=256$ generates a code book of 256 codes, which fills up all possible 8-bit sequences. Instead of sending a 3-byte value for each pixel, the 8-bit centroid index (or code word) of the dominating centroid is transmitted. The code book is also sent over the wire so each 8-bit code can be translated back to a 24-bit pixel value representation. If the image of interest was of an ocean, we would expect many 24-bit blues to be represented by 8-bit codes. If it was an image of a human face, more flesh tone colors would be represented in the code book.

5.3 Hierarchical clustering (`scipy.cluster.hierarchy`)

These functions cut hierarchical clusterings into flat clusterings or find the roots of the forest formed by a cut by providing the flat cluster ids of each observation.

<code>fcluster(Z, t[, criterion, depth, R, monocrit])</code>	Forms flat clusters from the hierarchical clustering defined by
<code>fclusterdata(X, t[, criterion, metric, ...])</code>	Cluster observation data using a given metric.
<code>leaders(Z, T)</code>	Returns the root nodes in a hierarchical clustering.

`scipy.cluster.hierarchy.fcluster` (Z , t , *criteria*='inconsistent', *depth*=2, *R*=None, *monocrit*=None)

Forms flat clusters from the hierarchical clustering defined by the linkage matrix Z .

Parameters Z : ndarray

The hierarchical clustering encoded with the matrix returned by the `linkage` function.

t : float

The threshold to apply when forming flat clusters.

criteria : str, optional

The criterion to use in forming flat clusters. This can be any of the following values:

inconsistent

[If a cluster node and all its] descendants have an inconsistent value less than or equal to t then all its leaf descendants belong to the same flat cluster. When no non-singleton cluster meets this criterion, every node is assigned to its own cluster. (Default)

distance

[Forms flat clusters so that the original] observations in each flat cluster have no greater a cophenetic distance than t .

maxclust

[Finds a minimum threshold r so that] the cophenetic distance between any two original observations in the same flat cluster is no more than r and no more than t flat clusters are formed.

monocrit

[Forms a flat cluster from a cluster node c] with index i when `monocrit[j] <= t`.

For example, to threshold on the maximum mean distance as computed in the inconsistency matrix *R* with a threshold of 0.8 do:

```
MR = maxRstat(Z, R, 3)
cluster(Z, t=0.8, criterion='monocrit', monocrit=MR)
```

maxclust_monocrit

[Forms a flat cluster from a] non-singleton cluster node *c* when `monocrit[i] <= r` for all cluster indices *i* below and including *c*. *r* is minimized such that no more than *t* flat clusters are formed. `monocrit` must be monotonic. For example, to minimize the threshold *t* on maximum inconsistency values so that no more than 3 flat clusters are formed, do:

```
MI = maxinconsts(Z, R)
cluster(Z, t=3, criterion='maxclust_monocrit', monocrit=MI)
```

depth : int, optional

The maximum depth to perform the inconsistency calculation. It has no meaning for the other criteria. Default is 2.

R : ndarray, optional

The inconsistency matrix to use for the 'inconsistent' criterion. This matrix is computed if not provided.

monocrit : ndarray, optional

An array of length *n*-1. `monocrit[i]` is the statistics upon which non-singleton *i* is thresholded. The `monocrit` vector must be monotonic, i.e. given a node *c* with index *i*, for all node indices *j* corresponding to nodes below *c*, `monocrit[i] >= monocrit[j]`.

Returns

fcluster : ndarray

An array of length *n*. `T[i]` is the flat cluster number to which original observation *i* belongs.

```
scipy.cluster.hierarchy.fclusterdata(X, t, criterion='inconsistent', metric='euclidean',
                                     depth=2, method='single', R=None)
```

Cluster observation data using a given metric.

Clusters the original observations in the *n*-by-*m* data matrix *X* (*n* observations in *m* dimensions), using the euclidean distance metric to calculate distances between original observations, performs hierarchical clustering using the single linkage algorithm, and forms flat clusters using the inconsistency method with *t* as the cut-off threshold.

A one-dimensional array *T* of length *n* is returned. `T[i]` is the index of the flat cluster to which the original observation *i* belongs.

Parameters **X** : (N, M) ndarray

N by M data matrix with N observations in M dimensions.

t : float

The threshold to apply when forming flat clusters.

criterion : str, optional

Specifies the criterion for forming flat clusters. Valid values are 'inconsistent' (default), 'distance', or 'maxclust' cluster formation algorithms. See `fcluster` for descriptions.

metric : str, optional

The distance metric for calculating pairwise distances. See `distance.pdist` for descriptions and linkage to verify compatibility with the linkage method.

depth : int, optional

The maximum depth for the inconsistency calculation. See `inconsistent` for more information.

method : str, optional

The linkage method to use (single, complete, average, weighted, median centroid, ward). See `linkage` for more information. Default is "single".

Returns **R** : ndarray, optional
 The inconsistency matrix. It will be computed if necessary if it is not passed.
fclusterdata : ndarray
 A vector of length n. T[i] is the flat cluster number to which original observation i belongs.

Notes

This function is similar to the MATLAB function clusterdata.

scipy.cluster.hierarchy. **leaders** (Z, T)
 Returns the root nodes in a hierarchical clustering.

Returns the root nodes in a hierarchical clustering corresponding to a cut defined by a flat cluster assignment vector T. See the fcluster function for more information on the format of T.

For each flat cluster *j* of the *k* flat clusters represented in the n-sized flat cluster assignment vector T, this function finds the lowest cluster node *i* in the linkage tree Z such that:

- leaf descendents belong only to flat cluster *j* (i.e. T[p]==j for all *p* in *S(i)* where *S(i)* is the set of leaf ids of leaf nodes descendent with cluster node *i*)
- there does not exist a leaf that is not descendent with *i* that also belongs to cluster *j* (i.e. T[q]!=j for all *q* not in *S(i)*). If this condition is violated, T is not a valid cluster assignment vector, and an exception will be thrown.

Parameters **Z** : ndarray
 The hierarchical clustering encoded as a matrix. See linkage for more information.
T : ndarray
 The flat cluster assignment vector.

Returns **L** : ndarray
 The leader linkage node id's stored as a k-element 1-D array where k is the number of flat clusters found in T.
 L[j]=i is the linkage cluster node id that is the leader of flat cluster with id M[j].
 If i < n, i corresponds to an original observation, otherwise it corresponds to a non-singleton cluster.
 For example: if L[3]=2 and M[3]=8, the flat cluster with id 8's leader is linkage node 2.
M : ndarray
 The leader linkage node id's stored as a k-element 1-D array where k is the number of flat clusters found in T. This allows the set of flat cluster ids to be any arbitrary set of k integers.

These are routines for agglomerative clustering.

linkage(y[, method, metric])	Performs hierarchical/agglomerative clustering on the condensed distance matrix y.
single(y)	Performs single/min/nearest linkage on the condensed distance matrix y
complete(y)	Performs complete/max/farthest point linkage on a condensed distance matrix
average(y)	Performs average/UPGMA linkage on a condensed distance matrix
weighted(y)	Performs weighted/WPGMA linkage on the condensed distance matrix.
centroid(y)	Performs centroid/UPGMC linkage.
median(y)	Performs median/WPGMC linkage.
ward(y)	Performs Ward's linkage on a condensed or redundant distance matrix.

scipy.cluster.hierarchy. **linkage** (y, method='single', metric='euclidean')
 Performs hierarchical/agglomerative clustering on the condensed distance matrix y.

y must be a $\binom{n}{2}$ sized vector where n is the number of original observations paired in the distance matrix. The behavior of this function is very similar to the MATLAB linkage function.

A 4 by $(n - 1)$ matrix Z is returned. At the i -th iteration, clusters with indices $Z[i, 0]$ and $Z[i, 1]$ are combined to form cluster $n + i$. A cluster with an index less than n corresponds to one of the n original observations. The distance between clusters $Z[i, 0]$ and $Z[i, 1]$ is given by $Z[i, 2]$. The fourth value $Z[i, 3]$ represents the number of original observations in the newly formed cluster.

The following linkage methods are used to compute the distance $d(s, t)$ between two clusters s and t . The algorithm begins with a forest of clusters that have yet to be used in the hierarchy being formed. When two clusters s and t from this forest are combined into a single cluster u , s and t are removed from the forest, and u is added to the forest. When only one cluster remains in the forest, the algorithm stops, and this cluster becomes the root.

A distance matrix is maintained at each iteration. The $d[i, j]$ entry corresponds to the distance between cluster i and j in the original forest.

At each iteration, the algorithm must update the distance matrix to reflect the distance of the newly formed cluster u with the remaining clusters in the forest.

Suppose there are $|u|$ original observations $u[0], \dots, u[|u| - 1]$ in cluster u and $|v|$ original objects $v[0], \dots, v[|v| - 1]$ in cluster v . Recall s and t are combined to form cluster u . Let v be any remaining cluster in the forest that is not u .

The following are methods for calculating the distance between the newly formed cluster u and each v .

- method='single' assigns

$$d(u, v) = \min(\text{dist}(u[i], v[j]))$$

for all points i in cluster u and j in cluster v . This is also known as the Nearest Point Algorithm.

- method='complete' assigns

$$d(u, v) = \max(\text{dist}(u[i], v[j]))$$

for all points i in cluster u and j in cluster v . This is also known by the Farthest Point Algorithm or Voor Hees Algorithm.

- method='average' assigns

$$d(u, v) = \sum_{ij} \frac{d(u[i], v[j])}{(|u| * |v|)}$$

for all points i and j where $|u|$ and $|v|$ are the cardinalities of clusters u and v , respectively. This is also called the UPGMA algorithm. This is called UPGMA.

- method='weighted' assigns

$$d(u, v) = (\text{dist}(s, v) + \text{dist}(t, v))/2$$

where cluster u was formed with cluster s and t and v is a remaining cluster in the forest. (also called WPGMA)

- `method='centroid'` assigns

$$\text{dist}(s, t) = \|c_s - c_t\|_2$$

where c_s and c_t are the centroids of clusters s and t , respectively. When two clusters s and t are combined into a new cluster u , the new centroid is computed over all the original objects in clusters s and t . The distance then becomes the Euclidean distance between the centroid of u and the centroid of a remaining cluster v in the forest. This is also known as the UPGMC algorithm.

- `method='median'` assigns `math:d(s,t)` like the `centroid` method. When two clusters s and t are combined into a new cluster u , the average of centroids s and t give the new centroid u . This is also known as the WPGMC algorithm.

- `method='ward'` uses the Ward variance minimization algorithm. The new entry $d(u, v)$ is computed as follows,

$$d(u, v) = \sqrt{\frac{|v| + |s|}{T} d(v, s)^2 + \frac{|v| + |t|}{T} d(v, t)^2 + \frac{|v|}{T} d(s, t)^2}$$

where u is the newly joined cluster consisting of clusters s and t , v is an unused cluster in the forest, $T = |v| + |s| + |t|$, and $|*|$ is the cardinality of its argument. This is also known as the incremental algorithm.

Warning: When the minimum distance pair in the forest is chosen, there may be two or more pairs with the same minimum distance. This implementation may chose a different minimum than the MATLAB version.

Parameters `y` : ndarray

A condensed or redundant distance matrix. A condensed distance matrix is a flat array containing the upper triangular of the distance matrix. This is the form that `pdist` returns. Alternatively, a collection of m observation vectors in n dimensions may be passed as an m by n array.

method : str, optional

The linkage algorithm to use. See the `Linkage Methods` section below for full descriptions.

metric : str, optional

The distance metric to use. See the `distance.pdist` function for a list of valid distance metrics.

Returns `Z` : ndarray

The hierarchical clustering encoded as a linkage matrix.

`scipy.cluster.hierarchy.single`(`y`)

Performs single/min/nearest linkage on the condensed distance matrix `y`

Parameters `y` : ndarray

The upper triangular of the distance matrix. The result of `pdist` is returned in this form.

Returns `Z` : ndarray

The linkage matrix.

See Also

[`linkage`](#) for advanced creation of hierarchical clusterings.

`scipy.cluster.hierarchy.complete`(`y`)

Performs complete/max/farthest point linkage on a condensed distance matrix

Parameters `y` : ndarray

The upper triangular of the distance matrix. The result of `pdist` is returned in this form.

Returns **Z**: ndarray
 A linkage matrix containing the hierarchical clustering. See the `linkage` function documentation for more information on its structure.

See Also

`linkage`

`scipy.cluster.hierarchy.average`(y)

Performs average/UPGMA linkage on a condensed distance matrix

Parameters **y**: ndarray
 The upper triangular of the distance matrix. The result of `pdist` is returned in this form.

Returns **Z**: ndarray
 A linkage matrix containing the hierarchical clustering. See the `linkage` function documentation for more information on its structure.

See Also

`linkage` for advanced creation of hierarchical clusterings.

`scipy.cluster.hierarchy.weighted`(y)

Performs weighted/WPGMA linkage on the condensed distance matrix.

See `linkage` for more information on the return structure and algorithm.

Parameters **y**: ndarray
 The upper triangular of the distance matrix. The result of `pdist` is returned in this form.

Returns **Z**: ndarray
 A linkage matrix containing the hierarchical clustering. See the `linkage` function documentation for more information on its structure.

See Also

`linkage` for advanced creation of hierarchical clusterings.

`scipy.cluster.hierarchy.centroid`(y)

Performs centroid/UPGMC linkage.

See `linkage` for more information on the return structure and algorithm.

The following are common calling conventions:

1.Z = `centroid`(y)

Performs centroid/UPGMC linkage on the condensed distance matrix `y`. See `linkage` for more information on the return structure and algorithm.

2.Z = `centroid`(X)

Performs centroid/UPGMC linkage on the observation matrix `X` using Euclidean distance as the distance metric. See `linkage` for more information on the return structure and algorithm.

Parameters **Q**: ndarray

A condensed or redundant distance matrix. A condensed distance matrix is a flat array containing the upper triangular of the distance matrix. This is the form that `pdist` returns. Alternatively, a collection of m observation vectors in n dimensions may be passed as a m by n array.

Returns **Z**: ndarray
A linkage matrix containing the hierarchical clustering. See the `linkage` function documentation for more information on its structure.

See Also

[linkage](#) for advanced creation of hierarchical clusterings.

`scipy.cluster.hierarchy.median`(y)

Performs median/WPGMC linkage.

See `linkage` for more information on the return structure and algorithm.

The following are common calling conventions:

1. $Z = \text{median}(y)$

Performs median/WPGMC linkage on the condensed distance matrix y . See `linkage` for more information on the return structure and algorithm.

2. $Z = \text{median}(X)$

Performs median/WPGMC linkage on the observation matrix X using Euclidean distance as the distance metric. See `linkage` for more information on the return structure and algorithm.

Parameters **Q**: ndarray

A condensed or redundant distance matrix. A condensed distance matrix is a flat array containing the upper triangular of the distance matrix. This is the form that `pdist` returns. Alternatively, a collection of m observation vectors in n dimensions may be passed as a m by n array.

Returns **Z**: ndarray
The hierarchical clustering encoded as a linkage matrix.

See Also

[linkage](#) for advanced creation of hierarchical clusterings.

`scipy.cluster.hierarchy.ward`(y)

Performs Ward's linkage on a condensed or redundant distance matrix.

See `linkage` for more information on the return structure and algorithm.

The following are common calling conventions:

1. $Z = \text{ward}(y)$ Performs Ward's linkage on the condensed distance matrix z . See `linkage` for more information on the return structure and algorithm.

2. $Z = \text{ward}(X)$ Performs Ward's linkage on the observation matrix X using Euclidean distance as the distance metric. See `linkage` for more information on the return structure and algorithm.

Parameters **Q**: ndarray

A condensed or redundant distance matrix. A condensed distance matrix is a flat array containing the upper triangular of the distance matrix. This is the form that `pdist` returns. Alternatively, a collection of m observation vectors in n dimensions may be passed as a m by n array.

Returns **Z**: ndarray
The hierarchical clustering encoded as a linkage matrix.

See Also

linkage for advanced creation of hierarchical clusterings.

These routines compute statistics on hierarchies.

<code>cophenet(Z[, Y])</code>	Calculates the cophenetic distances between each observation in
<code>from_mlab_linkage(Z)</code>	Converts a linkage matrix generated by MATLAB(TM) to a new
<code>inconsistent(Z[, d])</code>	Calculates inconsistency statistics on a linkage.
<code>maxinconsts(Z, R)</code>	Returns the maximum inconsistency coefficient for each non-singleton cluster and its descendents.
<code>maxdists(Z)</code>	Returns the maximum distance between any non-singleton cluster.
<code>maxRstat(Z, R, i)</code>	Returns the maximum statistic for each non-singleton cluster and its descendents.
<code>to_mlab_linkage(Z)</code>	Converts a linkage matrix to a MATLAB(TM) compatible one.

`scipy.cluster.hierarchy.cophenet` (*Z*, *Y=None*)

Calculates the cophenetic distances between each observation in the hierarchical clustering defined by the linkage *Z*.

Suppose *p* and *q* are original observations in disjoint clusters *s* and *t*, respectively and *s* and *t* are joined by a direct parent cluster *u*. The cophenetic distance between observations *i* and *j* is simply the distance between clusters *s* and *t*.

Parameters

- Z** : ndarray
The hierarchical clustering encoded as an array (see `linkage` function).
- Y** : ndarray (optional)
Calculates the cophenetic correlation coefficient *c* of a hierarchical clustering defined by the linkage matrix *Z* of a set of *n* observations in *m* dimensions. *Y* is the condensed distance matrix from which *Z* was generated.

Returns

- c** : ndarray
The cophenetic correlation distance (if *y* is passed).
- d** : ndarray
The cophenetic distance matrix in condensed form. The *ij* th entry is the cophenetic distance between original observations *i* and *j*.

`scipy.cluster.hierarchy.from_mlab_linkage` (*Z*)

Converts a linkage matrix generated by MATLAB(TM) to a new linkage matrix compatible with this module.

The conversion does two things:

- the indices are converted from 1 . . *N* to 0 . . (*N*-1) form, and
- a fourth column *Z*[:,3] is added where *Z*[i,3] is represents the number of original observations (leaves) in the non-singleton cluster *i*.

This function is useful when loading in linkages from legacy data files generated by MATLAB.

Parameters

- Z** : ndarray
A linkage matrix generated by MATLAB(TM).

Returns

- ZS** : ndarray
A linkage matrix compatible with this library.

`scipy.cluster.hierarchy.inconsistent` (*Z*, *d=2*)

Calculates inconsistency statistics on a linkage.

Note: This function behaves similarly to the MATLAB(TM) `inconsistent` function.

Parameters

- Z** : ndarray
The (*n* - 1) by 4 matrix encoding the linkage (hierarchical clustering). See `linkage` documentation for more information on its form.

d : int, optional
The number of links up to d levels below each non-singleton cluster.

Returns **R** : ndarray
A $(n - 1)$ by 5 matrix where the i 'th row contains the link statistics for the non-singleton cluster i . The link statistics are computed over the link heights for links d levels below the cluster i . $R[i, 0]$ and $R[i, 1]$ are the mean and standard deviation of the link heights, respectively; $R[i, 2]$ is the number of links included in the calculation; and $R[i, 3]$ is the inconsistency coefficient,

$$\frac{Z[i, 2] - R[i, 0]}{R[i, 1]}$$

`scipy.cluster.hierarchy.maxinconsts` (Z, R)

Returns the maximum inconsistency coefficient for each non-singleton cluster and its descendents.

Parameters **Z** : ndarray
The hierarchical clustering encoded as a matrix. See `linkage` for more information.

R : ndarray
The inconsistency matrix.

Returns **MI** : ndarray
A monotonic $(n-1)$ -sized numpy array of doubles.

`scipy.cluster.hierarchy.maxdists` (Z)

Returns the maximum distance between any non-singleton cluster.

Parameters **Z** : ndarray
The hierarchical clustering encoded as a matrix. See `linkage` for more information.

Returns **maxdists** : ndarray
A $(n-1)$ sized numpy array of doubles; $MD[i]$ represents the maximum distance between any cluster (including singletons) below and including the node with index i . More specifically, $MD[i] = Z[Q(i)-n, 2].max()$ where $Q(i)$ is the set of all node indices below and including node i .

`scipy.cluster.hierarchy.maxRstat` (Z, R, i)

Returns the maximum statistic for each non-singleton cluster and its descendents.

Parameters **Z** : array_like
The hierarchical clustering encoded as a matrix. See `linkage` for more information.

R : array_like
The inconsistency matrix.

i : int
The column of R to use as the statistic.

Returns **MR** : ndarray
Calculates the maximum statistic for the i 'th column of the inconsistency matrix R for each non-singleton cluster node. $MR[j]$ is the maximum over $R[Q(j)-n, i]$ where $Q(j)$ the set of all node ids corresponding to nodes below and including j .

`scipy.cluster.hierarchy.to_mlab_linkage` (Z)

Converts a linkage matrix to a MATLAB(TM) compatible one.

Converts a linkage matrix Z generated by the linkage function of this module to a MATLAB(TM) compatible one. The return linkage matrix has the last column removed and the cluster indices are converted to $1..N$ indexing.

Parameters **Z** : ndarray
A linkage matrix generated by this library.

Returns **to_mlab_linkage** : ndarray

A linkage matrix compatible with MATLAB(TM)'s hierarchical clustering functions. The return linkage matrix has the last column removed and the cluster indices are converted to 1 . . N indexing.

Routines for visualizing flat clusters.

`dendrogram(Z[, p, truncate_mode, ...])` Plots the hierarchical clustering as a dendrogram.

```

scipy.cluster.hierarchy.dendrogram(Z, p=30, truncate_mode=None, color_threshold=None,
    get_leaves=True, orientation='top', labels=None, count_sort=False, distance_sort=False,
    show_leaf_counts=True, no_plot=False, no_labels=False, color_list=None, leaf_font_size=None,
    leaf_rotation=None, leaf_label_func=None, no_leaves=False, show_contracted=False,
    link_color_func=None)

```

Plots the hierarchical clustering as a dendrogram.

The dendrogram illustrates how each cluster is composed by drawing a U-shaped link between a non-singleton cluster and its children. The height of the top of the U-link is the distance between its children clusters. It is also the cophenetic distance between original observations in the two children clusters. It is expected that the distances in $Z[:,2]$ be monotonic, otherwise crossings appear in the dendrogram.

Parameters **Z** : ndarray

The linkage matrix encoding the hierarchical clustering to render as a dendrogram. See the `linkage` function for more information on the format of `Z`.

p : int, optional

The `p` parameter for `truncate_mode`.

truncate_mode : str, optional

The dendrogram can be hard to read when the original observation matrix from which the linkage is derived is large. Truncation is used to condense the dendrogram. There are several modes:

None/'none': no truncation is performed (Default)

'lastp': *the last p non-singleton formed in the linkage*

are the only non-leaf nodes in the linkage; they correspond to to rows $Z[n-p-2 : end]$ in `Z`. All other non-singleton clusters are contracted into leaf nodes.

'mlab': *This corresponds to MATLAB(TM) behavior. (not implemented yet)*

'level'/'mtica': *no more than p levels of the*

dendrogram tree are displayed. This corresponds to Mathematica(TM) behavior.

color_threshold : double, optional

For brevity, let t be the `color_threshold`. Colors all the descendent links below a cluster node k the same color if k is the first node below the cut threshold t . All links connecting nodes with distances greater than or equal to the threshold are colored blue. If t is less than or equal to zero, all nodes are colored blue. If `color_threshold` is `None` or `'default'`, corresponding with MATLAB(TM) behavior, the threshold is set to $0.7 * \max(Z[:, 2])$.

get_leaves : bool, optional

Includes a list `R['leaves'] = H` in the result dictionary. For each i , $H[i] == j$, cluster node j appears in position i in the left-to-right traversal of the leaves, where $j < 2n - 1$ and $i < n$.

orientation : str, optional

The direction to plot the dendrogram, which can be any of the following strings:

‘top’ *plots the root at the top, and plot descendent*

links going downwards. (default).

‘bottom’ *plots the root at the bottom, and plot descendent*

links going upwards.

‘left’ *plots the root at the left, and plot descendent*

links going right.

‘right’ *plots the root at the right, and plot descendent*

links going left.

labels : ndarray, optional

By default `labels` is `None` so the index of the original observation is used to label the leaf nodes. Otherwise, this is an n -sized list (or tuple). The `labels[i]` value is the text to put under the i th leaf node only if it corresponds to an original observation and not a non-singleton cluster.

count_sort : str or bool, optional

For each node n , the order (visually, from left-to-right) n 's two descendent links are plotted is determined by this parameter, which can be any of the following values:

False: nothing is done.

‘ascending’/True: *the child with the minimum number of*

original objects in its cluster is plotted first.

‘descendent’: *the child with the maximum number of*

original objects in its cluster is plotted first.

Note `distance_sort` and `count_sort` cannot both be `True`.

distance_sort : str or bool, optional

For each node n , the order (visually, from left-to-right) n 's two descendent links are plotted is determined by this parameter, which can be any of the following values:

False: nothing is done.

‘ascending’/True: *the child with the minimum distance*

between its direct descendents is plotted first.

‘descending’: *the child with the maximum distance*

between its direct descendents is plotted first.

Note `distance_sort` and `count_sort` cannot both be `True`.

show_leaf_counts : bool, optional

When `True`, leaf nodes representing $k > 1$ original observation are labeled with the number of observations they contain in parentheses.

no_plot : bool, optional

When `True`, the final rendering is not performed. This is useful if only the data structures computed for the rendering are needed or if `matplotlib` is not available.

no_labels : bool, optional

When `True`, no labels appear next to the leaf nodes in the rendering of the dendrogram.

leaf_label_rotation : double, optional

Specifies the angle (in degrees) to rotate the leaf labels. When unspecified, the rotation based on the number of nodes in the dendrogram. (Default=0)

leaf_font_size : int, optional

Specifies the font size (in points) of the leaf labels. When unspecified, the size based on the number of nodes in the dendrogram.

leaf_label_func : lambda or function, optional

When `leaf_label_func` is a callable function, for each leaf with cluster index $k < 2n - 1$. The function is expected to return a string with the label for the leaf.

Indices $k < n$ correspond to original observations while indices $k \geq n$ correspond to non-singleton clusters.

For example, to label singletons with their node id and non-singletons with their id, count, and inconsistency coefficient, simply do:

```
>>> # First define the leaf label function.
>>> def llf(id):
...     if id < n:
...         return str(id)
...     else:
>>>         return "[%d %d %1.2f]" % (id, count, R[n-id,3])
>>>
>>> # The text for the leaf nodes is going to be big so force
>>> # a rotation of 90 degrees.
>>> dendrogram(Z, leaf_label_func=llf, leaf_rotation=90)
```

show_contracted : bool

When True the heights of non-singleton nodes contracted into a leaf node are plotted as crosses along the link connecting that leaf node. This really is only useful when truncation is used (see `truncate_mode` parameter).

link_color_func : lambda/function

When a callable function, `link_color_function` is called with each non-singleton id corresponding to each U-shaped link it will paint. The function is expected to return the color to paint the link, encoded as a matplotlib color string code. For example:

```
>>> dendrogram(Z, link_color_func=lambda k: colors[k])
```

colors the direct links below each untruncated non-singleton node `k` using `colors[k]`.

Returns

R : dict

A dictionary of data structures computed to render the dendrogram. Its has the following keys:

'icoords': a list of lists [*I1*, *I2*, ..., *Ip*] where

I_k is a list of 4 independent variable coordinates corresponding to the line that represents the *k*'th link painted.

'dcoords': a list of lists [*I2*, *I2*, ..., *Ip*] where

I_k is a list of 4 independent variable coordinates corresponding to the line that represents the *k*'th link painted.

'ivl': a list of labels corresponding to the leaf nodes.

'leaves': for each *i*, $H[i] == j$, cluster node

j appears in position *i* in the left-to-right traversal of the leaves, where $j < 2n - 1$ and $i < n$. If *j* is less than *n*, the *i*th leaf node corresponds to an original observation. Otherwise, it corresponds to a non-singleton cluster.

These are data structures and routines for representing hierarchies as tree objects.

<code>ClusterNode(id[, left, right, dist, count])</code>	A tree node class for representing a cluster.
<code>leaves_list(Z)</code>	Returns a list of leaf node ids
<code>to_tree(Z[, rd])</code>	Converts a hierarchical clustering encoded in the matrix <i>Z</i> (by

class `scipy.cluster.hierarchy.ClusterNode` (*id*, *left=None*, *right=None*, *dist=0*, *count=1*)

A tree node class for representing a cluster.

Leaf nodes correspond to original observations, while non-leaf nodes correspond to non-singleton clusters.

The `to_tree` function converts a matrix returned by the linkage function into an easy-to-use tree representation.

See Also

`to_tree` for converting a linkage matrix *Z* into a tree object.

Methods

<code>get_count()</code>	The number of leaf nodes (original observations) belonging to the cluster node nd.
<code>get_id()</code>	The identifier of the target node.
<code>get_left()</code>	Return a reference to the left child tree object.
<code>get_right()</code>	Returns a reference to the right child tree object.
<code>is_leaf()</code>	Returns True if the target node is a leaf.
<code>pre_order([func])</code>	Performs pre-order traversal without recursive function calls.

`ClusterNode.get_count()`

The number of leaf nodes (original observations) belonging to the cluster node nd. If the target node is a leaf, 1 is returned.

Returns **get_count** : int
The number of leaf nodes below the target node.

`ClusterNode.get_id()`

The identifier of the target node.

For $0 \leq i < n$, i corresponds to original observation i . For $n \leq i < 2n-1$, i corresponds to non-singleton cluster formed at iteration $i-n$.

Returns **id** : int
The identifier of the target node.

`ClusterNode.get_left()`

Return a reference to the left child tree object.

Returns **left** : ClusterNode
The left child of the target node. If the node is a leaf, None is returned.

`ClusterNode.get_right()`

Returns a reference to the right child tree object.

Returns **right** : ClusterNode
The left child of the target node. If the node is a leaf, None is returned.

`ClusterNode.is_leaf()`

Returns True if the target node is a leaf.

Returns **leafness** : bool
True if the target node is a leaf node.

`ClusterNode.pre_order(func=<function <lambda> at 0x465a488>)`

Performs pre-order traversal without recursive function calls.

When a leaf node is first encountered, `func` is called with the leaf node as its argument, and its result is appended to the list.

For example, the statement:

```
ids = root.pre_order(lambda x: x.id)
```

returns a list of the node ids corresponding to the leaf nodes of the tree as they appear from left to right.

Parameters **func** : function
Applied to each leaf ClusterNode object in the pre-order traversal. Given the i 'th leaf node in the pre-order traversal $n[i]$, the result of `func(n[i])` is stored in `L[i]`. If not provided, the index of the original observation to which the node corresponds is used.

Returns **L** : list
 The pre-order traversal.

`scipy.cluster.hierarchy.leaves_list(Z)`

Returns a list of leaf node ids

The return corresponds to the observation vector index as it appears in the tree from left to right. *Z* is a linkage matrix.

Parameters **Z** : ndarray
 The hierarchical clustering encoded as a matrix. *Z* is a linkage matrix. See `linkage` for more information.

Returns **leaves_list** : ndarray
 The list of leaf node ids.

`scipy.cluster.hierarchy.to_tree(Z, rd=False)`

Converts a hierarchical clustering encoded in the matrix *Z* (by linkage) into an easy-to-use tree object.

The reference *r* to the root `ClusterNode` object is returned.

Each `ClusterNode` object has a `left`, `right`, `dist`, `id`, and `count` attribute. The `left` and `right` attributes point to `ClusterNode` objects that were combined to generate the cluster. If both are `None` then the `ClusterNode` object is a leaf node, its `count` must be 1, and its distance is meaningless but set to 0.

Note: This function is provided for the convenience of the library user. `ClusterNodes` are not used as input to any of the functions in this library.

Parameters **Z** : ndarray
 The linkage matrix in proper form (see the `linkage` function documentation).
 rd : bool, optional
 When `False`, a reference to the root `ClusterNode` object is returned. Otherwise, a tuple (*r*,*d*) is returned. *r* is a reference to the root node while *d* is a dictionary mapping cluster ids to `ClusterNode` references. If a cluster id is less than *n*, then it corresponds to a singleton cluster (leaf node). See `linkage` for more information on the assignment of cluster ids to clusters.

Returns **L** : list
 The pre-order traversal.

These are predicates for checking the validity of linkage and inconsistency matrices as well as for checking isomorphism of two flat cluster assignments.

<code>is_valid_im(R[, warning, throw, name])</code>	Returns True if the inconsistency matrix passed is valid.
<code>is_valid_linkage(Z[, warning, throw, name])</code>	Checks the validity of a linkage matrix.
<code>is_isomorphic(T1, T2)</code>	Determines if two different cluster assignments are equivalent.
<code>is_monotonic(Z)</code>	Returns True if the linkage passed is monotonic.
<code>correspond(Z, Y)</code>	Checks for correspondence between linkage and condensed distance matrices
<code>num_obs_linkage(Z)</code>	Returns the number of original observations of the linkage matrix passed.

`scipy.cluster.hierarchy.is_valid_im(R, warning=False, throw=False, name=None)`

Returns True if the inconsistency matrix passed is valid.

It must be a *n* by 4 numpy array of doubles. The standard deviations `R[:, 1]` must be nonnegative. The link counts `R[:, 2]` must be positive and no greater than *n* - 1.

Parameters **R** : ndarray
 The inconsistency matrix to check for validity.
 warning : bool, optional
 When `True`, issues a Python warning if the linkage matrix passed is invalid.

throw : bool, optional
 When `True`, throws a Python exception if the linkage matrix passed is invalid.

name : str, optional
 This string refers to the variable name of the invalid linkage matrix.

Returns **b** : bool
 True if the inconsistency matrix is valid.

`scipy.cluster.hierarchy.is_valid_linkage` (*Z*, *warning=False*, *throw=False*, *name=None*)
 Checks the validity of a linkage matrix.

A linkage matrix is valid if it is a two dimensional ndarray (type double) with n rows and 4 columns. The first two columns must contain indices between 0 and $2n - 1$. For a given row i , $0 \leq Z[i, 0] \leq i + n - 1$ and $0 \leq Z[i, 1] \leq i + n - 1$ (i.e. a cluster cannot join another cluster unless the cluster being joined has been generated.)

Parameters **Z** : array_like
 Linkage matrix.

warning : bool, optional
 When `True`, issues a Python warning if the linkage matrix passed is invalid.

throw : bool, optional
 When `True`, throws a Python exception if the linkage matrix passed is invalid.

name : str, optional
 This string refers to the variable name of the invalid linkage matrix.

Returns **b** : bool
 True iff the inconsistency matrix is valid.

`scipy.cluster.hierarchy.is_isomorphic` (*T1*, *T2*)
 Determines if two different cluster assignments are equivalent.

Parameters **T1** : array_like
 An assignment of singleton cluster ids to flat cluster ids.

T2 : array_like
 An assignment of singleton cluster ids to flat cluster ids.

Returns **b** : bool
 Whether the flat cluster assignments *T1* and *T2* are equivalent.

`scipy.cluster.hierarchy.is_monotonic` (*Z*)
 Returns `True` if the linkage passed is monotonic.

The linkage is monotonic if for every cluster s and t joined, the distance between them is no less than the distance between any previously joined clusters.

Parameters **Z** : ndarray
 The linkage matrix to check for monotonicity.

Returns **b** : bool
 A boolean indicating whether the linkage is monotonic.

`scipy.cluster.hierarchy.correspond` (*Z*, *Y*)
 Checks for correspondence between linkage and condensed distance matrices

They must have the same number of original observations for the check to succeed.

This function is useful as a sanity check in algorithms that make extensive use of linkage and distance matrices that must correspond to the same set of original observations.

Parameters **Z** : array_like
 The linkage matrix to check for correspondence.

Y : array_like
 The condensed distance matrix to check for correspondence.

Returns **b** : bool

A boolean indicating whether the linkage matrix and distance matrix could possibly correspond to one another.

`scipy.cluster.hierarchy.num_obs_linkage(Z)`

Returns the number of original observations of the linkage matrix passed.

Parameters **Z** : ndarray
 The linkage matrix on which to perform the operation.

Returns **n** : int
 The number of original observations in the linkage.

Utility routines for plotting:

`set_link_color_palette(palette)` Set list of matplotlib color codes for dendrogram color_threshold.

`scipy.cluster.hierarchy.set_link_color_palette(palette)`

Set list of matplotlib color codes for dendrogram color_threshold.

Parameters **palette** : list
 A list of matplotlib color codes. The order of the color codes is the order in which the colors are cycled through when color thresholding in the dendrogram.

5.3.1 References

- MATLAB and MathWorks are registered trademarks of The MathWorks, Inc.
- Mathematica is a registered trademark of The Wolfram Research, Inc.

5.4 Constants (`scipy.constants`)

Physical and mathematical constants and units.

5.4.1 Mathematical constants

<code>pi</code>	Pi
<code>golden</code>	Golden ratio

5.4.2 Physical constants

c	speed of light in vacuum
mu_0	the magnetic constant μ_0
epsilon_0	the electric constant (vacuum permittivity), ϵ_0
h	the Planck constant h
hbar	$\hbar = h/(2\pi)$
G	Newtonian constant of gravitation
g	standard acceleration of gravity
e	elementary charge
R	molar gas constant
alpha	fine-structure constant
N_A	Avogadro constant
k	Boltzmann constant
sigma	Stefan-Boltzmann constant σ
Wien	Wien displacement law constant
Rydberg	Rydberg constant
m_e	electron mass
m_p	proton mass
m_n	neutron mass

Constants database

In addition to the above variables, `scipy.constants` also contains the 2010 CODATA recommended values [CODATA2010] database containing more physical constants.

<code>value(key)</code>	Value in <code>physical_constants</code> indexed by key
<code>unit(key)</code>	Unit in <code>physical_constants</code> indexed by key
<code>precision(key)</code>	Relative precision in <code>physical_constants</code> indexed by key
<code>find([sub, disp])</code>	Return list of <code>codata.physical_constant</code> keys containing a given string.
<code>ConstantWarning</code>	Accessing a constant no longer in current CODATA data set

`scipy.constants.value` (*key*)

Value in `physical_constants` indexed by key

Parameters **key** : Python string or unicode
Key in dictionary `physical_constants`

Returns **value** : float
Value in `physical_constants` corresponding to *key*

See Also

codata Contains the description of `physical_constants`, which, as a dictionary literal object, does not itself possess a docstring.

Examples

```
>>> from scipy.constants import codata
>>> codata.value('elementary charge')
1.602176487e-019
```

`scipy.constants.unit` (*key*)

Unit in `physical_constants` indexed by key

Parameters **key** : Python string or unicode
 Key in dictionary `physical_constants`
Returns **unit** : Python string
 Unit in `physical_constants` corresponding to *key*

See Also

codata Contains the description of `physical_constants`, which, as a dictionary literal object, does not itself possess a docstring.

Examples

```
>>> from scipy.constants import codata
>>> codata.unit(u'proton mass')
'kg'
```

`scipy.constants.precision` (*key*)
 Relative precision in `physical_constants` indexed by key

Parameters **key** : Python string or unicode
 Key in dictionary `physical_constants`
Returns **prec** : float
 Relative precision in `physical_constants` corresponding to *key*

See Also

codata Contains the description of `physical_constants`, which, as a dictionary literal object, does not itself possess a docstring.

Examples

```
>>> from scipy.constants import codata
>>> codata.precision(u'proton mass')
4.96226989798e-08
```

`scipy.constants.find` (*sub=None, disp=False*)
 Return list of `codata.physical_constant` keys containing a given string.

Parameters **sub** : str, unicode
 Sub-string to search keys for. By default, return all keys.
disp : bool
 If True, print the keys that are found, and return None. Otherwise, return the list of keys without printing anything.
Returns **keys** : list or None
 If *disp* is False, the list of keys is returned. Otherwise, None is returned.

See Also

codata Contains the description of `physical_constants`, which, as a dictionary literal object, does not itself possess a docstring.

exception `scipy.constants.ConstantWarning`
 Accessing a constant no longer in current CODATA data set

`scipy.constants.physical_constants`
 Dictionary of physical constants, of the format `physical_constants[name] = (value, unit, uncertainty)`.

Available constants:

alpha particle mass	6.64465675e-27 kg
alpha particle mass energy equivalent	5.97191967e-10 J
alpha particle mass energy equivalent in MeV	3727.37924 MeV
alpha particle mass in u	4.00150617913 u
alpha particle molar mass	0.00400150617912 kg mol ⁻¹
alpha particle-electron mass ratio	7294.2995361
alpha particle-proton mass ratio	3.97259968933
Angstrom star	1.00001495e-10 m
atomic mass constant	1.660538921e-27 kg
atomic mass constant energy equivalent	1.492417954e-10 J
atomic mass constant energy equivalent in MeV	931.494061 MeV
atomic mass unit-electron volt relationship	931494061.0 eV
atomic mass unit-hartree relationship	34231776.845 E _h
atomic mass unit-hertz relationship	2.2523427168e+23 Hz
atomic mass unit-inverse meter relationship	7.5130066042e+14 m ⁻¹
atomic mass unit-joule relationship	1.492417954e-10 J
atomic mass unit-kelvin relationship	1.08095408e+13 K
atomic mass unit-kilogram relationship	1.660538921e-27 kg
atomic unit of 1st hyperpolarizability	3.206361449e-53 C ³ m ³ J ⁻²
atomic unit of 2nd hyperpolarizability	6.23538054e-65 C ⁴ m ⁴ J ⁻³
atomic unit of action	1.054571726e-34 J s
atomic unit of charge	1.602176565e-19 C
atomic unit of charge density	1.081202338e+12 C m ⁻³
atomic unit of current	0.00662361795 A
atomic unit of electric dipole mom.	8.47835326e-30 C m
atomic unit of electric field	5.14220652e+11 V m ⁻¹
atomic unit of electric field gradient	9.717362e+21 V m ⁻²
atomic unit of electric polarizability	1.6487772754e-41 C ² m ² J ⁻¹
atomic unit of electric potential	27.21138505 V
atomic unit of electric quadrupole mom.	4.486551331e-40 C m ²
atomic unit of energy	4.35974434e-18 J
atomic unit of force	8.23872278e-08 N
atomic unit of length	5.2917721092e-11 m
atomic unit of mag. dipole mom.	1.854801936e-23 J T ⁻¹
atomic unit of mag. flux density	235051.7464 T
atomic unit of magnetizability	7.891036607e-29 J T ⁻²
atomic unit of mass	9.10938291e-31 kg
atomic unit of mom.um	1.99285174e-24 kg m s ⁻¹
atomic unit of permittivity	1.11265005605e-10 F m ⁻¹
atomic unit of time	2.4188843265e-17 s
atomic unit of velocity	2187691.26379 m s ⁻¹
Avogadro constant	6.02214129e+23 mol ⁻¹
Bohr magneton	9.27400968e-24 J T ⁻¹
Bohr magneton in eV/T	5.7883818066e-05 eV T ⁻¹
Bohr magneton in Hz/T	13996245550.0 Hz T ⁻¹
Bohr magneton in inverse meters per tesla	46.6864498 m ⁻¹ T ⁻¹
Bohr magneton in K/T	0.67171388 K T ⁻¹
Bohr radius	5.2917721092e-11 m
Boltzmann constant	1.3806488e-23 J K ⁻¹
Boltzmann constant in eV/K	8.6173324e-05 eV K ⁻¹

Continued on next page

Table 5.11 – continued from previous page

Boltzmann constant in Hz/K	20836618000.0 Hz K ⁻¹
Boltzmann constant in inverse meters per kelvin	69.503476 m ⁻¹ K ⁻¹
characteristic impedance of vacuum	376.730313462 ohm
classical electron radius	2.8179403267e-15 m
Compton wavelength	2.4263102389e-12 m
Compton wavelength over 2 pi	3.86159268e-13 m
conductance quantum	7.7480917346e-05 S
conventional value of Josephson constant	4.835979e+14 Hz V ⁻¹
conventional value of von Klitzing constant	25812.807 ohm
Cu x unit	1.00207697e-13 m
deuteron g factor	0.8574382308
deuteron mag. mom.	4.33073489e-27 J T ⁻¹
deuteron mag. mom. to Bohr magneton ratio	0.0004669754556
deuteron mag. mom. to nuclear magneton ratio	0.8574382308
deuteron mass	3.34358348e-27 kg
deuteron mass energy equivalent	3.00506297e-10 J
deuteron mass energy equivalent in MeV	1875.612859 MeV
deuteron mass in u	2.01355321271 u
deuteron molar mass	0.00201355321271 kg mol ⁻¹
deuteron rms charge radius	2.1424e-15 m
deuteron-electron mag. mom. ratio	-0.0004664345537
deuteron-electron mass ratio	3670.4829652
deuteron-neutron mag. mom. ratio	-0.44820652
deuteron-proton mag. mom. ratio	0.307012207
deuteron-proton mass ratio	1.99900750097
electric constant	8.85418781762e-12 F m ⁻¹
electron charge to mass quotient	-1.758820088e+11 C kg ⁻¹
electron g factor	-2.00231930436
electron gyromag. ratio	1.760859708e+11 s ⁻¹ T ⁻¹
electron gyromag. ratio over 2 pi	28024.95266 MHz T ⁻¹
electron mag. mom.	-9.2847643e-24 J T ⁻¹
electron mag. mom. anomaly	0.00115965218076
electron mag. mom. to Bohr magneton ratio	-1.00115965218
electron mag. mom. to nuclear magneton ratio	-1838.2819709
electron mass	9.10938291e-31 kg
electron mass energy equivalent	8.18710506e-14 J
electron mass energy equivalent in MeV	0.510998928 MeV
electron mass in u	0.00054857990946 u
electron molar mass	5.4857990946e-07 kg mol ⁻¹
electron to alpha particle mass ratio	0.000137093355578
electron to shielded helion mag. mom. ratio	864.058257
electron to shielded proton mag. mom. ratio	-658.2275971
electron volt	1.602176565e-19 J
electron volt-atomic mass unit relationship	1.07354415e-09 u
electron volt-hartree relationship	0.03674932379 E_h
electron volt-hertz relationship	2.417989348e+14 Hz
electron volt-inverse meter relationship	806554.429 m ⁻¹
electron volt-joule relationship	1.602176565e-19 J
electron volt-kelvin relationship	11604.519 K
electron volt-kilogram relationship	1.782661845e-36 kg

Continued on next page

Table 5.11 – continued from previous page

electron-deuteron mag. mom. ratio	-2143.923498
electron-deuteron mass ratio	0.00027244371095
electron-helion mass ratio	0.00018195430761
electron-muon mag. mom. ratio	206.7669896
electron-muon mass ratio	0.00483633166
electron-neutron mag. mom. ratio	960.9205
electron-neutron mass ratio	0.00054386734461
electron-proton mag. mom. ratio	-658.2106848
electron-proton mass ratio	0.00054461702178
electron-tau mass ratio	0.000287592
electron-triton mass ratio	0.00018192000653
elementary charge	1.602176565e-19 C
elementary charge over h	2.417989348e+14 A J ⁻¹
Faraday constant	96485.3365 C mol ⁻¹
Faraday constant for conventional electric current	96485.3321 C ₉₀ mol ⁻¹
Fermi coupling constant	1.166364e-05 GeV ⁻²
fine-structure constant	0.0072973525698
first radiation constant	3.74177153e-16 W m ²
first radiation constant for spectral radiance	1.191042869e-16 W m ² sr ⁻¹
Hartree energy	4.35974434e-18 J
Hartree energy in eV	27.21138505 eV
hartree-atomic mass unit relationship	2.9212623246e-08 u
hartree-electron volt relationship	27.21138505 eV
hartree-hertz relationship	6.57968392073e+15 Hz
hartree-inverse meter relationship	21947463.1371 m ⁻¹
hartree-joule relationship	4.35974434e-18 J
hartree-kelvin relationship	315775.04 K
hartree-kilogram relationship	4.85086979e-35 kg
helion g factor	-4.255250613
helion mag. mom.	-1.074617486e-26 J T ⁻¹
helion mag. mom. to Bohr magneton ratio	-0.001158740958
helion mag. mom. to nuclear magneton ratio	-2.127625306
helion mass	5.00641234e-27 kg
helion mass energy equivalent	4.49953902e-10 J
helion mass energy equivalent in MeV	2808.391482 MeV
helion mass in u	3.0149322468 u
helion molar mass	0.0030149322468 kg mol ⁻¹
helion-electron mass ratio	5495.8852754
helion-proton mass ratio	2.9931526707
hertz-atomic mass unit relationship	4.4398216689e-24 u
hertz-electron volt relationship	4.135667516e-15 eV
hertz-hartree relationship	1.519829846e-16 E _h
hertz-inverse meter relationship	3.33564095198e-09 m ⁻¹
hertz-joule relationship	6.62606957e-34 J
hertz-kelvin relationship	4.7992434e-11 K
hertz-kilogram relationship	7.37249668e-51 kg
inverse fine-structure constant	137.035999074
inverse meter-atomic mass unit relationship	1.3310250512e-15 u
inverse meter-electron volt relationship	1.23984193e-06 eV
inverse meter-hartree relationship	4.55633525276e-08 E _h

Continued on next page

Table 5.11 – continued from previous page

inverse meter-hertz relationship	299792458.0 Hz
inverse meter-joule relationship	1.986445684e-25 J
inverse meter-kelvin relationship	0.01438777 K
inverse meter-kilogram relationship	2.210218902e-42 kg
inverse of conductance quantum	12906.4037217 ohm
Josephson constant	4.8359787e+14 Hz V ⁻¹
joule-atomic mass unit relationship	6700535850.0 u
joule-electron volt relationship	6.24150934e+18 eV
joule-hartree relationship	2.29371248e+17 E _h
joule-hertz relationship	1.509190311e+33 Hz
joule-inverse meter relationship	5.03411701e+24 m ⁻¹
joule-kelvin relationship	7.2429716e+22 K
joule-kilogram relationship	1.11265005605e-17 kg
kelvin-atomic mass unit relationship	9.2510868e-14 u
kelvin-electron volt relationship	8.6173324e-05 eV
kelvin-hartree relationship	3.1668114e-06 E _h
kelvin-hertz relationship	20836618000.0 Hz
kelvin-inverse meter relationship	69.503476 m ⁻¹
kelvin-joule relationship	1.3806488e-23 J
kelvin-kilogram relationship	1.536179e-40 kg
kilogram-atomic mass unit relationship	6.02214129e+26 u
kilogram-electron volt relationship	5.60958885e+35 eV
kilogram-hartree relationship	2.061485968e+34 E _h
kilogram-hertz relationship	1.356392608e+50 Hz
kilogram-inverse meter relationship	4.52443873e+41 m ⁻¹
kilogram-joule relationship	8.98755178737e+16 J
kilogram-kelvin relationship	6.5096582e+39 K
lattice parameter of silicon	5.431020504e-10 m
Loschmidt constant (273.15 K, 100 kPa)	2.6516462e+25 m ⁻³
Loschmidt constant (273.15 K, 101.325 kPa)	2.6867805e+25 m ⁻³
mag. constant	1.25663706144e-06 N A ⁻²
mag. flux quantum	2.067833758e-15 Wb
Mo x unit	1.00209952e-13 m
molar gas constant	8.3144621 J mol ⁻¹ K ⁻¹
molar mass constant	0.001 kg mol ⁻¹
molar mass of carbon-12	0.012 kg mol ⁻¹
molar Planck constant	3.9903127176e-10 J s mol ⁻¹
molar Planck constant times c	0.119626565779 J m mol ⁻¹
molar volume of ideal gas (273.15 K, 100 kPa)	0.022710953 m ³ mol ⁻¹
molar volume of ideal gas (273.15 K, 101.325 kPa)	0.022413968 m ³ mol ⁻¹
molar volume of silicon	1.205883301e-05 m ³ mol ⁻¹
muon Compton wavelength	1.173444103e-14 m
muon Compton wavelength over 2 pi	1.867594294e-15 m
muon g factor	-2.0023318418
muon mag. mom.	-4.49044807e-26 J T ⁻¹
muon mag. mom. anomaly	0.00116592091
muon mag. mom. to Bohr magneton ratio	-0.00484197044
muon mag. mom. to nuclear magneton ratio	-8.89059697
muon mass	1.883531475e-28 kg
muon mass energy equivalent	1.692833667e-11 J

Continued on next page

Table 5.11 – continued from previous page

muon mass energy equivalent in MeV	105.6583715 MeV
muon mass in u	0.1134289267 u
muon molar mass	0.0001134289267 kg mol ⁻¹
muon-electron mass ratio	206.7682843
muon-neutron mass ratio	0.1124545177
muon-proton mag. mom. ratio	-3.183345107
muon-proton mass ratio	0.1126095272
muon-tau mass ratio	0.0594649
natural unit of action	1.054571726e-34 J s
natural unit of action in eV s	6.58211928e-16 eV s
natural unit of energy	8.18710506e-14 J
natural unit of energy in MeV	0.510998928 MeV
natural unit of length	3.86159268e-13 m
natural unit of mass	9.10938291e-31 kg
natural unit of mom.um	2.73092429e-22 kg m s ⁻¹
natural unit of mom.um in MeV/c	0.510998928 MeV/c
natural unit of time	1.28808866833e-21 s
natural unit of velocity	299792458.0 m s ⁻¹
neutron Compton wavelength	1.3195909068e-15 m
neutron Compton wavelength over 2 pi	2.1001941568e-16 m
neutron g factor	-3.82608545
neutron gyromag. ratio	183247179.0 s ⁻¹ T ⁻¹
neutron gyromag. ratio over 2 pi	29.1646943 MHz T ⁻¹
neutron mag. mom.	-9.6623647e-27 J T ⁻¹
neutron mag. mom. to Bohr magneton ratio	-0.00104187563
neutron mag. mom. to nuclear magneton ratio	-1.91304272
neutron mass	1.674927351e-27 kg
neutron mass energy equivalent	1.505349631e-10 J
neutron mass energy equivalent in MeV	939.565379 MeV
neutron mass in u	1.008664916 u
neutron molar mass	0.001008664916 kg mol ⁻¹
neutron to shielded proton mag. mom. ratio	-0.68499694
neutron-electron mag. mom. ratio	0.00104066882
neutron-electron mass ratio	1838.6836605
neutron-muon mass ratio	8.892484
neutron-proton mag. mom. ratio	-0.68497934
neutron-proton mass difference	2.30557392e-30
neutron-proton mass difference energy equivalent	2.0721465e-13
neutron-proton mass difference energy equivalent in MeV	1.29333217
neutron-proton mass difference in u	0.00138844919
neutron-proton mass ratio	1.00137841917
neutron-tau mass ratio	0.52879
Newtonian constant of gravitation	6.67384e-11 m ³ kg ⁻¹ s ⁻²
Newtonian constant of gravitation over h-bar c	6.70837e-39 (GeV/c ²) ⁻²
nuclear magneton	5.05078353e-27 J T ⁻¹
nuclear magneton in eV/T	3.1524512605e-08 eV T ⁻¹
nuclear magneton in inverse meters per tesla	0.02542623527 m ⁻¹ T ⁻¹
nuclear magneton in K/T	0.00036582682 K T ⁻¹
nuclear magneton in MHz/T	7.62259357 MHz T ⁻¹
Planck constant	6.62606957e-34 J s

Continued on next page

Table 5.11 – continued from previous page

Planck constant in eV s	4.135667516e-15 eV s
Planck constant over 2 pi	1.054571726e-34 J s
Planck constant over 2 pi in eV s	6.58211928e-16 eV s
Planck constant over 2 pi times c in MeV fm	197.3269718 MeV fm
Planck length	1.616199e-35 m
Planck mass	2.17651e-08 kg
Planck mass energy equivalent in GeV	1.220932e+19 GeV
Planck temperature	1.416833e+32 K
Planck time	5.39106e-44 s
proton charge to mass quotient	95788335.8 C kg ⁻¹
proton Compton wavelength	1.32140985623e-15 m
proton Compton wavelength over 2 pi	2.1030891047e-16 m
proton g factor	5.585694713
proton gyromag. ratio	267522200.5 s ⁻¹ T ⁻¹
proton gyromag. ratio over 2 pi	42.5774806 MHz T ⁻¹
proton mag. mom.	1.410606743e-26 J T ⁻¹
proton mag. mom. to Bohr magneton ratio	0.00152103221
proton mag. mom. to nuclear magneton ratio	2.792847356
proton mag. shielding correction	2.5694e-05
proton mass	1.672621777e-27 kg
proton mass energy equivalent	1.503277484e-10 J
proton mass energy equivalent in MeV	938.272046 MeV
proton mass in u	1.00727646681 u
proton molar mass	0.00100727646681 kg mol ⁻¹
proton rms charge radius	8.775e-16 m
proton-electron mass ratio	1836.15267245
proton-muon mass ratio	8.88024331
proton-neutron mag. mom. ratio	-1.45989806
proton-neutron mass ratio	0.99862347826
proton-tau mass ratio	0.528063
quantum of circulation	0.0003636947552 m ² s ⁻¹
quantum of circulation times 2	0.0007273895104 m ² s ⁻¹
Rydberg constant	10973731.5685 m ⁻¹
Rydberg constant times c in Hz	3.28984196036e+15 Hz
Rydberg constant times hc in eV	13.60569253 eV
Rydberg constant times hc in J	2.179872171e-18 J
Sackur-Tetrode constant (1 K, 100 kPa)	-1.1517078
Sackur-Tetrode constant (1 K, 101.325 kPa)	-1.1648708
second radiation constant	0.01438777 m K
shielded helion gyromag. ratio	203789465.9 s ⁻¹ T ⁻¹
shielded helion gyromag. ratio over 2 pi	32.43410084 MHz T ⁻¹
shielded helion mag. mom.	-1.074553044e-26 J T ⁻¹
shielded helion mag. mom. to Bohr magneton ratio	-0.001158671471
shielded helion mag. mom. to nuclear magneton ratio	-2.127497718
shielded helion to proton mag. mom. ratio	-0.761766558
shielded helion to shielded proton mag. mom. ratio	-0.7617861313
shielded proton gyromag. ratio	267515326.8 s ⁻¹ T ⁻¹
shielded proton gyromag. ratio over 2 pi	42.5763866 MHz T ⁻¹
shielded proton mag. mom.	1.410570499e-26 J T ⁻¹
shielded proton mag. mom. to Bohr magneton ratio	0.001520993128

Continued on next page

Table 5.11 – continued from previous page

shielded proton mag. mom. to nuclear magneton ratio	2.792775598
speed of light in vacuum	299792458.0 m s ⁻¹
standard acceleration of gravity	9.80665 m s ⁻²
standard atmosphere	101325.0 Pa
standard-state pressure	100000.0 Pa
Stefan-Boltzmann constant	5.670373e-08 W m ⁻² K ⁻⁴
tau Compton wavelength	6.97787e-16 m
tau Compton wavelength over 2 pi	1.11056e-16 m
tau mass	3.16747e-27 kg
tau mass energy equivalent	2.84678e-10 J
tau mass energy equivalent in MeV	1776.82 MeV
tau mass in u	1.90749 u
tau molar mass	0.00190749 kg mol ⁻¹
tau-electron mass ratio	3477.15
tau-muon mass ratio	16.8167
tau-neutron mass ratio	1.89111
tau-proton mass ratio	1.89372
Thomson cross section	6.652458734e-29 m ²
triton g factor	5.957924896
triton mag. mom.	1.504609447e-26 J T ⁻¹
triton mag. mom. to Bohr magneton ratio	0.001622393657
triton mag. mom. to nuclear magneton ratio	2.978962448
triton mass	5.0073563e-27 kg
triton mass energy equivalent	4.50038741e-10 J
triton mass energy equivalent in MeV	2808.921005 MeV
triton mass in u	3.0155007134 u
triton molar mass	0.0030155007134 kg mol ⁻¹
triton-electron mass ratio	5496.9215267
triton-proton mass ratio	2.9937170308
unified atomic mass unit	1.660538921e-27 kg
von Klitzing constant	25812.8074434 ohm
weak mixing angle	0.2223
Wien frequency displacement law constant	58789254000.0 Hz K ⁻¹
Wien wavelength displacement law constant	0.0028977721 m K
{220} lattice spacing of silicon	1.920155714e-10 m

5.4.3 Units

SI prefixes

yotta	10^{24}
zetta	10^{21}
exa	10^{18}
peta	10^{15}
tera	10^{12}
giga	10^9
mega	10^6
kilo	10^3
hecto	10^2
deka	10^1
deci	10^{-1}
centi	10^{-2}
milli	10^{-3}
micro	10^{-6}
nano	10^{-9}
pico	10^{-12}
femto	10^{-15}
atto	10^{-18}
zepto	10^{-21}

Binary prefixes

kibi	2^{10}
mebi	2^{20}
gibi	2^{30}
tebi	2^{40}
pebi	2^{50}
exbi	2^{60}
zebi	2^{70}
yobi	2^{80}

Weight

gram	10^{-3} kg
metric_ton	10^3 kg
grain	one grain in kg
lb	one pound (avoirdupois) in kg
oz	one ounce in kg
stone	one stone in kg
grain	one grain in kg
long_ton	one long ton in kg
short_ton	one short ton in kg
troy_ounce	one Troy ounce in kg
troy_pound	one Troy pound in kg
carat	one carat in kg
m_u	atomic mass constant (in kg)

Angle

degree	degree in radians
arcmin	arc minute in radians
arcsec	arc second in radians

Time

minute	one minute in seconds
hour	one hour in seconds
day	one day in seconds
week	one week in seconds
year	one year (365 days) in seconds
Julian_year	one Julian year (365.25 days) in seconds

Length

inch	one inch in meters
foot	one foot in meters
yard	one yard in meters
mile	one mile in meters
mil	one mil in meters
pt	one point in meters
survey_foot	one survey foot in meters
survey_mile	one survey mile in meters
nautical_mile	one nautical mile in meters
fermi	one Fermi in meters
angstrom	one Angstrom in meters
micron	one micron in meters
au	one astronomical unit in meters
light_year	one light year in meters
parsec	one parsec in meters

Pressure

atm	standard atmosphere in pascals
bar	one bar in pascals
torr	one torr (mmHg) in pascals
psi	one psi in pascals

Area

hectare	one hectare in square meters
acre	one acre in square meters

Volume

liter	one liter in cubic meters
gallon	one gallon (US) in cubic meters
gallon_imp	one gallon (UK) in cubic meters
fluid_ounce	one fluid ounce (US) in cubic meters
fluid_ounce_imp	one fluid ounce (UK) in cubic meters
bbl	one barrel in cubic meters

Speed

kmh	kilometers per hour in meters per second
mph	miles per hour in meters per second
mach	one Mach (approx., at 15 C, 1 atm) in meters per second
knot	one knot in meters per second

Temperature

zero_Celsius	zero of Celsius scale in Kelvin
degree_Fahrenheit	one Fahrenheit (only differences) in Kelvins

C2K(C)	Convert Celsius to Kelvin
K2C(K)	Convert Kelvin to Celsius
F2C(F)	Convert Fahrenheit to Celsius
C2F(C)	Convert Celsius to Fahrenheit
F2K(F)	Convert Fahrenheit to Kelvin
K2F(K)	Convert Kelvin to Fahrenheit

`scipy.constants.C2K(C)`
Convert Celsius to Kelvin

Parameters **C** : array_like
Celsius temperature(s) to be converted.

Returns **K** : float or array of floats
Equivalent Kelvin temperature(s).

Notes

Computes $K = C + \text{zero_Celsius}$ where $\text{zero_Celsius} = 273.15$, i.e., (the absolute value of) temperature “absolute zero” as measured in Celsius.

Examples

```
>>> from scipy.constants.constants import C2K
>>> C2K(_np.array([-40, 40.0]))
array([ 233.15,  313.15])
```

`scipy.constants.K2C(K)`
Convert Kelvin to Celsius

Parameters **K** : array_like
Kelvin temperature(s) to be converted.

Returns **C** : float or array of floats

Equivalent Celsius temperature(s).

Notes

Computes $C = K - \text{zero_Celsius}$ where $\text{zero_Celsius} = 273.15$, i.e., (the absolute value of) temperature “absolute zero” as measured in Celsius.

Examples

```
>>> from scipy.constants.constants import K2C
>>> K2C(_np.array([233.15, 313.15]))
array([-40.,  40.])
```

`scipy.constants.F2C(F)`

Convert Fahrenheit to Celsius

Parameters **F** : array_like
Fahrenheit temperature(s) to be converted.

Returns **C** : float or array of floats
Equivalent Celsius temperature(s).

Notes

Computes $C = (F - 32) / 1.8$.

Examples

```
>>> from scipy.constants.constants import F2C
>>> F2C(_np.array([-40, 40.0]))
array([-40.          ,  4.44444444])
```

`scipy.constants.C2F(C)`

Convert Celsius to Fahrenheit

Parameters **C** : array_like
Celsius temperature(s) to be converted.

Returns **F** : float or array of floats
Equivalent Fahrenheit temperature(s).

Notes

Computes $F = 1.8 * C + 32$.

Examples

```
>>> from scipy.constants.constants import C2F
>>> C2F(_np.array([-40, 40.0]))
array([-40., 104.])
```

`scipy.constants.F2K(F)`

Convert Fahrenheit to Kelvin

Parameters **F** : array_like
Fahrenheit temperature(s) to be converted.

Returns **K** : float or array of floats
Equivalent Kelvin temperature(s).

Notes

Computes $K = (F - 32) / 1.8 + \text{zero_Celsius}$ where $\text{zero_Celsius} = 273.15$, i.e., (the absolute value of) temperature “absolute zero” as measured in Celsius.

Examples

```
>>> from scipy.constants.constants import F2K
>>> F2K(_np.array([-40, 104]))
array([ 233.15,  313.15])
```

`scipy.constants.K2F` (*K*)
 Convert Kelvin to Fahrenheit

Parameters **K** : array_like
 Kelvin temperature(s) to be converted.

Returns **F** : float or array of floats
 Equivalent Fahrenheit temperature(s).

Notes

Computes $F = 1.8 * (K - \text{zero_Celsius}) + 32$ where `zero_Celsius = 273.15`, i.e., (the absolute value of) temperature “absolute zero” as measured in Celsius.

Examples

```
>>> from scipy.constants.constants import K2F
>>> K2F(_np.array([233.15,  313.15]))
array([-40.,  104.])
```

Energy

eV	one electron volt in Joules
calorie	one calorie (thermochemical) in Joules
calorie_IT	one calorie (International Steam Table calorie, 1956) in Joules
erg	one erg in Joules
Btu	one British thermal unit (International Steam Table) in Joules
Btu_th	one British thermal unit (thermochemical) in Joules
ton_TNT	one ton of TNT in Joules

Power

hp	one horsepower in watts
----	-------------------------

Force

dyn	one dyne in newtons
lbf	one pound force in newtons
kgf	one kilogram force in newtons

Optics

<code>lambda2nu(lambda_)</code>	Convert wavelength to optical frequency
<code>nu2lambda(nu)</code>	Convert optical frequency to wavelength.

`scipy.constants.lambda2nu` (*lambda_*)

Convert wavelength to optical frequency

Parameters **lambda** : array_like
Wavelength(s) to be converted.

Returns **nu** : float or array of floats
Equivalent optical frequency.

Notes

Computes $\text{nu} = c / \text{lambda}$ where $c = 299792458.0$, i.e., the (vacuum) speed of light in meters/second.

Examples

```
>>> from scipy.constants.constants import lambda2nu
>>> lambda2nu(_np.array((1, speed_of_light)))
array([ 2.99792458e+08,  1.00000000e+00])
```

`scipy.constants.nu2lambda` (*nu*)

Convert optical frequency to wavelength.

Parameters **nu** : array_like
Optical frequency to be converted.

Returns **lambda** : float or array of floats
Equivalent wavelength(s).

Notes

Computes $\text{lambda} = c / \text{nu}$ where $c = 299792458.0$, i.e., the (vacuum) speed of light in meters/second.

Examples

```
>>> from scipy.constants.constants import nu2lambda
>>> nu2lambda(_np.array((1, speed_of_light)))
array([ 2.99792458e+08,  1.00000000e+00])
```

5.4.4 References

5.5 Discrete Fourier transforms (`scipy.fftpack`)

5.5.1 Fast Fourier Transforms (FFTs)

<code>fft(x[, n, axis, overwrite_x])</code>	Return discrete Fourier transform of real or complex sequence.
<code>ifft(x[, n, axis, overwrite_x])</code>	Return discrete inverse Fourier transform of real or complex sequence.
<code>fft2(x[, shape, axes, overwrite_x])</code>	2-D discrete Fourier transform.
<code>ifft2(x[, shape, axes, overwrite_x])</code>	2-D discrete inverse Fourier transform of real or complex sequence.
<code>fftn(x[, shape, axes, overwrite_x])</code>	Return multidimensional discrete Fourier transform.
<code>ifftn(x[, shape, axes, overwrite_x])</code>	Return inverse multi-dimensional discrete Fourier transform of
<code>rfft(x[, n, axis, overwrite_x])</code>	Discrete Fourier transform of a real sequence.
<code>irfft(x[, n, axis, overwrite_x])</code>	Return inverse discrete Fourier transform of real sequence <i>x</i> .
<code>dct(x[, type, n, axis, norm, overwrite_x])</code>	Return the Discrete Cosine Transform of arbitrary type sequence <i>x</i> .
<code>idct(x[, type, n, axis, norm, overwrite_x])</code>	Return the Inverse Discrete Cosine Transform of an arbitrary type sequence.

`scipy.fftpack.fft(x, n=None, axis=-1, overwrite_x=0)`

Return discrete Fourier transform of real or complex sequence.

The returned complex array contains $y(0), y(1), \dots, y(n-1)$ where

$$y(j) = (x * \exp(-2\pi i \sqrt{-1} * j * \text{np.arange}(n) / n)) . \text{sum}()$$

Parameters **x**: array_like

Array to Fourier transform.

n: int, optional

Length of the Fourier transform. If $n < x.\text{shape}[\text{axis}]$, x is truncated. If $n > x.\text{shape}[\text{axis}]$, x is zero-padded. The default results in $n = x.\text{shape}[\text{axis}]$.

axis: int, optional

Axis along which the fft's are computed; the default is over the last axis (i.e., $\text{axis}=-1$).

overwrite_x: bool, optional

If True the contents of x can be destroyed; the default is False.

Returns **z**: complex ndarray

with the elements:

$$\begin{aligned} & [y(0), y(1), \dots, y(n/2), y(1-n/2), \dots, y(-1)] && \text{if } n \text{ is even} \\ & [y(0), y(1), \dots, y((n-1)/2), y(-(n-1)/2), \dots, y(-1)] && \text{if } n \text{ is odd} \end{aligned}$$

where:

$$y(j) = \text{sum}[k=0..n-1] x[k] * \exp(-\sqrt{-1} * j * k * 2\pi / n), j = 0..n-1$$

Note that $y(-j) = y(n-j) . \text{conjugate}()$.

See Also

[*ifft*](#) Inverse FFT

[*rfft*](#) FFT of a real sequence

Notes

The packing of the result is “standard”: If $A = \text{fft}(a, n)$, then $A[0]$ contains the zero-frequency term, $A[1:n/2+1]$ contains the positive-frequency terms, and $A[n/2+1:]$ contains the negative-frequency terms, in order of decreasingly negative frequency. So for an 8-point transform, the frequencies of the result are $[0, 1, 2, 3, 4, -3, -2, -1]$.

For n even, $A[n/2]$ contains the sum of the positive and negative-frequency terms. For n even and x real, $A[n/2]$ will always be real.

This is most efficient for n a power of two.

Examples

```
>>> from scipy.fftpack import fft, ifft
>>> x = np.arange(5)
>>> np.allclose(fft(ifft(x)), x, atol=1e-15) #within numerical accuracy.
True
```

`scipy.fftpack.ifft(x, n=None, axis=-1, overwrite_x=0)`

Return discrete inverse Fourier transform of real or complex sequence.

The returned complex array contains $y(0), y(1), \dots, y(n-1)$ where

$$y(j) = (x * \exp(2\pi i \sqrt{-1} * j * \text{np.arange}(n) / n)) . \text{mean}()$$

Parameters **x**: array_like

Transformed data to invert.

n : int, optional

Length of the inverse Fourier transform. If $n < x.shape[axis]$, x is truncated. If $n > x.shape[axis]$, x is zero-padded. The default results in $n = x.shape[axis]$.

axis : int, optional

Axis along which the ifft's are computed; the default is over the last axis (i.e., $axis=-1$).

overwrite_x : bool, optional

If True the contents of x can be destroyed; the default is False.

`scipy.fftpack.fft2(x, shape=None, axes=(-2, -1), overwrite_x=0)`

2-D discrete Fourier transform.

Return the two-dimensional discrete Fourier transform of the 2-D argument x .

See Also

`fftn` for detailed information.

`scipy.fftpack.ifft2(x, shape=None, axes=(-2, -1), overwrite_x=0)`

2-D discrete inverse Fourier transform of real or complex sequence.

Return inverse two-dimensional discrete Fourier transform of arbitrary type sequence x .

See `ifft` for more information.

See Also

`fft2`, `ifft`

`scipy.fftpack.fftn(x, shape=None, axes=None, overwrite_x=0)`

Return multidimensional discrete Fourier transform.

The returned array contains:

$$y[j_1, \dots, j_d] = \sum_{k_1=0..n_1-1, \dots, k_d=0..n_d-1} x[k_1, \dots, k_d] * \prod_{i=1..d} \exp(-\sqrt{-1} * 2 * \pi / n_i * j_i * k_i)$$

where $d = \text{len}(x.shape)$ and $n = x.shape$. Note that $y[\dots, -j_i, \dots] = y[\dots, n_i - j_i, \dots].\text{conjugate}()$.

Parameters **x** : array_like

The (n-dimensional) array to transform.

shape : tuple of ints, optional

The shape of the result. If both *shape* and *axes* (see below) are None, *shape* is $x.shape$; if *shape* is None but *axes* is not None, then *shape* is `scipy.take(x.shape, axes, axis=0)`. If $shape[i] > x.shape[i]$, the i -th dimension is padded with zeros. If $shape[i] < x.shape[i]$, the i -th dimension is truncated to length $shape[i]$.

axes : array_like of ints, optional

The axes of x (y if *shape* is not None) along which the transform is applied.

overwrite_x : bool, optional

If True, the contents of x can be destroyed. Default is False.

Returns **y** : complex-valued n-dimensional numpy array
The (n-dimensional) DFT of the input array.

See Also

`ifftn`

Examples

```
>>> y = (-np.arange(16), 8 - np.arange(16), np.arange(16))
>>> np.allclose(y, fftn(ifftn(y)))
True
```

`scipy.fftpack.ifftn(x, shape=None, axes=None, overwrite_x=0)`

Return inverse multi-dimensional discrete Fourier transform of arbitrary type sequence *x*.

The returned array contains:

$$y[j_1, \dots, j_d] = 1/p * \sum[k_1=0..n_1-1, \dots, k_d=0..n_d-1] x[k_1, \dots, k_d] * \prod[i=1..d] \exp(\sqrt{-1} * 2 * \pi / n_i * j_i * k_i)$$

where $d = \text{len}(x.\text{shape})$, $n = x.\text{shape}$, and $p = \prod[i=1..d] n_i$.

For description of parameters see `fftn`.

See Also

`fftn` for detailed information.

`scipy.fftpack.rfft(x, n=None, axis=-1, overwrite_x=0)`

Discrete Fourier transform of a real sequence.

The returned real arrays contains:

$$\begin{aligned} & [y(0), \text{Re}(y(1)), \text{Im}(y(1)), \dots, \text{Re}(y(n/2))] && \text{if } n \text{ is even} \\ & [y(0), \text{Re}(y(1)), \text{Im}(y(1)), \dots, \text{Re}(y(n/2)), \text{Im}(y(n/2))] && \text{if } n \text{ is odd} \end{aligned}$$

where

$$y(j) = \sum[k=0..n-1] x[k] * \exp(-\sqrt{-1} * j * k * 2 * \pi / n)$$

$$j = 0..n-1$$

Note that $y(-j) == y(n-j).\text{conjugate}()$.

- Parameters**
- x**: array_like, real-valued
The data to transform.
 - n**: int, optional
Defines the length of the Fourier transform. If *n* is not specified (the default) then $n = x.\text{shape}[\text{axis}]$. If $n < x.\text{shape}[\text{axis}]$, *x* is truncated, if $n > x.\text{shape}[\text{axis}]$, *x* is zero-padded.
 - axis**: int, optional
The axis along which the transform is applied. The default is the last axis.
 - overwrite_x**: bool, optional
If set to true, the contents of *x* can be overwritten. Default is False.

See Also

`fft`, `irfft`, `scipy.fftpack.basic`

Notes

Within numerical accuracy, $y == \text{rfft}(\text{irfft}(y))$.

`scipy.fftpack.irfft(x, n=None, axis=-1, overwrite_x=0)`

Return inverse discrete Fourier transform of real sequence *x*.

The contents of *x* is interpreted as the output of the `rfft(...)` function.

- Parameters**
- x**: array_like

Transformed data to invert.

n : int, optional
Length of the inverse Fourier transform. If $n < x.shape[axis]$, x is truncated. If $n > x.shape[axis]$, x is zero-padded. The default results in $n = x.shape[axis]$.

axis : int, optional
Axis along which the `ifft`'s are computed; the default is over the last axis (i.e., `axis=-1`).

overwrite_x : bool, optional
If True the contents of x can be destroyed; the default is False.

Returns **irfft** : ndarray of floats
The inverse discrete Fourier transform.

See Also`rfft, ifft`**Notes**

The returned real array contains:

$$[y(0), y(1), \dots, y(n-1)]$$

where for n is even:

$$y(j) = 1/n \left(\sum_{k=1..n/2-1} (x[2*k-1] + \sqrt{-1} * x[2*k]) * \exp(\sqrt{-1} * j * k * 2 * \pi / n) + \text{c.c.} + x[0] + (-1)**(j) * x[n-1] \right)$$

and for n is odd:

$$y(j) = 1/n \left(\sum_{k=1..(n-1)/2} (x[2*k-1] + \sqrt{-1} * x[2*k]) * \exp(\sqrt{-1} * j * k * 2 * \pi / n) + \text{c.c.} + x[0] \right)$$

c.c. denotes complex conjugate of preceding expression.

For details on input parameters, see `rfft`.

`scipy.fftpack.dct` (x , $type=2$, $n=None$, $axis=-1$, $norm=None$, $overwrite_x=0$)
Return the Discrete Cosine Transform of arbitrary type sequence x .

Parameters **x** : array_like
The input array.

type : {1, 2, 3}, optional
Type of the DCT (see Notes). Default type is 2.

n : int, optional
Length of the transform.

axis : int, optional
Axis over which to compute the transform.

norm : {None, 'ortho'}, optional
Normalization mode (see Notes). Default is None.

overwrite_x : bool, optional
If True the contents of x can be destroyed. (default=False)

Returns **y** : ndarray of real
The transformed input array.

See Also`idct`

Notes

For a single dimension array `x`, `dct(x, norm='ortho')` is equal to MATLAB `dct(x)`.

There are theoretically 8 types of the DCT, only the first 3 types are implemented in `scipy`. ‘The’ DCT generally refers to DCT type 2, and ‘the’ Inverse DCT generally refers to DCT type 3.

type I

There are several definitions of the DCT-I; we use the following (for `norm=None`):

$$y[k] = x[0] + (-1)**k x[N-1] + 2 * \sum_{n=1}^{N-2} x[n] * \cos(\pi * k * n / (N-1))$$

Only `None` is supported as normalization mode for DCT-I. Note also that the DCT-I is only supported for input size > 1

type II

There are several definitions of the DCT-II; we use the following (for `norm=None`):

$$y[k] = 2 * \sum_{n=0}^{N-1} x[n] * \cos(\pi * k * (2n+1) / (2*N)), \quad 0 \leq k < N.$$

If `norm='ortho'`, `y[k]` is multiplied by a scaling factor `f`:

$$f = \sqrt{1/(4*N)} \text{ if } k = 0, \\ f = \sqrt{1/(2*N)} \text{ otherwise.}$$

Which makes the corresponding matrix of coefficients orthonormal ($OO' = Id$).

type III

There are several definitions, we use the following (for `norm=None`):

$$y[k] = x[0] + 2 * \sum_{n=1}^{N-1} x[n] * \cos(\pi * (k+0.5) * n / N), \quad 0 \leq k < N.$$

or, for `norm='ortho'` and $0 \leq k < N$:

$$y[k] = x[0] / \sqrt{N} + \sqrt{1/N} * \sum_{n=1}^{N-1} x[n] * \cos(\pi * (k+0.5) * n / N)$$

The (unnormalized) DCT-III is the inverse of the (unnormalized) DCT-II, up to a factor $2N$. The orthonormalized DCT-III is exactly the inverse of the orthonormalized DCT-II.

References

http://en.wikipedia.org/wiki/Discrete_cosine_transform

‘A Fast Cosine Transform in One and Two Dimensions’, by J. Makhoul, *IEEE Transactions on acoustics, speech and signal processing* vol. 28(1), pp. 27-34, <http://dx.doi.org/10.1109/TASSP.1980.1163351> (1980).

`scipy.fftpack.idct(x, type=2, n=None, axis=-1, norm=None, overwrite_x=0)`

Return the Inverse Discrete Cosine Transform of an arbitrary type sequence.

Parameters `x`: array_like
 The input array.
`type`: {1, 2, 3}, optional
 Type of the DCT (see Notes). Default type is 2.

n : int, optional
Length of the transform.

axis : int, optional
Axis over which to compute the transform.

norm : {None, 'ortho'}, optional
Normalization mode (see Notes). Default is None.

overwrite_x : bool, optional
If True the contents of x can be destroyed. (default=False)

Returns **idct** : ndarray of real
The transformed input array.

See Also

dct

Notes

For a single dimension array x , `idct(x, norm='ortho')` is equal to MATLAB `idct(x)`.

'The' IDCT is the IDCT of type 2, which is the same as DCT of type 3.

IDCT of type 1 is the DCT of type 1, IDCT of type 2 is the DCT of type 3, and IDCT of type 3 is the DCT of type 2. For the definition of these types, see `dct`.

5.5.2 Differential and pseudo-differential operators

<code>diff(x[, order, period, _cache])</code>	Return k-th derivative (or integral) of a periodic sequence x.
<code>tilbert(x, h[, period, _cache])</code>	Return h-Tilbert transform of a periodic sequence x.
<code>itilbert(x, h[, period, _cache])</code>	Return inverse h-Tilbert transform of a periodic sequence x.
<code>hilbert(x[, _cache])</code>	Return Hilbert transform of a periodic sequence x.
<code>ihilbert(x)</code>	Return inverse Hilbert transform of a periodic sequence x.
<code>cs_diff(x, a, b[, period, _cache])</code>	Return (a,b)-cosh/sinh pseudo-derivative of a periodic sequence.
<code>sc_diff(x, a, b[, period, _cache])</code>	Return (a,b)-sinh/cosh pseudo-derivative of a periodic sequence x.
<code>ss_diff(x, a, b[, period, _cache])</code>	Return (a,b)-sinh/sinh pseudo-derivative of a periodic sequence x.
<code>cc_diff(x, a, b[, period, _cache])</code>	Return (a,b)-cosh/cosh pseudo-derivative of a periodic sequence.
<code>shift(x, a[, period, _cache])</code>	Shift periodic sequence x by a: $y(u) = x(u+a)$.

`scipy.fftpack.diff(x, order=1, period=None, _cache={})`

Return k-th derivative (or integral) of a periodic sequence x.

If x_j and y_j are Fourier coefficients of periodic functions x and y, respectively, then:

$y_j = \text{pow}(\text{sqrt}(-1)*j*2*\text{pi}/\text{period}, \text{order}) * x_j$
 $y_0 = 0$ if order is not 0.

Parameters **x** : array_like
Input array.

order : int, optional
The order of differentiation. Default order is 1. If order is negative, then integration is carried out under the assumption that $x_0 == 0$.

period : float, optional
The assumed period of the sequence. Default is $2*\text{pi}$.

Notes

If $\text{sum}(x, \text{axis}=0) = 0$ then $\text{diff}(\text{diff}(x, k), -k) == x$ (within numerical accuracy).

For odd order and even $\text{len}(x)$, the Nyquist mode is taken zero.

`scipy.fftpack.tilbert(x, h, period=None, _cache={})`

Return h-Tilbert transform of a periodic sequence x.

If x_j and y_j are Fourier coefficients of periodic functions x and y, respectively, then:

$$y_j = \sqrt{-1} * \coth(j * h * 2 * \pi / \text{period}) * x_j$$

$$y_0 = 0$$

- Parameters**
- x** : array_like
The input array to transform.
 - h** : float
Defines the parameter of the Tilbert transform.
 - period** : float, optional
The assumed period of the sequence. Default period is $2 * \pi$.
- Returns**
- tilbert** : ndarray
The result of the transform.

Notes

If $\text{sum}(x, \text{axis}=0) == 0$ and $n = \text{len}(x)$ is odd then $\text{tilbert}(\text{itilbert}(x)) == x$.

If $2 * \pi * h / \text{period}$ is approximately 10 or larger, then numerically $\text{tilbert} == \text{hilbert}$ (theoretically oo-Tilbert == Hilbert).

For even $\text{len}(x)$, the Nyquist mode of x is taken zero.

`scipy.fftpack.itilbert(x, h, period=None, _cache={})`

Return inverse h-Tilbert transform of a periodic sequence x.

If x_j and y_j are Fourier coefficients of periodic functions x and y, respectively, then:

$$y_j = -\sqrt{-1} * \tanh(j * h * 2 * \pi / \text{period}) * x_j$$

$$y_0 = 0$$

For more details, see `tilbert`.

`scipy.fftpack.hilbert(x, _cache={})`

Return Hilbert transform of a periodic sequence x.

If x_j and y_j are Fourier coefficients of periodic functions x and y, respectively, then:

$$y_j = \sqrt{-1} * \text{sign}(j) * x_j$$

$$y_0 = 0$$

- Parameters**
- x** : array_like
The input array, should be periodic.
 - _cache** : dict, optional
Dictionary that contains the kernel used to do a convolution with.
- Returns**
- y** : ndarray
The transformed input.

Notes

If $\text{sum}(x, \text{axis}=0) == 0$ then $\text{hilbert}(\text{ihilbert}(x)) == x$.

For even $\text{len}(x)$, the Nyquist mode of x is taken zero.

The sign of the returned transform does not have a factor -1 that is more often than not found in the definition of the Hilbert transform. Note also that `scipy.signal.hilbert` does have an extra -1 factor compared to this function.

`scipy.fftpack.ihilbert(x)`

Return inverse Hilbert transform of a periodic sequence x .

If x_j and y_j are Fourier coefficients of periodic functions x and y , respectively, then:

$$\begin{aligned} y_j &= -\sqrt{-1} * \text{sign}(j) * x_j \\ y_0 &= 0 \end{aligned}$$

`scipy.fftpack.cs_diff(x, a, b, period=None, _cache={})`

Return (a,b)-cosh/sinh pseudo-derivative of a periodic sequence.

If x_j and y_j are Fourier coefficients of periodic functions x and y , respectively, then:

$$\begin{aligned} y_j &= -\sqrt{-1} * \cosh(j*a*2*\pi/\text{period}) / \sinh(j*b*2*\pi/\text{period}) * x_j \\ y_0 &= 0 \end{aligned}$$

Parameters

- x** : array_like
The array to take the pseudo-derivative from.
- a, b** : float
Defines the parameters of the cosh/sinh pseudo-differential operator.
- period** : float, optional
The period of the sequence. Default period is $2*\pi$.

Returns

- cs_diff** : ndarray
Pseudo-derivative of periodic sequence x .

Notes

For even $\text{len}(x)$, the Nyquist mode of x is taken as zero.

`scipy.fftpack.sc_diff(x, a, b, period=None, _cache={})`

Return (a,b)-sinh/cosh pseudo-derivative of a periodic sequence x .

If x_j and y_j are Fourier coefficients of periodic functions x and y , respectively, then:

$$\begin{aligned} y_j &= \sqrt{-1} * \sinh(j*a*2*\pi/\text{period}) / \cosh(j*b*2*\pi/\text{period}) * x_j \\ y_0 &= 0 \end{aligned}$$

Parameters

- x** : array_like
Input array.
- a, b** : float
Defines the parameters of the sinh/cosh pseudo-differential operator.
- period** : float, optional
The period of the sequence x . Default is $2*\pi$.

Notes

$\text{sc_diff}(\text{cs_diff}(x, a, b), b, a) == x$ For even $\text{len}(x)$, the Nyquist mode of x is taken as zero.

`scipy.fftpack.ss_diff(x, a, b, period=None, _cache={})`

Return (a,b)-sinh/sinh pseudo-derivative of a periodic sequence x.

If x_j and y_j are Fourier coefficients of periodic functions x and y, respectively, then:

$$y_j = \sinh(j*a*2*\pi/\text{period}) / \sinh(j*b*2*\pi/\text{period}) * x_j$$

$$y_0 = a/b * x_0$$

Parameters

- x** : array_like
The array to take the pseudo-derivative from.
- a,b** :
Defines the parameters of the sinh/sinh pseudo-differential operator.
- period** : float, optional
The period of the sequence x. Default is $2*\pi$.

Notes

$$\text{ss_diff}(\text{ss_diff}(x, a, b), b, a) == x$$

`scipy.fftpack.cc_diff(x, a, b, period=None, _cache={})`

Return (a,b)-cosh/cosh pseudo-derivative of a periodic sequence.

If x_j and y_j are Fourier coefficients of periodic functions x and y, respectively, then:

$$y_j = \cosh(j*a*2*\pi/\text{period}) / \cosh(j*b*2*\pi/\text{period}) * x_j$$

Parameters

- x** : array_like
The array to take the pseudo-derivative from.
- a,b** : float
Defines the parameters of the sinh/sinh pseudo-differential operator.
- period** : float, optional
The period of the sequence x. Default is $2*\pi$.

Returns

- cc_diff** : ndarray
Pseudo-derivative of periodic sequence x.

Notes

$$\text{cc_diff}(\text{cc_diff}(x, a, b), b, a) == x$$

`scipy.fftpack.shift(x, a, period=None, _cache={})`

Shift periodic sequence x by a: $y(u) = x(u+a)$.

If x_j and y_j are Fourier coefficients of periodic functions x and y, respectively, then:

$$y_j = \exp(j*a*2*\pi/\text{period}*\text{sqrt}(-1)) * x_f$$

Parameters

- x** : array_like
The array to take the pseudo-derivative from.
- a** : float
Defines the parameters of the sinh/sinh pseudo-differential
- period** : float, optional
The period of the sequences x and y. Default period is $2*\pi$.

Continued on next page

Table 5.16 – continued from previous page

5.5.3 Helper functions

<code>fftshift(x[, axes])</code>	Shift the zero-frequency component to the center of the spectrum.
<code>ifftshift(x[, axes])</code>	The inverse of <code>fftshift</code> .
<code>fftfreq(n[, d])</code>	Return the Discrete Fourier Transform sample frequencies.
<code>rfftfreq(n[, d])</code>	DFT sample frequencies (for usage with <code>rfft</code> , <code>irfft</code>).

`scipy.fftpack.fftshift(x, axes=None)`

Shift the zero-frequency component to the center of the spectrum.

This function swaps half-spaces for all axes listed (defaults to all). Note that `y[0]` is the Nyquist component only if `len(x)` is even.

Parameters `x` : array_like
Input array.
`axes` : int or shape tuple, optional
Axes over which to shift. Default is None, which shifts all axes.

Returns `y` : ndarray
The shifted array.

See Also

[`ifftshift`](#) The inverse of `fftshift`.

Examples

```
>>> freqs = np.fft.fftfreq(10, 0.1)
>>> freqs
array([ 0.,  1.,  2.,  3.,  4., -5., -4., -3., -2., -1.])
>>> np.fft.fftshift(freqs)
array([-5., -4., -3., -2., -1.,  0.,  1.,  2.,  3.,  4.])
```

Shift the zero-frequency component only along the second axis:

```
>>> freqs = np.fft.fftfreq(9, d=1./9).reshape(3, 3)
>>> freqs
array([[ 0.,  1.,  2.],
       [ 3.,  4., -4.],
       [-3., -2., -1.]])
>>> np.fft.fftshift(freqs, axes=(1,))
array([[ 2.,  0.,  1.],
       [-4.,  3.,  4.],
       [-1., -3., -2.]])
```

`scipy.fftpack.ifftshift(x, axes=None)`

The inverse of `fftshift`.

Parameters `x` : array_like
Input array.
`axes` : int or shape tuple, optional
Axes over which to calculate. Defaults to None, which shifts all axes.

Returns `y` : ndarray
The shifted array.

See Also

`fftshift` Shift zero-frequency component to the center of the spectrum.

Examples

```
>>> freqs = np.fft.fftfreq(9, d=1./9).reshape(3, 3)
>>> freqs
array([[ 0.,  1.,  2.],
       [ 3.,  4., -4.],
       [-3., -2., -1.]])
>>> np.fft.ifftshift(np.fft.fftshift(freqs))
array([[ 0.,  1.,  2.],
       [ 3.,  4., -4.],
       [-3., -2., -1.]])
```

`scipy.fftpack.fftfreq`(*n*, *d=1.0*)

Return the Discrete Fourier Transform sample frequencies.

The returned float array contains the frequency bins in cycles/unit (with zero at the start) given a window length *n* and a sample spacing *d*:

$$f = [0, 1, \dots, n/2-1, -n/2, \dots, -1] / (d*n) \quad \text{if } n \text{ is even}$$

$$f = [0, 1, \dots, (n-1)/2, -(n-1)/2, \dots, -1] / (d*n) \quad \text{if } n \text{ is odd}$$

Parameters

- n** : int
Window length.
- d** : scalar
Sample spacing.

Returns

- out** : ndarray
The array of length *n*, containing the sample frequencies.

Examples

```
>>> signal = np.array([-2, 8, 6, 4, 1, 0, 3, 5], dtype=float)
>>> fourier = np.fft.fft(signal)
>>> n = signal.size
>>> timestep = 0.1
>>> freq = np.fft.fftfreq(n, d=timestep)
>>> freq
array([ 0. ,  1.25,  2.5 ,  3.75, -5.  , -3.75, -2.5 , -1.25])
```

`scipy.fftpack.rfftfreq`(*n*, *d=1.0*)

DFT sample frequencies (for usage with rfft, irfft).

The returned float array contains the frequency bins in cycles/unit (with zero at the start) given a window length *n* and a sample spacing *d*:

$$f = [0, 1, 1, 2, 2, \dots, n/2-1, n/2-1, n/2] / (d*n) \quad \text{if } n \text{ is even}$$

$$f = [0, 1, 1, 2, 2, \dots, n/2-1, n/2-1, n/2, n/2] / (d*n) \quad \text{if } n \text{ is odd}$$

Parameters

- n** : int
Window length.
- d** : scalar, optional
Sample spacing. Default is 1.

Returns

- out** : ndarray
The array of length *n*, containing the sample frequencies.

Examples

```

>>> from scipy import fftpack
>>> sig = np.array([-2, 8, 6, 4, 1, 0, 3, 5], dtype=float)
>>> sig_fft = fftpack.rfft(sig)
>>> n = sig_fft.size
>>> timestep = 0.1
>>> freq = fftpack.rfftfreq(n, d=timestep)
>>> freq
array([ 0. ,  1.25,  1.25,  2.5 ,  2.5 ,  3.75,  3.75,  5.  ])

```

5.5.4 Convolutions (`scipy.fftpack.convolve`)

<code>convolve</code>	<code>convolve</code> - Function signature:
<code>convolve_z</code>	<code>convolve_z</code> - Function signature:
<code>init_convolution_kernel</code>	<code>init_convolution_kernel</code> - Function signature:
<code>destroy_convolve_cache</code>	<code>destroy_convolve_cache</code> - Function signature:

`scipy.fftpack.convolve.convolve = <fortran object>`

***convolve* - Function signature:**

`y = convolve(x,omega,[swap_real_imag,overwrite_x])`

Required arguments:

`x` : input rank-1 array('d') with bounds (n) `omega` : input rank-1 array('d') with bounds (n)

Optional arguments:

`overwrite_x := 0` input int `swap_real_imag := 0` input int

Return objects:

`y` : rank-1 array('d') with bounds (n) and x storage

`scipy.fftpack.convolve.convolve_z = <fortran object>`

***convolve_z* - Function signature:**

`y = convolve_z(x,omega_real,omega_imag,[overwrite_x])`

Required arguments:

`x` : input rank-1 array('d') with bounds (n) `omega_real` : input rank-1 array('d') with bounds (n)
`omega_imag` : input rank-1 array('d') with bounds (n)

Optional arguments:

`overwrite_x := 0` input int

Return objects:

`y` : rank-1 array('d') with bounds (n) and x storage

`scipy.fftpack.convolve.init_convolution_kernel = <fortran object>`

***init_convolution_kernel* - Function signature:**

`omega = init_convolution_kernel(n,kernel_func,[d,zero_nyquist,kernel_func_extra_args])`

Required arguments:

`n` : input int `kernel_func` : call-back function

Optional arguments:

d := 0 input int kernel_func_extra_args := () input tuple zero_nyquist := d%2 input int

Return objects:

omega : rank-1 array('d') with bounds (n)

Call-back functions:

def kernel_func(k): return kernel_func Required arguments:

k : input int

Return objects:

kernel_func : float

scipy.fftpack.convolve.**destroy_convolve_cache** = <fortran object>

destroy_convolve_cache - Function signature: destroy_convolve_cache()

5.5.5 Other (scipy.fftpack._fftpack)

drfft	drfft - Function signature:
zfft	zfft - Function signature:
zrfft	zrfft - Function signature:
zfftnd	zfftnd - Function signature:
destroy_drfft_cache	destroy_drfft_cache - Function signature:
destroy_zfft_cache	destroy_zfft_cache - Function signature:
destroy_zfftnd_cache	destroy_zfftnd_cache - Function signature:

scipy.fftpack._fftpack.**drfft** = <fortran object>

drfft - Function signature:

y = drfft(x,[n,direction,normalize,overwrite_x])

Required arguments:

x : input rank-1 array('d') with bounds (*)

Optional arguments:

overwrite_x := 0 input int n := size(x) input int direction := 1 input int normalize := (direction<0) input int

Return objects:

y : rank-1 array('d') with bounds (*) and x storage

scipy.fftpack._fftpack.**zfft** = <fortran object>

zfft - Function signature:

y = zfft(x,[n,direction,normalize,overwrite_x])

Required arguments:

x : input rank-1 array('D') with bounds (*)

Optional arguments:

overwrite_x := 0 input int n := size(x) input int direction := 1 input int normalize := (direction<0) input int

Return objects:

y : rank-1 array('D') with bounds (*) and x storage

`scipy.fftpack._fftpack.zrfft = <fortran object>`

zrfft - Function signature:

`y = zrfft(x,[n,direction,normalize,overwrite_x])`

Required arguments:

`x` : input rank-1 array('D') with bounds (*)

Optional arguments:

`overwrite_x := 1` input int `n := size(x)` input int `direction := 1` input int `normalize := (direction<0)` input int

Return objects:

`y` : rank-1 array('D') with bounds (*) and `x` storage

`scipy.fftpack._fftpack.zfftnd = <fortran object>`

zfftnd - Function signature:

`y = zfftnd(x,[s,direction,normalize,overwrite_x])`

Required arguments:

`x` : input rank-1 array('D') with bounds (*)

Optional arguments:

`overwrite_x := 0` input int `s := old_shape(x,j++)` input rank-1 array('i') with bounds (r) `direction := 1` input int `normalize := (direction<0)` input int

Return objects:

`y` : rank-1 array('D') with bounds (*) and `x` storage

`scipy.fftpack._fftpack.destroy_drfft_cache = <fortran object>`

`destroy_drfft_cache` - Function signature: `destroy_drfft_cache()`

`scipy.fftpack._fftpack.destroy_zfft_cache = <fortran object>`

`destroy_zfft_cache` - Function signature: `destroy_zfft_cache()`

`scipy.fftpack._fftpack.destroy_zfftnd_cache = <fortran object>`

`destroy_zfftnd_cache` - Function signature: `destroy_zfftnd_cache()`

5.6 Integration and ODEs (`scipy.integrate`)

5.6.1 Integrating functions, given function object

<code>quad(func, a, b[, args, full_output, ...])</code>	Compute a definite integral.
<code>dblquad(func, a, b, gfun, hfun[, args, ...])</code>	Compute a double integral.
<code>tplquad(func, a, b, gfun, hfun, qfun, rfun)</code>	Compute a triple (definite) integral.
<code>fixed_quad(func, a, b[, args, n])</code>	Compute a definite integral using fixed-order Gaussian quadrature.
<code>quadrature(func, a, b[, args, tol, rtol, ...])</code>	Compute a definite integral using fixed-tolerance Gaussian quadrature.
<code>romberg(function, a, b[, args, tol, rtol, ...])</code>	Romberg integration of a callable function or method.

`scipy.integrate.quad` (*func, a, b, args=(), full_output=0, epsabs=1.49e-08, epsrel=1.49e-08, limit=50, points=None, weight=None, wvar=None, wopts=None, maxp1=50, limlst=50*)

Compute a definite integral.

Integrate `func` from `a` to `b` (possibly infinite interval) using a technique from the Fortran library QUADPACK.

If `func` takes many arguments, it is integrated along the axis corresponding to the first argument. Use the keyword argument `args` to pass the other arguments.

Run `scipy.integrate.quad_explain()` for more information on the more esoteric inputs and outputs.

Parameters

- func** : function
A Python function or method to integrate.
- a** : float
Lower limit of integration (use `-numpy.inf` for `-infinity`).
- b** : float
Upper limit of integration (use `numpy.inf` for `+infinity`).
- args** : tuple, optional
extra arguments to pass to `func`
- full_output** : int
Non-zero to return a dictionary of integration information. If non-zero, warning messages are also suppressed and the message is appended to the output tuple.

Returns

- y** : float
The integral of `func` from `a` to `b`.
- abserr** : float
an estimate of the absolute error in the result.
- infodict** : dict
a dictionary containing additional information. Run `scipy.integrate.quad_explain()` for more information.
- message** : :
a convergence message.
- explain** : :
appended only with `'cos'` or `'sin'` weighting and infinite integration limits, it contains an explanation of the codes in `infodict['ierlst']`

Other Parameters

- epsabs** : :
absolute error tolerance.
- epsrel** : :
relative error tolerance.
- limit** : :
an upper bound on the number of subintervals used in the adaptive algorithm.
- points** : :
a sequence of break points in the bounded integration interval where local difficulties of the integrand may occur (e.g., singularities, discontinuities). The sequence does not have to be sorted.
- weight** : :
string indicating weighting function.
- wvar** : :
variables for use with weighting functions.
- limlst** : :
Upper bound on the number of cycles (≥ 3) for use with a sinusoidal weighting and an infinite end-point.
- wopts** : :
Optional input for reusing Chebyshev moments.
- maxp1** : :
An upper bound on the number of Chebyshev moments.

See Also

`dblquad`, `tplquad`

`fixed_quad` fixed-order Gaussian quadrature

quadrature adaptive Gaussian quadrature

`odeint`, `ode`, `simps`, `trapz`, `romb`

scipy.special

for coefficients and roots of orthogonal polynomials

Examples

Calculate $\int_0^4 x^2 dx$ and compare with an analytic result

```
>>> from scipy import integrate
>>> x2 = lambda x: x**2
>>> integrate.quad(x2, 0., 4.)
(21.333333333333332, 2.3684757858670003e-13)
>> print 4.**3/3
21.3333333333
```

Calculate $\int_0^\infty e^{-x} dx$

```
>>> invexp = lambda x: exp(-x)
>>> integrate.quad(invexp, 0, inf)
(0.9999999999999999, 5.8426061711142159e-11)
```

```
>>> f = lambda x, a : a*x
>>> y, err = integrate.quad(f, 0, 1, args=(1,))
>>> y
0.5
>>> y, err = integrate.quad(f, 0, 1, args=(3,))
>>> y
1.5
```

`scipy.integrate.dblquad` (*func*, *a*, *b*, *gfun*, *hfun*, *args=()*, *epsabs=1.49e-08*, *epsrel=1.49e-08*)
Compute a double integral.

Return the double (definite) integral of `func(y,x)` from `x=a..b` and `y=gfun(x)..hfun(x)`.

Parameters **func** : callable

A Python function or method of at least two variables: `y` must be the first argument and `x` the second argument.

(a,b) : tuple

The limits of integration in `x`: `a < b`

gfun : callable

The lower boundary curve in `y` which is a function taking a single floating point argument (`x`) and returning a floating point result: a lambda function can be useful here.

hfun : callable

The upper boundary curve in `y` (same requirements as *gfun*).

args : sequence, optional

Extra arguments to pass to *func2d*.

epsabs : float, optional

Absolute tolerance passed directly to the inner 1-D quadrature integration. Default is 1.49e-8.

epsrel : float

Relative tolerance of the inner 1-D integrals. Default is 1.49e-8.

Returns

y : float

The resultant integral.

abserr : float

An estimate of the error.

See Also

- `quad` single integral
- `tplquad` triple integral
- `fixed_quad` fixed-order Gaussian quadrature
- `quadrature` adaptive Gaussian quadrature
- `odeint` ODE integrator
- `ode` ODE integrator
- `simps` integrator for sampled data
- `romb` integrator for sampled data

`scipy.special`

for coefficients and roots of orthogonal polynomials

`scipy.integrate.tplquad` (*func*, *a*, *b*, *gfun*, *hfun*, *qfun*, *rfunc*, *args=()*, *epsabs=1.49e-08*, *epsrel=1.49e-08*)

Compute a triple (definite) integral.

Return the triple integral of `func(z, y, x)` from `x=a..b`, `y=gfun(x)..hfun(x)`, and `z=qfun(x,y)..rfunc(x,y)`

Parameters

- func** : function
A Python function or method of at least three variables in the order (z, y, x).
- (a,b)** : tuple
The limits of integration in x: a < b
- gfun** : function
The lower boundary curve in y which is a function taking a single floating point argument (x) and returning a floating point result: a lambda function can be useful here.
- hfun** : function
The upper boundary curve in y (same requirements as gfun).
- qfun** : function
The lower boundary surface in z. It must be a function that takes two floats in the order (x, y) and returns a float.
- rfunc** : function
The upper boundary surface in z. (Same requirements as qfun.)
- args** : Arguments
Extra arguments to pass to `func3d`.
- epsabs** : float, optional
Absolute tolerance passed directly to the innermost 1-D quadrature integration. Default is 1.49e-8.
- epsrel** : float, optional
Relative tolerance of the innermost 1-D integrals. Default is 1.49e-8.

Returns

- y** : float
The resultant integral.
- abserr** : float
An estimate of the error.

See Also

- `quad` Adaptive quadrature using QUADPACK
- `quadrature` Adaptive Gaussian quadrature
- `fixed_quad` Fixed-order Gaussian quadrature
- `dblquad` Double integrals

`romb` Integrators for sampled data

`simps` Integrators for sampled data

`ode` ODE integrators

`odeint` ODE integrators

`scipy.special`

For coefficients and roots of orthogonal polynomials

`scipy.integrate.fixed_quad` (*func*, *a*, *b*, *args=()*, *n=5*)

Compute a definite integral using fixed-order Gaussian quadrature.

Integrate *func* from *a* to *b* using Gaussian quadrature of order *n*.

Parameters

- func** : callable
A Python function or method to integrate (must accept vector inputs).
- a** : float
Lower limit of integration.
- b** : float
Upper limit of integration.
- args** : tuple, optional
Extra arguments to pass to function, if any.
- n** : int, optional
Order of quadrature integration. Default is 5.

Returns

- val** : float
Gaussian quadrature approximation to the integral

See Also

`quad` adaptive quadrature using QUADPACK

`dblquad`, `tplquad`

`romberg` adaptive Romberg quadrature

`quadrature` adaptive Gaussian quadrature

`romb`, `simps`, `trapz`

`cumtrapz` cumulative integration for sampled data

`ode`, `odeint`

`scipy.integrate.quadrature` (*func*, *a*, *b*, *args=()*, *tol=1.49e-08*, *rtol=1.49e-08*, *maxiter=50*,
vec_func=True)

Compute a definite integral using fixed-tolerance Gaussian quadrature.

Integrate *func* from *a* to *b* using Gaussian quadrature with absolute tolerance *tol*.

Parameters

- func** : function
A Python function or method to integrate.
- a** : float
Lower limit of integration.
- b** : float
Upper limit of integration.
- args** : tuple, optional
Extra arguments to pass to function.
- tol, rtol** : float, optional
Iteration stops when error between last two iterates is less than *tol* OR the relative change is less than *rtol*.

maxiter : int, optional
 Maximum number of iterations.

vec_func : bool, optional
 True or False if func handles arrays as arguments (is a “vector” function). Default is True.

Returns

val : float
 Gaussian quadrature approximation (within tolerance) to integral.

err : float
 Difference between last two estimates of the integral.

See Also

romberg adaptive Romberg quadrature

fixed_quad fixed-order Gaussian quadrature

quad adaptive quadrature using QUADPACK

dblquad double integrals

tplquad triple integrals

romb integrator for sampled data

simps integrator for sampled data

cumtrapz cumulative integration for sampled data

ode ODE integrator

odeint ODE integrator

`scipy.integrate.romberg` (*function*, *a*, *b*, *args*=(), *tol*=1.48e-08, *rtol*=1.48e-08, *show*=False, *divmax*=10, *vec_func*=False)

Romberg integration of a callable function or method.

Returns the integral of *function* (a function of one variable) over the interval (*a*, *b*).

If *show* is 1, the triangular array of the intermediate results will be printed. If *vec_func* is True (default is False), then *function* is assumed to support vector arguments.

Parameters

function : callable
 Function to be integrated.

a : float
 Lower limit of integration.

b : float
 Upper limit of integration.

Returns

results : float
 Result of the integration.

Other Parameters

args : tuple, optional
 Extra arguments to pass to function. Each element of *args* will be passed as a single argument to *func*. Default is to pass no extra arguments.

tol, rtol : float, optional
 The desired absolute and relative tolerances. Defaults are 1.48e-8.

show : bool, optional
 Whether to print the results. Default is False.

divmax : int, optional
 Maximum order of extrapolation. Default is 10.

vec_func : bool, optional

Whether *func* handles arrays as arguments (i.e whether it is a “vector” function). Default is False.

See Also

`fixed_quad` Fixed-order Gaussian quadrature.

`quad` Adaptive quadrature using QUADPACK.

`dblquad`, `tplquad`, `romb`, `simps`, `trapz`

`cumtrapz` Cumulative integration for sampled data.

`ode`, `odeint`

References

[R19]

Examples

Integrate a gaussian from 0 to 1 and compare to the error function.

```
>>> from scipy.special import erf
>>> gaussian = lambda x: 1/np.sqrt(np.pi) * np.exp(-x**2)
>>> result = romberg(gaussian, 0, 1, show=True)
Romberg integration of <function vfunc at 0x101ecea0> from [0, 1]
```

Steps	StepSize	Results
1	1.000000	0.385872
2	0.500000	0.412631 0.421551
4	0.250000	0.419184 0.421368 0.421356
8	0.125000	0.420810 0.421352 0.421350 0.421350
16	0.062500	0.421215 0.421350 0.421350 0.421350 0.421350
32	0.031250	0.421317 0.421350 0.421350 0.421350 0.421350 0.421350 0.421350

The final result is 0.421350396475 after 33 function evaluations.

```
>>> print 2*result, erf(1)
0.84270079295 0.84270079295
```

5.6.2 Integrating functions, given fixed samples

<code>cumtrapz(y[, x, dx, axis, initial])</code>	Cumulatively integrate $y(x)$ using the composite trapezoidal rule.
<code>simps(y[, x, dx, axis, even])</code>	Integrate $y(x)$ using samples along the given axis and the composite Simpson's rule.
<code>romb(y[, dx, axis, show])</code>	Romberg integration using samples of a function.

`scipy.integrate.cumtrapz` (y , $x=None$, $dx=1.0$, $axis=-1$, $initial=None$)

Cumulatively integrate $y(x)$ using the composite trapezoidal rule.

Parameters

- y** : array_like
Values to integrate.
- x** : array_like, optional
The coordinate to integrate along. If None (default), use spacing dx between consecutive elements in y .
- dx** : int, optional
Spacing between elements of y . Only used if x is None.

axis : int, optional

Specifies the axis to cumulate. Default is -1 (last axis).

initial : scalar, optional

If given, uses this value as the first value in the returned result. Typically this value should be 0. Default is None, which means no value at $x[0]$ is returned and *res* has one element less than *y* along the axis of integration.

Returns

res : ndarray

The result of cumulative integration of *y* along *axis*. If *initial* is None, the shape is such that the axis of integration has one less value than *y*. If *initial* is given, the shape is equal to that of *y*.

See Also

`numpy.cumsum`, `numpy.cumprod`

quad adaptive quadrature using QUADPACK

romberg adaptive Romberg quadrature

quadrature adaptive Gaussian quadrature

fixed_quad fixed-order Gaussian quadrature

dblquad double integrals

tplquad triple integrals

romb integrators for sampled data

ode ODE integrators

odeint ODE integrators

Examples

```
>>> from scipy import integrate
>>> x = np.linspace(-2, 2, num=20)
>>> y = x
>>> y_int = integrate.cumtrapz(y, x, initial=0)
>>> plt.plot(x, y_int, 'ro', x, y[0] + 0.5 * x**2, 'b-')
>>> plt.show()
```

`scipy.integrate.simps` (*y*, *x=None*, *dx=1*, *axis=-1*, *even='avg'*)

Integrate *y*(*x*) using samples along the given axis and the composite Simpson's rule. If *x* is None, spacing of *dx* is assumed.

If there are an even number of samples, *N*, then there are an odd number of intervals (*N*-1), but Simpson's rule requires an even number of intervals. The parameter 'even' controls how this is handled.

Parameters **y** : array_like

Array to be integrated.

x : array_like, optional

If given, the points at which *y* is sampled.

dx : int, optional

Spacing of integration points along axis of *y*. Only used when *x* is None. Default is 1.

axis : int, optional

Axis along which to integrate. Default is the last axis.

even : {'avg', 'first', 'str'}, optional

'avg' [Average two results:1) use the first *N*-2 intervals with] a trapezoidal rule on the last interval and 2) use the last *N*-2 intervals with a trapezoidal rule on the first interval.

<i>'first'</i>	[Use Simpson's rule for the first N-2 intervals with] a trapezoidal rule on the last interval.
<i>'last'</i>	[Use Simpson's rule for the last N-2 intervals with a] trapezoidal rule on the first interval.

See Also

<i>quad</i>	adaptive quadrature using QUADPACK
<i>romberg</i>	adaptive Romberg quadrature
<i>quadrature</i>	adaptive Gaussian quadrature
<i>fixed_quad</i>	fixed-order Gaussian quadrature
<i>dblquad</i>	double integrals
<i>tplquad</i>	triple integrals
<i>romb</i>	integrators for sampled data
<i>cumtrapz</i>	cumulative integration for sampled data
<i>ode</i>	ODE integrators
<i>odeint</i>	ODE integrators

Notes

For an odd number of samples that are equally spaced the result is exact if the function is a polynomial of order 3 or less. If the samples are not equally spaced, then the result is exact only if the function is a polynomial of order 2 or less.

`scipy.integrate.romb(y, dx=1.0, axis=-1, show=False)`

Romberg integration using samples of a function.

Parameters	<p>y : array_like A vector of $2**k + 1$ equally-spaced samples of a function.</p> <p>dx : array_like, optional The sample spacing. Default is 1.</p> <p>axis : array_like?, optional The axis along which to integrate. Default is -1 (last axis).</p> <p>show : bool, optional When y is a single 1-D array, then if this argument is True print the table showing Richardson extrapolation from the samples. Default is False.</p>
Returns	<p>ret : array_like? The integrated result for each axis.</p>

See Also

`quad`, `romberg`, `quadrature`, `fixed_quad`, `dblquad`, `tplquad`, `simps`, `trapz`, `cumtrapz`, `ode`, `odeint`

See Also

`scipy.special` for orthogonal polynomials (special) for Gaussian quadrature roots and weights for other weighting factors and regions.

5.6.3 Integrators of ODE systems

<code>odeint(func, y0, t[, args, Dfun, col_deriv, ...])</code>	Integrate a system of ordinary differential equations.
<code>ode(f[, jac])</code>	A generic interface class to numeric integrators.
<code>complex_ode(f[, jac])</code>	A wrapper of ode for complex systems.

`scipy.integrate.odeint` (*func*, *y0*, *t*, *args=()*, *Dfun=None*, *col_deriv=0*, *full_output=0*, *ml=None*, *mu=None*, *rtol=None*, *atol=None*, *tcrit=None*, *h0=0.0*, *hmax=0.0*, *hmin=0.0*, *ixpr=0*, *mxstep=0*, *mxhnil=0*, *mxordn=12*, *mxords=5*, *printmessg=0*)

Integrate a system of ordinary differential equations.

Solve a system of ordinary differential equations using lsoda from the FORTRAN library odepack.

Solves the initial value problem for stiff or non-stiff systems of first order ode-s:

$dy/dt = func(y, t0, \dots)$

where *y* can be a vector.

Parameters

- func** : callable(*y*, *t0*, ...)
Computes the derivative of *y* at *t0*.
- y0** : array
Initial condition on *y* (can be a vector).
- t** : array
A sequence of time points for which to solve for *y*. The initial value point should be the first element of this sequence.
- args** : tuple, optional
Extra arguments to pass to function.
- Dfun** : callable(*y*, *t0*, ...)
Gradient (Jacobian) of *func*.
- col_deriv** : bool, optional
True if *Dfun* defines derivatives down columns (faster), otherwise *Dfun* should define derivatives across rows.
- full_output** : bool, optional
True if to return a dictionary of optional outputs as the second output
- printmessg** : bool, optional
Whether to print the convergence message

Returns

- y** : array, shape (len(*t*), len(*y0*))
Array containing the value of *y* for each desired time in *t*, with the initial value *y0* in the first row.
- infodict** : dict, only returned if `full_output == True`
Dictionary containing additional output information

key	meaning
'hu'	vector of step sizes successfully used for each time step.
'tcur'	vector with the value of t reached for each time step. (will always be at least as large as the input times).
'tolsf'	vector of tolerance scale factors, greater than 1.0, computed when a request for too much accuracy was detected.
'tsw'	value of t at the time of the last method switch (given for each time step)
'nst'	cumulative number of time steps
'nfe'	cumulative number of function evaluations for each time step
'nje'	cumulative number of jacobian evaluations for each time step
'nqu'	a vector of method orders for each successful step.
'imxer'	index of the component of largest magnitude in the weighted local error vector (e / ewt) on an error return, -1 otherwise.
'lenrw'	the length of the double work array required.
'leniw'	the length of integer work array required.
'mused'	a vector of method indicators for each successful time step: 1: adams (nonstiff), 2: bdf (stiff)

Other Parameters

ml, mu : int, optional

If either of these are not None or non-negative, then the Jacobian is assumed to be banded. These give the number of lower and upper non-zero diagonals in this banded matrix. For the banded case, *Dfun* should return a matrix whose columns contain the non-zero bands (starting with the lowest diagonal). Thus, the return matrix from *Dfun* should have shape $\text{len}(y_0) * (\text{ml} + \text{mu} + 1)$ when $\text{ml} \geq 0$ or $\text{mu} \geq 0$.

rtol, atol : float, optional

The input parameters *rtol* and *atol* determine the error control performed by the solver. The solver will control the vector, *e*, of estimated local errors in *y*, according to an inequality of the form $\text{max-norm of } (e / \text{ewt}) \leq 1$, where *ewt* is a vector of positive error weights computed as $\text{ewt} = \text{rtol} * \text{abs}(y) + \text{atol}$. *rtol* and *atol* can be either vectors the same length as *y* or scalars. Defaults to 1.49012e-8.

tcrit : ndarray, optional

Vector of critical points (e.g. singularities) where integration care should be taken.

h0 : float, (0: solver-determined), optional

The step size to be attempted on the first step.

hmax : float, (0: solver-determined), optional

The maximum absolute step size allowed.

hmin : float, (0: solver-determined), optional

The minimum absolute step size allowed.

ixpr : bool, optional

Whether to generate extra printing at method switches.

mxstep : int, (0: solver-determined), optional

Maximum number of (internally defined) steps allowed for each integration point in *t*.

mxhnil : int, (0: solver-determined), optional

Maximum number of messages printed.

mxordn : int, (0: solver-determined), optional

Maximum order to be allowed for the non-stiff (Adams) method.

mxords : int, (0: solver-determined), optional

Maximum order to be allowed for the stiff (BDF) method.

See Also

[ode](#) a more object-oriented integrator based on VODE.

[quad](#) for finding the area under a curve.

class `scipy.integrate.ode` (*f*, *jac=None*)

A generic interface class to numeric integrators.

Solve an equation system $y'(t) = f(t, y)$ with (optional) `jac = df/dy`.

Parameters **f**: callable `f(t, y, *f_args)`
 Rhs of the equation. `t` is a scalar, `y.shape == (n,)`. `f_args` is set by calling `set_f_params(*args)`. `f` should return a scalar, array or list (not a tuple).
jac: callable `jac(t, y, *jac_args)`
 Jacobian of the rhs, `jac[i, j] = d f[i] / d y[j]`. `jac_args` is set by calling `set_f_params(*args)`.

See Also

`odeint` an integrator with a simpler interface based on lsoda from ODEPACK

`quad` for finding the area under a curve

Notes

Available integrators are listed below. They can be selected using the `set_integrator` method.

“vode”

Real-valued Variable-coefficient Ordinary Differential Equation solver, with fixed-leading-coefficient implementation. It provides implicit Adams method (for non-stiff problems) and a method based on backward differentiation formulas (BDF) (for stiff problems).

Source: <http://www.netlib.org/ode/vode.f>

Warning: This integrator is not re-entrant. You cannot have two `ode` instances using the “vode” integrator at the same time.

This integrator accepts the following parameters in `set_integrator` method of the `ode` class:

- `atol` : float or sequence absolute tolerance for solution
- `rtol` : float or sequence relative tolerance for solution
- `lband` : None or int
- `rband` : None or int Jacobian band width, `jac[i,j] != 0` for `i-lband <= j <= i+rband`. Setting these requires your `jac` routine to return the jacobian in packed format, `jac_packed[i-j+lband, j] = jac[i,j]`.
- `method`: ‘adams’ or ‘bdf’ Which solver to use, Adams (non-stiff) or BDF (stiff)
- `with_jacobian` : bool Whether to use the jacobian
- `nsteps` : int Maximum number of (internally defined) steps allowed during one call to the solver.
- `first_step` : float
- `min_step` : float
- `max_step` : float Limits for the step sizes used by the integrator.
- `order` : int Maximum order used by the integrator, `order <= 12` for Adams, `<= 5` for BDF.

“zvode”

Complex-valued Variable-coefficient Ordinary Differential Equation solver, with fixed-leading-coefficient implementation. It provides implicit Adams method (for non-stiff problems) and a method based on backward differentiation formulas (BDF) (for stiff problems).

Source: <http://www.netlib.org/ode/zvode.f>

Warning: This integrator is not re-entrant. You cannot have two `ode` instances using the “zvode” integrator at the same time.

This integrator accepts the same parameters in `set_integrator` as the “vode” solver.

Note: When using ZVODE for a stiff system, it should only be used for the case in which the function `f` is analytic, that is, when each `f(i)` is an analytic function of each `y(j)`. Analyticity means that the partial

derivative $df(i)/dy(j)$ is a unique complex number, and this fact is critical in the way ZVODE solves the dense or banded linear systems that arise in the stiff case. For a complex stiff ODE system in which f is not analytic, ZVODE is likely to have convergence failures, and for this problem one should instead use DVODE on the equivalent real system (in the real and imaginary parts of y).

“lsoda”

Real-valued Variable-coefficient Ordinary Differential Equation solver, with fixed-leading-coefficient implementation. It provides automatic method switching between implicit Adams method (for non-stiff problems) and a method based on backward differentiation formulas (BDF) (for stiff problems).

Source: <http://www.netlib.org/odepack>

Warning: This integrator is not re-entrant. You cannot have two `ode` instances using the “lsoda” integrator at the same time.

This integrator accepts the following parameters in `set_integrator` method of the `ode` class:

- `atol` : float or sequence absolute tolerance for solution
- `rtol` : float or sequence relative tolerance for solution
- `lband` : None or int
- `rband` : None or int Jacobian band width, $\text{jac}[i,j] \neq 0$ for $i-\text{lband} \leq j \leq i+\text{rband}$. Setting these requires your `jac` routine to return the jacobian in packed format, $\text{jac_packed}[i-\text{j}+\text{lband}, j] = \text{jac}[i,j]$.
- `with_jacobian` : bool Whether to use the jacobian
- `nsteps` : int Maximum number of (internally defined) steps allowed during one call to the solver.
- `first_step` : float
- `min_step` : float
- `max_step` : float Limits for the step sizes used by the integrator.
- `max_order_ns` : int Maximum order used in the nonstiff case (default 12).
- `max_order_s` : int Maximum order used in the stiff case (default 5).
- `max_hnil` : int Maximum number of messages reporting too small step size ($t + h = t$) (default 0)
- `ixpr` : int Whether to generate extra printing at method switches (default False).

“dopri5”

This is an explicit runge-kutta method of order (4)5 due to Dormand & Prince (with stepsize control and dense output).

Authors:

E. Hairer and G. Wanner Universite de Geneve, Dept. de Mathematiques CH-1211 Geneve 24, Switzerland e-mail: ernst.hairer@math.unige.ch, gerhard.wanner@math.unige.ch

This code is described in [HNW93].

This integrator accepts the following parameters in `set_integrator()` method of the `ode` class:

- `atol` : float or sequence absolute tolerance for solution
- `rtol` : float or sequence relative tolerance for solution
- `nsteps` : int Maximum number of (internally defined) steps allowed during one call to the solver.
- `first_step` : float
- `max_step` : float
- `safety` : float Safety factor on new step selection (default 0.9)
- `ifactor` : float
- `dfactor` : float Maximum factor to increase/decrease step size by in one step
- `beta` : float Beta parameter for stabilised step size control.

“dop853”

This is an explicit runge-kutta method of order 8(5,3) due to Dormand & Prince (with stepsize control and dense output).

Options and references the same as “dopri5”.

References

[HNW93]

Examples

A problem to integrate and the corresponding jacobian:

```
>>> from scipy.integrate import ode
>>>
>>> y0, t0 = [1.0j, 2.0], 0
>>>
>>> def f(t, y, arg1):
>>>     return [1j*arg1*y[0] + y[1], -arg1*y[1]**2]
>>> def jac(t, y, arg1):
>>>     return [[1j*arg1, 1], [0, -arg1*2*y[1]]]
```

The integration:

```
>>> r = ode(f, jac).set_integrator('zvode', method='bdf', with_jacobian=True)
>>> r.set_initial_value(y0, t0).set_f_params(2.0).set_jac_params(2.0)
>>> t1 = 10
>>> dt = 1
>>> while r.successful() and r.t < t1:
>>>     r.integrate(r.t+dt)
>>>     print r.t, r.y
```

Attributes

t	(float) Current time.
y	(ndarray) Current variable values.

Methods

<code>integrate(t[, step, relax])</code>	Find $y=y(t)$, set y as an initial condition, and return y .
<code>set_f_params(*args)</code>	Set extra parameters for user-supplied function f .
<code>set_initial_value(y[, t])</code>	Set initial conditions $y(t) = y$.
<code>set_integrator(name, **integrator_params)</code>	Set integrator by name.
<code>set_jac_params(*args)</code>	Set extra parameters for user-supplied function jac .
<code>successful()</code>	Check if integration was successful.

`ode.integrate` (t , $step=0$, $relax=0$)
 Find $y=y(t)$, set y as an initial condition, and return y .

`ode.set_f_params` ($*args$)
 Set extra parameters for user-supplied function f .

`ode.set_initial_value` (y , $t=0.0$)
 Set initial conditions $y(t) = y$.

`ode.set_integrator` ($name$, $**integrator_params$)
 Set integrator by name.

Parameters **name** : str
 Name of the integrator.
integrator_params : :
 Additional parameters for the integrator.

`ode.set_jac_params(*args)`
Set extra parameters for user-supplied function jac.

`ode.successful()`
Check if integration was successful.

class `scipy.integrate.complex_ode(f, jac=None)`
A wrapper of `ode` for complex systems.

This functions similarly as `ode`, but re-maps a complex-valued equation system to a real-valued one before using the integrators.

Parameters **f**: callable `f(t, y, *f_args)`
Rhs of the equation. `t` is a scalar, `y.shape == (n,)`. `f_args` is set by calling `set_f_params(*args)`.
jac: callable `jac(t, y, *jac_args)`
Jacobian of the rhs, `jac[i, j] = d f[i] / d y[j]`. `jac_args` is set by calling `set_f_params(*args)`.

Examples

For usage examples, see `ode`.

Attributes

<code>t</code>	(float) Current time.
<code>y</code>	(ndarray) Current variable values.

Methods

<code>integrate(t[, step, relax])</code>	Find $y=y(t)$, set <code>y</code> as an initial condition, and return <code>y</code> .
<code>set_f_params(*args)</code>	Set extra parameters for user-supplied function <code>f</code> .
<code>set_initial_value(y[, t])</code>	Set initial conditions $y(t) = y$.
<code>set_integrator(name, **integrator_params)</code>	Set integrator by name.
<code>set_jac_params(*args)</code>	Set extra parameters for user-supplied function <code>jac</code> .
<code>successful()</code>	Check if integration was successful.

`complex_ode.integrate(t, step=0, relax=0)`
Find $y=y(t)$, set `y` as an initial condition, and return `y`.

`complex_ode.set_f_params(*args)`
Set extra parameters for user-supplied function `f`.

`complex_ode.set_initial_value(y, t=0.0)`
Set initial conditions $y(t) = y$.

`complex_ode.set_integrator(name, **integrator_params)`
Set integrator by name.

Parameters **name**: str
Name of the integrator
integrator_params: :
Additional parameters for the integrator.

`complex_ode.set_jac_params(*args)`
Set extra parameters for user-supplied function `jac`.

`complex_ode.successful()`
Check if integration was successful.

5.7 Interpolation (`scipy.interpolate`)

Sub-package for objects used in interpolation.

As listed below, this sub-package contains spline functions and classes, one-dimensional and multi-dimensional (univariate and multivariate) interpolation classes, Lagrange and Taylor polynomial interpolators, and wrappers for FITPACK and DFITPACK functions.

5.7.1 Univariate interpolation

<code>interp1d(x, y[, kind, axis, copy, ...])</code>	Interpolate a 1-D function.
<code>BarycentricInterpolator(xi[, yi, axis])</code>	The interpolating polynomial for a set of points
<code>KroghInterpolator(xi, yi[, axis])</code>	Interpolating polynomial for a set of points.
<code>PiecewisePolynomial(xi, yi[, orders, ...])</code>	Piecewise polynomial curve specified by points and derivatives
<code>PchipInterpolator(x, y[, axis])</code>	PCHIP 1-d monotonic cubic interpolation
<code>barycentric_interpolate(xi, yi, x[, axis])</code>	Convenience function for polynomial interpolation.
<code>krogh_interpolate(xi, yi, x[, der, axis])</code>	Convenience function for polynomial interpolation.
<code>piecewise_polynomial_interpolate(xi, yi, x)</code>	Convenience function for piecewise polynomial interpolation.
<code>pchip_interpolate(xi, yi, x[, der, axis])</code>	Convenience function for pchip interpolation.

class `scipy.interpolate.interp1d(x, y, kind='linear', axis=-1, copy=True, bounds_error=True, fill_value=np.nan)`

Interpolate a 1-D function.

x and y are arrays of values used to approximate some function $f: y = f(x)$. This class returns a function whose call method uses interpolation to find the value of new points.

- Parameters**
- x** : (N,) array_like
A 1-D array of monotonically increasing real values.
 - y** : (...N,...) array_like
A N-D array of real values. The length of y along the interpolation axis must be equal to the length of x .
 - kind** : str or int, optional
Specifies the kind of interpolation as a string ('linear', 'nearest', 'zero', 'slinear', 'quadratic', 'cubic') or as an integer specifying the order of the spline interpolator to use. Default is 'linear'.
 - axis** : int, optional
Specifies the axis of y along which to interpolate. Interpolation defaults to the last axis of y .
 - copy** : bool, optional
If True, the class makes internal copies of x and y . If False, references to x and y are used. The default is to copy.
 - bounds_error** : bool, optional
If True, a `ValueError` is raised any time interpolation is attempted on a value outside of the range of x (where extrapolation is necessary). If False, out of bounds values are assigned *fill_value*. By default, an error is raised.
 - fill_value** : float, optional
If provided, then this value will be used to fill in for requested points outside of the data range. If not provided, then the default is `NaN`.

See Also**UnivariateSpline**

A more recent wrapper of the FITPACK routines.

splrep, splev, interp2d

Examples

```
>>> from scipy import interpolate
>>> x = np.arange(0, 10)
>>> y = np.exp(-x/3.0)
>>> f = interpolate.interpld(x, y)

>>> xnew = np.arange(0, 9, 0.1)
>>> ynew = f(xnew) # use interpolation function returned by 'interpld'
>>> plt.plot(x, y, 'o', xnew, ynew, '-')
>>> plt.show()
```

Methods

`__call__(x)` Evaluate the interpolant

`interpld.__call__(x)`
Evaluate the interpolant

Parameters **x**: array-like
Points to evaluate the interpolant at.

Returns **y**: array-like
Interpolated values. Shape is determined by replacing the interpolation axis in the original array with the shape of x.

class `scipy.interpolate.BarycentricInterpolator` (*xi, yi=None, axis=0*)

The interpolating polynomial for a set of points

Constructs a polynomial that passes through a given set of points. Allows evaluation of the polynomial, efficient changing of the y values to be interpolated, and updating by adding more x values. For reasons of numerical stability, this function does not compute the coefficients of the polynomial.

The values yi need to be provided before the function is evaluated, but none of the preprocessing depends on them, so rapid updates are possible.

Parameters **xi**: array-like
1-d array of x coordinates of the points the polynomial should pass through
yi: array-like
The y coordinates of the points the polynomial should pass through. If None, the y values will be supplied later via the `set_y` method.
axis: int, optional
Axis in the yi array corresponding to the x-coordinate values.

Notes

This class uses a “barycentric interpolation” method that treats the problem as a special case of rational function interpolation. This algorithm is quite stable, numerically, but even in a world of exact computation, unless the x coordinates are chosen very carefully - Chebyshev zeros (e.g. $\cos(i\pi/n)$) are a good choice - polynomial interpolation itself is a very ill-conditioned process due to the Runge phenomenon.

Based on Berrut and Trefethen 2004, “Barycentric Lagrange Interpolation”.

Methods

<code>__call__(x)</code>	Evaluate the interpolating polynomial at the points x
<code>add_xi(xi[, yi])</code>	Add more x values to the set to be interpolated
<code>set_yi(yi[, axis])</code>	Update the y values to be interpolated

`BarycentricInterpolator.__call__(x)`
 Evaluate the interpolating polynomial at the points x

Parameters `x`: array-like
 Points to evaluate the interpolant at.

Returns `y`: array-like
 Interpolated values. Shape is determined by replacing the interpolation axis in the original array with the shape of x.

Notes

Currently the code computes an outer product between x and the weights, that is, it constructs an intermediate array of size N by len(x), where N is the degree of the polynomial.

`BarycentricInterpolator.add_xi(xi, yi=None)`
 Add more x values to the set to be interpolated

The barycentric interpolation algorithm allows easy updating by adding more points for the polynomial to pass through.

Parameters `xi`: array_like
 The x coordinates of the points that the polynomial should pass through.

`yi`: array_like, optional
 The y coordinates of the points the polynomial should pass through. Should have shape `(xi.size, R)`; if `R > 1` then the polynomial is vector-valued. If `yi` is not given, the y values will be supplied later. `yi` should be given if and only if the interpolator has y values specified.

`BarycentricInterpolator.set_yi(yi, axis=None)`
 Update the y values to be interpolated

The barycentric interpolation algorithm requires the calculation of weights, but these depend only on the xi. The yi can be changed at any time.

Parameters `yi`: array_like
 The y coordinates of the points the polynomial should pass through. If None, the y values will be supplied later.

`axis`: int, optional
 Axis in the yi array corresponding to the x-coordinate values.

class `scipy.interpolate.KroghInterpolator(xi, yi, axis=0)`
 Interpolating polynomial for a set of points.

The polynomial passes through all the pairs (xi,yi). One may additionally specify a number of derivatives at each point xi; this is done by repeating the value xi and specifying the derivatives as successive yi values.

Allows evaluation of the polynomial and all its derivatives. For reasons of numerical stability, this function does not compute the coefficients of the polynomial, although they can be obtained by evaluating all the derivatives.

Parameters `xi`: array-like, length N
 Known x-coordinates. Must be sorted in increasing order.

`yi`: array-like

Known y-coordinates. When an `xi` occurs two or more times in a row, the corresponding `yi`'s represent derivative values.

axis : int, optional

Axis in the `yi` array corresponding to the x-coordinate values.

Notes

Be aware that the algorithms implemented here are not necessarily the most numerically stable known. Moreover, even in a world of exact computation, unless the x coordinates are chosen very carefully - Chebyshev zeros (e.g. $\cos(i\pi/n)$) are a good choice - polynomial interpolation itself is a very ill-conditioned process due to the Runge phenomenon. In general, even with well-chosen x values, degrees higher than about thirty cause problems with numerical instability in this code.

Based on [R21].

References

[R21]

Examples

To produce a polynomial that is zero at 0 and 1 and has derivative 2 at 0, call

```
>>> KroghInterpolator([0,0,1],[0,2,0])
```

This constructs the quadratic $2X^2-2X$. The derivative condition is indicated by the repeated zero in the `xi` array; the corresponding `yi` values are 0, the function value, and 2, the derivative value.

For another example, given `xi`, `yi`, and a derivative `ypi` for each point, appropriate arrays can be constructed as:

```
>>> xi_k, yi_k = np.repeat(xi, 2), np.ravel(np.vstack((yi,ypi)))
>>> KroghInterpolator(xi_k, yi_k)
```

To produce a vector-valued polynomial, supply a higher-dimensional array for `yi`:

```
>>> KroghInterpolator([0,1],[[2,3],[4,5]])
```

This constructs a linear polynomial giving (2,3) at 0 and (4,5) at 1.

Methods

<code>__call__(x)</code>	Evaluate the interpolant
<code>derivative(x[, der])</code>	Evaluate one derivative of the polynomial at the point x
<code>derivatives(x[, der])</code>	Evaluate many derivatives of the polynomial at the point x

`KroghInterpolator.__call__(x)`

Evaluate the interpolant

Parameters `x` : array-like
Points to evaluate the interpolant at.

Returns `y` : array-like
Interpolated values. Shape is determined by replacing the interpolation axis in the original array with the shape of `x`.

`KroghInterpolator.derivative(x, der=1)`

Evaluate one derivative of the polynomial at the point x

Parameters `x` : array-like
Point or points at which to evaluate the derivatives

der : integer, optional
Which derivative to extract. This number includes the function value as 0th derivative.

Returns **d** : ndarray
Derivative interpolated at the x-points. Shape of d is determined by replacing the interpolation axis in the original array with the shape of x.

Notes

This is computed by evaluating all derivatives up to the desired one (using self.derivatives()) and then discarding the rest.

KroghInterpolator.**derivatives**(x, der=None)
Evaluate many derivatives of the polynomial at the point x
Produce an array of all derivative values at the point x.

Parameters **x** : array-like
Point or points at which to evaluate the derivatives

der : None or integer
How many derivatives to extract; None for all potentially nonzero derivatives (that is a number equal to the number of points). This number includes the function value as 0th derivative.

Returns **d** : ndarray
Array with derivatives; d[j] contains the j-th derivative. Shape of d[j] is determined by replacing the interpolation axis in the original array with the shape of x.

Examples

```
>>> KroghInterpolator([0,0,0],[1,2,3]).derivatives(0)
array([1.0,2.0,3.0])
>>> KroghInterpolator([0,0,0],[1,2,3]).derivatives([0,0])
array([[1.0,1.0],
       [2.0,2.0],
       [3.0,3.0]])
```

class scipy.interpolate.**PiecewisePolynomial**(xi, yi, orders=None, direction=None, axis=0)
Piecewise polynomial curve specified by points and derivatives

This class represents a curve that is a piecewise polynomial. It passes through a list of points and has specified derivatives at each point. The degree of the polynomial may vary from segment to segment, as may the number of derivatives available. The degree should not exceed about thirty.

Appending points to the end of the curve is efficient.

Parameters **xi** : array-like
a sorted 1-d array of x-coordinates

yi : array-like or list of array-likes
yi[i][j] is the j-th derivative known at xi[i] (for axis=0)

orders : list of integers, or integer
a list of polynomial orders, or a single universal order

direction : {None, 1, -1}
indicates whether the xi are increasing or decreasing +1 indicates increasing -1 indicates decreasing None indicates that it should be deduced from the first two xi

axis : int, optional
Axis in the yi array corresponding to the x-coordinate values.

Notes

If `orders` is `None`, or `orders[i]` is `None`, then the degree of the polynomial segment is exactly the degree required to match all `i` available derivatives at both endpoints. If `orders[i]` is not `None`, then some derivatives will be ignored. The code will try to use an equal number of derivatives from each end; if the total number of derivatives needed is odd, it will prefer the rightmost endpoint. If not enough derivatives are available, an exception is raised.

Methods

<code>__call__(x)</code>	Evaluate the interpolant
<code>append(xi, yi[, order])</code>	Append a single point with derivatives to the <code>PiecewisePolynomial</code>
<code>derivative(x[, der])</code>	Evaluate one derivative of the polynomial at the point <code>x</code>
<code>derivatives(x[, der])</code>	Evaluate many derivatives of the polynomial at the point <code>x</code>
<code>extend(xi, yi[, orders])</code>	Extend the <code>PiecewisePolynomial</code> by a list of points

`PiecewisePolynomial.__call__(x)`

Evaluate the interpolant

Parameters `x`: array-like
Points to evaluate the interpolant at.

Returns `y`: array-like
Interpolated values. Shape is determined by replacing the interpolation axis in the original array with the shape of `x`.

`PiecewisePolynomial.append(xi, yi, order=None)`

Append a single point with derivatives to the `PiecewisePolynomial`

Parameters `xi`: float
Input
`yi`: array_like
`yi` is the list of derivatives known at `xi`
order: integer or `None`
a polynomial order, or instructions to use the highest possible order

`PiecewisePolynomial.derivative(x, der=1)`

Evaluate one derivative of the polynomial at the point `x`

Parameters `x`: array-like
Point or points at which to evaluate the derivatives
der: integer, optional
Which derivative to extract. This number includes the function value as 0th derivative.

Returns `d`: ndarray
Derivative interpolated at the `x`-points. Shape of `d` is determined by replacing the interpolation axis in the original array with the shape of `x`.

Notes

This is computed by evaluating all derivatives up to the desired one (using `self.derivatives()`) and then discarding the rest.

`PiecewisePolynomial.derivatives(x, der=None)`

Evaluate many derivatives of the polynomial at the point `x`

Produce an array of all derivative values at the point `x`.

Parameters `x`: array-like
Point or points at which to evaluate the derivatives

der : None or integer
 How many derivatives to extract; None for all potentially nonzero derivatives (that is a number equal to the number of points). This number includes the function value as 0th derivative.

Returns **d** : ndarray
 Array with derivatives; d[j] contains the j-th derivative. Shape of d[j] is determined by replacing the interpolation axis in the original array with the shape of x.

Examples

```
>>> KroghInterpolator([0,0,0],[1,2,3]).derivatives(0)
array([1.0,2.0,3.0])
>>> KroghInterpolator([0,0,0],[1,2,3]).derivatives([0,0])
array([[1.0,1.0],
       [2.0,2.0],
       [3.0,3.0]])
```

PiecewisePolynomial.**extend**(xi, yi, orders=None)
 Extend the PiecewisePolynomial by a list of points

Parameters **xi** : array_like
 A sorted list of x-coordinates.
yi : list of lists of length N1
 yi[i] (if axis == 0) is the list of derivatives known at xi[i].
orders : int or list of ints
 A list of polynomial orders, or a single universal order.
direction : {None, 1, -1}
 Indicates whether the xi are increasing or decreasing.
 +1 indicates increasing
 -1 indicates decreasing
 None indicates that it should be deduced from the first two xi.

class scipy.interpolate.**PchipInterpolator**(x, y, axis=0)
 PCHIP 1-d monotonic cubic interpolation

x and y are arrays of values used to approximate some function f, with $y = f(x)$. The interpolant uses monotonic cubic splines to find the value of new points.

Parameters **x** : ndarray
 A 1-D array of monotonically increasing real values. x cannot include duplicate values (otherwise f is overspecified)
y : ndarray
 A 1-D array of real values. y's length along the interpolation axis must be equal to the length of x.
axis : int, optional
 Axis in the yi array corresponding to the x-coordinate values.

Notes

Assumes x is sorted in monotonic order (e.g. $x[1] > x[0]$).

Methods

<code>__call__(x)</code>	Evaluate the interpolant
<code>append(xi, yi[, order])</code>	Append a single point with derivatives to the PiecewisePolynomial
Continued on next page	

Table 5.29 – continued from previous page

<code>derivative(x[, der])</code>	Evaluate one derivative of the polynomial at the point x
<code>derivatives(x[, der])</code>	Evaluate many derivatives of the polynomial at the point x
<code>extend(xi, yi[, orders])</code>	Extend the PiecewisePolynomial by a list of points

`PchipInterpolator.__call__(x)`

Evaluate the interpolant

Parameters `x` : array-like

Points to evaluate the interpolant at.

Returns `y` : array-like

Interpolated values. Shape is determined by replacing the interpolation axis in the original array with the shape of `x`.

`PchipInterpolator.append(xi, yi, order=None)`

Append a single point with derivatives to the PiecewisePolynomial

Parameters `xi` : float

Input

`yi` : array_like

`yi` is the list of derivatives known at `xi`

order : integer or None

a polynomial order, or instructions to use the highest possible order

`PchipInterpolator.derivative(x, der=1)`

Evaluate one derivative of the polynomial at the point x

Parameters `x` : array-like

Point or points at which to evaluate the derivatives

der : integer, optional

Which derivative to extract. This number includes the function value as 0th derivative.

Returns `d` : ndarray

Derivative interpolated at the x-points. Shape of `d` is determined by replacing the interpolation axis in the original array with the shape of `x`.

Notes

This is computed by evaluating all derivatives up to the desired one (using `self.derivatives()`) and then discarding the rest.

`PchipInterpolator.derivatives(x, der=None)`

Evaluate many derivatives of the polynomial at the point x

Produce an array of all derivative values at the point x.

Parameters `x` : array-like

Point or points at which to evaluate the derivatives

der : None or integer

How many derivatives to extract; None for all potentially nonzero derivatives (that is a number equal to the number of points). This number includes the function value as 0th derivative.

Returns `d` : ndarray

Array with derivatives; `d[j]` contains the j-th derivative. Shape of `d[j]` is determined by replacing the interpolation axis in the original array with the shape of `x`.

Examples

```
>>> KroghInterpolator([0,0,0],[1,2,3]).derivatives(0)
array([1.0,2.0,3.0])
>>> KroghInterpolator([0,0,0],[1,2,3]).derivatives([0,0])
array([[1.0,1.0],
       [2.0,2.0],
       [3.0,3.0]])
```

`PchipInterpolator.extend(xi, yi, orders=None)`
 Extend the PiecewisePolynomial by a list of points

Parameters

- xi** : array_like
A sorted list of x-coordinates.
- yi** : list of lists of length N1
yi[i] (if axis == 0) is the list of derivatives known at xi[i].
- orders** : int or list of ints
A list of polynomial orders, or a single universal order.
- direction** : {None, 1, -1}
Indicates whether the xi are increasing or decreasing.
+1 indicates increasing
-1 indicates decreasing
None indicates that it should be deduced from the first two xi.

`scipy.interpolate.barycentric_interpolate(xi, yi, x, axis=0)`
 Convenience function for polynomial interpolation.

Constructs a polynomial that passes through a given set of points, then evaluates the polynomial. For reasons of numerical stability, this function does not compute the coefficients of the polynomial.

This function uses a “barycentric interpolation” method that treats the problem as a special case of rational function interpolation. This algorithm is quite stable, numerically, but even in a world of exact computation, unless the x coordinates are chosen very carefully - Chebyshev zeros (e.g. $\cos(i\pi/n)$) are a good choice - polynomial interpolation itself is a very ill-conditioned process due to the Runge phenomenon.

Parameters

- xi** : array_like
1-d array of x coordinates of the points the polynomial should pass through
- yi** : array_like
The y coordinates of the points the polynomial should pass through.
- x** : scalar or array_like
Points to evaluate the interpolator at.
- axis** : int, optional
Axis in the yi array corresponding to the x-coordinate values.

Returns

- y** : scalar or array_like
Interpolated values. Shape is determined by replacing the interpolation axis in the original array with the shape of x.

See Also

`BarycentricInterpolator`

Notes

Construction of the interpolation weights is a relatively slow process. If you want to call this many times with the same xi (but possibly varying yi or x) you should use the class `BarycentricInterpolator`. This is what this function uses internally.

`scipy.interpolate.krogh_interpolate(xi, yi, x, der=0, axis=0)`
 Convenience function for polynomial interpolation.

See `KroghInterpolator` for more details.

Parameters

- xi** : array_like
Known x-coordinates.
- yi** : array_like
Known y-coordinates, of shape $(xi.size, R)$. Interpreted as vectors of length R , or scalars if $R=1$.
- x** : array_like
Point or points at which to evaluate the derivatives.
- der** : int or list
How many derivatives to extract; None for all potentially nonzero derivatives (that is a number equal to the number of points), or a list of derivatives to extract. This number includes the function value as 0th derivative.
- axis** : int, optional
Axis in the yi array corresponding to the x-coordinate values.

Returns

- d** : ndarray
If the interpolator's values are R -dimensional then the returned array will be the number of derivatives by N by R . If x is a scalar, the middle dimension will be dropped; if the yi are scalars then the last dimension will be dropped.

See Also

`KroghInterpolator`

Notes

Construction of the interpolating polynomial is a relatively expensive process. If you want to evaluate it repeatedly consider using the class `KroghInterpolator` (which is what this function uses).

`scipy.interpolate.piecewise_polynomial_interpolate(xi, yi, x, orders=None, der=0, axis=0)`

Convenience function for piecewise polynomial interpolation.

Parameters

- xi** : array_like
A sorted list of x-coordinates.
- yi** : list of lists
 $yi[i]$ is the list of derivatives known at $xi[i]$.
- x** : scalar or array_like
Coordinates at which to evaluate the polynomial.
- orders** : int or list of ints, optional
A list of polynomial orders, or a single universal order.
- der** : int or list
How many derivatives to extract; None for all potentially nonzero derivatives (that is a number equal to the number of points), or a list of derivatives to extract. This number includes the function value as 0th derivative.
- axis** : int, optional
Axis in the yi array corresponding to the x-coordinate values.

Returns

- y** : ndarray
Interpolated values or derivatives. If multiple derivatives were requested, these are given along the first axis.

See Also

`PiecewisePolynomial`

Notes

If *orders* is None, or *orders*[*i*] is None, then the degree of the polynomial segment is exactly the degree required to match all *i* available derivatives at both endpoints. If *orders*[*i*] is not None, then some derivatives will be ignored. The code will try to use an equal number of derivatives from each end; if the total number of derivatives needed is odd, it will prefer the rightmost endpoint. If not enough derivatives are available, an exception is raised.

Construction of these piecewise polynomials can be an expensive process; if you repeatedly evaluate the same polynomial, consider using the class `PiecewisePolynomial` (which is what this function does).

`scipy.interpolate.pchip_interpolate` (*xi, yi, x, der=0, axis=0*)

Convenience function for pchip interpolation.

See `PchipInterpolator` for details.

- Parameters**
- xi** : array_like
A sorted list of x-coordinates, of length N.
 - yi** : list of lists
yi[i] is the list of derivatives known at xi[i]. Of length N.
 - x** : scalar or array_like
Of length M.
 - der** : integer or list
How many derivatives to extract; None for all potentially nonzero derivatives (that is a number equal to the number of points), or a list of derivatives to extract. This number includes the function value as 0th derivative.
 - axis** : int, optional
Axis in the yi array corresponding to the x-coordinate values.
- Returns**
- y** : scalar or array_like
The result, of length R or length M or M by R,

See Also

`PchipInterpolator`

5.7.2 Multivariate interpolation

Unstructured data:

<code>griddata</code> (points, values, xi[, method, ...])	Interpolate unstructured N-dimensional data.
<code>LinearNDInterpolator</code> (points, values)	Piecewise linear interpolant in N dimensions.
<code>NearestNDInterpolator</code> (points, values)	Nearest-neighbour interpolation in N dimensions.
<code>CloughTocher2DInterpolator</code> (points, values[, tol])	Piecewise cubic, C1 smooth, curvature-minimizing interpolant in 2D.
<code>Rbf</code> (*args)	A class for radial basis function approximation/interpolation of n-dim
<code>interp2d</code> (x, y, z[, kind, copy, ...])	Interpolate over a 2-D grid.

`scipy.interpolate.griddata` (*points, values, xi, method='linear', fill_value=nan*)

Interpolate unstructured N-dimensional data. New in version 0.9.

- Parameters**
- points** : ndarray of floats, shape (N, ndim)
Data point coordinates. Can either be an array of size (N, ndim), or a tuple of *ndim* arrays.
 - values** : ndarray of float or complex, shape (N,)
Data values.
 - xi** : ndarray of float, shape (M, ndim)
Points at which to interpolate data.

method : { 'linear', 'nearest', 'cubic' }, optional
 Method of interpolation. One of

- nearest**: *return the value at the data point closest to* the point of interpolation. See [NearestNDInterpolator](#) for more details.
- linear**: *tesselate the input point set to n-dimensional* simplices, and interpolate linearly on each simplex. See [LinearNDInterpolator](#) for more details.
- cubic (1-D)**: *return the value determined from a cubic* spline.
- cubic (2-D)**: *return the value determined from a* piecewise cubic, continuously differentiable (C1), and approximately curvature-minimizing polynomial surface. See [CloughTocher2DInterpolator](#) for more details.

fill_value : float, optional
 Value used to fill in for requested points outside of the convex hull of the input points. If not provided, then the default is nan. This option has no effect for the 'nearest' method.

Examples

Suppose we want to interpolate the 2-D function

```
>>> def func(x, y):
>>>     return x*(1-x)*np.cos(4*np.pi*x) * np.sin(4*np.pi*y**2)**2
```

on a grid in [0, 1]x[0, 1]

```
>>> grid_x, grid_y = np.mgrid[0:1:100j, 0:1:200j]
```

but we only know its values at 1000 data points:

```
>>> points = np.random.rand(1000, 2)
>>> values = func(points[:,0], points[:,1])
```


This can be done with `griddata` – below we try out all of the interpolation methods:

```
>>> from scipy.interpolate import griddata
>>> grid_z0 = griddata(points, values, (grid_x, grid_y), method='nearest')
>>> grid_z1 = griddata(points, values, (grid_x, grid_y), method='linear')
>>> grid_z2 = griddata(points, values, (grid_x, grid_y), method='cubic')
```

One can see that the exact result is reproduced by all of the methods to some degree, but for this smooth function the piecewise cubic interpolant gives the best results:

```
>>> import matplotlib.pyplot as plt
>>> plt.subplot(221)
>>> plt.imshow(func(grid_x, grid_y).T, extent=(0,1,0,1), origin='lower')
>>> plt.plot(points[:,0], points[:,1], 'k.', ms=1)
>>> plt.title('Original')
>>> plt.subplot(222)
>>> plt.imshow(grid_z0.T, extent=(0,1,0,1), origin='lower')
>>> plt.title('Nearest')
>>> plt.subplot(223)
>>> plt.imshow(grid_z1.T, extent=(0,1,0,1), origin='lower')
>>> plt.title('Linear')
>>> plt.subplot(224)
>>> plt.imshow(grid_z2.T, extent=(0,1,0,1), origin='lower')
>>> plt.title('Cubic')
```

```
>>> plt.gcf().set_size_inches(6, 6)
>>> plt.show()
```



class `scipy.interpolate.LinearNDInterpolator` (*points*, *values*)

Piecewise linear interpolant in N dimensions. New in version 0.9.

Parameters

- points** : ndarray of floats, shape (npoints, ndims); or Delaunay
Data point coordinates, or a precomputed Delaunay triangulation.
- values** : ndarray of float or complex, shape (npoints, ...)
Data values.
- fill_value** : float, optional
Value used to fill in for requested points outside of the convex hull of the input points.
If not provided, then the default is `nan`.

Notes

The interpolant is constructed by triangulating the input data with Qhull [R22], and on each triangle performing linear barycentric interpolation.

References

[R22]

Methods

`__call__(xi)` Evaluate interpolator at given points.

`LinearNDInterpolator.__call__(xi)`

Evaluate interpolator at given points.

Parameters `xi` : ndarray of float, shape (... , ndim)
 Points where to interpolate data at.

class `scipy.interpolate.NearestNDInterpolator` (*points, values*)
 Nearest-neighbour interpolation in N dimensions. New in version 0.9.

Parameters `points` : (Npoints, Ndims) ndarray of floats
 Data point coordinates.
`values` : (Npoints,) ndarray of float or complex
 Data values.

NotesUses `scipy.spatial.cKDTree`**Methods**

`__call__(*args)` Evaluate interpolator at given points.

`NearestNDInterpolator.__call__(*args)`

Evaluate interpolator at given points.

Parameters `xi` : ndarray of float, shape (... , ndim)
 Points where to interpolate data at.

class `scipy.interpolate.CloughTocher2DInterpolator` (*points, values, tol=1e-6*)
 Piecewise cubic, C1 smooth, curvature-minimizing interpolant in 2D. New in version 0.9.

Parameters `points` : ndarray of floats, shape (npoints, ndims); or Delaunay
 Data point coordinates, or a precomputed Delaunay triangulation.
`values` : ndarray of float or complex, shape (npoints, ...)
 Data values.
`fill_value` : float, optional
 Value used to fill in for requested points outside of the convex hull of the input points.
 If not provided, then the default is `nan`.
`tol` : float, optional
 Absolute/relative tolerance for gradient estimation.
`maxiter` : int, optional
 Maximum number of iterations in gradient estimation.

Notes

The interpolant is constructed by triangulating the input data with Qhull [R20], and constructing a piecewise cubic interpolating Bezier polynomial on each triangle, using a Clough-Tocher scheme [CT]. The interpolant is guaranteed to be continuously differentiable.

The gradients of the interpolant are chosen so that the curvature of the interpolating surface is approximately minimized. The gradients necessary for this are estimated using the global algorithm described in [Nielson83, Renka84].

References

[R20], [CT], [Nielson83], [Renka84]

Methods

`__call__(xi)` Evaluate interpolator at given points.

`CloughTocher2DInterpolator.__call__(xi)`

Evaluate interpolator at given points.

Parameters `xi` : ndarray of float, shape (... , ndim)
 Points where to interpolate data at.

class `scipy.interpolate.Rbf(*args)`

A class for radial basis function approximation/interpolation of n-dimensional scattered data.

Parameters `*args` : arrays

`x, y, z, ..., d`, where `x, y, z, ...` are the coordinates of the nodes and `d` is the array of values at the nodes

function : str or callable, optional

The radial basis function, based on the radius, `r`, given by the norm (default is Euclidean distance); the default is 'multiquadric':

```
'multiquadric': sqrt((r/self.epsilon)**2 + 1)
'inverse': 1.0/sqrt((r/self.epsilon)**2 + 1)
'gaussian': exp(-(r/self.epsilon)**2)
'linear': r
'cubic': r**3
'quintic': r**5
'thin_plate': r**2 * log(r)
```

If callable, then it must take 2 arguments (`self, r`). The `epsilon` parameter will be available as `self.epsilon`. Other keyword arguments passed in will be available as well.

epsilon : float, optional

Adjustable constant for gaussian or multiquadrics functions - defaults to approximate average distance between nodes (which is a good start).

smooth : float, optional

Values greater than zero increase the smoothness of the approximation. 0 is for interpolation (default), the function will always go through the nodal points in this case.

norm : callable, optional

A function that returns the 'distance' between two points, with inputs as arrays of positions (`x, y, z, ...`), and an output as an array of distance. E.g, the default:

```
def euclidean_norm(x1, x2):
    return sqrt( ((x1 - x2)**2).sum(axis=0) )
```

which is called with `x1=x1[ndims,newaxis,:]` and `x2=x2[ndims,:,newaxis]` such that the result is a matrix of the distances from each point in `x1` to each point in `x2`.

Examples

```
>>> rbfi = Rbf(x, y, z, d) # radial basis function interpolator instance
>>> di = rbfi(xi, yi, zi) # interpolated values
```

Methods

`__call__(*args)`

Rbf.**__call__**(*args)

```
class scipy.interpolate.interp2d(x, y, z, kind='linear', copy=True, bounds_error=False,
                                   fill_value=nan)
```

Interpolate over a 2-D grid.

x , y and z are arrays of values used to approximate some function f : $z = f(x, y)$. This class returns a function whose call method uses spline interpolation to find the value of new points.

If x and y represent a regular grid, consider using `RectBivariateSpline`.

Parameters x, y : array_like

Arrays defining the data point coordinates.

If the points lie on a regular grid, x can specify the column coordinates and y the row coordinates, for example:

```
>>> x = [0,1,2]; y = [0,3]; z = [[1,2,3], [4,5,6]]
```

Otherwise, x and y must specify the full coordinates for each point, for example:

```
>>> x = [0,1,2,0,1,2]; y = [0,0,0,3,3,3]; z = [1,2,3,4,5,6]
```

If x and y are multi-dimensional, they are flattened before use.

z : array_like

The values of the function to interpolate at the data points. If z is a multi-dimensional array, it is flattened before use. The length of a flattened z array is either $\text{len}(x)*\text{len}(y)$ if x and y specify the column and row coordinates or $\text{len}(z) == \text{len}(x) == \text{len}(y)$ if x and y specify coordinates for each point.

kind : {'linear', 'cubic', 'quintic'}, optional

The kind of spline interpolation to use. Default is 'linear'.

copy : bool, optional

If True, the class makes internal copies of x , y and z . If False, references may be used. The default is to copy.

bounds_error : bool, optional

If True, when interpolated values are requested outside of the domain of the input data (x,y), a `ValueError` is raised. If False, then `fill_value` is used.

fill_value : number, optional

If provided, the value to use for points outside of the interpolation domain. If omitted (None), values outside the domain are extrapolated.

See Also

`RectBivariateSpline`

Much faster 2D interpolation if your input data is on a grid

`bisplrep`, `bisplev`

`BivariateSpline`

a more recent wrapper of the FITPACK routines

`interp1d` one dimension version of this function

Notes

The minimum number of data points required along the interpolation axis is $(k+1)**2$, with $k=1$ for linear, $k=3$ for cubic and $k=5$ for quintic interpolation.

The interpolator is constructed by `bisplrep`, with a smoothing factor of 0. If more control over smoothing is needed, `bisplrep` should be used directly.

Examples

Construct a 2-D grid and interpolate on it:

```
>>> from scipy import interpolate
>>> x = np.arange(-5.01, 5.01, 0.25)
>>> y = np.arange(-5.01, 5.01, 0.25)
>>> xx, yy = np.meshgrid(x, y)
>>> z = np.sin(xx**2+yy**2)
>>> f = interpolate.interp2d(x, y, z, kind='cubic')
```

Now use the obtained interpolation function and plot the result:

```
>>> xnew = np.arange(-5.01, 5.01, 1e-2)
>>> ynew = np.arange(-5.01, 5.01, 1e-2)
>>> znew = f(xnew, ynew)
>>> plt.plot(x, z[:, 0], 'ro-', xnew, znew[:, 0], 'b-')
>>> plt.show()
```

Methods

`__call__(x, y[, dx, dy])` Interpolate the function.

`interp2d.__call__(x, y, dx=0, dy=0)`

Interpolate the function.

Parameters

- x** : 1D array
x-coordinates of the mesh on which to interpolate.
- y** : 1D array
y-coordinates of the mesh on which to interpolate.
- dx** : int ≥ 0 , $< k_x$
Order of partial derivatives in x.
- dy** : int ≥ 0 , $< k_y$
Order of partial derivatives in y.

Returns

- z** : 2D array with shape $(\text{len}(y), \text{len}(x))$
The interpolated values.

For data on a grid:

`RectBivariateSpline(x, y, z[, bbox, kx, ky, s])` Bivariate spline approximation over a rectangular mesh.

See Also

`scipy.ndimage.map_coordinates`

5.7.3 1-D Splines

<code>UnivariateSpline(x, y[, w, bbox, k, s])</code>	One-dimensional smoothing spline fit to a given set of data points.
<code>InterpolatedUnivariateSpline(x, y[, w, bbox, k])</code>	One-dimensional interpolating spline for a given set of data points.
<code>LSQUnivariateSpline(x, y, t[, w, bbox, k])</code>	One-dimensional spline with explicit internal knots.

class `scipy.interpolate.UnivariateSpline` (*x*, *y*, *w=None*, *bbox=[None, None]*, *k=3*, *s=None*)

One-dimensional smoothing spline fit to a given set of data points.

Fits a spline $y=s(x)$ of degree k to the provided x , y data. s specifies the number of knots by specifying a smoothing condition.

Parameters

- x** : (N,) array_like
1-D array of independent input data. Must be increasing.
- y** : (N,) array_like
1-D array of dependent input data, of the same length as x .
- w** : (N,) array_like, optional
Weights for spline fitting. Must be positive. If None (default), weights are all equal.
- bbox** : (2,) array_like, optional
2-sequence specifying the boundary of the approximation interval. If None (default), $bbox=[x[0], x[-1]]$.
- k** : int, optional
Degree of the smoothing spline. Must be ≤ 5 .
- s** : float or None, optional
Positive smoothing factor used to choose the number of knots. Number of knots will be increased until the smoothing condition is satisfied:
 $\text{sum}((w[i]*(y[i]-s(x[i])))**2, \text{axis}=0) \leq s$
If None (default), $s=\text{len}(w)$ which should be a good value if $1/w[i]$ is an estimate of the standard deviation of $y[i]$. If 0, spline will interpolate through all data points.

See Also

InterpolatedUnivariateSpline

Subclass with smoothing forced to 0

LSQUnivariateSpline

Subclass in which knots are user-selected instead of being set by smoothing condition

splrep An older, non object-oriented wrapping of FITPACK

`splev`, `sproot`, `splint`, `spalde`

BivariateSpline

A similar class for two-dimensional spline interpolation

Notes

The number of data points must be larger than the spline degree k .

Examples

```
>>> from numpy import linspace, exp
>>> from numpy.random import randn
>>> from scipy.interpolate import UnivariateSpline
>>> x = linspace(-3, 3, 100)
>>> y = exp(-x**2) + randn(100)/10
>>> s = UnivariateSpline(x, y, s=1)
>>> xs = linspace(-3, 3, 1000)
>>> ys = s(xs)
```

xs,ys is now a smoothed, super-sampled version of the noisy gaussian x,y.

Methods

<code>__call__(x[, nu])</code>	Evaluate spline (or its nu-th derivative) at positions x.
<code>derivatives(x)</code>	Return all derivatives of the spline at the point x.
<code>get_coeffs()</code>	Return spline coefficients.
<code>get_knots()</code>	Return positions of (boundary and interior) knots of the spline.
<code>get_residual()</code>	Return weighted sum of squared residuals of the spline
<code>integral(a, b)</code>	Return definite integral of the spline between two given points.
<code>roots()</code>	Return the zeros of the spline.
<code>set_smoothing_factor(s)</code>	Continue spline computation with the given smoothing

`UnivariateSpline.__call__(x, nu=0)`

Evaluate spline (or its nu-th derivative) at positions x.

Note: x can be unordered but the evaluation is more efficient if x is (partially) ordered.

`UnivariateSpline.derivatives(x)`

Return all derivatives of the spline at the point x.

`UnivariateSpline.get_coeffs()`

Return spline coefficients.

`UnivariateSpline.get_knots()`

Return positions of (boundary and interior) knots of the spline.

`UnivariateSpline.get_residual()`

Return weighted sum of squared residuals of the spline approximation: `sum((w[i] * (y[i]-s(x[i])))**2, axis=0)`.

`UnivariateSpline.integral(a, b)`

Return definite integral of the spline between two given points.

`UnivariateSpline.roots()`

Return the zeros of the spline.

Restriction: only cubic splines are supported by fitpack.

`UnivariateSpline.set_smoothing_factor(s)`

Continue spline computation with the given smoothing factor s and with the knots found at the last call.

class `scipy.interpolate.InterpolatedUnivariateSpline` (x, y, w=None, bbox=[None, None], k=3)

One-dimensional interpolating spline for a given set of data points.

Fits a spline $y=s(x)$ of degree k to the provided x, y data. Spline function passes through all provided points. Equivalent to `UnivariateSpline` with $s=0$.

Parameters **x** : (N,) array_like

Input dimension of data points – must be increasing

y : (N,) array_like

input dimension of data points

w : (N,) array_like, optional

Weights for spline fitting. Must be positive. If None (default), weights are all equal.

bbox : (2,) array_like, optional

2-sequence specifying the boundary of the approximation interval. If None (default), `bbox=[x[0],x[-1]]`.

k : int, optional

Degree of the smoothing spline. Must be $1 \leq k \leq 5$.

See Also

UnivariateSpline

Superclass – allows knots to be selected by a smoothing condition

LSQUnivariateSpline

spline for which knots are user-selected

splrep An older, non object-oriented wrapping of FITPACK

`splev`, `sproot`, `splint`, `spalde`

BivariateSpline

A similar class for two-dimensional spline interpolation

Notes

The number of data points must be larger than the spline degree k .

Examples

```
>>> from numpy import linspace, exp
>>> from numpy.random import randn
>>> from scipy.interpolate import InterpolatedUnivariateSpline
>>> x = linspace(-3, 3, 100)
>>> y = exp(-x**2) + randn(100)/10
>>> s = InterpolatedUnivariateSpline(x, y)
>>> xs = linspace(-3, 3, 1000)
>>> ys = s(xs)
```

`xs,ys` is now a smoothed, super-sampled version of the noisy gaussian `x,y`

Methods

<code>__call__(x[, nu])</code>	Evaluate spline (or its nu -th derivative) at positions x .
<code>derivatives(x)</code>	Return all derivatives of the spline at the point x .
<code>get_coeffs()</code>	Return spline coefficients.
<code>get_knots()</code>	Return positions of (boundary and interior) knots of the spline.
<code>get_residual()</code>	Return weighted sum of squared residuals of the spline
<code>integral(a, b)</code>	Return definite integral of the spline between two given points.
<code>roots()</code>	Return the zeros of the spline.
<code>set_smoothing_factor(s)</code>	Continue spline computation with the given smoothing

`InterpolatedUnivariateSpline.__call__(x, nu=0)`
Evaluate spline (or its nu -th derivative) at positions x .

Note: x can be unordered but the evaluation is more efficient if x is (partially) ordered.

`InterpolatedUnivariateSpline.derivatives(x)`
Return all derivatives of the spline at the point x .

`InterpolatedUnivariateSpline.get_coeffs()`
Return spline coefficients.

`InterpolatedUnivariateSpline.get_knots()`
Return positions of (boundary and interior) knots of the spline.

`InterpolatedUnivariateSpline.get_residual()`
 Return weighted sum of squared residuals of the spline approximation: `sum((w[i] * (y[i]-s(x[i])))**2, axis=0)`.

`InterpolatedUnivariateSpline.integral(a, b)`
 Return definite integral of the spline between two given points.

`InterpolatedUnivariateSpline.roots()`
 Return the zeros of the spline.
 Restriction: only cubic splines are supported by fitpack.

`InterpolatedUnivariateSpline.set_smoothing_factor(s)`
 Continue spline computation with the given smoothing factor `s` and with the knots found at the last call.

class `scipy.interpolate.LSQUnivariateSpline(x, y, t, w=None, bbox=[None, None], k=3)`
 One-dimensional spline with explicit internal knots.

Fits a spline $y=s(x)$ of degree k to the provided x, y data. t specifies the internal knots of the spline

Parameters

- x** : (N,) array_like
Input dimension of data points – must be increasing
- y** : (N,) array_like
Input dimension of data points
- t** : (M,) array_like :
interior knots of the spline. Must be in ascending order and `bbox[0]<t[0]<...<t[-1]<bbox[-1]`
- w** : (N,) array_like, optional
weights for spline fitting. Must be positive. If None (default), weights are all equal.
- bbox** : (2,) array_like, optional
2-sequence specifying the boundary of the approximation interval. If None (default), `bbox=[x[0],x[-1]]`.
- k** : int, optional
Degree of the smoothing spline. Must be $1 \leq k \leq 5$.

Raises

- ValueError** :
If the interior knots do not satisfy the Schoenberg-Whitney conditions

See Also

UnivariateSpline
 Superclass – knots are specified by setting a smoothing condition

InterpolatedUnivariateSpline
 spline passing through all points

splrep An older, non object-oriented wrapping of FITPACK

`splev, sproot, splint, spalde`

BivariateSpline
 A similar class for two-dimensional spline interpolation

Notes

The number of data points must be larger than the spline degree k .

Examples

```

>>> from numpy import linspace, exp
>>> from numpy.random import randn
>>> from scipy.interpolate import LSQUnivariateSpline
>>> x = linspace(-3, 3, 100)
>>> y = exp(-x**2) + randn(100)/10
>>> t = [-1, 0, 1]
>>> s = LSQUnivariateSpline(x, y, t)
>>> xs = linspace(-3, 3, 1000)
>>> ys = s(xs)

```

xs,ys is now a smoothed, super-sampled version of the noisy gaussian x,y with knots [-3,-1,0,1,3]

Methods

<code>__call__(x[, nu])</code>	Evaluate spline (or its nu-th derivative) at positions x.
<code>derivatives(x)</code>	Return all derivatives of the spline at the point x.
<code>get_coeffs()</code>	Return spline coefficients.
<code>get_knots()</code>	Return positions of (boundary and interior) knots of the spline.
<code>get_residual()</code>	Return weighted sum of squared residuals of the spline
<code>integral(a, b)</code>	Return definite integral of the spline between two given points.
<code>roots()</code>	Return the zeros of the spline.
<code>set_smoothing_factor(s)</code>	Continue spline computation with the given smoothing

`LSQUnivariateSpline.__call__(x, nu=0)`
Evaluate spline (or its nu-th derivative) at positions x.

Note: x can be unordered but the evaluation is more efficient if x is (partially) ordered.

`LSQUnivariateSpline.derivatives(x)`
Return all derivatives of the spline at the point x.

`LSQUnivariateSpline.get_coeffs()`
Return spline coefficients.

`LSQUnivariateSpline.get_knots()`
Return positions of (boundary and interior) knots of the spline.

`LSQUnivariateSpline.get_residual()`
Return weighted sum of squared residuals of the spline approximation: `sum((w[i] * (y[i]-s(x[i])))**2, axis=0)`.

`LSQUnivariateSpline.integral(a, b)`
Return definite integral of the spline between two given points.

`LSQUnivariateSpline.roots()`
Return the zeros of the spline.

Restriction: only cubic splines are supported by fitpack.

`LSQUnivariateSpline.set_smoothing_factor(s)`
Continue spline computation with the given smoothing factor s and with the knots found at the last call.

The above univariate spline classes have the following methods:

<code>UnivariateSpline.__call__(x[, nu])</code>	Evaluate spline (or its nu-th derivative) at positions x.
<code>UnivariateSpline.derivatives(x)</code>	Return all derivatives of the spline at the point x.
<code>UnivariateSpline.integral(a, b)</code>	Return definite integral of the spline between two given points.

Continued on next page

Table 5.41 – continued from previous page

<code>UnivariateSpline.roots()</code>	Return the zeros of the spline.
<code>UnivariateSpline.get_coeffs()</code>	Return spline coefficients.
<code>UnivariateSpline.get_knots()</code>	Return positions of (boundary and interior) knots of the spline.
<code>UnivariateSpline.get_residual()</code>	Return weighted sum of squared residuals of the spline
<code>UnivariateSpline.set_smoothing_factor(s)</code>	Continue spline computation with the given smoothing

Low-level interface to FITPACK functions:

<code>splrep(x, y[, w, xb, xe, k, task, s, t, ...])</code>	Find the B-spline representation of 1-D curve.
<code>splrep(x[, w, u, ub, ue, k, task, s, t, ...])</code>	Find the B-spline representation of an N-dimensional curve.
<code>splev(x, tck[, der, ext])</code>	Evaluate a B-spline or its derivatives.
<code>splint(a, b, tck[, full_output])</code>	Evaluate the definite integral of a B-spline.
<code>sproot(tck[, mest])</code>	Find the roots of a cubic B-spline.
<code>spalde(x, tck)</code>	Evaluate all derivatives of a B-spline.
<code>bisplrep(x, y, z[, w, xb, xe, yb, ye, kx, ...])</code>	Find a bivariate B-spline representation of a surface.
<code>bisplev(x, y, tck[, dx, dy])</code>	Evaluate a bivariate B-spline and its derivatives.

`scipy.interpolate.splrep(x, y, w=None, xb=None, xe=None, k=3, task=0, s=None, t=None, full_output=0, per=0, quiet=1)`

Find the B-spline representation of 1-D curve.

Given the set of data points $(x[i], y[i])$ determine a smooth spline approximation of degree k on the interval $xb \leq x \leq xe$.

Parameters **x, y** : array_like

The data points defining a curve $y = f(x)$.

w : array_like

Strictly positive rank-1 array of weights the same length as x and y . The weights are used in computing the weighted least-squares spline fit. If the errors in the y values have standard-deviation given by the vector d , then w should be $1/d$. Default is `ones(len(x))`.

xb, xe : float

The interval to fit. If `None`, these default to $x[0]$ and $x[-1]$ respectively.

k : int

The order of the spline fit. It is recommended to use cubic splines. Even order splines should be avoided especially with small s values. $1 \leq k \leq 5$

task : {1, 0, -1}

If `task==0` find t and c for a given smoothing factor, s .

If `task==1` find t and c for another value of the smoothing factor, s . There must have been a previous call with `task=0` or `task=1` for the same set of data (t will be stored an used internally)

If `task=-1` find the weighted least square spline for a given set of knots, t . These should be interior knots as knots on the ends will be added automatically.

s : float

A smoothing condition. The amount of smoothness is determined by satisfying the conditions: $\text{sum}((w * (y - g))**2, \text{axis}=0) \leq s$ where $g(x)$ is the smoothed interpolation of (x, y) . The user can use s to control the tradeoff between closeness and smoothness of fit. Larger s means more smoothing while smaller values of s indicate less smoothing. Recommended values of s depend on the weights, w . If the weights represent the inverse of the standard-deviation of y , then a good s value should be found in the range $(m - \text{sqrt}(2*m), m + \text{sqrt}(2*m))$ where m is the number of datapoints in x, y ,

and `w`. default : `s=m-sqrt(2*m)` if weights are supplied. `s = 0.0` (interpolating) if no weights are supplied.

t : int

The knots needed for `task=-1`. If given then `task` is automatically set to `-1`.

full_output : bool

If non-zero, then return optional outputs.

per : bool

If non-zero, data points are considered periodic with period `x[m-1] - x[0]` and a smooth periodic spline approximation is returned. Values of `y[m-1]` and `w[m-1]` are not used.

quiet : bool

Non-zero to suppress messages.

Returns

tck : tuple

(`t,c,k`) a tuple containing the vector of knots, the B-spline coefficients, and the degree of the spline.

fp : array, optional

The weighted sum of squared residuals of the spline approximation.

ier : int, optional

An integer flag about `splprep` success. Success is indicated if `ier<=0`. If `ier` in `[1,2,3]` an error occurred but was not raised. Otherwise an error is raised.

msg : str, optional

A message corresponding to the integer flag, `ier`.

See Also

`UnivariateSpline`, `BivariateSpline`, `splprep`, `splev`, `sproot`, `spalde`, `splint`, `bisplrep`, `bisplev`

Notes

See `splev` for evaluation of the spline and its derivatives. Uses the FORTRAN routine `curfit` from FITPACK.

References

Based on algorithms described in [1], [2], [3], and [4]:

[R40], [R41], [R42], [R43]

Examples

```
>>> x = linspace(0, 10, 10)
>>> y = sin(x)
>>> tck = splprep(x, y)
>>> x2 = linspace(0, 10, 200)
>>> y2 = splev(x2, tck)
>>> plot(x, y, 'o', x2, y2)
```

```
scipy.interpolate.splprep(x, w=None, u=None, ub=None, ue=None, k=3, task=0, s=None,
                          t=None, full_output=0, nest=None, per=0, quiet=1)
```

Find the B-spline representation of an N-dimensional curve.

Given a list of N rank-1 arrays, `x`, which represent a curve in N-dimensional space parametrized by `u`, find a smooth approximating spline curve `g(u)`. Uses the FORTRAN routine `parcur` from FITPACK.

Parameters `x` : array_like

A list of sample vector arrays representing the curve.

`w` : array_like

Strictly positive rank-1 array of weights the same length as $x[0]$. The weights are used in computing the weighted least-squares spline fit. If the errors in the x values have standard-deviation given by the vector d , then w should be $1/d$. Default is `ones(len(x[0]))`.

u : array_like, optional

An array of parameter values. If not given, these values are calculated automatically as $M = \text{len}(x[0])$, where

$$\begin{aligned} v[0] &= 0 \\ v[i] &= v[i-1] + \text{distance}(x[i], x[i-1]) \\ u[i] &= v[i] / v[M-1] \end{aligned}$$

ub, ue : int, optional

The end-points of the parameters interval. Defaults to $u[0]$ and $u[-1]$.

k : int, optional

Degree of the spline. Cubic splines are recommended. Even values of k should be avoided especially with a small s -value. $1 \leq k \leq 5$, default is 3.

task : int, optional

If `task==0` (default), find t and c for a given smoothing factor, s . If `task==1`, find t and c for another value of the smoothing factor, s . There must have been a previous call with `task=0` or `task=1` for the same set of data. If `task=-1` find the weighted least square spline for a given set of knots, t .

s : float, optional

A smoothing condition. The amount of smoothness is determined by satisfying the conditions: $\text{sum}((w * (y - g))**2, \text{axis}=0) \leq s$, where $g(x)$ is the smoothed interpolation of (x,y) . The user can use s to control the trade-off between closeness and smoothness of fit. Larger s means more smoothing while smaller values of s indicate less smoothing. Recommended values of s depend on the weights, w . If the weights represent the inverse of the standard-deviation of y , then a good s value should be found in the range $(m - \text{sqrt}(2*m), m + \text{sqrt}(2*m))$, where m is the number of data points in x , y , and w .

t : int, optional

The knots needed for `task=-1`.

full_output : int, optional

If non-zero, then return optional outputs.

nest : int, optional

An over-estimate of the total number of knots of the spline to help in determining the storage space. By default `nest=m/2`. Always large enough is `nest=m+k+1`.

per : int, optional

If non-zero, data points are considered periodic with period $x[m-1] - x[0]$ and a smooth periodic spline approximation is returned. Values of $y[m-1]$ and $w[m-1]$ are not used.

quiet : int, optional

Non-zero to suppress messages.

Returns

tck : tuple

A tuple (t,c,k) containing the vector of knots, the B-spline coefficients, and the degree of the spline.

u : array

An array of the values of the parameter.

fp : float

The weighted sum of squared residuals of the spline approximation.

ier : int

An integer flag about spline success. Success is indicated if `ier<=0`. If `ier` in $[1,2,3]$ an error occurred but was not raised. Otherwise an error is raised.

msg : str

A message corresponding to the integer flag, `ier`.

See Also

`splprep`, `splev`, `sproot`, `spalde`, `splint`, `bisplprep`, `bisplev`, `UnivariateSpline`, `BivariateSpline`

Notes

See `splev` for evaluation of the spline and its derivatives.

References

[R37], [R38], [R39]

`scipy.interpolate.splev` ($x, tck, der=0, ext=0$)

Evaluate a B-spline or its derivatives.

Given the knots and coefficients of a B-spline representation, evaluate the value of the smoothing polynomial and its derivatives. This is a wrapper around the FORTRAN routines `splev` and `splder` of FITPACK.

Parameters **x** : array_like

A 1-D array of points at which to return the value of the smoothed spline or its derivatives. If `tck` was returned from `splprep`, then the parameter values, `u` should be given.

tck : tuple

A sequence of length 3 returned by `splrep` or `splprep` containing the knots, coefficients, and degree of the spline.

der : int

The order of derivative of the spline to compute (must be less than or equal to `k`).

ext : int

Controls the value returned for elements of `x` not in the interval defined by the knot sequence.

- if `ext=0`, return the extrapolated value.

- if `ext=1`, return 0

- if `ext=2`, raise a `ValueError`

The default value is 0.

Returns **y** : ndarray or list of ndarrays

An array of values representing the spline function evaluated at the points in `x`. If `tck` was returned from `splrep`, then this is a list of arrays representing the curve in `N`-dimensional space.

See Also

`splprep`, `splrep`, `sproot`, `spalde`, `splint`, `bisplprep`, `bisplev`

References

[R32], [R33], [R34]

`scipy.interpolate.splint` ($a, b, tck, full_output=0$)

Evaluate the definite integral of a B-spline.

Given the knots and coefficients of a B-spline, evaluate the definite integral of the smoothing polynomial between two given points.

Parameters **a, b** : float

The end-points of the integration interval.

tck : tuple

A tuple (`t,c,k`) containing the vector of knots, the B-spline coefficients, and the degree of the spline (see `splev`).

full_output : int, optional

Returns Non-zero to return optional output.
integral : float
 The resulting integral.
wrk : ndarray
 An array containing the integrals of the normalized B-splines defined on the set of knots.

See Also

`splprep`, `splrep`, `sproot`, `spalde`, `splev`, `bisplrep`, `bisplev`, `UnivariateSpline`, `BivariateSpline`

References

[R35], [R36]

`scipy.interpolate.sproot` (*tck*, *mest=10*)
 Find the roots of a cubic B-spline.

Given the knots (≥ 8) and coefficients of a cubic B-spline return the roots of the spline.

Parameters **tck** : tuple
 A tuple (t,c,k) containing the vector of knots, the B-spline coefficients, and the degree of the spline. The number of knots must be ≥ 8 . The knots must be a monotonically increasing sequence.
mest : int
 An estimate of the number of zeros (Default is 10).

Returns **zeros** : ndarray
 An array giving the roots of the spline.

See Also

`splprep`, `splrep`, `splint`, `spalde`, `splev`, `bisplrep`, `bisplev`, `UnivariateSpline`, `BivariateSpline`

References

[R44], [R45], [R46]

`scipy.interpolate.spalde` (*x*, *tck*)
 Evaluate all derivatives of a B-spline.

Given the knots and coefficients of a cubic B-spline compute all derivatives up to order k at a point (or set of points).

Parameters **x** : array_like
 A point or a set of points at which to evaluate the derivatives. Note that $t(k) \leq x \leq t(n-k+1)$ must hold for each *x*.
tck : tuple
 A tuple (t,c,k) containing the vector of knots, the B-spline coefficients, and the degree of the spline.

Returns **results** : {ndarray, list of ndarrays}
 An array (or a list of arrays) containing all derivatives up to order k inclusive for each point *x*.

See Also

`splprep`, `splrep`, `splint`, `sproot`, `splev`, `bisplrep`, `bisplev`, `UnivariateSpline`, `BivariateSpline`

References

[R29], [R30], [R31]

`scipy.interpolate.bisplrep` ($x, y, z, w=None, xb=None, xe=None, yb=None, ye=None, kx=3, ky=3, task=0, s=None, eps=1e-16, tx=None, ty=None, full_output=0, nxest=None, nyest=None, quiet=1$)

Find a bivariate B-spline representation of a surface.

Given a set of data points ($x[i], y[i], z[i]$) representing a surface $z=f(x,y)$, compute a B-spline representation of the surface. Based on the routine SURFIT from FITPACK.

Parameters

- x, y, z** : ndarray
Rank-1 arrays of data points.
- w** : ndarray, optional
Rank-1 array of weights. By default `w=np.ones(len(x))`.
- xb, xe** : float, optional
End points of approximation interval in x . By default `xb = x.min(), xe=x.max()`.
- yb, ye** : float, optional
End points of approximation interval in y . By default `yb=y.min(), ye = y.max()`.
- kx, ky** : int, optional
The degrees of the spline ($1 \leq kx, ky \leq 5$). Third order ($kx=ky=3$) is recommended.
- task** : int, optional
If `task=0`, find knots in x and y and coefficients for a given smoothing factor, s . If `task=1`, find knots and coefficients for another value of the smoothing factor, s . `bisplrep` must have been previously called with `task=0` or `task=1`. If `task=-1`, find coefficients for a given set of knots tx, ty .
- s** : float, optional
A non-negative smoothing factor. If weights correspond to the inverse of the standard-deviation of the errors in z , then a good s -value should be found in the range $(m-\sqrt{2*m}, m+\sqrt{2*m})$ where $m=\text{len}(x)$.
- eps** : float, optional
A threshold for determining the effective rank of an over-determined linear system of equations ($0 < \text{eps} < 1$). eps is not likely to need changing.
- tx, ty** : ndarray, optional
Rank-1 arrays of the knots of the spline for `task=-1`
- full_output** : int, optional
Non-zero to return optional outputs.
- nxest, nyest** : int, optional
Over-estimates of the total number of knots. If None then `nxest = max(kx+sqrt(m/2), 2*kx+3), nyest = max(ky+sqrt(m/2), 2*ky+3)`.
- quiet** : int, optional
Non-zero to suppress printing of messages.

Returns

- tck** : array_like
A list `[tx, ty, c, kx, ky]` containing the knots (tx, ty) and coefficients (c) of the bivariate B-spline representation of the surface along with the degree of the spline.
- fp** : ndarray
The weighted sum of squared residuals of the spline approximation.
- ier** : int
An integer flag about `splrep` success. Success is indicated if `ier<=0`. If `ier` in `[1,2,3]` an error occurred but was not raised. Otherwise an error is raised.
- msg** : str
A message corresponding to the integer flag, `ier`.

See Also

splprep, splrep, splint, sproot, splev, UnivariateSpline, BivariateSpline

Notes

See `bisplev` to evaluate the value of the B-spline given its `tck` representation.

References

[R26], [R27], [R28]

`scipy.interpolate.bisplev` ($x, y, tck, dx=0, dy=0$)

Evaluate a bivariate B-spline and its derivatives.

Return a rank-2 array of spline function values (or spline derivative values) at points given by the cross-product of the rank-1 arrays x and y . In special cases, return an array or just a float if either x or y or both are floats. Based on BISPEV from FITPACK.

Parameters x, y : ndarray
 Rank-1 arrays specifying the domain over which to evaluate the spline or its derivative.
tck : tuple
 A sequence of length 5 returned by `bisplrep` containing the knot locations, the coefficients, and the degree of the spline: [tx, ty, c, kx, ky].
dx, dy : int, optional
 The orders of the partial derivatives in x and y respectively.
Returns **vals** : ndarray
 The B-spline or its derivative evaluated over the set formed by the cross-product of x and y .

See Also

splprep, splrep, splint, sproot, splev, UnivariateSpline, BivariateSpline

Notes

See `bisplrep` to generate the `tck` representation.

References

[R23], [R24], [R25]

5.7.4 2-D Splines

For data on a grid:

<code>RectBivariateSpline(x, y, z[, bbox, kx, ky, s])</code>	Bivariate spline approximation over a rectangular mesh.
<code>RectSphereBivariateSpline(u, v, r[, s, ...])</code>	Bivariate spline approximation over a rectangular mesh on a sphere.

class `scipy.interpolate.RectBivariateSpline` ($x, y, z, bbox=[None, None, None, None], kx=3, ky=3, s=0$)

Bivariate spline approximation over a rectangular mesh.

Can be used for both smoothing and interpolating data.

Parameters x, y : array_like
 1-D arrays of coordinates in strictly ascending order.
 z : array_like
 2-D array of data with shape (x.size,y.size).

bbox : array_like, optional
Sequence of length 4 specifying the boundary of the rectangular approximation domain. By default, `bbox=[min(x,tx),max(x,tx),min(y,ty),max(y,ty)]`.

kx, ky : ints, optional
Degrees of the bivariate spline. Default is 3.

s : float, optional
Positive smoothing factor defined for estimation condition: `sum((w[i]*(z[i]-s(x[i],y[i])))**2,axis=0) <= s` Default is `s=0`, which is for interpolation.

See Also**SmoothBivariateSpline**

a smoothing bivariate spline for scattered data

bisplrep an older wrapping of FITPACK

bisplev an older wrapping of FITPACK

UnivariateSpline

a similar class for univariate spline interpolation

Methods

<code>__call__(x, y[, mth])</code>	Evaluate spline at the grid points defined by the coordinate arrays
<code>ev(xi, yi)</code>	Evaluate spline at points $(x[i], y[i])$, $i=0, \dots, \text{len}(x)-1$
<code>get_coeffs()</code>	Return spline coefficients.
<code>get_knots()</code>	Return a tuple (tx, ty) where tx, ty contain knots positions of the spline with respect to x -, y -variable, respectively.
<code>get_residual()</code>	Return weighted sum of squared residuals of the spline
<code>integral(xa, xb, ya, yb)</code>	Evaluate the integral of the spline over area $[xa,xb] \times [ya,yb]$.

`RectBivariateSpline.__call__(x, y, mth='array')`
Evaluate spline at the grid points defined by the coordinate arrays x, y .

`RectBivariateSpline.ev(xi, yi)`
Evaluate spline at points $(x[i], y[i])$, $i=0, \dots, \text{len}(x)-1$

`RectBivariateSpline.get_coeffs()`
Return spline coefficients.

`RectBivariateSpline.get_knots()`
Return a tuple (tx, ty) where tx, ty contain knots positions of the spline with respect to x -, y -variable, respectively. The position of interior and additional knots are given as $t[k+1:-k-1]$ and $t[:k+1]=b$, $t[-k-1:]=e$, respectively.

`RectBivariateSpline.get_residual()`
Return weighted sum of squared residuals of the spline approximation: `sum((w[i]*(z[i]-s(x[i],y[i])))**2,axis=0)`

`RectBivariateSpline.integral(xa, xb, ya, yb)`
Evaluate the integral of the spline over area $[xa,xb] \times [ya,yb]$.

Parameters **xa, xb** : float
The end-points of the x integration interval.
ya, yb : float
The end-points of the y integration interval.

Returns `integ` : float
The value of the resulting integral.

class `scipy.interpolate.RectSphereBivariateSpline` (`u`, `v`, `r`, `s=0.0`, `pole_continuity=False`,
`pole_values=None`, `pole_exact=False`,
`pole_flat=False`)

Bivariate spline approximation over a rectangular mesh on a sphere.

Can be used for smoothing data. New in version 0.11.0.

Parameters

- u** : array_like
1-D array of latitude coordinates in strictly ascending order. Coordinates must be given in radians and lie within the interval (0, pi).
- v** : array_like
1-D array of longitude coordinates in strictly ascending order. Coordinates must be given in radians, and must lie within (0, 2pi).
- r** : array_like
2-D array of data with shape (`u.size`, `v.size`).
- s** : float, optional
Positive smoothing factor defined for estimation condition (`s=0` is for interpolation).
- pole_continuity** : bool or (bool, bool), optional
Order of continuity at the poles `u=0` (`pole_continuity[0]`) and `u=pi` (`pole_continuity[1]`). The order of continuity at the pole will be 1 or 0 when this is True or False, respectively. Defaults to False.
- pole_values** : float or (float, float), optional
Data values at the poles `u=0` and `u=pi`. Either the whole parameter or each individual element can be None. Defaults to None.
- pole_exact** : bool or (bool, bool), optional
Data value exactness at the poles `u=0` and `u=pi`. If True, the value is considered to be the right function value, and it will be fitted exactly. If False, the value will be considered to be a data value just like the other data values. Defaults to False.
- pole_flat** : bool or (bool, bool), optional
For the poles at `u=0` and `u=pi`, specify whether or not the approximation has vanishing derivatives. Defaults to False.

See Also

`RectBivariateSpline`

bivariate spline approximation over a rectangular mesh

Notes

Currently, only the smoothing spline approximation (`iopt[0] = 0` and `iopt[0] = 1` in the FITPACK routine) is supported. The exact least-squares spline approximation is not implemented yet.

When actually performing the interpolation, the requested `v` values must lie within the same length `2pi` interval that the original `v` values were chosen from.

For more information, see the [FITPACK](#) site about this function.

Examples

Suppose we have global data on a coarse grid

```
>>> lats = np.linspace(10, 170, 9) * np.pi / 180.
>>> lons = np.linspace(0, 350, 18) * np.pi / 180.
>>> data = np.dot(np.atleast_2d(90. - np.linspace(-80., 80., 18)).T,
                 np.atleast_2d(180. - np.abs(np.linspace(0., 350., 9)))).T
```

We want to interpolate it to a global one-degree grid

```
>>> new_lats = np.linspace(1, 180, 180) * np.pi / 180
>>> new_lons = np.linspace(1, 360, 360) * np.pi / 180
>>> new_lats, new_lons = np.meshgrid(new_lats, new_lons)
```

We need to set up the interpolator object

```
>>> from scipy.interpolate import RectSphereBivariateSpline
>>> lut = RectSphereBivariateSpline(lats, lons, data)
```

Finally we interpolate the data. The `RectSphereBivariateSpline` object only takes 1-D arrays as input, therefore we need to do some reshaping.

```
>>> data_interp = lut.ev(new_lats.ravel(),
...                      new_lons.ravel()).reshape((360, 180)).T
```

Looking at the original and the interpolated data, one can see that the interpolant reproduces the original data very well:

```
>>> fig = plt.figure()
>>> ax1 = fig.add_subplot(211)
>>> ax1.imshow(data, interpolation='nearest')
>>> ax2 = fig.add_subplot(212)
>>> ax2.imshow(data_interp, interpolation='nearest')
>>> plt.show()
```

Choosing the optimal value of s can be a delicate task. Recommended values for s depend on the accuracy of the data values. If the user has an idea of the statistical errors on the data, she can also find a proper estimate for s . By assuming that, if she specifies the right s , the interpolator will use a spline $f(u, v)$ which exactly reproduces the function underlying the data, she can evaluate $\sum((r(i, j) - s(u(i), v(j)))^2)$ to find a good estimate for this s . For example, if she knows that the statistical errors on her $r(i, j)$ -values are not greater than 0.1, she may expect that a good s should have a value not larger than $u.size * v.size * (0.1)^2$.

If nothing is known about the statistical error in $r(i, j)$, s must be determined by trial and error. The best is then to start with a very large value of s (to determine the least-squares polynomial and the corresponding upper bound fp_0 for s) and then to progressively decrease the value of s (say by a factor 10 in the beginning, i.e. $s = fp_0 / 10$, $fp_0 / 100$, ... and more carefully as the approximation shows more detail) to obtain closer fits.

The interpolation results for different values of s give some insight into this process:

```
>>> fig2 = plt.figure()
>>> s = [3e9, 2e9, 1e9, 1e8]
>>> for ii in xrange(len(s)):
>>>     lut = RectSphereBivariateSpline(lats, lons, data, s=s[ii])
>>>     data_interp = lut.ev(new_lats.ravel(),
...                         new_lons.ravel()).reshape((360, 180)).T
>>>     ax = fig2.add_subplot(2, 2, ii+1)
>>>     ax.imshow(data_interp, interpolation='nearest')
>>>     ax.set_title("s = %g" % s[ii])
>>> plt.show()
```

Methods

<code>__call__(theta, phi)</code>	Evaluate the spline at the grid points defined by the coordinate
<code>ev(theta_i, phi_i)</code>	Evaluate the spline at the points $(\theta[i], \phi[i])$,

Continued on next page

Table 5.45 – continued from previous page

<code>get_coeffs()</code>	Return spline coefficients.
<code>get_knots()</code>	Return a tuple (tx,ty) where tx,ty contain knots positions of the spline with respect to x-, y-variable, respectively.
<code>get_residual()</code>	Return weighted sum of squared residuals of the spline

`RectSphereBivariateSpline.__call__(theta, phi)`

Evaluate the spline at the grid points defined by the coordinate arrays theta, phi.

`RectSphereBivariateSpline.ev(thetai, phii)`

Evaluate the spline at the points (theta[i], phi[i]), i=0,...,len(theta)-1

`RectSphereBivariateSpline.get_coeffs()`

Return spline coefficients.

`RectSphereBivariateSpline.get_knots()`

Return a tuple (tx,ty) where tx,ty contain knots positions of the spline with respect to x-, y-variable, respectively. The position of interior and additional knots are given as

$t[k+1:-k-1]$ and $t[:k+1]=b$, $t[-k-1:]=e$, respectively.

`RectSphereBivariateSpline.get_residual()`

Return weighted sum of squared residuals of the spline approximation: $\sum ((w[i]*(z[i]-s(x[i],y[i])))^2,axis=0)$

For unstructured data:

<code>BivariateSpline</code>	Base class for bivariate splines.
<code>SmoothBivariateSpline(x, y, z[, w, bbox, ...])</code>	Smooth bivariate spline approximation.
<code>LSQBivariateSpline(x, y, z, tx, ty[, w, ...])</code>	Weighted least-squares bivariate spline approximation.

class `scipy.interpolate.BivariateSpline`

Base class for bivariate splines.

This describes a spline $s(x, y)$ of degrees k_x and k_y on the rectangle $[x_b, x_e] * [y_b, y_e]$ calculated from a given set of data points (x, y, z) .

To construct these splines, call either `SmoothBivariateSpline` or `LSQBivariateSpline`.

See Also

`UnivariateSpline`

a similar class for univariate spline interpolation

`SmoothBivariateSpline`

to create a `BivariateSpline` through the given points

`LSQBivariateSpline`

to create a `BivariateSpline` using weighted least-squares fitting

`SphereBivariateSpline`

bivariate spline interpolation in spherical coordinates

`bisplrep` older wrapping of FITPACK

`bisplev` older wrapping of FITPACK

Methods

<code>__call__(x, y[, mth])</code>	Evaluate spline at the grid points defined by the coordinate arrays
------------------------------------	---

Continued on next page

Table 5.47 – continued from previous page

<code>ev(xi, yi)</code>	Evaluate spline at points $(x[i], y[i])$, $i=0, \dots, \text{len}(x)-1$
<code>get_coeffs()</code>	Return spline coefficients.
<code>get_knots()</code>	Return a tuple (tx, ty) where tx, ty contain knots positions of the spline with respect to x -, y -variable, respectively.
<code>get_residual()</code>	Return weighted sum of squared residuals of the spline
<code>integral(xa, xb, ya, yb)</code>	Evaluate the integral of the spline over area $[xa,xb] \times [ya,yb]$.

`BivariateSpline.__call__(x, y, mth='array')`

Evaluate spline at the grid points defined by the coordinate arrays x, y .

`BivariateSpline.ev(xi, yi)`

Evaluate spline at points $(x[i], y[i])$, $i=0, \dots, \text{len}(x)-1$

`BivariateSpline.get_coeffs()`

Return spline coefficients.

`BivariateSpline.get_knots()`

Return a tuple (tx, ty) where tx, ty contain knots positions of the spline with respect to x -, y -variable, respectively. The position of interior and additional knots are given as

$t[k+1:-k-1]$ and $t[:k+1]=b$, $t[-k-1:]=e$, respectively.

`BivariateSpline.get_residual()`

Return weighted sum of squared residuals of the spline approximation: $\text{sum}((w[i]*(z[i]-s(x[i],y[i])))**2,axis=0)$

`BivariateSpline.integral(xa, xb, ya, yb)`

Evaluate the integral of the spline over area $[xa,xb] \times [ya,yb]$.

Parameters `xa, xb` : float

The end-points of the x integration interval.

`ya, yb` : float

The end-points of the y integration interval.

Returns `integ` : float

The value of the resulting integral.

`class scipy.interpolate.SmoothBivariateSpline(x, y, z, w=None, bbox=[None, None, None, None], kx=3, ky=3, s=None, eps=None)`

Smooth bivariate spline approximation.

Parameters `x, y, z` : array_like

1-D sequences of data points (order is not important).

`w` : array_like, optional

Positive 1-D sequence of weights, of same length as x, y and z .

`bbox` : array_like, optional

Sequence of length 4 specifying the boundary of the rectangular approximation domain. By default, `bbox=[min(x, tx), max(x, tx), min(y, ty), max(y, ty)]`.

`kx, ky` : ints, optional

Degrees of the bivariate spline. Default is 3.

`s` : float, optional

Positive smoothing factor defined for estimation condition: $\text{sum}((w[i]*(z[i]-s(x[i], y[i])))**2, axis=0) \leq s$ Default `s=len(w)` which should be a good value if $1/w[i]$ is an estimate of the standard deviation of $z[i]$.

`eps` : float, optional

A threshold for determining the effective rank of an over-determined linear system of equations. `eps` should have a value between 0 and 1, the default is $1e-16$.

See Also

bisplrep an older wrapping of FITPACK

bisplev an older wrapping of FITPACK

UnivariateSpline

a similar class for univariate spline interpolation

LSQUnivariateSpline

to create a BivariateSpline using weighted

Notes

The length of *x*, *y* and *z* should be at least $(k_x+1) * (k_y+1)$.

Methods

<code>__call__(x, y[, mth])</code>	Evaluate spline at the grid points defined by the coordinate arrays
<code>ev(xi, yi)</code>	Evaluate spline at points $(x[i], y[i])$, $i=0, \dots, \text{len}(x)-1$
<code>get_coeffs()</code>	Return spline coefficients.
<code>get_knots()</code>	Return a tuple (tx, ty) where tx, ty contain knots positions of the spline with respect to <i>x</i> -, <i>y</i> -variable, respectively.
<code>get_residual()</code>	Return weighted sum of squared residuals of the spline
<code>integral(xa, xb, ya, yb)</code>	Evaluate the integral of the spline over area $[xa,xb] \times [ya,yb]$.

`SmoothBivariateSpline.__call__(x, y, mth='array')`
 Evaluate spline at the grid points defined by the coordinate arrays *x,y*.

`SmoothBivariateSpline.ev(xi, yi)`
 Evaluate spline at points $(x[i], y[i])$, $i=0, \dots, \text{len}(x)-1$

`SmoothBivariateSpline.get_coeffs()`
 Return spline coefficients.

`SmoothBivariateSpline.get_knots()`
 Return a tuple (tx, ty) where tx, ty contain knots positions of the spline with respect to *x*-, *y*-variable, respectively. The position of interior and additional knots are given as
 $t[k+1:-k-1]$ and $t[:k+1]=b$, $t[-k-1:]=e$, respectively.

`SmoothBivariateSpline.get_residual()`
 Return weighted sum of squared residuals of the spline approximation: $\text{sum}((w[i]*(z[i]-s(x[i],y[i])))**2,axis=0)$

`SmoothBivariateSpline.integral(xa, xb, ya, yb)`
 Evaluate the integral of the spline over area $[xa,xb] \times [ya,yb]$.

Parameters *xa, xb* : float
 The end-points of the *x* integration interval.
ya, yb : float
 The end-points of the *y* integration interval.

Returns *integ* : float
 The value of the resulting integral.

`class scipy.interpolate.LSQBivariateSpline(x, y, z, tx, ty, w=None, bbox=[None, None, None, None], kx=3, ky=3, eps=None)`

Weighted least-squares bivariate spline approximation.

Parameters *x, y, z* : array_like
 1-D sequences of data points (order is not important).

tx, ty : array_like
 Strictly ordered 1-D sequences of knots coordinates.

w : array_like, optional
 Positive 1-D array of weights, of the same length as *x*, *y* and *z*.

bbox : (4,) array_like, optional
 Sequence of length 4 specifying the boundary of the rectangular approximation domain. By default, `bbox=[min(x,tx),max(x,tx),min(y,ty),max(y,ty)]`.

kx, ky : ints, optional
 Degrees of the bivariate spline. Default is 3.

s : float, optional
 Positive smoothing factor defined for estimation condition: `sum((w[i]*(z[i]-s(x[i],y[i])))**2,axis=0) <= s` Default `s=len(w)` which should be a good value if `1/w[i]` is an estimate of the standard deviation of `z[i]`.

eps : float, optional
 A threshold for determining the effective rank of an over-determined linear system of equations. *eps* should have a value between 0 and 1, the default is 1e-16.

See Also

bisplrep an older wrapping of FITPACK

bisplev an older wrapping of FITPACK

UnivariateSpline

a similar class for univariate spline interpolation

SmoothBivariateSpline

create a smoothing BivariateSpline

Notes

The length of *x*, *y* and *z* should be at least $(k_x+1) * (k_y+1)$.

Methods

<code>__call__(x, y[, mth])</code>	Evaluate spline at the grid points defined by the coordinate arrays
<code>ev(xi, yi)</code>	Evaluate spline at points $(x[i], y[i])$, $i=0, \dots, \text{len}(x)-1$
<code>get_coeffs()</code>	Return spline coefficients.
<code>get_knots()</code>	Return a tuple (tx,ty) where tx,ty contain knots positions of the spline with respect to x-, y-variable, respectively.
<code>get_residual()</code>	Return weighted sum of squared residuals of the spline
<code>integral(xa, xb, ya, yb)</code>	Evaluate the integral of the spline over area $[x_a, x_b] \times [y_a, y_b]$.

`LSQBivariateSpline.__call__(x, y, mth='array')`
 Evaluate spline at the grid points defined by the coordinate arrays *x*, *y*.

`LSQBivariateSpline.ev(xi, yi)`
 Evaluate spline at points $(x[i], y[i])$, $i=0, \dots, \text{len}(x)-1$

`LSQBivariateSpline.get_coeffs()`
 Return spline coefficients.

`LSQBivariateSpline.get_knots()`
 Return a tuple (tx,ty) where tx,ty contain knots positions of the spline with respect to x-, y-variable, respectively. The position of interior and additional knots are given as $t[k+1:-k-1]$ and $t[:k+1]=b$, $t[-k-1:]=e$, respectively.

`LSQBivariateSpline.get_residual()`

Return weighted sum of squared residuals of the spline approximation: $\sum ((w[i]*(z[i]-s(x[i],y[i])))^2, axis=0)$

`LSQBivariateSpline.integral(xa, xb, ya, yb)`

Evaluate the integral of the spline over area $[xa,xb] \times [ya,yb]$.

Parameters `xa, xb` : float
 The end-points of the x integration interval.
`ya, yb` : float
 The end-points of the y integration interval.
Returns `integ` : float
 The value of the resulting integral.

Low-level interface to FITPACK functions:

<code>bisplrep(x, y, z[, w, xb, xe, yb, ye, kx, ...])</code>	Find a bivariate B-spline representation of a surface.
<code>bisplev(x, y, tck[, dx, dy])</code>	Evaluate a bivariate B-spline and its derivatives.

`scipy.interpolate.bisplrep(x, y, z, w=None, xb=None, xe=None, yb=None, ye=None, kx=3, ky=3, task=0, s=None, eps=1e-16, tx=None, ty=None, full_output=0, nxest=None, nyest=None, quiet=1)`

Find a bivariate B-spline representation of a surface.

Given a set of data points $(x[i], y[i], z[i])$ representing a surface $z=f(x,y)$, compute a B-spline representation of the surface. Based on the routine SURFIT from FITPACK.

Parameters `x, y, z` : ndarray
 Rank-1 arrays of data points.
`w` : ndarray, optional
 Rank-1 array of weights. By default `w=np.ones(len(x))`.
`xb, xe` : float, optional
 End points of approximation interval in x. By default `xb = x.min(), xe=x.max()`.
`yb, ye` : float, optional
 End points of approximation interval in y. By default `yb=y.min(), ye = y.max()`.
`kx, ky` : int, optional
 The degrees of the spline ($1 \leq kx, ky \leq 5$). Third order (`kx=ky=3`) is recommended.
`task` : int, optional
 If `task=0`, find knots in x and y and coefficients for a given smoothing factor, s. If `task=1`, find knots and coefficients for another value of the smoothing factor, s. `bisplrep` must have been previously called with `task=0` or `task=1`. If `task=-1`, find coefficients for a given set of knots `tx, ty`.
`s` : float, optional
 A non-negative smoothing factor. If weights correspond to the inverse of the standard-deviation of the errors in z, then a good s-value should be found in the range $(m-\sqrt{2*m}, m+\sqrt{2*m})$ where `m=len(x)`.
`eps` : float, optional
 A threshold for determining the effective rank of an over-determined linear system of equations ($0 < eps < 1$). `eps` is not likely to need changing.
`tx, ty` : ndarray, optional
 Rank-1 arrays of the knots of the spline for `task=-1`
`full_output` : int, optional
 Non-zero to return optional outputs.
`nxest, nyest` : int, optional

Over-estimates of the total number of knots. If None
then $nxest = \max(kx + \sqrt{m/2}, 2 * kx + 3)$, $nyest =$
 $\max(ky + \sqrt{m/2}, 2 * ky + 3)$.

quiet : int, optional

Non-zero to suppress printing of messages.

Returns

tck : array_like

A list [tx, ty, c, kx, ky] containing the knots (tx, ty) and coefficients (c) of the bivariate B-spline representation of the surface along with the degree of the spline.

fp : ndarray

The weighted sum of squared residuals of the spline approximation.

ier : int

An integer flag about splprep success. Success is indicated if ier<=0. If ier in [1,2,3] an error occurred but was not raised. Otherwise an error is raised.

msg : str

A message corresponding to the integer flag, ier.

See Also

[splprep](#), [splrep](#), [splint](#), [sproot](#), [splev](#), [UnivariateSpline](#), [BivariateSpline](#)

Notes

See [bisplev](#) to evaluate the value of the B-spline given its tck representation.

References

[R26], [R27], [R28]

`scipy.interpolate.bisplev(x, y, tck, dx=0, dy=0)`

Evaluate a bivariate B-spline and its derivatives.

Return a rank-2 array of spline function values (or spline derivative values) at points given by the cross-product of the rank-1 arrays *x* and *y*. In special cases, return an array or just a float if either *x* or *y* or both are floats. Based on BISPEV from FITPACK.

Parameters **x, y** : ndarray

Rank-1 arrays specifying the domain over which to evaluate the spline or its derivative.

tck : tuple

A sequence of length 5 returned by [bisplrep](#) containing the knot locations, the coefficients, and the degree of the spline: [tx, ty, c, kx, ky].

dx, dy : int, optional

The orders of the partial derivatives in *x* and *y* respectively.

Returns

vals : ndarray

The B-spline or its derivative evaluated over the set formed by the cross-product of *x* and *y*.

See Also

[splprep](#), [splrep](#), [splint](#), [sproot](#), [splev](#), [UnivariateSpline](#), [BivariateSpline](#)

Notes

See [bisplrep](#) to generate the *tck* representation.

References

[R23], [R24], [R25]

5.7.5 Additional tools

<code>lagrange(x, w)</code>	Return a Lagrange interpolating polynomial.
<code>approximate_taylor_polynomial(f, x, degree, ...)</code>	Estimate the Taylor polynomial of f at x by polynomial fitting.

`scipy.interpolate.lagrange(x, w)`

Return a Lagrange interpolating polynomial.

Given two 1-D arrays x and w , returns the Lagrange interpolating polynomial through the points (x, w) .

Warning: This implementation is numerically unstable. Do not expect to be able to use more than about 20 points even if they are chosen optimally.

Parameters

- x** : array_like
 x represents the x-coordinates of a set of datapoints.
- w** : array_like
 w represents the y-coordinates of a set of datapoints, i.e. $f(x)$.

Returns

- lagrange** : numpy.poly1d instance
 The Lagrange interpolating polynomial.

`scipy.interpolate.approximate_taylor_polynomial(f, x, degree, scale, order=None)`

Estimate the Taylor polynomial of f at x by polynomial fitting.

Parameters

- f** : callable
 The function whose Taylor polynomial is sought. Should accept a vector of x values.
- x** : scalar
 The point at which the polynomial is to be evaluated.
- degree** : int
 The degree of the Taylor polynomial
- scale** : scalar
 The width of the interval to use to evaluate the Taylor polynomial. Function values spread over a range this wide are used to fit the polynomial. Must be chosen carefully.
- order** : int or None, optional
 The order of the polynomial to be used in the fitting; f will be evaluated $order+1$ times. If None, use *degree*.

Returns

- p** : poly1d instance
 The Taylor polynomial (translated to the origin, so that for example $p(0)=f(x)$).

Notes

The appropriate choice of “scale” is a trade-off; too large and the function differs from its Taylor polynomial too much to get a good answer, too small and round-off errors overwhelm the higher-order terms. The algorithm used becomes numerically unstable around order 30 even under ideal circumstances.

Choosing order somewhat larger than degree may improve the higher-order terms.

See Also

`scipy.ndimage.map_coordinates`, `scipy.ndimage.spline_filter`,
`scipy.signal.resample`, `scipy.signal.bspline`, `scipy.signal.gauss_spline`,
`scipy.signal.qspline1d`, `scipy.signal.cspline1d`, `scipy.signal.qspline1d_eval`,
`scipy.signal.cspline1d_eval`, `scipy.signal.qspline2d`, `scipy.signal.cspline2d`.

5.8 Input and output (`scipy.io`)

SciPy has many modules, classes, and functions available to read data from and write data to a variety of file formats.

See Also

numpy-reference.routines.io (in Numpy)

5.8.1 MATLAB® files

<code>loadmat(file_name[, mdict, appendmat])</code>	Load MATLAB file
<code>savemat(file_name, mdict[, appendmat, ...])</code>	Save a dictionary of names and arrays into a MATLAB-style .mat file.
<code>whosmat(file_name[, appendmat])</code>	List variables inside a MATLAB file

`scipy.io.loadmat` (*file_name*, *mdict=None*, *appendmat=True*, ***kwargs*)
Load MATLAB file

Parameters

- file_name** : str
Name of the mat file (do not need .mat extension if `appendmat==True`) Can also pass open file-like object.
- m_dict** : dict, optional
Dictionary in which to insert matfile variables.
- appendmat** : bool, optional
True to append the .mat extension to the end of the given filename, if not already present.
- byte_order** : str or None, optional
None by default, implying byte order guessed from mat file. Otherwise can be one of ('native', '=', 'little', '<', 'BIG', '>').
- mat_dtype** : bool, optional
If True, return arrays in same dtype as would be loaded into MATLAB (instead of the dtype with which they are saved).
- squeeze_me** : bool, optional
Whether to squeeze unit matrix dimensions or not.
- chars_as_strings** : bool, optional
Whether to convert char arrays to string arrays.
- matlab_compatible** : bool, optional
Returns matrices as would be loaded by MATLAB (implies `squeeze_me=False`, `chars_as_strings=False`, `mat_dtype=True`, `struct_as_record=True`).
- struct_as_record** : bool, optional
Whether to load MATLAB structs as numpy record arrays, or as old-style numpy arrays with `dtype=object`. Setting this flag to False replicates the behavior of scipy version 0.7.x (returning numpy object arrays). The default setting is True, because it allows easier round-trip load and save of MATLAB files.
- variable_names** : None or sequence
If None (the default) - read all variables in file. Otherwise *variable_names* should be a sequence of strings, giving names of the matlab variables to read from the file. The reader will skip any variable with a name not in this sequence, possibly saving some read processing.

Returns

- mat_dict** : dict
dictionary with variable names as keys, and loaded matrices as values

Notes

v4 (Level 1.0), v6 and v7 to 7.2 matfiles are supported.

You will need an HDF5 python library to read matlab 7.3 format mat files. Because scipy does not supply one, we do not implement the HDF5 / 7.3 interface here.

`scipy.io.savemat` (*file_name*, *mdict*, *appendmat=True*, *format='5'*, *long_field_names=False*, *do_compression=False*, *oned_as=None*)

Save a dictionary of names and arrays into a MATLAB-style .mat file.

This saves the array objects in the given dictionary to a MATLAB- style .mat file.

Parameters

- file_name** : str or file-like object
Name of the .mat file (.mat extension not needed if `appendmat == True`). Can also pass open file_like object.
- mdict** : dict
Dictionary from which to save matfile variables.
- appendmat** : bool, optional
True (the default) to append the .mat extension to the end of the given filename, if not already present.
- format** : {'5', '4'}, string, optional
'5' (the default) for MATLAB 5 and up (to 7.2), '4' for MATLAB 4 .mat files
- long_field_names** : bool, optional
False (the default) - maximum field name length in a structure is 31 characters which is the documented maximum length. True - maximum field name length in a structure is 63 characters which works for MATLAB 7.6+
- do_compression** : bool, optional
Whether or not to compress matrices on write. Default is False.
- oned_as** : {'column', 'row', None}, optional
If 'column', write 1-D numpy arrays as column vectors. If 'row', write 1-D numpy arrays as row vectors. If None (the default), the behavior depends on the value of *format* (see Notes below).

See Also

`mio4.MatFile4Writer`, `mio5.MatFile5Writer`

Notes

If `format == '4'`, `mio4.MatFile4Writer` is called, which sets `oned_as` to 'row' if it had been None. If `format == '5'`, `mio5.MatFile5Writer` is called, which sets `oned_as` to 'column' if it had been None, but first it executes:

```
warnings.warn("Using oned_as default value ('column')" +
              " This will change to 'row' in future versions", FutureWarning,
              stacklevel=2)
```

without being more specific as to precisely when the change will take place.

`scipy.io.whosmat` (*file_name*, *appendmat=True*, ***kwargs*)

List variables inside a MATLAB file New in version 0.12.0.

Parameters

- file_name** : str
Name of the mat file (do not need .mat extension if `appendmat==True`) Can also pass open file-like object.
- appendmat** : bool, optional
True to append the .mat extension to the end of the given filename, if not already present.
- byte_order** : str or None, optional

None by default, implying byte order guessed from mat file. Otherwise can be one of ('native', '=', 'little', '<', 'BIG', '>').

mat_dtype : bool, optional

If True, return arrays in same dtype as would be loaded into MATLAB (instead of the dtype with which they are saved).

squeeze_me : bool, optional

Whether to squeeze unit matrix dimensions or not.

chars_as_strings : bool, optional

Whether to convert char arrays to string arrays.

matlab_compatible : bool, optional

Returns matrices as would be loaded by MATLAB (implies squeeze_me=False, chars_as_strings=False, mat_dtype=True, struct_as_record=True).

struct_as_record : bool, optional

Whether to load MATLAB structs as numpy record arrays, or as old-style numpy arrays with dtype=object. Setting this flag to False replicates the behavior of scipy version 0.7.x (returning numpy object arrays). The default setting is True, because it allows easier round-trip load and save of MATLAB files.

Returns

variables : list of tuples

A list of tuples, where each tuple holds the matrix name (a string), its shape (tuple of ints), and its data class (a string). Possible data classes are: int8, uint8, int16, uint16, int32, uint32, int64, uint64, single, double, cell, struct, object, char, sparse, function, opaque, unknown.

Notes

v4 (Level 1.0), v6 and v7 to 7.2 matfiles are supported.

You will need an HDF5 python library to read matlab 7.3 format mat files. Because scipy does not supply one, we do not implement the HDF5 / 7.3 interface here.

5.8.2 IDL® files

`readsav(file_name[, idict, python_dict, ...])` Read an IDL .sav file

`scipy.io.readsav` (*file_name*, *idict=None*, *python_dict=False*, *uncompressed_file_name=None*, *verbose=False*)

Read an IDL .sav file

Parameters **file_name** : str

Name of the IDL save file.

idict : dict, optional

Dictionary in which to insert .sav file variables

python_dict : bool, optional

By default, the object return is not a Python dictionary, but a case-insensitive dictionary with item, attribute, and call access to variables. To get a standard Python dictionary, set this option to True.

uncompressed_file_name : str, optional

This option only has an effect for .sav files written with the /compress option. If a file name is specified, compressed .sav files are uncompressed to this file. Otherwise, readsav will use the `tempfile` module to determine a temporary filename automatically, and will remove the temporary file upon successfully reading it in.

verbose : bool, optional

Whether to print out information about the save file, including the records read, and available variables.

Returns **idl_dict** : AttrDict or dict
 If *python_dict* is set to False (default), this function returns a case-insensitive dictionary with item, attribute, and call access to variables. If *python_dict* is set to True, this function returns a Python dictionary with all variable names in lowercase. If *idict* was specified, then variables are written to the dictionary specified, and the updated dictionary is returned.

5.8.3 Matrix Market files

<code>mminfo(source)</code>	Queries the contents of the Matrix Market file ‘filename’ to
<code>mmread(source)</code>	Reads the contents of a Matrix Market file ‘filename’ into a matrix.
<code>mmwrite(target, a[, comment, field, precision])</code>	Writes the sparse or dense matrix A to a Matrix Market formatted file.

`scipy.io.mminfo(source)`

Queries the contents of the Matrix Market file ‘filename’ to extract size and storage information.

Parameters **source** : file
 Matrix Market filename (extension .mtx) or open file object

Returns **rows,cols** : int
 Number of matrix rows and columns

entries : int
 Number of non-zero entries of a sparse matrix or rows*cols for a dense matrix

format : str
 Either ‘coordinate’ or ‘array’.

field : str
 Either ‘real’, ‘complex’, ‘pattern’, or ‘integer’.

symm : str
 Either ‘general’, ‘symmetric’, ‘skew-symmetric’, or ‘hermitian’.

`scipy.io.mmread(source)`

Reads the contents of a Matrix Market file ‘filename’ into a matrix.

Parameters **source** : file
 Matrix Market filename (extensions .mtx, .mtz.gz) or open file object.

Returns **a** :
 Sparse or full matrix

`scipy.io.mmwrite(target, a, comment='', field=None, precision=None)`

Writes the sparse or dense matrix A to a Matrix Market formatted file.

Parameters **target** : file
 Matrix Market filename (extension .mtx) or open file object

a : array like
 Sparse or full matrix

comment : str, optional
 comments to be prepended to the Matrix Market file

field : str, optional
 Either ‘real’, ‘complex’, ‘pattern’, or ‘integer’.

precision : int, optional
 Number of digits to display for real or complex values.

5.8.4 Wav sound files (`scipy.io.wavfile`)

<code>read(file[, mmap])</code>	Return the sample rate (in samples/sec) and data from a WAV file
<code>write(filename, rate, data)</code>	Write a numpy array as a WAV file

`scipy.io.wavfile.read` (*file*, *mmap=False*)

Return the sample rate (in samples/sec) and data from a WAV file

Parameters

- file** : file
Input wav file.
- mmap** : bool, optional
Whether to read data as memory mapped. (Default: False) New in version 0.12.0.

Returns

- rate** : int
Sample rate of wav file
- data** : numpy array
Data read from wav file

Notes

- The file can be an open file or a filename.
- The returned sample rate is a Python integer
- The data is returned as a numpy array with a data-type determined from the file.

`scipy.io.wavfile.write` (*filename*, *rate*, *data*)

Write a numpy array as a WAV file

Parameters

- filename** : file
The name of the file to write (will be over-written).
- rate** : int
The sample rate (in samples/sec).
- data** : ndarray
A 1-D or 2-D numpy array of integer data-type.

Notes

- Writes a simple uncompressed WAV file.
- The bits-per-sample will be determined by the data-type.
- To write multiple-channels, use a 2-D array of shape (Nsamples, Nchannels).

5.8.5 Arff files (`scipy.io.arff`)

<code>loadarff(f)</code>	Read an arff file.
--------------------------	--------------------

`scipy.io.arff.loadarff` (*f*)

Read an arff file.

The data is returned as a record array, which can be accessed much like a dictionary of numpy arrays. For example, if one of the attributes is called 'pressure', then its first 10 data points can be accessed from the data record array like so: `data['pressure'][0:10]`

Parameters

- f** : file-like or str
File-like object to read from, or filename to open.

Returns

- data** : record array

The data of the arff file, accessible by attribute names.

meta : `MetaData`

Contains information about the arff file such as name and type of attributes, the relation (name of the dataset), etc...

Raises

‘ParseArffError‘ :

This is raised if the given file is not ARFF-formatted.

NotImplementedError :

The ARFF file has an attribute which is not supported yet.

Notes

This function should be able to read most arff files. Not implemented functionality include:

- date type attributes
- string type attributes

It can read files with numeric and nominal attributes. It cannot read files with sparse data ({} in the file). However, this function can read files with missing data (? in the file), representing the data points as NaNs.

5.8.6 Netcdf (`scipy.io.netcdf`)

<code>netcdf_file(filename[, mode, mmap, version])</code>	A file object for NetCDF data.
<code>netcdf_variable(data, typecode, size, shape, ...)</code>	A data object for the <code>netcdf</code> module.

class `scipy.io.netcdf.netcdf_file` (*filename, mode='r', mmap=None, version=1*)

A file object for NetCDF data.

A `netcdf_file` object has two standard attributes: *dimensions* and *variables*. The values of both are dictionaries, mapping dimension names to their associated lengths and variable names to variables, respectively. Application programs should never modify these dictionaries.

All other attributes correspond to global attributes defined in the NetCDF file. Global file attributes are created by assigning to an attribute of the `netcdf_file` object.

Parameters

filename : string or file-like

string -> filename

mode : {'r', 'w'}, optional

read-write mode, default is 'r'

mmap : None or bool, optional

Whether to mmap *filename* when reading. Default is True when *filename* is a file name, False when *filename* is a file-like object

version : {1, 2}, optional

version of netcdf to read / write, where 1 means *Classic format* and 2 means *64-bit offset format*. Default is 1. See [here](#) for more info.

Notes

The major advantage of this module over other modules is that it doesn't require the code to be linked to the NetCDF libraries. This module is derived from [pupynere](#).

NetCDF files are a self-describing binary data format. The file contains metadata that describes the dimensions and variables in the file. More details about NetCDF files can be found [here](#). There are three main sections to a NetCDF data structure:

1. Dimensions

2.Variables

3.Attributes

The dimensions section records the name and length of each dimension used by the variables. The variables would then indicate which dimensions it uses and any attributes such as data units, along with containing the data values for the variable. It is good practice to include a variable that is the same name as a dimension to provide the values for that axes. Lastly, the attributes section would contain additional information such as the name of the file creator or the instrument used to collect the data.

When writing data to a NetCDF file, there is often the need to indicate the ‘record dimension’. A record dimension is the unbounded dimension for a variable. For example, a temperature variable may have dimensions of latitude, longitude and time. If one wants to add more temperature data to the NetCDF file as time progresses, then the temperature variable should have the time dimension flagged as the record dimension.

In addition, the NetCDF file header contains the position of the data in the file, so access can be done in an efficient manner without loading unnecessary data into memory. It uses the `mmap` module to create Numpy arrays mapped to the data on disk, for the same purpose.

Examples

To create a NetCDF file:

```
>>> from scipy.io import netcdf
>>> f = netcdf.netcdf_file('simple.nc', 'w')
>>> f.history = 'Created for a test'
>>> f.createDimension('time', 10)
>>> time = f.createVariable('time', 'i', ('time',))
>>> time[:] = np.arange(10)
>>> time.units = 'days since 2008-01-01'
>>> f.close()
```

Note the assignment of `range(10)` to `time[:]`. Exposing the slice of the time variable allows for the data to be set in the object, rather than letting `range(10)` overwrite the `time` variable.

To read the NetCDF file we just created:

```
>>> from scipy.io import netcdf
>>> f = netcdf.netcdf_file('simple.nc', 'r')
>>> print f.history
Created for a test
>>> time = f.variables['time']
>>> print time.units
days since 2008-01-01
>>> print time.shape
(10,)
>>> print time[-1]
9
>>> f.close()
```

Methods

<code>close()</code>	Closes the NetCDF file.
<code>createDimension(name, length)</code>	Adds a dimension to the Dimension section of the NetCDF data structure.
<code>createVariable(name, type, dimensions)</code>	Create an empty variable for the <code>netcdf_file</code> object, specifying its data type and
<code>flush()</code>	Perform a sync-to-disk flush if the <code>netcdf_file</code> object is in write mode.
<code>sync()</code>	Perform a sync-to-disk flush if the <code>netcdf_file</code> object is in write mode.

`netcdf_file.close()`
 Closes the NetCDF file.

`netcdf_file.createDimension(name, length)`
 Adds a dimension to the Dimension section of the NetCDF data structure.

Note that this function merely adds a new dimension that the variables can reference. The values for the dimension, if desired, should be added as a variable using `createVariable`, referring to this dimension.

Parameters

- name** : str
Name of the dimension (Eg, 'lat' or 'time').
- length** : int
Length of the dimension.

See Also

`createVariable`

`netcdf_file.createVariable(name, type, dimensions)`
 Create an empty variable for the `netcdf_file` object, specifying its data type and the dimensions it uses.

Parameters

- name** : str
Name of the new variable.
- type** : dtype or str
Data type of the variable.
- dimensions** : sequence of str
List of the dimension names used by the variable, in the desired order.

Returns

- variable** : `netcdf_variable`
The newly created `netcdf_variable` object. This object has also been added to the `netcdf_file` object as well.

See Also

`createDimension`

Notes

Any dimensions to be used by the variable should already exist in the NetCDF data structure or should be created by `createDimension` prior to creating the NetCDF variable.

`netcdf_file.flush()`
 Perform a sync-to-disk flush if the `netcdf_file` object is in write mode.

See Also

`sync` Identical function

`netcdf_file.sync()`
 Perform a sync-to-disk flush if the `netcdf_file` object is in write mode.

See Also

`sync` Identical function

`class scipy.io.netcdf.netcdf_variable(data, typecode, size, shape, dimensions, attributes=None)`
 A data object for the `netcdf` module.

`netcdf_variable` objects are constructed by calling the method `netcdf_file.createVariable` on the `netcdf_file` object. `netcdf_variable` objects behave much like array objects defined in `numpy`, except that their data resides in a file. Data is read by indexing and written by assigning to an indexed subset; the entire array can be accessed by the index `[:]` or (for scalars) by using the methods `getValue` and `assignValue`. `netcdf_variable` objects also have attribute `shape` with the same meaning as for arrays, but the shape cannot be modified. There is another read-only attribute `dimensions`, whose value is the tuple of dimension names.

All other attributes correspond to variable attributes defined in the NetCDF file. Variable attributes are created by assigning to an attribute of the `netcdf_variable` object.

Parameters

- data** : array_like
The data array that holds the values for the variable. Typically, this is initialized as empty, but with the proper shape.
- typecode** : dtype character code
Desired data-type for the data array.
- size** : int
Desired element size for the data array.
- shape** : sequence of ints
The shape of the array. This should match the lengths of the variable's dimensions.
- dimensions** : sequence of strings
The names of the dimensions used by the variable. Must be in the same order of the dimension lengths given by `shape`.
- attributes** : dict, optional
Attribute values (any type) keyed by string names. These attributes become attributes for the `netcdf_variable` object.

See Also

`isrec`, `shape`

Attributes

<code>dimensions</code>	(list of str) List of names of dimensions used by the variable object.
<code>isrec</code> , <code>shape</code>	Properties

Methods

<code>assignValue(value)</code>	Assign a scalar value to a <code>netcdf_variable</code> of length one.
<code>getValue()</code>	Retrieve a scalar value from a <code>netcdf_variable</code> of length one.
<code>itemsize()</code>	Return the itemsize of the variable.
<code>typecode()</code>	Return the typecode of the variable.

`netcdf_variable.assignValue (value)`

Assign a scalar value to a `netcdf_variable` of length one.

Parameters **value** : scalar
Scalar value (of compatible type) to assign to a length-one `netcdf` variable. This value will be written to file.

Raises **ValueError** :
If the input is not a scalar, or if the destination is not a length-one `netcdf` variable.

`netcdf_variable.getValue ()`

Retrieve a scalar value from a `netcdf_variable` of length one.

Raises **ValueError** :

If the `netcdf` variable is an array of length greater than one, this exception will be raised.

`netcdf_variable.itemsize()`
Return the itemsize of the variable.

Returns **itemsize** : int
The element size of the variable (eg, 8 for float64).

`netcdf_variable.typecode()`
Return the typecode of the variable.

Returns **typecode** : char
The character typecode of the variable (eg, 'i' for int).

5.9 Linear algebra (`scipy.linalg`)

Linear algebra functions.

See Also

`numpy.linalg` for more linear algebra functions. Note that although `scipy.linalg` imports most of them, identically named functions from `scipy.linalg` may offer more or slightly differing functionality.

5.9.1 Basics

<code>inv(a[, overwrite_a, check_finite])</code>	Compute the inverse of a matrix.
<code>solve(a, b[, sym_pos, lower, overwrite_a, ...])</code>	Solve the equation $a x = b$ for x .
<code>solve_banded(l_and_u, ab, b[, overwrite_ab, ...])</code>	Solve the equation $a x = b$ for x , assuming a is banded matrix.
<code>solveh_banded(ab, b[, overwrite_ab, ...])</code>	Solve equation $a x = b$.
<code>solve_triangular(a, b[, trans, lower, ...])</code>	Solve the equation $a x = b$ for x , assuming a is a triangular matrix.
<code>det(a[, overwrite_a, check_finite])</code>	Compute the determinant of a matrix
<code>norm(a[, ord])</code>	Matrix or vector norm.
<code>lstsq(a, b[, cond, overwrite_a, ...])</code>	Compute least-squares solution to equation $Ax = b$.
<code>pinv(a[, cond, rcond, return_rank, check_finite])</code>	Compute the (Moore-Penrose) pseudo-inverse of a matrix.
<code>pinv2(a[, cond, rcond, return_rank, ...])</code>	Compute the (Moore-Penrose) pseudo-inverse of a matrix.
<code>pinvh(a[, cond, rcond, lower, return_rank, ...])</code>	Compute the (Moore-Penrose) pseudo-inverse of a Hermitian matrix.
<code>kron(a, b)</code>	Kronecker product.
<code>tril(m[, k])</code>	Make a copy of a matrix with elements above the k -th diagonal zeroed.
<code>triu(m[, k])</code>	Make a copy of a matrix with elements below the k -th diagonal zeroed.

`scipy.linalg.inv(a, overwrite_a=False, check_finite=True)`
Compute the inverse of a matrix.

Parameters **a** : array_like
Square matrix to be inverted.
overwrite_a : bool, optional
Discard data in a (may improve performance). Default is False.
check_finite : boolean, optional
Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns **ainv** : ndarray

Raises Inverse of the matrix a .
LinAlgError :
 If a is singular.
ValueError :
 If a is not square, or not 2-dimensional.

Examples

```
>>> a = np.array([[1., 2.], [3., 4.]])
>>> sp.linalg.inv(a)
array([[ -2. ,  1. ],
       [ 1.5, -0.5]])
>>> np.dot(a, sp.linalg.inv(a))
array([[ 1.,  0.],
       [ 0.,  1.]])
```

`scipy.linalg.solve`(a , b , *sym_pos=False*, *lower=False*, *overwrite_a=False*, *overwrite_b=False*, *debug=False*, *check_finite=True*)

Solve the equation $a x = b$ for x .

Parameters

- a** : (M, M) array_like
A square matrix.
- b** : (M,) or (M, N) array_like
Right-hand side matrix in $a x = b$.
- sym_pos** : bool
Assume a is symmetric and positive definite.
- lower** : boolean
Use only data contained in the lower triangle of a , if *sym_pos* is true. Default is to use upper triangle.
- overwrite_a** : bool
Allow overwriting data in a (may enhance performance). Default is False.
- overwrite_b** : bool
Allow overwriting data in b (may enhance performance). Default is False.
- check_finite** : boolean, optional
Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

- x** : (M,) or (M, N) ndarray
Solution to the system $a x = b$. Shape of the return matches the shape of b .

Raises

- LinAlgError** :
If a is singular.

Examples

Given a and b , solve for x :

```
>>> a = np.array([[3, 2, 0], [1, -1, 0], [0, 5, 1]])
>>> b = np.array([2, 4, -1])
>>> x = linalg.solve(a, b)
>>> x
array([ 2., -2.,  9.])
>>> np.dot(a, x) == b
array([ True,  True,  True], dtype=bool)
```

`scipy.linalg.solve_banded`(l and u , ab , b , *overwrite_ab=False*, *overwrite_b=False*, *debug=False*, *check_finite=True*)

Solve the equation $a x = b$ for x , assuming a is banded matrix.

The matrix a is stored in ab using the matrix diagonal ordered form:

```
ab[u + i - j, j] == a[i, j]
```

Example of ab (shape of a is (6,6), $u=1, l=2$):

```
*    a01  a12  a23  a34  a45
a00  a11  a22  a33  a44  a55
a10  a21  a32  a43  a54  *
a20  a31  a42  a53  *    *
```

Parameters

- (l, u)** : (integer, integer)
Number of non-zero lower and upper diagonals
- ab** : ($l + u + 1, M$) array_like
Banded matrix
- b** : (M,) or (M, K) array_like
Right-hand side
- overwrite_ab** : boolean, optional
Discard data in ab (may enhance performance)
- overwrite_b** : boolean, optional
Discard data in b (may enhance performance)
- check_finite** : boolean, optional
Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

- x** : (M,) or (M, K) ndarray
The solution to the system $a x = b$. Returned shape depends on the shape of b .

```
scipy.linalg.solveh_banded(ab, b, overwrite_ab=False, overwrite_b=False, lower=False,
                           check_finite=True)
```

Solve equation $a x = b$. a is Hermitian positive-definite banded matrix.

The matrix a is stored in ab either in lower diagonal or upper diagonal ordered form:

```
ab[u + i - j, j] == a[i, j] (if upper form; i <= j)
ab[ i - j, j] == a[i, j] (if lower form; i >= j)
```

Example of ab (shape of a is (6,6), $u=2$):

```
upper form:
*   *   a02  a13  a24  a35
*   a01  a12  a23  a34  a45
a00  a11  a22  a33  a44  a55

lower form:
a00  a11  a22  a33  a44  a55
a10  a21  a32  a43  a54  *
a20  a31  a42  a53  *    *
```

Cells marked with * are not used.

Parameters

- ab** : ($u + 1, M$) array_like
Banded matrix
- b** : (M,) or (M, K) array_like
Right-hand side
- overwrite_ab** : bool, optional
Discard data in ab (may enhance performance)
- overwrite_b** : bool, optional
Discard data in b (may enhance performance)
- lower** : bool, optional

Is the matrix in the lower form. (Default is upper form)

check_finite : boolean, optional

Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns **x** : (M,) or (M, K) ndarray

The solution to the system $a x = b$. Shape of return matches shape of b .

`scipy.linalg.solve_triangular(a, b, trans=0, lower=False, unit_diagonal=False, overwrite_b=False, debug=False, check_finite=True)`

Solve the equation $a x = b$ for x , assuming a is a triangular matrix.

Parameters **a** : (M, M) array_like

A triangular matrix

b : (M,) or (M, N) array_like

Right-hand side matrix in $a x = b$

lower : boolean

Use only data contained in the lower triangle of a . Default is to use upper triangle.

trans : {0, 1, 2, 'N', 'T', 'C'}, optional

Type of system to solve:

trans	system
0 or 'N'	$a x = b$
1 or 'T'	$a^T x = b$
2 or 'C'	$a^H x = b$

unit_diagonal : bool, optional

If True, diagonal elements of a are assumed to be 1 and will not be referenced.

overwrite_b : bool, optional

Allow overwriting data in b (may enhance performance)

check_finite : bool, optional

Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns **x** : (M,) or (M, N) ndarray

Solution to the system $a x = b$. Shape of return matches b .

Raises **LinAlgError** :

If a is singular

Notes

New in version 0.9.0.

`scipy.linalg.det(a, overwrite_a=False, check_finite=True)`

Compute the determinant of a matrix

The determinant of a square matrix is a value derived arithmetically from the coefficients of the matrix.

The determinant for a 3x3 matrix, for example, is computed as follows:

$$\begin{array}{ccc} a & b & c \\ d & e & f \\ g & h & i \end{array} = A$$

$$\det(A) = a * e * i + b * f * g + c * d * h - c * e * g - b * d * i - a * f * h$$

Parameters **a** : (M, M) array_like

A square matrix.

overwrite_a : bool

Allow overwriting data in a (may enhance performance).

check_finite : boolean, optional

Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns **det** : float or complex
Determinant of *a*.

Notes

The determinant is computed via LU factorization, LAPACK routine z/dgetrf.

Examples

```
>>> a = np.array([[1, 2, 3], [4, 5, 6], [7, 8, 9]])
>>> linalg.det(a)
0.0
>>> a = np.array([[0, 2, 3], [4, 5, 6], [7, 8, 9]])
>>> linalg.det(a)
3.0
```

`scipy.linalg.norm(a, ord=None)`
Matrix or vector norm.

This function is able to return one of seven different matrix norms, or one of an infinite number of vector norms (described below), depending on the value of the `ord` parameter.

Parameters **x** : {(M,), (M, N)} array_like
Input array.
ord : {non-zero int, inf, -inf, 'fro'}, optional
Order of the norm (see table under *Notes*). `inf` means numpy's *inf* object.

Returns **n** : float
Norm of the matrix or vector.

Notes

For values of `ord` <= 0, the result is, strictly speaking, not a mathematical 'norm', but it may still be useful for various numerical purposes.

The following norms can be calculated:

ord	norm for matrices	norm for vectors
None	Frobenius norm	2-norm
'fro'	Frobenius norm	-
inf	max(sum(abs(x), axis=1))	max(abs(x))
-inf	min(sum(abs(x), axis=1))	min(abs(x))
0	-	sum(x != 0)
1	max(sum(abs(x), axis=0))	as below
-1	min(sum(abs(x), axis=0))	as below
2	2-norm (largest sing. value)	as below
-2	smallest singular value	as below
other	-	sum(abs(x)**ord)**(1./ord)

The Frobenius norm is given by [R50]:

$$\|A\|_F = [\sum_{i,j} abs(a_{i,j})^2]^{1/2}$$

References

[R50]

Examples

```
>>> from numpy import linalg as LA
>>> a = np.arange(9) - 4
>>> a
array([-4, -3, -2, -1,  0,  1,  2,  3,  4])
>>> b = a.reshape((3, 3))
>>> b
array([[ -4,  -3,  -2],
       [ -1,   0,   1],
       [  2,   3,   4]])
```

```
>>> LA.norm(a)
7.745966692414834
>>> LA.norm(b)
7.745966692414834
>>> LA.norm(b, 'fro')
7.745966692414834
>>> LA.norm(a, np.inf)
4
>>> LA.norm(b, np.inf)
9
>>> LA.norm(a, -np.inf)
0
>>> LA.norm(b, -np.inf)
2

>>> LA.norm(a, 1)
20
>>> LA.norm(b, 1)
7
>>> LA.norm(a, -1)
-4.6566128774142013e-010
>>> LA.norm(b, -1)
6
>>> LA.norm(a, 2)
7.745966692414834
>>> LA.norm(b, 2)
7.3484692283495345

>>> LA.norm(a, -2)
nan
>>> LA.norm(b, -2)
1.8570331885190563e-016
>>> LA.norm(a, 3)
5.8480354764257312
>>> LA.norm(a, -3)
nan
```

`scipy.linalg.lstsq(a, b, cond=None, overwrite_a=False, overwrite_b=False, check_finite=True)`
 Compute least-squares solution to equation $Ax = b$.

Compute a vector x such that the 2-norm $\|b - Ax\|$ is minimized.

Parameters

- a** : (M, N) array_like
Left hand side matrix (2-D array).
- b** : (M,) or (M, K) array_like
Right hand side matrix or vector (1-D or 2-D array).
- cond** : float, optional

Cutoff for ‘small’ singular values; used to determine effective rank of a . Singular values smaller than `rcond * largest_singular_value` are considered zero.

overwrite_a : bool, optional

Discard data in a (may enhance performance). Default is False.

overwrite_b : bool, optional

Discard data in b (may enhance performance). Default is False.

check_finite : boolean, optional

Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns **x** : (N,) or (N, K) ndarray

Least-squares solution. Return shape matches shape of b .

residues : () or (1,) or (K,) ndarray

Sums of residues, squared 2-norm for each column in $b - a \cdot x$. If rank of matrix a is $< N$ or $> M$ this is an empty array. If b was 1-D, this is an (1,) shape array, otherwise the shape is (K,).

rank : int

Effective rank of matrix a .

s : (min(M,N),) ndarray

Singular values of a . The condition number of a is `abs(s[0]/s[-1])`.

Raises **LinAlgError** :

If computation does not converge.

See Also

optimize.nnls

linear least squares with non-negativity constraint

`scipy.linalg.pinv(a, cond=None, rcond=None, return_rank=False, check_finite=True)`
 Compute the (Moore-Penrose) pseudo-inverse of a matrix.

Calculate a generalized inverse of a matrix using a least-squares solver.

Parameters **a** : (M, N) array_like

Matrix to be pseudo-inverted.

cond, rcond : float, optional

Cutoff for ‘small’ singular values in the least-squares solver. Singular values smaller than `rcond * largest_singular_value` are considered zero.

return_rank : bool, optional

if True, return the effective rank of the matrix

check_finite : boolean, optional

Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns **B** : (N, M) ndarray

The pseudo-inverse of matrix a .

rank : int

The effective rank of the matrix. Returned if `return_rank == True`

Raises **LinAlgError** :

If computation does not converge.

Examples

```
>>> a = np.random.randn(9, 6)
>>> B = linalg.pinv(a)
>>> np.allclose(a, dot(a, dot(B, a)))
```

```
True
>>> np.allclose(B, dot(B, dot(a, B)))
True
```

`scipy.linalg.pinv2` (*a*, *cond=None*, *rcond=None*, *return_rank=False*, *check_finite=True*)

Compute the (Moore-Penrose) pseudo-inverse of a matrix.

Calculate a generalized inverse of a matrix using its singular-value decomposition and including all ‘large’ singular values.

Parameters

- a** : (M, N) array_like
Matrix to be pseudo-inverted.
- cond, rcond** : float or None
Cutoff for ‘small’ singular values. Singular values smaller than `rcond*largest_singular_value` are considered zero. If None or -1, suitable machine precision is used.
- return_rank** : bool, optional
if True, return the effective rank of the matrix
- check_finite** : boolean, optional
Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

- B** : (N, M) ndarray
The pseudo-inverse of matrix *a*.
- rank** : int
The effective rank of the matrix. Returned if `return_rank == True`

Raises

- LinAlgError** :
If SVD computation does not converge.

Examples

```
>>> a = np.random.randn(9, 6)
>>> B = linalg.pinv2(a)
>>> np.allclose(a, dot(a, dot(B, a)))
True
>>> np.allclose(B, dot(B, dot(a, B)))
True
```

`scipy.linalg.pinvh` (*a*, *cond=None*, *rcond=None*, *lower=True*, *return_rank=False*, *check_finite=True*)

Compute the (Moore-Penrose) pseudo-inverse of a Hermitian matrix.

Calculate a generalized inverse of a Hermitian or real symmetric matrix using its eigenvalue decomposition and including all eigenvalues with ‘large’ absolute value.

Parameters

- a** : (N, N) array_like
Real symmetric or complex hermetian matrix to be pseudo-inverted
- cond, rcond** : float or None
Cutoff for ‘small’ eigenvalues. Singular values smaller than `rcond * largest_eigenvalue` are considered zero. If None or -1, suitable machine precision is used.
- lower** : bool
Whether the pertinent array data is taken from the lower or upper triangle of *a*. (Default: lower)
- return_rank** : bool, optional
if True, return the effective rank of the matrix
- check_finite** : boolean, optional

Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns **B** : (N, N) ndarray
 The pseudo-inverse of matrix *a*.

rank : int
 The effective rank of the matrix. Returned if `return_rank == True`

Raises **LinAlgError** :
 If eigenvalue does not converge

Examples

```
>>> from numpy import *
>>> a = random.randn(9, 6)
>>> a = np.dot(a, a.T)
>>> B = pinvh(a)
>>> allclose(a, dot(a, dot(B, a)))
True
>>> allclose(B, dot(B, dot(a, B)))
True
```

`scipy.linalg.kron(a, b)`

Kronecker product.

The result is the block matrix:

```
a[0,0]*b    a[0,1]*b    ... a[0,-1]*b
a[1,0]*b    a[1,1]*b    ... a[1,-1]*b
...
a[-1,0]*b   a[-1,1]*b   ... a[-1,-1]*b
```

Parameters **a** : (M, N) ndarray
 Input array

b : (P, Q) ndarray
 Input array

Returns **A** : (M*P, N*Q) ndarray
 Kronecker product of *a* and *b*.

Examples

```
>>> from numpy import array
>>> from scipy.linalg import kron
>>> kron(array([[1,2],[3,4]]), array([[1,1,1]]))
array([[1, 1, 1, 2, 2, 2],
       [3, 3, 3, 4, 4, 4]])
```

`scipy.linalg.tril(m, k=0)`

Make a copy of a matrix with elements above the k-th diagonal zeroed.

Parameters **m** : array_like
 Matrix whose elements to return

k : integer
 Diagonal above which to zero elements. $k == 0$ is the main diagonal, $k < 0$ subdiagonal and $k > 0$ superdiagonal.

Returns **tril** : ndarray
 Return is the same shape and type as *m*.

Examples

```
>>> from scipy.linalg import tril
>>> tril([[1,2,3],[4,5,6],[7,8,9],[10,11,12]], -1)
array([[ 0,  0,  0],
       [ 4,  0,  0],
       [ 7,  8,  0],
       [10, 11, 12]])
```

`scipy.linalg.triu(m, k=0)`

Make a copy of a matrix with elements below the k-th diagonal zeroed.

Parameters

- m** : array_like
Matrix whose elements to return
- k** : int, optional
Diagonal below which to zero elements. $k == 0$ is the main diagonal, $k < 0$ subdiagonal and $k > 0$ superdiagonal.

Returns

- triu** : ndarray
Return matrix with zeroed elements below the k-th diagonal and has same shape and type as *m*.

Examples

```
>>> from scipy.linalg import triu
>>> triu([[1,2,3],[4,5,6],[7,8,9],[10,11,12]], -1)
array([[ 1,  2,  3],
       [ 4,  5,  6],
       [ 0,  8,  9],
       [ 0,  0, 12]])
```

5.9.2 Eigenvalue Problems

<code>eig(a[, b, left, right, overwrite_a, ...])</code>	Solve an ordinary or generalized eigenvalue problem of a square matrix.
<code>eigvals(a[, b, overwrite_a, check_finite])</code>	Compute eigenvalues from an ordinary or generalized eigenvalue problem.
<code>eigh(a[, b, lower, eigvals_only, ...])</code>	Solve an ordinary or generalized eigenvalue problem for a complex
<code>eigvalsh(a[, b, lower, overwrite_a, ...])</code>	Solve an ordinary or generalized eigenvalue problem for a complex
<code>eig_banded(a_band[, lower, eigvals_only, ...])</code>	Solve real symmetric or complex hermitian band matrix eigenvalue problem.
<code>eigvals_banded(a_band[, lower, ...])</code>	Solve real symmetric or complex hermitian band matrix eigenvalue problem.

`scipy.linalg.eig(a, b=None, left=False, right=True, overwrite_a=False, overwrite_b=False, check_finite=True)`

Solve an ordinary or generalized eigenvalue problem of a square matrix.

Find eigenvalues *w* and right or left eigenvectors of a general matrix:

$$a \quad vr[:,i] = w[i] \quad b \quad vr[:,i]$$

$$a.H \quad vl[:,i] = w[i].conj() \quad b.H \quad vl[:,i]$$

where `.H` is the Hermitian conjugation.

Parameters

- a** : (M, M) array_like
A complex or real matrix whose eigenvalues and eigenvectors will be computed.
- b** : (M, M) array_like, optional
Right-hand side matrix in a generalized eigenvalue problem. Default is None, identity matrix is assumed.

left : bool, optional
Whether to calculate and return left eigenvectors. Default is False.

right : bool, optional
Whether to calculate and return right eigenvectors. Default is True.

overwrite_a : bool, optional
Whether to overwrite *a*; may improve performance. Default is False.

overwrite_b : bool, optional
Whether to overwrite *b*; may improve performance. Default is False.

check_finite : boolean, optional
Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

w : (M,) double or complex ndarray
The eigenvalues, each repeated according to its multiplicity.

vl : (M, M) double or complex ndarray
The normalized left eigenvector corresponding to the eigenvalue $w[i]$ is the column $v[:,i]$. Only returned if `left=True`.

vr : (M, M) double or complex ndarray
The normalized right eigenvector corresponding to the eigenvalue $w[i]$ is the column $vr[:,i]$. Only returned if `right=True`.

Raises

LinAlgError :
If eigenvalue computation does not converge.

See Also

`eigh` Eigenvalues and right eigenvectors for symmetric/Hermitian arrays.

`scipy.linalg.eigvals` (*a*, *b=None*, *overwrite_a=False*, *check_finite=True*)

Compute eigenvalues from an ordinary or generalized eigenvalue problem.

Find eigenvalues of a general matrix:

$a \quad vr[:,i] = w[i] \quad b \quad vr[:,i]$

Parameters

a : (M, M) array_like
A complex or real matrix whose eigenvalues and eigenvectors will be computed.

b : (M, M) array_like, optional
Right-hand side matrix in a generalized eigenvalue problem. If omitted, identity matrix is assumed.

overwrite_a : boolean, optional
Whether to overwrite data in *a* (may improve performance)

check_finite : boolean, optional
Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

w : (M,) double or complex ndarray
The eigenvalues, each repeated according to its multiplicity, but not in any specific order.

Raises

LinAlgError :
If eigenvalue computation does not converge

See Also

`eigvalsh` eigenvalues of symmetric or Hermitian arrays,

`eig` eigenvalues and right eigenvectors of general arrays.

eigh eigenvalues and eigenvectors of symmetric/Hermitian arrays.

`scipy.linalg.eigh(a, b=None, lower=True, eigvals_only=False, overwrite_a=False, overwrite_b=False, turbo=True, eigvals=None, type=1, check_finite=True)`

Solve an ordinary or generalized eigenvalue problem for a complex Hermitian or real symmetric matrix.

Find eigenvalues w and optionally eigenvectors v of matrix a , where b is positive definite:

```

                a v[:,i] = w[i] b v[:,i]
v[i,:].conj() a v[:,i] = w[i]
v[i,:].conj() b v[:,i] = 1

```

Parameters

- a** : (M, M) array_like
A complex Hermitian or real symmetric matrix whose eigenvalues and eigenvectors will be computed.
- b** : (M, M) array_like, optional
A complex Hermitian or real symmetric definite positive matrix in. If omitted, identity matrix is assumed.
- lower** : bool, optional
Whether the pertinent array data is taken from the lower or upper triangle of a . (Default: lower)
- eigvals_only** : bool, optional
Whether to calculate only eigenvalues and no eigenvectors. (Default: both are calculated)
- turbo** : bool, optional
Use divide and conquer algorithm (faster but expensive in memory, only for generalized eigenvalue problem and if `eigvals=None`)
- eigvals** : tuple (lo, hi), optional
Indexes of the smallest and largest (in ascending order) eigenvalues and corresponding eigenvectors to be returned: $0 \leq lo \leq hi \leq M-1$. If omitted, all eigenvalues and eigenvectors are returned.
- type** : int, optional
Specifies the problem type to be solved:
 - type = 1: $a v[:,i] = w[i] b v[:,i]$
 - type = 2: $a b v[:,i] = w[i] v[:,i]$
 - type = 3: $b a v[:,i] = w[i] v[:,i]$
- overwrite_a** : bool, optional
Whether to overwrite data in a (may improve performance)
- overwrite_b** : bool, optional
Whether to overwrite data in b (may improve performance)
- check_finite** : boolean, optional
Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

- w** : (N,) float ndarray
The N ($1 \leq N \leq M$) selected eigenvalues, in ascending order, each repeated according to its multiplicity.
- v** : (M, N) complex ndarray
(if `eigvals_only == False`)
The normalized selected eigenvector corresponding to the eigenvalue $w[i]$ is the column $v[:,i]$.
Normalization:
 - type 1 and 3: $v.conj() a v = w$
 - type 2: $inv(v).conj() a inv(v) = w$
 - type = 1 or 2: $v.conj() b v = I$

Raises `LinAlgError` : :
 type = 3: $v.conj() inv(b) v = I$
 If eigenvalue computation does not converge, an error occurred, or b matrix is not definite positive. Note that if input matrices are not symmetric or hermitian, no error is reported but results will be wrong.

See Also

`eig` eigenvalues and right eigenvectors for non-symmetric arrays

`scipy.linalg.eigvalsh` ($a, b=None, lower=True, overwrite_a=False, overwrite_b=False, turbo=True, eigvals=None, type=1, check_finite=True$)

Solve an ordinary or generalized eigenvalue problem for a complex Hermitian or real symmetric matrix.

Find eigenvalues w of matrix a , where b is positive definite:

$$\begin{aligned} a v[:,i] &= w[i] b v[:,i] \\ v[i,:].conj() a v[:,i] &= w[i] \\ v[i,:].conj() b v[:,i] &= 1 \end{aligned}$$

Parameters

- a** : (M, M) array_like
 A complex Hermitian or real symmetric matrix whose eigenvalues and eigenvectors will be computed.
- b** : (M, M) array_like, optional
 A complex Hermitian or real symmetric definite positive matrix in. If omitted, identity matrix is assumed.
- lower** : bool, optional
 Whether the pertinent array data is taken from the lower or upper triangle of a . (Default: lower)
- turbo** : bool, optional
 Use divide and conquer algorithm (faster but expensive in memory, only for generalized eigenvalue problem and if `eigvals=None`)
- eigvals** : tuple (lo, hi), optional
 Indexes of the smallest and largest (in ascending order) eigenvalues and corresponding eigenvectors to be returned: $0 \leq lo < hi \leq M-1$. If omitted, all eigenvalues and eigenvectors are returned.
- type** : integer, optional
 Specifies the problem type to be solved:
 type = 1: $a v[:,i] = w[i] b v[:,i]$
 type = 2: $a b v[:,i] = w[i] v[:,i]$
 type = 3: $b a v[:,i] = w[i] v[:,i]$
- overwrite_a** : bool, optional
 Whether to overwrite data in a (may improve performance)
- overwrite_b** : bool, optional
 Whether to overwrite data in b (may improve performance)
- check_finite** : boolean, optional
 Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns **w** : (N,) float ndarray
 The N ($1 \leq N \leq M$) selected eigenvalues, in ascending order, each repeated according to its multiplicity.

Raises `LinAlgError` : :

If eigenvalue computation does not converge, an error occurred, or b matrix is not definite positive. Note that if input matrices are not symmetric or hermitian, no error is reported but results will be wrong.

See Also

- `eigvals`** eigenvalues of general arrays
- `eigh`** eigenvalues and right eigenvectors for symmetric/Hermitian arrays
- `eig`** eigenvalues and right eigenvectors for non-symmetric arrays

`scipy.linalg.eig_banded`(*a_band*, *lower=False*, *eigvals_only=False*, *overwrite_a_band=False*, *select='a'*, *select_range=None*, *max_ev=0*, *check_finite=True*)

Solve real symmetric or complex hermitian band matrix eigenvalue problem.

Find eigenvalues *w* and optionally right eigenvectors *v* of *a*:

```
a v[:,i] = w[i] v[:,i]
v.H v    = identity
```

The matrix *a* is stored in *a_band* either in lower diagonal or upper diagonal ordered form:

`a_band[u + i - j, j] == a[i,j]` (if upper form; $i \leq j$) `a_band[i - j, j] == a[i,j]` (if lower form; $i \geq j$)

where *u* is the number of bands above the diagonal.

Example of *a_band* (shape of *a* is (6,6), *u*=2):

```
upper form:
*   *   a02 a13 a24 a35
*   a01 a12 a23 a34 a45
a00 a11 a22 a33 a44 a55

lower form:
a00 a11 a22 a33 a44 a55
a10 a21 a32 a43 a54 *
a20 a31 a42 a53 *   *
```

Cells marked with * are not used.

- Parameters**
- `a_band`** : (u+1, M) array_like
The bands of the M by M matrix *a*.
 - `lower`** : bool, optional
Is the matrix in the lower form. (Default is upper form)
 - `eigvals_only`** : bool, optional
Compute only the eigenvalues and no eigenvectors. (Default: calculate also eigenvectors)
 - `overwrite_a_band`** : bool, optional
Discard data in *a_band* (may enhance performance)
 - `select`** : {'a', 'v', 'i'}, optional
Which eigenvalues to calculate
- | select | calculated |
|--------|--|
| 'a' | All eigenvalues |
| 'v' | Eigenvalues in the interval (min, max] |
| 'i' | Eigenvalues with indices $\min \leq i \leq \max$ |
- `select_range`** : (min, max), optional
Range of selected eigenvalues
 - `max_ev`** : int, optional

For `select=='v'`, maximum number of eigenvalues expected. For other values of `select`, has no meaning.

In doubt, leave this parameter untouched.

check_finite : boolean, optional

Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

w : (M,) ndarray

The eigenvalues, in ascending order, each repeated according to its multiplicity.

v : (M, M) float or complex ndarray

The normalized eigenvector corresponding to the eigenvalue `w[i]` is the column `v[:,i]`.

Raises LinAlgError if eigenvalue computation does not converge :

`scipy.linalg.eigvals_banded(a_band, lower=False, overwrite_a_band=False, select='a', select_range=None, check_finite=True)`

Solve real symmetric or complex hermitian band matrix eigenvalue problem.

Find eigenvalues `w` of `a`:

```
a v[:,i] = w[i] v[:,i]
v.H v    = identity
```

The matrix `a` is stored in `a_band` either in lower diagonal or upper diagonal ordered form:

`a_band[u + i - j, j] == a[i,j]` (if upper form; `i <= j`) `a_band[i - j, j] == a[i,j]` (if lower form; `i >= j`)

where `u` is the number of bands above the diagonal.

Example of `a_band` (shape of `a` is (6,6), `u=2`):

upper form:

```
* * a02 a13 a24 a35
* a01 a12 a23 a34 a45
a00 a11 a22 a33 a44 a55
```

lower form:

```
a00 a11 a22 a33 a44 a55
a10 a21 a32 a43 a54 *
a20 a31 a42 a53 * *
```

Cells marked with `*` are not used.

Parameters **a_band** : (u+1, M) array_like

The bands of the M by M matrix `a`.

lower : boolean

Is the matrix in the lower form. (Default is upper form)

overwrite_a_band :

Discard data in `a_band` (may enhance performance)

select : {'a', 'v', 'i'}

Which eigenvalues to calculate

select	calculated
'a'	All eigenvalues
'v'	Eigenvalues in the interval (min, max]
'i'	Eigenvalues with indices <code>min <= i <= max</code>

select_range : (min, max)

Range of selected eigenvalues

check_finite : boolean, optional

Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns `w` : (M,) ndarray
 The eigenvalues, in ascending order, each repeated according to its multiplicity.
Raises `LinAlgError` if eigenvalue computation does not converge :

See Also

- `eig_banded` eigenvalues and right eigenvectors for symmetric/Hermitian band matrices
- `eigvals` eigenvalues of general arrays
- `eigh` eigenvalues and right eigenvectors for symmetric/Hermitian arrays
- `eig` eigenvalues and right eigenvectors for non-symmetric arrays

5.9.3 Decompositions

<code>lu(a[, permute_l, overwrite_a, check_finite])</code>	Compute pivoted LU decomposition of a matrix.
<code>lu_factor(a[, overwrite_a, check_finite])</code>	Compute pivoted LU decomposition of a matrix.
<code>lu_solve(lu_and_piv, b[, trans, ...])</code>	Solve an equation system, $a x = b$, given the LU factorization of a
<code>svd(a[, full_matrices, compute_uv, ...])</code>	Singular Value Decomposition.
<code>svdvals(a[, overwrite_a, check_finite])</code>	Compute singular values of a matrix.
<code>diagsvd(s, M, N)</code>	Construct the sigma matrix in SVD from singular values and size M, N.
<code>orth(A)</code>	Construct an orthonormal basis for the range of A using SVD
<code>cholesky(a[, lower, overwrite_a, check_finite])</code>	Compute the Cholesky decomposition of a matrix.
<code>cholesky_banded(ab[, overwrite_ab, lower, ...])</code>	Cholesky decompose a banded Hermitian positive-definite matrix
<code>cho_factor(a[, lower, overwrite_a, check_finite])</code>	Compute the Cholesky decomposition of a matrix, to use in <code>cho_solve</code>
<code>cho_solve(c_and_lower, b[, overwrite_b, ...])</code>	Solve the linear equations $A x = b$, given the Cholesky factorization of A.
<code>cho_solve_banded(cb_and_lower, b[, ...])</code>	Solve the linear equations $A x = b$, given the Cholesky factorization of A.
<code>qr(a[, overwrite_a, lwork, mode, pivoting, ...])</code>	Compute QR decomposition of a matrix.
<code>qr_multiply(a, c[, mode, pivoting, ...])</code>	Calculate the QR decomposition and multiply Q with a matrix.
<code>qz(A, B[, output, lwork, sort, overwrite_a, ...])</code>	QZ decomposition for generalized eigenvalues of a pair of matrices.
<code>schur(a[, output, lwork, overwrite_a, sort, ...])</code>	Compute Schur decomposition of a matrix.
<code>rsf2csf(T, Z[, check_finite])</code>	Convert real Schur form to complex Schur form.
<code>hessenberg(a[, calc_q, overwrite_a, ...])</code>	Compute Hessenberg form of a matrix.

`scipy.linalg.lu(a, permute_l=False, overwrite_a=False, check_finite=True)`

Compute pivoted LU decomposition of a matrix.

The decomposition is:

$$A = P L U$$

where P is a permutation matrix, L lower triangular with unit diagonal elements, and U upper triangular.

Parameters `a` : (M, N) array_like
 Array to decompose
`permute_l` : bool
 Perform the multiplication P*L (Default: do not permute)
`overwrite_a` : bool
 Whether to overwrite data in a (may improve performance)
`check_finite` : boolean, optional

Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns *****(If permute_l == False)***** :

- p** : (M, M) ndarray
Permutation matrix
- l** : (M, K) ndarray
Lower triangular or trapezoidal matrix with unit diagonal. $K = \min(M, N)$
- u** : (K, N) ndarray
Upper triangular or trapezoidal matrix

*****(If permute_l == True)***** :

- pl** : (M, K) ndarray
Permuted L matrix. $K = \min(M, N)$
- u** : (K, N) ndarray
Upper triangular or trapezoidal matrix

Notes

This is a LU factorization routine written for Scipy.

`scipy.linalg.lu_factor(a, overwrite_a=False, check_finite=True)`

Compute pivoted LU decomposition of a matrix.

The decomposition is:

$$A = P L U$$

where P is a permutation matrix, L lower triangular with unit diagonal elements, and U upper triangular.

Parameters

- a** : (M, M) array_like
Matrix to decompose
- overwrite_a** : boolean
Whether to overwrite data in A (may increase performance)
- check_finite** : boolean, optional
Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

- lu** : (N, N) ndarray
Matrix containing U in its upper triangle, and L in its lower triangle. The unit diagonal elements of L are not stored.
- piv** : (N,) ndarray
Pivot indices representing the permutation matrix P: row i of matrix was interchanged with row piv[i].

See Also

[lu_solve](#) solve an equation system using the LU factorization of a matrix

Notes

This is a wrapper to the *GETRF routines from LAPACK.

`scipy.linalg.lu_solve(lu_and_piv, b, trans=0, overwrite_b=False, check_finite=True)`

Solve an equation system, $a x = b$, given the LU factorization of a

Parameters **(lu, piv)** :

- Factorization of the coefficient matrix a, as given by lu_factor
- b** : array
Right-hand side

trans : {0, 1, 2}

Type of system to solve:

trans	system
0	$a x = b$
1	$a^T x = b$
2	$a^H x = b$

check_finite : boolean, optional

Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns **x** : array
Solution to the system

See Also

[`lu_factor`](#) LU factorize a matrix

`scipy.linalg.svd(a, full_matrices=True, compute_uv=True, overwrite_a=False, check_finite=True)`
Singular Value Decomposition.

Factorizes the matrix a into two unitary matrices U and Vh , and a 1-D array s of singular values (real, non-negative) such that $a == U * S * Vh$, where S is a suitably shaped matrix of zeros with main diagonal s .

Parameters **a** : (M, N) array_like

Matrix to decompose.

full_matrices : bool, optional

If True, U and Vh are of shape (M, M) , (N, N) . If False, the shapes are (M, K) and (K, N) , where $K = \min(M, N)$.

compute_uv : bool, optional

Whether to compute also U and Vh in addition to s . Default is True.

overwrite_a : bool, optional

Whether to overwrite a ; may improve performance. Default is False.

check_finite : boolean, optional

Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns **U** : ndarray

Unitary matrix having left singular vectors as columns. Of shape (M, M) or (M, K) , depending on *full_matrices*.

s : ndarray

The singular values, sorted in non-increasing order. Of shape $(K,)$, with $K = \min(M, N)$.

Vh : ndarray

Unitary matrix having right singular vectors as rows. Of shape (N, N) or (K, N) depending on *full_matrices*.

For “**compute_uv = False**“, only ‘**s**‘ is returned. :

Raises **LinAlgError** :

If SVD computation does not converge.

See Also

[`svdvals`](#) Compute singular values of a matrix.

[`diagsvd`](#) Construct the Sigma matrix, given the vector s .

Examples

```
>>> from scipy import linalg
>>> a = np.random.randn(9, 6) + 1.j*np.random.randn(9, 6)
>>> U, s, Vh = linalg.svd(a)
>>> U.shape, Vh.shape, s.shape
((9, 9), (6, 6), (6,))

>>> U, s, Vh = linalg.svd(a, full_matrices=False)
>>> U.shape, Vh.shape, s.shape
((9, 6), (6, 6), (6,))
>>> S = linalg.diagsvd(s, 6, 6)
>>> np.allclose(a, np.dot(U, np.dot(S, Vh)))
True

>>> s2 = linalg.svd(a, compute_uv=False)
>>> np.allclose(s, s2)
True
```

`scipy.linalg.svdvals(a, overwrite_a=False, check_finite=True)`

Compute singular values of a matrix.

Parameters

- a** : (M, N) array_like
Matrix to decompose.
- overwrite_a** : bool, optional
Whether to overwrite *a*; may improve performance. Default is False.
- check_finite** : boolean, optional
Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

- s** : (min(M, N),) ndarray
The singular values, sorted in decreasing order.

Raises

- LinAlgError** :
If SVD computation does not converge.

See Also

svd Compute the full singular value decomposition of a matrix.

diagsvd Construct the Sigma matrix, given the vector *s*.

`scipy.linalg.diagsvd(s, M, N)`

Construct the sigma matrix in SVD from singular values and size M, N.

Parameters

- s** : (M,) or (N,) array_like
Singular values
- M** : int
Size of the matrix whose singular values are *s*.
- N** : int
Size of the matrix whose singular values are *s*.

Returns

- S** : (M, N) ndarray
The S-matrix in the singular value decomposition

`scipy.linalg.orth(A)`

Construct an orthonormal basis for the range of A using SVD

Parameters

- A** : (M, N) ndarray
Input array

Returns

- Q** : (M, K) ndarray

Orthonormal basis for the range of A. K = effective rank of A, as determined by automatic cutoff

See Also

svd Singular value decomposition of a matrix

`scipy.linalg.cholesky(a, lower=False, overwrite_a=False, check_finite=True)`

Compute the Cholesky decomposition of a matrix.

Returns the Cholesky decomposition, $A = LL^*$ or $A = U^*U$ of a Hermitian positive-definite matrix A.

Parameters

- a** : (M, M) array_like
Matrix to be decomposed
- lower** : bool
Whether to compute the upper or lower triangular Cholesky factorization. Default is upper-triangular.
- overwrite_a** : bool
Whether to overwrite data in *a* (may improve performance).
- check_finite** : boolean, optional
Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

- c** : (M, M) ndarray
Upper- or lower-triangular Cholesky factor of *a*.

Raises

- LinAlgError** : if decomposition fails.

Examples

```
>>> from scipy import array, linalg, dot
>>> a = array([[1, -2j], [2j, 5]])
>>> L = linalg.cholesky(a, lower=True)
>>> L
array([[ 1.+0.j,  0.+0.j],
       [ 0.+2.j,  1.+0.j]])
>>> dot(L, L.T.conj())
array([[ 1.+0.j,  0.-2.j],
       [ 0.+2.j,  5.+0.j]])
```

`scipy.linalg.cholesky_banded(ab, overwrite_ab=False, lower=False, check_finite=True)`

Cholesky decompose a banded Hermitian positive-definite matrix

The matrix *a* is stored in *ab* either in lower diagonal or upper diagonal ordered form:

$ab[u + i - j, j] == a[i, j]$ (if upper form; $i \leq j$) $ab[i - j, j] == a[i, j]$ (if lower form; $i \geq j$)

Example of *ab* (shape of *a* is (6,6), $u=2$):

```
upper form:
*   *   a02 a13 a24 a35
*   a01 a12 a23 a34 a45
a00 a11 a22 a33 a44 a55

lower form:
a00 a11 a22 a33 a44 a55
a10 a21 a32 a43 a54 *
a20 a31 a42 a53 *   *
```

Parameters

- ab** : (u + 1, M) array_like

Banded matrix
overwrite_ab : boolean
 Discard data in ab (may enhance performance)
lower : boolean
 Is the matrix in the lower form. (Default is upper form)
check_finite : boolean, optional
 Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.
Returns **c** : (u + 1, M) ndarray
 Cholesky factorization of a, in the same banded format as ab

`scipy.linalg.cho_factor(a, lower=False, overwrite_a=False, check_finite=True)`

Compute the Cholesky decomposition of a matrix, to use in `cho_solve`

Returns a matrix containing the Cholesky decomposition, $A = L L^*$ or $A = U^* U$ of a Hermitian positive-definite matrix a . The return value can be directly used as the first parameter to `cho_solve`.

Warning: The returned matrix also contains random data in the entries not used by the Cholesky decomposition. If you need to zero these entries, use the function `cholesky` instead.

Parameters **a** : (M, M) array_like
 Matrix to be decomposed
lower : boolean
 Whether to compute the upper or lower triangular Cholesky factorization (Default: upper-triangular)
overwrite_a : boolean
 Whether to overwrite data in a (may improve performance)
check_finite : boolean, optional
 Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.
Returns **c** : (M, M) ndarray
 Matrix whose upper or lower triangle contains the Cholesky factor of a . Other parts of the matrix contain random data.
lower : boolean
 Flag indicating whether the factor is in the lower or upper triangle
Raises **LinAlgError** :
 Raised if decomposition fails.

See Also

`cho_solve` Solve a linear set equations using the Cholesky factorization of a matrix.

`scipy.linalg.cho_solve(c_and_lower, b, overwrite_b=False, check_finite=True)`

Solve the linear equations $A x = b$, given the Cholesky factorization of A .

Parameters **(c, lower)** : tuple, (array, bool)
 Cholesky factorization of a, as given by `cho_factor`
b : array
 Right-hand side
check_finite : boolean, optional
 Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.
Returns **x** : array

The solution to the system $A x = b$

See Also

[`cho_factor`](#) Cholesky factorization of a matrix

`scipy.linalg.cho_solve_banded` (*cb_and_lower*, *b*, *overwrite_b=False*, *check_finite=True*)

Solve the linear equations $A x = b$, given the Cholesky factorization of A .

Parameters

- (cb, lower)** : tuple, (array, bool)
cb is the Cholesky factorization of A , as given by `cholesky_banded`. *lower* must be the same value that was given to `cholesky_banded`.
- b** : array
 Right-hand side
- overwrite_b** : bool
 If True, the function will overwrite the values in *b*.
- check_finite** : boolean, optional
 Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

- x** : array
 The solution to the system $A x = b$

See Also

[`cholesky_banded`](#)

Cholesky factorization of a banded matrix

Notes

New in version 0.8.0.

`scipy.linalg.qr` (*a*, *overwrite_a=False*, *lwork=None*, *mode='full'*, *pivoting=False*, *check_finite=True*)

Compute QR decomposition of a matrix.

Calculate the decomposition $A = Q R$ where Q is unitary/orthogonal and R upper triangular.

Parameters

- a** : (M, N) array_like
 Matrix to be decomposed
- overwrite_a** : bool, optional
 Whether data in *a* is overwritten (may improve performance)
- lwork** : int, optional
 Work array size, $lwork \geq a.shape[1]$. If None or -1, an optimal size is computed.
- mode** : {'full', 'r', 'economic', 'raw'}, optional
 Determines what information is to be returned: either both Q and R ('full', default), only R ('r') or both Q and R but computed in economy-size ('economic', see Notes). The final option 'raw' (added in Scipy 0.11) makes the function return two matrixes (Q , τ) in the internal format used by LAPACK.
- pivoting** : bool, optional
 Whether or not factorization should include pivoting for rank-revealing qr decomposition. If pivoting, compute the decomposition $A P = Q R$ as above, but where P is chosen such that the diagonal of R is non-increasing.
- check_finite** : boolean, optional
 Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

- Q** : float or complex ndarray
 Of shape (M, M), or (M, K) for `mode='economic'`. Not returned if `mode='r'`.

R : float or complex ndarray
 Of shape (M, N), or (K, N) for mode='economic'. K = min(M, N).
P : int ndarray
 Of shape (N,) for pivoting=True. Not returned if pivoting=False.
Raises **LinAlgError** :
 Raised if decomposition fails

Notes

This is an interface to the LAPACK routines dgeqrf, zgeqrf, dorgqr, zungqr, dgeqp3, and zgeqp3.

If mode=economic, the shapes of Q and R are (M, K) and (K, N) instead of (M,M) and (M,N), with K=min(M,N).

Examples

```
>>> from scipy import random, linalg, dot, diag, all, allclose
>>> a = random.randn(9, 6)

>>> q, r = linalg.qr(a)
>>> allclose(a, np.dot(q, r))
True
>>> q.shape, r.shape
((9, 9), (9, 6))

>>> r2 = linalg.qr(a, mode='r')
>>> allclose(r, r2)
True

>>> q3, r3 = linalg.qr(a, mode='economic')
>>> q3.shape, r3.shape
((9, 6), (6, 6))

>>> q4, r4, p4 = linalg.qr(a, pivoting=True)
>>> d = abs(diag(r4))
>>> all(d[1:] <= d[:-1])
True
>>> allclose(a[:, p4], dot(q4, r4))
True
>>> q4.shape, r4.shape, p4.shape
((9, 9), (9, 6), (6,))

>>> q5, r5, p5 = linalg.qr(a, mode='economic', pivoting=True)
>>> q5.shape, r5.shape, p5.shape
((9, 6), (6, 6), (6,))
```

`scipy.linalg.qr_multiply(a, c, mode='right', pivoting=False, conjugate=False, overwrite_a=False, overwrite_c=False)`

Calculate the QR decomposition and multiply Q with a matrix.

Calculate the decomposition $A = Q R$ where Q is unitary/orthogonal and R upper triangular. Multiply Q with a vector or a matrix c. New in version 0.11.0.

Parameters **a** : ndarray, shape (M, N)
 Matrix to be decomposed
c : ndarray, one- or two-dimensional
 calculate the product of c and q, depending on the mode:
mode : { 'left', 'right' }, optional

`dot(Q, c)` is returned if mode is 'left', `dot(c, Q)` is returned if mode is 'right'. The shape of `c` must be appropriate for the matrix multiplications, if mode is 'left', `min(a.shape) == c.shape[0]`, if mode is 'right', `a.shape[0] == c.shape[1]`.

pivoting : bool, optional

Whether or not factorization should include pivoting for rank-revealing qr decomposition, see the documentation of `qr`.

conjugate : bool, optional

Whether `Q` should be complex-conjugated. This might be faster than explicit conjugation.

overwrite_a : bool, optional

Whether data in `a` is overwritten (may improve performance)

overwrite_c : bool, optional

Whether data in `c` is overwritten (may improve performance). If this is used, `c` must be big enough to keep the result, i.e. `c.shape[0] = a.shape[0]` if mode is 'left'.

Returns

CQ : float or complex ndarray

the product of `Q` and `c`, as defined in mode

R : float or complex ndarray

Of shape (K, N) , $K = \min(M, N)$.

P : ndarray of ints

Of shape $(N,)$ for `pivoting=True`. Not returned if `pivoting=False`.

Raises

LinAlgError :

Raised if decomposition fails

Notes

This is an interface to the LAPACK routines `dgeqrf`, `zgeqrf`, `dormqr`, `zunmqr`, `dgeqp3`, and `zgeqp3`.

`scipy.linalg.qz(A, B, output='real', lwork=None, sort=None, overwrite_a=False, overwrite_b=False, check_finite=True)`

QZ decomposition for generalized eigenvalues of a pair of matrices.

The QZ, or generalized Schur, decomposition for a pair of $N \times N$ nonsymmetric matrices (A, B) is:

$$(A, B) = (Q * AA * Z', Q * BB * Z')$$

where AA, BB is in generalized Schur form if BB is upper-triangular with non-negative diagonal and AA is upper-triangular, or for real QZ decomposition (`output='real'`) block upper triangular with 1×1 and 2×2 blocks. In this case, the 1×1 blocks correspond to real generalized eigenvalues and 2×2 blocks are 'standardized' by making the corresponding elements of BB have the form:

$$\begin{bmatrix} a & 0 \\ 0 & b \end{bmatrix}$$

and the pair of corresponding 2×2 blocks in AA and BB will have a complex conjugate pair of generalized eigenvalues. If (`output='complex'`) or A and B are complex matrices, Z' denotes the conjugate-transpose of Z . Q and Z are unitary matrices. New in version 0.11.0.

Parameters **A** : (N, N) array_like

2d array to decompose

B : (N, N) array_like

2d array to decompose

output : str {'real', 'complex'}

Construct the real or complex QZ decomposition for real matrices. Default is 'real'.

lwork : int, optional

Work array size. If `None` or `-1`, it is automatically computed.

sort : {None, callable, 'lhp', 'rhp', 'iuc', 'ouc'}, optional

NOTE: THIS INPUT IS DISABLED FOR NOW, IT DOESN'T WORK WELL ON WINDOWS.

Specifies whether the upper eigenvalues should be sorted. A callable may be passed that, given a eigenvalue, returns a boolean denoting whether the eigenvalue should be sorted to the top-left (True). For real matrix pairs, the sort function takes three real arguments (alphan, alphas, beta). The eigenvalue $x = (\text{alphan} + \text{alphas} \cdot 1j) / \text{beta}$. For complex matrix pairs or `output='complex'`, the sort function takes two complex arguments (alpha, beta). The eigenvalue $x = (\text{alpha} / \text{beta})$. Alternatively, string parameters may be used:

- 'lhp' Left-hand plane ($x.\text{real} < 0.0$)
- 'rhp' Right-hand plane ($x.\text{real} > 0.0$)
- 'iuc' Inside the unit circle ($x * x.\text{conjugate}() \leq 1.0$)
- 'ouc' Outside the unit circle ($x * x.\text{conjugate}() > 1.0$)

Defaults to None (no sorting).

check_finite : boolean

If true checks the elements of *A* and *B* are finite numbers. If false does no checking and passes matrix through to underlying algorithm.

Returns

AA : (N, N) ndarray

Generalized Schur form of *A*.

BB : (N, N) ndarray

Generalized Schur form of *B*.

Q : (N, N) ndarray

The left Schur vectors.

Z : (N, N) ndarray

The right Schur vectors.

sdim : int, optional

If sorting was requested, a fifth return value will contain the number of eigenvalues for which the sort condition was True.

Notes

Q is transposed versus the equivalent function in Matlab.

Examples

```
>>> from scipy import linalg
>>> np.random.seed(1234)
>>> A = np.arange(9).reshape((3, 3))
>>> B = np.random.randn(3, 3)

>>> AA, BB, Q, Z = linalg.qz(A, B)
>>> AA
array([[ -13.40928183,  -4.62471562,   1.09215523],
       [  0.          ,   0.          ,   1.22805978],
       [  0.          ,   0.          ,   0.31973817]])
>>> BB
array([[ 0.33362547, -1.37393632,  0.02179805],
       [ 0.          ,  1.68144922,  0.74683866],
       [ 0.          ,  0.          ,  0.9258294 ]])
>>> Q
array([[ 0.14134727, -0.97562773,  0.16784365],
       [ 0.49835904, -0.07636948, -0.86360059],
       [ 0.85537081,  0.20571399,  0.47541828]])
>>> Z
array([[ -0.24900855, -0.51772687,  0.81850696],
       [ -0.79813178,  0.58842606,  0.12938478],
       [ -0.54861681, -0.6210585 , -0.55973739]])
```

```
scipy.linalg.schur(a, output='real', lwork=None, overwrite_a=False, sort=None,
                  check_finite=True)
```

Compute Schur decomposition of a matrix.

The Schur decomposition is:

$$A = Z T Z^H$$

where Z is unitary and T is either upper-triangular, or for real Schur decomposition (`output='real'`), quasi-upper triangular. In the quasi-triangular form, 2x2 blocks describing complex-valued eigenvalue pairs may extrude from the diagonal.

Parameters

- a** : (M, M) array_like
Matrix to decompose
- output** : {'real', 'complex'}, optional
Construct the real or complex Schur decomposition (for real matrices).
- lwork** : int, optional
Work array size. If None or -1, it is automatically computed.
- overwrite_a** : bool, optional
Whether to overwrite data in a (may improve performance).
- sort** : {None, callable, 'lhp', 'rhp', 'iuc', 'ouc'}, optional
Specifies whether the upper eigenvalues should be sorted. A callable may be passed that, given a eigenvalue, returns a boolean denoting whether the eigenvalue should be sorted to the top-left (True). Alternatively, string parameters may be used:
 - 'lhp' Left-hand plane ($x.\text{real} < 0.0$)
 - 'rhp' Right-hand plane ($x.\text{real} > 0.0$)
 - 'iuc' Inside the unit circle ($x*x.\text{conjugate}() \leq 1.0$)
 - 'ouc' Outside the unit circle ($x*x.\text{conjugate}() > 1.0$)
 Defaults to None (no sorting).
- check_finite** : boolean, optional
Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

- T** : (M, M) ndarray
Schur form of A. It is real-valued for the real Schur decomposition.
- Z** : (M, M) ndarray
An unitary Schur transformation matrix for A. It is real-valued for the real Schur decomposition.
- sdim** : int
If and only if sorting was requested, a third return value will contain the number of eigenvalues satisfying the sort condition.

Raises

LinAlgError :

Error raised under three conditions:

- 1.The algorithm failed due to a failure of the QR algorithm to compute all eigenvalues
- 2.If eigenvalue sorting was requested, the eigenvalues could not be reordered due to a failure to separate eigenvalues, usually because of poor conditioning
- 3.If eigenvalue sorting was requested, roundoff errors caused the leading eigenvalues to no longer satisfy the sorting condition

See Also

[`rsf2csf`](#) Convert real Schur form to complex Schur form

```
scipy.linalg.rsf2csf(T, Z, check_finite=True)
```

Convert real Schur form to complex Schur form.

Convert a quasi-diagonal real-valued Schur form to the upper triangular complex-valued Schur form.

Parameters

- T** : (M, M) array_like
Real Schur form of the original matrix
- Z** : (M, M) array_like
Schur transformation matrix
- check_finite** : boolean, optional
Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

- T** : (M, M) ndarray
Complex Schur form of the original matrix
- Z** : (M, M) ndarray
Schur transformation matrix corresponding to the complex form

See Also

schur Schur decompose a matrix

`scipy.linalg.hessenberg(a, calc_q=False, overwrite_a=False, check_finite=True)`
Compute Hessenberg form of a matrix.

The Hessenberg decomposition is:

$$A = Q H Q^H$$

where Q is unitary/orthogonal and H has only zero elements below the first sub-diagonal.

Parameters

- a** : (M, M) array_like
Matrix to bring into Hessenberg form.
- calc_q** : bool, optional
Whether to compute the transformation matrix. Default is False.
- overwrite_a** : bool, optional
Whether to overwrite a ; may improve performance. Default is False.
- check_finite** : boolean, optional
Whether to check the input matrixes contain only finite numbers. Disabling may give a performance gain, but may result to problems (crashes, non-termination) if the inputs do contain infinities or NaNs.

Returns

- H** : (M, M) ndarray
Hessenberg form of a .
- Q** : (M, M) ndarray
Unitary/orthogonal similarity transformation matrix $A = Q H Q^H$. Only returned if `calc_q=True`.

5.9.4 Matrix Functions

<code>expm(A[, q])</code>	Compute the matrix exponential using Pade approximation.
<code>expm2(A)</code>	Compute the matrix exponential using eigenvalue decomposition.
<code>expm3(A[, q])</code>	Compute the matrix exponential using Taylor series.
<code>logm(A[, disp])</code>	Compute matrix logarithm.
<code>cosm(A)</code>	Compute the matrix cosine.
<code>sinm(A)</code>	Compute the matrix sine.
<code>tanm(A)</code>	Compute the matrix tangent.
<code>coshm(A)</code>	Compute the hyperbolic matrix cosine.

Continued on next page

Table 5.63 – continued from previous page

<code>sinhm(A)</code>	Compute the hyperbolic matrix sine.
<code>tanhm(A)</code>	Compute the hyperbolic matrix tangent.
<code>signm(a[, disp])</code>	Matrix sign function.
<code>sqrtnm(A[, disp])</code>	Matrix square root.
<code>funm(A, func[, disp])</code>	Evaluate a matrix function specified by a callable.

`scipy.linalg.expm(A, q=None)`

Compute the matrix exponential using Pade approximation.

Parameters **A** : (N, N) array_like
Matrix to be exponentiated

Returns **expm** : (N, N) ndarray
Matrix exponential of A

References

N. J. Higham, “The Scaling and Squaring Method for the Matrix Exponential Revisited”, SIAM. J. Matrix Anal. & Appl. 26, 1179 (2005).

`scipy.linalg.expm2(A)`

Compute the matrix exponential using eigenvalue decomposition.

Parameters **A** : (N, N) array_like
Matrix to be exponentiated

Returns **expm2** : (N, N) ndarray
Matrix exponential of A

`scipy.linalg.expm3(A, q=20)`

Compute the matrix exponential using Taylor series.

Parameters **A** : (N, N) array_like
Matrix to be exponentiated

q : int
Order of the Taylor series

Returns **expm3** : (N, N) ndarray
Matrix exponential of A

`scipy.linalg.logm(A, disp=True)`

Compute matrix logarithm.

The matrix logarithm is the inverse of expm: $\text{expm}(\text{logm}(A)) == A$

Parameters **A** : (N, N) array_like
Matrix whose logarithm to evaluate

disp : bool, optional
Print warning if error in the result is estimated large instead of returning estimated error. (Default: True)

Returns **logm** : (N, N) ndarray
Matrix logarithm of A

errest : float
(if disp == False)
1-norm of the estimated error, $\|\text{err}\|_1 / \|A\|_1$

`scipy.linalg.cosm(A)`

Compute the matrix cosine.

This routine uses expm to compute the matrix exponentials.

Parameters **A** : (N, N) array_like
 Input array
Returns **cosm** : (N, N) ndarray
 Matrix cosine of A

`scipy.linalg.sinm(A)`
 Compute the matrix sine.

This routine uses `expm` to compute the matrix exponentials.

Parameters **A** : (N, N) array_like
 Input array.
Returns **sinm** : (N, N) ndarray
 Matrix cosine of A

`scipy.linalg.tanm(A)`
 Compute the matrix tangent.

This routine uses `expm` to compute the matrix exponentials.

Parameters **A** : (N, N) array_like
 Input array.
Returns **tanm** : (N, N) ndarray
 Matrix tangent of A

`scipy.linalg.coshm(A)`
 Compute the hyperbolic matrix cosine.

This routine uses `expm` to compute the matrix exponentials.

Parameters **A** : (N, N) array_like
 Input array.
Returns **coshm** : (N, N) ndarray
 Hyperbolic matrix cosine of A

`scipy.linalg.sinhm(A)`
 Compute the hyperbolic matrix sine.

This routine uses `expm` to compute the matrix exponentials.

Parameters **A** : (N, N) array_like
 Input array.
Returns **sinhm** : (N, N) ndarray
 Hyperbolic matrix sine of A

`scipy.linalg.tanhm(A)`
 Compute the hyperbolic matrix tangent.

This routine uses `expm` to compute the matrix exponentials.

Parameters **A** : (N, N) array_like
 Input array
Returns **tanhm** : (N, N) ndarray
 Hyperbolic matrix tangent of A

`scipy.linalg.signm(a, disp=True)`
 Matrix sign function.

Extension of the scalar `sign(x)` to matrices.

Parameters **A** : (N, N) array_like
 Matrix at which to evaluate the sign function
disp : bool, optional

Print warning if error in the result is estimated large instead of returning estimated error. (Default: True)

Returns **signm** : (N, N) ndarray
Value of the sign function at A

errest : float
(if `disp == False`)
1-norm of the estimated error, $\|err\|_1 / \|A\|_1$

Examples

```
>>> from scipy.linalg import signm, eigvals
>>> a = [[1,2,3], [1,2,1], [1,1,1]]
>>> eigvals(a)
array([ 4.12488542+0.j, -0.76155718+0.j,  0.63667176+0.j])
>>> eigvals(signm(a))
array([-1.+0.j,  1.+0.j,  1.+0.j])
```

`scipy.linalg.sqrtn`(A, *disp=True*)
Matrix square root.

Parameters **A** : (N, N) array_like
Matrix whose square root to evaluate

disp : bool, optional
Print warning if error in the result is estimated large instead of returning estimated error. (Default: True)

Returns **sqrtn** : (N, N) ndarray
Value of the sign function at A

errest : float
(if `disp == False`)
Frobenius norm of the estimated error, $\|err\|_F / \|A\|_F$

Notes

Uses algorithm by Nicholas J. Higham

`scipy.linalg.funm`(A, *func*, *disp=True*)
Evaluate a matrix function specified by a callable.

Returns the value of matrix-valued function f at A. The function f is an extension of the scalar-valued function *func* to matrices.

Parameters **A** : (N, N) array_like
Matrix at which to evaluate the function

func : callable
Callable object that evaluates a scalar function f . Must be vectorized (eg. using `vectorize`).

disp : bool, optional
Print warning if error in the result is estimated large instead of returning estimated error. (Default: True)

Returns **funm** : (N, N) ndarray
Value of the matrix function specified by *func* evaluated at A

errest : float
(if `disp == False`)
1-norm of the estimated error, $\|err\|_1 / \|A\|_1$

5.9.5 Matrix Equation Solvers

<code>solve_sylvester(a, b, q)</code>	Computes a solution (X) to the Sylvester equation ($AX + XB = Q$).
<code>solve_continuous_are(a, b, q, r)</code>	Solves the continuous algebraic Riccati equation, or CARE, defined
<code>solve_discrete_are(a, b, q, r)</code>	Solves the discrete algebraic Riccati equation, or DARE, defined as
<code>solve_discrete_lyapunov(a, q)</code>	Solves the Discrete Lyapunov Equation ($A^T X A - X = -Q$) directly.
<code>solve_lyapunov(a, q)</code>	Solves the continuous Lyapunov equation ($AX + XA^T = -Q$) given the values

`scipy.linalg.solve_sylvester(a, b, q)`

Computes a solution (X) to the Sylvester equation ($AX + XB = Q$). New in version 0.11.0.

Parameters

- a** : (M, M) array_like
Leading matrix of the Sylvester equation
- b** : (N, N) array_like
Trailing matrix of the Sylvester equation
- q** : (M, N) array_like
Right-hand side

Returns

- x** : (M, N) ndarray
The solution to the Sylvester equation.

Raises

- LinAlgError** :
If solution was not found

Notes

Computes a solution to the Sylvester matrix equation via the Bartels- Stewart algorithm. The A and B matrices first undergo Schur decompositions. The resulting matrices are used to construct an alternative Sylvester equation ($RY + YS^T = F$) where the R and S matrices are in quasi-triangular form (or, when R, S or F are complex, triangular form). The simplified equation is then solved using *TRSYL from LAPACK directly.

`scipy.linalg.solve_continuous_are(a, b, q, r)`

Solves the continuous algebraic Riccati equation, or CARE, defined as ($A^T X + XA - XBR^{-1}B^T X + Q = 0$) directly using a Schur decomposition method. New in version 0.11.0.

Parameters

- a** : (M, M) array_like
Input
- b** : (M, N) array_like
Input
- q** : (M, M) array_like
Input
- r** : (N, N) array_like
Non-singular, square matrix

Returns

- x** : (M, M) ndarray
Solution to the continuous algebraic Riccati equation

See Also

`solve_discrete_are`

Solves the discrete algebraic Riccati equation

Notes

Method taken from: Laub, "A Schur Method for Solving Algebraic Riccati Equations." U.S. Energy Research and Development Agency under contract ERDA-E(49-18)-2087. <http://dspace.mit.edu/bitstream/handle/1721.1/1301/R-0859-05666488.pdf>

`scipy.linalg.solve_discrete_are(a, b, q, r)`

Solves the discrete algebraic Riccati equation, or DARE, defined as ($X = A^T X A - (A^T X B)(R + B^T X B)^{-1}(B^T X A) + Q$), directly using a Schur decomposition method. New in version 0.11.0.

Parameters

- a** : (M, M) array_like
Non-singular, square matrix
- b** : (M, N) array_like
Input
- q** : (M, M) array_like
Input
- r** : (N, N) array_like
Non-singular, square matrix

Returns

- x** : ndarray
Solution to the continuous Lyapunov equation

See Also

[*solve_continuous_are*](#)

Solves the continuous algebraic Riccati equation

Notes

Method taken from: Laub, "A Schur Method for Solving Algebraic Riccati Equations." U.S. Energy Research and Development Agency under contract ERDA-E(49-18)-2087. <http://dspace.mit.edu/bitstream/handle/1721.1/1301/R-0859-05666488.pdf>

`scipy.linalg.solve_discrete_lyapunov(a, q)`

Solves the Discrete Lyapunov Equation ($A^T X A - X = -Q$) directly. New in version 0.11.0.

Parameters

- a** : (M, M) array_like
A square matrix
- q** : (M, M) array_like
Right-hand side square matrix

Returns

- x** : ndarray
Solution to the continuous Lyapunov equation

Notes

Algorithm is based on a direct analytical solution from: Hamilton, James D. Time Series Analysis, Princeton: Princeton University Press, 1994. 265. Print. <http://www.scribd.com/doc/20577138/Hamilton-1994-Time-Series-Analysis>

`scipy.linalg.solve_lyapunov(a, q)`

Solves the continuous Lyapunov equation ($AX + XA^H = Q$) given the values of A and Q using the Bartels-Stewart algorithm. New in version 0.11.0.

Parameters

- a** : array_like
A square matrix
- q** : array_like
Right-hand side square matrix

Returns

- x** : array_like
Solution to the continuous Lyapunov equation

See Also

[*solve_sylvester*](#)

computes the solution to the Sylvester equation

Notes

Because the continuous Lyapunov equation is just a special form of the Sylvester equation, this solver relies entirely on `solve_sylvester` for a solution.

5.9.6 Special Matrices

<code>block_diag(*arrs)</code>	Create a block diagonal matrix from provided arrays.
<code>circulant(c)</code>	Construct a circulant matrix.
<code>companion(a)</code>	Create a companion matrix.
<code>hadamard(n[, dtype])</code>	Construct a Hadamard matrix.
<code>hankel(c[, r])</code>	Construct a Hankel matrix.
<code>hilbert(n)</code>	Create a Hilbert matrix of order n .
<code>invhilbert(n[, exact])</code>	Compute the inverse of the Hilbert matrix of order n .
<code>leslie(f, s)</code>	Create a Leslie matrix.
<code>pascal(n[, kind, exact])</code>	Returns the $n \times n$ Pascal matrix.
<code>toeplitz(c[, r])</code>	Construct a Toeplitz matrix.
<code>tri(N[, M, k, dtype])</code>	Construct (N, M) matrix filled with ones at and below the k -th diagonal.

`scipy.linalg.block_diag(*arrs)`

Create a block diagonal matrix from provided arrays.

Given the inputs A , B and C , the output will have these arrays arranged on the diagonal:

```
[[A, 0, 0],
 [0, B, 0],
 [0, 0, C]]
```

Parameters A, B, C, \dots : array_like, up to 2-D

Input arrays. A 1-D array or array_like sequence of length n is treated as a 2-D array with shape $(1, n)$.

Returns D : ndarray

Array with A, B, C, \dots on the diagonal. D has the same dtype as A .

Notes

If all the input arrays are square, the output is known as a block diagonal matrix.

Examples

```
>>> from scipy.linalg import block_diag
>>> A = [[1, 0],
...      [0, 1]]
>>> B = [[3, 4, 5],
...      [6, 7, 8]]
>>> C = [[7]]
>>> block_diag(A, B, C)
[[1 0 0 0 0 0]
 [0 1 0 0 0 0]
 [0 0 3 4 5 0]
 [0 0 6 7 8 0]
 [0 0 0 0 0 7]]
>>> block_diag(1.0, [2, 3], [[4, 5], [6, 7]])
array([[ 1.,  0.,  0.,  0.,  0.],
       [ 0.,  2.,  3.,  0.,  0.],
       [ 0.,  0.,  0.,  4.,  5.],
       [ 0.,  0.,  0.,  6.,  7.]])
```

`scipy.linalg.circulant(c)`

Construct a circulant matrix.

Parameters **c** : (N,) array_like
 1-D array, the first column of the matrix.
Returns **A** : (N, N) ndarray
 A circulant matrix whose first column is *c*.

See Also

`toeplitz` Toeplitz matrix

`hankel` Hankel matrix

Notes

New in version 0.8.0.

Examples

```
>>> from scipy.linalg import circulant
>>> circulant([1, 2, 3])
array([[1, 3, 2],
       [2, 1, 3],
       [3, 2, 1]])
```

`scipy.linalg.companion(a)`

Create a companion matrix.

Create the companion matrix [R47] associated with the polynomial whose coefficients are given in *a*.

Parameters **a** : (N,) array_like
 1-D array of polynomial coefficients. The length of *a* must be at least two, and *a*[0] must not be zero.
Returns **c** : (N-1, N-1) ndarray
 The first row of *c* is $-a[1:] / a[0]$, and the first sub-diagonal is all ones. The data-type of the array is the same as the data-type of $1.0 * a[0]$.
Raises **ValueError** :
 If any of the following are true: a) *a*.ndim != 1; b) *a*.size < 2; c) *a*[0] == 0.

Notes

New in version 0.8.0.

References

[R47]

Examples

```
>>> from scipy.linalg import companion
>>> companion([1, -10, 31, -30])
array([[ 10., -31.,  30.],
       [  1.,   0.,   0.],
       [  0.,   1.,   0.]])
```

`scipy.linalg.hadamard(n, dtype=<type 'int'>)`

Construct a Hadamard matrix.

Constructs an n-by-n Hadamard matrix, using Sylvester's construction. *n* must be a power of 2.

Parameters **n** : int
 The order of the matrix. *n* must be a power of 2.

dtype : numpy dtype
The data type of the array to be constructed.

Returns **H** : (n, n) ndarray
The Hadamard matrix.

Notes

New in version 0.8.0.

Examples

```
>>> from scipy.linalg import hadamard
>>> hadamard(2, dtype=complex)
array([[ 1.+0.j,  1.+0.j],
       [ 1.+0.j, -1.-0.j]])
>>> hadamard(4)
array([[ 1,  1,  1,  1],
       [ 1, -1,  1, -1],
       [ 1,  1, -1, -1],
       [ 1, -1, -1,  1]])
```

`scipy.linalg.hankel` (*c*, *r=None*)

Construct a Hankel matrix.

The Hankel matrix has constant anti-diagonals, with *c* as its first column and *r* as its last row. If *r* is not given, then *r* = `zeros_like(c)` is assumed.

Parameters **c** : array_like
First column of the matrix. Whatever the actual shape of *c*, it will be converted to a 1-D array.

r : array_like
Last row of the matrix. If None, *r* = `zeros_like(c)` is assumed. *r*[0] is ignored; the last row of the returned matrix is [*c*[-1], *r*[1:]]. Whatever the actual shape of *r*, it will be converted to a 1-D array.

Returns **A** : (len(*c*), len(*r*)) ndarray
The Hankel matrix. Dtype is the same as `(c[0] + r[0]).dtype`.

See Also

`toeplitz` Toeplitz matrix

`circulant` circulant matrix

Examples

```
>>> from scipy.linalg import hankel
>>> hankel([1, 17, 99])
array([[ 1, 17, 99],
       [17, 99,  0],
       [99,  0,  0]])
>>> hankel([1, 2, 3, 4], [4, 7, 7, 8, 9])
array([[1, 2, 3, 4, 7],
       [2, 3, 4, 7, 7],
       [3, 4, 7, 7, 8],
       [4, 7, 7, 8, 9]])
```

`scipy.linalg.hilbert` (*n*)

Create a Hilbert matrix of order *n*.

Returns the *n* by *n* array with entries $h[i,j] = 1/(i + j + 1)$.

Parameters **n** : int
The size of the array to create.

Returns **h** : (n, n) ndarray
The Hilbert matrix.

See Also

[invhilbert](#) Compute the inverse of a Hilbert matrix.

Notes

New in version 0.10.0.

Examples

```
>>> from scipy.linalg import hilbert
>>> hilbert(3)
array([[ 1.          ,  0.5          ,  0.33333333],
       [ 0.5         ,  0.33333333,  0.25         ],
       [ 0.33333333,  0.25         ,  0.2          ]])
```

`scipy.linalg.invhilbert` (*n*, *exact=False*)

Compute the inverse of the Hilbert matrix of order *n*.

The entries in the inverse of a Hilbert matrix are integers. When *n* is greater than 14, some entries in the inverse exceed the upper limit of 64 bit integers. The *exact* argument provides two options for dealing with these large integers.

Parameters **n** : int
The order of the Hilbert matrix.

exact : bool
If False, the data type of the array that is returned is `np.float64`, and the array is an approximation of the inverse. If True, the array is the exact integer inverse array. To represent the exact inverse when *n* > 14, the returned array is an object array of long integers. For *n* <= 14, the exact inverse is returned as an array with data type `np.int64`.

Returns **invh** : (n, n) ndarray
The data type of the array is `np.float64` if *exact* is False. If *exact* is True, the data type is either `np.int64` (for *n* <= 14) or `object` (for *n* > 14). In the latter case, the objects in the array will be long integers.

See Also

[hilbert](#) Create a Hilbert matrix.

Notes

New in version 0.10.0.

Examples

```
>>> from scipy.linalg import invhilbert
>>> invhilbert(4)
array([[ 16., -120.,  240., -140.],
       [-120., 1200., -2700., 1680.],
       [ 240., -2700., 6480., -4200.],
       [-140., 1680., -4200., 2800.]])
>>> invhilbert(4, exact=True)
array([[ 16, -120,  240, -140],
       [-120, 1200, -2700, 1680],
```

```

    [ 240, -2700, 6480, -4200],
    [-140, 1680, -4200, 2800]], dtype=int64)
>>> invhilbert(16)[7,7]
4.2475099528537506e+19
>>> invhilbert(16, exact=True)[7,7]
42475099528537378560L

```

`scipy.linalg.leslie` (*f*, *s*)

Create a Leslie matrix.

Given the length *n* array of fecundity coefficients *f* and the length *n*-1 array of survival coefficients *s*, return the associated Leslie matrix.

Parameters

- f**: (N,) array_like
The “fecundity” coefficients.
- s**: (N-1,) array_like
The “survival” coefficients, has to be 1-D. The length of *s* must be one less than the length of *f*, and it must be at least 1.

Returns

- L**: (N, N) ndarray
The array is zero except for the first row, which is *f*, and the first sub-diagonal, which is *s*. The data-type of the array will be the data-type of `f[0]+s[0]`.

Notes

New in version 0.8.0. The Leslie matrix is used to model discrete-time, age-structured population growth [R48] [R49]. In a population with *n* age classes, two sets of parameters define a Leslie matrix: the *n* “fecundity coefficients”, which give the number of offspring per-capita produced by each age class, and the *n* - 1 “survival coefficients”, which give the per-capita survival rate of each age class.

References

[R48], [R49]

Examples

```

>>> from scipy.linalg import leslie
>>> leslie([0.1, 2.0, 1.0, 0.1], [0.2, 0.8, 0.7])
array([[ 0.1,  2. ,  1. ,  0.1],
       [ 0.2,  0. ,  0. ,  0. ],
       [ 0. ,  0.8,  0. ,  0. ],
       [ 0. ,  0. ,  0.7,  0. ]])

```

`scipy.linalg.pascal` (*n*, *kind*=‘symmetric’, *exact*=True)

Returns the *n* x *n* Pascal matrix.

The Pascal matrix is a matrix containing the binomial coefficients as its elements. New in version 0.11.0.

Parameters

- n**: int
The size of the matrix to create; that is, the result is an *n* x *n* matrix.
- kind**: str, optional
Must be one of ‘symmetric’, ‘lower’, or ‘upper’. Default is ‘symmetric’.
- exact**: bool, optional
If *exact* is True, the result is either an array of type `numpy.uint64` (if *n* <= 35) or an object array of Python long integers. If *exact* is False, the coefficients in the matrix are computed using `scipy.misc.comb` with *exact*=False. The result will be a floating point array, and the values in the array will not be the exact coefficients, but this version is much faster than *exact*=True.

Returns

- p**: (n, n) ndarray
The Pascal matrix.

Notes

See http://en.wikipedia.org/wiki/Pascal_matrix for more information about Pascal matrices.

Examples

```
>>> from scipy.linalg import pascal
>>> pascal(4)
array([[ 1,  1,  1,  1],
       [ 1,  2,  3,  4],
       [ 1,  3,  6, 10],
       [ 1,  4, 10, 20]], dtype=uint64)
>>> pascal(4, kind='lower')
array([[1, 0, 0, 0],
       [1, 1, 0, 0],
       [1, 2, 1, 0],
       [1, 3, 3, 1]], dtype=uint64)
>>> pascal(50)[-1, -1]
25477612258980856902730428600L
>>> from scipy.misc import comb
>>> comb(98, 49, exact=True)
25477612258980856902730428600L
```

`scipy.linalg.toeplitz(c, r=None)`

Construct a Toeplitz matrix.

The Toeplitz matrix has constant diagonals, with *c* as its first column and *r* as its first row. If *r* is not given, *r* == `conjugate(c)` is assumed.

Parameters *c* : array_like

First column of the matrix. Whatever the actual shape of *c*, it will be converted to a 1-D array.

r : array_like

First row of the matrix. If `None`, *r* = `conjugate(c)` is assumed; in this case, if *c*[0] is real, the result is a Hermitian matrix. *r*[0] is ignored; the first row of the returned matrix is [*c*[0], *r*[1:]]. Whatever the actual shape of *r*, it will be converted to a 1-D array.

Returns *A* : (len(*c*), len(*r*)) ndarray

The Toeplitz matrix. Dtype is the same as `(c[0] + r[0]).dtype`.

See Also

[*circulant*](#) circulant matrix

[*hankel*](#) Hankel matrix

Notes

The behavior when *c* or *r* is a scalar, or when *c* is complex and *r* is `None`, was changed in version 0.8.0. The behavior in previous versions was undocumented and is no longer supported.

Examples

```
>>> from scipy.linalg import toeplitz
>>> toeplitz([1,2,3], [1,4,5,6])
array([[1, 4, 5, 6],
       [2, 1, 4, 5],
       [3, 2, 1, 4]])
>>> toeplitz([1.0, 2+3j, 4-1j])
array([[ 1.+0.j,  2.-3.j,  4.+1.j],
```

```
[ 2.+3.j,  1.+0.j,  2.-3.j],
 [ 4.-1.j,  2.+3.j,  1.+0.j]])
```

`scipy.linalg.tri` (N , $M=None$, $k=0$, $dtype=None$)

Construct (N , M) matrix filled with ones at and below the k -th diagonal.

The matrix has $A[i,j] == 1$ for $i \leq j + k$

Parameters

- N** : integer
The size of the first dimension of the matrix.
- M** : integer or None
The size of the second dimension of the matrix. If M is None, $M = N$ is assumed.
- k** : integer
Number of subdiagonal below which matrix is filled with ones. $k = 0$ is the main diagonal, $k < 0$ subdiagonal and $k > 0$ superdiagonal.
- dtype** : dtype
Data type of the matrix.

Returns

- tri** : (N , M) ndarray
Tri matrix.

Examples

```
>>> from scipy.linalg import tri
>>> tri(3, 5, 2, dtype=int)
array([[1, 1, 1, 0, 0],
       [1, 1, 1, 1, 0],
       [1, 1, 1, 1, 1]])
>>> tri(3, 5, -1, dtype=int)
array([[0, 0, 0, 0, 0],
       [1, 0, 0, 0, 0],
       [1, 1, 0, 0, 0]])
```

5.9.7 Low-level routines

<code>get_blas_funcs</code> (names[, arrays, dtype])	Return available BLAS function objects from names.
<code>get_lapack_funcs</code> (names[, arrays, dtype])	Return available LAPACK function objects from names.
<code>find_best_blas_type</code> ([arrays, dtype])	Find best-matching BLAS/LAPACK type.
<code>scipy.linalg.blas</code>	Low-level BLAS functions
<code>scipy.linalg.lapack</code>	Low-level LAPACK functions

`scipy.linalg.get_blas_funcs` (names, arrays=(), dtype=None)

Return available BLAS function objects from names.

Arrays are used to determine the optimal prefix of BLAS routines.

Parameters

- names** : str or sequence of str
Name(s) of BLAS functions without type prefix.
- arrays** : sequence of ndarrays, optional
Arrays can be given to determine optimal prefix of BLAS routines. If not given, double-precision routines will be used, otherwise the most generic type in arrays will be used.
- dtype** : str or dtype, optional
Data-type specifier. Not used if *arrays* is non-empty.

Returns

- funcs** : list

List containing the found function(s).

Notes

This routines automatically chooses between Fortran/C interfaces. Fortran code is used whenever possible for arrays with column major order. In all other cases, C code is preferred.

In BLAS, the naming convention is that all functions start with a type prefix, which depends on the type of the principal matrix. These can be one of {'s', 'd', 'c', 'z'} for the numpy types {float32, float64, complex64, complex128} respectively. The code and the dtype are stored in attributes *typecode* and *dtype* of the returned functions.

`scipy.linalg.get_lapack_funcs` (*names*, *arrays=()*, *dtype=None*)

Return available LAPACK function objects from names.

Arrays are used to determine the optimal prefix of LAPACK routines.

- Parameters**
- names** : str or sequence of str
Name(s) of LAPACK functions without type prefix.
 - arrays** : sequence of ndarrays, optional
Arrays can be given to determine optimal prefix of LAPACK routines. If not given, double-precision routines will be used, otherwise the most generic type in arrays will be used.
 - dtype** : str or dtype, optional
Data-type specifier. Not used if *arrays* is non-empty.
- Returns**
- funcs** : list
List containing the found function(s).

Notes

This routines automatically chooses between Fortran/C interfaces. Fortran code is used whenever possible for arrays with column major order. In all other cases, C code is preferred.

In LAPACK, the naming convention is that all functions start with a type prefix, which depends on the type of the principal matrix. These can be one of {'s', 'd', 'c', 'z'} for the numpy types {float32, float64, complex64, complex128} respectively, and are stored in attribute *typecode* of the returned functions.

`scipy.linalg.find_best_blas_type` (*arrays=()*, *dtype=None*)

Find best-matching BLAS/LAPACK type.

Arrays are used to determine the optimal prefix of BLAS routines.

- Parameters**
- arrays** : sequence of ndarrays, optional
Arrays can be given to determine optimal prefix of BLAS routines. If not given, double-precision routines will be used, otherwise the most generic type in arrays will be used.
 - dtype** : str or dtype, optional
Data-type specifier. Not used if *arrays* is non-empty.
- Returns**
- prefix** : str
BLAS/LAPACK prefix character.
 - dtype** : dtype
Inferred Numpy data type.
 - prefer_fortran** : bool
Whether to prefer Fortran order routines over C order.

Low-level BLAS functions

This module contains low-level functions from the BLAS library. New in version 0.12.0.

Warning: These functions do little to no error checking. It is possible to cause crashes by mis-using them, so prefer using the higher-level routines in `scipy.linalg`.

Finding functions

<code>get_blas_funcs(names[, arrays, dtype])</code>	Return available BLAS function objects from names.
<code>find_best_blas_type([arrays, dtype])</code>	Find best-matching BLAS/LAPACK type.

All functions

<code>caxpy</code>	<code>caxpy</code> - Function signature:
<code>ccopy</code>	<code>ccopy</code> - Function signature:
<code>cdotc</code>	<code>cdotc</code> - Function signature:
<code>cdotu</code>	<code>cdotu</code> - Function signature:
<code>cgemm</code>	<code>cgemm</code> - Function signature:
<code>cgemv</code>	<code>cgemv</code> - Function signature:
<code>cgerc</code>	<code>cgerc</code> - Function signature:
<code>cgeru</code>	<code>cgeru</code> - Function signature:
<code>chemv</code>	<code>chemv</code> - Function signature:
<code>crotg</code>	<code>crotg</code> - Function signature:
<code>cscal</code>	<code>cscal</code> - Function signature:
<code>csrot</code>	<code>csrot</code> - Function signature:
<code>csscal</code>	<code>csscal</code> - Function signature:
<code>cswap</code>	<code>cswap</code> - Function signature:
<code>ctrmv</code>	<code>ctrmv</code> - Function signature:
<code>dasum</code>	<code>dasum</code> - Function signature:
<code>daxpy</code>	<code>daxpy</code> - Function signature:
<code>dcopy</code>	<code>dcopy</code> - Function signature:
<code>ddot</code>	<code>ddot</code> - Function signature:
<code>dgemm</code>	<code>dgemm</code> - Function signature:
<code>dgemv</code>	<code>dgemv</code> - Function signature:
<code>dger</code>	<code>dger</code> - Function signature:
<code>dnrm2</code>	<code>dnrm2</code> - Function signature:
<code>drot</code>	<code>drot</code> - Function signature:
<code>drotg</code>	<code>drotg</code> - Function signature:
<code>drotm</code>	<code>drotm</code> - Function signature:
<code>drotmg</code>	<code>drotmg</code> - Function signature:
<code>dscal</code>	<code>dscal</code> - Function signature:
<code>dswap</code>	<code>dswap</code> - Function signature:
<code>dsymv</code>	<code>dsymv</code> - Function signature:
<code>dtrmv</code>	<code>dtrmv</code> - Function signature:
<code>dzasum</code>	<code>dzasum</code> - Function signature:
<code>dznrm2</code>	<code>dznrm2</code> - Function signature:
<code>icamax</code>	<code>icamax</code> - Function signature:
<code>idamax</code>	<code>idamax</code> - Function signature:
<code>isamax</code>	<code>isamax</code> - Function signature:
<code>izamax</code>	<code>izamax</code> - Function signature:

Continued on next page

Table 5.68 – continued from previous page

<code>sasum</code>	<code>sasum</code> - Function signature:
<code>saxpy</code>	<code>saxpy</code> - Function signature:
<code>scasum</code>	<code>scasum</code> - Function signature:
<code>scnrm2</code>	<code>scnrm2</code> - Function signature:
<code>scopy</code>	<code>scopy</code> - Function signature:
<code>sdot</code>	<code>sdot</code> - Function signature:
<code>sgemm</code>	<code>sgemm</code> - Function signature:
<code>sgemv</code>	<code>sgemv</code> - Function signature:
<code>sger</code>	<code>sger</code> - Function signature:
<code>snrm2</code>	<code>snrm2</code> - Function signature:
<code>srot</code>	<code>srot</code> - Function signature:
<code>srotg</code>	<code>srotg</code> - Function signature:
<code>srotm</code>	<code>srotm</code> - Function signature:
<code>srotmg</code>	<code>srotmg</code> - Function signature:
<code>sscal</code>	<code>sscal</code> - Function signature:
<code>sswap</code>	<code>sswap</code> - Function signature:
<code>ssymv</code>	<code>ssymv</code> - Function signature:
<code>strmv</code>	<code>strmv</code> - Function signature:
<code>zaxpy</code>	<code>zaxpy</code> - Function signature:
<code>zcopy</code>	<code>zcopy</code> - Function signature:
<code>zdotc</code>	<code>zdotc</code> - Function signature:
<code>zdotu</code>	<code>zdotu</code> - Function signature:
<code>zdrot</code>	<code>zdrot</code> - Function signature:
<code>zdscal</code>	<code>zdscal</code> - Function signature:
<code>zgemm</code>	<code>zgemm</code> - Function signature:
<code>zgemv</code>	<code>zgemv</code> - Function signature:
<code>zgerc</code>	<code>zgerc</code> - Function signature:
<code>zgeru</code>	<code>zgeru</code> - Function signature:
<code>zhemv</code>	<code>zhemv</code> - Function signature:
<code>zrotg</code>	<code>zrotg</code> - Function signature:
<code>zscal</code>	<code>zscal</code> - Function signature:
<code>zswap</code>	<code>zswap</code> - Function signature:
<code>ztrmv</code>	<code>ztrmv</code> - Function signature:

`scipy.linalg.blas.caxpy` = <fortran object>

***caxpy* - Function signature:**

`z = caxpy(x,y,[n,a,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('F') with bounds (*) `y` : input rank-1 array('F') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `a` := (1.0, 0.0) input complex `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`z` : rank-1 array('F') with bounds (*) and `y` storage

`scipy.linalg.blas.ccopy` = <fortran object>

ccopy - Function signature:

`y = ccopy(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('F') with bounds (*) `y` : input rank-1 array('F') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`y` : rank-1 array('F') with bounds (*)

`scipy.linalg.blas.cdote` = <fortran object>

cdote - Function signature:

`xy = cdote(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('F') with bounds (*) `y` : input rank-1 array('F') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`xy` : complex

`scipy.linalg.blas.cdotu` = <fortran object>

cdotu - Function signature:

`xy = cdotu(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('F') with bounds (*) `y` : input rank-1 array('F') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`xy` : complex

`scipy.linalg.blas.cgemm` = <fortran object>

cgemm - Function signature:

`c = cgemm(alpha,a,b,[beta,c,trans_a,trans_b,overwrite_c])`

Required arguments:

`alpha` : input complex `a` : input rank-2 array('F') with bounds (lda,ka) `b` : input rank-2 array('F') with bounds (ldb,kb)

Optional arguments:

`beta` := (0.0, 0.0) input complex `c` : input rank-2 array('F') with bounds (m,n) `overwrite_c` := 0 input int `trans_a` := 0 input int `trans_b` := 0 input int

Return objects:

`c` : rank-2 array('F') with bounds (m,n)

`scipy.linalg.blas.cgemv` = <fortran object>

cgemv - Function signature:

`y = cgemv(alpha,a,x,[beta,y,offx,incx,offy,incy,trans,overwrite_y])`

Required arguments:

`alpha` : input complex `a` : input rank-2 array('F') with bounds (m,n) `x` : input rank-1 array('F') with bounds (*)

Optional arguments:

`beta` := (0.0, 0.0) input complex `y` : input rank-1 array('F') with bounds (ly) `overwrite_y` := 0 input int `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int `trans` := 0 input int

Return objects:

`y` : rank-1 array('F') with bounds (ly)

`scipy.linalg.blas.cgerc` = <fortran object>

cgerc - Function signature:

`a = cgerc(alpha,x,y,[incx,incy,a,overwrite_x,overwrite_y,overwrite_a])`

Required arguments:

`alpha` : input complex `x` : input rank-1 array('F') with bounds (m) `y` : input rank-1 array('F') with bounds (n)

Optional arguments:

`overwrite_x` := 1 input int `incx` := 1 input int `overwrite_y` := 1 input int `incy` := 1 input int `a` := (0.0,0.0) input rank-2 array('F') with bounds (m,n) `overwrite_a` := 0 input int

Return objects:

`a` : rank-2 array('F') with bounds (m,n)

`scipy.linalg.blas.cgeru` = <fortran object>

cgeru - Function signature:

`a = cgeru(alpha,x,y,[incx,incy,a,overwrite_x,overwrite_y,overwrite_a])`

Required arguments:

`alpha` : input complex `x` : input rank-1 array('F') with bounds (m) `y` : input rank-1 array('F') with bounds (n)

Optional arguments:

`overwrite_x` := 1 input int `incx` := 1 input int `overwrite_y` := 1 input int `incy` := 1 input int `a` := (0.0,0.0) input rank-2 array('F') with bounds (m,n) `overwrite_a` := 0 input int

Return objects:

`a` : rank-2 array('F') with bounds (m,n)

`scipy.linalg.blas.chemv` = <fortran object>

chemv - Function signature:

`y = chemv(alpha,a,x,[beta,y,offx,incx,offy,incy,lower,overwrite_y])`

Required arguments:

`alpha` : input complex `a` : input rank-2 array('F') with bounds (n,n) `x` : input rank-1 array('F') with bounds (*)

Optional arguments:

beta := (0.0, 0.0) input complex y : input rank-1 array('F') with bounds (ly) overwrite_y := 0
 input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int lower := 0
 input int

Return objects:

y : rank-1 array('F') with bounds (ly)

scipy.linalg.blas.crotg = <fortran object>

crotg - Function signature:

c,s = crotg(a,b)

Required arguments:

a : input complex b : input complex

Return objects:

c : complex s : complex

scipy.linalg.blas.cscal = <fortran object>

cscal - Function signature:

x = cscal(a,x,[n,offx,incx])

Required arguments:

a : input complex x : input rank-1 array('F') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

x : rank-1 array('F') with bounds (*)

scipy.linalg.blas.csrot = <fortran object>

csrot - Function signature:

x,y = csrot(x,y,c,s,[n,offx,incx,offy,incy,overwrite_x,overwrite_y])

Required arguments:

x : input rank-1 array('F') with bounds (*) y : input rank-1 array('F') with bounds (*) c : input
 float s : input float

Optional arguments:

n := (len(x)-offx)/abs(incx) input int overwrite_x := 0 input int offx := 0 input int incx := 1 input
 int overwrite_y := 0 input int offy := 0 input int incy := 1 input int

Return objects:

x : rank-1 array('F') with bounds (*) y : rank-1 array('F') with bounds (*)

scipy.linalg.blas.csscal = <fortran object>

csscal - Function signature:

x = csscal(a,x,[n,offx,incx,overwrite_x])

Required arguments:

a : input float x : input rank-1 array('F') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int overwrite_x := 0 input int offx := 0 input int incx := 1 input int

Return objects:

x : rank-1 array('F') with bounds (*)

scipy.linalg.blas.**cswap** = <fortran object>

cswap - Function signature:

x,y = cswap(x,y,[n,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('F') with bounds (*) y : input rank-1 array('F') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

x : rank-1 array('F') with bounds (*) y : rank-1 array('F') with bounds (*)

scipy.linalg.blas.**ctrmv** = <fortran object>

ctrmv - Function signature:

x = ctrmv(a,x,[offx,incx,lower,trans,unitdiag,overwrite_x])

Required arguments:

a : input rank-2 array('F') with bounds (n,n) x : input rank-1 array('F') with bounds (*)

Optional arguments:

overwrite_x := 0 input int offx := 0 input int incx := 1 input int lower := 0 input int trans := 0 input int unitdiag := 0 input int

Return objects:

x : rank-1 array('F') with bounds (*)

scipy.linalg.blas.**dasum** = <fortran dasum>

dasum - Function signature:

s = dasum(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('d') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

s : float

scipy.linalg.blas.**daxpy** = <fortran object>

daxpy - Function signature:

z = daxpy(x,y,[n,a,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('d') with bounds (*) y : input rank-1 array('d') with bounds (*)

Optional arguments:

$n := (\text{len}(x) - \text{offx}) / \text{abs}(\text{incx})$ input int $a := 1.0$ input float $\text{offx} := 0$ input int $\text{incx} := 1$ input int $\text{offy} := 0$ input int $\text{incy} := 1$ input int

Return objects:

z : rank-1 array('d') with bounds (*) and y storage

`scipy.linalg.blas.dcopy` = <fortran object>

dcopy - Function signature:

$y = \text{dcopy}(x, y, [n, \text{offx}, \text{incx}, \text{offy}, \text{incy}])$

Required arguments:

x : input rank-1 array('d') with bounds (*) y : input rank-1 array('d') with bounds (*)

Optional arguments:

$n := (\text{len}(x) - \text{offx}) / \text{abs}(\text{incx})$ input int $\text{offx} := 0$ input int $\text{incx} := 1$ input int $\text{offy} := 0$ input int $\text{incy} := 1$ input int

Return objects:

y : rank-1 array('d') with bounds (*)

`scipy.linalg.blas.ddot` = <fortran ddot>

ddot - Function signature:

$xy = \text{ddot}(x, y, [n, \text{offx}, \text{incx}, \text{offy}, \text{incy}])$

Required arguments:

x : input rank-1 array('d') with bounds (*) y : input rank-1 array('d') with bounds (*)

Optional arguments:

$n := (\text{len}(x) - \text{offx}) / \text{abs}(\text{incx})$ input int $\text{offx} := 0$ input int $\text{incx} := 1$ input int $\text{offy} := 0$ input int $\text{incy} := 1$ input int

Return objects:

xy : float

`scipy.linalg.blas.dgemm` = <fortran object>

dgemm - Function signature:

$c = \text{dgemm}(\alpha, a, b, [\text{beta}, c, \text{trans}_a, \text{trans}_b, \text{overwrite}_c])$

Required arguments:

α : input float a : input rank-2 array('d') with bounds (lda,ka) b : input rank-2 array('d') with bounds (ldb, kb)

Optional arguments:

$\text{beta} := 0.0$ input float c : input rank-2 array('d') with bounds (m,n) $\text{overwrite}_c := 0$ input int $\text{trans}_a := 0$ input int $\text{trans}_b := 0$ input int

Return objects:

c : rank-2 array('d') with bounds (m,n)

`scipy.linalg.blas.dgemv` = <fortran object>

dgemv - Function signature:

$y = \text{dgemv}(\alpha, a, x, [\text{beta}, y, \text{offx}, \text{incx}, \text{offy}, \text{incy}, \text{trans}, \text{overwrite}_y])$

Required arguments:

alpha : input float a : input rank-2 array('d') with bounds (m,n) x : input rank-1 array('d') with bounds (*)

Optional arguments:

beta := 0.0 input float y : input rank-1 array('d') with bounds (ly) overwrite_y := 0 input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int trans := 0 input int

Return objects:

y : rank-1 array('d') with bounds (ly)

scipy.linalg.blas.dger = <fortran object>

dger - Function signature:

a = dger(alpha,x,y,[incx,incy,a,overwrite_x,overwrite_y,overwrite_a])

Required arguments:

alpha : input float x : input rank-1 array('d') with bounds (m) y : input rank-1 array('d') with bounds (n)

Optional arguments:

overwrite_x := 1 input int incx := 1 input int overwrite_y := 1 input int incy := 1 input int a := 0.0 input rank-2 array('d') with bounds (m,n) overwrite_a := 0 input int

Return objects:

a : rank-2 array('d') with bounds (m,n)

scipy.linalg.blas.dnrm2 = <fortran dnrm2>

dnrm2 - Function signature:

n2 = dnrm2(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('d') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

n2 : float

scipy.linalg.blas.drot = <fortran object>

drot - Function signature:

x,y = drot(x,y,c,s,[n,offx,incx,offy,incy,overwrite_x,overwrite_y])

Required arguments:

x : input rank-1 array('d') with bounds (*) y : input rank-1 array('d') with bounds (*) c : input float s : input float

Optional arguments:

n := (len(x)-offx)/abs(incx) input int overwrite_x := 0 input int offx := 0 input int incx := 1 input int overwrite_y := 0 input int offy := 0 input int incy := 1 input int

Return objects:

x : rank-1 array('d') with bounds (*) y : rank-1 array('d') with bounds (*)

scipy.linalg.blas.drotg = <fortran object>

drotg - Function signature:

`c,s = drotg(a,b)`

Required arguments:

`a` : input float `b` : input float

Return objects:

`c` : float `s` : float

`scipy.linalg.blas.drotm = <fortran object>`

drotm - Function signature:

`x,y = drotm(x,y,param,[n,offx,incx,offy,incy,overwrite_x,overwrite_y])`

Required arguments:

`x` : input rank-1 array('d') with bounds (*) `y` : input rank-1 array('d') with bounds (*) `param` : input rank-1 array('d') with bounds (5)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `overwrite_x` := 0 input int `offx` := 0 input int `incx` := 1 input int `overwrite_y` := 0 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`x` : rank-1 array('d') with bounds (*) `y` : rank-1 array('d') with bounds (*)

`scipy.linalg.blas.drotmg = <fortran object>`

drotmg - Function signature:

`param = drotmg(d1,d2,x1,y1)`

Required arguments:

`d1` : input float `d2` : input float `x1` : input float `y1` : input float

Return objects:

`param` : rank-1 array('d') with bounds (5)

`scipy.linalg.blas.dscal = <fortran object>`

dscal - Function signature:

`x = dscal(a,x,[n,offx,incx])`

Required arguments:

`a` : input float `x` : input rank-1 array('d') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `offx` := 0 input int `incx` := 1 input int

Return objects:

`x` : rank-1 array('d') with bounds (*)

`scipy.linalg.blas.dswap = <fortran object>`

dswap - Function signature:

`x,y = dswap(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('d') with bounds (*) `y` : input rank-1 array('d') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

x : rank-1 array('d') with bounds (*) y : rank-1 array('d') with bounds (*)

scipy.linalg.blas.**dsymv** = <fortran object>

dsymv - Function signature:

y = dsymv(alpha,a,x,[beta,y,offx,incx,offy,incy,lower,overwrite_y])

Required arguments:

alpha : input float a : input rank-2 array('d') with bounds (n,n) x : input rank-1 array('d') with bounds (*)

Optional arguments:

beta := 0.0 input float y : input rank-1 array('d') with bounds (ly) overwrite_y := 0 input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int lower := 0 input int

Return objects:

y : rank-1 array('d') with bounds (ly)

scipy.linalg.blas.**dtrmv** = <fortran object>

dtrmv - Function signature:

x = dtrmv(a,x,[offx,incx,lower,trans,unitdiag,overwrite_x])

Required arguments:

a : input rank-2 array('d') with bounds (n,n) x : input rank-1 array('d') with bounds (*)

Optional arguments:

overwrite_x := 0 input int offx := 0 input int incx := 1 input int lower := 0 input int trans := 0 input int unitdiag := 0 input int

Return objects:

x : rank-1 array('d') with bounds (*)

scipy.linalg.blas.**dzasum** = <fortran dzasum>

dzasum - Function signature:

s = dzasum(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('D') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

s : float

scipy.linalg.blas.**dznrm2** = <fortran dznrm2>

dznrm2 - Function signature:

n2 = dznrm2(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('D') with bounds (*)

Optional arguments:

$n := (\text{len}(x) - \text{offx}) / \text{abs}(\text{incx})$ input int offx := 0 input int incx := 1 input int

Return objects:

n2 : float

scipy.linalg.blas.**icamax** = <fortran object>

icamax - Function signature:

$k = \text{icamax}(x, [n, \text{offx}, \text{incx}])$

Required arguments:

x : input rank-1 array('F') with bounds (*)

Optional arguments:

$n := (\text{len}(x) - \text{offx}) / \text{abs}(\text{incx})$ input int offx := 0 input int incx := 1 input int

Return objects:

k : int

scipy.linalg.blas.**idamax** = <fortran object>

idamax - Function signature:

$k = \text{idamax}(x, [n, \text{offx}, \text{incx}])$

Required arguments:

x : input rank-1 array('d') with bounds (*)

Optional arguments:

$n := (\text{len}(x) - \text{offx}) / \text{abs}(\text{incx})$ input int offx := 0 input int incx := 1 input int

Return objects:

k : int

scipy.linalg.blas.**isamax** = <fortran object>

isamax - Function signature:

$k = \text{isamax}(x, [n, \text{offx}, \text{incx}])$

Required arguments:

x : input rank-1 array('f') with bounds (*)

Optional arguments:

$n := (\text{len}(x) - \text{offx}) / \text{abs}(\text{incx})$ input int offx := 0 input int incx := 1 input int

Return objects:

k : int

scipy.linalg.blas.**izamax** = <fortran object>

izamax - Function signature:

$k = \text{izamax}(x, [n, \text{offx}, \text{incx}])$

Required arguments:

x : input rank-1 array('D') with bounds (*)

Optional arguments:

$n := (\text{len}(x) - \text{offx}) / \text{abs}(\text{incx})$ input int offx := 0 input int incx := 1 input int

Return objects:

k : int

scipy.linalg.blas.**sasum** = <fortran sasum>

sasum - Function signature:

s = sasum(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('f') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

s : float

scipy.linalg.blas.**saxpy** = <fortran object>

saxpy - Function signature:

z = saxpy(x,y,[n,a,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('f') with bounds (*) y : input rank-1 array('f') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int a := 1.0 input float offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

z : rank-1 array('f') with bounds (*) and y storage

scipy.linalg.blas.**scasum** = <fortran scasum>

scasum - Function signature:

s = scasum(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('F') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

s : float

scipy.linalg.blas.**scnrm2** = <fortran scnrm2>

scnrm2 - Function signature:

n2 = scnrm2(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('F') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

n2 : float

`scipy.linalg.blas.scopy` = <fortran object>

scopy - Function signature:

`y = scopy(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('f') with bounds (*) `y` : input rank-1 array('f') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`y` : rank-1 array('f') with bounds (*)

`scipy.linalg.blas.sdot` = <fortran sdot>

sdot - Function signature:

`xy = sdot(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('f') with bounds (*) `y` : input rank-1 array('f') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`xy` : float

`scipy.linalg.blas.sgemm` = <fortran object>

sgemm - Function signature:

`c = sgemm(alpha,a,b,[beta,c,trans_a,trans_b,overwrite_c])`

Required arguments:

`alpha` : input float `a` : input rank-2 array('f') with bounds (lda,ka) `b` : input rank-2 array('f') with bounds (ldb,kb)

Optional arguments:

`beta` := 0.0 input float `c` : input rank-2 array('f') with bounds (m,n) `overwrite_c` := 0 input int `trans_a` := 0 input int `trans_b` := 0 input int

Return objects:

`c` : rank-2 array('f') with bounds (m,n)

`scipy.linalg.blas.sgemv` = <fortran object>

sgemv - Function signature:

`y = sgemv(alpha,a,x,[beta,y,offx,incx,offy,incy,trans,overwrite_y])`

Required arguments:

`alpha` : input float `a` : input rank-2 array('f') with bounds (m,n) `x` : input rank-1 array('f') with bounds (*)

Optional arguments:

`beta` := 0.0 input float `y` : input rank-1 array('f') with bounds (ly) `overwrite_y` := 0 input int `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int `trans` := 0 input int

Return objects:

y : rank-1 array('f') with bounds (ly)

scipy.linalg.blas.**sger** = <fortran object>

sger - Function signature:

a = sger(alpha,x,y,[incx,incy,a,overwrite_x,overwrite_y,overwrite_a])

Required arguments:

alpha : input float x : input rank-1 array('f') with bounds (m) y : input rank-1 array('f') with bounds (n)

Optional arguments:

overwrite_x := 1 input int incx := 1 input int overwrite_y := 1 input int incy := 1 input int a := 0.0 input rank-2 array('f') with bounds (m,n) overwrite_a := 0 input int

Return objects:

a : rank-2 array('f') with bounds (m,n)

scipy.linalg.blas.**snrm2** = <fortran snrm2>

snrm2 - Function signature:

n2 = snrm2(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('f') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

n2 : float

scipy.linalg.blas.**srot** = <fortran object>

srot - Function signature:

x,y = srot(x,y,c,s,[n,offx,incx,offy,incy,overwrite_x,overwrite_y])

Required arguments:

x : input rank-1 array('f') with bounds (*) y : input rank-1 array('f') with bounds (*) c : input float s : input float

Optional arguments:

n := (len(x)-offx)/abs(incx) input int overwrite_x := 0 input int offx := 0 input int incx := 1 input int overwrite_y := 0 input int offy := 0 input int incy := 1 input int

Return objects:

x : rank-1 array('f') with bounds (*) y : rank-1 array('f') with bounds (*)

scipy.linalg.blas.**srotg** = <fortran object>

srotg - Function signature:

c,s = srotg(a,b)

Required arguments:

a : input float b : input float

Return objects:

c : float s : float

`scipy.linalg.blas.srotm` = <fortran object>

srotm - Function signature:

`x,y = srotm(x,y,param,[n,offx,incx,offy,incy,overwrite_x,overwrite_y])`

Required arguments:

`x` : input rank-1 array('f') with bounds (*) `y` : input rank-1 array('f') with bounds (*) `param` : input rank-1 array('f') with bounds (5)

Optional arguments:

`n` := $(\text{len}(x) - \text{offx}) / \text{abs}(\text{incx})$ input int `overwrite_x` := 0 input int `offx` := 0 input int `incx` := 1 input int `overwrite_y` := 0 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`x` : rank-1 array('f') with bounds (*) `y` : rank-1 array('f') with bounds (*)

`scipy.linalg.blas.srotmg` = <fortran object>

srotmg - Function signature:

`param = srotmg(d1,d2,x1,y1)`

Required arguments:

`d1` : input float `d2` : input float `x1` : input float `y1` : input float

Return objects:

`param` : rank-1 array('f') with bounds (5)

`scipy.linalg.blas.sscal` = <fortran object>

sscal - Function signature:

`x = sscal(a,x,[n,offx,incx])`

Required arguments:

`a` : input float `x` : input rank-1 array('f') with bounds (*)

Optional arguments:

`n` := $(\text{len}(x) - \text{offx}) / \text{abs}(\text{incx})$ input int `offx` := 0 input int `incx` := 1 input int

Return objects:

`x` : rank-1 array('f') with bounds (*)

`scipy.linalg.blas.sswap` = <fortran object>

sswap - Function signature:

`x,y = sswap(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('f') with bounds (*) `y` : input rank-1 array('f') with bounds (*)

Optional arguments:

`n` := $(\text{len}(x) - \text{offx}) / \text{abs}(\text{incx})$ input int `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`x` : rank-1 array('f') with bounds (*) `y` : rank-1 array('f') with bounds (*)

`scipy.linalg.blas.ssymv` = <fortran object>

ssymv - Function signature:

`y = ssymv(alpha,a,x,[beta,y,offx,incx,offy,incy,lower,overwrite_y])`

Required arguments:

`alpha` : input float `a` : input rank-2 array('f') with bounds (n,n) `x` : input rank-1 array('f') with bounds (*)

Optional arguments:

`beta := 0.0` input float `y` : input rank-1 array('f') with bounds (ly) `overwrite_y := 0` input int `offx := 0` input int `incx := 1` input int `offy := 0` input int `incy := 1` input int `lower := 0` input int

Return objects:

`y` : rank-1 array('f') with bounds (ly)

`scipy.linalg.blas.strmv = <fortran object>`

strmv - Function signature:

`x = strmv(a,x,[offx,incx,lower,trans,unitdiag,overwrite_x])`

Required arguments:

`a` : input rank-2 array('f') with bounds (n,n) `x` : input rank-1 array('f') with bounds (*)

Optional arguments:

`overwrite_x := 0` input int `offx := 0` input int `incx := 1` input int `lower := 0` input int `trans := 0` input int `unitdiag := 0` input int

Return objects:

`x` : rank-1 array('f') with bounds (*)

`scipy.linalg.blas.zaxpy = <fortran object>`

zaxpy - Function signature:

`z = zaxpy(x,y,[n,a,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('D') with bounds (*) `y` : input rank-1 array('D') with bounds (*)

Optional arguments:

`n := (len(x)-offx)/abs(incx)` input int `a := (1.0, 0.0)` input complex `offx := 0` input int `incx := 1` input int `offy := 0` input int `incy := 1` input int

Return objects:

`z` : rank-1 array('D') with bounds (*) and `y` storage

`scipy.linalg.blas.zcopy = <fortran object>`

zcopy - Function signature:

`y = zcopy(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('D') with bounds (*) `y` : input rank-1 array('D') with bounds (*)

Optional arguments:

`n := (len(x)-offx)/abs(incx)` input int `offx := 0` input int `incx := 1` input int `offy := 0` input int `incy := 1` input int

Return objects:

`y` : rank-1 array('D') with bounds (*)

`scipy.linalg.blas.zdotc = <fortran object>`

zdotc - Function signature:

`xy = zdotc(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('D') with bounds (*) `y` : input rank-1 array('D') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`xy` : complex

`scipy.linalg.blas.zdotu = <fortran object>`

zdotu - Function signature:

`xy = zdotu(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('D') with bounds (*) `y` : input rank-1 array('D') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`xy` : complex

`scipy.linalg.blas.zdrot = <fortran object>`

zdrot - Function signature:

`x,y = zdrot(x,y,c,s,[n,offx,incx,offy,incy,overwrite_x,overwrite_y])`

Required arguments:

`x` : input rank-1 array('D') with bounds (*) `y` : input rank-1 array('D') with bounds (*) `c` : input float `s` : input float

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `overwrite_x` := 0 input int `offx` := 0 input int `incx` := 1 input int `overwrite_y` := 0 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`x` : rank-1 array('D') with bounds (*) `y` : rank-1 array('D') with bounds (*)

`scipy.linalg.blas.zdscal = <fortran object>`

zdscal - Function signature:

`x = zdscal(a,x,[n,offx,incx,overwrite_x])`

Required arguments:

`a` : input float `x` : input rank-1 array('D') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `overwrite_x` := 0 input int `offx` := 0 input int `incx` := 1 input int

Return objects:

x : rank-1 array('D') with bounds (*)

scipy.linalg.blas.zgemm = <fortran object>

zgemm - Function signature:

c = zgemm(alpha,a,b,[beta,c,trans_a,trans_b,overwrite_c])

Required arguments:

alpha : input complex a : input rank-2 array('D') with bounds (lda,ka) b : input rank-2 array('D') with bounds (ldb,kb)

Optional arguments:

beta := (0.0, 0.0) input complex c : input rank-2 array('D') with bounds (m,n) overwrite_c := 0 input int trans_a := 0 input int trans_b := 0 input int

Return objects:

c : rank-2 array('D') with bounds (m,n)

scipy.linalg.blas.zgemv = <fortran object>

zgemv - Function signature:

y = zgemv(alpha,a,x,[beta,y,offx,incx,offy,incy,trans,overwrite_y])

Required arguments:

alpha : input complex a : input rank-2 array('D') with bounds (m,n) x : input rank-1 array('D') with bounds (*)

Optional arguments:

beta := (0.0, 0.0) input complex y : input rank-1 array('D') with bounds (ly) overwrite_y := 0 input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int trans := 0 input int

Return objects:

y : rank-1 array('D') with bounds (ly)

scipy.linalg.blas.zgerc = <fortran object>

zgerc - Function signature:

a = zgerc(alpha,x,y,[incx,incy,a,overwrite_x,overwrite_y,overwrite_a])

Required arguments:

alpha : input complex x : input rank-1 array('D') with bounds (m) y : input rank-1 array('D') with bounds (n)

Optional arguments:

overwrite_x := 1 input int incx := 1 input int overwrite_y := 1 input int incy := 1 input int a := (0.0,0.0) input rank-2 array('D') with bounds (m,n) overwrite_a := 0 input int

Return objects:

a : rank-2 array('D') with bounds (m,n)

scipy.linalg.blas.zgeru = <fortran object>

zgeru - Function signature:

a = zgeru(alpha,x,y,[incx,incy,a,overwrite_x,overwrite_y,overwrite_a])

Required arguments:

alpha : input complex x : input rank-1 array('D') with bounds (m) y : input rank-1 array('D') with bounds (n)

Optional arguments:

overwrite_x := 1 input int incx := 1 input int overwrite_y := 1 input int incy := 1 input int a := (0.0,0.0) input rank-2 array('D') with bounds (m,n) overwrite_a := 0 input int

Return objects:

a : rank-2 array('D') with bounds (m,n)

scipy.linalg.blas.zhemv = <fortran object>

zhemv - Function signature:

y = zhemv(alpha,a,x,[beta,y,offx,incx,offy,incy,lower,overwrite_y])

Required arguments:

alpha : input complex a : input rank-2 array('D') with bounds (n,n) x : input rank-1 array('D') with bounds (*)

Optional arguments:

beta := (0.0, 0.0) input complex y : input rank-1 array('D') with bounds (ly) overwrite_y := 0 input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int lower := 0 input int

Return objects:

y : rank-1 array('D') with bounds (ly)

scipy.linalg.blas.zrotg = <fortran object>

zrotg - Function signature:

c,s = zrotg(a,b)

Required arguments:

a : input complex b : input complex

Return objects:

c : complex s : complex

scipy.linalg.blas.zscal = <fortran object>

zscal - Function signature:

x = zscal(a,x,[n,offx,incx])

Required arguments:

a : input complex x : input rank-1 array('D') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

x : rank-1 array('D') with bounds (*)

scipy.linalg.blas.zswap = <fortran object>

zswap - Function signature:

x,y = zswap(x,y,[n,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('D') with bounds (*) y : input rank-1 array('D') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

x : rank-1 array('D') with bounds (*) y : rank-1 array('D') with bounds (*)

scipy.linalg.blas.ztrmv = <fortran object>

ztrmv - Function signature:

x = ztrmv(a,x,[offx,incx,lower,trans,unitdiag,overwrite_x])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) x : input rank-1 array('D') with bounds (*)

Optional arguments:

overwrite_x := 0 input int offx := 0 input int incx := 1 input int lower := 0 input int trans := 0 input int unitdiag := 0 input int

Return objects:

x : rank-1 array('D') with bounds (*)

Functions

<code>find_best_blas_type([arrays, dtype])</code>	Find best-matching BLAS/LAPACK type.
<code>get_blas_funcs(names[, arrays, dtype])</code>	Return available BLAS function objects from names.

Low-level LAPACK functions

This module contains low-level functions from the LAPACK library. New in version 0.12.0.

Warning: These functions do little to no error checking. It is possible to cause crashes by mis-using them, so prefer using the higher-level routines in `scipy.linalg`.

Finding functions

<code>get_lapack_funcs(names[, arrays, dtype])</code>	Return available LAPACK function objects from names.
---	--

All functions

<code>cgbsv</code>	cgbsv - Function signature:
<code>cgbtrf</code>	cgbtrf - Function signature:
<code>cgbtrs</code>	cgbtrs - Function signature:
<code>cgebal</code>	cgebal - Function signature:
<code>cgees</code>	cgees - Function signature:
<code>cgeev</code>	cgeev - Function signature:
<code>cgegv</code>	cgegv - Function signature:
<code>cgehrd</code>	cgehrd - Function signature:
<code>cgelss</code>	cgelss - Function signature:
<code>cgeqp3</code>	cgeqp3 - Function signature:
<code>cgeqrf</code>	cgeqrf - Function signature:

Continued on next page

Table 5.71 – continued from previous page

<code>cgerqf</code>	<code>cgerqf</code> - Function signature:
<code>cgesdd</code>	<code>cgesdd</code> - Function signature:
<code>cgesv</code>	<code>cgesv</code> - Function signature:
<code>cgetrf</code>	<code>cgetrf</code> - Function signature:
<code>cgetri</code>	<code>cgetri</code> - Function signature:
<code>cgetrs</code>	<code>cgetrs</code> - Function signature:
<code>cgges</code>	<code>cgges</code> - Function signature:
<code>cggev</code>	<code>cggev</code> - Function signature:
<code>chbevd</code>	<code>chbevd</code> - Function signature:
<code>chbevz</code>	<code>chbevz</code> - Function signature:
<code>cheev</code>	<code>cheev</code> - Function signature:
<code>cheevd</code>	<code>cheevd</code> - Function signature:
<code>cheevr</code>	<code>cheevr</code> - Function signature:
<code>chegv</code>	<code>chegv</code> - Function signature:
<code>chegvd</code>	<code>chegvd</code> - Function signature:
<code>chegvx</code>	<code>chegvx</code> - Function signature:
<code>claswp</code>	<code>claswp</code> - Function signature:
<code>clauum</code>	<code>clauum</code> - Function signature:
<code>cpbsv</code>	<code>cpbsv</code> - Function signature:
<code>cpbtrf</code>	<code>cpbtrf</code> - Function signature:
<code>cpbtrs</code>	<code>cpbtrs</code> - Function signature:
<code>cposv</code>	<code>cposv</code> - Function signature:
<code>cpotrf</code>	<code>cpotrf</code> - Function signature:
<code>cpotri</code>	<code>cpotri</code> - Function signature:
<code>cpotrs</code>	<code>cpotrs</code> - Function signature:
<code>ctrsyl</code>	<code>ctrsyl</code> - Function signature:
<code>ctrtri</code>	<code>ctrtri</code> - Function signature:
<code>ctrtrs</code>	<code>ctrtrs</code> - Function signature:
<code>cungqr</code>	<code>cungqr</code> - Function signature:
<code>cungrq</code>	<code>cungrq</code> - Function signature:
<code>cunmqr</code>	<code>cunmqr</code> - Function signature:
<code>dgbzv</code>	<code>dgbzv</code> - Function signature:
<code>dgbtrf</code>	<code>dgbtrf</code> - Function signature:
<code>dgbtrs</code>	<code>dgbtrs</code> - Function signature:
<code>dgebal</code>	<code>dgebal</code> - Function signature:
<code>dgees</code>	<code>dgees</code> - Function signature:
<code>dgeev</code>	<code>dgeev</code> - Function signature:
<code>dgegv</code>	<code>dgegv</code> - Function signature:
<code>dgehrd</code>	<code>dgehrd</code> - Function signature:
<code>dgelss</code>	<code>dgelss</code> - Function signature:
<code>dgeqp3</code>	<code>dgeqp3</code> - Function signature:
<code>dgeqrf</code>	<code>dgeqrf</code> - Function signature:
<code>dgerqf</code>	<code>dgerqf</code> - Function signature:
<code>dgesdd</code>	<code>dgesdd</code> - Function signature:
<code>dgesv</code>	<code>dgesv</code> - Function signature:
<code>dgetrf</code>	<code>dgetrf</code> - Function signature:
<code>dgetri</code>	<code>dgetri</code> - Function signature:
<code>dgetrs</code>	<code>dgetrs</code> - Function signature:
<code>dggges</code>	<code>dggges</code> - Function signature:
<code>dggeev</code>	<code>dggeev</code> - Function signature:

Continued on next page

Table 5.71 – continued from previous page

dlamch	dlamch - Function signature:
dlaswp	dlaswp - Function signature:
dlauum	dlauum - Function signature:
dorgqr	dorgqr - Function signature:
dorgrq	dorgrq - Function signature:
dormqr	dormqr - Function signature:
dpbsv	dpbsv - Function signature:
dpbtrf	dpbtrf - Function signature:
dpbtrs	dpbtrs - Function signature:
dposv	dposv - Function signature:
dpotrf	dpotrf - Function signature:
dpotri	dpotri - Function signature:
dpotrs	dpotrs - Function signature:
dsbev	dsbev - Function signature:
dsbevd	dsbevd - Function signature:
dsbevx	dsbevx - Function signature:
dsyev	dsyev - Function signature:
dsyevd	dsyevd - Function signature:
dsyevr	dsyevr - Function signature:
dsygv	dsygv - Function signature:
dsygvd	dsygvd - Function signature:
dsygvx	dsygvx - Function signature:
dtrsyl	dtrsyl - Function signature:
dtrtri	dtrtri - Function signature:
dtrtrs	dtrtrs - Function signature:
sgbsv	sgbsv - Function signature:
sgbtrf	sgbtrf - Function signature:
sgbtrs	sgbtrs - Function signature:
sgebal	sgebal - Function signature:
sgees	sgees - Function signature:
sgeev	sgeev - Function signature:
sgegv	sgegv - Function signature:
sgehrd	sgehrd - Function signature:
sgelss	sgelss - Function signature:
sgeqp3	sgeqp3 - Function signature:
sgeqrf	sgeqrf - Function signature:
sgerqf	sgerqf - Function signature:
sgesdd	sgesdd - Function signature:
sgesv	sgesv - Function signature:
sgetrf	sgetrf - Function signature:
sgetri	sgetri - Function signature:
sgetrs	sgetrs - Function signature:
sgges	sgges - Function signature:
sggev	sggev - Function signature:
slamch	slamch - Function signature:
slaswp	slaswp - Function signature:
slauum	slauum - Function signature:
sorgqr	sorgqr - Function signature:
sorgrq	sorgrq - Function signature:
sormqr	sormqr - Function signature:

Continued on next page

Table 5.71 – continued from previous page

spbsv	spbsv - Function signature:
spbtrf	spbtrf - Function signature:
spbtrs	spbtrs - Function signature:
sposv	sposv - Function signature:
spotrf	spotrf - Function signature:
spotri	spotri - Function signature:
spotrs	spotrs - Function signature:
ssbev	ssbev - Function signature:
ssbevd	ssbevd - Function signature:
ssbevx	ssbevx - Function signature:
ssyev	ssyev - Function signature:
ssyevd	ssyevd - Function signature:
ssyevr	ssyevr - Function signature:
ssygv	ssygv - Function signature:
ssygvd	ssygvd - Function signature:
ssygvx	ssygvx - Function signature:
strsyl	strsyl - Function signature:
strtri	strtri - Function signature:
strtrs	strtrs - Function signature:
zgbsv	zgbsv - Function signature:
zgbtrf	zgbtrf - Function signature:
zgbtrs	zgbtrs - Function signature:
zgebal	zgebal - Function signature:
zgees	zgees - Function signature:
zgeev	zgeev - Function signature:
zgegv	zgegv - Function signature:
zgehrd	zgehrd - Function signature:
zgelss	zgelss - Function signature:
zgeqp3	zgeqp3 - Function signature:
zgeqrf	zgeqrf - Function signature:
zgerqf	zgerqf - Function signature:
zgesdd	zgesdd - Function signature:
zgesv	zgesv - Function signature:
zgetrf	zgetrf - Function signature:
zgetri	zgetri - Function signature:
zgetrs	zgetrs - Function signature:
zgges	zgges - Function signature:
zggev	zggev - Function signature:
zhbevd	zhbevd - Function signature:
zhbevx	zhbevx - Function signature:
zheev	zheev - Function signature:
zheevd	zheevd - Function signature:
zheevr	zheevr - Function signature:
zhegv	zhegv - Function signature:
zhegvd	zhegvd - Function signature:
zhegvx	zhegvx - Function signature:
zlaswp	zlaswp - Function signature:
zlaaum	zlaaum - Function signature:
zpbsv	zpbsv - Function signature:
zpbtrf	zpbtrf - Function signature:

Continued on next page

Table 5.71 – continued from previous page

<code>zpbtrs</code>	<code>zpbtrs</code> - Function signature:
<code>zposv</code>	<code>zposv</code> - Function signature:
<code>zpotrf</code>	<code>zpotrf</code> - Function signature:
<code>zpotri</code>	<code>zpotri</code> - Function signature:
<code>zpotrs</code>	<code>zpotrs</code> - Function signature:
<code>ztrsyl</code>	<code>ztrsyl</code> - Function signature:
<code>ztrtri</code>	<code>ztrtri</code> - Function signature:
<code>ztrtrs</code>	<code>ztrtrs</code> - Function signature:
<code>zungqr</code>	<code>zungqr</code> - Function signature:
<code>zungrq</code>	<code>zungrq</code> - Function signature:
<code>zunmqr</code>	<code>zunmqr</code> - Function signature:

`scipy.linalg.lapack.cgbsv = <fortran object>`

cgbsv - Function signature:

`lub,piv,x,info = cgbsv(kl,ku,ab,b,[overwrite_ab,overwrite_b])`

Required arguments:

`kl` : input int `ku` : input int `ab` : input rank-2 array('F') with bounds (2*kl+ku+1,n) `b` : input rank-2 array('F') with bounds (n,nrhs)

Optional arguments:

`overwrite_ab` := 0 input int `overwrite_b` := 0 input int

Return objects:

`lub` : rank-2 array('F') with bounds (2*kl+ku+1,n) and `ab` storage `piv` : rank-1 array('i') with bounds (n) `x` : rank-2 array('F') with bounds (n,nrhs) and `b` storage `info` : int

`scipy.linalg.lapack.cgbrtf = <fortran object>`

cgbrtf - Function signature:

`lu,ipiv,info = cgbrtf(ab,kl,ku,[m,n,ldab,overwrite_ab])`

Required arguments:

`ab` : input rank-2 array('F') with bounds (ldab,*) `kl` : input int `ku` : input int

Optional arguments:

`m` := `shape(ab,1)` input int `n` := `shape(ab,1)` input int `overwrite_ab` := 0 input int `ldab` := `shape(ab,0)` input int

Return objects:

`lu` : rank-2 array('F') with bounds (ldab,*) and `ab` storage `ipiv` : rank-1 array('i') with bounds (MIN(m,n)) `info` : int

`scipy.linalg.lapack.cgbrs = <fortran object>`

cgbrs - Function signature:

`x,info = cgbrs(ab,kl,ku,b,ipiv,[trans,n,ldab,ldb,overwrite_b])`

Required arguments:

`ab` : input rank-2 array('F') with bounds (ldab,*) `kl` : input int `ku` : input int `b` : input rank-2 array('F') with bounds (ldb,*) `ipiv` : input rank-1 array('i') with bounds (n)

Optional arguments:

`overwrite_b` := 0 input int `trans` := 0 input int `n` := `shape(ab,1)` input int `ldab` := `shape(ab,0)` input int `ldb` := `shape(b,0)` input int

Return objects:

x : rank-2 array('F') with bounds (ldb,*) and b storage info : int

scipy.linalg.lapack.**cgebal** = <fortran object>

cgebal - Function signature:

ba,lo,hi,pivscale,info = cgebal(a,[scale,permute,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n)

Optional arguments:

scale := 0 input int permute := 0 input int overwrite_a := 0 input int

Return objects:

ba : rank-2 array('F') with bounds (m,n) and a storage lo : int hi : int pivscale : rank-1 array('f') with bounds (n) info : int

scipy.linalg.lapack.**cgees** = <fortran object>

cgees - Function signature:

t,sdim,w,vs,work,info = cgees(cselect,a,[compute_v,sort_t,lwork,cselect_extra_args,overwrite_a])

Required arguments:

cselect : call-back function a : input rank-2 array('F') with bounds (n,n)

Optional arguments:

compute_v := 1 input int sort_t := 0 input int cselect_extra_args := () input tuple overwrite_a := 0 input int lwork := 3*n input int

Return objects:

t : rank-2 array('F') with bounds (n,n) and a storage sdim : int w : rank-1 array('F') with bounds (n) vs : rank-2 array('F') with bounds (ldvs,n) work : rank-1 array('F') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def cselect(arg): return cselect Required arguments:

arg : input complex

Return objects:

cselect : int

scipy.linalg.lapack.**cgeev** = <fortran object>

cgeev - Function signature:

w,vl,vr,info = cgeev(a,[compute_vl,compute_vr,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int lwork := 2*n input int

Return objects:

w : rank-1 array('F') with bounds (n) vl : rank-2 array('F') with bounds (ldvl,n) vr : rank-2 array('F') with bounds (ldvr,n) info : int

`scipy.linalg.lapack.cgegv` = <fortran object>

cgegv - Function signature:

`alpha,beta,vl,vr,info = cgegv(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])`

Required arguments:

`a` : input rank-2 array('F') with bounds (n,n) `b` : input rank-2 array('F') with bounds (n,n)

Optional arguments:

`compute_vl := 1` input int `compute_vr := 1` input int `overwrite_a := 0` input int `overwrite_b := 0` input int `lwork := 2*n` input int

Return objects:

`alpha` : rank-1 array('F') with bounds (n) `beta` : rank-1 array('F') with bounds (n) `vl` : rank-2 array('F') with bounds (ldvl,n) `vr` : rank-2 array('F') with bounds (ldvr,n) `info` : int

`scipy.linalg.lapack.cgehrd` = <fortran object>

cgehrd - Function signature:

`ht,tau,info = cgehrd(a,[lo,hi,lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('F') with bounds (n,n)

Optional arguments:

`lo := 0` input int `hi := n-1` input int `overwrite_a := 0` input int `lwork := MAX(n,1)` input int

Return objects:

`ht` : rank-2 array('F') with bounds (n,n) and a storage `tau` : rank-1 array('F') with bounds (n - 1) `info` : int

`scipy.linalg.lapack.cgelss` = <fortran object>

cgelss - Function signature:

`v,x,s,rank,work,info = cgelss(a,b,[cond,lwork,overwrite_a,overwrite_b])`

Required arguments:

`a` : input rank-2 array('F') with bounds (m,n) `b` : input rank-2 array('F') with bounds (maxmn,nrhs)

Optional arguments:

`overwrite_a := 0` input int `overwrite_b := 0` input int `cond := -1.0` input float `lwork := 2*minmn+MAX(maxmn,nrhs)` input int

Return objects:

`v` : rank-2 array('F') with bounds (m,n) and a storage `x` : rank-2 array('F') with bounds (maxmn,nrhs) and `b` storage `s` : rank-1 array('f') with bounds (minmn) `rank` : int `work` : rank-1 array('F') with bounds (MAX(lwork,1)) `info` : int

`scipy.linalg.lapack.cgeqp3` = <fortran object>

cgeqp3 - Function signature:

`qr,jpvt,tau,work,info = cgeqp3(a,[lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('F') with bounds (m,n)

Optional arguments:

`overwrite_a := 0` input int `lwork := 3*(n+1)` input int

Return objects:

qr : rank-2 array('F') with bounds (m,n) and a storage jpvt : rank-1 array('i') with bounds (n) tau : rank-1 array('F') with bounds (MIN(m,n)) work : rank-1 array('F') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.cgeqrf = <fortran object>

cgeqrf - Function signature:

qr,tau,work,info = cgeqrf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*n input int

Return objects:

qr : rank-2 array('F') with bounds (m,n) and a storage tau : rank-1 array('F') with bounds (MIN(m,n)) work : rank-1 array('F') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.cgerqf = <fortran object>

cgerqf - Function signature:

qr,tau,work,info = cgerqf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*m input int

Return objects:

qr : rank-2 array('F') with bounds (m,n) and a storage tau : rank-1 array('F') with bounds (MIN(m,n)) work : rank-1 array('F') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.cgesdd = <fortran object>

cgesdd - Function signature:

u,s,vt,info = cgesdd(a,[compute_uv,full_matrices,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int compute_uv := 1 input int full_matrices := 1 input int lwork := (compute_uv?2*minmn*minmn+MAX(m,n)+2*minmn:2*minmn+MAX(m,n)) input int

Return objects:

u : rank-2 array('F') with bounds (u0,u1) s : rank-1 array('f') with bounds (minmn) vt : rank-2 array('F') with bounds (vt0,vt1) info : int

scipy.linalg.lapack.cgesv = <fortran object>

cgesv - Function signature:

lu,piv,x,info = cgesv(a,b,[overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('F') with bounds (n,n) b : input rank-2 array('F') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

lu : rank-2 array('F') with bounds (n,n) and a storage piv : rank-1 array('i') with bounds (n) x : rank-2 array('F') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**cgetrf** = <fortran object>

cgetrf - Function signature:

lu,piv,info = cgetrf(a,[overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int

Return objects:

lu : rank-2 array('F') with bounds (m,n) and a storage piv : rank-1 array('i') with bounds (MIN(m,n)) info : int

scipy.linalg.lapack.**cgetri** = <fortran object>

cgetri - Function signature:

inv_a,info = cgetri(lu,piv,[lwork,overwrite_lu])

Required arguments:

lu : input rank-2 array('F') with bounds (n,n) piv : input rank-1 array('i') with bounds (n)

Optional arguments:

overwrite_lu := 0 input int lwork := 3*n input int

Return objects:

inv_a : rank-2 array('F') with bounds (n,n) and lu storage info : int

scipy.linalg.lapack.**cgetrs** = <fortran object>

cgetrs - Function signature:

x,info = cgetrs(lu,piv,b,[trans,overwrite_b])

Required arguments:

lu : input rank-2 array('F') with bounds (n,n) piv : input rank-1 array('i') with bounds (n) b : input rank-2 array('F') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int trans := 0 input int

Return objects:

x : rank-2 array('F') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**cgges** = <fortran object>

cgges - Function signature:

a,b,sdim,alpha,beta,vsl,vsr,work,info = cgges(cselect,a,b,[jobvsl,jobvsr,sort_t,ldvsl,ldvsr,lwork,cselect_extra_args,

Required arguments:

cselect : call-back function a : input rank-2 array('F') with bounds (lda,*) b : input rank-2 array('F') with bounds (ldb,*)

Optional arguments:

```
jobvsl := 1 input int jobvsr := 1 input int sort_t := 0 input int cselect_extra_args := () input tuple
overwrite_a := 0 input int overwrite_b := 0 input int ldvsl := ((jobvsl==1)?n:1) input int ldvsr :=
((jobvsr==1)?n:1) input int lwork := 2*n input int
```

Return objects:

```
a : rank-2 array('F') with bounds (lda,*) b : rank-2 array('F') with bounds (ldb,*) sdim : int
alpha : rank-1 array('F') with bounds (n) beta : rank-1 array('F') with bounds (n) vsl : rank-
2 array('F') with bounds (ldvsl,n) vsr : rank-2 array('F') with bounds (ldvsr,n) work : rank-1
array('F') with bounds (MAX(lwork,1)) info : int
```

Call-back functions:

```
def cselect(alpha,beta): return cselect Required arguments:
```

```
alpha : input complex beta : input complex
```

Return objects:

```
cselect : int
```

```
scipy.linalg.lapack.cggev = <fortran object>
```

cggev - Function signature:

```
alpha,beta,vl,vr,work,info = cggev(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])
```

Required arguments:

```
a : input rank-2 array('F') with bounds (n,n) b : input rank-2 array('F') with bounds (n,n)
```

Optional arguments:

```
compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0
input int lwork := 2*n input int
```

Return objects:

```
alpha : rank-1 array('F') with bounds (n) beta : rank-1 array('F') with bounds (n) vl : rank-2 ar-
ray('F') with bounds (ldvl,n) vr : rank-2 array('F') with bounds (ldvr,n) work : rank-1 array('F')
with bounds (MAX(lwork,1)) info : int
```

```
scipy.linalg.lapack.chbevd = <fortran object>
```

chbevd - Function signature:

```
w,z,info = chbevd(ab,[compute_v,lower,ldab,lrwork,liwork,overwrite_ab])
```

Required arguments:

```
ab : input rank-2 array('F') with bounds (ldab,*)
```

Optional arguments:

```
overwrite_ab := 1 input int compute_v := 1 input int lower := 0 input int ldab := shape(ab,0) input
int lrwork := (compute_v?1+5*n+2*n*n:n) input int liwork := (compute_v?3+5*n:1) input int
```

Return objects:

```
w : rank-1 array('f') with bounds (n) z : rank-2 array('F') with bounds (ldz,ldz) info : int
```

```
scipy.linalg.lapack.chbevz = <fortran object>
```

chbevz - Function signature:

```
w,z,m,ifail,info = chbevz(ab,vl,vu,il,iu,[ldab,compute_v,range,lower,abstol,mmax,overwrite_ab])
```

Required arguments:

ab : input rank-2 array('F') with bounds (ldab,*) vl : input float vu : input float il : input int iu : input int

Optional arguments:

overwrite_ab := 1 input int ldab := shape(ab,0) input int compute_v := 1 input int range := 0 input int lower := 0 input int abstol := 0.0 input float mmax := (compute_v?(range==2?(iu-il+1):n):1) input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('F') with bounds (ldz,mmax) m : int ifail : rank-1 array('i') with bounds ((compute_v?n:1)) info : int

scipy.linalg.lapack.cheev = <fortran object>

cheev - Function signature:

w,v,info = cheev(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := 2*n-1 input int

Return objects:

w : rank-1 array('f') with bounds (n) v : rank-2 array('F') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.cheevd = <fortran object>

cheevd - Function signature:

w,v,info = cheevd(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := (compute_v?2*n+n*n:n+1) input int

Return objects:

w : rank-1 array('f') with bounds (n) v : rank-2 array('F') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.cheevr = <fortran object>

cheevr - Function signature:

w,z,info = cheevr(a,[jobz,range,uplo,il,iu,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (n,n)

Optional arguments:

jobz := 'V' input string(len=1) range := 'A' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int il := 1 input int iu := n input int lwork := 18*n input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('F') with bounds (n,m) info : int

`scipy.linalg.lapack.chegv` = <fortran object>

chegv - Function signature:

`a,w,info = chegv(a,b,[itype,jobz,uplo,overwrite_a,overwrite_b])`

Required arguments:

`a` : input rank-2 array('F') with bounds (n,n) `b` : input rank-2 array('F') with bounds (n,n)

Optional arguments:

`itype` := 1 input int `jobz` := 'V' input string(len=1) `uplo` := 'L' input string(len=1) `overwrite_a` := 0 input int `overwrite_b` := 0 input int

Return objects:

`a` : rank-2 array('F') with bounds (n,n) `w` : rank-1 array('f') with bounds (n) `info` : int

`scipy.linalg.lapack.chegvd` = <fortran object>

chegvd - Function signature:

`a,w,info = chegvd(a,b,[itype,jobz,uplo,lwork,overwrite_a,overwrite_b])`

Required arguments:

`a` : input rank-2 array('F') with bounds (n,n) `b` : input rank-2 array('F') with bounds (n,n)

Optional arguments:

`itype` := 1 input int `jobz` := 'V' input string(len=1) `uplo` := 'L' input string(len=1) `overwrite_a` := 0 input int `overwrite_b` := 0 input int `lwork` := 2*n+n*n input int

Return objects:

`a` : rank-2 array('F') with bounds (n,n) `w` : rank-1 array('f') with bounds (n) `info` : int

`scipy.linalg.lapack.chegvx` = <fortran object>

chegvx - Function signature:

`w,z,ifail,info = chegvx(a,b,iu,[itype,jobz,uplo,il,lwork,overwrite_a,overwrite_b])`

Required arguments:

`a` : input rank-2 array('F') with bounds (n,n) `b` : input rank-2 array('F') with bounds (n,n) `iu` : input int

Optional arguments:

`itype` := 1 input int `jobz` := 'V' input string(len=1) `uplo` := 'L' input string(len=1) `overwrite_a` := 0 input int `overwrite_b` := 0 input int `il` := 1 input int `lwork` := 18*n-1 input int

Return objects:

`w` : rank-1 array('f') with bounds (n) `z` : rank-2 array('F') with bounds (n,m) `ifail` : rank-1 array('i') with bounds (n) `info` : int

`scipy.linalg.lapack.claswp` = <fortran object>

claswp - Function signature:

`a = claswp(a,piv,[k1,k2,off,inc,overwrite_a])`

Required arguments:

`a` : input rank-2 array('F') with bounds (nrows,n) `piv` : input rank-1 array('i') with bounds (*)

Optional arguments:

`overwrite_a` := 0 input int `k1` := 0 input int `k2` := len(piv)-1 input int `off` := 0 input int `inc` := 1 input int

Return objects:

a : rank-2 array('F') with bounds (nrows,n)

scipy.linalg.lapack.**clauum** = <fortran object>

clauum - Function signature:

a,info = clauum(c,[lower,overwrite_c])

Required arguments:

c : input rank-2 array('F') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int

Return objects:

a : rank-2 array('F') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**cpbsv** = <fortran object>

cpbsv - Function signature:

c,x,info = cpbsv(ab,b,[lower,ldab,overwrite_ab,overwrite_b])

Required arguments:

ab : input rank-2 array('F') with bounds (ldab,n) b : input rank-2 array('F') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int overwrite_b := 0 input int

Return objects:

c : rank-2 array('F') with bounds (ldab,n) and ab storage x : rank-2 array('F') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**cpbtrf** = <fortran object>

cpbtrf - Function signature:

c,info = cpbtrf(ab,[lower,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('F') with bounds (ldab,n)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int

Return objects:

c : rank-2 array('F') with bounds (ldab,n) and ab storage info : int

scipy.linalg.lapack.**cpbtrs** = <fortran object>

cpbtrs - Function signature:

x,info = cpbtrs(ab,b,[lower,ldab,overwrite_b])

Required arguments:

ab : input rank-2 array('F') with bounds (ldab,n) b : input rank-2 array('F') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int ldab := shape(ab,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('F') with bounds (ldb,nrhs) and b storage info : int

`scipy.linalg.lapack.cposv = <fortran object>`

cpov - Function signature:

c,x,info = cpov(a,b,[lower,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('F') with bounds (n,n) b : input rank-2 array('F') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int lower := 0 input int

Return objects:

c : rank-2 array('F') with bounds (n,n) and a storage x : rank-2 array('F') with bounds (n,nrhs) and b storage info : int

`scipy.linalg.lapack.cpotrf = <fortran object>`

cpotrf - Function signature:

c,info = cpotrf(a,[lower,clean,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (n,n)

Optional arguments:

overwrite_a := 0 input int lower := 0 input int clean := 1 input int

Return objects:

c : rank-2 array('F') with bounds (n,n) and a storage info : int

`scipy.linalg.lapack.cpotri = <fortran object>`

cpotri - Function signature:

inv_a,info = cpotri(c,[lower,overwrite_c])

Required arguments:

c : input rank-2 array('F') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int

Return objects:

inv_a : rank-2 array('F') with bounds (n,n) and c storage info : int

`scipy.linalg.lapack.cpotrs = <fortran object>`

cpotrs - Function signature:

x,info = cpotrs(c,b,[lower,overwrite_b])

Required arguments:

c : input rank-2 array('F') with bounds (n,n) b : input rank-2 array('F') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int lower := 0 input int

Return objects:

x : rank-2 array('F') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**ctrsyl** = <fortran object>

ctrsyl - Function signature:

x,scale,info = ctrsyl(a,b,c,[trana,tranb,isgn,overwrite_c])

Required arguments:

a : input rank-2 array('F') with bounds (m,m) b : input rank-2 array('F') with bounds (n,n) c : input rank-2 array('F') with bounds (m,n)

Optional arguments:

trana := 'N' input string(len=1) tranb := 'N' input string(len=1) isgn := 1 input int overwrite_c := 0 input int

Return objects:

x : rank-2 array('F') with bounds (m,n) and c storage scale : float info : int

scipy.linalg.lapack.**ctrtri** = <fortran object>

ctrtri - Function signature:

inv_c,info = ctrtri(c,[lower,unitdiag,overwrite_c])

Required arguments:

c : input rank-2 array('F') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int unitdiag := 0 input int

Return objects:

inv_c : rank-2 array('F') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**ctrtrs** = <fortran object>

ctrtrs - Function signature:

x,info = ctrtrs(a,b,[lower,trans,unitdiag,lda,overwrite_b])

Required arguments:

a : input rank-2 array('F') with bounds (lda,n) b : input rank-2 array('F') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int trans := 0 input int unitdiag := 0 input int lda := shape(a,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('F') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**cungqr** = <fortran object>

cungqr - Function signature:

q,work,info = cungqr(a,tau,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n) tau : input rank-1 array('F') with bounds (k)

Optional arguments:

overwrite_a := 0 input int lwork := 3*n input int

Return objects:

q : rank-2 array('F') with bounds (m,n) and a storage work : rank-1 array('F') with bounds (MAX(lwork,1)) info : int

`scipy.linalg.lapack.cungrq = <fortran object>`

cungrq - Function signature:

`q,work,info = cungrq(a,tau,[lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('F') with bounds (m,n) `tau` : input rank-1 array('F') with bounds (k)

Optional arguments:

`overwrite_a` := 0 input int `lwork` := 3*m input int

Return objects:

`q` : rank-2 array('F') with bounds (m,n) and `a` storage `work` : rank-1 array('F') with bounds (MAX(lwork,1)) `info` : int

`scipy.linalg.lapack.cumnqr = <fortran object>`

cumnqr - Function signature:

`cq,work,info = cumnqr(side,trans,a,tau,c,lwork,[overwrite_c])`

Required arguments:

`side` : input string(len=1) `trans` : input string(len=1) `a` : input rank-2 array('F') with bounds (lda,k) `tau` : input rank-1 array('F') with bounds (k) `c` : input rank-2 array('F') with bounds (ldc,n) `lwork` : input int

Optional arguments:

`overwrite_c` := 0 input int

Return objects:

`cq` : rank-2 array('F') with bounds (ldc,n) and `c` storage `work` : rank-1 array('F') with bounds (MAX(lwork,1)) `info` : int

`scipy.linalg.lapack.dgbsv = <fortran object>`

dgbsv - Function signature:

`lub,piv,x,info = dgbsv(kl,ku,ab,b,[overwrite_ab,overwrite_b])`

Required arguments:

`kl` : input int `ku` : input int `ab` : input rank-2 array('d') with bounds (2*kl+ku+1,n) `b` : input rank-2 array('d') with bounds (n,nrhs)

Optional arguments:

`overwrite_ab` := 0 input int `overwrite_b` := 0 input int

Return objects:

`lub` : rank-2 array('d') with bounds (2*kl+ku+1,n) and `ab` storage `piv` : rank-1 array('i') with bounds (n) `x` : rank-2 array('d') with bounds (n,nrhs) and `b` storage `info` : int

`scipy.linalg.lapack.dgbtrf = <fortran object>`

dgbtrf - Function signature:

`lu,ipiv,info = dgbtrf(ab,kl,ku,[m,n,ldab,overwrite_ab])`

Required arguments:

`ab` : input rank-2 array('d') with bounds (ldab,*) `kl` : input int `ku` : input int

Optional arguments:

`m` := shape(ab,1) input int `n` := shape(ab,1) input int `overwrite_ab` := 0 input int `ldab` := shape(ab,0) input int

Return objects:

lu : rank-2 array('d') with bounds (ldab,*) and ab storage ipiv : rank-1 array('i') with bounds (MIN(m,n)) info : int

scipy.linalg.lapack.dgbtrs = <fortran object>

dgbtrs - Function signature:

x,info = dgbtrs(ab,kl,ku,b,ipiv,[trans,n,ldab,ldb,overwrite_b])

Required arguments:

ab : input rank-2 array('d') with bounds (ldab,*) kl : input int ku : input int b : input rank-2 array('d') with bounds (ldb,*) ipiv : input rank-1 array('i') with bounds (n)

Optional arguments:

overwrite_b := 0 input int trans := 0 input int n := shape(ab,1) input int ldab := shape(ab,0) input int ldb := shape(b,0) input int

Return objects:

x : rank-2 array('d') with bounds (ldb,*) and b storage info : int

scipy.linalg.lapack.dgeba1 = <fortran object>

dgebal - Function signature:

ba,lo,hi,pivscale,info = dgebal(a,[scale,permute,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (m,n)

Optional arguments:

scale := 0 input int permute := 0 input int overwrite_a := 0 input int

Return objects:

ba : rank-2 array('d') with bounds (m,n) and a storage lo : int hi : int pivscale : rank-1 array('d') with bounds (n) info : int

scipy.linalg.lapack.dgees = <fortran object>

dgees - Function signature:

t,sdim,wr,wi,vs,work,info = dgees(dselect,a,[compute_v,sort_t,lwork,dselect_extra_args,overwrite_a])

Required arguments:

dselect : call-back function a : input rank-2 array('d') with bounds (n,n)

Optional arguments:

compute_v := 1 input int sort_t := 0 input int dselect_extra_args := () input tuple overwrite_a := 0 input int lwork := 3*n input int

Return objects:

t : rank-2 array('d') with bounds (n,n) and a storage sdim : int wr : rank-1 array('d') with bounds (n) wi : rank-1 array('d') with bounds (n) vs : rank-2 array('d') with bounds (ldvs,n) work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def dselect(arg1,arg2): return dselect Required arguments:

arg1 : input float arg2 : input float

Return objects:

dselect : int

`scipy.linalg.lapack.dgeev = <fortran object>`

dgeev - Function signature:

`wr,wi,vl,vr,info = dgeev(a,[compute_vl,compute_vr,lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('d') with bounds (n,n)

Optional arguments:

`compute_vl := 1` input int `compute_vr := 1` input int `overwrite_a := 0` input int `lwork := 4*n` input int

Return objects:

`wr` : rank-1 array('d') with bounds (n) `wi` : rank-1 array('d') with bounds (n) `vl` : rank-2 array('d') with bounds (ldvl,n) `vr` : rank-2 array('d') with bounds (ldvr,n) `info` : int

`scipy.linalg.lapack.dgegv = <fortran object>`

dgegv - Function signature:

`alphar,alphai,beta,vl,vr,info = dgegv(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])`

Required arguments:

`a` : input rank-2 array('d') with bounds (n,n) `b` : input rank-2 array('d') with bounds (n,n)

Optional arguments:

`compute_vl := 1` input int `compute_vr := 1` input int `overwrite_a := 0` input int `overwrite_b := 0` input int `lwork := 8*n` input int

Return objects:

`alphar` : rank-1 array('d') with bounds (n) `alphai` : rank-1 array('d') with bounds (n) `beta` : rank-1 array('d') with bounds (n) `vl` : rank-2 array('d') with bounds (ldvl,n) `vr` : rank-2 array('d') with bounds (ldvr,n) `info` : int

`scipy.linalg.lapack.dgehrd = <fortran object>`

dgehrd - Function signature:

`ht,tau,info = dgehrd(a,[lo,hi,lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('d') with bounds (n,n)

Optional arguments:

`lo := 0` input int `hi := n-1` input int `overwrite_a := 0` input int `lwork := MAX(n,1)` input int

Return objects:

`ht` : rank-2 array('d') with bounds (n,n) and a storage `tau` : rank-1 array('d') with bounds (n - 1) `info` : int

`scipy.linalg.lapack.dgels = <fortran object>`

dgels - Function signature:

`v,x,s,rnk,work,info = dgels(a,b,[cond,lwork,overwrite_a,overwrite_b])`

Required arguments:

`a` : input rank-2 array('d') with bounds (m,n) `b` : input rank-2 array('d') with bounds (maxmn,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int cond := -1.0 input float lwork := 3*minmn+MAX(2*minmn,MAX(maxmn,nrhs)) input int

Return objects:

v : rank-2 array('d') with bounds (m,n) and a storage x : rank-2 array('d') with bounds (maxmn,nrhs) and b storage s : rank-1 array('d') with bounds (minmn) rank : int work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.dgeqp3 = <fortran object>

dgeqp3 - Function signature:

qr,jpvt,tau,work,info = dgeqp3(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*(n+1) input int

Return objects:

qr : rank-2 array('d') with bounds (m,n) and a storage jpvt : rank-1 array('i') with bounds (n) tau : rank-1 array('d') with bounds (MIN(m,n)) work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.dgeqrf = <fortran object>

dgeqrf - Function signature:

qr,tau,work,info = dgeqrf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*n input int

Return objects:

qr : rank-2 array('d') with bounds (m,n) and a storage tau : rank-1 array('d') with bounds (MIN(m,n)) work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.dgerqf = <fortran object>

dgerqf - Function signature:

qr,tau,work,info = dgerqf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*m input int

Return objects:

qr : rank-2 array('d') with bounds (m,n) and a storage tau : rank-1 array('d') with bounds (MIN(m,n)) work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.dgesdd = <fortran object>

dgesdd - Function signature:

u,s,vt,info = dgesdd(a,[compute_uv,full_matrices,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int compute_uv := 1 input int full_matrices := 1 input int lwork := (compute_uv?4*minmn*minmn+MAX(m,n)+9*minmn:MAX(14*minmn+4,10*minmn+2+25*(25+8))+MAX(m,n))
input int

Return objects:

u : rank-2 array('d') with bounds (u0,u1) s : rank-1 array('d') with bounds (minmn) vt : rank-2 array('d') with bounds (vt0,vt1) info : int

scipy.linalg.lapack.dgesv = <fortran object>

dgesv - Function signature:

lu,piv,x,info = dgesv(a,b,[overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('d') with bounds (n,n) b : input rank-2 array('d') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

lu : rank-2 array('d') with bounds (n,n) and a storage piv : rank-1 array('i') with bounds (n) x : rank-2 array('d') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.dgetrf = <fortran object>

dgetrf - Function signature:

lu,piv,info = dgetrf(a,[overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int

Return objects:

lu : rank-2 array('d') with bounds (m,n) and a storage piv : rank-1 array('i') with bounds (MIN(m,n)) info : int

scipy.linalg.lapack.dgetri = <fortran object>

dgetri - Function signature:

inv_a,info = dgetri(lu,piv,[lwork,overwrite_lu])

Required arguments:

lu : input rank-2 array('d') with bounds (n,n) piv : input rank-1 array('i') with bounds (n)

Optional arguments:

overwrite_lu := 0 input int lwork := 3*n input int

Return objects:

inv_a : rank-2 array('d') with bounds (n,n) and lu storage info : int

scipy.linalg.lapack.dgetrs = <fortran object>

dgetrs - Function signature:

x,info = dgetrs(lu,piv,b,[trans,overwrite_b])

Required arguments:

lu : input rank-2 array('d') with bounds (n,n) piv : input rank-1 array('i') with bounds (n) b : input rank-2 array('d') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int trans := 0 input int

Return objects:

x : rank-2 array('d') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.dgges = <fortran object>

dgges - Function signature:

a,b,sdim,alphar,alphai,beta,vsl,vsr,work,info = dgges(dselect,a,b,[jobvsl,jobvsr,sort_t,ldvsl,ldvsr,lwork,dselect_ext

Required arguments:

dselect : call-back function a : input rank-2 array('d') with bounds (lda,*) b : input rank-2 array('d') with bounds (ldb,*)

Optional arguments:

jobvsl := 1 input int jobvsr := 1 input int sort_t := 0 input int dselect_extra_args := () input tuple overwrite_a := 0 input int overwrite_b := 0 input int ldvsl := ((jobvsl==1)?n:1) input int ldvsr := ((jobvsr==1)?n:1) input int lwork := 8*n+16 input int

Return objects:

a : rank-2 array('d') with bounds (lda,*) b : rank-2 array('d') with bounds (ldb,*) sdim : int alphar : rank-1 array('d') with bounds (n) alphai : rank-1 array('d') with bounds (n) beta : rank-1 array('d') with bounds (n) vsl : rank-2 array('d') with bounds (ldvsl,n) vsr : rank-2 array('d') with bounds (ldvsr,n) work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def dselect(alphar,alphai,beta): return dselect Required arguments:

alphar : input float alphai : input float beta : input float

Return objects:

dselect : int

scipy.linalg.lapack.dggeev = <fortran object>

dggeev - Function signature:

alphar,alphai,beta,vl,vr,work,info = dggeev(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('d') with bounds (n,n) b : input rank-2 array('d') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0 input int lwork := 8*n input int

Return objects:

alphar : rank-1 array('d') with bounds (n) alphai : rank-1 array('d') with bounds (n) beta : rank-1 array('d') with bounds (n) vl : rank-2 array('d') with bounds (ldvl,n) vr : rank-2 array('d') with bounds (ldvr,n) work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

`scipy.linalg.lapack.dlamch = <fortran dlamch>`

dlamch - Function signature:

`dlamch = dlamch(cmach)`

Required arguments:

`cmach` : input string(len=1)

Return objects:

`dlamch` : float

`scipy.linalg.lapack.dlaswp = <fortran object>`

dlaswp - Function signature:

`a = dlaswp(a,piv,[k1,k2,off,inc,overwrite_a])`

Required arguments:

`a` : input rank-2 array('d') with bounds (nrows,n) `piv` : input rank-1 array('i') with bounds (*)

Optional arguments:

`overwrite_a` := 0 input int `k1` := 0 input int `k2` := len(piv)-1 input int `off` := 0 input int `inc` := 1 input int

Return objects:

`a` : rank-2 array('d') with bounds (nrows,n)

`scipy.linalg.lapack.dlauum = <fortran object>`

dlauum - Function signature:

`a,info = dlauum(c,[lower,overwrite_c])`

Required arguments:

`c` : input rank-2 array('d') with bounds (n,n)

Optional arguments:

`overwrite_c` := 0 input int `lower` := 0 input int

Return objects:

`a` : rank-2 array('d') with bounds (n,n) and `c` storage `info` : int

`scipy.linalg.lapack.dorgqr = <fortran object>`

dorgqr - Function signature:

`q,work,info = dorgqr(a,tau,[lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('d') with bounds (m,n) `tau` : input rank-1 array('d') with bounds (k)

Optional arguments:

`overwrite_a` := 0 input int `lwork` := 3*n input int

Return objects:

`q` : rank-2 array('d') with bounds (m,n) and `a` storage `work` : rank-1 array('d') with bounds (MAX(lwork,1)) `info` : int

`scipy.linalg.lapack.dorgrq = <fortran object>`

dorgrq - Function signature:

`q,work,info = dorgrq(a,tau,[lwork,overwrite_a])`

Required arguments:

a : input rank-2 array('d') with bounds (m,n) tau : input rank-1 array('d') with bounds (k)

Optional arguments:

overwrite_a := 0 input int lwork := 3*m input int

Return objects:

q : rank-2 array('d') with bounds (m,n) and a storage work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.dormqr = <fortran object>

dormqr - Function signature:

cq,work,info = dormqr(side,trans,a,tau,c,lwork,[overwrite_c])

Required arguments:

side : input string(len=1) trans : input string(len=1) a : input rank-2 array('d') with bounds (lda,k) tau : input rank-1 array('d') with bounds (k) c : input rank-2 array('d') with bounds (ldc,n) lwork : input int

Optional arguments:

overwrite_c := 0 input int

Return objects:

cq : rank-2 array('d') with bounds (ldc,n) and c storage work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.dpbsv = <fortran object>

dpbsv - Function signature:

c,x,info = dpbsv(ab,b,[lower,ldab,overwrite_ab,overwrite_b])

Required arguments:

ab : input rank-2 array('d') with bounds (ldab,n) b : input rank-2 array('d') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int overwrite_b := 0 input int

Return objects:

c : rank-2 array('d') with bounds (ldab,n) and ab storage x : rank-2 array('d') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.dpbtrf = <fortran object>

dpbtrf - Function signature:

c,info = dpbtrf(ab,[lower,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('d') with bounds (ldab,n)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int

Return objects:

c : rank-2 array('d') with bounds (ldab,n) and ab storage info : int

scipy.linalg.lapack.dpbtrs = <fortran object>

dpbtrs - Function signature:

`x,info = dpbtrs(ab,b,[lower,ldab,overwrite_b])`

Required arguments:

`ab` : input rank-2 array('d') with bounds (ldab,n) `b` : input rank-2 array('d') with bounds (ldb,nrhs)

Optional arguments:

`lower := 0` input int `ldab := shape(ab,0)` input int `overwrite_b := 0` input int

Return objects:

`x` : rank-2 array('d') with bounds (ldb,nrhs) and `b` storage `info` : int

`scipy.linalg.lapack.dposv = <fortran object>`

dposv - Function signature:

`c,x,info = dposv(a,b,[lower,overwrite_a,overwrite_b])`

Required arguments:

`a` : input rank-2 array('d') with bounds (n,n) `b` : input rank-2 array('d') with bounds (n,nrhs)

Optional arguments:

`overwrite_a := 0` input int `overwrite_b := 0` input int `lower := 0` input int

Return objects:

`c` : rank-2 array('d') with bounds (n,n) and `a` storage `x` : rank-2 array('d') with bounds (n,nrhs) and `b` storage `info` : int

`scipy.linalg.lapack.dpotrf = <fortran object>`

dpotrf - Function signature:

`c,info = dpotrf(a,[lower,clean,overwrite_a])`

Required arguments:

`a` : input rank-2 array('d') with bounds (n,n)

Optional arguments:

`overwrite_a := 0` input int `lower := 0` input int `clean := 1` input int

Return objects:

`c` : rank-2 array('d') with bounds (n,n) and `a` storage `info` : int

`scipy.linalg.lapack.dpotri = <fortran object>`

dpotri - Function signature:

`inv_a,info = dpotri(c,[lower,overwrite_c])`

Required arguments:

`c` : input rank-2 array('d') with bounds (n,n)

Optional arguments:

`overwrite_c := 0` input int `lower := 0` input int

Return objects:

`inv_a` : rank-2 array('d') with bounds (n,n) and `c` storage `info` : int

`scipy.linalg.lapack.dpotrs = <fortran object>`

dpotrs - Function signature:

`x,info = dpotrs(c,b,[lower,overwrite_b])`

Required arguments:

c : input rank-2 array('d') with bounds (n,n) b : input rank-2 array('d') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int lower := 0 input int

Return objects:

x : rank-2 array('d') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**dsbev** = <fortran object>

dsbev - Function signature:

w,z,info = dsbev(ab,[compute_v,lower,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('d') with bounds (ldab,*)

Optional arguments:

overwrite_ab := 1 input int compute_v := 1 input int lower := 0 input int ldab := shape(ab,0) input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('d') with bounds (ldz,ldz) info : int

scipy.linalg.lapack.**dsbevd** = <fortran object>

dsbevd - Function signature:

w,z,info = dsbevd(ab,[compute_v,lower,ldab,liwork,overwrite_ab])

Required arguments:

ab : input rank-2 array('d') with bounds (ldab,*)

Optional arguments:

overwrite_ab := 1 input int compute_v := 1 input int lower := 0 input int ldab := shape(ab,0) input int liwork := (compute_v?3+5*n:1) input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('d') with bounds (ldz,ldz) info : int

scipy.linalg.lapack.**dsbevx** = <fortran object>

dsbevx - Function signature:

w,z,m,ifail,info = dsbevx(ab,vl,vu,il,iu,[ldab,compute_v,range,lower,abstol,mmax,overwrite_ab])

Required arguments:

ab : input rank-2 array('d') with bounds (ldab,*) vl : input float vu : input float il : input int iu : input int

Optional arguments:

overwrite_ab := 1 input int ldab := shape(ab,0) input int compute_v := 1 input int range := 0 input int lower := 0 input int abstol := 0.0 input float mmax := (compute_v?(range==2?(iu-il+1):n):1) input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('d') with bounds (ldz,mmax) m : int ifail : rank-1 array('i') with bounds ((compute_v?n:1)) info : int

scipy.linalg.lapack.**dsyev** = <fortran object>

***dsyev* - Function signature:**

w,v,info = dsyev(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := 3*n-1 input int

Return objects:

w : rank-1 array('d') with bounds (n) v : rank-2 array('d') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.**dsyevd** = <fortran object>

***dsyevd* - Function signature:**

w,v,info = dsyevd(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := (compute_v?1+6*n+2*n*n:2*n+1) input int

Return objects:

w : rank-1 array('d') with bounds (n) v : rank-2 array('d') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.**dsyevr** = <fortran object>

***dsyevr* - Function signature:**

w,z,info = dsyevr(a,[jobz,range,uplo,il,iu,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (n,n)

Optional arguments:

jobz := 'V' input string(len=1) range := 'A' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int il := 1 input int iu := n input int lwork := 26*n input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('d') with bounds (n,m) info : int

scipy.linalg.lapack.**dsygv** = <fortran object>

***dsygv* - Function signature:**

a,w,info = dsygv(a,b,[itype,jobz,uplo,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('d') with bounds (n,n) b : input rank-2 array('d') with bounds (n,n)

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

a : rank-2 array('d') with bounds (n,n) w : rank-1 array('d') with bounds (n) info : int

`scipy.linalg.lapack.dsygvd` = <fortran object>

dsygvd - Function signature:

`a,w,info = dsygvd(a,b,[itype,jobz,uplo,lwork,overwrite_a,overwrite_b])`

Required arguments:

`a` : input rank-2 array('d') with bounds (n,n) `b` : input rank-2 array('d') with bounds (n,n)

Optional arguments:

`itype` := 1 input int `jobz` := 'V' input string(len=1) `uplo` := 'L' input string(len=1) `overwrite_a` := 0 input int `overwrite_b` := 0 input int `lwork` := 1+6*n+2*n*n input int

Return objects:

`a` : rank-2 array('d') with bounds (n,n) `w` : rank-1 array('d') with bounds (n) `info` : int

`scipy.linalg.lapack.dsygvx` = <fortran object>

dsygvx - Function signature:

`w,z,ifail,info = dsygvx(a,b,iu,[itype,jobz,uplo,il,lwork,overwrite_a,overwrite_b])`

Required arguments:

`a` : input rank-2 array('d') with bounds (n,n) `b` : input rank-2 array('d') with bounds (n,n) `iu` : input int

Optional arguments:

`itype` := 1 input int `jobz` := 'V' input string(len=1) `uplo` := 'L' input string(len=1) `overwrite_a` := 0 input int `overwrite_b` := 0 input int `il` := 1 input int `lwork` := 8*n input int

Return objects:

`w` : rank-1 array('d') with bounds (n) `z` : rank-2 array('d') with bounds (n,m) `ifail` : rank-1 array('i') with bounds (n) `info` : int

`scipy.linalg.lapack.dtrsyl` = <fortran object>

dtrsyl - Function signature:

`x,scale,info = dtrsyl(a,b,c,[trana,tranb,isgn,overwrite_c])`

Required arguments:

`a` : input rank-2 array('d') with bounds (m,m) `b` : input rank-2 array('d') with bounds (n,n) `c` : input rank-2 array('d') with bounds (m,n)

Optional arguments:

`trana` := 'N' input string(len=1) `tranb` := 'N' input string(len=1) `isgn` := 1 input int `overwrite_c` := 0 input int

Return objects:

`x` : rank-2 array('d') with bounds (m,n) and `c` storage `scale` : float `info` : int

`scipy.linalg.lapack.dtrtri` = <fortran object>

dtrtri - Function signature:

`inv_c,info = dtrtri(c,[lower,unitdiag,overwrite_c])`

Required arguments:

`c` : input rank-2 array('d') with bounds (n,n)

Optional arguments:

`overwrite_c` := 0 input int `lower` := 0 input int `unitdiag` := 0 input int

Return objects:

inv_c : rank-2 array('d') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**dtrtrs** = <fortran object>

dtrtrs - Function signature:

x,info = dtrtrs(a,b,[lower,trans,unitdiag,lda,overwrite_b])

Required arguments:

a : input rank-2 array('d') with bounds (lda,n) b : input rank-2 array('d') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int trans := 0 input int unitdiag := 0 input int lda := shape(a,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('d') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**sgbsv** = <fortran object>

sgbsv - Function signature:

lub,piv,x,info = sgbsv(kl,ku,ab,b,[overwrite_ab,overwrite_b])

Required arguments:

kl : input int ku : input int ab : input rank-2 array('f') with bounds (2*kl+ku+1,n) b : input rank-2 array('f') with bounds (n,nrhs)

Optional arguments:

overwrite_ab := 0 input int overwrite_b := 0 input int

Return objects:

lub : rank-2 array('f') with bounds (2*kl+ku+1,n) and ab storage piv : rank-1 array('i') with bounds (n) x : rank-2 array('f') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**sgbtrf** = <fortran object>

sgbtrf - Function signature:

lu,ipiv,info = sgbtrf(ab,kl,ku,[m,n,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,*) kl : input int ku : input int

Optional arguments:

m := shape(ab,1) input int n := shape(ab,1) input int overwrite_ab := 0 input int ldab := shape(ab,0) input int

Return objects:

lu : rank-2 array('f') with bounds (ldab,*) and ab storage ipiv : rank-1 array('i') with bounds (MIN(m,n)) info : int

scipy.linalg.lapack.**sgbtrs** = <fortran object>

sgbtrs - Function signature:

x,info = sgbtrs(ab,kl,ku,b,ipiv,[trans,n,ldab,ldb,overwrite_b])

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,*) kl : input int ku : input int b : input rank-2 array('f') with bounds (ldb,*) ipiv : input rank-1 array('i') with bounds (n)

Optional arguments:

overwrite_b := 0 input int trans := 0 input int n := shape(ab,1) input int ldab := shape(ab,0) input int ldb := shape(b,0) input int

Return objects:

x : rank-2 array('f') with bounds (ldb,*) and b storage info : int

scipy.linalg.lapack.**sgebal** = <fortran object>

sgebal - Function signature:

ba,lo,hi,pivscale,info = sgebal(a,[scale,permute,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (m,n)

Optional arguments:

scale := 0 input int permute := 0 input int overwrite_a := 0 input int

Return objects:

ba : rank-2 array('f') with bounds (m,n) and a storage lo : int hi : int pivscale : rank-1 array('f') with bounds (n) info : int

scipy.linalg.lapack.**sgees** = <fortran object>

sgees - Function signature:

t,sdim,wr,wi,vs,work,info = sgees(sselect,a,[compute_v,sort_t,lwork,sselect_extra_args,overwrite_a])

Required arguments:

sselect : call-back function a : input rank-2 array('f') with bounds (n,n)

Optional arguments:

compute_v := 1 input int sort_t := 0 input int sselect_extra_args := () input tuple overwrite_a := 0 input int lwork := 3*n input int

Return objects:

t : rank-2 array('f') with bounds (n,n) and a storage sdim : int wr : rank-1 array('f') with bounds (n) wi : rank-1 array('f') with bounds (n) vs : rank-2 array('f') with bounds (ldvs,n) work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def sselect(arg1,arg2): return sselect Required arguments:

arg1 : input float arg2 : input float

Return objects:

sselect : int

scipy.linalg.lapack.**sgeev** = <fortran object>

sgeev - Function signature:

wr,wi,vl,vr,info = sgeev(a,[compute_vl,compute_vr,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int lwork := 4*n input int

Return objects:

wr : rank-1 array('f') with bounds (n) wi : rank-1 array('f') with bounds (n) vl : rank-2 array('f') with bounds (ldvl,n) vr : rank-2 array('f') with bounds (ldvr,n) info : int

scipy.linalg.lapack.**sgegv** = <fortran object>

sgegv - Function signature:

alphan,alphai,beta,vl,vr,info = sgegv(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('f') with bounds (n,n) b : input rank-2 array('f') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0 input int lwork := 8*n input int

Return objects:

alphan : rank-1 array('f') with bounds (n) alphai : rank-1 array('f') with bounds (n) beta : rank-1 array('f') with bounds (n) vl : rank-2 array('f') with bounds (ldvl,n) vr : rank-2 array('f') with bounds (ldvr,n) info : int

scipy.linalg.lapack.**sgehrd** = <fortran object>

sgehrd - Function signature:

ht,tau,info = sgehrd(a,[lo,hi,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (n,n)

Optional arguments:

lo := 0 input int hi := n-1 input int overwrite_a := 0 input int lwork := MAX(n,1) input int

Return objects:

ht : rank-2 array('f') with bounds (n,n) and a storage tau : rank-1 array('f') with bounds (n - 1) info : int

scipy.linalg.lapack.**sgelss** = <fortran object>

sgelss - Function signature:

v,x,s,rank,work,info = sgelss(a,b,[cond,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('f') with bounds (m,n) b : input rank-2 array('f') with bounds (maxmn,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int cond := -1.0 input float lwork := 3*minmn+MAX(2*minmn,MAX(maxmn,nrhs)) input int

Return objects:

v : rank-2 array('f') with bounds (m,n) and a storage x : rank-2 array('f') with bounds (maxmn,nrhs) and b storage s : rank-1 array('f') with bounds (minmn) rank : int work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**sgeqp3** = <fortran object>

sgeqp3 - Function signature:

qr,jpvt,tau,work,info = sgeqp3(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*(n+1) input int

Return objects:

qr : rank-2 array('f') with bounds (m,n) and a storage jpvvt : rank-1 array('i') with bounds (n) tau : rank-1 array('f') with bounds (MIN(m,n)) work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**sgeqrf** = <fortran object>

sgeqrf - Function signature:

qr,tau,work,info = sgeqrf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*n input int

Return objects:

qr : rank-2 array('f') with bounds (m,n) and a storage tau : rank-1 array('f') with bounds (MIN(m,n)) work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**sgerqf** = <fortran object>

sgerqf - Function signature:

qr,tau,work,info = sgerqf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*m input int

Return objects:

qr : rank-2 array('f') with bounds (m,n) and a storage tau : rank-1 array('f') with bounds (MIN(m,n)) work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**sgesdd** = <fortran object>

sgesdd - Function signature:

u,s,vt,info = sgesdd(a,[compute_uv,full_matrices,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int compute_uv := 1 input int full_matrices := 1 input int lwork := (compute_uv?4*minmn*minmn+MAX(m,n)+9*minmn:MAX(14*minmn+4,10*minmn+2+25*(25+8))+MAX(m,n)) input int

Return objects:

u : rank-2 array('f') with bounds (u0,u1) s : rank-1 array('f') with bounds (minmn) vt : rank-2 array('f') with bounds (vt0,vt1) info : int

scipy.linalg.lapack.**sgesv** = <fortran object>

sgesv - Function signature:

```
lu,piv,x,info = sgesv(a,b,[overwrite_a,overwrite_b])
```

Required arguments:

a : input rank-2 array('f') with bounds (n,n) b : input rank-2 array('f') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

lu : rank-2 array('f') with bounds (n,n) and a storage piv : rank-1 array('i') with bounds (n) x : rank-2 array('f') with bounds (n,nrhs) and b storage info : int

```
scipy.linalg.lapack.sgetrf = <fortran object>
```

sgetrf - Function signature:

```
lu,piv,info = sgetrf(a,[overwrite_a])
```

Required arguments:

a : input rank-2 array('f') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int

Return objects:

lu : rank-2 array('f') with bounds (m,n) and a storage piv : rank-1 array('i') with bounds (MIN(m,n)) info : int

```
scipy.linalg.lapack.sgetri = <fortran object>
```

sgetri - Function signature:

```
inv_a,info = sgetri(lu,piv,[lwork,overwrite_lu])
```

Required arguments:

lu : input rank-2 array('f') with bounds (n,n) piv : input rank-1 array('i') with bounds (n)

Optional arguments:

overwrite_lu := 0 input int lwork := 3*n input int

Return objects:

inv_a : rank-2 array('f') with bounds (n,n) and lu storage info : int

```
scipy.linalg.lapack.sgetrs = <fortran object>
```

sgetrs - Function signature:

```
x,info = sgetrs(lu,piv,b,[trans,overwrite_b])
```

Required arguments:

lu : input rank-2 array('f') with bounds (n,n) piv : input rank-1 array('i') with bounds (n) b : input rank-2 array('f') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int trans := 0 input int

Return objects:

x : rank-2 array('f') with bounds (n,nrhs) and b storage info : int

```
scipy.linalg.lapack.sgges = <fortran object>
```

sgges - Function signature:

a,b,sdim,alphar,alphai,beta,vsl,vsr,work,info = sgges(sselect,a,b,[jobvsl,jobvsr,sort_t,ldvsl,ldvsr,lwork,sselect_extra_

Required arguments:

sselect : call-back function a : input rank-2 array('f') with bounds (lda,*) b : input rank-2 array('f') with bounds (ldb,*)

Optional arguments:

jobvsl := 1 input int jobvsr := 1 input int sort_t := 0 input int sselect_extra_args := () input tuple overwrite_a := 0 input int overwrite_b := 0 input int ldvsl := ((jobvsl==1)?n:1) input int ldvsr := ((jobvsr==1)?n:1) input int lwork := 8*n+16 input int

Return objects:

a : rank-2 array('f') with bounds (lda,*) b : rank-2 array('f') with bounds (ldb,*) sdim : int alphar : rank-1 array('f') with bounds (n) alphai : rank-1 array('f') with bounds (n) beta : rank-1 array('f') with bounds (n) vsl : rank-2 array('f') with bounds (ldvsl,n) vsr : rank-2 array('f') with bounds (ldvsr,n) work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def sselect(alphar,alphai,beta): return sselect
 Required arguments:
 alphar : input float alphai : input float beta : input float

Return objects:

sselect : int

scipy.linalg.lapack.**sggev** = <fortran object>

sggev - Function signature:

alphar,alphai,beta,vl,vr,work,info = sggev(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('f') with bounds (n,n) b : input rank-2 array('f') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0 input int lwork := 8*n input int

Return objects:

alphar : rank-1 array('f') with bounds (n) alphai : rank-1 array('f') with bounds (n) beta : rank-1 array('f') with bounds (n) vl : rank-2 array('f') with bounds (ldvl,n) vr : rank-2 array('f') with bounds (ldvr,n) work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**slamch** = <fortran slamch>

slamch - Function signature:

slamch = slamch(cmach)

Required arguments:

cmach : input string(len=1)

Return objects:

slamch : float

scipy.linalg.lapack.**slaswp** = <fortran object>

slaswp - Function signature:

a = slaswp(a,piv,[k1,k2,off,inc,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (nrows,n) piv : input rank-1 array('i') with bounds (*)

Optional arguments:

overwrite_a := 0 input int k1 := 0 input int k2 := len(piv)-1 input int off := 0 input int inc := 1
input int

Return objects:

a : rank-2 array('f') with bounds (nrows,n)

scipy.linalg.lapack.**slauum** = <fortran object>

slauum - Function signature:

a,info = slauum(c,[lower,overwrite_c])

Required arguments:

c : input rank-2 array('f') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int

Return objects:

a : rank-2 array('f') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**sorgqr** = <fortran object>

sorgqr - Function signature:

q,work,info = sorgqr(a,tau,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (m,n) tau : input rank-1 array('f') with bounds (k)

Optional arguments:

overwrite_a := 0 input int lwork := 3*n input int

Return objects:

q : rank-2 array('f') with bounds (m,n) and a storage work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**sorgrq** = <fortran object>

sorgrq - Function signature:

q,work,info = sorgrq(a,tau,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (m,n) tau : input rank-1 array('f') with bounds (k)

Optional arguments:

overwrite_a := 0 input int lwork := 3*m input int

Return objects:

q : rank-2 array('f') with bounds (m,n) and a storage work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**sormqr** = <fortran object>

sormqr - Function signature:

cq,work,info = sormqr(side,trans,a,tau,c,lwork,[overwrite_c])

Required arguments:

side : input string(len=1) trans : input string(len=1) a : input rank-2 array('f') with bounds (lda,k)
 tau : input rank-1 array('f') with bounds (k) c : input rank-2 array('f') with bounds (ldc,n) lwork
 : input int

Optional arguments:

overwrite_c := 0 input int

Return objects:

cq : rank-2 array('f') with bounds (ldc,n) and c storage work : rank-1 array('f') with bounds
 (MAX(lwork,1)) info : int

scipy.linalg.lapack.**spbsv** = <fortran object>

spbsv - Function signature:

c,x,info = spbsv(ab,b,[lower,ldab,overwrite_ab,overwrite_b])

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,n) b : input rank-2 array('f') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int overwrite_b := 0
 input int

Return objects:

c : rank-2 array('f') with bounds (ldab,n) and ab storage x : rank-2 array('f') with bounds
 (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**spbtrf** = <fortran object>

spbtrf - Function signature:

c,info = spbtrf(ab,[lower,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,n)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int

Return objects:

c : rank-2 array('f') with bounds (ldab,n) and ab storage info : int

scipy.linalg.lapack.**spbtrs** = <fortran object>

spbtrs - Function signature:

x,info = spbtrs(ab,b,[lower,ldab,overwrite_b])

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,n) b : input rank-2 array('f') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int ldab := shape(ab,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('f') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**sposv** = <fortran object>

sposv - Function signature:

`c,x,info = sposv(a,b,[lower,overwrite_a,overwrite_b])`

Required arguments:

`a` : input rank-2 array('f') with bounds (n,n) `b` : input rank-2 array('f') with bounds (n,nrhs)

Optional arguments:

`overwrite_a` := 0 input int `overwrite_b` := 0 input int `lower` := 0 input int

Return objects:

`c` : rank-2 array('f') with bounds (n,n) and a storage `x` : rank-2 array('f') with bounds (n,nrhs) and `b` storage `info` : int

`scipy.linalg.lapack.spotrf = <fortran object>`

spotrf - Function signature:

`c,info = spotrf(a,[lower,clean,overwrite_a])`

Required arguments:

`a` : input rank-2 array('f') with bounds (n,n)

Optional arguments:

`overwrite_a` := 0 input int `lower` := 0 input int `clean` := 1 input int

Return objects:

`c` : rank-2 array('f') with bounds (n,n) and a storage `info` : int

`scipy.linalg.lapack.spotri = <fortran object>`

spotri - Function signature:

`inv_a,info = spotri(c,[lower,overwrite_c])`

Required arguments:

`c` : input rank-2 array('f') with bounds (n,n)

Optional arguments:

`overwrite_c` := 0 input int `lower` := 0 input int

Return objects:

`inv_a` : rank-2 array('f') with bounds (n,n) and `c` storage `info` : int

`scipy.linalg.lapack.spotrs = <fortran object>`

spotrs - Function signature:

`x,info = spotrs(c,b,[lower,overwrite_b])`

Required arguments:

`c` : input rank-2 array('f') with bounds (n,n) `b` : input rank-2 array('f') with bounds (n,nrhs)

Optional arguments:

`overwrite_b` := 0 input int `lower` := 0 input int

Return objects:

`x` : rank-2 array('f') with bounds (n,nrhs) and `b` storage `info` : int

`scipy.linalg.lapack.ssbev = <fortran object>`

ssbev - Function signature:

`w,z,info = ssbev(ab,[compute_v,lower,ldab,overwrite_ab])`

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,*)

Optional arguments:

overwrite_ab := 1 input int compute_v := 1 input int lower := 0 input int ldab := shape(ab,0) input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('f') with bounds (ldz,ldz) info : int

scipy.linalg.lapack.**ssbevd** = <fortran object>

ssbevd - Function signature:

w,z,info = ssbevd(ab,[compute_v,lower,ldab,liwork,overwrite_ab])

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,*)

Optional arguments:

overwrite_ab := 1 input int compute_v := 1 input int lower := 0 input int ldab := shape(ab,0) input int liwork := (compute_v?3+5*n:1) input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('f') with bounds (ldz,ldz) info : int

scipy.linalg.lapack.**ssbevx** = <fortran object>

ssbevx - Function signature:

w,z,m,ifail,info = ssbevx(ab,vl,vu,il,iu,[ldab,compute_v,range,lower,abstol,mmax,overwrite_ab])

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,*) vl : input float vu : input float il : input int iu : input int

Optional arguments:

overwrite_ab := 1 input int ldab := shape(ab,0) input int compute_v := 1 input int range := 0 input int lower := 0 input int abstol := 0.0 input float mmax := (compute_v?(range==2?(iu-il+1):n):1) input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('f') with bounds (ldz,mmax) m : int ifail : rank-1 array('i') with bounds ((compute_v?n:1)) info : int

scipy.linalg.lapack.**ssyev** = <fortran object>

ssyev - Function signature:

w,v,info = ssyev(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := 3*n-1 input int

Return objects:

w : rank-1 array('f') with bounds (n) v : rank-2 array('f') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.**ssyevd** = <fortran object>

ssyevd - Function signature:

w,v,info = ssyevd(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := (compute_v?1+6*n+2*n*n:2*n+1) input int

Return objects:

w : rank-1 array('f') with bounds (n) v : rank-2 array('f') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.**ssyevr** = <fortran object>

ssyevr - Function signature:

w,z,info = ssyevr(a,[jobz,range,uplo,il,iu,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (n,n)

Optional arguments:

jobz := 'V' input string(len=1) range := 'A' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int il := 1 input int iu := n input int lwork := 26*n input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('f') with bounds (n,m) info : int

scipy.linalg.lapack.**ssygv** = <fortran object>

ssygv - Function signature:

a,w,info = ssygv(a,b,[itype,jobz,uplo,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('f') with bounds (n,n) b : input rank-2 array('f') with bounds (n,n)

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

a : rank-2 array('f') with bounds (n,n) w : rank-1 array('f') with bounds (n) info : int

scipy.linalg.lapack.**ssygvd** = <fortran object>

ssygvd - Function signature:

a,w,info = ssygvd(a,b,[itype,jobz,uplo,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('f') with bounds (n,n) b : input rank-2 array('f') with bounds (n,n)

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int lwork := 1+6*n+2*n*n input int

Return objects:

a : rank-2 array('f') with bounds (n,n) w : rank-1 array('f') with bounds (n) info : int

`scipy.linalg.lapack.ssygvx` = <fortran object>

ssygvx - Function signature:

`w,z,ifail,info = ssygvx(a,b,iu,[itype,jobz,uplo,il,lwork,overwrite_a,overwrite_b])`

Required arguments:

`a` : input rank-2 array('f') with bounds (n,n) `b` : input rank-2 array('f') with bounds (n,n) `iu` : input int

Optional arguments:

`itype` := 1 input int `jobz` := 'V' input string(len=1) `uplo` := 'L' input string(len=1) `overwrite_a` := 0 input int `overwrite_b` := 0 input int `il` := 1 input int `lwork` := 8*n input int

Return objects:

`w` : rank-1 array('f') with bounds (n) `z` : rank-2 array('f') with bounds (n,m) `ifail` : rank-1 array('i') with bounds (n) `info` : int

`scipy.linalg.lapack.strsyl` = <fortran object>

strsyl - Function signature:

`x,scale,info = strsyl(a,b,c,[trana,tranb,isgn,overwrite_c])`

Required arguments:

`a` : input rank-2 array('f') with bounds (m,m) `b` : input rank-2 array('f') with bounds (n,n) `c` : input rank-2 array('f') with bounds (m,n)

Optional arguments:

`trana` := 'N' input string(len=1) `tranb` := 'N' input string(len=1) `isgn` := 1 input int `overwrite_c` := 0 input int

Return objects:

`x` : rank-2 array('f') with bounds (m,n) and `c` storage `scale` : float `info` : int

`scipy.linalg.lapack.strtri` = <fortran object>

strtri - Function signature:

`inv_c,info = strtri(c,[lower,unitdiag,overwrite_c])`

Required arguments:

`c` : input rank-2 array('f') with bounds (n,n)

Optional arguments:

`overwrite_c` := 0 input int `lower` := 0 input int `unitdiag` := 0 input int

Return objects:

`inv_c` : rank-2 array('f') with bounds (n,n) and `c` storage `info` : int

`scipy.linalg.lapack.strtrs` = <fortran object>

strtrs - Function signature:

`x,info = strtrs(a,b,[lower,trans,unitdiag,lda,overwrite_b])`

Required arguments:

`a` : input rank-2 array('f') with bounds (lda,n) `b` : input rank-2 array('f') with bounds (ldb,nrhs)

Optional arguments:

`lower` := 0 input int `trans` := 0 input int `unitdiag` := 0 input int `lda` := shape(a,0) input int `overwrite_b` := 0 input int

Return objects:

x : rank-2 array('f') with bounds (ldb,nrhs) and b storage info : int

`scipy.linalg.lapack.zgbsv = <fortran object>`

zgbsv - Function signature:

lub,piv,x,info = zgbsv(kl,ku,ab,b,[overwrite_ab,overwrite_b])

Required arguments:

kl : input int ku : input int ab : input rank-2 array('D') with bounds (2*kl+ku+1,n) b : input rank-2 array('D') with bounds (n,nrhs)

Optional arguments:

overwrite_ab := 0 input int overwrite_b := 0 input int

Return objects:

lub : rank-2 array('D') with bounds (2*kl+ku+1,n) and ab storage piv : rank-1 array('i') with bounds (n) x : rank-2 array('D') with bounds (n,nrhs) and b storage info : int

`scipy.linalg.lapack.zgbtrf = <fortran object>`

zgbtrf - Function signature:

lu,ipiv,info = zgbtrf(ab,kl,ku,[m,n,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('D') with bounds (ldab,*) kl : input int ku : input int

Optional arguments:

m := shape(ab,1) input int n := shape(ab,1) input int overwrite_ab := 0 input int ldab := shape(ab,0) input int

Return objects:

lu : rank-2 array('D') with bounds (ldab,*) and ab storage ipiv : rank-1 array('i') with bounds (MIN(m,n)) info : int

`scipy.linalg.lapack.zgbtrs = <fortran object>`

zgbtrs - Function signature:

x,info = zgbtrs(ab,kl,ku,b,ipiv,[trans,n,ldab,ldb,overwrite_b])

Required arguments:

ab : input rank-2 array('D') with bounds (ldab,*) kl : input int ku : input int b : input rank-2 array('D') with bounds (ldb,*) ipiv : input rank-1 array('i') with bounds (n)

Optional arguments:

overwrite_b := 0 input int trans := 0 input int n := shape(ab,1) input int ldab := shape(ab,0) input int ldb := shape(b,0) input int

Return objects:

x : rank-2 array('D') with bounds (ldb,*) and b storage info : int

`scipy.linalg.lapack.zgebal = <fortran object>`

zgebal - Function signature:

ba,lo,hi,pivscale,info = zgebal(a,[scale,permute,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n)

Optional arguments:

scale := 0 input int permute := 0 input int overwrite_a := 0 input int

Return objects:

ba : rank-2 array('D') with bounds (m,n) and a storage lo : int hi : int pivscale : rank-1 array('d') with bounds (n) info : int

scipy.linalg.lapack.**zgees** = <fortran object>

zgees - Function signature:

t,sdim,w,vs,work,info = zgees(zselect,a,[compute_v,sort_t,lwork,zselect_extra_args,overwrite_a])

Required arguments:

zselect : call-back function a : input rank-2 array('D') with bounds (n,n)

Optional arguments:

compute_v := 1 input int sort_t := 0 input int zselect_extra_args := () input tuple overwrite_a := 0 input int lwork := 3*n input int

Return objects:

t : rank-2 array('D') with bounds (n,n) and a storage sdim : int w : rank-1 array('D') with bounds (n) vs : rank-2 array('D') with bounds (ldvs,n) work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def zselect(arg): return zselect Required arguments:

arg : input complex

Return objects:

zselect : int

scipy.linalg.lapack.**zgeev** = <fortran object>

zgeev - Function signature:

w,vl,vr,info = zgeev(a,[compute_vl,compute_vr,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int lwork := 2*n input int

Return objects:

w : rank-1 array('D') with bounds (n) vl : rank-2 array('D') with bounds (ldvl,n) vr : rank-2 array('D') with bounds (ldvr,n) info : int

scipy.linalg.lapack.**zgegv** = <fortran object>

zgegv - Function signature:

alpha,beta,vl,vr,info = zgegv(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0 input int lwork := 2*n input int

Return objects:

alpha : rank-1 array('D') with bounds (n) beta : rank-1 array('D') with bounds (n) vl : rank-2 array('D') with bounds (ldvl,n) vr : rank-2 array('D') with bounds (ldvr,n) info : int

scipy.linalg.lapack.zgehrd = <fortran object>

zgehrd - Function signature:

ht,tau,info = zgehrd(a,[lo,hi,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (n,n)

Optional arguments:

lo := 0 input int hi := n-1 input int overwrite_a := 0 input int lwork := MAX(n,1) input int

Return objects:

ht : rank-2 array('D') with bounds (n,n) and a storage tau : rank-1 array('D') with bounds (n - 1) info : int

scipy.linalg.lapack.zgelss = <fortran object>

zgelss - Function signature:

v,x,s,rank,work,info = zgelss(a,b,[cond,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (m,n) b : input rank-2 array('D') with bounds (maxmn,nrhs) (maxmn,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int cond := -1.0 input float lwork := 2*minmn+MAX(maxmn,nrhs) input int

Return objects:

v : rank-2 array('D') with bounds (m,n) and a storage x : rank-2 array('D') with bounds (maxmn,nrhs) and b storage s : rank-1 array('d') with bounds (minmn) rank : int work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.zgeqp3 = <fortran object>

zgeqp3 - Function signature:

qr,jpvt,tau,work,info = zgeqp3(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*(n+1) input int

Return objects:

qr : rank-2 array('D') with bounds (m,n) and a storage jpvt : rank-1 array('i') with bounds (n) tau : rank-1 array('D') with bounds (MIN(m,n)) work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.zgeqrf = <fortran object>

zgeqrf - Function signature:

qr,tau,work,info = zgeqrf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*n input int

Return objects:

qr : rank-2 array('D') with bounds (m,n) and a storage tau : rank-1 array('D') with bounds (MIN(m,n)) work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.zgerqf = <fortran object>

zgerqf - Function signature:

qr,tau,work,info = zgerqf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*m input int

Return objects:

qr : rank-2 array('D') with bounds (m,n) and a storage tau : rank-1 array('D') with bounds (MIN(m,n)) work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.zgesdd = <fortran object>

zgesdd - Function signature:

u,s,vt,info = zgesdd(a,[compute_uv,full_matrices,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int compute_uv := 1 input int full_matrices := 1 input int lwork := (compute_uv?2*minmn*minmn+MAX(m,n)+2*minmn:2*minmn+MAX(m,n)) input int

Return objects:

u : rank-2 array('D') with bounds (u0,u1) s : rank-1 array('d') with bounds (minmn) vt : rank-2 array('D') with bounds (vt0,vt1) info : int

scipy.linalg.lapack.zgesv = <fortran object>

zgesv - Function signature:

lu,piv,x,info = zgesv(a,b,[overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

lu : rank-2 array('D') with bounds (n,n) and a storage piv : rank-1 array('i') with bounds (n) x : rank-2 array('D') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.zgetrf = <fortran object>

zgetrf - Function signature:

```
lu,piv,info = zgetrf(a,[overwrite_a])
```

Required arguments:

a : input rank-2 array('D') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int

Return objects:

lu : rank-2 array('D') with bounds (m,n) and a storage piv : rank-1 array('i') with bounds (MIN(m,n)) info : int

scipy.linalg.lapack.**zgetrf** = <fortran object>

zgetri - Function signature:

```
inv_a,info = zgetri(lu,piv,[lwork,overwrite_lu])
```

Required arguments:

lu : input rank-2 array('D') with bounds (n,n) piv : input rank-1 array('i') with bounds (n)

Optional arguments:

overwrite_lu := 0 input int lwork := 3*n input int

Return objects:

inv_a : rank-2 array('D') with bounds (n,n) and lu storage info : int

scipy.linalg.lapack.**zgetri** = <fortran object>

zgetrs - Function signature:

```
x,info = zgetrs(lu,piv,b,[trans,overwrite_b])
```

Required arguments:

lu : input rank-2 array('D') with bounds (n,n) piv : input rank-1 array('i') with bounds (n) b : input rank-2 array('D') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int trans := 0 input int

Return objects:

x : rank-2 array('D') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**zgetrs** = <fortran object>

zgges - Function signature:

```
a,b,sdim,alpha,beta,vsl,vsr,work,info = zgges(zselect,a,b,[jobvsl,jobvsr,sort_t,ldvsl,ldvsr,lwork,zselect_extra_args,
```

Required arguments:

zselect : call-back function a : input rank-2 array('D') with bounds (lda,*) b : input rank-2 array('D') with bounds (ldb,*)

Optional arguments:

jobvsl := 1 input int jobvsr := 1 input int sort_t := 0 input int zselect_extra_args := () input tuple
overwrite_a := 0 input int overwrite_b := 0 input int ldvsl := ((jobvsl==1)?n:1) input int ldvsr := ((jobvsr==1)?n:1) input int lwork := 2*n input int

Return objects:

a : rank-2 array('D') with bounds (lda,*) b : rank-2 array('D') with bounds (ldb,*) sdim : int

alpha : rank-1 array('D') with bounds (n) beta : rank-1 array('D') with bounds (n) vs1 : rank-2 array('D') with bounds (ldvs1,n) vsr : rank-2 array('D') with bounds (ldvsr,n) work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def zselect(alpha,beta): return zselect Required arguments:

alpha : input complex beta : input complex

Return objects:

zselect : int

scipy.linalg.lapack.zggeev = <fortran object>

zggev - Function signature:

alpha,beta,vl,vr,work,info = zggev(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0 input int lwork := 2*n input int

Return objects:

alpha : rank-1 array('D') with bounds (n) beta : rank-1 array('D') with bounds (n) vl : rank-2 array('D') with bounds (ldvl,n) vr : rank-2 array('D') with bounds (ldvr,n) work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.zhbevd = <fortran object>

zhbevd - Function signature:

w,z,info = zhbevd(ab,[compute_v,lower,ldab,lrwork,liwork,overwrite_ab])

Required arguments:

ab : input rank-2 array('D') with bounds (ldab,*)

Optional arguments:

overwrite_ab := 1 input int compute_v := 1 input int lower := 0 input int ldab := shape(ab,0) input int lrwork := (compute_v?1+5*n+2*n*n:n) input int liwork := (compute_v?3+5*n:1) input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('D') with bounds (ldz,ldz) info : int

scipy.linalg.lapack.zhbevz = <fortran object>

zhbevz - Function signature:

w,z,m,ifail,info = zhbevz(ab,vl,vu,il,iu,[ldab,compute_v,range,lower,abstol,mmax,overwrite_ab])

Required arguments:

ab : input rank-2 array('D') with bounds (ldab,*) vl : input float vu : input float il : input int iu : input int

Optional arguments:

overwrite_ab := 1 input int ldab := shape(ab,0) input int compute_v := 1 input int range := 0 input int lower := 0 input int abstol := 0.0 input float mmax := (compute_v?(range==2?(iu-il+1):n):1) input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('D') with bounds (ldz,mmax) m : int ifail : rank-1 array('i') with bounds ((compute_v?n:1)) info : int

scipy.linalg.lapack.**zheev** = <fortran object>

zheev - Function signature:

w,v,info = zheev(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := 2*n-1 input int

Return objects:

w : rank-1 array('d') with bounds (n) v : rank-2 array('D') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.**zheevd** = <fortran object>

zheevd - Function signature:

w,v,info = zheevd(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := (compute_v?2*n+n*n:n+1) input int

Return objects:

w : rank-1 array('d') with bounds (n) v : rank-2 array('D') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.**zheevr** = <fortran object>

zheevr - Function signature:

w,z,info = zheevr(a,[jobz,range,uplo,il,iu,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (n,n)

Optional arguments:

jobz := 'V' input string(len=1) range := 'A' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int il := 1 input int iu := n input int lwork := 18*n input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('D') with bounds (n,m) info : int

scipy.linalg.lapack.**zhegv** = <fortran object>

zhegv - Function signature:

a,w,info = zhegv(a,b,[itype,jobz,uplo,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,n)

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

a : rank-2 array('D') with bounds (n,n) w : rank-1 array('d') with bounds (n) info : int

scipy.linalg.lapack.**zhegvd** = <fortran object>

zhegvd - Function signature:

a,w,info = zhegvd(a,b,[itype,jobz,uplo,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,n)

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int lwork := 2*n+n*n input int

Return objects:

a : rank-2 array('D') with bounds (n,n) w : rank-1 array('d') with bounds (n) info : int

scipy.linalg.lapack.**zhegvx** = <fortran object>

zhegvx - Function signature:

w,z,ifail,info = zhegvx(a,b,iu,[itype,jobz,uplo,il,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,n) iu : input int

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int il := 1 input int lwork := 18*n-1 input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('D') with bounds (n,m) ifail : rank-1 array('i') with bounds (n) info : int

scipy.linalg.lapack.**zlaswp** = <fortran object>

zlaswp - Function signature:

a = zlaswp(a,piv,[k1,k2,off,inc,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (nrows,n) piv : input rank-1 array('i') with bounds (*)

Optional arguments:

overwrite_a := 0 input int k1 := 0 input int k2 := len(piv)-1 input int off := 0 input int inc := 1 input int

Return objects:

a : rank-2 array('D') with bounds (nrows,n)

scipy.linalg.lapack.**zlauum** = <fortran object>

zlauum - Function signature:

a,info = zlauum(c,[lower,overwrite_c])

Required arguments:

c : input rank-2 array('D') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int

Return objects:

a : rank-2 array('D') with bounds (n,n) and c storage info : int

`scipy.linalg.lapack.zpbsv = <fortran object>`

zpbsv - Function signature:

c,x,info = zpbsv(ab,b,[lower,ldab,overwrite_ab,overwrite_b])

Required arguments:

ab : input rank-2 array('D') with bounds (ldab,n) b : input rank-2 array('D') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int overwrite_b := 0 input int

Return objects:

c : rank-2 array('D') with bounds (ldab,n) and ab storage x : rank-2 array('D') with bounds (ldb,nrhs) and b storage info : int

`scipy.linalg.lapack.zpbtrf = <fortran object>`

zpbtrf - Function signature:

c,info = zpbtrf(ab,[lower,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('D') with bounds (ldab,n)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int

Return objects:

c : rank-2 array('D') with bounds (ldab,n) and ab storage info : int

`scipy.linalg.lapack.zpbtrs = <fortran object>`

zpbtrs - Function signature:

x,info = zpbtrs(ab,b,[lower,ldab,overwrite_b])

Required arguments:

ab : input rank-2 array('D') with bounds (ldab,n) b : input rank-2 array('D') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int ldab := shape(ab,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('D') with bounds (ldb,nrhs) and b storage info : int

`scipy.linalg.lapack.zposv = <fortran object>`

zposv - Function signature:

c,x,info = zposv(a,b,[lower,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int lower := 0 input int

Return objects:

c : rank-2 array('D') with bounds (n,n) and a storage x : rank-2 array('D') with bounds (n,nrhs) and b storage info : int

`scipy.linalg.lapack.zpotrf = <fortran object>`

zpotrf - Function signature:

c,info = zpotrf(a,[lower,clean,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (n,n)

Optional arguments:

overwrite_a := 0 input int lower := 0 input int clean := 1 input int

Return objects:

c : rank-2 array('D') with bounds (n,n) and a storage info : int

`scipy.linalg.lapack.zpotri = <fortran object>`

zpotri - Function signature:

inv_a,info = zpotri(c,[lower,overwrite_c])

Required arguments:

c : input rank-2 array('D') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int

Return objects:

inv_a : rank-2 array('D') with bounds (n,n) and c storage info : int

`scipy.linalg.lapack.zpotrs = <fortran object>`

zpotrs - Function signature:

x,info = zpotrs(c,b,[lower,overwrite_b])

Required arguments:

c : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int lower := 0 input int

Return objects:

x : rank-2 array('D') with bounds (n,nrhs) and b storage info : int

`scipy.linalg.lapack.ztrsyl = <fortran object>`

ztrsyl - Function signature:

x,scale,info = ztrsyl(a,b,c,[trana,tranb,isgn,overwrite_c])

Required arguments:

a : input rank-2 array('D') with bounds (m,m) b : input rank-2 array('D') with bounds (n,n) c : input rank-2 array('D') with bounds (m,n)

Optional arguments:

trana := 'N' input string(len=1) tranb := 'N' input string(len=1) isgn := 1 input int overwrite_c := 0 input int

Return objects:

x : rank-2 array('D') with bounds (m,n) and c storage scale : float info : int

scipy.linalg.lapack.**ztrtri** = <fortran object>

ztrtri - Function signature:

inv_c,info = ztrtri(c,[lower,unitdiag,overwrite_c])

Required arguments:

c : input rank-2 array('D') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int unitdiag := 0 input int

Return objects:

inv_c : rank-2 array('D') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**ztrtrs** = <fortran object>

ztrtrs - Function signature:

x,info = ztrtrs(a,b,[lower,trans,unitdiag,lda,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (lda,n) b : input rank-2 array('D') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int trans := 0 input int unitdiag := 0 input int lda := shape(a,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('D') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**zungqr** = <fortran object>

zungqr - Function signature:

q,work,info = zungqr(a,tau,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n) tau : input rank-1 array('D') with bounds (k)

Optional arguments:

overwrite_a := 0 input int lwork := 3*n input int

Return objects:

q : rank-2 array('D') with bounds (m,n) and a storage work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**zungrq** = <fortran object>

zungrq - Function signature:

q,work,info = zungrq(a,tau,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n) tau : input rank-1 array('D') with bounds (k)

Optional arguments:

overwrite_a := 0 input int lwork := 3*m input int

Return objects:

q : rank-2 array('D') with bounds (m,n) and a storage work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.zunmqr = <fortran object>

zunmqr - Function signature:

cq,work,info = zunmqr(side,trans,a,tau,c,lwork,[overwrite_c])

Required arguments:

side : input string(len=1) trans : input string(len=1) a : input rank-2 array('D') with bounds (lda,k) tau : input rank-1 array('D') with bounds (k) c : input rank-2 array('D') with bounds (ldc,n) lwork : input int

Optional arguments:

overwrite_c := 0 input int

Return objects:

cq : rank-2 array('D') with bounds (ldc,n) and c storage work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

Functions

<code>find_best_lapack_type([arrays, dtype])</code>	Find best-matching BLAS/LAPACK type.
<code>get_lapack_funcs(names[, arrays, dtype])</code>	Return available LAPACK function objects from names.

5.10 Low-level BLAS functions

This module contains low-level functions from the BLAS library. New in version 0.12.0.

Warning: These functions do little to no error checking. It is possible to cause crashes by mis-using them, so prefer using the higher-level routines in `scipy.linalg`.

5.11 Finding functions

<code>get_blas_funcs(names[, arrays, dtype])</code>	Return available BLAS function objects from names.
<code>find_best_blas_type([arrays, dtype])</code>	Find best-matching BLAS/LAPACK type.

5.12 All functions

<code>caxpy</code>	caxpy - Function signature:
<code>ccopy</code>	ccopy - Function signature:
<code>cdotc</code>	cdotc - Function signature:
<code>cdotu</code>	cdotu - Function signature:
<code>cgemm</code>	cgemm - Function signature:
Continued on next page	

Table 5.74 – continued from previous page

<code>cgemv</code>	<code>cgemv</code> - Function signature:
<code>cgerc</code>	<code>cgerc</code> - Function signature:
<code>cgeru</code>	<code>cgeru</code> - Function signature:
<code>chemv</code>	<code>chemv</code> - Function signature:
<code>crotg</code>	<code>crotg</code> - Function signature:
<code>cscal</code>	<code>cscal</code> - Function signature:
<code>csrot</code>	<code>csrot</code> - Function signature:
<code>csscal</code>	<code>csscal</code> - Function signature:
<code>cswap</code>	<code>cswap</code> - Function signature:
<code>ctrmv</code>	<code>ctrmv</code> - Function signature:
<code>dasum</code>	<code>dasum</code> - Function signature:
<code>daxpy</code>	<code>daxpy</code> - Function signature:
<code>dcopy</code>	<code>dcopy</code> - Function signature:
<code>ddot</code>	<code>ddot</code> - Function signature:
<code>dgemm</code>	<code>dgemm</code> - Function signature:
<code>dgemv</code>	<code>dgemv</code> - Function signature:
<code>dger</code>	<code>dger</code> - Function signature:
<code>dnrm2</code>	<code>dnrm2</code> - Function signature:
<code>drot</code>	<code>drot</code> - Function signature:
<code>drotg</code>	<code>drotg</code> - Function signature:
<code>drotm</code>	<code>drotm</code> - Function signature:
<code>drotmg</code>	<code>drotmg</code> - Function signature:
<code>dscal</code>	<code>dscal</code> - Function signature:
<code>dswap</code>	<code>dswap</code> - Function signature:
<code>dsymv</code>	<code>dsymv</code> - Function signature:
<code>dtrmv</code>	<code>dtrmv</code> - Function signature:
<code>dzasum</code>	<code>dzasum</code> - Function signature:
<code>dznrm2</code>	<code>dznrm2</code> - Function signature:
<code>icamax</code>	<code>icamax</code> - Function signature:
<code>idamax</code>	<code>idamax</code> - Function signature:
<code>isamax</code>	<code>isamax</code> - Function signature:
<code>izamax</code>	<code>izamax</code> - Function signature:
<code>sasum</code>	<code>sasum</code> - Function signature:
<code>saxpy</code>	<code>saxpy</code> - Function signature:
<code>scasum</code>	<code>scasum</code> - Function signature:
<code>scnrm2</code>	<code>scnrm2</code> - Function signature:
<code>scopy</code>	<code>scopy</code> - Function signature:
<code>sdot</code>	<code>sdot</code> - Function signature:
<code>sgemm</code>	<code>sgemm</code> - Function signature:
<code>sgemv</code>	<code>sgemv</code> - Function signature:
<code>sger</code>	<code>sger</code> - Function signature:
<code>snrm2</code>	<code>snrm2</code> - Function signature:
<code>srot</code>	<code>srot</code> - Function signature:
<code>srotg</code>	<code>srotg</code> - Function signature:
<code>srotm</code>	<code>srotm</code> - Function signature:
<code>srotmg</code>	<code>srotmg</code> - Function signature:
<code>sscal</code>	<code>sscal</code> - Function signature:
<code>sswap</code>	<code>sswap</code> - Function signature:
<code>ssymv</code>	<code>ssymv</code> - Function signature:
<code>strmv</code>	<code>strmv</code> - Function signature:

Continued on next page

Table 5.74 – continued from previous page

<code>zaxpy</code>	<code>zaxpy</code> - Function signature:
<code>zcopy</code>	<code>zcopy</code> - Function signature:
<code>zdotc</code>	<code>zdotc</code> - Function signature:
<code>zdotu</code>	<code>zdotu</code> - Function signature:
<code>zdrot</code>	<code>zdrot</code> - Function signature:
<code>zdscal</code>	<code>zdscal</code> - Function signature:
<code>zgemm</code>	<code>zgemm</code> - Function signature:
<code>zgemv</code>	<code>zgemv</code> - Function signature:
<code>zgerc</code>	<code>zgerc</code> - Function signature:
<code>zgeru</code>	<code>zgeru</code> - Function signature:
<code>zhemv</code>	<code>zhemv</code> - Function signature:
<code>zrotg</code>	<code>zrotg</code> - Function signature:
<code>zscal</code>	<code>zscal</code> - Function signature:
<code>zswap</code>	<code>zswap</code> - Function signature:
<code>ztrmv</code>	<code>ztrmv</code> - Function signature:

`scipy.linalg.blas.caxpy` = <fortran object>

***caxpy* - Function signature:**

`z = caxpy(x,y,[n,a,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('F') with bounds (*) `y` : input rank-1 array('F') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `a` := (1.0, 0.0) input complex `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`z` : rank-1 array('F') with bounds (*) and `y` storage

`scipy.linalg.blas.ccopy` = <fortran object>

***ccopy* - Function signature:**

`y = ccopy(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('F') with bounds (*) `y` : input rank-1 array('F') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`y` : rank-1 array('F') with bounds (*)

`scipy.linalg.blas.cdote` = <fortran object>

***cdote* - Function signature:**

`xy = cdote(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('F') with bounds (*) `y` : input rank-1 array('F') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

xy : complex

scipy.linalg.blas.**cdotu** = <fortran object>

cdotu - Function signature:

xy = cdotu(x,y,[n,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('F') with bounds (*) y : input rank-1 array('F') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

xy : complex

scipy.linalg.blas.**cgemm** = <fortran object>

cgemm - Function signature:

c = cgemm(alpha,a,b,[beta,c,trans_a,trans_b,overwrite_c])

Required arguments:

alpha : input complex a : input rank-2 array('F') with bounds (lda,ka) b : input rank-2 array('F') with bounds (ldb,kb)

Optional arguments:

beta := (0.0, 0.0) input complex c : input rank-2 array('F') with bounds (m,n) overwrite_c := 0 input int trans_a := 0 input int trans_b := 0 input int

Return objects:

c : rank-2 array('F') with bounds (m,n)

scipy.linalg.blas.**cgemv** = <fortran object>

cgemv - Function signature:

y = cgemv(alpha,a,x,[beta,y,offx,incx,offy,incy,trans,overwrite_y])

Required arguments:

alpha : input complex a : input rank-2 array('F') with bounds (m,n) x : input rank-1 array('F') with bounds (*)

Optional arguments:

beta := (0.0, 0.0) input complex y : input rank-1 array('F') with bounds (ly) overwrite_y := 0 input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int trans := 0 input int

Return objects:

y : rank-1 array('F') with bounds (ly)

scipy.linalg.blas.**cgerc** = <fortran object>

cgerc - Function signature:

a = cgerc(alpha,x,y,[incx,incy,a,overwrite_x,overwrite_y,overwrite_a])

Required arguments:

alpha : input complex x : input rank-1 array('F') with bounds (m) y : input rank-1 array('F') with bounds (n)

Optional arguments:

overwrite_x := 1 input int incx := 1 input int overwrite_y := 1 input int incy := 1 input int a := (0.0,0.0) input rank-2 array('F') with bounds (m,n) overwrite_a := 0 input int

Return objects:

a : rank-2 array('F') with bounds (m,n)

scipy.linalg.blas.**cgeru** = <fortran object>

cgeru - Function signature:

a = cgeru(alpha,x,y,[incx,incy,a,overwrite_x,overwrite_y,overwrite_a])

Required arguments:

alpha : input complex x : input rank-1 array('F') with bounds (m) y : input rank-1 array('F') with bounds (n)

Optional arguments:

overwrite_x := 1 input int incx := 1 input int overwrite_y := 1 input int incy := 1 input int a := (0.0,0.0) input rank-2 array('F') with bounds (m,n) overwrite_a := 0 input int

Return objects:

a : rank-2 array('F') with bounds (m,n)

scipy.linalg.blas.**chemv** = <fortran object>

chemv - Function signature:

y = chemv(alpha,a,x,[beta,y,offx,incx,offy,incy,lower,overwrite_y])

Required arguments:

alpha : input complex a : input rank-2 array('F') with bounds (n,n) x : input rank-1 array('F') with bounds (*)

Optional arguments:

beta := (0.0, 0.0) input complex y : input rank-1 array('F') with bounds (ly) overwrite_y := 0 input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int lower := 0 input int

Return objects:

y : rank-1 array('F') with bounds (ly)

scipy.linalg.blas.**crotg** = <fortran object>

crotg - Function signature:

c,s = crotg(a,b)

Required arguments:

a : input complex b : input complex

Return objects:

c : complex s : complex

scipy.linalg.blas.**cscal** = <fortran object>

cscal - Function signature:

x = cscal(a,x,[n,offx,incx])

Required arguments:

a : input complex x : input rank-1 array('F') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

x : rank-1 array('F') with bounds (*)

scipy.linalg.blas.**csrot** = <fortran object>

csrot - Function signature:

x,y = csrot(x,y,c,s,[n,offx,incx,offy,incy,overwrite_x,overwrite_y])

Required arguments:

x : input rank-1 array('F') with bounds (*) y : input rank-1 array('F') with bounds (*) c : input float s : input float

Optional arguments:

n := (len(x)-offx)/abs(incx) input int overwrite_x := 0 input int offx := 0 input int incx := 1 input int overwrite_y := 0 input int offy := 0 input int incy := 1 input int

Return objects:

x : rank-1 array('F') with bounds (*) y : rank-1 array('F') with bounds (*)

scipy.linalg.blas.**csscal** = <fortran object>

csscal - Function signature:

x = csscal(a,x,[n,offx,incx,overwrite_x])

Required arguments:

a : input float x : input rank-1 array('F') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int overwrite_x := 0 input int offx := 0 input int incx := 1 input int

Return objects:

x : rank-1 array('F') with bounds (*)

scipy.linalg.blas.**cswap** = <fortran object>

cswap - Function signature:

x,y = cswap(x,y,[n,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('F') with bounds (*) y : input rank-1 array('F') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

x : rank-1 array('F') with bounds (*) y : rank-1 array('F') with bounds (*)

scipy.linalg.blas.**ctrmv** = <fortran object>

ctrmv - Function signature:

x = ctrmv(a,x,[offx,incx,lower,trans,unitdiag,overwrite_x])

Required arguments:

a : input rank-2 array('F') with bounds (n,n) x : input rank-1 array('F') with bounds (*)

Optional arguments:

overwrite_x := 0 input int offx := 0 input int incx := 1 input int lower := 0 input int trans := 0
input int unitdiag := 0 input int

Return objects:

x : rank-1 array('F') with bounds (*)

scipy.linalg.blas.dasum = <fortran dasum>

dasum - Function signature:

s = dasum(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('d') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

s : float

scipy.linalg.blas.daxpy = <fortran object>

daxpy - Function signature:

z = daxpy(x,y,[n,a,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('d') with bounds (*) y : input rank-1 array('d') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int a := 1.0 input float offx := 0 input int incx := 1 input int offy
:= 0 input int incy := 1 input int

Return objects:

z : rank-1 array('d') with bounds (*) and y storage

scipy.linalg.blas.dcopy = <fortran object>

dcopy - Function signature:

y = dcopy(x,y,[n,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('d') with bounds (*) y : input rank-1 array('d') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int offy := 0 input int incy
:= 1 input int

Return objects:

y : rank-1 array('d') with bounds (*)

scipy.linalg.blas.ddot = <fortran ddot>

ddot - Function signature:

xy = ddot(x,y,[n,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('d') with bounds (*) y : input rank-1 array('d') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

xy : float

scipy.linalg.blas.dgemm = <fortran object>

dgemm - Function signature:

c = dgemm(alpha,a,b,[beta,c,trans_a,trans_b,overwrite_c])

Required arguments:

alpha : input float a : input rank-2 array('d') with bounds (lda,ka) b : input rank-2 array('d') with bounds (ldb,kb)

Optional arguments:

beta := 0.0 input float c : input rank-2 array('d') with bounds (m,n) overwrite_c := 0 input int trans_a := 0 input int trans_b := 0 input int

Return objects:

c : rank-2 array('d') with bounds (m,n)

scipy.linalg.blas.dgemv = <fortran object>

dgemv - Function signature:

y = dgemv(alpha,a,x,[beta,y,offx,incx,offy,incy,trans,overwrite_y])

Required arguments:

alpha : input float a : input rank-2 array('d') with bounds (m,n) x : input rank-1 array('d') with bounds (*)

Optional arguments:

beta := 0.0 input float y : input rank-1 array('d') with bounds (ly) overwrite_y := 0 input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int trans := 0 input int

Return objects:

y : rank-1 array('d') with bounds (ly)

scipy.linalg.blas.dger = <fortran object>

dger - Function signature:

a = dger(alpha,x,y,[incx,incy,a,overwrite_x,overwrite_y,overwrite_a])

Required arguments:

alpha : input float x : input rank-1 array('d') with bounds (m) y : input rank-1 array('d') with bounds (n)

Optional arguments:

overwrite_x := 1 input int incx := 1 input int overwrite_y := 1 input int incy := 1 input int a := 0.0 input rank-2 array('d') with bounds (m,n) overwrite_a := 0 input int

Return objects:

a : rank-2 array('d') with bounds (m,n)

scipy.linalg.blas.dnrm2 = <fortran dnrm2>

dnrm2 - Function signature:

`n2 = dnrm2(x,[n,offx,incx])`

Required arguments:

`x` : input rank-1 array('d') with bounds (*)

Optional arguments:

`n := (len(x)-offx)/abs(incx)` input int `offx := 0` input int `incx := 1` input int

Return objects:

`n2` : float

`scipy.linalg.blas.dnrm2 = <fortran object>`

drot - Function signature:

`x,y = drot(x,y,c,s,[n,offx,incx,offy,incy,overwrite_x,overwrite_y])`

Required arguments:

`x` : input rank-1 array('d') with bounds (*) `y` : input rank-1 array('d') with bounds (*) `c` : input float `s` : input float

Optional arguments:

`n := (len(x)-offx)/abs(incx)` input int `overwrite_x := 0` input int `offx := 0` input int `incx := 1` input int `overwrite_y := 0` input int `offy := 0` input int `incy := 1` input int

Return objects:

`x` : rank-1 array('d') with bounds (*) `y` : rank-1 array('d') with bounds (*)

`scipy.linalg.blas.drotg = <fortran object>`

drotg - Function signature:

`c,s = drotg(a,b)`

Required arguments:

`a` : input float `b` : input float

Return objects:

`c` : float `s` : float

`scipy.linalg.blas.drotm = <fortran object>`

drotm - Function signature:

`x,y = drotm(x,y,param,[n,offx,incx,offy,incy,overwrite_x,overwrite_y])`

Required arguments:

`x` : input rank-1 array('d') with bounds (*) `y` : input rank-1 array('d') with bounds (*) `param` : input rank-1 array('d') with bounds (5)

Optional arguments:

`n := (len(x)-offx)/abs(incx)` input int `overwrite_x := 0` input int `offx := 0` input int `incx := 1` input int `overwrite_y := 0` input int `offy := 0` input int `incy := 1` input int

Return objects:

`x` : rank-1 array('d') with bounds (*) `y` : rank-1 array('d') with bounds (*)

`scipy.linalg.blas.drotmg = <fortran object>`

drotmg - Function signature:

`param = drotmg(d1,d2,x1,y1)`

Required arguments:

d1 : input float d2 : input float x1 : input float y1 : input float

Return objects:

param : rank-1 array('d') with bounds (5)

`scipy.linalg.blas.dscal` = <fortran object>

dscal - Function signature:

`x = dscal(a,x,[n,offx,incx])`

Required arguments:

a : input float x : input rank-1 array('d') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

x : rank-1 array('d') with bounds (*)

`scipy.linalg.blas.dswap` = <fortran object>

dswap - Function signature:

`x,y = dswap(x,y,[n,offx,incx,offy,incy])`

Required arguments:

x : input rank-1 array('d') with bounds (*) y : input rank-1 array('d') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

x : rank-1 array('d') with bounds (*) y : rank-1 array('d') with bounds (*)

`scipy.linalg.blas.dsymv` = <fortran object>

dsymv - Function signature:

`y = dsymv(alpha,a,x,[beta,y,offx,incx,offy,incy,lower,overwrite_y])`

Required arguments:

alpha : input float a : input rank-2 array('d') with bounds (n,n) x : input rank-1 array('d') with bounds (*)

Optional arguments:

beta := 0.0 input float y : input rank-1 array('d') with bounds (ly) overwrite_y := 0 input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int lower := 0 input int

Return objects:

y : rank-1 array('d') with bounds (ly)

`scipy.linalg.blas.dtrmv` = <fortran object>

dtrmv - Function signature:

`x = dtrmv(a,x,[offx,incx,lower,trans,unitdiag,overwrite_x])`

Required arguments:

a : input rank-2 array('d') with bounds (n,n) x : input rank-1 array('d') with bounds (*)

Optional arguments:

overwrite_x := 0 input int offx := 0 input int incx := 1 input int lower := 0 input int trans := 0
input int unitdiag := 0 input int

Return objects:

x : rank-1 array('d') with bounds (*)

scipy.linalg.blas.**dzasum** = <fortran dzasum>

dzasum - Function signature:

s = dzasum(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('D') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

s : float

scipy.linalg.blas.**dznrm2** = <fortran dznrm2>

dznrm2 - Function signature:

n2 = dznrm2(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('D') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

n2 : float

scipy.linalg.blas.**icamax** = <fortran object>

icamax - Function signature:

k = icamax(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('F') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

k : int

scipy.linalg.blas.**idamax** = <fortran object>

idamax - Function signature:

k = idamax(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('d') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

k : int

scipy.linalg.blas.**isamax** = <fortran object>**isamax - Function signature:**

k = isamax(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('f') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

k : int

scipy.linalg.blas.**izamax** = <fortran object>**izamax - Function signature:**

k = izamax(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('D') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

k : int

scipy.linalg.blas.**sasum** = <fortran sasum>**sasum - Function signature:**

s = sasum(x,[n,offx,incx])

Required arguments:

x : input rank-1 array('f') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

s : float

scipy.linalg.blas.**saxpy** = <fortran object>**saxpy - Function signature:**

z = saxpy(x,y,[n,a,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('f') with bounds (*) y : input rank-1 array('f') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int a := 1.0 input float offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

z : rank-1 array('f') with bounds (*) and y storage

`scipy.linalg.blas.scasum = <fortran scasum>`

scasum - Function signature:

`s = scasum(x,[n,offx,incx])`

Required arguments:

`x` : input rank-1 array('F') with bounds (*)

Optional arguments:

`n := (len(x)-offx)/abs(incx)` input int `offx := 0` input int `incx := 1` input int

Return objects:

`s` : float

`scipy.linalg.blas.scnorm2 = <fortran scnorm2>`

scnorm2 - Function signature:

`n2 = scnorm2(x,[n,offx,incx])`

Required arguments:

`x` : input rank-1 array('F') with bounds (*)

Optional arguments:

`n := (len(x)-offx)/abs(incx)` input int `offx := 0` input int `incx := 1` input int

Return objects:

`n2` : float

`scipy.linalg.blas.scopy = <fortran object>`

scopy - Function signature:

`y = scopy(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('f') with bounds (*) `y` : input rank-1 array('f') with bounds (*)

Optional arguments:

`n := (len(x)-offx)/abs(incx)` input int `offx := 0` input int `incx := 1` input int `offy := 0` input int `incy := 1` input int

Return objects:

`y` : rank-1 array('f') with bounds (*)

`scipy.linalg.blas.sdot = <fortran sdot>`

sdot - Function signature:

`xy = sdot(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('f') with bounds (*) `y` : input rank-1 array('f') with bounds (*)

Optional arguments:

`n := (len(x)-offx)/abs(incx)` input int `offx := 0` input int `incx := 1` input int `offy := 0` input int `incy := 1` input int

Return objects:

`xy` : float

`scipy.linalg.blas.sgemm = <fortran object>`

sgemm - Function signature:

`c = sgemm(alpha,a,b,[beta,c,trans_a,trans_b,overwrite_c])`

Required arguments:

`alpha` : input float `a` : input rank-2 array('f') with bounds (lda,ka) `b` : input rank-2 array('f') with bounds (ldb,kb)

Optional arguments:

`beta := 0.0` input float `c` : input rank-2 array('f') with bounds (m,n) `overwrite_c := 0` input int `trans_a := 0` input int `trans_b := 0` input int

Return objects:

`c` : rank-2 array('f') with bounds (m,n)

`scipy.linalg.blas.sgemv = <fortran object>`

sgemv - Function signature:

`y = sgemv(alpha,a,x,[beta,y,offx,incx,offy,incy,trans,overwrite_y])`

Required arguments:

`alpha` : input float `a` : input rank-2 array('f') with bounds (m,n) `x` : input rank-1 array('f') with bounds (*)

Optional arguments:

`beta := 0.0` input float `y` : input rank-1 array('f') with bounds (ly) `overwrite_y := 0` input int `offx := 0` input int `incx := 1` input int `offy := 0` input int `incy := 1` input int `trans := 0` input int

Return objects:

`y` : rank-1 array('f') with bounds (ly)

`scipy.linalg.blas.sger = <fortran object>`

sger - Function signature:

`a = sger(alpha,x,y,[incx,incy,a,overwrite_x,overwrite_y,overwrite_a])`

Required arguments:

`alpha` : input float `x` : input rank-1 array('f') with bounds (m) `y` : input rank-1 array('f') with bounds (n)

Optional arguments:

`overwrite_x := 1` input int `incx := 1` input int `overwrite_y := 1` input int `incy := 1` input int `a := 0.0` input rank-2 array('f') with bounds (m,n) `overwrite_a := 0` input int

Return objects:

`a` : rank-2 array('f') with bounds (m,n)

`scipy.linalg.blas.snorm2 = <fortran snrm2>`

snrm2 - Function signature:

`n2 = snrm2(x,[n,offx,incx])`

Required arguments:

`x` : input rank-1 array('f') with bounds (*)

Optional arguments:

`n := (len(x)-offx)/abs(incx)` input int `offx := 0` input int `incx := 1` input int

Return objects:

`n2` : float

`scipy.linalg.blas.srot = <fortran object>`

srot - Function signature:

`x,y = srot(x,y,c,s,[n,offx,incx,offy,incy,overwrite_x,overwrite_y])`

Required arguments:

`x` : input rank-1 array('f') with bounds (*) `y` : input rank-1 array('f') with bounds (*) `c` : input float `s` : input float

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `overwrite_x` := 0 input int `offx` := 0 input int `incx` := 1 input int `overwrite_y` := 0 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`x` : rank-1 array('f') with bounds (*) `y` : rank-1 array('f') with bounds (*)

`scipy.linalg.blas.srotg = <fortran object>`

srotg - Function signature:

`c,s = srotg(a,b)`

Required arguments:

`a` : input float `b` : input float

Return objects:

`c` : float `s` : float

`scipy.linalg.blas.srotm = <fortran object>`

srotm - Function signature:

`x,y = srotm(x,y,param,[n,offx,incx,offy,incy,overwrite_x,overwrite_y])`

Required arguments:

`x` : input rank-1 array('f') with bounds (*) `y` : input rank-1 array('f') with bounds (*) `param` : input rank-1 array('f') with bounds (5)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `overwrite_x` := 0 input int `offx` := 0 input int `incx` := 1 input int `overwrite_y` := 0 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`x` : rank-1 array('f') with bounds (*) `y` : rank-1 array('f') with bounds (*)

`scipy.linalg.blas.srotmg = <fortran object>`

srotmg - Function signature:

`param = srotmg(d1,d2,x1,y1)`

Required arguments:

`d1` : input float `d2` : input float `x1` : input float `y1` : input float

Return objects:

`param` : rank-1 array('f') with bounds (5)

`scipy.linalg.blas.sscal = <fortran object>`

sscal - Function signature:

`x = sscal(a,x,[n,offx,incx])`

Required arguments:

a : input float x : input rank-1 array('f') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int

Return objects:

x : rank-1 array('f') with bounds (*)

scipy.linalg.blas.**sswap** = <fortran object>

sswap - Function signature:

x,y = sswap(x,y,[n,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('f') with bounds (*) y : input rank-1 array('f') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

x : rank-1 array('f') with bounds (*) y : rank-1 array('f') with bounds (*)

scipy.linalg.blas.**ssymv** = <fortran object>

ssymv - Function signature:

y = ssymv(alpha,a,x,[beta,y,offx,incx,offy,incy,lower,overwrite_y])

Required arguments:

alpha : input float a : input rank-2 array('f') with bounds (n,n) x : input rank-1 array('f') with bounds (*)

Optional arguments:

beta := 0.0 input float y : input rank-1 array('f') with bounds (ly) overwrite_y := 0 input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int lower := 0 input int

Return objects:

y : rank-1 array('f') with bounds (ly)

scipy.linalg.blas.**strmv** = <fortran object>

strmv - Function signature:

x = strmv(a,x,[offx,incx,lower,trans,unitdiag,overwrite_x])

Required arguments:

a : input rank-2 array('f') with bounds (n,n) x : input rank-1 array('f') with bounds (*)

Optional arguments:

overwrite_x := 0 input int offx := 0 input int incx := 1 input int lower := 0 input int trans := 0 input int unitdiag := 0 input int

Return objects:

x : rank-1 array('f') with bounds (*)

scipy.linalg.blas.**zaxpy** = <fortran object>

zaxpy - Function signature:

z = zaxpy(x,y,[n,a,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('D') with bounds (*) y : input rank-1 array('D') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int a := (1.0, 0.0) input complex offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

z : rank-1 array('D') with bounds (*) and y storage

scipy.linalg.blas.**zcopy** = <fortran object>

zcopy - Function signature:

y = zcopy(x,y,[n,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('D') with bounds (*) y : input rank-1 array('D') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

y : rank-1 array('D') with bounds (*)

scipy.linalg.blas.**zdotc** = <fortran object>

zdotc - Function signature:

xy = zdotc(x,y,[n,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('D') with bounds (*) y : input rank-1 array('D') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

xy : complex

scipy.linalg.blas.**zdotu** = <fortran object>

zdotu - Function signature:

xy = zdotu(x,y,[n,offx,incx,offy,incy])

Required arguments:

x : input rank-1 array('D') with bounds (*) y : input rank-1 array('D') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int

Return objects:

xy : complex

scipy.linalg.blas.**zdrot** = <fortran object>

zdrot - Function signature:

x,y = zdrot(x,y,c,s,[n,offx,incx,offy,incy,overwrite_x,overwrite_y])

Required arguments:

x : input rank-1 array('D') with bounds (*) y : input rank-1 array('D') with bounds (*) c : input float s : input float

Optional arguments:

n := (len(x)-offx)/abs(incx) input int overwrite_x := 0 input int offx := 0 input int incx := 1 input int overwrite_y := 0 input int offy := 0 input int incy := 1 input int

Return objects:

x : rank-1 array('D') with bounds (*) y : rank-1 array('D') with bounds (*)

scipy.linalg.blas.zdscal = <fortran object>

zdscal - Function signature:

x = zdscal(a,x,[n,offx,incx,overwrite_x])

Required arguments:

a : input float x : input rank-1 array('D') with bounds (*)

Optional arguments:

n := (len(x)-offx)/abs(incx) input int overwrite_x := 0 input int offx := 0 input int incx := 1 input int

Return objects:

x : rank-1 array('D') with bounds (*)

scipy.linalg.blas.zgemm = <fortran object>

zgemm - Function signature:

c = zgemm(alpha,a,b,[beta,c,trans_a,trans_b,overwrite_c])

Required arguments:

alpha : input complex a : input rank-2 array('D') with bounds (lda,ka) b : input rank-2 array('D') with bounds (ldb,kb)

Optional arguments:

beta := (0.0, 0.0) input complex c : input rank-2 array('D') with bounds (m,n) overwrite_c := 0 input int trans_a := 0 input int trans_b := 0 input int

Return objects:

c : rank-2 array('D') with bounds (m,n)

scipy.linalg.blas.zgemv = <fortran object>

zgemv - Function signature:

y = zgemv(alpha,a,x,[beta,y,offx,incx,offy,incy,trans,overwrite_y])

Required arguments:

alpha : input complex a : input rank-2 array('D') with bounds (m,n) x : input rank-1 array('D') with bounds (*)

Optional arguments:

beta := (0.0, 0.0) input complex y : input rank-1 array('D') with bounds (ly) overwrite_y := 0 input int offx := 0 input int incx := 1 input int offy := 0 input int incy := 1 input int trans := 0 input int

Return objects:

y : rank-1 array('D') with bounds (ly)

`scipy.linalg.blas.zgerc` = <fortran object>

zgerc - Function signature:

`a = zgerc(alpha,x,y,[incx,incy,a,overwrite_x,overwrite_y,overwrite_a])`

Required arguments:

`alpha` : input complex `x` : input rank-1 array('D') with bounds (m) `y` : input rank-1 array('D') with bounds (n)

Optional arguments:

`overwrite_x` := 1 input int `incx` := 1 input int `overwrite_y` := 1 input int `incy` := 1 input int `a` := (0.0,0.0) input rank-2 array('D') with bounds (m,n) `overwrite_a` := 0 input int

Return objects:

`a` : rank-2 array('D') with bounds (m,n)

`scipy.linalg.blas.zgeru` = <fortran object>

zgeru - Function signature:

`a = zgeru(alpha,x,y,[incx,incy,a,overwrite_x,overwrite_y,overwrite_a])`

Required arguments:

`alpha` : input complex `x` : input rank-1 array('D') with bounds (m) `y` : input rank-1 array('D') with bounds (n)

Optional arguments:

`overwrite_x` := 1 input int `incx` := 1 input int `overwrite_y` := 1 input int `incy` := 1 input int `a` := (0.0,0.0) input rank-2 array('D') with bounds (m,n) `overwrite_a` := 0 input int

Return objects:

`a` : rank-2 array('D') with bounds (m,n)

`scipy.linalg.blas.zhemv` = <fortran object>

zhemv - Function signature:

`y = zhemv(alpha,a,x,[beta,y,offx,incx,offy,incy,lower,overwrite_y])`

Required arguments:

`alpha` : input complex `a` : input rank-2 array('D') with bounds (n,n) `x` : input rank-1 array('D') with bounds (*)

Optional arguments:

`beta` := (0.0, 0.0) input complex `y` : input rank-1 array('D') with bounds (ly) `overwrite_y` := 0 input int `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int `lower` := 0 input int

Return objects:

`y` : rank-1 array('D') with bounds (ly)

`scipy.linalg.blas.zrotg` = <fortran object>

zrotg - Function signature:

`c,s = zrotg(a,b)`

Required arguments:

`a` : input complex `b` : input complex

Return objects:

`c` : complex `s` : complex

`scipy.linalg.blas.zscal` = <fortran object>

zscal - Function signature:

`x = zscal(a,x,[n,offx,incx])`

Required arguments:

`a` : input complex `x` : input rank-1 array('D') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `offx` := 0 input int `incx` := 1 input int

Return objects:

`x` : rank-1 array('D') with bounds (*)

`scipy.linalg.blas.zswap` = <fortran object>

zswap - Function signature:

`x,y = zswap(x,y,[n,offx,incx,offy,incy])`

Required arguments:

`x` : input rank-1 array('D') with bounds (*) `y` : input rank-1 array('D') with bounds (*)

Optional arguments:

`n` := (len(x)-offx)/abs(incx) input int `offx` := 0 input int `incx` := 1 input int `offy` := 0 input int `incy` := 1 input int

Return objects:

`x` : rank-1 array('D') with bounds (*) `y` : rank-1 array('D') with bounds (*)

`scipy.linalg.blas.ztrmv` = <fortran object>

ztrmv - Function signature:

`x = ztrmv(a,x,[offx,incx,lower,trans,unitdiag,overwrite_x])`

Required arguments:

`a` : input rank-2 array('D') with bounds (n,n) `x` : input rank-1 array('D') with bounds (*)

Optional arguments:

`overwrite_x` := 0 input int `offx` := 0 input int `incx` := 1 input int `lower` := 0 input int `trans` := 0 input int `unitdiag` := 0 input int

Return objects:

`x` : rank-1 array('D') with bounds (*)

5.13 Low-level LAPACK functions

This module contains low-level functions from the LAPACK library. New in version 0.12.0.

Warning: These functions do little to no error checking. It is possible to cause crashes by mis-using them, so prefer using the higher-level routines in `scipy.linalg`.

5.14 Finding functions

`get_lapack_funcs(names[, arrays, dtype])` Return available LAPACK function objects from names.

5.15 All functions

<code>cgbsv</code>	<code>cgbsv</code> - Function signature:
<code>cgbtrf</code>	<code>cgbtrf</code> - Function signature:
<code>cgbtrs</code>	<code>cgbtrs</code> - Function signature:
<code>cgebal</code>	<code>cgebal</code> - Function signature:
<code>cgees</code>	<code>cgees</code> - Function signature:
<code>cgeev</code>	<code>cgeev</code> - Function signature:
<code>cgegv</code>	<code>cgegv</code> - Function signature:
<code>cgehrd</code>	<code>cgehrd</code> - Function signature:
<code>cgelss</code>	<code>cgelss</code> - Function signature:
<code>cgeqp3</code>	<code>cgeqp3</code> - Function signature:
<code>cgeqrf</code>	<code>cgeqrf</code> - Function signature:
<code>cgerqf</code>	<code>cgerqf</code> - Function signature:
<code>cgessd</code>	<code>cgessd</code> - Function signature:
<code>cgesv</code>	<code>cgesv</code> - Function signature:
<code>cgetrf</code>	<code>cgetrf</code> - Function signature:
<code>cgetri</code>	<code>cgetri</code> - Function signature:
<code>cgetrs</code>	<code>cgetrs</code> - Function signature:
<code>cgges</code>	<code>cgges</code> - Function signature:
<code>cggev</code>	<code>cggev</code> - Function signature:
<code>chbevd</code>	<code>chbevd</code> - Function signature:
<code>chbevz</code>	<code>chbevz</code> - Function signature:
<code>cheev</code>	<code>cheev</code> - Function signature:
<code>cheevd</code>	<code>cheevd</code> - Function signature:
<code>cheevr</code>	<code>cheevr</code> - Function signature:
<code>chegv</code>	<code>chegv</code> - Function signature:
<code>chegvd</code>	<code>chegvd</code> - Function signature:
<code>chegvx</code>	<code>chegvx</code> - Function signature:
<code>claswp</code>	<code>claswp</code> - Function signature:
<code>clauum</code>	<code>clauum</code> - Function signature:
<code>cpbsv</code>	<code>cpbsv</code> - Function signature:
<code>cpbtrf</code>	<code>cpbtrf</code> - Function signature:
<code>cpbtrs</code>	<code>cpbtrs</code> - Function signature:
<code>cposv</code>	<code>cposv</code> - Function signature:
<code>cpotrf</code>	<code>cpotrf</code> - Function signature:
<code>cpotri</code>	<code>cpotri</code> - Function signature:
<code>cpotrs</code>	<code>cpotrs</code> - Function signature:
<code>ctrsyl</code>	<code>ctrsyl</code> - Function signature:
<code>ctrtri</code>	<code>ctrtri</code> - Function signature:
<code>ctrtrs</code>	<code>ctrtrs</code> - Function signature:
<code>cungqr</code>	<code>cungqr</code> - Function signature:
<code>cungrq</code>	<code>cungrq</code> - Function signature:
<code>cunmqr</code>	<code>cunmqr</code> - Function signature:
<code>dgbsv</code>	<code>dgbsv</code> - Function signature:
<code>dgbtrf</code>	<code>dgbtrf</code> - Function signature:

Continued on next page

Table 5.76 – continued from previous page

<code>dgbtrs</code>	<code>dgbtrs</code> - Function signature:
<code>dgebal</code>	<code>dgebal</code> - Function signature:
<code>dgees</code>	<code>dgees</code> - Function signature:
<code>dgeev</code>	<code>dgeev</code> - Function signature:
<code>dgegv</code>	<code>dgegv</code> - Function signature:
<code>dgehrd</code>	<code>dgehrd</code> - Function signature:
<code>dgelss</code>	<code>dgelss</code> - Function signature:
<code>dgeqp3</code>	<code>dgeqp3</code> - Function signature:
<code>dgeqrf</code>	<code>dgeqrf</code> - Function signature:
<code>dgerqf</code>	<code>dgerqf</code> - Function signature:
<code>dgesdd</code>	<code>dgesdd</code> - Function signature:
<code>dgesv</code>	<code>dgesv</code> - Function signature:
<code>dgetrf</code>	<code>dgetrf</code> - Function signature:
<code>dgetri</code>	<code>dgetri</code> - Function signature:
<code>dgetrs</code>	<code>dgetrs</code> - Function signature:
<code>dgges</code>	<code>dgges</code> - Function signature:
<code>dggev</code>	<code>dggev</code> - Function signature:
<code>dlamch</code>	<code>dlamch</code> - Function signature:
<code>dlaswp</code>	<code>dlaswp</code> - Function signature:
<code>dlaaum</code>	<code>dlaaum</code> - Function signature:
<code>dorgqr</code>	<code>dorgqr</code> - Function signature:
<code>dorgrq</code>	<code>dorgrq</code> - Function signature:
<code>dormqr</code>	<code>dormqr</code> - Function signature:
<code>dpbsv</code>	<code>dpbsv</code> - Function signature:
<code>dpbtrf</code>	<code>dpbtrf</code> - Function signature:
<code>dpbtrs</code>	<code>dpbtrs</code> - Function signature:
<code>dposv</code>	<code>dposv</code> - Function signature:
<code>dpotrf</code>	<code>dpotrf</code> - Function signature:
<code>dpotri</code>	<code>dpotri</code> - Function signature:
<code>dpotrs</code>	<code>dpotrs</code> - Function signature:
<code>dsbev</code>	<code>dsbev</code> - Function signature:
<code>dsbevd</code>	<code>dsbevd</code> - Function signature:
<code>dsbevx</code>	<code>dsbevx</code> - Function signature:
<code>dsyev</code>	<code>dsyev</code> - Function signature:
<code>dsyevd</code>	<code>dsyevd</code> - Function signature:
<code>dsyevr</code>	<code>dsyevr</code> - Function signature:
<code>dsygv</code>	<code>dsygv</code> - Function signature:
<code>dsygvd</code>	<code>dsygvd</code> - Function signature:
<code>dsygvx</code>	<code>dsygvx</code> - Function signature:
<code>dtrsyl</code>	<code>dtrsyl</code> - Function signature:
<code>dtrtri</code>	<code>dtrtri</code> - Function signature:
<code>dtrtrs</code>	<code>dtrtrs</code> - Function signature:
<code>sgbsv</code>	<code>sgbsv</code> - Function signature:
<code>sgbtrf</code>	<code>sgbtrf</code> - Function signature:
<code>sgbtrs</code>	<code>sgbtrs</code> - Function signature:
<code>sgebal</code>	<code>sgebal</code> - Function signature:
<code>sgees</code>	<code>sgees</code> - Function signature:
<code>sgeev</code>	<code>sgeev</code> - Function signature:
<code>sgegv</code>	<code>sgegv</code> - Function signature:
<code>sgehrd</code>	<code>sgehrd</code> - Function signature:

Continued on next page

Table 5.76 – continued from previous page

sgelss	sgelss - Function signature:
sgeqp3	sgeqp3 - Function signature:
sgeqrf	sgeqrf - Function signature:
sgerqf	sgerqf - Function signature:
sgesdd	sgesdd - Function signature:
sgesv	sgesv - Function signature:
sgetrf	sgetrf - Function signature:
sgetri	sgetri - Function signature:
sgetrs	sgetrs - Function signature:
sgges	sgges - Function signature:
sggev	sggev - Function signature:
slamch	slamch - Function signature:
slaswp	slaswp - Function signature:
slauum	slauum - Function signature:
sorgqr	sorgqr - Function signature:
sorgrq	sorgrq - Function signature:
sormqr	sormqr - Function signature:
spbsv	spbsv - Function signature:
spbtrf	spbtrf - Function signature:
spbtrs	spbtrs - Function signature:
sposv	sposv - Function signature:
spotrf	spotrf - Function signature:
spotri	spotri - Function signature:
spotrs	spotrs - Function signature:
ssbev	ssbev - Function signature:
ssbevd	ssbevd - Function signature:
ssbevx	ssbevx - Function signature:
ssyev	ssyev - Function signature:
ssyevd	ssyevd - Function signature:
ssyevr	ssyevr - Function signature:
ssygv	ssygv - Function signature:
ssygvd	ssygvd - Function signature:
ssygvx	ssygvx - Function signature:
strsyl	strsyl - Function signature:
strtri	strtri - Function signature:
strtrs	strtrs - Function signature:
zgbsv	zgbsv - Function signature:
zgbtrf	zgbtrf - Function signature:
zgbtrs	zgbtrs - Function signature:
zgebal	zgebal - Function signature:
zgees	zgees - Function signature:
zgeev	zgeev - Function signature:
zgegv	zgegv - Function signature:
zgehrd	zgehrd - Function signature:
zgelss	zgelss - Function signature:
zgeqp3	zgeqp3 - Function signature:
zgeqrf	zgeqrf - Function signature:
zgerqf	zgerqf - Function signature:
zgesdd	zgesdd - Function signature:
zgesv	zgesv - Function signature:

Continued on next page

Table 5.76 – continued from previous page

<code>zgetrf</code>	<code>zgetrf</code> - Function signature:
<code>zgetri</code>	<code>zgetri</code> - Function signature:
<code>zgetrs</code>	<code>zgetrs</code> - Function signature:
<code>zgges</code>	<code>zgges</code> - Function signature:
<code>zggev</code>	<code>zggev</code> - Function signature:
<code>zhbevd</code>	<code>zhbevd</code> - Function signature:
<code>zhbevz</code>	<code>zhbevz</code> - Function signature:
<code>zheev</code>	<code>zheev</code> - Function signature:
<code>zheevd</code>	<code>zheevd</code> - Function signature:
<code>zheevr</code>	<code>zheevr</code> - Function signature:
<code>zhegv</code>	<code>zhegv</code> - Function signature:
<code>zhegvd</code>	<code>zhegvd</code> - Function signature:
<code>zhegvz</code>	<code>zhegvz</code> - Function signature:
<code>zlaswp</code>	<code>zlaswp</code> - Function signature:
<code>zlauum</code>	<code>zlauum</code> - Function signature:
<code>zpbsv</code>	<code>zpbsv</code> - Function signature:
<code>zpbtrf</code>	<code>zpbtrf</code> - Function signature:
<code>zpbtrs</code>	<code>zpbtrs</code> - Function signature:
<code>zposv</code>	<code>zposv</code> - Function signature:
<code>zpotrf</code>	<code>zpotrf</code> - Function signature:
<code>zpotri</code>	<code>zpotri</code> - Function signature:
<code>zpotrs</code>	<code>zpotrs</code> - Function signature:
<code>ztrsyl</code>	<code>ztrsyl</code> - Function signature:
<code>ztrtri</code>	<code>ztrtri</code> - Function signature:
<code>ztrtrs</code>	<code>ztrtrs</code> - Function signature:
<code>zungqr</code>	<code>zungqr</code> - Function signature:
<code>zungrq</code>	<code>zungrq</code> - Function signature:
<code>zunmqr</code>	<code>zunmqr</code> - Function signature:

`scipy.linalg.lapack.cgbsv = <fortran object>`

cgbsv - Function signature:

`lub,piv,x,info = cgbsv(kl,ku,ab,b,[overwrite_ab,overwrite_b])`

Required arguments:

`kl` : input int `ku` : input int `ab` : input rank-2 array('F') with bounds (2*kl+ku+1,n) `b` : input rank-2 array('F') with bounds (n,nrhs)

Optional arguments:

`overwrite_ab` := 0 input int `overwrite_b` := 0 input int

Return objects:

`lub` : rank-2 array('F') with bounds (2*kl+ku+1,n) and `ab` storage `piv` : rank-1 array('i') with bounds (n) `x` : rank-2 array('F') with bounds (n,nrhs) and `b` storage `info` : int

`scipy.linalg.lapack.cgbtrf = <fortran object>`

cgbtrf - Function signature:

`lu,ipiv,info = cgbtrf(ab,kl,ku,[m,n,ldab,overwrite_ab])`

Required arguments:

`ab` : input rank-2 array('F') with bounds (ldab,*) `kl` : input int `ku` : input int

Optional arguments:

m := shape(ab,1) input int n := shape(ab,1) input int overwrite_ab := 0 input int ldab := shape(ab,0) input int

Return objects:

lu : rank-2 array('F') with bounds (ldab,*) and ab storage ipiv : rank-1 array('i') with bounds (MIN(m,n)) info : int

scipy.linalg.lapack.**cgbtrs** = <fortran object>

cgbtrs - Function signature:

x,info = cgbtrs(ab,kl,ku,b,ipiv,[trans,n,ldab,ldb,overwrite_b])

Required arguments:

ab : input rank-2 array('F') with bounds (ldab,*) kl : input int ku : input int b : input rank-2 array('F') with bounds (ldb,*) ipiv : input rank-1 array('i') with bounds (n)

Optional arguments:

overwrite_b := 0 input int trans := 0 input int n := shape(ab,1) input int ldab := shape(ab,0) input int ldb := shape(b,0) input int

Return objects:

x : rank-2 array('F') with bounds (ldb,*) and b storage info : int

scipy.linalg.lapack.**cgebal** = <fortran object>

cgebal - Function signature:

ba,lo,hi,pivscale,info = cgebal(a,[scale,permute,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n)

Optional arguments:

scale := 0 input int permute := 0 input int overwrite_a := 0 input int

Return objects:

ba : rank-2 array('F') with bounds (m,n) and a storage lo : int hi : int pivscale : rank-1 array('f') with bounds (n) info : int

scipy.linalg.lapack.**cgees** = <fortran object>

cgees - Function signature:

t,sdim,w,vs,work,info = cgees(cselect,a,[compute_v,sort_t,lwork,cselect_extra_args,overwrite_a])

Required arguments:

cselect : call-back function a : input rank-2 array('F') with bounds (n,n)

Optional arguments:

compute_v := 1 input int sort_t := 0 input int cselect_extra_args := () input tuple overwrite_a := 0 input int lwork := 3*n input int

Return objects:

t : rank-2 array('F') with bounds (n,n) and a storage sdim : int w : rank-1 array('F') with bounds (n) vs : rank-2 array('F') with bounds (ldvs,n) work : rank-1 array('F') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def cselect(arg): return cselect Required arguments:

arg : input complex

Return objects:

cselect : int

scipy.linalg.lapack.**cgeev** = <fortran object>**cgeev - Function signature:**

w,vl,vr,info = cgeev(a,[compute_vl,compute_vr,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int lwork := 2*n input int

Return objects:

w : rank-1 array('F') with bounds (n) vl : rank-2 array('F') with bounds (ldvl,n) vr : rank-2 array('F') with bounds (ldvr,n) info : int

scipy.linalg.lapack.**cgegv** = <fortran object>**cgegv - Function signature:**

alpha,beta,vl,vr,info = cgegv(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('F') with bounds (n,n) b : input rank-2 array('F') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0 input int lwork := 2*n input int

Return objects:

alpha : rank-1 array('F') with bounds (n) beta : rank-1 array('F') with bounds (n) vl : rank-2 array('F') with bounds (ldvl,n) vr : rank-2 array('F') with bounds (ldvr,n) info : int

scipy.linalg.lapack.**cgehrd** = <fortran object>**cgehrd - Function signature:**

ht,tau,info = cgehrd(a,[lo,hi,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (n,n)

Optional arguments:

lo := 0 input int hi := n-1 input int overwrite_a := 0 input int lwork := MAX(n,1) input int

Return objects:

ht : rank-2 array('F') with bounds (n,n) and a storage tau : rank-1 array('F') with bounds (n - 1) info : int

scipy.linalg.lapack.**cgels** = <fortran object>**cgels - Function signature:**

v,x,s,rank,work,info = cgels(a,b,[cond,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('F') with bounds (m,n) b : input rank-2 array('F') with bounds (maxmn,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int cond := -1.0 input float lwork := 2*minmn+MAX(maxmn,nrhs) input int

Return objects:

v : rank-2 array('F') with bounds (m,n) and a storage x : rank-2 array('F') with bounds (maxmn,nrhs) and b storage s : rank-1 array('f') with bounds (minmn) rank : int work : rank-1 array('F') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**cgeqp3** = <fortran object>

cgeqp3 - Function signature:

qr,jpvt,tau,work,info = cgeqp3(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*(n+1) input int

Return objects:

qr : rank-2 array('F') with bounds (m,n) and a storage jpvt : rank-1 array('i') with bounds (n) tau : rank-1 array('F') with bounds (MIN(m,n)) work : rank-1 array('F') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**cgeqrf** = <fortran object>

cgeqrf - Function signature:

qr,tau,work,info = cgeqrf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*n input int

Return objects:

qr : rank-2 array('F') with bounds (m,n) and a storage tau : rank-1 array('F') with bounds (MIN(m,n)) work : rank-1 array('F') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**cgerqf** = <fortran object>

cgerqf - Function signature:

qr,tau,work,info = cgerqf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*m input int

Return objects:

qr : rank-2 array('F') with bounds (m,n) and a storage tau : rank-1 array('F') with bounds (MIN(m,n)) work : rank-1 array('F') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**cgessd** = <fortran object>

cgessd - Function signature:

u,s,vt,info = cgessd(a,[compute_uv,full_matrices,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int compute_uv := 1 input int full_matrices := 1 input int lwork := (compute_uv?2*minmn*minmn+MAX(m,n)+2*minmn:2*minmn+MAX(m,n)) input int

Return objects:

u : rank-2 array('F') with bounds (u0,u1) s : rank-1 array('f') with bounds (minmn) vt : rank-2 array('F') with bounds (vt0,vt1) info : int

scipy.linalg.lapack.**cgesv** = <fortran object>

cgesv - Function signature:

lu,piv,x,info = cgesv(a,b,[overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('F') with bounds (n,n) b : input rank-2 array('F') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

lu : rank-2 array('F') with bounds (n,n) and a storage piv : rank-1 array('i') with bounds (n) x : rank-2 array('F') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**cgetrf** = <fortran object>

cgetrf - Function signature:

lu,piv,info = cgetrf(a,[overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int

Return objects:

lu : rank-2 array('F') with bounds (m,n) and a storage piv : rank-1 array('i') with bounds (MIN(m,n)) info : int

scipy.linalg.lapack.**cgetri** = <fortran object>

cgetri - Function signature:

inv_a,info = cgetri(lu,piv,[lwork,overwrite_lu])

Required arguments:

lu : input rank-2 array('F') with bounds (n,n) piv : input rank-1 array('i') with bounds (n)

Optional arguments:

overwrite_lu := 0 input int lwork := 3*n input int

Return objects:

inv_a : rank-2 array('F') with bounds (n,n) and lu storage info : int

scipy.linalg.lapack.**cgetrs** = <fortran object>

cgetrs - Function signature:

x,info = cgetrs(lu,piv,b,[trans,overwrite_b])

Required arguments:

lu : input rank-2 array('F') with bounds (n,n) piv : input rank-1 array('i') with bounds (n) b :
input rank-2 array('F') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int trans := 0 input int

Return objects:

x : rank-2 array('F') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**cgges** = <fortran object>

cgges - Function signature:

a,b,sdim,alpha,beta,vsl,vsr,work,info = cgges(cselect,a,b,[jobvsl,jobvsr,sort_t,ldvsl,ldvsr,lwork,cselect_extra_args,

Required arguments:

cselect : call-back function a : input rank-2 array('F') with bounds (lda,*) b : input rank-2
array('F') with bounds (ldb,*)

Optional arguments:

jobvsl := 1 input int jobvsr := 1 input int sort_t := 0 input int cselect_extra_args := () input tuple
overwrite_a := 0 input int overwrite_b := 0 input int ldvsl := ((jobvsl==1)?n:1) input int ldvsr :=
((jobvsr==1)?n:1) input int lwork := 2*n input int

Return objects:

a : rank-2 array('F') with bounds (lda,*) b : rank-2 array('F') with bounds (ldb,*) sdim : int
alpha : rank-1 array('F') with bounds (n) beta : rank-1 array('F') with bounds (n) vsl : rank-2
array('F') with bounds (ldvsl,n) vsr : rank-2 array('F') with bounds (ldvsr,n) work : rank-1
array('F') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def cselect(alpha,beta): return cselect Required arguments:

alpha : input complex beta : input complex

Return objects:

cselect : int

scipy.linalg.lapack.**cggev** = <fortran object>

cggev - Function signature:

alpha,beta,vl,vr,work,info = cggev(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('F') with bounds (n,n) b : input rank-2 array('F') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0
input int lwork := 2*n input int

Return objects:

alpha : rank-1 array('F') with bounds (n) beta : rank-1 array('F') with bounds (n) vl : rank-2 ar-
ray('F') with bounds (ldvl,n) vr : rank-2 array('F') with bounds (ldvr,n) work : rank-1 array('F')
with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**chbevd** = <fortran object>

chbevd - Function signature:

w,z,info = chbevd(ab,[compute_v,lower,ldab,lrwork,liwork,overwrite_ab])

Required arguments:

ab : input rank-2 array('F') with bounds (ldab,*)

Optional arguments:

overwrite_ab := 1 input int compute_v := 1 input int lower := 0 input int ldab := shape(ab,0) input int lrwork := (compute_v?1+5*n+2*n*n:n) input int liwork := (compute_v?3+5*n:1) input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('F') with bounds (ldz,ldz) info : int

scipy.linalg.lapack.chbevx = <fortran object>

chbevz - Function signature:

w,z,m,ifail,info = chbevz(ab,vl,vu,il,iu,[ldab,compute_v,range,lower,abstol,mmax,overwrite_ab])

Required arguments:

ab : input rank-2 array('F') with bounds (ldab,*) vl : input float vu : input float il : input int iu : input int

Optional arguments:

overwrite_ab := 1 input int ldab := shape(ab,0) input int compute_v := 1 input int range := 0 input int lower := 0 input int abstol := 0.0 input float mmax := (compute_v?(range==2?(iu-il+1):n):1) input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('F') with bounds (ldz,mmax) m : int ifail : rank-1 array('i') with bounds ((compute_v?n:1)) info : int

scipy.linalg.lapack.cheev = <fortran object>

cheev - Function signature:

w,v,info = cheev(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := 2*n-1 input int

Return objects:

w : rank-1 array('f') with bounds (n) v : rank-2 array('F') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.cheevd = <fortran object>

cheevd - Function signature:

w,v,info = cheevd(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := (compute_v?2*n+n*n:n+1) input int

Return objects:

w : rank-1 array('f') with bounds (n) v : rank-2 array('F') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.cheevr = <fortran object>

cheevr - Function signature:

w,z,info = cheevr(a,[jobz,range,uplo,il,iu,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (n,n)

Optional arguments:

jobz := 'V' input string(len=1) range := 'A' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int il := 1 input int iu := n input int lwork := 18*n input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('F') with bounds (n,m) info : int

scipy.linalg.lapack.chegv = <fortran object>

chegv - Function signature:

a,w,info = chegv(a,b,[itype,jobz,uplo,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('F') with bounds (n,n) b : input rank-2 array('F') with bounds (n,n)

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

a : rank-2 array('F') with bounds (n,n) w : rank-1 array('f') with bounds (n) info : int

scipy.linalg.lapack.chegvd = <fortran object>

chegvd - Function signature:

a,w,info = chegvd(a,b,[itype,jobz,uplo,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('F') with bounds (n,n) b : input rank-2 array('F') with bounds (n,n)

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int lwork := 2*n+n*n input int

Return objects:

a : rank-2 array('F') with bounds (n,n) w : rank-1 array('f') with bounds (n) info : int

scipy.linalg.lapack.chegvx = <fortran object>

chegvx - Function signature:

w,z,ifail,info = chegvx(a,b,iu,[itype,jobz,uplo,il,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('F') with bounds (n,n) b : input rank-2 array('F') with bounds (n,n) iu : input int

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int il := 1 input int lwork := 18*n-1 input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('F') with bounds (n,m) ifail : rank-1 array('i') with bounds (n) info : int

scipy.linalg.lapack.**claswp** = <fortran object>

claswp - Function signature:

a = claswp(a,piv,[k1,k2,off,inc,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (nrows,n) piv : input rank-1 array('i') with bounds (*)

Optional arguments:

overwrite_a := 0 input int k1 := 0 input int k2 := len(piv)-1 input int off := 0 input int inc := 1 input int

Return objects:

a : rank-2 array('F') with bounds (nrows,n)

scipy.linalg.lapack.**clauum** = <fortran object>

clauum - Function signature:

a,info = clauum(c,[lower,overwrite_c])

Required arguments:

c : input rank-2 array('F') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int

Return objects:

a : rank-2 array('F') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**cpbsv** = <fortran object>

cpbsv - Function signature:

c,x,info = cpbsv(ab,b,[lower,ldab,overwrite_ab,overwrite_b])

Required arguments:

ab : input rank-2 array('F') with bounds (ldab,n) b : input rank-2 array('F') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int overwrite_b := 0 input int

Return objects:

c : rank-2 array('F') with bounds (ldab,n) and ab storage x : rank-2 array('F') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**cpbtrf** = <fortran object>

cpbtrf - Function signature:

c,info = cpbtrf(ab,[lower,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('F') with bounds (ldab,n)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int

Return objects:

c : rank-2 array('F') with bounds (ldab,n) and ab storage info : int

scipy.linalg.lapack.**cpbtrs** = <fortran object>

cpbtrs - Function signature:

x,info = cpbtrs(ab,b,[lower,ldab,overwrite_b])

Required arguments:

ab : input rank-2 array('F') with bounds (ldab,n) b : input rank-2 array('F') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int ldab := shape(ab,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('F') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**cposv** = <fortran object>

cposv - Function signature:

c,x,info = cposv(a,b,[lower,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('F') with bounds (n,n) b : input rank-2 array('F') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int lower := 0 input int

Return objects:

c : rank-2 array('F') with bounds (n,n) and a storage x : rank-2 array('F') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**cpotrf** = <fortran object>

cpotrf - Function signature:

c,info = cpotrf(a,[lower,clean,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (n,n)

Optional arguments:

overwrite_a := 0 input int lower := 0 input int clean := 1 input int

Return objects:

c : rank-2 array('F') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.**cpotri** = <fortran object>

cpotri - Function signature:

inv_a,info = cpotri(c,[lower,overwrite_c])

Required arguments:

c : input rank-2 array('F') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int

Return objects:

inv_a : rank-2 array('F') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**cpotrs** = <fortran object>

cpotrs - Function signature:

x,info = cpotrs(c,b,[lower,overwrite_b])

Required arguments:

c : input rank-2 array('F') with bounds (n,n) b : input rank-2 array('F') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int lower := 0 input int

Return objects:

x : rank-2 array('F') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**ctrsyl** = <fortran object>

ctrsyl - Function signature:

x,scale,info = ctrsyl(a,b,c,[trana,tranb,isgn,overwrite_c])

Required arguments:

a : input rank-2 array('F') with bounds (m,m) b : input rank-2 array('F') with bounds (n,n) c :
input rank-2 array('F') with bounds (m,n)

Optional arguments:

trana := 'N' input string(len=1) tranb := 'N' input string(len=1) isgn := 1 input int overwrite_c :=
0 input int

Return objects:

x : rank-2 array('F') with bounds (m,n) and c storage scale : float info : int

scipy.linalg.lapack.**ctrtri** = <fortran object>

ctrtri - Function signature:

inv_c,info = ctrtri(c,[lower,unitdiag,overwrite_c])

Required arguments:

c : input rank-2 array('F') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int unitdiag := 0 input int

Return objects:

inv_c : rank-2 array('F') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**ctrtrs** = <fortran object>

ctrtrs - Function signature:

x,info = ctrtrs(a,b,[lower,trans,unitdiag,lda,overwrite_b])

Required arguments:

a : input rank-2 array('F') with bounds (lda,n) b : input rank-2 array('F') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int trans := 0 input int unitdiag := 0 input int lda := shape(a,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('F') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**cungqr** = <fortran object>

cungqr - Function signature:

q,work,info = cungqr(a,tau,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n) tau : input rank-1 array('F') with bounds (k)

Optional arguments:

overwrite_a := 0 input int lwork := 3*n input int

Return objects:

q : rank-2 array('F') with bounds (m,n) and a storage work : rank-1 array('F') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**cungrq** = <fortran object>

cungrq - Function signature:

q,work,info = cungrq(a,tau,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('F') with bounds (m,n) tau : input rank-1 array('F') with bounds (k)

Optional arguments:

overwrite_a := 0 input int lwork := 3*m input int

Return objects:

q : rank-2 array('F') with bounds (m,n) and a storage work : rank-1 array('F') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**cunmqr** = <fortran object>

cunmqr - Function signature:

cq,work,info = cunmqr(side,trans,a,tau,c,lwork,[overwrite_c])

Required arguments:

side : input string(len=1) trans : input string(len=1) a : input rank-2 array('F') with bounds (lda,k) tau : input rank-1 array('F') with bounds (k) c : input rank-2 array('F') with bounds (ldc,n) lwork : input int

Optional arguments:

overwrite_c := 0 input int

Return objects:

cq : rank-2 array('F') with bounds (ldc,n) and c storage work : rank-1 array('F') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**dgbsv** = <fortran object>

dgbsv - Function signature:

lub,piv,x,info = dgbsv(kl,ku,ab,b,[overwrite_ab,overwrite_b])

Required arguments:

kl : input int ku : input int ab : input rank-2 array('d') with bounds (2*kl+ku+1,n) b : input rank-2 array('d') with bounds (n,nrhs)

Optional arguments:

overwrite_ab := 0 input int overwrite_b := 0 input int

Return objects:

lub : rank-2 array('d') with bounds (2*kl+ku+1,n) and ab storage piv : rank-1 array('i') with bounds (n) x : rank-2 array('d') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.dgbtrf = <fortran object>

dgbtrf - Function signature:

lu,ipiv,info = dgbtrf(ab,kl,ku,[m,n,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('d') with bounds (ldab,*) kl : input int ku : input int

Optional arguments:

m := shape(ab,1) input int n := shape(ab,1) input int overwrite_ab := 0 input int ldab := shape(ab,0) input int

Return objects:

lu : rank-2 array('d') with bounds (ldab,*) and ab storage ipiv : rank-1 array('i') with bounds (MIN(m,n)) info : int

scipy.linalg.lapack.dgbtrs = <fortran object>

dgbtrs - Function signature:

x,info = dgbtrs(ab,kl,ku,b,ipiv,[trans,n,ldab,ldb,overwrite_b])

Required arguments:

ab : input rank-2 array('d') with bounds (ldab,*) kl : input int ku : input int b : input rank-2 array('d') with bounds (ldb,*) ipiv : input rank-1 array('i') with bounds (n)

Optional arguments:

overwrite_b := 0 input int trans := 0 input int n := shape(ab,1) input int ldab := shape(ab,0) input int ldb := shape(b,0) input int

Return objects:

x : rank-2 array('d') with bounds (ldb,*) and b storage info : int

scipy.linalg.lapack.dgebal = <fortran object>

dgebal - Function signature:

ba,lo,hi,pivscale,info = dgebal(a,[scale,permute,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (m,n)

Optional arguments:

scale := 0 input int permute := 0 input int overwrite_a := 0 input int

Return objects:

ba : rank-2 array('d') with bounds (m,n) and a storage lo : int hi : int pivscale : rank-1 array('d') with bounds (n) info : int

scipy.linalg.lapack.dgees = <fortran object>

dgees - Function signature:

t,sdim,wr,wi,vs,work,info = dgees(dselect,a,[compute_v,sort_t,lwork,dselect_extra_args,overwrite_a])

Required arguments:

dselect : call-back function a : input rank-2 array('d') with bounds (n,n)

Optional arguments:

compute_v := 1 input int sort_t := 0 input int dselect_extra_args := () input tuple overwrite_a := 0 input int lwork := 3*n input int

Return objects:

t : rank-2 array('d') with bounds (n,n) and a storage sdim : int wr : rank-1 array('d') with bounds (n) wi : rank-1 array('d') with bounds (n) vs : rank-2 array('d') with bounds (ldvs,n) work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def dselect(arg1,arg2): return dselect Required arguments:

arg1 : input float arg2 : input float

Return objects:

dselect : int

scipy.linalg.lapack.dgeev = <fortran object>

dgeev - Function signature:

wr,wi,vl,vr,info = dgeev(a,[compute_vl,compute_vr,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int lwork := 4*n input int

Return objects:

wr : rank-1 array('d') with bounds (n) wi : rank-1 array('d') with bounds (n) vl : rank-2 array('d') with bounds (ldvl,n) vr : rank-2 array('d') with bounds (ldvr,n) info : int

scipy.linalg.lapack.dgegv = <fortran object>

dgegv - Function signature:

alphar,alphai,beta,vl,vr,info = dgegv(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('d') with bounds (n,n) b : input rank-2 array('d') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0 input int lwork := 8*n input int

Return objects:

alphar : rank-1 array('d') with bounds (n) alphai : rank-1 array('d') with bounds (n) beta : rank-1 array('d') with bounds (n) vl : rank-2 array('d') with bounds (ldvl,n) vr : rank-2 array('d') with bounds (ldvr,n) info : int

scipy.linalg.lapack.dgehrd = <fortran object>

dgehrd - Function signature:

ht,tau,info = dgehrd(a,[lo,hi,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (n,n)

Optional arguments:

lo := 0 input int hi := n-1 input int overwrite_a := 0 input int lwork := MAX(n,1) input int

Return objects:

ht : rank-2 array('d') with bounds (n,n) and a storage tau : rank-1 array('d') with bounds (n - 1)
info : int

scipy.linalg.lapack.dgels = <fortran object>

dgels - Function signature:

v,x,s,rank,work,info = dgels(a,b,[cond,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('d') with bounds (m,n) b : input rank-2 array('d') with bounds (maxmn,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int cond := -1.0 input float lwork := 3*minmn+MAX(2*minmn,MAX(maxmn,nrhs)) input int

Return objects:

v : rank-2 array('d') with bounds (m,n) and a storage x : rank-2 array('d') with bounds (maxmn,nrhs) and b storage s : rank-1 array('d') with bounds (minmn) rank : int work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.dgeqp3 = <fortran object>

dgeqp3 - Function signature:

qr,jpvt,tau,work,info = dgeqp3(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*(n+1) input int

Return objects:

qr : rank-2 array('d') with bounds (m,n) and a storage jpvt : rank-1 array('i') with bounds (n) tau : rank-1 array('d') with bounds (MIN(m,n)) work : rank-1 array('d') with bounds (MAX(lwork,1))
info : int

scipy.linalg.lapack.dgeqrf = <fortran object>

dgeqrf - Function signature:

qr,tau,work,info = dgeqrf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*n input int

Return objects:

qr : rank-2 array('d') with bounds (m,n) and a storage tau : rank-1 array('d') with bounds (MIN(m,n)) work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.dgerqf = <fortran object>

dgerqf - Function signature:

qr,tau,work,info = dgerqf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*m input int

Return objects:

qr : rank-2 array('d') with bounds (m,n) and a storage tau : rank-1 array('d') with bounds (MIN(m,n)) work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.dgesdd = <fortran object>

dgesdd - Function signature:

u,s,vt,info = dgesdd(a,[compute_uv,full_matrices,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int compute_uv := 1 input int full_matrices := 1 input int lwork := (compute_uv?4*minmn*minmn+MAX(m,n)+9*minmn:MAX(14*minmn+4,10*minmn+2+25*(25+8))+MAX(m,n)) input int

Return objects:

u : rank-2 array('d') with bounds (u0,u1) s : rank-1 array('d') with bounds (minmn) vt : rank-2 array('d') with bounds (vt0,vt1) info : int

scipy.linalg.lapack.dgesv = <fortran object>

dgesv - Function signature:

lu,piv,x,info = dgesv(a,b,[overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('d') with bounds (n,n) b : input rank-2 array('d') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

lu : rank-2 array('d') with bounds (n,n) and a storage piv : rank-1 array('i') with bounds (n) x : rank-2 array('d') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.dgetrf = <fortran object>

dgetrf - Function signature:

lu,piv,info = dgetrf(a,[overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int

Return objects:

lu : rank-2 array('d') with bounds (m,n) and a storage piv : rank-1 array('i') with bounds (MIN(m,n)) info : int

scipy.linalg.lapack.dgetri = <fortran object>

dgetri - Function signature:

inv_a,info = dgetri(lu,piv,[lwork,overwrite_lu])

Required arguments:

lu : input rank-2 array('d') with bounds (n,n) piv : input rank-1 array('i') with bounds (n)

Optional arguments:

overwrite_lu := 0 input int lwork := 3*n input int

Return objects:

inv_a : rank-2 array('d') with bounds (n,n) and lu storage info : int

scipy.linalg.lapack.dgetrs = <fortran object>

dgetrs - Function signature:

x,info = dgetrs(lu,piv,b,[trans,overwrite_b])

Required arguments:

lu : input rank-2 array('d') with bounds (n,n) piv : input rank-1 array('i') with bounds (n) b : input rank-2 array('d') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int trans := 0 input int

Return objects:

x : rank-2 array('d') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.dgges = <fortran object>

dgges - Function signature:

a,b,sdim,alphar,alphai,beta,vsl,vsr,work,info = dgges(dselect,a,b,[jobvsl,jobvsr,sort_t,ldvsl,ldvsr,lwork,dselect_extra_args])

Required arguments:

dselect : call-back function a : input rank-2 array('d') with bounds (lda,*) b : input rank-2 array('d') with bounds (ldb,*)

Optional arguments:

jobvsl := 1 input int jobvsr := 1 input int sort_t := 0 input int dselect_extra_args := () input tuple overwrite_a := 0 input int overwrite_b := 0 input int ldvsl := ((jobvsl==1)?n:1) input int ldvsr := ((jobvsr==1)?n:1) input int lwork := 8*n+16 input int

Return objects:

a : rank-2 array('d') with bounds (lda,*) b : rank-2 array('d') with bounds (ldb,*) sdim : int alphar : rank-1 array('d') with bounds (n) alphai : rank-1 array('d') with bounds (n) beta : rank-1 array('d') with bounds (n) vsl : rank-2 array('d') with bounds (ldvsl,n) vsr : rank-2 array('d') with bounds (ldvsr,n) work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def dselect(alphar,alphai,beta): return dselect Required arguments:

alphar : input float alphai : input float beta : input float

Return objects:

dselect : int

scipy.linalg.lapack.**dggev** = <fortran object>

dggev - Function signature:

alphar,alphai,beta,vl,vr,work,info = dggev(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('d') with bounds (n,n) b : input rank-2 array('d') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0 input int lwork := 8*n input int

Return objects:

alphar : rank-1 array('d') with bounds (n) alphai : rank-1 array('d') with bounds (n) beta : rank-1 array('d') with bounds (n) vl : rank-2 array('d') with bounds (ldv1,n) vr : rank-2 array('d') with bounds (ldvr,n) work : rank-1 array('d') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**dlamch** = <fortran dlamch>

dlamch - Function signature:

dlamch = dlamch(cmach)

Required arguments:

cmach : input string(len=1)

Return objects:

dlamch : float

scipy.linalg.lapack.**dlaswp** = <fortran object>

dlaswp - Function signature:

a = dlaswp(a,piv,[k1,k2,off,inc,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (nrows,n) piv : input rank-1 array('i') with bounds (*)

Optional arguments:

overwrite_a := 0 input int k1 := 0 input int k2 := len(piv)-1 input int off := 0 input int inc := 1 input int

Return objects:

a : rank-2 array('d') with bounds (nrows,n)

scipy.linalg.lapack.**dlauum** = <fortran object>

dlauum - Function signature:

a,info = dlauum(c,[lower,overwrite_c])

Required arguments:

c : input rank-2 array('d') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int

Return objects:

a : rank-2 array('d') with bounds (n,n) and c storage info : int

`scipy.linalg.lapack.dorgqr = <fortran object>`

dorgqr - Function signature:

`q,work,info = dorgqr(a,tau,[lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('d') with bounds (m,n) `tau` : input rank-1 array('d') with bounds (k)

Optional arguments:

`overwrite_a := 0` input int `lwork := 3*n` input int

Return objects:

`q` : rank-2 array('d') with bounds (m,n) and a storage `work` : rank-1 array('d') with bounds (MAX(lwork,1)) `info` : int

`scipy.linalg.lapack.dorgqr = <fortran object>`

dorgqr - Function signature:

`q,work,info = dorgqr(a,tau,[lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('d') with bounds (m,n) `tau` : input rank-1 array('d') with bounds (k)

Optional arguments:

`overwrite_a := 0` input int `lwork := 3*m` input int

Return objects:

`q` : rank-2 array('d') with bounds (m,n) and a storage `work` : rank-1 array('d') with bounds (MAX(lwork,1)) `info` : int

`scipy.linalg.lapack.dormqr = <fortran object>`

dormqr - Function signature:

`cq,work,info = dormqr(side,trans,a,tau,c,lwork,[overwrite_c])`

Required arguments:

`side` : input string(len=1) `trans` : input string(len=1) `a` : input rank-2 array('d') with bounds (lda,k) `tau` : input rank-1 array('d') with bounds (k) `c` : input rank-2 array('d') with bounds (ldc,n) `lwork` : input int

Optional arguments:

`overwrite_c := 0` input int

Return objects:

`cq` : rank-2 array('d') with bounds (ldc,n) and `c` storage `work` : rank-1 array('d') with bounds (MAX(lwork,1)) `info` : int

`scipy.linalg.lapack.dpbsv = <fortran object>`

dpbsv - Function signature:

`c,x,info = dpbsv(ab,b,[lower,ldab,overwrite_ab,overwrite_b])`

Required arguments:

`ab` : input rank-2 array('d') with bounds (ldab,n) `b` : input rank-2 array('d') with bounds (ldb,nrhs)

Optional arguments:

`lower := 0` input int `overwrite_ab := 0` input int `ldab := shape(ab,0)` input int `overwrite_b := 0` input int

Return objects:

c : rank-2 array('d') with bounds (ldab,n) and ab storage x : rank-2 array('d') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**dpbtrf** = <fortran object>

dpbtrf - Function signature:

c,info = dpbtrf(ab,[lower,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('d') with bounds (ldab,n)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int

Return objects:

c : rank-2 array('d') with bounds (ldab,n) and ab storage info : int

scipy.linalg.lapack.**dpbtrs** = <fortran object>

dpbtrs - Function signature:

x,info = dpbtrs(ab,b,[lower,ldab,overwrite_b])

Required arguments:

ab : input rank-2 array('d') with bounds (ldab,n) b : input rank-2 array('d') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int ldab := shape(ab,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('d') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**dposv** = <fortran object>

dposv - Function signature:

c,x,info = dposv(a,b,[lower,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('d') with bounds (n,n) b : input rank-2 array('d') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int lower := 0 input int

Return objects:

c : rank-2 array('d') with bounds (n,n) and a storage x : rank-2 array('d') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**dpotr** = <fortran object>

dpotr - Function signature:

c,info = dpotr(a,[lower,clean,overwrite_a])

Required arguments:

a : input rank-2 array('d') with bounds (n,n)

Optional arguments:

overwrite_a := 0 input int lower := 0 input int clean := 1 input int

Return objects:

c : rank-2 array('d') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.**dpotri** = <fortran object>

dpotri - Function signature:

inv_a,info = dpotri(c,[lower,overwrite_c])

Required arguments:

c : input rank-2 array('d') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int

Return objects:

inv_a : rank-2 array('d') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**dpotrs** = <fortran object>

dpotrs - Function signature:

x,info = dpotrs(c,b,[lower,overwrite_b])

Required arguments:

c : input rank-2 array('d') with bounds (n,n) b : input rank-2 array('d') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int lower := 0 input int

Return objects:

x : rank-2 array('d') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**dsbev** = <fortran object>

dsbev - Function signature:

w,z,info = dsbev(ab,[compute_v,lower,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('d') with bounds (ldab,*)

Optional arguments:

overwrite_ab := 1 input int compute_v := 1 input int lower := 0 input int ldab := shape(ab,0) input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('d') with bounds (ldz,ldz) info : int

scipy.linalg.lapack.**dsbevd** = <fortran object>

dsbevd - Function signature:

w,z,info = dsbevd(ab,[compute_v,lower,ldab,liwork,overwrite_ab])

Required arguments:

ab : input rank-2 array('d') with bounds (ldab,*)

Optional arguments:

overwrite_ab := 1 input int compute_v := 1 input int lower := 0 input int ldab := shape(ab,0) input int liwork := (compute_v?3+5*n:1) input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('d') with bounds (ldz,ldz) info : int

`scipy.linalg.lapack.dsbevx = <fortran object>`

dsbevx - Function signature:

`w,z,m,ifail,info = dsbevx(ab,vl,vu,il,iu,[ldab,compute_v,range,lower,abstol,mmax,overwrite_ab])`

Required arguments:

`ab` : input rank-2 array('d') with bounds (ldab,*) `vl` : input float `vu` : input float `il` : input int `iu` : input int

Optional arguments:

`overwrite_ab` := 1 input int `ldab` := shape(ab,0) input int `compute_v` := 1 input int `range` := 0 input int `lower` := 0 input int `abstol` := 0.0 input float `mmax` := (compute_v?(range==2?(iu-il+1):n):1) input int

Return objects:

`w` : rank-1 array('d') with bounds (n) `z` : rank-2 array('d') with bounds (ldz,mmax) `m` : int `ifail` : rank-1 array('i') with bounds ((compute_v?n:1)) `info` : int

`scipy.linalg.lapack.dsyev = <fortran object>`

dsyev - Function signature:

`w,v,info = dsyev(a,[compute_v,lower,lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('d') with bounds (n,n)

Optional arguments:

`compute_v` := 1 input int `lower` := 0 input int `overwrite_a` := 0 input int `lwork` := 3*n-1 input int

Return objects:

`w` : rank-1 array('d') with bounds (n) `v` : rank-2 array('d') with bounds (n,n) and a storage `info` : int

`scipy.linalg.lapack.dsyevd = <fortran object>`

dsyevd - Function signature:

`w,v,info = dsyevd(a,[compute_v,lower,lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('d') with bounds (n,n)

Optional arguments:

`compute_v` := 1 input int `lower` := 0 input int `overwrite_a` := 0 input int `lwork` := (compute_v?1+6*n+2*n*n:2*n+1) input int

Return objects:

`w` : rank-1 array('d') with bounds (n) `v` : rank-2 array('d') with bounds (n,n) and a storage `info` : int

`scipy.linalg.lapack.dsyevr = <fortran object>`

dsyevr - Function signature:

`w,z,info = dsyevr(a,[jobz,range,uplo,il,iu,lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('d') with bounds (n,n)

Optional arguments:

jobz := 'V' input string(len=1) range := 'A' input string(len=1) uplo := 'L' input string(len=1)
 overwrite_a := 0 input int il := 1 input int iu := n input int lwork := 26*n input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('d') with bounds (n,m) info : int

scipy.linalg.lapack.**dsygv** = <fortran object>

dsygv - Function signature:

a,w,info = dsygv(a,b,[itype,jobz,uplo,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('d') with bounds (n,n) b : input rank-2 array('d') with bounds (n,n)

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a :=
 0 input int overwrite_b := 0 input int

Return objects:

a : rank-2 array('d') with bounds (n,n) w : rank-1 array('d') with bounds (n) info : int

scipy.linalg.lapack.**dsygv**d = <fortran object>

dsygvd - Function signature:

a,w,info = dsygv(a,b,[itype,jobz,uplo,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('d') with bounds (n,n) b : input rank-2 array('d') with bounds (n,n)

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a :=
 0 input int overwrite_b := 0 input int lwork := 1+6*n+2*n*n input int

Return objects:

a : rank-2 array('d') with bounds (n,n) w : rank-1 array('d') with bounds (n) info : int

scipy.linalg.lapack.**dsygv**x = <fortran object>

dsygvx - Function signature:

w,z,ifail,info = dsygvx(a,b,iu,[itype,jobz,uplo,il,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('d') with bounds (n,n) b : input rank-2 array('d') with bounds (n,n) iu :
 input int

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a :=
 0 input int overwrite_b := 0 input int il := 1 input int lwork := 8*n input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('d') with bounds (n,m) ifail : rank-1
 array('i') with bounds (n) info : int

scipy.linalg.lapack.**d**trsyl = <fortran object>

dtrsyl - Function signature:

x,scale,info = dtrsyl(a,b,c,[trana,tranb,isgn,overwrite_c])

Required arguments:

a : input rank-2 array('d') with bounds (m,m) b : input rank-2 array('d') with bounds (n,n) c : input rank-2 array('d') with bounds (m,n)

Optional arguments:

trana := 'N' input string(len=1) tranb := 'N' input string(len=1) isgn := 1 input int overwrite_c := 0 input int

Return objects:

x : rank-2 array('d') with bounds (m,n) and c storage scale : float info : int

`scipy.linalg.lapack.dtrtri = <fortran object>`

dtrtri - Function signature:

inv_c,info = dtrtri(c,[lower,unitdiag,overwrite_c])

Required arguments:

c : input rank-2 array('d') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int unitdiag := 0 input int

Return objects:

inv_c : rank-2 array('d') with bounds (n,n) and c storage info : int

`scipy.linalg.lapack.dtrtrs = <fortran object>`

dtrtrs - Function signature:

x,info = dtrtrs(a,b,[lower,trans,unitdiag,lda,overwrite_b])

Required arguments:

a : input rank-2 array('d') with bounds (lda,n) b : input rank-2 array('d') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int trans := 0 input int unitdiag := 0 input int lda := shape(a,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('d') with bounds (ldb,nrhs) and b storage info : int

`scipy.linalg.lapack.sgbstv = <fortran object>`

sgbstv - Function signature:

lub,piv,x,info = sgbstv(kl,ku,ab,b,[overwrite_ab,overwrite_b])

Required arguments:

kl : input int ku : input int ab : input rank-2 array('f') with bounds (2*kl+ku+1,n) b : input rank-2 array('f') with bounds (n,nrhs)

Optional arguments:

overwrite_ab := 0 input int overwrite_b := 0 input int

Return objects:

lub : rank-2 array('f') with bounds (2*kl+ku+1,n) and ab storage piv : rank-1 array('i') with bounds (n) x : rank-2 array('f') with bounds (n,nrhs) and b storage info : int

`scipy.linalg.lapack.sgbtrf = <fortran object>`

sgbtrf - Function signature:

```
lu,ipiv,info = sgbtrf(ab,kl,ku,[m,n,ldab,overwrite_ab])
```

Required arguments:

```
ab : input rank-2 array('f') with bounds (ldab,*) kl : input int ku : input int
```

Optional arguments:

```
m := shape(ab,1) input int n := shape(ab,1) input int overwrite_ab := 0 input int ldab := shape(ab,0) input int
```

Return objects:

```
lu : rank-2 array('f') with bounds (ldab,*) and ab storage ipiv : rank-1 array('i') with bounds (MIN(m,n)) info : int
```

```
scipy.linalg.lapack.sgbtrs = <fortran object>
```

sgbtrs - Function signature:

```
x,info = sgbtrs(ab,kl,ku,b,ipiv,[trans,n,ldab,ldb,overwrite_b])
```

Required arguments:

```
ab : input rank-2 array('f') with bounds (ldab,*) kl : input int ku : input int b : input rank-2 array('f') with bounds (ldb,*) ipiv : input rank-1 array('i') with bounds (n)
```

Optional arguments:

```
overwrite_b := 0 input int trans := 0 input int n := shape(ab,1) input int ldab := shape(ab,0) input int ldb := shape(b,0) input int
```

Return objects:

```
x : rank-2 array('f') with bounds (ldb,*) and b storage info : int
```

```
scipy.linalg.lapack.sgebal = <fortran object>
```

sgebal - Function signature:

```
ba,lo,hi,pivscale,info = sgebal(a,[scale,permute,overwrite_a])
```

Required arguments:

```
a : input rank-2 array('f') with bounds (m,n)
```

Optional arguments:

```
scale := 0 input int permute := 0 input int overwrite_a := 0 input int
```

Return objects:

```
ba : rank-2 array('f') with bounds (m,n) and a storage lo : int hi : int pivscale : rank-1 array('f') with bounds (n) info : int
```

```
scipy.linalg.lapack.sgees = <fortran object>
```

sgees - Function signature:

```
t,sdim,wr,wi,vs,work,info = sgees(sselect,a,[compute_v,sort_t,lwork,sselect_extra_args,overwrite_a])
```

Required arguments:

```
sselect : call-back function a : input rank-2 array('f') with bounds (n,n)
```

Optional arguments:

```
compute_v := 1 input int sort_t := 0 input int sselect_extra_args := () input tuple overwrite_a := 0 input int lwork := 3*n input int
```

Return objects:

```
t : rank-2 array('f') with bounds (n,n) and a storage sdim : int wr : rank-1 array('f') with bounds
```

(n) wi : rank-1 array('f') with bounds (n) vs : rank-2 array('f') with bounds (ldvs,n) work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def sselect(arg1,arg2): return sselect
 Required arguments:
 arg1 : input float arg2 : input float

Return objects:

sselect : int

scipy.linalg.lapack.**sggeev** = <fortran object>

sggeev - Function signature:

wr,wi,vl,vr,info = sggeev(a,[compute_vl,compute_vr,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int lwork := 4*n input int

Return objects:

wr : rank-1 array('f') with bounds (n) wi : rank-1 array('f') with bounds (n) vl : rank-2 array('f') with bounds (ldvl,n) vr : rank-2 array('f') with bounds (ldvr,n) info : int

scipy.linalg.lapack.**sggegv** = <fortran object>

sggegv - Function signature:

alphar,alphai,beta,vl,vr,info = sggegv(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('f') with bounds (n,n) b : input rank-2 array('f') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0 input int lwork := 8*n input int

Return objects:

alphar : rank-1 array('f') with bounds (n) alphai : rank-1 array('f') with bounds (n) beta : rank-1 array('f') with bounds (n) vl : rank-2 array('f') with bounds (ldvl,n) vr : rank-2 array('f') with bounds (ldvr,n) info : int

scipy.linalg.lapack.**sgghrd** = <fortran object>

sgghrd - Function signature:

ht,tau,info = sgghrd(a,[lo,hi,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (n,n)

Optional arguments:

lo := 0 input int hi := n-1 input int overwrite_a := 0 input int lwork := MAX(n,1) input int

Return objects:

ht : rank-2 array('f') with bounds (n,n) and a storage tau : rank-1 array('f') with bounds (n - 1) info : int

`scipy.linalg.lapack.sgelss = <fortran object>`

sgelss - Function signature:

`v,x,s,rank,work,info = sgelss(a,b,[cond,lwork,overwrite_a,overwrite_b])`

Required arguments:

`a` : input rank-2 array('f') with bounds (m,n) `b` : input rank-2 array('f') with bounds (maxmn,nrhs)

Optional arguments:

`overwrite_a` := 0 input int `overwrite_b` := 0 input int `cond` := -1.0 input float `lwork` := $3*\text{minmn} + \text{MAX}(2*\text{minmn}, \text{MAX}(\text{maxmn}, \text{nrhs}))$ input int

Return objects:

`v` : rank-2 array('f') with bounds (m,n) and a storage `x` : rank-2 array('f') with bounds (maxmn,nrhs) and `b` storage `s` : rank-1 array('f') with bounds (minmn) `rank` : int `work` : rank-1 array('f') with bounds ($\text{MAX}(\text{lwork}, 1)$) `info` : int

`scipy.linalg.lapack.sgeqp3 = <fortran object>`

sgeqp3 - Function signature:

`qr,jpvt,tau,work,info = sgeqp3(a,[lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('f') with bounds (m,n)

Optional arguments:

`overwrite_a` := 0 input int `lwork` := $3*(n+1)$ input int

Return objects:

`qr` : rank-2 array('f') with bounds (m,n) and a storage `jpvt` : rank-1 array('i') with bounds (n) `tau` : rank-1 array('f') with bounds ($\text{MIN}(m,n)$) `work` : rank-1 array('f') with bounds ($\text{MAX}(\text{lwork}, 1)$) `info` : int

`scipy.linalg.lapack.sgeqrf = <fortran object>`

sgeqrf - Function signature:

`qr,tau,work,info = sgeqrf(a,[lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('f') with bounds (m,n)

Optional arguments:

`overwrite_a` := 0 input int `lwork` := $3*n$ input int

Return objects:

`qr` : rank-2 array('f') with bounds (m,n) and a storage `tau` : rank-1 array('f') with bounds ($\text{MIN}(m,n)$) `work` : rank-1 array('f') with bounds ($\text{MAX}(\text{lwork}, 1)$) `info` : int

`scipy.linalg.lapack.sgerqf = <fortran object>`

sgerqf - Function signature:

`qr,tau,work,info = sgerqf(a,[lwork,overwrite_a])`

Required arguments:

`a` : input rank-2 array('f') with bounds (m,n)

Optional arguments:

`overwrite_a` := 0 input int `lwork` := $3*m$ input int

Return objects:

qr : rank-2 array('f') with bounds (m,n) and a storage tau : rank-1 array('f') with bounds (MIN(m,n)) work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**sgesdd** = <fortran object>

sgesdd - Function signature:

u,s,vt,info = sgesdd(a,[compute_uv,full_matrices,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int compute_uv := 1 input int full_matrices := 1 input int lwork := (compute_uv?4*minmn*minmn+MAX(m,n)+9*minmn:MAX(14*minmn+4,10*minmn+2+25*(25+8))+MAX(m,n)) input int

Return objects:

u : rank-2 array('f') with bounds (u0,u1) s : rank-1 array('f') with bounds (minmn) vt : rank-2 array('f') with bounds (vt0,vt1) info : int

scipy.linalg.lapack.**sgesv** = <fortran object>

sgesv - Function signature:

lu,piv,x,info = sgesv(a,b,[overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('f') with bounds (n,n) b : input rank-2 array('f') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

lu : rank-2 array('f') with bounds (n,n) and a storage piv : rank-1 array('i') with bounds (n) x : rank-2 array('f') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**sgetrf** = <fortran object>

sgetrf - Function signature:

lu,piv,info = sgetrf(a,[overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int

Return objects:

lu : rank-2 array('f') with bounds (m,n) and a storage piv : rank-1 array('i') with bounds (MIN(m,n)) info : int

scipy.linalg.lapack.**sgetri** = <fortran object>

sgetri - Function signature:

inv_a,info = sgetri(lu,piv,[lwork,overwrite_lu])

Required arguments:

lu : input rank-2 array('f') with bounds (n,n) piv : input rank-1 array('i') with bounds (n)

Optional arguments:

overwrite_lu := 0 input int lwork := 3*n input int

Return objects:

inv_a : rank-2 array('f') with bounds (n,n) and lu storage info : int

scipy.linalg.lapack.**sgetrs** = <fortran object>

sgetrs - Function signature:

x,info = sgetrs(lu,piv,b,[trans,overwrite_b])

Required arguments:

lu : input rank-2 array('f') with bounds (n,n) piv : input rank-1 array('i') with bounds (n) b : input rank-2 array('f') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int trans := 0 input int

Return objects:

x : rank-2 array('f') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**sgges** = <fortran object>

sgges - Function signature:

a,b,sdim,alphan,alphai,beta,vsl,vsr,work,info = sgges(sselect,a,b,[jobvsl,jobvsr,sort_t,ldvsl,ldvsr,lwork,sselect_extra_

Required arguments:

sselect : call-back function a : input rank-2 array('f') with bounds (lda,*) b : input rank-2 array('f') with bounds (ldb,*)

Optional arguments:

jobvsl := 1 input int jobvsr := 1 input int sort_t := 0 input int sselect_extra_args := () input tuple
overwrite_a := 0 input int overwrite_b := 0 input int ldvsl := ((jobvsl==1)?n:1) input int ldvsr := ((jobvsr==1)?n:1) input int lwork := 8*n+16 input int

Return objects:

a : rank-2 array('f') with bounds (lda,*) b : rank-2 array('f') with bounds (ldb,*) sdim : int
alphan : rank-1 array('f') with bounds (n) alphai : rank-1 array('f') with bounds (n) beta : rank-1 array('f') with bounds (n) vsl : rank-2 array('f') with bounds (ldvsl,n) vsr : rank-2 array('f') with bounds (ldvsr,n) work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def sselect(alphan,alphai,beta): return sselect Required arguments:

alphan : input float alphai : input float beta : input float

Return objects:

sselect : int

scipy.linalg.lapack.**sggev** = <fortran object>

sggev - Function signature:

alphan,alphai,beta,vl,vr,work,info = sggev(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('f') with bounds (n,n) b : input rank-2 array('f') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0
input int lwork := 8*n input int

Return objects:

alphar : rank-1 array('f') with bounds (n) alpha_i : rank-1 array('f') with bounds (n) beta : rank-1
array('f') with bounds (n) vl : rank-2 array('f') with bounds (ldvl,n) vr : rank-2 array('f') with
bounds (ldvr,n) work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**slamch** = <fortran slamch>

slamch - Function signature:

slamch = slamch(cmach)

Required arguments:

cmach : input string(len=1)

Return objects:

slamch : float

scipy.linalg.lapack.**slaswp** = <fortran object>

slaswp - Function signature:

a = slaswp(a,piv,[k1,k2,off,inc,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (nrows,n) piv : input rank-1 array('i') with bounds (*)

Optional arguments:

overwrite_a := 0 input int k1 := 0 input int k2 := len(piv)-1 input int off := 0 input int inc := 1
input int

Return objects:

a : rank-2 array('f') with bounds (nrows,n)

scipy.linalg.lapack.**slauum** = <fortran object>

slauum - Function signature:

a,info = slauum(c,[lower,overwrite_c])

Required arguments:

c : input rank-2 array('f') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int

Return objects:

a : rank-2 array('f') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**sorgqr** = <fortran object>

sorgqr - Function signature:

q,work,info = sorgqr(a,tau,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (m,n) tau : input rank-1 array('f') with bounds (k)

Optional arguments:

overwrite_a := 0 input int lwork := 3*n input int

Return objects:

q : rank-2 array('f') with bounds (m,n) and a storage work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**sorghr** = <fortran object>

sorghr - Function signature:

q,work,info = sorghr(a,tau,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (m,n) tau : input rank-1 array('f') with bounds (k)

Optional arguments:

overwrite_a := 0 input int lwork := 3*m input int

Return objects:

q : rank-2 array('f') with bounds (m,n) and a storage work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**sormqr** = <fortran object>

sormqr - Function signature:

cq,work,info = sormqr(side,trans,a,tau,c,lwork,[overwrite_c])

Required arguments:

side : input string(len=1) trans : input string(len=1) a : input rank-2 array('f') with bounds (lda,k) tau : input rank-1 array('f') with bounds (k) c : input rank-2 array('f') with bounds (ldc,n) lwork : input int

Optional arguments:

overwrite_c := 0 input int

Return objects:

cq : rank-2 array('f') with bounds (ldc,n) and c storage work : rank-1 array('f') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**spbsv** = <fortran object>

spbsv - Function signature:

c,x,info = spbsv(ab,b,[lower,ldab,overwrite_ab,overwrite_b])

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,n) b : input rank-2 array('f') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int overwrite_b := 0 input int

Return objects:

c : rank-2 array('f') with bounds (ldab,n) and ab storage x : rank-2 array('f') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**spbtrf** = <fortran object>

spbtrf - Function signature:

c,info = spbtrf(ab,[lower,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,n)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int

Return objects:

c : rank-2 array('f') with bounds (ldab,n) and ab storage info : int

scipy.linalg.lapack.**spbtrs** = <fortran object>

spbtrs - Function signature:

x,info = spbtrs(ab,b,[lower,ldab,overwrite_b])

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,n) b : input rank-2 array('f') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int ldab := shape(ab,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('f') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**sposv** = <fortran object>

sposv - Function signature:

c,x,info = sposv(a,b,[lower,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('f') with bounds (n,n) b : input rank-2 array('f') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int lower := 0 input int

Return objects:

c : rank-2 array('f') with bounds (n,n) and a storage x : rank-2 array('f') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**spotrf** = <fortran object>

spotrf - Function signature:

c,info = spotrf(a,[lower,clean,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (n,n)

Optional arguments:

overwrite_a := 0 input int lower := 0 input int clean := 1 input int

Return objects:

c : rank-2 array('f') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.**spotri** = <fortran object>

spotri - Function signature:

inv_a,info = spotri(c,[lower,overwrite_c])

Required arguments:

c : input rank-2 array('f') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int

Return objects:

inv_a : rank-2 array('f') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**spotrs** = <fortran object>

spotrs - Function signature:

x,info = spotrs(c,b,[lower,overwrite_b])

Required arguments:

c : input rank-2 array('f') with bounds (n,n) b : input rank-2 array('f') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int lower := 0 input int

Return objects:

x : rank-2 array('f') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**ssbev** = <fortran object>

ssbev - Function signature:

w,z,info = ssbev(ab,[compute_v,lower,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,*)

Optional arguments:

overwrite_ab := 1 input int compute_v := 1 input int lower := 0 input int ldab := shape(ab,0) input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('f') with bounds (ldz,ldz) info : int

scipy.linalg.lapack.**ssbevd** = <fortran object>

ssbevd - Function signature:

w,z,info = ssbevd(ab,[compute_v,lower,ldab,liwork,overwrite_ab])

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,*)

Optional arguments:

overwrite_ab := 1 input int compute_v := 1 input int lower := 0 input int ldab := shape(ab,0) input int liwork := (compute_v?3+5*n:1) input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('f') with bounds (ldz,ldz) info : int

scipy.linalg.lapack.**ssbevx** = <fortran object>

ssbevx - Function signature:

w,z,m,ifail,info = ssbevx(ab,vl,vu,il,iu,[ldab,compute_v,range,lower,abstol,mmax,overwrite_ab])

Required arguments:

ab : input rank-2 array('f') with bounds (ldab,*) vl : input float vu : input float il : input int iu : input int

Optional arguments:

overwrite_ab := 1 input int ldab := shape(ab,0) input int compute_v := 1 input int range := 0 input

int lower := 0 input int abstol := 0.0 input float mmax := (compute_v?(range==2?(iu-il+1):n):1)
input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('f') with bounds (ldz,mmax) m : int ifail :
rank-1 array('i') with bounds ((compute_v?n:1)) info : int

scipy.linalg.lapack.**ssyev** = <fortran object>

ssyev - Function signature:

w,v,info = ssyev(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := 3*n-1 input int

Return objects:

w : rank-1 array('f') with bounds (n) v : rank-2 array('f') with bounds (n,n) and a storage info :
int

scipy.linalg.lapack.**ssyevd** = <fortran object>

ssyevd - Function signature:

w,v,info = ssyevd(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := (compute_v?1+6*n+2*n*n:2*n+1) input int

Return objects:

w : rank-1 array('f') with bounds (n) v : rank-2 array('f') with bounds (n,n) and a storage info :
int

scipy.linalg.lapack.**ssyevr** = <fortran object>

ssyevr - Function signature:

w,z,info = ssyevr(a,[jobz,range,uplo,il,iu,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('f') with bounds (n,n)

Optional arguments:

jobz := 'V' input string(len=1) range := 'A' input string(len=1) uplo := 'L' input string(len=1)
overwrite_a := 0 input int il := 1 input int iu := n input int lwork := 26*n input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('f') with bounds (n,m) info : int

scipy.linalg.lapack.**ssygv** = <fortran object>

ssygv - Function signature:

a,w,info = ssygv(a,b,[itype,jobz,uplo,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('f') with bounds (n,n) b : input rank-2 array('f') with bounds (n,n)

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

a : rank-2 array('f') with bounds (n,n) w : rank-1 array('f') with bounds (n) info : int

scipy.linalg.lapack.**ssygvd** = <fortran object>

ssygvd - Function signature:

a,w,info = ssygvd(a,b,[itype,jobz,uplo,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('f') with bounds (n,n) b : input rank-2 array('f') with bounds (n,n)

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int lwork := 1+6*n+2*n*n input int

Return objects:

a : rank-2 array('f') with bounds (n,n) w : rank-1 array('f') with bounds (n) info : int

scipy.linalg.lapack.**ssygvx** = <fortran object>

ssygvx - Function signature:

w,z,ifail,info = ssygvx(a,b,iu,[itype,jobz,uplo,il,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('f') with bounds (n,n) b : input rank-2 array('f') with bounds (n,n) iu : input int

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int il := 1 input int lwork := 8*n input int

Return objects:

w : rank-1 array('f') with bounds (n) z : rank-2 array('f') with bounds (n,m) ifail : rank-1 array('i') with bounds (n) info : int

scipy.linalg.lapack.**strsyl** = <fortran object>

strsyl - Function signature:

x,scale,info = strsyl(a,b,c,[trana,tranb,isgn,overwrite_c])

Required arguments:

a : input rank-2 array('f') with bounds (m,m) b : input rank-2 array('f') with bounds (n,n) c : input rank-2 array('f') with bounds (m,n)

Optional arguments:

trana := 'N' input string(len=1) tranb := 'N' input string(len=1) isgn := 1 input int overwrite_c := 0 input int

Return objects:

x : rank-2 array('f') with bounds (m,n) and c storage scale : float info : int

scipy.linalg.lapack.**strtri** = <fortran object>

strtri - Function signature:

inv_c,info = strtri(c,[lower,unitdiag,overwrite_c])

Required arguments:

c : input rank-2 array('f') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int unitdiag := 0 input int

Return objects:

inv_c : rank-2 array('f') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**strtrs** = <fortran object>

strtrs - Function signature:

x,info = strtrs(a,b,[lower,trans,unitdiag,lda,overwrite_b])

Required arguments:

a : input rank-2 array('f') with bounds (lda,n) b : input rank-2 array('f') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int trans := 0 input int unitdiag := 0 input int lda := shape(a,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('f') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**zgbstv** = <fortran object>

zgbstv - Function signature:

lub,piv,x,info = zgbstv(kl,ku,ab,b,[overwrite_ab,overwrite_b])

Required arguments:

kl : input int ku : input int ab : input rank-2 array('D') with bounds (2*kl+ku+1,n) b : input rank-2 array('D') with bounds (n,nrhs)

Optional arguments:

overwrite_ab := 0 input int overwrite_b := 0 input int

Return objects:

lub : rank-2 array('D') with bounds (2*kl+ku+1,n) and ab storage piv : rank-1 array('i') with bounds (n) x : rank-2 array('D') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**zgbtrf** = <fortran object>

zgbtrf - Function signature:

lu,ipiv,info = zgbtrf(ab,kl,ku,[m,n,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('D') with bounds (ldab,*) kl : input int ku : input int

Optional arguments:

m := shape(ab,1) input int n := shape(ab,1) input int overwrite_ab := 0 input int ldab := shape(ab,0) input int

Return objects:

lu : rank-2 array('D') with bounds (ldab,*) and ab storage ipiv : rank-1 array('i') with bounds (MIN(m,n)) info : int

`scipy.linalg.lapack.zgbtrs = <fortran object>`

zgbtrs - Function signature:

`x,info = zgbtrs(ab,kl,ku,b,ipiv,[trans,n,ldab,ldb,overwrite_b])`

Required arguments:

`ab` : input rank-2 array('D') with bounds (ldab,*) `kl` : input int `ku` : input int `b` : input rank-2 array('D') with bounds (ldb,*) `ipiv` : input rank-1 array('i') with bounds (n)

Optional arguments:

`overwrite_b` := 0 input int `trans` := 0 input int `n` := shape(ab,1) input int `ldab` := shape(ab,0) input int `ldb` := shape(b,0) input int

Return objects:

`x` : rank-2 array('D') with bounds (ldb,*) and `b` storage `info` : int

`scipy.linalg.lapack.zgebal = <fortran object>`

zgebal - Function signature:

`ba,lo,hi,pivscale,info = zgebal(a,[scale,permute,overwrite_a])`

Required arguments:

`a` : input rank-2 array('D') with bounds (m,n)

Optional arguments:

`scale` := 0 input int `permute` := 0 input int `overwrite_a` := 0 input int

Return objects:

`ba` : rank-2 array('D') with bounds (m,n) and `a` storage `lo` : int `hi` : int `pivscale` : rank-1 array('d') with bounds (n) `info` : int

`scipy.linalg.lapack.zgees = <fortran object>`

zgees - Function signature:

`t,sdim,w,vs,work,info = zgees(zselect,a,[compute_v,sort_t,lwork,zselect_extra_args,overwrite_a])`

Required arguments:

`zselect` : call-back function `a` : input rank-2 array('D') with bounds (n,n)

Optional arguments:

`compute_v` := 1 input int `sort_t` := 0 input int `zselect_extra_args` := () input tuple `overwrite_a` := 0 input int `lwork` := 3*n input int

Return objects:

`t` : rank-2 array('D') with bounds (n,n) and `a` storage `sdim` : int `w` : rank-1 array('D') with bounds (n) `vs` : rank-2 array('D') with bounds (ldvs,n) `work` : rank-1 array('D') with bounds (MAX(lwork,1)) `info` : int

Call-back functions:

`def zselect(arg):` return `zselect` Required arguments:

`arg` : input complex

Return objects:

`zselect` : int

`scipy.linalg.lapack.zgeev = <fortran object>`

zgeev - Function signature:

w,vl,vr,info = zgeev(a,[compute_vl,compute_vr,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int lwork := 2*n input int

Return objects:

w : rank-1 array('D') with bounds (n) vl : rank-2 array('D') with bounds (ldvl,n) vr : rank-2 array('D') with bounds (ldvr,n) info : int

scipy.linalg.lapack.**zgegv** = <fortran object>

zgegv - Function signature:

alpha,beta,vl,vr,info = zgegv(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0 input int lwork := 2*n input int

Return objects:

alpha : rank-1 array('D') with bounds (n) beta : rank-1 array('D') with bounds (n) vl : rank-2 array('D') with bounds (ldvl,n) vr : rank-2 array('D') with bounds (ldvr,n) info : int

scipy.linalg.lapack.**zgehrd** = <fortran object>

zgehrd - Function signature:

ht,tau,info = zgehrd(a,[lo,hi,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (n,n)

Optional arguments:

lo := 0 input int hi := n-1 input int overwrite_a := 0 input int lwork := MAX(n,1) input int

Return objects:

ht : rank-2 array('D') with bounds (n,n) and a storage tau : rank-1 array('D') with bounds (n - 1) info : int

scipy.linalg.lapack.**zgelss** = <fortran object>

zgelss - Function signature:

v,x,s,rank,work,info = zgelss(a,b,[cond,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (m,n) b : input rank-2 array('D') with bounds (maxmn,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int cond := -1.0 input float lwork := 2*minmn+MAX(maxmn,nrhs) input int

Return objects:

v : rank-2 array('D') with bounds (m,n) and a storage x : rank-2 array('D') with bounds

(maxmn,nrhs) and b storage s : rank-1 array('d') with bounds (minmn) rank : int work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**zgeqp3** = <fortran object>

zgeqp3 - Function signature:

qr,jpvt,tau,work,info = zgeqp3(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*(n+1) input int

Return objects:

qr : rank-2 array('D') with bounds (m,n) and a storage jpvt : rank-1 array('i') with bounds (n) tau : rank-1 array('D') with bounds (MIN(m,n)) work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**zgeqrf** = <fortran object>

zgeqrf - Function signature:

qr,tau,work,info = zgeqrf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*n input int

Return objects:

qr : rank-2 array('D') with bounds (m,n) and a storage tau : rank-1 array('D') with bounds (MIN(m,n)) work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**zgerqf** = <fortran object>

zgerqf - Function signature:

qr,tau,work,info = zgerqf(a,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int lwork := 3*m input int

Return objects:

qr : rank-2 array('D') with bounds (m,n) and a storage tau : rank-1 array('D') with bounds (MIN(m,n)) work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**zgesdd** = <fortran object>

zgesdd - Function signature:

u,s,vt,info = zgesdd(a,[compute_uv,full_matrices,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int compute_uv := 1 input int full_matrices := 1 input int lwork := (compute_uv?2*minmn*minmn+MAX(m,n)+2*minmn:2*minmn+MAX(m,n)) input int

Return objects:

u : rank-2 array('D') with bounds (u0,u1) s : rank-1 array('d') with bounds (minmn) vt : rank-2 array('D') with bounds (vt0,vt1) info : int

scipy.linalg.lapack.**zgesv** = <fortran object>

zgesv - Function signature:

lu,piv,x,info = zgesv(a,b,[overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

lu : rank-2 array('D') with bounds (n,n) and a storage piv : rank-1 array('i') with bounds (n) x : rank-2 array('D') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**zgetrf** = <fortran object>

zgetrf - Function signature:

lu,piv,info = zgetrf(a,[overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n)

Optional arguments:

overwrite_a := 0 input int

Return objects:

lu : rank-2 array('D') with bounds (m,n) and a storage piv : rank-1 array('i') with bounds (MIN(m,n)) info : int

scipy.linalg.lapack.**zgetri** = <fortran object>

zgetri - Function signature:

inv_a,info = zgetri(lu,piv,[lwork,overwrite_lu])

Required arguments:

lu : input rank-2 array('D') with bounds (n,n) piv : input rank-1 array('i') with bounds (n)

Optional arguments:

overwrite_lu := 0 input int lwork := 3*n input int

Return objects:

inv_a : rank-2 array('D') with bounds (n,n) and lu storage info : int

scipy.linalg.lapack.**zgetrs** = <fortran object>

zgetrs - Function signature:

x,info = zgetrs(lu,piv,b,[trans,overwrite_b])

Required arguments:

lu : input rank-2 array('D') with bounds (n,n) piv : input rank-1 array('i') with bounds (n) b :
input rank-2 array('D') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int trans := 0 input int

Return objects:

x : rank-2 array('D') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.zgges = <fortran object>

zgges - Function signature:

a,b,sdim,alpha,beta,vsl,vsr,work,info = zgges(zselect,a,b,[jobvsl,jobvsr,sort_t,ldvsl,ldvsr,lwork,zselect_extra_args,

Required arguments:

zselect : call-back function a : input rank-2 array('D') with bounds (lda,*) b : input rank-2
array('D') with bounds (ldb,*)

Optional arguments:

jobvsl := 1 input int jobvsr := 1 input int sort_t := 0 input int zselect_extra_args := () input tuple
overwrite_a := 0 input int overwrite_b := 0 input int ldvsl := ((jobvsl==1)?n:1) input int ldvsr :=
((jobvsr==1)?n:1) input int lwork := 2*n input int

Return objects:

a : rank-2 array('D') with bounds (lda,*) b : rank-2 array('D') with bounds (ldb,*) sdim : int
alpha : rank-1 array('D') with bounds (n) beta : rank-1 array('D') with bounds (n) vsl : rank-
2 array('D') with bounds (ldvsl,n) vsr : rank-2 array('D') with bounds (ldvsr,n) work : rank-1
array('D') with bounds (MAX(lwork,1)) info : int

Call-back functions:

def zselect(alpha,beta): return zselect Required arguments:

alpha : input complex beta : input complex

Return objects:

zselect : int

scipy.linalg.lapack.zggev = <fortran object>

zggev - Function signature:

alpha,beta,vl,vr,work,info = zggev(a,b,[compute_vl,compute_vr,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,n)

Optional arguments:

compute_vl := 1 input int compute_vr := 1 input int overwrite_a := 0 input int overwrite_b := 0
input int lwork := 2*n input int

Return objects:

alpha : rank-1 array('D') with bounds (n) beta : rank-1 array('D') with bounds (n) vl : rank-
2 array('D') with bounds (ldvl,n) vr : rank-2 array('D') with bounds (ldvr,n) work : rank-1
array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.zhbevd = <fortran object>

zhbevd - Function signature:

w,z,info = zhbevd(ab,[compute_v,lower,ldab,lrwork,liwork,overwrite_ab])

Required arguments:

ab : input rank-2 array('D') with bounds (ldab,*)

Optional arguments:

overwrite_ab := 1 input int compute_v := 1 input int lower := 0 input int ldab := shape(ab,0) input int lrwork := (compute_v?1+5*n+2*n*n:n) input int liwork := (compute_v?3+5*n:1) input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('D') with bounds (ldz,ldz) info : int

scipy.linalg.lapack.zhbevx = <fortran object>

zhbevz - Function signature:

w,z,m,ifail,info = zhbevz(ab,vl,vu,il,iu,[ldab,compute_v,range,lower,abstol,mmax,overwrite_ab])

Required arguments:

ab : input rank-2 array('D') with bounds (ldab,*) vl : input float vu : input float il : input int iu : input int

Optional arguments:

overwrite_ab := 1 input int ldab := shape(ab,0) input int compute_v := 1 input int range := 0 input int lower := 0 input int abstol := 0.0 input float mmax := (compute_v?(range==2?(iu-il+1):n):1) input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('D') with bounds (ldz,mmax) m : int ifail : rank-1 array('i') with bounds ((compute_v?n:1)) info : int

scipy.linalg.lapack.zheev = <fortran object>

zheev - Function signature:

w,v,info = zheev(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := 2*n-1 input int

Return objects:

w : rank-1 array('d') with bounds (n) v : rank-2 array('D') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.zheevd = <fortran object>

zheevd - Function signature:

w,v,info = zheevd(a,[compute_v,lower,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (n,n)

Optional arguments:

compute_v := 1 input int lower := 0 input int overwrite_a := 0 input int lwork := (compute_v?2*n+n*n:n+1) input int

Return objects:

w : rank-1 array('d') with bounds (n) v : rank-2 array('D') with bounds (n,n) and a storage info : int

scipy.linalg.lapack.**zheevr** = <fortran object>

zheevr - Function signature:

w,z,info = zheevr(a,[jobz,range,uplo,il,iu,lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (n,n)

Optional arguments:

jobz := 'V' input string(len=1) range := 'A' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int il := 1 input int iu := n input int lwork := 18*n input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('D') with bounds (n,m) info : int

scipy.linalg.lapack.**zhegv** = <fortran object>

zhegv - Function signature:

a,w,info = zhegv(a,b,[itype,jobz,uplo,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,n)

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int

Return objects:

a : rank-2 array('D') with bounds (n,n) w : rank-1 array('d') with bounds (n) info : int

scipy.linalg.lapack.**zhegvd** = <fortran object>

zhegvd - Function signature:

a,w,info = zhegvd(a,b,[itype,jobz,uplo,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,n)

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int lwork := 2*n+n*n input int

Return objects:

a : rank-2 array('D') with bounds (n,n) w : rank-1 array('d') with bounds (n) info : int

scipy.linalg.lapack.**zhegvx** = <fortran object>

zhegvx - Function signature:

w,z,ifail,info = zhegvx(a,b,iu,[itype,jobz,uplo,il,lwork,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,n) iu : input int

Optional arguments:

itype := 1 input int jobz := 'V' input string(len=1) uplo := 'L' input string(len=1) overwrite_a := 0 input int overwrite_b := 0 input int il := 1 input int lwork := 18*n-1 input int

Return objects:

w : rank-1 array('d') with bounds (n) z : rank-2 array('D') with bounds (n,m) ifail : rank-1 array('i') with bounds (n) info : int

scipy.linalg.lapack.**zlaswp** = <fortran object>

zlaswp - Function signature:

a = zlaswp(a,piv,[k1,k2,off,inc,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (nrows,n) piv : input rank-1 array('i') with bounds (*)

Optional arguments:

overwrite_a := 0 input int k1 := 0 input int k2 := len(piv)-1 input int off := 0 input int inc := 1 input int

Return objects:

a : rank-2 array('D') with bounds (nrows,n)

scipy.linalg.lapack.**zlaaum** = <fortran object>

zlaaum - Function signature:

a,info = zlaaum(c,[lower,overwrite_c])

Required arguments:

c : input rank-2 array('D') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int

Return objects:

a : rank-2 array('D') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**zpbsv** = <fortran object>

zpbsv - Function signature:

c,x,info = zpbsv(ab,b,[lower,ldab,overwrite_ab,overwrite_b])

Required arguments:

ab : input rank-2 array('D') with bounds (ldab,n) b : input rank-2 array('D') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int overwrite_b := 0 input int

Return objects:

c : rank-2 array('D') with bounds (ldab,n) and ab storage x : rank-2 array('D') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**zpbtrf** = <fortran object>

zpbtrf - Function signature:

c,info = zpbtrf(ab,[lower,ldab,overwrite_ab])

Required arguments:

ab : input rank-2 array('D') with bounds (ldab,n)

Optional arguments:

lower := 0 input int overwrite_ab := 0 input int ldab := shape(ab,0) input int

Return objects:

c : rank-2 array('D') with bounds (ldab,n) and ab storage info : int

`scipy.linalg.lapack.zpbtrs = <fortran object>`

zpbtrs - Function signature:

x,info = zpbtrs(ab,b,[lower,ldab,overwrite_b])

Required arguments:

ab : input rank-2 array('D') with bounds (ldab,n) b : input rank-2 array('D') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int ldab := shape(ab,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('D') with bounds (ldb,nrhs) and b storage info : int

`scipy.linalg.lapack.zposv = <fortran object>`

zposv - Function signature:

c,x,info = zposv(a,b,[lower,overwrite_a,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,nrhs)

Optional arguments:

overwrite_a := 0 input int overwrite_b := 0 input int lower := 0 input int

Return objects:

c : rank-2 array('D') with bounds (n,n) and a storage x : rank-2 array('D') with bounds (n,nrhs) and b storage info : int

`scipy.linalg.lapack.zpotrf = <fortran object>`

zpotrf - Function signature:

c,info = zpotrf(a,[lower,clean,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (n,n)

Optional arguments:

overwrite_a := 0 input int lower := 0 input int clean := 1 input int

Return objects:

c : rank-2 array('D') with bounds (n,n) and a storage info : int

`scipy.linalg.lapack.zpotri = <fortran object>`

zpotri - Function signature:

inv_a,info = zpotri(c,[lower,overwrite_c])

Required arguments:

c : input rank-2 array('D') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int

Return objects:

inv_a : rank-2 array('D') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**zpotrs** = <fortran object>

zpotrs - Function signature:

x,info = zpotrs(c,b,[lower,overwrite_b])

Required arguments:

c : input rank-2 array('D') with bounds (n,n) b : input rank-2 array('D') with bounds (n,nrhs)

Optional arguments:

overwrite_b := 0 input int lower := 0 input int

Return objects:

x : rank-2 array('D') with bounds (n,nrhs) and b storage info : int

scipy.linalg.lapack.**ztrsyl** = <fortran object>

ztrsyl - Function signature:

x,scale,info = ztrsyl(a,b,c,[trana,tranb,isgn,overwrite_c])

Required arguments:

a : input rank-2 array('D') with bounds (m,m) b : input rank-2 array('D') with bounds (n,n) c :
input rank-2 array('D') with bounds (m,n)

Optional arguments:

trana := 'N' input string(len=1) tranb := 'N' input string(len=1) isgn := 1 input int overwrite_c :=
0 input int

Return objects:

x : rank-2 array('D') with bounds (m,n) and c storage scale : float info : int

scipy.linalg.lapack.**ztrtri** = <fortran object>

ztrtri - Function signature:

inv_c,info = ztrtri(c,[lower,unitdiag,overwrite_c])

Required arguments:

c : input rank-2 array('D') with bounds (n,n)

Optional arguments:

overwrite_c := 0 input int lower := 0 input int unitdiag := 0 input int

Return objects:

inv_c : rank-2 array('D') with bounds (n,n) and c storage info : int

scipy.linalg.lapack.**ztrtrs** = <fortran object>

ztrtrs - Function signature:

x,info = ztrtrs(a,b,[lower,trans,unitdiag,lda,overwrite_b])

Required arguments:

a : input rank-2 array('D') with bounds (lda,n) b : input rank-2 array('D') with bounds (ldb,nrhs)

Optional arguments:

lower := 0 input int trans := 0 input int unitdiag := 0 input int lda := shape(a,0) input int overwrite_b := 0 input int

Return objects:

x : rank-2 array('D') with bounds (ldb,nrhs) and b storage info : int

scipy.linalg.lapack.**zungqr** = <fortran object>

zungqr - Function signature:

q,work,info = zungqr(a,tau,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n) tau : input rank-1 array('D') with bounds (k)

Optional arguments:

overwrite_a := 0 input int lwork := 3*n input int

Return objects:

q : rank-2 array('D') with bounds (m,n) and a storage work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**zungrq** = <fortran object>

zungrq - Function signature:

q,work,info = zungrq(a,tau,[lwork,overwrite_a])

Required arguments:

a : input rank-2 array('D') with bounds (m,n) tau : input rank-1 array('D') with bounds (k)

Optional arguments:

overwrite_a := 0 input int lwork := 3*m input int

Return objects:

q : rank-2 array('D') with bounds (m,n) and a storage work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

scipy.linalg.lapack.**zunmqr** = <fortran object>

zunmqr - Function signature:

cq,work,info = zunmqr(side,trans,a,tau,c,lwork,[overwrite_c])

Required arguments:

side : input string(len=1) trans : input string(len=1) a : input rank-2 array('D') with bounds (lda,k) tau : input rank-1 array('D') with bounds (k) c : input rank-2 array('D') with bounds (ldc,n) lwork : input int

Optional arguments:

overwrite_c := 0 input int

Return objects:

cq : rank-2 array('D') with bounds (ldc,n) and c storage work : rank-1 array('D') with bounds (MAX(lwork,1)) info : int

5.16 Miscellaneous routines (scipy.misc)

Various utilities that don't have another home.

Note that the Python Imaging Library (PIL) is not a dependency of SciPy and therefore the `pilutil` module is not available on systems that don't have PIL installed.

<code>bytescale(data[, cmin, cmax, high, low])</code>	Byte scales an array (image).
<code>central_diff_weights(Np[, ndiv])</code>	Return weights for an Np-point central derivative.
<code>comb(N, k[, exact])</code>	The number of combinations of N things taken k at a time.
<code>derivative(func, x0[, dx, n, args, order])</code>	Find the n-th derivative of a function at a point.
<code>factorial(n[, exact])</code>	The factorial function, $n! = \text{special.gamma}(n+1)$.
<code>factorial2(n[, exact])</code>	Double factorial.
<code>factorialk(n, k[, exact])</code>	$n(!\dots!) = \text{multifactorial}$ of order k
<code>fromimage(im[, flatten])</code>	Return a copy of a PIL image as a numpy array.
<code>imfilter(arr, ftype)</code>	Simple filtering of an image.
<code>imread(name[, flatten])</code>	Read an image file from a filename.
<code>imresize(arr, size[, interp, mode])</code>	Resize an image.
<code>imrotate(arr, angle[, interp])</code>	Rotate an image counter-clockwise by angle degrees.
<code>imsave(name, arr)</code>	Save an array as an image.
<code>imshow(arr)</code>	Simple showing of an image through an external viewer.
<code>info([object, maxwidth, output, toplevel])</code>	Get help information for a function, class, or module.
<code>lena()</code>	Get classic image processing example image, Lena, at 8-bit grayscale
<code>logsumexp(a[, axis, b])</code>	Compute the log of the sum of exponentials of input elements.
<code>pade(an, m)</code>	Return Pade approximation to a polynomial as the ratio of two polynomials.
<code>toimage(arr[, high, low, cmin, cmax, pal, ...])</code>	Takes a numpy array and returns a PIL image.
<code>who([vardict])</code>	Print the Numpy arrays in the given dictionary.

`scipy.misc.bytescale` (*data*, *cmin=None*, *cmax=None*, *high=255*, *low=0*)

Byte scales an array (image).

Byte scaling means converting the input image to `uint8` dtype and scaling the range to (*low*, *high*) (default 0-255). If the input image already has dtype `uint8`, no scaling is done.

Parameters

- data** : ndarray
PIL image data array.
- cmin** : scalar, optional
Bias scaling of small values. Default is `data.min()`.
- cmax** : scalar, optional
Bias scaling of large values. Default is `data.max()`.
- high** : scalar, optional
Scale max value to *high*. Default is 255.
- low** : scalar, optional
Scale min value to *low*. Default is 0.

Returns

- img_array** : `uint8` ndarray
The byte-scaled array.

Examples

```
>>> img = array([[ 91.06794177,   3.39058326,   84.4221549 ],
                [ 73.88003259,   80.91433048,   4.88878881],
                [ 51.53875334,   34.45808177,   27.5873488 ]])
>>> bytescale(img)
array([[255,   0, 236],
       [205, 225,   4],
       [140,  90,  70]], dtype=uint8)
>>> bytescale(img, high=200, low=100)
array([[200, 100, 192],
       [180, 188, 102],
```

```

    [155, 135, 128]], dtype=uint8)
>>> bytescale(img, cmin=0, cmax=255)
array([[91,  3, 84],
       [74, 81,  5],
       [52, 34, 28]], dtype=uint8)

```

`scipy.misc.central_diff_weights` (*Np*, *ndiv*=1)

Return weights for an *Np*-point central derivative.

Assumes equally-spaced function points.

If weights are in the vector *w*, then derivative is $w[0] * f(x-h_0*dx) + \dots + w[-1] * f(x+h_0*dx)$

Parameters

- Np** : int
Number of points for the central derivative.
- ndiv** : int, optional
Number of divisions. Default is 1.

Notes

Can be inaccurate for large number of points.

`scipy.misc.comb` (*N*, *k*, *exact*=0)

The number of combinations of *N* things taken *k* at a time.

This is often expressed as “*N* choose *k*”.

Parameters

- N** : int, ndarray
Number of things.
- k** : int, ndarray
Number of elements taken.
- exact** : int, optional
If *exact* is 0, then floating point precision is used, otherwise exact long integer is computed.

Returns

- val** : int, ndarray
The total number of combinations.

Notes

- Array arguments accepted only for *exact*=0 case.
- If $k > N$, $N < 0$, or $k < 0$, then a 0 is returned.

Examples

```

>>> k = np.array([3, 4])
>>> n = np.array([10, 10])
>>> sc.comb(n, k, exact=False)
array([ 120.,  210.])
>>> sc.comb(10, 3, exact=True)
120L

```

`scipy.misc.derivative` (*func*, *x0*, *dx*=1.0, *n*=1, *args*=(), *order*=3)

Find the *n*-th derivative of a function at a point.

Given a function, use a central difference formula with spacing *dx* to compute the *n*-th derivative at *x0*.

Parameters

- func** : function
Input function.
- x0** : float
The point at which *n*-th derivative is found.

dx : int, optional
Spacing.
n : int, optional
Order of the derivative. Default is 1.
args : tuple, optional
Arguments
order : int, optional
Number of points to use, must be odd.

Notes

Decreasing the step size too small can result in round-off error.

Examples

```
>>> def x2(x):
...     return x*x
...
>>> derivative(x2, 2)
4.0
```

scipy.misc.**factorial**(*n*, *exact=0*)

The factorial function, $n! = \text{special.gamma}(n+1)$.

If *exact* is 0, then floating point precision is used, otherwise exact long integer is computed.

- Array argument accepted only for *exact=0* case.
- If $n < 0$, the return value is 0.

Parameters **n** : int or array_like of ints
Calculate $n!$. Arrays are only supported with *exact* set to False. If $n < 0$, the return value is 0.
exact : bool, optional
The result can be approximated rapidly using the gamma-formula above. If *exact* is set to True, calculate the answer exactly using integer arithmetic. Default is False.

Returns **nf** : float or int
Factorial of *n*, as an integer or a float depending on *exact*.

Examples

```
>>> arr = np.array([3,4,5])
>>> sc.factorial(arr, exact=False)
array([ 6., 24., 120.])
>>> sc.factorial(5, exact=True)
120L
```

scipy.misc.**factorial2**(*n*, *exact=False*)

Double factorial.

This is the factorial with every second value skipped, i.e., $7!! = 7 * 5 * 3 * 1$. It can be approximated numerically as:

$$n!! = \text{special.gamma}(n/2+1) * 2^{*(m+1)/2} / \text{sqrt}(\pi) \quad n \text{ odd}$$

$$= 2^{*(n/2)} * (n/2)! \quad n \text{ even}$$

Parameters **n** : int or array_like
Calculate $n!!$. Arrays are only supported with *exact* set to False. If $n < 0$, the return value is 0.

exact : bool, optional
The result can be approximated rapidly using the gamma-formula above (default). If *exact* is set to True, calculate the answer exactly using integer arithmetic.

Returns **nff** : float or int
Double factorial of *n*, as an int or a float depending on *exact*.

Examples

```
>>> factorial2(7, exact=False)
array(105.00000000000001)
>>> factorial2(7, exact=True)
105L
```

`scipy.misc.factorialk` (*n*, *k*, *exact=1*)
 $n(!\dots!) =$ multifactorial of order *k* *k* times

Parameters **n** : int, array_like
Calculate multifactorial. Arrays are only supported with *exact* set to False. If $n < 0$, the return value is 0.

exact : bool, optional
If *exact* is set to True, calculate the answer exactly using integer arithmetic.

Returns **val** : int
Multi factorial of *n*.

Raises **NotImplementedError** :
Raises when *exact* is False

Examples

```
>>> sc.factorialk(5, 1, exact=True)
120L
>>> sc.factorialk(5, 3, exact=True)
10L
```

`scipy.misc.fromimage` (*im*, *flatten=0*)
Return a copy of a PIL image as a numpy array.

Parameters **im** : PIL image
Input image.

flatten : bool
If true, convert the output to grey-scale.

Returns **fromimage** : ndarray
The different colour bands/channels are stored in the third dimension, such that a grey-image is $M \times N$, an RGB-image $M \times N \times 3$ and an RGBA-image $M \times N \times 4$.

`scipy.misc.imfilter` (*arr*, *ftype*)
Simple filtering of an image.

Parameters **arr** : ndarray
The array of Image in which the filter is to be applied.

ftype : str
The filter that has to be applied. Legal values are: 'blur', 'contour', 'detail', 'edge_enhance', 'edge_enhance_more', 'emboss', 'find_edges', 'smooth', 'smooth_more', 'sharpen'.

Returns **imfilter** : ndarray
The array with filter applied.

Raises **ValueError** :
Unknown filter type. If the filter you are trying to apply is unsupported.

`scipy.misc.imread(name, flatten=0)`

Read an image file from a filename.

Parameters

- name** : str
The file name to be read.
- flatten** : bool, optional
If True, flattens the color layers into a single gray-scale layer.

Returns

- imread** : ndarray
The array obtained by reading image from file *name*.

Notes

The image is flattened by calling `convert('F')` on the resulting image object.

`scipy.misc.imresize(arr, size, interp='bilinear', mode=None)`

Resize an image.

Parameters

- arr** : ndarray
The array of image to be resized.
- size** : int, float or tuple
 - int - Percentage of current size.
 - float - Fraction of current size.
 - tuple - Size of the output image.
- interp** : str
Interpolation to use for re-sizing ('nearest', 'bilinear', 'bicubic' or 'cubic').
- mode** : str
The PIL image mode ('P', 'L', etc.).

Returns

- imresize** : ndarray
The resized array of image.

`scipy.misc.imrotate(arr, angle, interp='bilinear')`

Rotate an image counter-clockwise by angle degrees.

Parameters

- arr** : ndarray
Input array of image to be rotated.
- angle** : float
The angle of rotation.
- interp** : str, optional
Interpolation
 - 'nearest' : for nearest neighbor
 - 'bilinear' : for bilinear
 - 'cubic' : cubic
 - 'bicubic' : for bicubic

Returns

- imrotate** : ndarray
The rotated array of image.

`scipy.misc.imsave(name, arr)`

Save an array as an image.

Parameters

- name** : str
Output filename.
- arr** : ndarray, MxN or MxNx3 or MxNx4
Array containing image values. If the shape is MxN, the array represents a grey-level image. Shape MxNx3 stores the red, green and blue bands along the last dimension. An alpha layer may be included, specified as the last colour band of an MxNx4 array.

Examples

Construct an array of gradient intensity values and save to file:

```
>>> x = np.zeros((255, 255))
>>> x = np.zeros((255, 255), dtype=np.uint8)
>>> x[:] = np.arange(255)
>>> imsave('/tmp/gradient.png', x)
```

Construct an array with three colour bands (R, G, B) and store to file:

```
>>> rgb = np.zeros((255, 255, 3), dtype=np.uint8)
>>> rgb[..., 0] = np.arange(255)
>>> rgb[..., 1] = 55
>>> rgb[..., 2] = 1 - np.arange(255)
>>> imsave('/tmp/rgb_gradient.png', rgb)
```

`scipy.misc.imshow(arr)`

Simple showing of an image through an external viewer.

Uses the image viewer specified by the environment variable `SCIPY_PIL_IMAGE_VIEWER`, or if that is not defined then *see*, to view a temporary file generated from array data.

Parameters **arr** : ndarray
Array of image data to show.

Returns **None** :

Examples

```
>>> a = np.tile(np.arange(255), (255,1))
>>> from scipy import misc
>>> misc.pilutil.imshow(a)
```

`scipy.misc.info(object=None, maxwidth=76, output=<open file '<stdout>', mode 'w' at 0x2aaaaab1f150>, toplevel='scipy')`

Get help information for a function, class, or module.

Parameters **object** : object or str, optional
Input object or name to get information about. If *object* is a numpy object, its docstring is given. If it is a string, available modules are searched for matching objects. If None, information about `info` itself is returned.

maxwidth : int, optional
Printing width.

output : file like object, optional
File like object that the output is written to, default is `stdout`. The object has to be opened in 'w' or 'a' mode.

toplevel : str, optional
Start search at this level.

See Also

`source`, `lookfor`

Notes

When used interactively with an object, `np.info(obj)` is equivalent to `help(obj)` on the Python prompt or `obj?` on the IPython prompt.

Examples

```
>>> np.info(np.polyval)
polyval(p, x)
    Evaluate the polynomial p at x.
    ...
```

When using a string for *object* it is possible to get multiple results.

```
>>> np.info('fft')
*** Found in numpy ***
Core FFT routines
...
*** Found in numpy.fft ***
fft(a, n=None, axis=-1)
...
*** Repeat reference found in numpy.fft.fftpack ***
*** Total of 3 references found. ***
```

`scipy.misc.lena()`


Get classic image processing example image, Lena, at 8-bit grayscale bit-depth, 512 x 512 size.

Parameters **None** :
Returns **lena** : ndarray
 Lena image

Examples

```
>>> import scipy.misc
>>> lena = scipy.misc.lena()
>>> lena.shape
(512, 512)
>>> lena.max()
245
>>> lena.dtype
dtype('int32')

>>> import matplotlib.pyplot as plt
>>> plt.gray()
>>> plt.imshow(lena)
>>> plt.show()
```

`scipy.misc.logsumexp(a, axis=None, b=None)`

Compute the log of the sum of exponentials of input elements.

Parameters

- a** : array_like
Input array.
- axis** : int, optional
Axis over which the sum is taken. By default *axis* is None, and all elements are summed. New in version 0.11.0.
- b** : array-like, optional
Scaling factor for $\exp(a)$ must be of the same shape as *a* or broadcastable to *a*. New in version 0.12.0.

Returns

- res** : ndarray
The result, $\text{np.log}(\text{np.sum}(\text{np.exp}(a)))$ calculated in a numerically more stable way. If *b* is given then $\text{np.log}(\text{np.sum}(b \cdot \text{np.exp}(a)))$ is returned.

See Also

`numpy.logaddexp`, `numpy.logaddexp2`

Notes

Numpy has a `logaddexp` function which is very similar to `logsumexp`, but only handles two arguments. `logaddexp.reduce` is similar to this function, but may be less stable.

Examples

```
>>> from scipy.misc import logsumexp
>>> a = np.arange(10)
>>> np.log(np.sum(np.exp(a)))
9.4586297444267107
>>> logsumexp(a)
9.4586297444267107
```

With weights

```
>>> a = np.arange(10)
>>> b = np.arange(10, 0, -1)
>>> logsumexp(a, b=b)
9.9170178533034665
```

```
>>> np.log(np.sum(b*np.exp(a)))
9.9170178533034647
```

`scipy.misc.pade` (*an*, *m*)

Return Pade approximation to a polynomial as the ratio of two polynomials.

Parameters **an** : (N,) array_like
 Taylor series coefficients.
 m : int
 The order of the returned approximating polynomials.
Returns **p, q** : Polynomial class
 The pade approximation of the polynomial defined by *an* is $p(x)/q(x)$.

Examples

```
>>> from scipy import misc
>>> e_exp = [1.0, 1.0, 1.0/2.0, 1.0/6.0, 1.0/24.0, 1.0/120.0]
>>> p, q = misc.pade(e_exp, 2)

>>> e_exp.reverse()
>>> e_poly = np.poly1d(e_exp)
```

Compare `e_poly(x)` and the pade approximation $p(x)/q(x)$

```
>>> e_poly(1)
2.7166666666666668

>>> p(1)/q(1)
2.7179487179487181
```

`scipy.misc.toimage` (*arr*, *high=255*, *low=0*, *cmin=None*, *cmax=None*, *pal=None*, *mode=None*, *channel_axis=None*)

Takes a numpy array and returns a PIL image.

The mode of the PIL image depends on the array shape and the *pal* and *mode* keywords.

For 2-D arrays, if *pal* is a valid (N,3) byte-array giving the RGB values (from 0 to 255) then *mode*='P', otherwise *mode*='L', unless *mode* is given as 'F' or 'I' in which case a float and/or integer array is made.

Notes

For 3-D arrays, the *channel_axis* argument tells which dimension of the array holds the channel data.

For 3-D arrays if one of the dimensions is 3, the mode is 'RGB' by default or 'YCbCr' if selected.

The numpy array must be either 2 dimensional or 3 dimensional.

`scipy.misc.who` (*vardict=None*)

Print the Numpy arrays in the given dictionary.

If there is no dictionary passed in or *vardict* is None then returns Numpy arrays in the `globals()` dictionary (all Numpy arrays in the namespace).

Parameters **vardict** : dict, optional
 A dictionary possibly containing ndarrays. Default is `globals()`.
Returns **out** : None
 Returns 'None'.

Notes

Prints out the name, shape, bytes and type of all of the ndarrays present in *vardict*.

Examples

```
>>> a = np.arange(10)
>>> b = np.ones(20)
>>> np.who()
Name          Shape          Bytes          Type
=====
a              10              40             int32
b              20             160            float64
Upper bound on total bytes =          200

>>> d = {'x': np.arange(2.0), 'y': np.arange(3.0), 'txt': 'Some str',
... 'idx':5}
>>> np.who(d)
Name          Shape          Bytes          Type
=====
y              3              24             float64
x              2              16             float64
Upper bound on total bytes =          40
```

5.17 Multi-dimensional image processing (scipy.ndimage)

This package contains various functions for multi-dimensional image processing.

5.17.1 Filters `scipy.ndimage.filters`

<code>convolve(input, weights[, output, mode, ...])</code>	Multidimensional convolution.
<code>convolve1d(input, weights[, axis, output, ...])</code>	Calculate a one-dimensional convolution along the given axis.
<code>correlate(input, weights[, output, mode, ...])</code>	Multi-dimensional correlation.
<code>correlate1d(input, weights[, axis, output, ...])</code>	Calculate a one-dimensional correlation along the given axis.
<code>gaussian_filter(input, sigma[, order, ...])</code>	Multidimensional Gaussian filter.
<code>gaussian_filter1d(input, sigma[, axis, ...])</code>	One-dimensional Gaussian filter.
<code>gaussian_gradient_magnitude(input, sigma[, ...])</code>	Multidimensional gradient magnitude using Gaussian derivatives.
<code>gaussian_laplace(input, sigma[, output, ...])</code>	Multidimensional Laplace filter using gaussian second derivatives.
<code>generic_filter(input, function[, size, ...])</code>	Calculates a multi-dimensional filter using the given function.
<code>generic_filter1d(input, function, filter_size)</code>	Calculate a one-dimensional filter along the given axis.
<code>generic_gradient_magnitude(input, derivative)</code>	Gradient magnitude using a provided gradient function.
<code>generic_laplace(input, derivative2[, ...])</code>	N-dimensional Laplace filter using a provided second derivative function.
<code>laplace(input[, output, mode, cval])</code>	N-dimensional Laplace filter based on approximate second derivatives.
<code>maximum_filter(input[, size, footprint, ...])</code>	Calculates a multi-dimensional maximum filter.
<code>maximum_filter1d(input, size[, axis, ...])</code>	Calculate a one-dimensional maximum filter along the given axis.
<code>median_filter(input[, size, footprint, ...])</code>	Calculates a multidimensional median filter.
<code>minimum_filter(input[, size, footprint, ...])</code>	Calculates a multi-dimensional minimum filter.
<code>minimum_filter1d(input, size[, axis, ...])</code>	Calculate a one-dimensional minimum filter along the given axis.
<code>percentile_filter(input, percentile[, size, ...])</code>	Calculates a multi-dimensional percentile filter.
<code>prewitt(input[, axis, output, mode, cval])</code>	Calculate a Prewitt filter.
<code>rank_filter(input, rank[, size, footprint, ...])</code>	Calculates a multi-dimensional rank filter.
<code>sobel(input[, axis, output, mode, cval])</code>	Calculate a Sobel filter.
<code>uniform_filter(input[, size, output, mode, ...])</code>	Multi-dimensional uniform filter.
<code>uniform_filter1d(input, size[, axis, ...])</code>	Calculate a one-dimensional uniform filter along the given axis.

`scipy.ndimage.filters.convolve` (*input*, *weights*, *output=None*, *mode='reflect'*, *cval=0.0*, *origin=0*)

Multidimensional convolution.

The array is convolved with the given kernel.

Parameters

- input** : array_like
Input array to filter.
- weights** : array_like
Array of weights, same number of dimensions as input
- output** : ndarray, optional
The *output* parameter passes an array in which to store the filter output.
- mode** : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional
the *mode* parameter determines how the array borders are handled. For 'constant' mode, values beyond borders are set to be *cval*. Default is 'reflect'.
- cval** : scalar, optional
Value to fill past edges of input if *mode* is 'constant'. Default is 0.0
- origin** : array_like, optional
The *origin* parameter controls the placement of the filter. Default is 0.

Returns

- result** : ndarray
The result of convolution of *input* with *weights*.

See Also

[`correlate`](#) Correlate an image with a kernel.

Notes

Each value in result is $C_i = \sum_j I_{i+j-k} W_j$, where *W* is the *weights* kernel, *j* is the n-D spatial index over *W*, *I* is the *input* and *k* is the coordinate of the center of *W*, specified by *origin* in the input parameters.

Examples

Perhaps the simplest case to understand is *mode='constant'*, *cval=0.0*, because in this case borders (i.e. where the *weights* kernel, centered on any one value, extends beyond an edge of *input*).

```
>>> a = np.array([[1, 2, 0, 0],
...             [5, 3, 0, 4],
...             [0, 0, 0, 7],
...             [9, 3, 0, 0]])
>>> k = np.array([[1, 1, 1], [1, 1, 0], [1, 0, 0]])
>>> from scipy import ndimage
>>> ndimage.convolve(a, k, mode='constant', cval=0.0)
array([[11, 10, 7, 4],
       [10, 3, 11, 11],
       [15, 12, 14, 7],
       [12, 3, 7, 0]])
```

Setting *cval=1.0* is equivalent to padding the outer edge of *input* with 1.0's (and then extracting only the original region of the result).

```
>>> ndimage.convolve(a, k, mode='constant', cval=1.0)
array([[13, 11, 8, 7],
       [11, 3, 11, 14],
       [16, 12, 14, 10],
       [15, 6, 10, 5]])
```

With *mode='reflect'* (the default), outer values are reflected at the edge of *input* to fill in missing values.

```
>>> b = np.array([[2, 0, 0],
                  [1, 0, 0],
                  [0, 0, 0]])
>>> k = np.array([[0,1,0],[0,1,0],[0,1,0]])
>>> ndimage.convolve(b, k, mode='reflect')
array([[5, 0, 0],
       [3, 0, 0],
       [1, 0, 0]])
```

This includes diagonally at the corners.

```
>>> k = np.array([[1,0,0],[0,1,0],[0,0,1]])
>>> ndimage.convolve(b, k)
array([[4, 2, 0],
       [3, 2, 0],
       [1, 1, 0]])
```

With mode='nearest', the single nearest value in to an edge in *input* is repeated as many times as needed to match the overlapping *weights*.

```
>>> c = np.array([[2, 0, 1],
                  [1, 0, 0],
                  [0, 0, 0]])
>>> k = np.array([[0, 1, 0],
                  [0, 1, 0],
                  [0, 1, 0],
                  [0, 1, 0],
                  [0, 1, 0]])
>>> ndimage.convolve(c, k, mode='nearest')
array([[7, 0, 3],
       [5, 0, 2],
       [3, 0, 1]])
```

`scipy.ndimage.filters.convolve1d(input, weights, axis=-1, output=None, mode='reflect', cval=0.0, origin=0)`

Calculate a one-dimensional convolution along the given axis.

The lines of the array along the given axis are convolved with the given weights.

Parameters

- input** : array_like
Input array to filter.
- weights** : ndarray
One-dimensional sequence of numbers.
- axis** : int, optional
The axis of *input* along which to calculate. Default is -1.
- output** : array, optional
The *output* parameter passes an array in which to store the filter output.
- mode** : {'reflect', 'constant', 'nearest', 'mirror', 'wrap'}, optional
The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'
- cval** : scalar, optional
Value to fill past edges of input if *mode* is 'constant'. Default is 0.0
- origin** : scalar, optional
The *origin* parameter controls the placement of the filter. Default 0.0.

Returns

- convolve1d** : ndarray
Convolved array with same shape as input

`scipy.ndimage.filters.correlate` (*input*, *weights*, *output=None*, *mode='reflect'*, *cval=0.0*, *origin=0*)

Multi-dimensional correlation.

The array is correlated with the given kernel.

Parameters

- input** : array-like
input array to filter
- weights** : ndarray
array of weights, same number of dimensions as input
- output** : array, optional
The *output* parameter passes an array in which to store the filter output.
- mode** : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional
The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'
- cval** : scalar, optional
Value to fill past edges of input if *mode* is 'constant'. Default is 0.0
- origin** : scalar, optional
The *origin* parameter controls the placement of the filter. Default 0

See Also

`convolve` Convolve an image with a kernel.

`scipy.ndimage.filters.correlate1d` (*input*, *weights*, *axis=-1*, *output=None*, *mode='reflect'*, *cval=0.0*, *origin=0*)

Calculate a one-dimensional correlation along the given axis.

The lines of the array along the given axis are correlated with the given weights.

Parameters

- input** : array_like
Input array to filter.
- weights** : array
One-dimensional sequence of numbers.
- axis** : int, optional
The axis of *input* along which to calculate. Default is -1.
- output** : array, optional
The *output* parameter passes an array in which to store the filter output.
- mode** : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional
The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'
- cval** : scalar, optional
Value to fill past edges of input if *mode* is 'constant'. Default is 0.0
- origin** : scalar, optional
The *origin* parameter controls the placement of the filter. Default 0.0.

`scipy.ndimage.filters.gaussian_filter` (*input*, *sigma*, *order=0*, *output=None*, *mode='reflect'*, *cval=0.0*)

Multidimensional Gaussian filter.

Parameters

- input** : array_like
Input array to filter.
- sigma** : scalar or sequence of scalars
Standard deviation for Gaussian kernel. The standard deviations of the Gaussian filter are given for each axis as a sequence, or as a single number, in which case it is equal for all axes.
- order** : {0, 1, 2, 3} or sequence from same set, optional

The order of the filter along each axis is given as a sequence of integers, or as a single number. An order of 0 corresponds to convolution with a Gaussian kernel. An order of 1, 2, or 3 corresponds to convolution with the first, second or third derivatives of a Gaussian. Higher order derivatives are not implemented

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : {'reflect', 'constant', 'nearest', 'mirror', 'wrap'}, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

Returns **gaussian_filter** : ndarray

Returned array of same shape as *input*.

Notes

The multidimensional filter is implemented as a sequence of one-dimensional convolution filters. The intermediate arrays are stored in the same data type as the output. Therefore, for output types with a limited precision, the results may be imprecise because intermediate results may be stored with insufficient precision.

```
scipy.ndimage.filters.gaussian_filter1d(input, sigma, axis=-1, order=0, output=None,
                                       mode='reflect', cval=0.0)
```

One-dimensional Gaussian filter.

Parameters **input** : array_like

Input array to filter.

sigma : scalar

standard deviation for Gaussian kernel

axis : int, optional

The axis of *input* along which to calculate. Default is -1.

order : {0, 1, 2, 3}, optional

An order of 0 corresponds to convolution with a Gaussian kernel. An order of 1, 2, or 3 corresponds to convolution with the first, second or third derivatives of a Gaussian. Higher order derivatives are not implemented

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : {'reflect', 'constant', 'nearest', 'mirror', 'wrap'}, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

Returns **gaussian_filter1d** : ndarray

```
scipy.ndimage.filters.gaussian_gradient_magnitude(input, sigma, output=None,
                                                  mode='reflect', cval=0.0)
```

Multidimensional gradient magnitude using Gaussian derivatives.

Parameters **input** : array_like

Input array to filter.

sigma : scalar or sequence of scalars

The standard deviations of the Gaussian filter are given for each axis as a sequence, or as a single number, in which case it is equal for all axes..

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : {'reflect', 'constant', 'nearest', 'mirror', 'wrap'}, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional
 Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

`scipy.ndimage.filters.gaussian_laplace(input, sigma, output=None, mode='reflect', cval=0.0)`

Multidimensional Laplace filter using gaussian second derivatives.

Parameters **input** : array_like

Input array to filter.

sigma : scalar or sequence of scalars

The standard deviations of the Gaussian filter are given for each axis as a sequence, or as a single number, in which case it is equal for all axes.

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : {'reflect', 'constant', 'nearest', 'mirror', 'wrap'}, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

`scipy.ndimage.filters.generic_filter(input, function, size=None, footprint=None, output=None, mode='reflect', cval=0.0, origin=0, extra_arguments=(), extra_keywords=None)`

Calculates a multi-dimensional filter using the given function.

At each element the provided function is called. The input values within the filter footprint at that element are passed to the function as a 1D array of double values.

Parameters **input** : array_like

Input array to filter.

function : callable

Function to apply at each element.

size : scalar or tuple, optional

See footprint, below

footprint : array, optional

Either *size* or *footprint* must be defined. *size* gives the shape that is taken from the input array, at every element position, to define the input to the filter function. *footprint* is a boolean array that specifies (implicitly) a shape, but also which of the elements within this shape will get passed to the filter function. Thus *size*=(*n*,*m*) is equivalent to *footprint*=`np.ones((n,m))`. We adjust *size* to the number of dimensions of the input array, so that, if the input array is shape (10,10,10), and *size* is 2, then the actual size used is (2,2,2).

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : {'reflect', 'constant', 'nearest', 'mirror', 'wrap'}, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

origin : scalar, optional

The *origin* parameter controls the placement of the filter. Default 0.0.

extra_arguments : sequence, optional

Sequence of extra positional arguments to pass to passed function

extra_keywords : dict, optional

dict of extra keyword arguments to pass to passed function


```
scipy.ndimage.filters.generic_filter1d(input, function, filter_size, axis=-1, out-
                                     put=None, mode='reflect', cval=0.0, origin=0,
                                     extra_arguments=(), extra_keywords=None)
```

Calculate a one-dimensional filter along the given axis.

`generic_filter1d` iterates over the lines of the array, calling the given function at each line. The arguments of the line are the input line, and the output line. The input and output lines are 1D double arrays. The input line is extended appropriately according to the filter size and origin. The output line must be modified in-place with the result.

Parameters

- input** : array_like
Input array to filter.
- function** : callable
Function to apply along given axis.
- filter_size** : scalar
Length of the filter.
- axis** : int, optional
The axis of *input* along which to calculate. Default is -1.
- output** : array, optional
The *output* parameter passes an array in which to store the filter output.
- mode** : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional
The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'
- cval** : scalar, optional
Value to fill past edges of input if *mode* is 'constant'. Default is 0.0
- origin** : scalar, optional
The *origin* parameter controls the placement of the filter. Default 0.0.
- extra_arguments** : sequence, optional
Sequence of extra positional arguments to pass to passed function
- extra_keywords** : dict, optional
dict of extra keyword arguments to pass to passed function

```
scipy.ndimage.filters.generic_gradient_magnitude(input, derivative, output=None,
                                                mode='reflect', cval=0.0,
                                                extra_arguments=(), extra_keywords=None)
```

Gradient magnitude using a provided gradient function.

Parameters

- input** : array_like
Input array to filter.
- derivative** : callable
Callable with the following signature:

```
derivative(input, axis, output, mode, cval,
          *extra_arguments, **extra_keywords)
```


See *extra_arguments*, *extra_keywords* below. *derivative* can assume that *input* and *output* are ndarrays. Note that the output from *derivative* is modified inplace; be careful to copy important inputs before returning them.
- output** : array, optional
The *output* parameter passes an array in which to store the filter output.
- mode** : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional
The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'
- cval** : scalar, optional
Value to fill past edges of input if *mode* is 'constant'. Default is 0.0
- extra_keywords** : dict, optional

dict of extra keyword arguments to pass to passed function
extra_arguments : sequence, optional
 Sequence of extra positional arguments to pass to passed function

`scipy.ndimage.filters.generic_laplace` (*input*, *derivative2*, *output=None*, *mode='reflect'*,
cval=0.0, *extra_arguments=()*, *extra_keywords=None*)

N-dimensional Laplace filter using a provided second derivative function

Parameters **input** : array_like

Input array to filter.

derivative2 : callable

Callable with the following signature:

```
derivative2(input, axis, output, mode, cval,
            *extra_arguments, **extra_keywords)
```

See *extra_arguments*, *extra_keywords* below.

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : {'reflect', 'constant', 'nearest', 'mirror', 'wrap'}, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

extra_keywords : dict, optional

dict of extra keyword arguments to pass to passed function

extra_arguments : sequence, optional

Sequence of extra positional arguments to pass to passed function

`scipy.ndimage.filters.laplace` (*input*, *output=None*, *mode='reflect'*, *cval=0.0*)

N-dimensional Laplace filter based on approximate second derivatives.

Parameters **input** : array_like

Input array to filter.

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : {'reflect', 'constant', 'nearest', 'mirror', 'wrap'}, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

`scipy.ndimage.filters.maximum_filter` (*input*, *size=None*, *footprint=None*, *output=None*,
mode='reflect', *cval=0.0*, *origin=0*)

Calculates a multi-dimensional maximum filter.

Parameters **input** : array_like

Input array to filter.

size : scalar or tuple, optional

See footprint, below

footprint : array, optional

Either *size* or *footprint* must be defined. *size* gives the shape that is taken from the input array, at every element position, to define the input to the filter function. *footprint* is a boolean array that specifies (implicitly) a shape, but also which of the elements within this shape will get passed to the filter function. Thus *size*=(*n*,*m*) is equivalent to *footprint*=`np.ones((n,m))`. We adjust *size* to the number of

dimensions of the input array, so that, if the input array is shape (10,10,10), and *size* is 2, then the actual size used is (2,2,2).

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

origin : scalar, optional

The *origin* parameter controls the placement of the filter. Default 0.0.

```
scipy.ndimage.filters.maximum_filter1d(input, size, axis=-1, output=None, mode='reflect',
                                     cval=0.0, origin=0)
```

Calculate a one-dimensional maximum filter along the given axis.

The lines of the array along the given axis are filtered with a maximum filter of given size.

Parameters **input** : array_like

Input array to filter.

size : int

Length along which to calculate the 1-D maximum.

axis : int, optional

The axis of *input* along which to calculate. Default is -1.

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

origin : scalar, optional

The *origin* parameter controls the placement of the filter. Default 0.0.

```
scipy.ndimage.filters.median_filter(input, size=None, footprint=None, output=None,
                                   mode='reflect', cval=0.0, origin=0)
```

Calculates a multidimensional median filter.

Parameters **input** : array_like

Input array to filter.

size : scalar or tuple, optional

See footprint, below

footprint : array, optional

Either *size* or *footprint* must be defined. *size* gives the shape that is taken from the input array, at every element position, to define the input to the filter function. *footprint* is a boolean array that specifies (implicitly) a shape, but also which of the elements within this shape will get passed to the filter function. Thus *size*=(*n*,*m*) is equivalent to *footprint*=*np.ones*(*n*,*m*). We adjust *size* to the number of dimensions of the input array, so that, if the input array is shape (10,10,10), and *size* is 2, then the actual size used is (2,2,2).

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

Returns **origin** : scalar, optional
 The *origin* parameter controls the placement of the filter. Default 0.0.
median_filter : ndarray
 Return of same shape as *input*.

`scipy.ndimage.filters.minimum_filter(input, size=None, footprint=None, output=None, mode='reflect', cval=0.0, origin=0)`

Calculates a multi-dimensional minimum filter.

Parameters **input** : array_like
 Input array to filter.
size : scalar or tuple, optional
 See footprint, below
footprint : array, optional
 Either *size* or *footprint* must be defined. *size* gives the shape that is taken from the input array, at every element position, to define the input to the filter function. *footprint* is a boolean array that specifies (implicitly) a shape, but also which of the elements within this shape will get passed to the filter function. Thus `size=(n,m)` is equivalent to `footprint=np.ones((n,m))`. We adjust *size* to the number of dimensions of the input array, so that, if the input array is shape (10,10,10), and *size* is 2, then the actual size used is (2,2,2).
output : array, optional
 The *output* parameter passes an array in which to store the filter output.
mode : {'reflect', 'constant', 'nearest', 'mirror', 'wrap'}, optional
 The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'
cval : scalar, optional
 Value to fill past edges of input if *mode* is 'constant'. Default is 0.0
origin : scalar, optional
 The *origin* parameter controls the placement of the filter. Default 0.0.

`scipy.ndimage.filters.minimum_filter1d(input, size, axis=-1, output=None, mode='reflect', cval=0.0, origin=0)`

Calculate a one-dimensional minimum filter along the given axis.

The lines of the array along the given axis are filtered with a minimum filter of given size.

Parameters **input** : array_like
 Input array to filter.
size : int
 length along which to calculate 1D minimum
axis : int, optional
 The axis of *input* along which to calculate. Default is -1.
output : array, optional
 The *output* parameter passes an array in which to store the filter output.
mode : {'reflect', 'constant', 'nearest', 'mirror', 'wrap'}, optional
 The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'
cval : scalar, optional
 Value to fill past edges of input if *mode* is 'constant'. Default is 0.0
origin : scalar, optional
 The *origin* parameter controls the placement of the filter. Default 0.0.

`scipy.ndimage.filters.percentile_filter(input, percentile, size=None, footprint=None, output=None, mode='reflect', cval=0.0, origin=0)`

Calculates a multi-dimensional percentile filter.

Parameters **input** : array_like

Input array to filter.

percentile : scalar

The percentile parameter may be less than zero, i.e., percentile = -20 equals percentile = 80

size : scalar or tuple, optional

See footprint, below

footprint : array, optional

Either *size* or *footprint* must be defined. *size* gives the shape that is taken from the input array, at every element position, to define the input to the filter function. *footprint* is a boolean array that specifies (implicitly) a shape, but also which of the elements within this shape will get passed to the filter function. Thus *size*=(*n*,*m*) is equivalent to *footprint*=`np.ones((n,m))`. We adjust *size* to the number of dimensions of the input array, so that, if the input array is shape (10,10,10), and *size* is 2, then the actual size used is (2,2,2).

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : {'reflect', 'constant', 'nearest', 'mirror', 'wrap'}, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

origin : scalar, optional

The *origin* parameter controls the placement of the filter. Default 0.0.

`scipy.ndimage.filters.prewitt` (*input*, *axis*=-1, *output*=None, *mode*='reflect', *cval*=0.0)

Calculate a Prewitt filter.

Parameters **input** : array_like

Input array to filter.

axis : int, optional

The axis of *input* along which to calculate. Default is -1.

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : {'reflect', 'constant', 'nearest', 'mirror', 'wrap'}, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

`scipy.ndimage.filters.rank_filter` (*input*, *rank*, *size*=None, *footprint*=None, *output*=None, *mode*='reflect', *cval*=0.0, *origin*=0)

Calculates a multi-dimensional rank filter.

Parameters **input** : array_like

Input array to filter.

rank : integer

The rank parameter may be less than zero, i.e., rank = -1 indicates the largest element.

size : scalar or tuple, optional

See footprint, below

footprint : array, optional

Either *size* or *footprint* must be defined. *size* gives the shape that is taken from the input array, at every element position, to define the input to the filter function. *footprint* is a boolean array that specifies (implicitly) a shape, but also which of the elements within this shape will get passed to the filter function. Thus *size*=(*n*,*m*) is equivalent to *footprint*=`np.ones((n,m))`. We adjust *size* to the number of

dimensions of the input array, so that, if the input array is shape (10,10,10), and *size* is 2, then the actual size used is (2,2,2).

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

origin : scalar, optional

The *origin* parameter controls the placement of the filter. Default 0.0.

`scipy.ndimage.filters.sobel` (*input*, *axis=-1*, *output=None*, *mode='reflect'*, *cval=0.0*)

Calculate a Sobel filter.

Parameters **input** : array_like

Input array to filter.

axis : int, optional

The axis of *input* along which to calculate. Default is -1.

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

`scipy.ndimage.filters.uniform_filter` (*input*, *size=3*, *output=None*, *mode='reflect'*, *cval=0.0*, *origin=0*)

Multi-dimensional uniform filter.

Parameters **input** : array_like

Input array to filter.

size : int or sequence of ints

The sizes of the uniform filter are given for each axis as a sequence, or as a single number, in which case the size is equal for all axes.

output : array, optional

The *output* parameter passes an array in which to store the filter output.

mode : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0

origin : scalar, optional

The *origin* parameter controls the placement of the filter. Default 0.0.

Notes

The multi-dimensional filter is implemented as a sequence of one-dimensional uniform filters. The intermediate arrays are stored in the same data type as the output. Therefore, for output types with a limited precision, the results may be imprecise because intermediate results may be stored with insufficient precision.

`scipy.ndimage.filters.uniform_filter1d` (*input*, *size*, *axis=-1*, *output=None*, *mode='reflect'*, *cval=0.0*, *origin=0*)

Calculate a one-dimensional uniform filter along the given axis.

The lines of the array along the given axis are filtered with a uniform filter of given size.

Parameters

- input** : array_like
Input array to filter.
- size** : integer
length of uniform filter
- axis** : int, optional
The axis of *input* along which to calculate. Default is -1.
- output** : array, optional
The *output* parameter passes an array in which to store the filter output.
- mode** : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional
The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'
- cval** : scalar, optional
Value to fill past edges of input if *mode* is 'constant'. Default is 0.0
- origin** : scalar, optional
The *origin* parameter controls the placement of the filter. Default 0.0.

5.17.2 Fourier filters `scipy.ndimage.fourier`

<code>fourier_ellipsoid(input, size[, n, axis, output])</code>	Multi-dimensional ellipsoid fourier filter.
<code>fourier_gaussian(input, sigma[, n, axis, output])</code>	Multi-dimensional Gaussian fourier filter.
<code>fourier_shift(input, shift[, n, axis, output])</code>	Multi-dimensional fourier shift filter.
<code>fourier_uniform(input, size[, n, axis, output])</code>	Multi-dimensional uniform fourier filter.

`scipy.ndimage.fourier.fourier_ellipsoid(input, size, n=-1, axis=-1, output=None)`
Multi-dimensional ellipsoid fourier filter.

The array is multiplied with the fourier transform of a ellipsoid of given sizes.

Parameters

- input** : array_like
The input array.
- size** : float or sequence
The size of the box used for filtering. If a float, *size* is the same for all axes. If a sequence, *size* has to contain one value for each axis.
- n** : int, optional
If *n* is negative (default), then the input is assumed to be the result of a complex fft. If *n* is larger than or equal to zero, the input is assumed to be the result of a real fft, and *n* gives the length of the array before transformation along the real transform direction.
- axis** : int, optional
The axis of the real transform.
- output** : ndarray, optional
If given, the result of filtering the input is placed in this array. None is returned in this case.

Returns

- fourier_ellipsoid** : ndarray or None
The filtered input. If *output* is given as a parameter, None is returned.

Notes

This function is implemented for arrays of rank 1, 2, or 3.

`scipy.ndimage.fourier.fourier_gaussian(input, sigma, n=-1, axis=-1, output=None)`
Multi-dimensional Gaussian fourier filter.

The array is multiplied with the fourier transform of a Gaussian kernel.

Parameters

- input** : array_like

The input array.

sigma : float or sequence

The sigma of the Gaussian kernel. If a float, *sigma* is the same for all axes. If a sequence, *sigma* has to contain one value for each axis.

n : int, optional

If *n* is negative (default), then the input is assumed to be the result of a complex fft. If *n* is larger than or equal to zero, the input is assumed to be the result of a real fft, and *n* gives the length of the array before transformation along the real transform direction.

axis : int, optional

The axis of the real transform.

output : ndarray, optional

If given, the result of filtering the input is placed in this array. None is returned in this case.

Returns **fourier_gaussian** : ndarray or None

The filtered input. If *output* is given as a parameter, None is returned.

`scipy.ndimage.fourier.fourier_shift` (*input, shift, n=-1, axis=-1, output=None*)

Multi-dimensional fourier shift filter.

The array is multiplied with the fourier transform of a shift operation.

Parameters **input** : array_like

The input array.

shift : float or sequence

The size of the box used for filtering. If a float, *shift* is the same for all axes. If a sequence, *shift* has to contain one value for each axis.

n : int, optional

If *n* is negative (default), then the input is assumed to be the result of a complex fft. If *n* is larger than or equal to zero, the input is assumed to be the result of a real fft, and *n* gives the length of the array before transformation along the real transform direction.

axis : int, optional

The axis of the real transform.

output : ndarray, optional

If given, the result of shifting the input is placed in this array. None is returned in this case.

Returns **fourier_shift** : ndarray or None

The shifted input. If *output* is given as a parameter, None is returned.

`scipy.ndimage.fourier.fourier_uniform` (*input, size, n=-1, axis=-1, output=None*)

Multi-dimensional uniform fourier filter.

The array is multiplied with the fourier transform of a box of given size.

Parameters **input** : array_like

The input array.

size : float or sequence

The size of the box used for filtering. If a float, *size* is the same for all axes. If a sequence, *size* has to contain one value for each axis.

n : int, optional

If *n* is negative (default), then the input is assumed to be the result of a complex fft. If *n* is larger than or equal to zero, the input is assumed to be the result of a real fft, and *n* gives the length of the array before transformation along the real transform direction.

axis : int, optional

The axis of the real transform.

output : ndarray, optional

If given, the result of filtering the input is placed in this array. None is returned in this case.

Returns **fourier_uniform** : ndarray or None
The filtered input. If *output* is given as a parameter, None is returned.

5.17.3 Interpolation `scipy.ndimage.interpolation`

<code>affine_transform(input, matrix[, offset, ...])</code>	Apply an affine transformation.
<code>geometric_transform(input, mapping[, ...])</code>	Apply an arbitrary geometric transform.
<code>map_coordinates(input, coordinates[, ...])</code>	Map the input array to new coordinates by interpolation.
<code>rotate(input, angle[, axes, reshape, ...])</code>	Rotate an array.
<code>shift(input, shift[, output, order, mode, ...])</code>	Shift an array.
<code>spline_filter(input[, order, output])</code>	Multi-dimensional spline filter.
<code>spline_filter1d(input[, order, axis, output])</code>	Calculates a one-dimensional spline filter along the given axis.
<code>zoom(input, zoom[, output, order, mode, ...])</code>	Zoom an array.

```
scipy.ndimage.interpolation.affine_transform(input, matrix, offset=0.0, output_shape=None, output=None, order=3, mode='constant', cval=0.0, prefilter=True)
```

Apply an affine transformation.

The given matrix and offset are used to find for each point in the output the corresponding coordinates in the input by an affine transformation. The value of the input at those coordinates is determined by spline interpolation of the requested order. Points outside the boundaries of the input are filled according to the given mode.

Parameters

- input** : ndarray
The input array.
- matrix** : ndarray
The matrix must be two-dimensional or can also be given as a one-dimensional sequence or array. In the latter case, it is assumed that the matrix is diagonal. A more efficient algorithm is then applied that exploits the separability of the problem.
- offset** : float or sequence, optional
The offset into the array where the transform is applied. If a float, *offset* is the same for each axis. If a sequence, *offset* should contain one value for each axis.
- output_shape** : tuple of ints, optional
Shape tuple.
- output** : ndarray or dtype, optional
The array in which to place the output, or the dtype of the returned array.
- order** : int, optional
The order of the spline interpolation, default is 3. The order has to be in the range 0-5.
- mode** : str, optional
Points outside the boundaries of the input are filled according to the given mode ('constant', 'nearest', 'reflect' or 'wrap'). Default is 'constant'.
- cval** : scalar, optional
Value used for points outside the boundaries of the input if mode='constant'. Default is 0.0.
- prefilter** : bool, optional
The parameter prefilter determines if the input is pre-filtered with `spline_filter` before interpolation (necessary for spline interpolation of order > 1). If False, it is assumed that the input is already filtered. Default is True.

Returns **affine_transform** : ndarray or None
The transformed input. If *output* is given as a parameter, None is returned.

```
scipy.ndimage.interpolation.geometric_transform(input, mapping, output_shape=None,
                                                output=None, order=3,
                                                mode='constant', cval=0.0, pre-
                                                filter=True, extra_arguments=(),
                                                extra_keywords={})
```

Apply an arbitrary geometric transform.

The given mapping function is used to find, for each point in the output, the corresponding coordinates in the input. The value of the input at those coordinates is determined by spline interpolation of the requested order.

Parameters

- input** : array_like
The input array.
- mapping** : callable
A callable object that accepts a tuple of length equal to the output array rank, and returns the corresponding input coordinates as a tuple of length equal to the input array rank.
- output_shape** : tuple of ints
Shape tuple.
- output** : ndarray or dtype, optional
The array in which to place the output, or the dtype of the returned array.
- order** : int, optional
The order of the spline interpolation, default is 3. The order has to be in the range 0-5.
- mode** : str, optional
Points outside the boundaries of the input are filled according to the given mode ('constant', 'nearest', 'reflect' or 'wrap'). Default is 'constant'.
- cval** : scalar, optional
Value used for points outside the boundaries of the input if mode='constant'. Default is 0.0
- prefilter** : bool, optional
The parameter prefilter determines if the input is pre-filtered with `spline_filter` before interpolation (necessary for spline interpolation of order > 1). If False, it is assumed that the input is already filtered. Default is True.
- extra_arguments** : tuple, optional
Extra arguments passed to *mapping*.
- extra_keywords** : dict, optional
Extra keywords passed to *mapping*.

Returns

- return_value** : ndarray or None
The filtered input. If *output* is given as a parameter, None is returned.

See Also

`map_coordinates`, `affine_transform`, `spline_filter1d`

Examples

```
>>> a = np.arange(12.).reshape((4, 3))
>>> def shift_func(output_coords):
...     return (output_coords[0] - 0.5, output_coords[1] - 0.5)
...
>>> sp.ndimage.geometric_transform(a, shift_func)
array([[ 0.  ,  0.  ,  0.  ],
       [ 0.  ,  1.362,  2.738],
       [ 0.  ,  4.812,  6.187],
       [ 0.  ,  8.263,  9.637]])
```

`scipy.ndimage.interpolation.map_coordinates` (*input*, *coordinates*, *output=None*, *order=3*, *mode='constant'*, *cval=0.0*, *prefilter=True*)

Map the input array to new coordinates by interpolation.

The array of coordinates is used to find, for each point in the output, the corresponding coordinates in the input. The value of the input at those coordinates is determined by spline interpolation of the requested order.

The shape of the output is derived from that of the coordinate array by dropping the first axis. The values of the array along the first axis are the coordinates in the input array at which the output value is found.

Parameters

- input** : ndarray
The input array.
- coordinates** : array_like
The coordinates at which *input* is evaluated.
- output** : ndarray or dtype, optional
The array in which to place the output, or the dtype of the returned array.
- order** : int, optional
The order of the spline interpolation, default is 3. The order has to be in the range 0-5.
- mode** : str, optional
Points outside the boundaries of the input are filled according to the given mode ('constant', 'nearest', 'reflect' or 'wrap'). Default is 'constant'.
- cval** : scalar, optional
Value used for points outside the boundaries of the input if mode='constant'. Default is 0.0
- prefilter** : bool, optional
The parameter prefilter determines if the input is pre-filtered with `spline_filter` before interpolation (necessary for spline interpolation of order > 1). If False, it is assumed that the input is already filtered. Default is True.

Returns

- map_coordinates** : ndarray
The result of transforming the input. The shape of the output is derived from that of *coordinates* by dropping the first axis.

See Also

`spline_filter`, `geometric_transform`, `scipy.interpolate`

Examples

```
>>> from scipy import ndimage
>>> a = np.arange(12.).reshape((4, 3))
>>> a
array([[ 0.,  1.,  2.],
       [ 3.,  4.,  5.],
       [ 6.,  7.,  8.],
       [ 9., 10., 11.]])
>>> ndimage.map_coordinates(a, [[0.5, 2], [0.5, 1]], order=1)
[ 2.  7.]
```

Above, the interpolated value of `a[0.5, 0.5]` gives `output[0]`, while `a[2, 1]` is `output[1]`.

```
>>> inds = np.array([[0.5, 2], [0.5, 4]])
>>> ndimage.map_coordinates(a, inds, order=1, cval=-33.3)
array([ 2., -33.3])
>>> ndimage.map_coordinates(a, inds, order=1, mode='nearest')
array([ 2.,  8.])
>>> ndimage.map_coordinates(a, inds, order=1, cval=0, output=bool)
array([ True, False], dtype=bool)
```

`scipy.ndimage.interpolation.rotate` (*input, angle, axes=(1, 0), reshape=True, output=None, order=3, mode='constant', cval=0.0, prefilter=True*)

Rotate an array.

The array is rotated in the plane defined by the two axes given by the *axes* parameter using spline interpolation of the requested order.

Parameters

- input** : ndarray
The input array.
- angle** : float
The rotation angle in degrees.
- axes** : tuple of 2 ints, optional
The two axes that define the plane of rotation. Default is the first two axes.
- reshape** : bool, optional
If *reshape* is true, the output shape is adapted so that the input array is contained completely in the output. Default is True.
- output** : ndarray or dtype, optional
The array in which to place the output, or the dtype of the returned array.
- order** : int, optional
The order of the spline interpolation, default is 3. The order has to be in the range 0-5.
- mode** : str, optional
Points outside the boundaries of the input are filled according to the given mode ('constant', 'nearest', 'reflect' or 'wrap'). Default is 'constant'.
- cval** : scalar, optional
Value used for points outside the boundaries of the input if *mode='constant'*. Default is 0.0
- prefilter** : bool, optional
The parameter *prefilter* determines if the input is pre-filtered with `spline_filter` before interpolation (necessary for spline interpolation of order > 1). If False, it is assumed that the input is already filtered. Default is True.

Returns

- rotate** : ndarray or None
The rotated input. If *output* is given as a parameter, None is returned.

`scipy.ndimage.interpolation.shift` (*input, shift, output=None, order=3, mode='constant', cval=0.0, prefilter=True*)

Shift an array.

The array is shifted using spline interpolation of the requested order. Points outside the boundaries of the input are filled according to the given mode.

Parameters

- input** : ndarray
The input array.
- shift** : float or sequence, optional
The shift along the axes. If a float, *shift* is the same for each axis. If a sequence, *shift* should contain one value for each axis.
- output** : ndarray or dtype, optional
The array in which to place the output, or the dtype of the returned array.
- order** : int, optional
The order of the spline interpolation, default is 3. The order has to be in the range 0-5.
- mode** : str, optional
Points outside the boundaries of the input are filled according to the given mode ('constant', 'nearest', 'reflect' or 'wrap'). Default is 'constant'.
- cval** : scalar, optional
Value used for points outside the boundaries of the input if *mode='constant'*. Default is 0.0
- prefilter** : bool, optional

The parameter `prefilter` determines if the input is pre-filtered with `spline_filter` before interpolation (necessary for spline interpolation of order > 1). If `False`, it is assumed that the input is already filtered. Default is `True`.

Returns `shift` : ndarray or None

The shifted input. If `output` is given as a parameter, None is returned.

```
scipy.ndimage.interpolation.spline_filter(input, order=3, output=<type
                                         'numpy.float64'>)
```

Multi-dimensional spline filter.

For more details, see `spline_filter1d`.

See Also

`spline_filter1d`

Notes

The multi-dimensional filter is implemented as a sequence of one-dimensional spline filters. The intermediate arrays are stored in the same data type as the output. Therefore, for output types with a limited precision, the results may be imprecise because intermediate results may be stored with insufficient precision.

```
scipy.ndimage.interpolation.spline_filter1d(input, order=3, axis=-1, output=<type
                                           'numpy.float64'>)
```

Calculates a one-dimensional spline filter along the given axis.

The lines of the array along the given axis are filtered by a spline filter. The order of the spline must be ≥ 2 and ≤ 5 .

Parameters `input` : array_like

The input array.

`order` : int, optional

The order of the spline, default is 3.

`axis` : int, optional

The axis along which the spline filter is applied. Default is the last axis.

`output` : ndarray or dtype, optional

The array in which to place the output, or the dtype of the returned array. Default is `numpy.float64`.

Returns `spline_filter1d` : ndarray or None

The filtered input. If `output` is given as a parameter, None is returned.

```
scipy.ndimage.interpolation.zoom(input, zoom, output=None, order=3, mode='constant',
                                cval=0.0, prefilter=True)
```

Zoom an array.

The array is zoomed using spline interpolation of the requested order.

Parameters `input` : ndarray

The input array.

`zoom` : float or sequence, optional

The zoom factor along the axes. If a float, `zoom` is the same for each axis. If a sequence, `zoom` should contain one value for each axis.

`output` : ndarray or dtype, optional

The array in which to place the output, or the dtype of the returned array.

`order` : int, optional

The order of the spline interpolation, default is 3. The order has to be in the range 0-5.

`mode` : str, optional

Points outside the boundaries of the input are filled according to the given mode ('constant', 'nearest', 'reflect' or 'wrap'). Default is 'constant'.

`cval` : scalar, optional

Value used for points outside the boundaries of the input if `mode='constant'`.
Default is 0.0

prefilter : bool, optional

The parameter `prefilter` determines if the input is pre-filtered with `spline_filter` before interpolation (necessary for spline interpolation of order > 1). If `False`, it is assumed that the input is already filtered. Default is `True`.

Returns

zoom : ndarray or None

The zoomed input. If `output` is given as a parameter, `None` is returned.

5.17.4 Measurements `scipy.ndimage.measurements`

<code>center_of_mass(input[, labels, index])</code>	Calculate the center of mass of the values of an array at labels.
<code>extrema(input[, labels, index])</code>	Calculate the minimums and maximums of the values of an array at labels, along the given axes.
<code>find_objects(input[, max_label])</code>	Find objects in a labeled array.
<code>histogram(input, min, max, bins[, labels, index])</code>	Calculate the histogram of the values of an array, optionally at labels.
<code>label(input[, structure, output])</code>	Label features in an array.
<code>maximum(input[, labels, index])</code>	Calculate the maximum of the values of an array over labeled regions.
<code>maximum_position(input[, labels, index])</code>	Find the positions of the maximums of the values of an array at labels.
<code>mean(input[, labels, index])</code>	Calculate the mean of the values of an array at labels.
<code>minimum(input[, labels, index])</code>	Calculate the minimum of the values of an array over labeled regions.
<code>minimum_position(input[, labels, index])</code>	Find the positions of the minimums of the values of an array at labels.
<code>standard_deviation(input[, labels, index])</code>	Calculate the standard deviation of the values of an n-D image array, optionally at labels.
<code>sum(input[, labels, index])</code>	Calculate the sum of the values of the array.
<code>variance(input[, labels, index])</code>	Calculate the variance of the values of an n-D image array, optionally at labels.
<code>watershed_ift(input, markers[, structure, ...])</code>	Apply watershed from markers using a iterative forest transform algorithm.

`scipy.ndimage.measurements.center_of_mass` (*input, labels=None, index=None*)

Calculate the center of mass of the values of an array at labels.

Parameters

input : ndarray

Data from which to calculate center-of-mass.

labels : ndarray, optional

Labels for objects in *input*, as generated by `ndimage.labels`. Dimensions must be the same as *input*.

index : int or sequence of ints, optional

Labels for which to calculate centers-of-mass. If not specified, all labels greater than zero are used.

Returns

centerofmass : tuple, or list of tuples

Co-ordinates of centers-of-masses.

Examples

```
>>> a = np.array([[0, 0, 0, 0],
                 [0, 1, 1, 0],
                 [0, 1, 1, 0],
                 [0, 1, 1, 0]])
>>> from scipy import ndimage
>>> ndimage.measurements.center_of_mass(a)
(2.0, 1.5)
```

Calculation of multiple objects in an image

```
>>> b = np.array([[0,1,1,0],
                  [0,1,0,0],
                  [0,0,0,0],
                  [0,0,1,1],
                  [0,0,1,1]])
>>> lbl = ndimage.label(b)[0]
>>> ndimage.measurements.center_of_mass(b, lbl, [1,2])
[(0.33333333333333331, 1.3333333333333333), (3.5, 2.5)]
```

`scipy.ndimage.measurements.extrema` (*input*, *labels=None*, *index=None*)

Calculate the minimums and maximums of the values of an array at labels, along with their positions.

Parameters

- input** : ndarray
Nd-image data to process.
- labels** : ndarray, optional
Labels of features in input. If not None, must be same shape as *input*.
- index** : int or sequence of ints, optional
Labels to include in output. If None (default), all values where non-zero *labels* are used.

Returns

- minimums, maximums** : int or ndarray
Values of minimums and maximums in each feature.
- min_positions, max_positions** : tuple or list of tuples
Each tuple gives the n-D coordinates of the corresponding minimum or maximum.

See Also

`maximum`, `minimum`, `maximum_position`, `minimum_position`, `center_of_mass`

Examples

```
>>> a = np.array([[1, 2, 0, 0],
                  [5, 3, 0, 4],
                  [0, 0, 0, 7],
                  [9, 3, 0, 0]])
>>> from scipy import ndimage
>>> ndimage.extrema(a)
(0, 9, (0, 2), (3, 0))
```

Features to process can be specified using *labels* and *index*:

```
>>> lbl, nlbl = ndimage.label(a)
>>> ndimage.extrema(a, lbl, index=np.arange(1, nlbl+1))
(array([1, 4, 3]),
 array([5, 7, 9]),
 [(0.0, 0.0), (1.0, 3.0), (3.0, 1.0)],
 [(1.0, 0.0), (2.0, 3.0), (3.0, 0.0)])
```

If no *index* is given, non-zero *labels* are processed:

```
>>> ndimage.extrema(a, lbl)
(1, 9, (0, 0), (3, 0))
```

`scipy.ndimage.measurements.find_objects` (*input*, *max_label=0*)

Find objects in a labeled array.

Parameters

- input** : ndarray of ints
Array containing objects defined by different labels.
- max_label** : int, optional

Maximum label to be searched for in *input*. If *max_label* is not given, the positions of all objects are returned.

Returns **object_slices** : list of tuples

A list of tuples, with each tuple containing N slices (with N the dimension of the input array). Slices correspond to the minimal parallelepiped that contains the object. If a number is missing, None is returned instead of a slice.

See Also

`label`, `center_of_mass`

Notes

This function is very useful for isolating a volume of interest inside a 3-D array, that cannot be “seen through”.

Examples

```
>>> a = np.zeros((6,6), dtype=np.int)
>>> a[2:4, 2:4] = 1
>>> a[4, 4] = 1
>>> a[:2, :3] = 2
>>> a[0, 5] = 3
>>> a
array([[2, 2, 2, 0, 0, 3],
       [2, 2, 2, 0, 0, 0],
       [0, 0, 1, 1, 0, 0],
       [0, 0, 1, 1, 0, 0],
       [0, 0, 0, 0, 1, 0],
       [0, 0, 0, 0, 0, 0]])
>>> ndimage.find_objects(a)
[(slice(2, 5, None), slice(2, 5, None)), (slice(0, 2, None), slice(0, 3, None)), (slice(0, 1, None), slice(4, 5, None))]
>>> ndimage.find_objects(a, max_label=2)
[(slice(2, 5, None), slice(2, 5, None)), (slice(0, 2, None), slice(0, 3, None))]
>>> ndimage.find_objects(a == 1, max_label=2)
[(slice(2, 5, None), slice(2, 5, None)), None]

>>> loc = ndimage.find_objects(a)[0]
>>> a[loc]
array([[1, 1, 0],
       [1, 1, 0],
       [0, 0, 1]])
```

`scipy.ndimage.measurements.histogram` (*input*, *min*, *max*, *bins*, *labels=None*, *index=None*)

Calculate the histogram of the values of an array, optionally at labels.

Histogram calculates the frequency of values in an array within bins determined by *min*, *max*, and *bins*. *Labels* and *index* can limit the scope of the histogram to specified sub-regions within the array.

Parameters **input** : array_like

Data for which to calculate histogram.

min, max : int

Minimum and maximum values of range of histogram bins.

bins : int

Number of bins.

labels : array_like, optional

Labels for objects in *input*. If not None, must be same shape as *input*.

index : int or sequence of ints, optional

Label or labels for which to calculate histogram. If None, all values where label is greater than zero are used

Returns **hist** : ndarray
Histogram counts.

Examples

```
>>> a = np.array([[ 0.    ,  0.2146,  0.5962,  0.    ],
                  [ 0.    ,  0.7778,  0.    ,  0.    ],
                  [ 0.    ,  0.    ,  0.    ,  0.    ],
                  [ 0.    ,  0.    ,  0.7181,  0.2787],
                  [ 0.    ,  0.    ,  0.6573,  0.3094]])
>>> from scipy import ndimage
>>> ndimage.measurements.histogram(a, 0, 1, 10)
array([13,  0,  2,  1,  0,  1,  1,  2,  0,  0])
```

With labels and no indices, non-zero elements are counted:

```
>>> lbl, nlbl = ndimage.label(a)
>>> ndimage.measurements.histogram(a, 0, 1, 10, lbl)
array([0, 0, 2, 1, 0, 1, 1, 2, 0, 0])
```

Indices can be used to count only certain objects:

```
>>> ndimage.measurements.histogram(a, 0, 1, 10, lbl, 2)
array([0, 0, 1, 1, 0, 0, 1, 1, 0, 0])
```

`scipy.ndimage.measurements.label` (*input*, *structure=None*, *output=None*)
Label features in an array.

Parameters **input** : array_like

An array-like object to be labeled. Any non-zero values in *input* are counted as features and zero values are considered the background.

structure : array_like, optional

A structuring element that defines feature connections. *structure* must be symmetric. If no structuring element is provided, one is automatically generated with a squared connectivity equal to one. That is, for a 2-D *input* array, the default structuring element is:

```
[[0,1,0],
 [1,1,1],
 [0,1,0]]
```

output : (None, data-type, array_like), optional

If *output* is a data type, it specifies the type of the resulting labeled feature array. If *output* is an array-like object, then *output* will be updated with the labeled features from this function.

Returns **labeled_array** : array_like

An array-like object where each unique feature has a unique value

num_features : int

How many objects were found

If ‘output’ is None or a data type, this function returns a tuple, :
(‘labeled_array’, ‘num_features’).

If ‘output’ is an array, then it will be updated with values in :
‘labeled_array’ and only ‘num_features’ will be returned by this function. :

See Also

[find_objects](#)

generate a list of slices for the labeled features (or objects); useful for finding features’ position or dimensions

Examples

Create an image with some features, then label it using the default (cross-shaped) structuring element:

```
>>> a = array([[0,0,1,1,0,0],
...           [0,0,0,1,0,0],
...           [1,1,0,0,1,0],
...           [0,0,0,1,0,0]])
>>> labeled_array, num_features = label(a)
```

Each of the 4 features are labeled with a different integer:

```
>>> print num_features
4
>>> print labeled_array
array([[0, 0, 1, 1, 0, 0],
       [0, 0, 0, 1, 0, 0],
       [2, 2, 0, 0, 3, 0],
       [0, 0, 0, 4, 0, 0]])
```

Generate a structuring element that will consider features connected even if they touch diagonally:

```
>>> s = generate_binary_structure(2,2)
```

or,

```
>>> s = [[1,1,1],
        [1,1,1],
        [1,1,1]]
```

Label the image using the new structuring element:

```
>>> labeled_array, num_features = label(a, structure=s)
```

Show the 2 labeled features (note that features 1, 3, and 4 from above are now considered a single feature):

```
>>> print num_features
2
>>> print labeled_array
array([[0, 0, 1, 1, 0, 0],
       [0, 0, 0, 1, 0, 0],
       [2, 2, 0, 0, 1, 0],
       [0, 0, 0, 1, 0, 0]])
```

`scipy.ndimage.measurements`.**maximum**(*input*, *labels=None*, *index=None*)

Calculate the maximum of the values of an array over labeled regions.

Parameters **input** : array_like

Array_like of values. For each region specified by *labels*, the maximal values of *input* over the region is computed.

labels : array_like, optional

An array of integers marking different regions over which the maximum value of *input* is to be computed. *labels* must have the same shape as *input*. If *labels* is not specified, the maximum over the whole array is returned.

index : array_like, optional

A list of region labels that are taken into account for computing the maxima. If *index* is None, the maximum over all elements where *labels* is non-zero is returned.

Returns **output** : float or list of floats

List of maxima of *input* over the regions determined by *labels* and whose index is in *index*. If *index* or *labels* are not specified, a float is returned: the maximal value of

input if *labels* is None, and the maximal value of elements where *labels* is greater than zero if *index* is None.

See Also

`label`, `minimum`, `median`, `maximum_position`, `extrema`, `sum`, `mean`, `variance`, `standard_deviation`

Notes

The function returns a Python list and not a Numpy array, use `np.array` to convert the list to an array.

Examples

```
>>> a = np.arange(16).reshape((4,4))
>>> a
array([[ 0,  1,  2,  3],
       [ 4,  5,  6,  7],
       [ 8,  9, 10, 11],
       [12, 13, 14, 15]])
>>> labels = np.zeros_like(a)
>>> labels[:2,:2] = 1
>>> labels[2:, 1:3] = 2
>>> labels
array([[1, 1, 0, 0],
       [1, 1, 0, 0],
       [0, 2, 2, 0],
       [0, 2, 2, 0]])
>>> from scipy import ndimage
>>> ndimage.maximum(a)
15.0
>>> ndimage.maximum(a, labels=labels, index=[1,2])
[5.0, 14.0]
>>> ndimage.maximum(a, labels=labels)
14.0

>>> b = np.array([[1, 2, 0, 0],
                 [5, 3, 0, 4],
                 [0, 0, 0, 7],
                 [9, 3, 0, 0]])
>>> labels, labels_nb = ndimage.label(b)
>>> labels
array([[1, 1, 0, 0],
       [1, 1, 0, 2],
       [0, 0, 0, 2],
       [3, 3, 0, 0]])
>>> ndimage.maximum(b, labels=labels, index=np.arange(1, labels_nb + 1))
[5.0, 7.0, 9.0]
```

`scipy.ndimage.measurements.maximum_position` (*input*, *labels=None*, *index=None*)

Find the positions of the maximums of the values of an array at labels.

Labels must be None or an array of the same dimensions as the input.

Index must be None, a single label or sequence of labels. If none, all values where label is greater than zero are used.

`scipy.ndimage.measurements.mean` (*input*, *labels=None*, *index=None*)

Calculate the mean of the values of an array at labels.

Parameters `input` : array_like

Array on which to compute the mean of elements over distinct regions.

labels : array_like, optional

Array of labels of same shape, or broadcastable to the same shape as *input*. All elements sharing the same label form one region over which the mean of the elements is computed.

index : int or sequence of ints, optional

Labels of the objects over which the mean is to be computed. Default is None, in which case the mean for all values where label is greater than 0 is calculated.

Returns

out : list

Sequence of same length as *index*, with the mean of the different regions labeled by the labels in *index*.

See Also

`ndimage.variance`, `ndimage.standard_deviation`, `ndimage.minimum`,
`ndimage.maximum`, `ndimage.sum`, `ndimage.label`

Examples

```
>>> a = np.arange(25).reshape((5,5))
>>> labels = np.zeros_like(a)
>>> labels[3:5,3:5] = 1
>>> index = np.unique(labels)
>>> labels
array([[0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0],
       [0, 0, 0, 1, 1],
       [0, 0, 0, 1, 1]])
>>> index
array([0, 1])
>>> ndimage.mean(a, labels=labels, index=index)
[10.285714285714286, 21.0]
```

`scipy.ndimage.measurements.minimum` (*input*, *labels=None*, *index=None*)

Calculate the minimum of the values of an array over labeled regions.

Parameters **input** : array_like

Array_like of values. For each region specified by *labels*, the minimal values of *input* over the region is computed.

labels : array_like, optional

An array_like of integers marking different regions over which the minimum value of *input* is to be computed. *labels* must have the same shape as *input*. If *labels* is not specified, the minimum over the whole array is returned.

index : array_like, optional

A list of region labels that are taken into account for computing the minima. If *index* is None, the minimum over all elements where *labels* is non-zero is returned.

Returns

output : float or list of floats

List of minima of *input* over the regions determined by *labels* and whose index is in *index*. If *index* or *labels* are not specified, a float is returned: the minimal value of *input* if *labels* is None, and the minimal value of elements where *labels* is greater than zero if *index* is None.

See Also

`label`, `maximum`, `median`, `minimum_position`, `extrema`, `sum`, `mean`, `variance`,
`standard_deviation`

Notes

The function returns a Python list and not a Numpy array, use `np.array` to convert the list to an array.

Examples

```
>>> a = np.array([[1, 2, 0, 0],
...               [5, 3, 0, 4],
...               [0, 0, 0, 7],
...               [9, 3, 0, 0]])
>>> labels, labels_nb = ndimage.label(a)
>>> labels
array([[1, 1, 0, 0],
       [1, 1, 0, 2],
       [0, 0, 0, 2],
       [3, 3, 0, 0]])
>>> ndimage.minimum(a, labels=labels, index=np.arange(1, labels_nb + 1))
[1.0, 4.0, 3.0]
>>> ndimage.minimum(a)
0.0
>>> ndimage.minimum(a, labels=labels)
1.0
```

`scipy.ndimage.measurements.minimum_position` (*input*, *labels=None*, *index=None*)

Find the positions of the minimums of the values of an array at labels.

Labels must be None or an array of the same dimensions as the input.

Index must be None, a single label or sequence of labels. If none, all values where label is greater than zero are used.

`scipy.ndimage.measurements.standard_deviation` (*input*, *labels=None*, *index=None*)

Calculate the standard deviation of the values of an n-D image array, optionally at specified sub-regions.

Parameters **input** : array_like

Nd-image data to process.

labels : array_like, optional

Labels to identify sub-regions in *input*. If not None, must be same shape as *input*.

index : int or sequence of ints, optional

labels to include in output. If None (default), all values where *labels* is non-zero are used.

Returns **std** : float or ndarray

Values of standard deviation, for each sub-region if *labels* and *index* are specified.

See Also

`label`, `variance`, `maximum`, `minimum`, `extrema`

Examples

```
>>> a = np.array([[1, 2, 0, 0],
...               [5, 3, 0, 4],
...               [0, 0, 0, 7],
...               [9, 3, 0, 0]])
>>> from scipy import ndimage
>>> ndimage.standard_deviation(a)
2.7585095613392387
```

Features to process can be specified using *labels* and *index*:

```
>>> lbl, nlbl = ndimage.label(a)
>>> ndimage.standard_deviation(a, lbl, index=np.arange(1, nlbl+1))
array([ 1.479,  1.5   ,  3.   ])
```

If no index is given, non-zero *labels* are processed:

```
>>> ndimage.standard_deviation(a, lbl)
2.4874685927665499
```

`scipy.ndimage.measurements.sum` (*input*, *labels=None*, *index=None*)

Calculate the sum of the values of the array.

Parameters

- input** : array_like
Values of *input* inside the regions defined by *labels* are summed together.
- labels** : array_like of ints, optional
Assign labels to the values of the array. Has to have the same shape as *input*.
- index** : scalar or array_like, optional
A single label number or a sequence of label numbers of the objects to be measured.

Returns

- output** : list
A list of the sums of the values of *input* inside the regions defined by *labels*.

See Also

mean, median

Examples

```
>>> input = [0,1,2,3]
>>> labels = [1,1,2,2]
>>> sum(input, labels, index=[1,2])
[1.0, 5.0]
```

`scipy.ndimage.measurements.variance` (*input*, *labels=None*, *index=None*)

Calculate the variance of the values of an n-D image array, optionally at specified sub-regions.

Parameters

- input** : array_like
Nd-image data to process.
- labels** : array_like, optional
Labels defining sub-regions in *input*. If not None, must be same shape as *input*.
- index** : int or sequence of ints, optional
labels to include in output. If None (default), all values where *labels* is non-zero are used.

Returns

- vars** : float or ndarray
Values of variance, for each sub-region if *labels* and *index* are specified.

See Also

label, standard_deviation, maximum, minimum, extrema

Examples

```
>>> a = np.array([[1, 2, 0, 0],
                 [5, 3, 0, 4],
                 [0, 0, 0, 7],
                 [9, 3, 0, 0]])
>>> from scipy import ndimage
>>> ndimage.variance(a)
7.609375
```

Features to process can be specified using *labels* and *index*:

```
>>> lbl, nlbl = ndimage.label(a)
>>> ndimage.variance(a, lbl, index=np.arange(1, nlbl+1))
array([ 2.1875,  2.25 ,  9.    ])
```

If no index is given, all non-zero *labels* are processed:

```
>>> ndimage.variance(a, lbl)
6.1875
```

`scipy.ndimage.measurements.watershed_ift` (*input*, *markers*, *structure=None*, *output=None*)
Apply watershed from markers using a iterative forest transform algorithm.

Negative markers are considered background markers which are processed after the other markers. A structuring element defining the connectivity of the object can be provided. If none is provided, an element is generated with a squared connectivity equal to one. An output array can optionally be provided.

5.17.5 Morphology `scipy.ndimage.morphology`

<code>binary_closing</code> (<i>input</i> [, <i>structure</i> , ...])	Multi-dimensional binary closing with the given structuring element.
<code>binary_dilation</code> (<i>input</i> [, <i>structure</i> , ...])	Multi-dimensional binary dilation with the given structuring element.
<code>binary_erosion</code> (<i>input</i> [, <i>structure</i> , ...])	Multi-dimensional binary erosion with a given structuring element.
<code>binary_fill_holes</code> (<i>input</i> [, <i>structure</i> , ...])	Fill the holes in binary objects.
<code>binary_hit_or_miss</code> (<i>input</i> [, <i>structure1</i> , ...])	Multi-dimensional binary hit-or-miss transform.
<code>binary_opening</code> (<i>input</i> [, <i>structure</i> , ...])	Multi-dimensional binary opening with the given structuring element.
<code>binary_propagation</code> (<i>input</i> [, <i>structure</i> , <i>mask</i> , ...])	Multi-dimensional binary propagation with the given structuring element.
<code>black_tophat</code> (<i>input</i> [, <i>size</i> , <i>footprint</i> , ...])	Multi-dimensional black tophat filter.
<code>distance_transform_bf</code> (<i>input</i> [, <i>metric</i> , ...])	Distance transform function by a brute force algorithm.
<code>distance_transform_cdt</code> (<i>input</i> [, <i>metric</i> , ...])	Distance transform for chamfer type of transforms.
<code>distance_transform_edt</code> (<i>input</i> [, <i>sampling</i> , ...])	Exact euclidean distance transform.
<code>generate_binary_structure</code> (<i>rank</i> , <i>connectivity</i>)	Generate a binary structure for binary morphological operations.
<code>grey_closing</code> (<i>input</i> [, <i>size</i> , <i>footprint</i> , ...])	Multi-dimensional greyscale closing.
<code>grey_dilation</code> (<i>input</i> [, <i>size</i> , <i>footprint</i> , ...])	Calculate a greyscale dilation, using either a structuring element, or a footprint.
<code>grey_erosion</code> (<i>input</i> [, <i>size</i> , <i>footprint</i> , ...])	Calculate a greyscale erosion, using either a structuring element, or a footprint.
<code>grey_opening</code> (<i>input</i> [, <i>size</i> , <i>footprint</i> , ...])	Multi-dimensional greyscale opening.
<code>iterate_structure</code> (<i>structure</i> , <i>iterations</i> [, ...])	Iterate a structure by dilating it with itself.
<code>morphological_gradient</code> (<i>input</i> [, <i>size</i> , ...])	Multi-dimensional morphological gradient.
<code>morphological_laplace</code> (<i>input</i> [, <i>size</i> , ...])	Multi-dimensional morphological laplace.
<code>white_tophat</code> (<i>input</i> [, <i>size</i> , <i>footprint</i> , ...])	Multi-dimensional white tophat filter.

`scipy.ndimage.morphology.binary_closing` (*input*, *structure=None*, *iterations=1*, *output=None*, *origin=0*)

Multi-dimensional binary closing with the given structuring element.

The *closing* of an input image by a structuring element is the *erosion* of the *dilation* of the image by the structuring element.

Parameters **input** : array_like

Binary array_like to be closed. Non-zero (True) elements form the subset to be closed.

structure : array_like, optional

Structuring element used for the closing. Non-zero elements are considered True. If no structuring element is provided an element is generated with a square connectivity

equal to one (i.e., only nearest neighbors are connected to the center, diagonally-connected elements are not considered neighbors).

iterations : {int, float}, optional

The dilation step of the closing, then the erosion step are each repeated *iterations* times (one, by default). If iterations is less than 1, each operations is repeated until the result does not change anymore.

output : ndarray, optional

Array of the same shape as input, into which the output is placed. By default, a new array is created.

origin : int or tuple of ints, optional

Placement of the filter, by default 0.

Returns

out : ndarray of bools

Closing of the input by the structuring element.

See Also

`grey_closing`, `binary_opening`, `binary_dilation`, `binary_erosion`,
`generate_binary_structure`

Notes

Closing [R51] is a mathematical morphology operation [R52] that consists in the succession of a dilation and an erosion of the input with the same structuring element. Closing therefore fills holes smaller than the structuring element.

Together with *opening* (`binary_opening`), closing can be used for noise removal.

References

[R51], [R52]

Examples

```
>>> a = np.zeros((5,5), dtype=np.int)
>>> a[1:-1, 1:-1] = 1; a[2,2] = 0
>>> a
array([[0, 0, 0, 0, 0],
       [0, 1, 1, 1, 0],
       [0, 1, 0, 1, 0],
       [0, 1, 1, 1, 0],
       [0, 0, 0, 0, 0]])
>>> # Closing removes small holes
>>> ndimage.binary_closing(a).astype(np.int)
array([[0, 0, 0, 0, 0],
       [0, 1, 1, 1, 0],
       [0, 1, 1, 1, 0],
       [0, 1, 1, 1, 0],
       [0, 0, 0, 0, 0]])
>>> # Closing is the erosion of the dilation of the input
>>> ndimage.binary_dilation(a).astype(np.int)
array([[0, 1, 1, 1, 0],
       [1, 1, 1, 1, 1],
       [1, 1, 1, 1, 1],
       [1, 1, 1, 1, 1],
       [0, 1, 1, 1, 0]])
>>> ndimage.binary_erosion(ndimage.binary_dilation(a)).astype(np.int)
array([[0, 0, 0, 0, 0],
       [0, 1, 1, 1, 0],
       [0, 1, 1, 1, 0],
```



```

    [0, 1, 1, 1, 0],
    [0, 0, 0, 0, 0]])

>>> a = np.zeros((7,7), dtype=np.int)
>>> a[1:6, 2:5] = 1; a[1:3,3] = 0
>>> a
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 0, 1, 0, 1, 0, 0],
       [0, 0, 1, 0, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 0, 0, 0, 0, 0]])

>>> # In addition to removing holes, closing can also
>>> # coarsen boundaries with fine hollows.
>>> ndimage.binary_closing(a).astype(np.int)
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 0, 1, 0, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 0, 0, 0, 0, 0]])

>>> ndimage.binary_closing(a, structure=np.ones((2,2)).astype(np.int)
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 0, 0, 0, 0, 0]])

```

`scipy.ndimage.morphology.binary_dilation` (*input*, *structure=None*, *iterations=1*, *mask=None*, *output=None*, *border_value=0*, *origin=0*, *brute_force=False*)

Multi-dimensional binary dilation with the given structuring element.

Parameters **input** : array_like

Binary array_like to be dilated. Non-zero (True) elements form the subset to be dilated.

structure : array_like, optional

Structuring element used for the dilation. Non-zero elements are considered True. If no structuring element is provided an element is generated with a square connectivity equal to one.

iterations : {int, float}, optional

The dilation is repeated *iterations* times (one, by default). If *iterations* is less than 1, the dilation is repeated until the result does not change anymore.

mask : array_like, optional

If a mask is given, only those elements with a True value at the corresponding mask element are modified at each iteration.

output : ndarray, optional

Array of the same shape as *input*, into which the output is placed. By default, a new array is created.

origin : int or tuple of ints, optional

Placement of the filter, by default 0.

border_value : int (cast to 0 or 1)

Value at the border in the output array.

Returns **out** : ndarray of bools
 Dilation of the input by the structuring element.

See Also

`grey_dilation`, `binary_erosion`, `binary_closing`, `binary_opening`,
`generate_binary_structure`

Notes

Dilation [R53] is a mathematical morphology operation [R54] that uses a structuring element for expanding the shapes in an image. The binary dilation of an image by a structuring element is the locus of the points covered by the structuring element, when its center lies within the non-zero points of the image.

References

[R53], [R54]

Examples

```
>>> a = np.zeros((5, 5))
>>> a[2, 2] = 1
>>> a
array([[ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  0.,  0.,  0.,  0.]])
>>> ndimage.binary_dilation(a)
array([[False, False, False, False, False],
       [False, False, True, False, False],
       [False, True, True, True, False],
       [False, False, True, False, False],
       [False, False, False, False, False]], dtype=bool)
>>> ndimage.binary_dilation(a).astype(a.dtype)
array([[ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  1.,  1.,  1.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  0.,  0.,  0.,  0.]])
>>> # 3x3 structuring element with connectivity 1, used by default
>>> struct1 = ndimage.generate_binary_structure(2, 1)
>>> struct1
array([[False, True, False],
       [ True, True, True],
       [False, True, False]], dtype=bool)
>>> # 3x3 structuring element with connectivity 2
>>> struct2 = ndimage.generate_binary_structure(2, 2)
>>> struct2
array([[ True,  True,  True],
       [ True,  True,  True],
       [ True,  True,  True]], dtype=bool)
>>> ndimage.binary_dilation(a, structure=struct1).astype(a.dtype)
array([[ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  1.,  1.,  1.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  0.,  0.,  0.,  0.]])
>>> ndimage.binary_dilation(a, structure=struct2).astype(a.dtype)
```

```

array([[ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  1.,  1.,  1.,  0.],
       [ 0.,  1.,  1.,  1.,  0.],
       [ 0.,  1.,  1.,  1.,  0.],
       [ 0.,  0.,  0.,  0.,  0.]])
>>> ndimage.binary_dilation(a, structure=struct1,\
... iterations=2).astype(a.dtype)
array([[ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  1.,  1.,  1.,  0.],
       [ 1.,  1.,  1.,  1.,  1.],
       [ 0.,  1.,  1.,  1.,  0.],
       [ 0.,  0.,  1.,  0.,  0.]])

```

`scipy.ndimage.morphology.binary_erosion` (*input*, *structure=None*, *iterations=1*, *mask=None*, *output=None*, *border_value=0*, *origin=0*, *brute_force=False*)

Multi-dimensional binary erosion with a given structuring element.

Binary erosion is a mathematical morphology operation used for image processing.

Parameters **input** : array_like

Binary image to be eroded. Non-zero (True) elements form the subset to be eroded.

structure : array_like, optional

Structuring element used for the erosion. Non-zero elements are considered True. If no structuring element is provided, an element is generated with a square connectivity equal to one.

iterations : {int, float}, optional

The erosion is repeated *iterations* times (one, by default). If *iterations* is less than 1, the erosion is repeated until the result does not change anymore.

mask : array_like, optional

If a mask is given, only those elements with a True value at the corresponding mask element are modified at each iteration.

output : ndarray, optional

Array of the same shape as *input*, into which the output is placed. By default, a new array is created.

origin : int or tuple of ints, optional

Placement of the filter, by default 0.

border_value : int (cast to 0 or 1)

Value at the border in the output array.

Returns **out** : ndarray of bools

Erosion of the input by the structuring element.

See Also

`grey_erosion`, `binary_dilation`, `binary_closing`, `binary_opening`,
`generate_binary_structure`

Notes

Erosion [R55] is a mathematical morphology operation [R56] that uses a structuring element for shrinking the shapes in an image. The binary erosion of an image by a structuring element is the locus of the points where a superimposition of the structuring element centered on the point is entirely contained in the set of non-zero elements of the image.

References

[R55], [R56]

Examples

```
>>> a = np.zeros((7,7), dtype=np.int)
>>> a[1:6, 2:5] = 1
>>> a
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 0, 0, 0, 0, 0]])
>>> ndimage.binary_erosion(a).astype(a.dtype)
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 1, 0, 0, 0],
       [0, 0, 0, 1, 0, 0, 0],
       [0, 0, 0, 1, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0]])
>>> #Erosion removes objects smaller than the structure
>>> ndimage.binary_erosion(a, structure=np.ones((5,5))).astype(a.dtype)
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0]])
```

`scipy.ndimage.morphology.binary_fill_holes` (*input*, *structure=None*, *output=None*, *origin=0*)

Fill the holes in binary objects.

- Parameters**

 - input** : array_like
n-dimensional binary array with holes to be filled
 - structure** : array_like, optional
Structuring element used in the computation; large-size elements make computations faster but may miss holes separated from the background by thin regions. The default element (with a square connectivity equal to one) yields the intuitive result where all holes in the input have been filled.
 - output** : ndarray, optional
Array of the same shape as input, into which the output is placed. By default, a new array is created.
 - origin** : int, tuple of ints, optional
Position of the structuring element.

- Returns**

 - out** : ndarray
Transformation of the initial image *input* where holes have been filled.

See Also

[binary_dilation](#), [binary_propagation](#), [label](#)

Notes

The algorithm used in this function consists in invading the complementary of the shapes in *input* from the outer boundary of the image, using binary dilations. Holes are not connected to the boundary and are therefore not invaded. The result is the complementary subset of the invaded region.

References

[R57]

Examples

```

>>> a = np.zeros((5, 5), dtype=int)
>>> a[1:4, 1:4] = 1
>>> a[2,2] = 0
>>> a
array([[0, 0, 0, 0, 0],
       [0, 1, 1, 1, 0],
       [0, 1, 0, 1, 0],
       [0, 1, 1, 1, 0],
       [0, 0, 0, 0, 0]])
>>> ndimage.binary_fill_holes(a).astype(int)
array([[0, 0, 0, 0, 0],
       [0, 1, 1, 1, 0],
       [0, 1, 1, 1, 0],
       [0, 1, 1, 1, 0],
       [0, 0, 0, 0, 0]])
>>> # Too big structuring element
>>> ndimage.binary_fill_holes(a, structure=np.ones((5,5))).astype(int)
array([[0, 0, 0, 0, 0],
       [0, 1, 1, 1, 0],
       [0, 1, 0, 1, 0],
       [0, 1, 1, 1, 0],
       [0, 0, 0, 0, 0]])

```

`scipy.ndimage.morphology.binary_hit_or_miss` (*input*, *structure1=None*, *structure2=None*, *output=None*, *origin1=0*, *origin2=None*)

Multi-dimensional binary hit-or-miss transform.

The hit-or-miss transform finds the locations of a given pattern inside the input image.

Parameters

- input** : array_like (cast to booleans)
Binary image where a pattern is to be detected.
- structure1** : array_like (cast to booleans), optional
Part of the structuring element to be fitted to the foreground (non-zero elements) of *input*. If no value is provided, a structure of square connectivity 1 is chosen.
- structure2** : array_like (cast to booleans), optional
Second part of the structuring element that has to miss completely the foreground. If no value is provided, the complementary of *structure1* is taken.
- output** : ndarray, optional
Array of the same shape as input, into which the output is placed. By default, a new array is created.
- origin1** : int or tuple of ints, optional
Placement of the first part of the structuring element *structure1*, by default 0 for a centered structure.
- origin2** : int or tuple of ints, optional
Placement of the second part of the structuring element *structure2*, by default 0 for a centered structure. If a value is provided for *origin1* and not for *origin2*, then *origin2* is set to *origin1*.

Returns

- output** : ndarray
Hit-or-miss transform of *input* with the given structuring element (*structure1*, *structure2*).

See Also

`ndimage.morphology.binary_erosion`

References

[R58]

Examples

```
>>> a = np.zeros((7,7), dtype=np.int)
>>> a[1, 1] = 1; a[2:4, 2:4] = 1; a[4:6, 4:6] = 1
>>> a
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 1, 0, 0, 0, 0, 0],
       [0, 0, 1, 1, 0, 0, 0],
       [0, 0, 1, 1, 0, 0, 0],
       [0, 0, 0, 0, 1, 1, 0],
       [0, 0, 0, 0, 1, 1, 0],
       [0, 0, 0, 0, 0, 0, 0]])
>>> structure1 = np.array([[1, 0, 0], [0, 1, 1], [0, 1, 1]])
>>> structure1
array([[1, 0, 0],
       [0, 1, 1],
       [0, 1, 1]])
>>> # Find the matches of structure1 in the array a
>>> ndimage.binary_hit_or_miss(a, structure1=structure1).astype(np.int)
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 1, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 1, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0]])
>>> # Change the origin of the filter
>>> # origin1=1 is equivalent to origin1=(1,1) here
>>> ndimage.binary_hit_or_miss(a, structure1=structure1, \
... origin1=1).astype(np.int)
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 1, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 1, 0],
       [0, 0, 0, 0, 0, 0, 0]])
```

`scipy.ndimage.morphology.binary_opening` (*input*, *structure=None*, *iterations=1*, *output=None*, *origin=0*)

Multi-dimensional binary opening with the given structuring element.

The *opening* of an input image by a structuring element is the *dilation* of the *erosion* of the image by the structuring element.

Parameters **input** : array_like

Binary array_like to be opened. Non-zero (True) elements form the subset to be opened.

structure : array_like, optional

Structuring element used for the opening. Non-zero elements are considered True. If no structuring element is provided an element is generated with a square connectivity

equal to one (i.e., only nearest neighbors are connected to the center, diagonally-connected elements are not considered neighbors).

iterations : {int, float}, optional

The erosion step of the opening, then the dilation step are each repeated *iterations* times (one, by default). If *iterations* is less than 1, each operation is repeated until the result does not change anymore.

output : ndarray, optional

Array of the same shape as input, into which the output is placed. By default, a new array is created.

origin : int or tuple of ints, optional

Placement of the filter, by default 0.

Returns **out** : ndarray of bools

Opening of the input by the structuring element.

See Also

`grey_opening`, `binary_closing`, `binary_erosion`, `binary_dilation`,
`generate_binary_structure`

Notes

Opening [R59] is a mathematical morphology operation [R60] that consists in the succession of an erosion and a dilation of the input with the same structuring element. Opening therefore removes objects smaller than the structuring element.

Together with *closing* (`binary_closing`), opening can be used for noise removal.

References

[R59], [R60]

Examples

```
>>> a = np.zeros((5,5), dtype=np.int)
>>> a[1:4, 1:4] = 1; a[4, 4] = 1
>>> a
array([[0, 0, 0, 0, 0],
       [0, 1, 1, 1, 0],
       [0, 1, 1, 1, 0],
       [0, 1, 1, 1, 0],
       [0, 0, 0, 0, 1]])
>>> # Opening removes small objects
>>> ndimage.binary_opening(a, structure=np.ones((3,3)).astype(np.int))
array([[0, 0, 0, 0, 0],
       [0, 1, 1, 1, 0],
       [0, 1, 1, 1, 0],
       [0, 1, 1, 1, 0],
       [0, 0, 0, 0, 0]])
>>> # Opening can also smooth corners
>>> ndimage.binary_opening(a).astype(np.int)
array([[0, 0, 0, 0, 0],
       [0, 0, 1, 0, 0],
       [0, 1, 1, 1, 0],
       [0, 0, 1, 0, 0],
       [0, 0, 0, 0, 0]])
>>> # Opening is the dilation of the erosion of the input
>>> ndimage.binary_erosion(a).astype(np.int)
array([[0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0],
```

```

    [0, 0, 1, 0, 0],
    [0, 0, 0, 0, 0],
    [0, 0, 0, 0, 0]])
>>> ndimage.binary_dilation(ndimage.binary_erosion(a).astype(np.int)
array([[0, 0, 0, 0, 0],
       [0, 0, 1, 0, 0],
       [0, 1, 1, 1, 0],
       [0, 0, 1, 0, 0],
       [0, 0, 0, 0, 0]])

```

`scipy.ndimage.morphology.binary_propagation`(*input*, *structure=None*, *mask=None*, *output=None*, *border_value=0*, *origin=0*)
 Multi-dimensional binary propagation with the given structuring element.

Parameters

- input** : array_like
Binary image to be propagated inside *mask*.
- structure** : array_like
Structuring element used in the successive dilations. The output may depend on the structuring element, especially if *mask* has several connex components. If no structuring element is provided, an element is generated with a squared connectivity equal to one.
- mask** : array_like
Binary mask defining the region into which *input* is allowed to propagate.
- output** : ndarray, optional
Array of the same shape as *input*, into which the output is placed. By default, a new array is created.
- origin** : int or tuple of ints, optional
Placement of the filter, by default 0.

Returns

- output** : ndarray
Binary propagation of *input* inside *mask*.

Notes

This function is functionally equivalent to calling `binary_dilation` with the number of iterations less than one: iterative dilation until the result does not change anymore.

The succession of an erosion and propagation inside the original image can be used instead of an *opening* for deleting small objects while keeping the contours of larger objects untouched.

References

[R61], [R62]

Examples

```

>>> input = np.zeros((8, 8), dtype=np.int)
>>> input[2, 2] = 1
>>> mask = np.zeros((8, 8), dtype=np.int)
>>> mask[1:4, 1:4] = mask[4, 4] = mask[6:8, 6:8] = 1
>>> input
array([[0, 0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0],
       [0, 0, 1, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0]])

```



```

>>> mask
array([[0, 0, 0, 0, 0, 0, 0, 0],
       [0, 1, 1, 1, 0, 0, 0, 0],
       [0, 1, 1, 1, 0, 0, 0, 0],
       [0, 1, 1, 1, 0, 0, 0, 0],
       [0, 0, 0, 0, 1, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 1, 1],
       [0, 0, 0, 0, 0, 0, 1, 1]])
>>> ndimage.binary_propagation(input, mask=mask).astype(np.int)
array([[0, 0, 0, 0, 0, 0, 0, 0],
       [0, 1, 1, 1, 0, 0, 0, 0],
       [0, 1, 1, 1, 0, 0, 0, 0],
       [0, 1, 1, 1, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0]])
>>> ndimage.binary_propagation(input, mask=mask,\
... structure=np.ones((3,3)).astype(np.int)
array([[0, 0, 0, 0, 0, 0, 0, 0],
       [0, 1, 1, 1, 0, 0, 0, 0],
       [0, 1, 1, 1, 0, 0, 0, 0],
       [0, 1, 1, 1, 0, 0, 0, 0],
       [0, 0, 0, 0, 1, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0, 0]])

>>> # Comparison between opening and erosion+propagation
>>> a = np.zeros((6,6), dtype=np.int)
>>> a[2:5, 2:5] = 1; a[0, 0] = 1; a[5, 5] = 1
>>> a
array([[1, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0],
       [0, 0, 1, 1, 1, 0],
       [0, 0, 1, 1, 1, 0],
       [0, 0, 1, 1, 1, 0],
       [0, 0, 0, 0, 0, 1]])
>>> ndimage.binary_opening(a).astype(np.int)
array([[0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0],
       [0, 0, 0, 1, 0, 0],
       [0, 0, 1, 1, 1, 0],
       [0, 0, 0, 1, 0, 0],
       [0, 0, 0, 0, 0, 0]])
>>> b = ndimage.binary_erosion(a)
>>> b.astype(int)
array([[0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0],
       [0, 0, 0, 1, 0, 0],
       [0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0]])
>>> ndimage.binary_propagation(b, mask=a).astype(np.int)
array([[0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0],
       [0, 0, 1, 1, 1, 0],

```

```
[0, 0, 1, 1, 1, 0],
[0, 0, 1, 1, 1, 0],
[0, 0, 0, 0, 0, 0]])
```

`scipy.ndimage.morphology.black_tophat` (*input*, *size=None*, *footprint=None*, *structure=None*, *output=None*, *mode='reflect'*, *cval=0.0*, *origin=0*)

Multi-dimensional black tophat filter.

Either a size or a footprint, or the structure must be provided. An output array can optionally be provided. The origin parameter controls the placement of the filter. The mode parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'.

See Also

`grey_opening`, `grey_closing`

References

[R63], [R64]

`scipy.ndimage.morphology.distance_transform_bf` (*input*, *metric='euclidean'*, *sampling=None*, *return_distances=True*, *return_indices=False*, *distances=None*, *indices=None*)

Distance transform function by a brute force algorithm.

This function calculates the distance transform of the input, by replacing each background element (zero values), with its shortest distance to the foreground (any element non-zero). Three types of distance metric are supported: 'euclidean', 'taxicab' and 'chessboard'.

In addition to the distance transform, the feature transform can be calculated. In this case the index of the closest background element is returned along the first axis of the result.

The *return_distances*, and *return_indices* flags can be used to indicate if the distance transform, the feature transform, or both must be returned.

Optionally the sampling along each axis can be given by the *sampling* parameter which should be a sequence of length equal to the input rank, or a single number in which the sampling is assumed to be equal along all axes. This parameter is only used in the case of the euclidean distance transform.

This function employs a slow brute force algorithm, see also the function `distance_transform_cdt` for more efficient taxicab and chessboard algorithms.

the *distances* and *indices* arguments can be used to give optional output arrays that must be of the correct size and type (float64 and int32).

`scipy.ndimage.morphology.distance_transform_cdt` (*input*, *metric='chessboard'*, *return_distances=True*, *return_indices=False*, *distances=None*, *indices=None*)

Distance transform for chamfer type of transforms.

The metric determines the type of chamfering that is done. If the metric is equal to 'taxicab' a structure is generated using `generate_binary_structure` with a squared distance equal to 1. If the metric is equal to 'chessboard', a metric is generated using `generate_binary_structure` with a squared distance equal to the rank of the array. These choices correspond to the common interpretations of the taxicab and the chessboard distance metrics in two dimensions.

In addition to the distance transform, the feature transform can be calculated. In this case the index of the closest background element is returned along the first axis of the result.

The `return_distances`, and `return_indices` flags can be used to indicate if the distance transform, the feature transform, or both must be returned.

The `distances` and `indices` arguments can be used to give optional output arrays that must be of the correct size and type (both `int32`).

```
scipy.ndimage.morphology.distance_transform_edt(input,          sampling=None,          re-
                                              return_distances=True,          re-
                                              return_indices=False, distances=None,
                                              indices=None)
```

Exact euclidean distance transform.

In addition to the distance transform, the feature transform can be calculated. In this case the index of the closest background element is returned along the first axis of the result.

Parameters

- input** : array_like
Input data to transform. Can be any type but will be converted into binary: 1 wherever input equates to True, 0 elsewhere.
- sampling** : float or int, or sequence of same, optional
Spacing of elements along each dimension. If a sequence, must be of length equal to the input rank; if a single number, this is used for all axes. If not specified, a grid spacing of unity is implied.
- return_distances** : bool, optional
Whether to return distance matrix. At least one of `return_distances`/`return_indices` must be True. Default is True.
- return_indices** : bool, optional
Whether to return indices matrix. Default is False.
- distance** : ndarray, optional
Used for output of distance array, must be of type `float64`.
- indices** : ndarray, optional
Used for output of indices, must be of type `int32`.

Returns

- result** : ndarray or list of ndarray
Either distance matrix, index matrix, or a list of the two, depending on `return_x` flags and `distance` and `indices` input parameters.

Notes

The euclidean distance transform gives values of the euclidean distance:

$$y_i = \sqrt{\sum_i^n (x[i]-b[i])**2}$$

where `b[i]` is the background point (value 0) with the smallest Euclidean distance to input points `x[i]`, and `n` is the number of dimensions.

Examples

```
>>> a = np.array([[0,1,1,1,1],
                 [0,0,1,1,1],
                 [0,1,1,1,1],
                 [0,1,1,1,0],
                 [0,1,1,0,0]])
>>> from scipy import ndimage
>>> ndimage.distance_transform_edt(a)
array([[ 0.   ,  1.   ,  1.4142,  2.2361,  3.   ],
       [ 0.   ,  0.   ,  1.   ,  2.   ,  2.   ],
       [ 0.   ,  1.   ,  1.4142,  1.4142,  1.   ]])
```

```
[ 0.    ,  1.    ,  1.4142,  1.    ,  0.    ],
 [ 0.    ,  1.    ,  1.    ,  0.    ,  0.    ]])
```

With a sampling of 2 units along x, 1 along y:

```
>>> ndimage.distance_transform_edt(a, sampling=[2,1])
array([[ 0.    ,  1.    ,  2.    ,  2.8284,  3.6056],
       [ 0.    ,  0.    ,  1.    ,  2.    ,  3.    ],
       [ 0.    ,  1.    ,  2.    ,  2.2361,  2.    ],
       [ 0.    ,  1.    ,  2.    ,  1.    ,  0.    ],
       [ 0.    ,  1.    ,  1.    ,  0.    ,  0.    ]])
```

Asking for indices as well:

```
>>> edt, inds = ndimage.distance_transform_edt(a, return_indices=True)
>>> inds
array([[0, 0, 1, 1, 3],
       [1, 1, 1, 1, 3],
       [2, 2, 1, 3, 3],
       [3, 3, 4, 4, 3],
       [4, 4, 4, 4, 4]],
      [[0, 0, 1, 1, 4],
       [0, 1, 1, 1, 4],
       [0, 0, 1, 4, 4],
       [0, 0, 3, 3, 4],
       [0, 0, 3, 3, 4]])
```

With arrays provided for inplace outputs:

```
>>> indices = np.zeros((np.rank(a,) + a.shape), dtype=np.int32)
>>> ndimage.distance_transform_edt(a, return_indices=True, indices=indices)
array([[ 0.    ,  1.    ,  1.4142,  2.2361,  3.    ],
       [ 0.    ,  0.    ,  1.    ,  2.    ,  2.    ],
       [ 0.    ,  1.    ,  1.4142,  1.4142,  1.    ],
       [ 0.    ,  1.    ,  1.4142,  1.    ,  0.    ],
       [ 0.    ,  1.    ,  1.    ,  0.    ,  0.    ]])
>>> indices
array([[0, 0, 1, 1, 3],
       [1, 1, 1, 1, 3],
       [2, 2, 1, 3, 3],
       [3, 3, 4, 4, 3],
       [4, 4, 4, 4, 4]],
      [[0, 0, 1, 1, 4],
       [0, 1, 1, 1, 4],
       [0, 0, 1, 4, 4],
       [0, 0, 3, 3, 4],
       [0, 0, 3, 3, 4]])
```

`scipy.ndimage.morphology.generate_binary_structure` (*rank, connectivity*)

Generate a binary structure for binary morphological operations.

Parameters **rank** : int

Number of dimensions of the array to which the structuring element will be applied, as returned by `np.ndim`.

connectivity : int

connectivity determines which elements of the output array belong to the structure, i.e. are considered as neighbors of the central element. Elements up to a squared distance of *connectivity* from the center are considered neighbors. *connectivity* may range from 1 (no diagonal elements are neighbors) to *rank* (all elements are neighbors).

Returns **output** : ndarray of bools
 Structuring element which may be used for binary morphological operations, with *rank* dimensions and all dimensions equal to 3.

See Also

`iterate_structure`, `binary_dilation`, `binary_erosion`

Notes

`generate_binary_structure` can only create structuring elements with dimensions equal to 3, i.e. minimal dimensions. For larger structuring elements, that are useful e.g. for eroding large objects, one may either use `iterate_structure`, or create directly custom arrays with numpy functions such as `numpy.ones`.

Examples

```
>>> struct = ndimage.generate_binary_structure(2, 1)
>>> struct
array([[False,  True,  False],
       [ True,  True,  True],
       [False,  True,  False]], dtype=bool)
>>> a = np.zeros((5,5))
>>> a[2, 2] = 1
>>> a
array([[ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  0.,  0.,  0.,  0.]])
>>> b = ndimage.binary_dilation(a, structure=struct).astype(a.dtype)
>>> b
array([[ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  1.,  1.,  1.,  0.],
       [ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  0.,  0.,  0.,  0.]])
>>> ndimage.binary_dilation(b, structure=struct).astype(a.dtype)
array([[ 0.,  0.,  1.,  0.,  0.],
       [ 0.,  1.,  1.,  1.,  0.],
       [ 1.,  1.,  1.,  1.,  1.],
       [ 0.,  1.,  1.,  1.,  0.],
       [ 0.,  0.,  1.,  0.,  0.]])
>>> struct = ndimage.generate_binary_structure(2, 2)
>>> struct
array([[ True,  True,  True],
       [ True,  True,  True],
       [ True,  True,  True]], dtype=bool)
>>> struct = ndimage.generate_binary_structure(3, 1)
>>> struct # no diagonal elements
array([[[False,  False,  False],
        [False,  True,  False],
        [False,  False,  False]],
       [[False,  True,  False],
        [ True,  True,  True],
        [False,  True,  False]],
       [[False,  False,  False],
        [False,  True,  False],
        [False,  False,  False]]], dtype=bool)
```

`scipy.ndimage.morphology.grey_closing` (*input*, *size=None*, *footprint=None*, *structure=None*, *output=None*, *mode='reflect'*, *cval=0.0*, *origin=0*)

Multi-dimensional greyscale closing.

A greyscale closing consists in the succession of a greyscale dilation, and a greyscale erosion.

Parameters

- input** : array_like
Array over which the greyscale closing is to be computed.
- size** : tuple of ints
Shape of a flat and full structuring element used for the greyscale closing. Optional if *footprint* or *structure* is provided.
- footprint** : array of ints, optional
Positions of non-infinite elements of a flat structuring element used for the greyscale closing.
- structure** : array of ints, optional
Structuring element used for the greyscale closing. *structure* may be a non-flat structuring element.
- output** : array, optional
An array used for storing the output of the closing may be provided.
- mode** : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional
The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'
- cval** : scalar, optional
Value to fill past edges of input if *mode* is 'constant'. Default is 0.0.
- origin** : scalar, optional
The *origin* parameter controls the placement of the filter. Default 0

Returns

- output** : ndarray
Result of the greyscale closing of *input* with *structure*.

See Also

`binary_closing`, `grey_dilation`, `grey_erosion`, `grey_opening`,
`generate_binary_structure`

Notes

The action of a greyscale closing with a flat structuring element amounts to smoothen deep local minima, whereas binary closing fills small holes.

References

[R65]

Examples

```
>>> a = np.arange(36).reshape((6, 6))
>>> a[3,3] = 0
>>> a
array([[ 0,  1,  2,  3,  4,  5],
       [ 6,  7,  8,  9, 10, 11],
       [12, 13, 14, 15, 16, 17],
       [18, 19, 20,  0, 22, 23],
       [24, 25, 26, 27, 28, 29],
       [30, 31, 32, 33, 34, 35]])
>>> ndimage.grey_closing(a, size=(3,3))
array([[ 7,  7,  8,  9, 10, 11],
       [ 7,  7,  8,  9, 10, 11],
       [13, 13, 14, 15, 16, 17],
```

```
[19, 19, 20, 20, 22, 23],
 [25, 25, 26, 27, 28, 29],
 [31, 31, 32, 33, 34, 35]])
>>> # Note that the local minimum a[3,3] has disappeared
```

`scipy.ndimage.morphology.grey_dilation` (*input*, *size=None*, *footprint=None*, *structure=None*, *output=None*, *mode='reflect'*, *cval=0.0*, *origin=0*)

Calculate a grayscale dilation, using either a structuring element, or a footprint corresponding to a flat structuring element.

Grayscale dilation is a mathematical morphology operation. For the simple case of a full and flat structuring element, it can be viewed as a maximum filter over a sliding window.

Parameters

- input** : array_like
Array over which the grayscale dilation is to be computed.
- size** : tuple of ints
Shape of a flat and full structuring element used for the grayscale dilation. Optional if *footprint* or *structure* is provided.
- footprint** : array of ints, optional
Positions of non-infinite elements of a flat structuring element used for the grayscale dilation. Non-zero values give the set of neighbors of the center over which the maximum is chosen.
- structure** : array of ints, optional
Structuring element used for the grayscale dilation. *structure* may be a non-flat structuring element.
- output** : array, optional
An array used for storing the output of the dilation may be provided.
- mode** : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional
The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'
- cval** : scalar, optional
Value to fill past edges of input if *mode* is 'constant'. Default is 0.0.
- origin** : scalar, optional
The *origin* parameter controls the placement of the filter. Default 0

Returns

- output** : ndarray
Grayscale dilation of *input*.

See Also

`binary_dilation`, `grey_erosion`, `grey_closing`, `grey_opening`,
`generate_binary_structure`, `ndimage.maximum_filter`

Notes

The grayscale dilation of an image input by a structuring element s defined over a domain E is given by:

$$(\text{input}+s)(x) = \max \{ \text{input}(y) + s(x-y), \text{ for } y \text{ in } E \}$$

In particular, for structuring elements defined as $s(y) = 0$ for y in E , the grayscale dilation computes the maximum of the input image inside a sliding window defined by E .

Grayscale dilation [R66] is a *mathematical morphology* operation [R67].

References

[R66], [R67]

Examples

```

>>> a = np.zeros((7,7), dtype=np.int)
>>> a[2:5, 2:5] = 1
>>> a[4,4] = 2; a[2,3] = 3
>>> a
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 1, 3, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 2, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0]])
>>> ndimage.grey_dilation(a, size=(3,3))
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 1, 3, 3, 3, 1, 0],
       [0, 1, 3, 3, 3, 1, 0],
       [0, 1, 3, 3, 3, 2, 0],
       [0, 1, 1, 2, 2, 2, 0],
       [0, 1, 1, 2, 2, 2, 0],
       [0, 0, 0, 0, 0, 0, 0]])
>>> ndimage.grey_dilation(a, footprint=np.ones((3,3)))
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 1, 3, 3, 3, 1, 0],
       [0, 1, 3, 3, 3, 1, 0],
       [0, 1, 3, 3, 3, 2, 0],
       [0, 1, 1, 2, 2, 2, 0],
       [0, 1, 1, 2, 2, 2, 0],
       [0, 0, 0, 0, 0, 0, 0]])
>>> s = ndimage.generate_binary_structure(2,1)
>>> s
array([[False,  True,  False],
       [ True,  True,  True],
       [False,  True,  False]], dtype=bool)
>>> ndimage.grey_dilation(a, footprint=s)
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 0, 1, 3, 1, 0, 0],
       [0, 1, 3, 3, 3, 1, 0],
       [0, 1, 1, 3, 2, 1, 0],
       [0, 1, 1, 2, 2, 2, 0],
       [0, 0, 1, 1, 2, 0, 0],
       [0, 0, 0, 0, 0, 0, 0]])
>>> ndimage.grey_dilation(a, size=(3,3), structure=np.ones((3,3)))
array([[1, 1, 1, 1, 1, 1, 1],
       [1, 2, 4, 4, 4, 2, 1],
       [1, 2, 4, 4, 4, 2, 1],
       [1, 2, 4, 4, 4, 3, 1],
       [1, 2, 2, 3, 3, 3, 1],
       [1, 2, 2, 3, 3, 3, 1],
       [1, 1, 1, 1, 1, 1, 1]])
    
```

`scipy.ndimage.morphology.grey_erosion` (*input*, *size=None*, *footprint=None*, *structure=None*, *output=None*, *mode='reflect'*, *cval=0.0*, *origin=0*)

Calculate a greyscale erosion, using either a structuring element, or a footprint corresponding to a flat structuring element.

Greyscale erosion is a mathematical morphology operation. For the simple case of a full and flat structuring element, it can be viewed as a minimum filter over a sliding window.

Parameters `input` : array_like

Array over which the grayscale erosion is to be computed.

size : tuple of ints

Shape of a flat and full structuring element used for the grayscale erosion. Optional if *footprint* or *structure* is provided.

footprint : array of ints, optional

Positions of non-infinite elements of a flat structuring element used for the grayscale erosion. Non-zero values give the set of neighbors of the center over which the minimum is chosen.

structure : array of ints, optional

Structuring element used for the grayscale erosion. *structure* may be a non-flat structuring element.

output : array, optional

An array used for storing the output of the erosion may be provided.

mode : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional

The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'

cval : scalar, optional

Value to fill past edges of input if *mode* is 'constant'. Default is 0.0.

origin : scalar, optional

The *origin* parameter controls the placement of the filter. Default 0

Returns

output : ndarray

Grayscale erosion of *input*.

See Also

`binary_erosion`, `grey_dilation`, `grey_opening`, `grey_closing`,
`generate_binary_structure`, `ndimage.minimum_filter`

Notes

The grayscale erosion of an image input by a structuring element s defined over a domain E is given by:

$$(\text{input} \ominus s)(x) = \min \{ \text{input}(y) - s(x-y), \text{ for } y \text{ in } E \}$$

In particular, for structuring elements defined as $s(y) = 0$ for y in E , the grayscale erosion computes the minimum of the input image inside a sliding window defined by E .

Grayscale erosion [R68] is a *mathematical morphology* operation [R69].

References

[R68], [R69]

Examples

```
>>> a = np.zeros((7,7), dtype=np.int)
>>> a[1:6, 1:6] = 3
>>> a[4,4] = 2; a[2,3] = 1
>>> a
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 3, 3, 3, 3, 3, 0],
       [0, 3, 3, 1, 3, 3, 0],
       [0, 3, 3, 3, 3, 3, 0],
       [0, 3, 3, 3, 2, 3, 0],
       [0, 3, 3, 3, 3, 3, 0],
       [0, 0, 0, 0, 0, 0, 0]])
>>> ndimage.grey_erosion(a, size=(3,3))
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
```

```

    [0, 0, 1, 1, 1, 0, 0],
    [0, 0, 1, 1, 1, 0, 0],
    [0, 0, 3, 2, 2, 0, 0],
    [0, 0, 0, 0, 0, 0, 0],
    [0, 0, 0, 0, 0, 0, 0]])
>>> footprint = ndimage.generate_binary_structure(2, 1)
>>> footprint
array([[False,  True,  False],
       [ True,  True,  True],
       [False,  True,  False]], dtype=bool)
>>> # Diagonally-connected elements are not considered neighbors
>>> ndimage.grey_erosion(a, size=(3,3), footprint=footprint)
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 3, 1, 2, 0, 0],
       [0, 0, 3, 2, 2, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0]])

```

`scipy.ndimage.morphology.grey_opening` (*input*, *size=None*, *footprint=None*, *structure=None*, *output=None*, *mode='reflect'*, *cval=0.0*, *origin=0*)

Multi-dimensional greyscale opening.

A greyscale opening consists in the succession of a greyscale erosion, and a greyscale dilation.

Parameters

- input** : array_like
Array over which the grayscale opening is to be computed.
- size** : tuple of ints
Shape of a flat and full structuring element used for the grayscale opening. Optional if *footprint* or *structure* is provided.
- footprint** : array of ints, optional
Positions of non-infinite elements of a flat structuring element used for the grayscale opening.
- structure** : array of ints, optional
Structuring element used for the grayscale opening. *structure* may be a non-flat structuring element.
- output** : array, optional
An array used for storing the output of the opening may be provided.
- mode** : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional
The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'
- cval** : scalar, optional
Value to fill past edges of input if *mode* is 'constant'. Default is 0.0.
- origin** : scalar, optional
The *origin* parameter controls the placement of the filter. Default 0

Returns

- output** : ndarray
Result of the grayscale opening of *input* with *structure*.

See Also

`binary_opening`, `grey_dilation`, `grey_erosion`, `grey_closing`,
`generate_binary_structure`

Notes

The action of a grayscale opening with a flat structuring element amounts to smoothen high local maxima, whereas binary opening erases small objects.

References[\[R70\]](#)**Examples**

```

>>> a = np.arange(36).reshape((6,6))
>>> a[3, 3] = 50
>>> a
array([[ 0,  1,  2,  3,  4,  5],
       [ 6,  7,  8,  9, 10, 11],
       [12, 13, 14, 15, 16, 17],
       [18, 19, 20, 50, 22, 23],
       [24, 25, 26, 27, 28, 29],
       [30, 31, 32, 33, 34, 35]])
>>> ndimage.grey_opening(a, size=(3,3))
array([[ 0,  1,  2,  3,  4,  4],
       [ 6,  7,  8,  9, 10, 10],
       [12, 13, 14, 15, 16, 16],
       [18, 19, 20, 22, 22, 22],
       [24, 25, 26, 27, 28, 28],
       [24, 25, 26, 27, 28, 28]])
>>> # Note that the local maximum a[3,3] has disappeared

```

`scipy.ndimage.morphology.iterate_structure` (*structure*, *iterations*, *origin=None*)
Iterate a structure by dilating it with itself.

Parameters

- structure** : array_like
Structuring element (an array of bools, for example), to be dilated with itself.
- iterations** : int
number of dilations performed on the structure with itself
- origin** : optional
If origin is None, only the iterated structure is returned. If not, a tuple of the iterated structure and the modified origin is returned.

Returns

- output** : ndarray of bools
A new structuring element obtained by dilating *structure* (*iterations* - 1) times with itself.

See Also[generate_binary_structure](#)**Examples**

```

>>> struct = ndimage.generate_binary_structure(2, 1)
>>> struct.astype(int)
array([[0, 1, 0],
       [1, 1, 1],
       [0, 1, 0]])
>>> ndimage.iterate_structure(struct, 2).astype(int)
array([[0, 0, 1, 0, 0],
       [0, 1, 1, 1, 0],
       [1, 1, 1, 1, 1],
       [0, 1, 1, 1, 0],
       [0, 0, 1, 0, 0]])
>>> ndimage.iterate_structure(struct, 3).astype(int)
array([[0, 0, 0, 1, 0, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 1, 1, 1, 1, 1, 0],

```

```
[1, 1, 1, 1, 1, 1, 1],
 [0, 1, 1, 1, 1, 1, 0],
 [0, 0, 1, 1, 1, 0, 0],
 [0, 0, 0, 1, 0, 0, 0]])
```

`scipy.ndimage.morphology.morphological_gradient` (*input*, *size=None*, *footprint=None*,
structure=None, *output=None*,
mode='reflect', *cval=0.0*, *origin=0*)

Multi-dimensional morphological gradient.

The morphological gradient is calculated as the difference between a dilation and an erosion of the input with a given structuring element.

Parameters

- input** : array_like
 Array over which to compute the morphological gradient.
- size** : tuple of ints
 Shape of a flat and full structuring element used for the mathematical morphology operations. Optional if *footprint* or *structure* is provided. A larger *size* yields a more blurred gradient.
- footprint** : array of ints, optional
 Positions of non-infinite elements of a flat structuring element used for the morphology operations. Larger footprints give a more blurred morphological gradient.
- structure** : array of ints, optional
 Structuring element used for the morphology operations. *structure* may be a non-flat structuring element.
- output** : array, optional
 An array used for storing the output of the morphological gradient may be provided.
- mode** : { 'reflect', 'constant', 'nearest', 'mirror', 'wrap' }, optional
 The *mode* parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'. Default is 'reflect'
- cval** : scalar, optional
 Value to fill past edges of input if *mode* is 'constant'. Default is 0.0.
- origin** : scalar, optional
 The *origin* parameter controls the placement of the filter. Default 0

Returns

- output** : ndarray
 Morphological gradient of *input*.

See Also

[grey_dilation](#), [grey_erosion](#), [ndimage.gaussian_gradient_magnitude](#)

Notes

For a flat structuring element, the morphological gradient computed at a given point corresponds to the maximal difference between elements of the input among the elements covered by the structuring element centered on the point.

References

[R71]

Examples

```
>>> a = np.zeros((7,7), dtype=np.int)
>>> a[2:5, 2:5] = 1
>>> ndimage.morphological_gradient(a, size=(3,3))
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 1, 1, 1, 1, 1, 0],
```

```

    [0, 1, 1, 1, 1, 1, 0],
    [0, 1, 1, 0, 1, 1, 0],
    [0, 1, 1, 1, 1, 1, 0],
    [0, 1, 1, 1, 1, 1, 0],
    [0, 0, 0, 0, 0, 0, 0]])
>>> # The morphological gradient is computed as the difference
>>> # between a dilation and an erosion
>>> ndimage.grey_dilation(a, size=(3,3)) -\
... ndimage.grey_erosion(a, size=(3,3))
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 1, 1, 1, 1, 1, 0],
       [0, 1, 1, 1, 1, 1, 0],
       [0, 1, 1, 0, 1, 1, 0],
       [0, 1, 1, 1, 1, 1, 0],
       [0, 1, 1, 1, 1, 1, 0],
       [0, 0, 0, 0, 0, 0, 0]])
>>> a = np.zeros((7,7), dtype=np.int)
>>> a[2:5, 2:5] = 1
>>> a[4,4] = 2; a[2,3] = 3
>>> a
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 1, 3, 1, 0, 0],
       [0, 0, 1, 1, 1, 0, 0],
       [0, 0, 1, 1, 2, 0, 0],
       [0, 0, 0, 0, 0, 0, 0],
       [0, 0, 0, 0, 0, 0, 0]])
>>> ndimage.morphological_gradient(a, size=(3,3))
array([[0, 0, 0, 0, 0, 0, 0],
       [0, 1, 3, 3, 3, 1, 0],
       [0, 1, 3, 3, 3, 1, 0],
       [0, 1, 3, 2, 3, 2, 0],
       [0, 1, 1, 2, 2, 2, 0],
       [0, 1, 1, 2, 2, 2, 0],
       [0, 0, 0, 0, 0, 0, 0]])

```

`scipy.ndimage.morphology.morphological_laplace` (*input*, *size=None*, *footprint=None*, *structure=None*, *output=None*, *mode='reflect'*, *cval=0.0*, *origin=0*)

Multi-dimensional morphological laplace.

Either a size or a footprint, or the structure must be provided. An output array can optionally be provided. The origin parameter controls the placement of the filter. The mode parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'.

`scipy.ndimage.morphology.white_tophat` (*input*, *size=None*, *footprint=None*, *structure=None*, *output=None*, *mode='reflect'*, *cval=0.0*, *origin=0*)

Multi-dimensional white tophat filter.

Either a size or a footprint, or the structure must be provided. An output array can optionally be provided. The origin parameter controls the placement of the filter. The mode parameter determines how the array borders are handled, where *cval* is the value when mode is equal to 'constant'.

5.17.6 Utility

`imread(fname[, flatten])` Load an image from file.

`scipy.ndimage.imread` (*fname*, *flatten=False*)

Load an image from file.

- Parameters**
- fname** : str
Image file name, e.g. `test.jpg`.
 - flatten** : bool, optional
If true, convert the output to grey-scale. Default is False.
- Returns**
- img_array** : ndarray
The different colour bands/channels are stored in the third dimension, such that a grey-image is $M \times N$, an RGB-image $M \times N \times 3$ and an RGBA-image $M \times N \times 4$.
- Raises**
- ImportError** :
If the Python Imaging Library (PIL) can not be imported.

5.18 Orthogonal distance regression (`scipy.odr`)

5.18.1 Package Content

<code>odr(fcn, beta0, y, x[, we, wd, fjacb, ...])</code>	
<code>ODR(data, model[, beta0, delta0, ifixb, ...])</code>	The ODR class gathers all information and coordinates the running of the
<code>Data(x[, y, we, wd, fix, meta])</code>	The Data class stores the data to fit.
<code>Model(fcn[, fjacb, fjacd, extra_args, ...])</code>	The Model class stores information about the function you wish to fit.
<code>Output(output)</code>	The Output class stores the output of an ODR run.
<code>RealData(x[, y, sx, sy, covx, covy, fix, meta])</code>	The RealData class stores the weightings as actual standard deviations
<code>odr_error</code>	
<code>odr_stop</code>	

`scipy.odr.odr` (*fcn*, *beta0*, *y*, *x*, *we=None*, *wd=None*, *fjacb=None*, *fjacd=None*, *extra_args=None*, *ifixx=None*, *ifixb=None*, *job=0*, *iprint=0*, *errfile=None*, *rptfile=None*, *ndigit=0*, *taufac=0.0*, *sstol=-1.0*, *partol=-1.0*, *maxit=-1*, *stpb=None*, *stpd=None*, *sclb=None*, *sclcd=None*, *work=None*, *iwork=None*, *full_output=0*)

class `scipy.odr.ODR` (*data*, *model*, *beta0=None*, *delta0=None*, *ifixb=None*, *ifixx=None*, *job=None*, *iprint=None*, *errfile=None*, *rptfile=None*, *ndigit=None*, *taufac=None*, *sstol=None*, *partol=None*, *maxit=None*, *stpb=None*, *stpd=None*, *sclb=None*, *sclcd=None*, *work=None*, *iwork=None*)

The ODR class gathers all information and coordinates the running of the main fitting routine.

Members of instances of the ODR class have the same names as the arguments to the initialization routine.

- Parameters**
- data** : Data class instance
instance of the Data class
 - model** : Model class instance
instance of the Model class
 - beta0** : array_like of rank-1
a rank-1 sequence of initial parameter values. Optional if model provides an “estimate” function to estimate these values.
 - delta0** : array_like of floats of rank-1, optional
a (double-precision) float array to hold the initial values of the errors in the input variables. Must be same shape as `data.x`
 - ifixb** : array_like of ints of rank-1, optional
sequence of integers with the same length as `beta0` that determines which parameters are held fixed. A value of 0 fixes the parameter, a value > 0 makes the parameter free.

- ifixx** : array_like of ints with same shape as data.x, optional
 an array of integers with the same shape as data.x that determines which input observations are treated as fixed. One can use a sequence of length m (the dimensionality of the input observations) to fix some dimensions for all observations. A value of 0 fixes the observation, a value > 0 makes it free.
- job** : int, optional
 an integer telling ODRPACK what tasks to perform. See p. 31 of the ODRPACK User's Guide if you absolutely must set the value here. Use the method `set_job` post-initialization for a more readable interface.
- iprint** : int, optional
 an integer telling ODRPACK what to print. See pp. 33-34 of the ODRPACK User's Guide if you absolutely must set the value here. Use the method `set_iprint` post-initialization for a more readable interface.
- errfile** : str, optional
 string with the filename to print ODRPACK errors to. *Do Not Open This File Yourself!*
- rptfile** : str, optional
 string with the filename to print ODRPACK summaries to. *Do Not Open This File Yourself!*
- ndigit** : int, optional
 integer specifying the number of reliable digits in the computation of the function.
- taufac** : float, optional
 float specifying the initial trust region. The default value is 1. The initial trust region is equal to `taufac` times the length of the first computed Gauss-Newton step. `taufac` must be less than 1.
- sstol** : float, optional
 float specifying the tolerance for convergence based on the relative change in the sum-of-squares. The default value is $\text{eps}^{**}(1/2)$ where `eps` is the smallest value such that $1 + \text{eps} > 1$ for double precision computation on the machine. `sstol` must be less than 1.
- partol** : float, optional
 float specifying the tolerance for convergence based on the relative change in the estimated parameters. The default value is $\text{eps}^{**}(2/3)$ for explicit models and $\text{eps}^{**}(1/3)$ for implicit models. `partol` must be less than 1.
- maxit** : int, optional
 integer specifying the maximum number of iterations to perform. For first runs, `maxit` is the total number of iterations performed and defaults to 50. For restarts, `maxit` is the number of additional iterations to perform and defaults to 10.
- stpb** : array_like, optional
 sequence ($\text{len}(\text{stpb}) == \text{len}(\text{beta0})$) of relative step sizes to compute finite difference derivatives wrt the parameters.
- stpd** : optional
 array ($\text{stpd.shape} == \text{data.x.shape}$ or $\text{stpd.shape} == (m,)$) of relative step sizes to compute finite difference derivatives wrt the input variable errors. If `stpd` is a rank-1 array with length m (the dimensionality of the input variable), then the values are broadcast to all observations.
- sclb** : array_like, optional
 sequence ($\text{len}(\text{stpb}) == \text{len}(\text{beta0})$) of scaling factors for the parameters. The purpose of these scaling factors are to scale all of the parameters to around unity. Normally appropriate scaling factors are computed if this argument is not specified. Specify them yourself if the automatic procedure goes awry.
- scl d** : array_like, optional
 array ($\text{scl d.shape} == \text{data.x.shape}$ or $\text{scl d.shape} == (m,)$) of scaling factors for the *errors* in the input variables. Again, these factors are automatically computed if you do not provide them. If $\text{scl d.shape} == (m,)$, then the scaling factors are broadcast to all observations.

work : ndarray, optional
 array to hold the double-valued working data for ODRPACK. When restarting, takes the value of self.output.work.

iwork : ndarray, optional
 array to hold the integer-valued working data for ODRPACK. When restarting, takes the value of self.output.iwork.

output : Output class instance
 an instance of the Output class containing all of the returned data from an invocation of ODR.run() or ODR.restart()

Methods

<code>restart([iter])</code>	Restarts the run with iter more iterations.
<code>run()</code>	Run the fitting routine with all of the information given.
<code>set_iprint([init, so_init, iter, so_iter, ...])</code>	Set the iprint parameter for the printing of computation reports.
<code>set_job([fit_type, deriv, var_calc, ...])</code>	Sets the “job” parameter in a hopefully comprehensible way.

ODR.**restart** (*iter=None*)

Restarts the run with iter more iterations.

Parameters **iter** : int, optional
 ODRPACK’s default for the number of new iterations is 10.

Returns **output** : Output instance
 This object is also assigned to the attribute .output .

ODR.**run** ()

Run the fitting routine with all of the information given.

Returns **output** : Output instance
 This object is also assigned to the attribute .output .

ODR.**set_iprint** (*init=None, so_init=None, iter=None, so_iter=None, iter_step=None, final=None, so_final=None*)

Set the iprint parameter for the printing of computation reports.

If any of the arguments are specified here, then they are set in the iprint member. If iprint is not set manually or with this method, then ODRPACK defaults to no printing. If no filename is specified with the member rptfile, then ODRPACK prints to stdout. One can tell ODRPACK to print to stdout in addition to the specified filename by setting the so_* arguments to this function, but one cannot specify to print to stdout but not a file since one can do that by not specifying a rptfile filename.

There are three reports: initialization, iteration, and final reports. They are represented by the arguments init, iter, and final respectively. The permissible values are 0, 1, and 2 representing “no report”, “short report”, and “long report” respectively.

The argument iter_step (0 <= iter_step <= 9) specifies how often to make the iteration report; the report will be made for every iter_step’th iteration starting with iteration one. If iter_step == 0, then no iteration report is made, regardless of the other arguments.

If the rptfile is None, then any so_* arguments supplied will raise an exception.

ODR.**set_job** (*fit_type=None, deriv=None, var_calc=None, del_init=None, restart=None*)

Sets the “job” parameter in a hopefully comprehensible way.

If an argument is not specified, then the value is left as is. The default value from class initialization is for all of these options set to 0.

Parameters **fit_type** : {0, 1, 2} int


```

0 -> explicit ODR
1 -> implicit ODR
2 -> ordinary least-squares
deriv : {0, 1, 2, 3} int
0 -> forward finite differences
1 -> central finite differences
2 -> user-supplied derivatives (Jacobians) with results
    checked by ODRPACK
3 -> user-supplied derivatives, no checking
var_calc : {0, 1, 2} int
0 -> calculate asymptotic covariance matrix and fit
    parameter uncertainties (V_B, s_B) using derivatives recomputed
    at the final solution
1 -> calculate V_B and s_B using derivatives from last iteration
2 -> do not calculate V_B and s_B
del_init : {0, 1} int
0 -> initial input variable offsets set to 0
1 -> initial offsets provided by user in variable "work"
restart : {0, 1} int
0 -> fit is not a restart
1 -> fit is a restart

```

Notes

The permissible values are different from those given on pg. 31 of the ODRPACK User's Guide only in that one cannot specify numbers greater than the last value for each variable.

If one does not supply functions to compute the Jacobians, the fitting procedure will change `deriv` to 0, finite differences, as a default. To initialize the input variable offsets by yourself, set `del_init` to 1 and put the offsets into the "work" variable correctly.

```
class scipy.odr.Data (x, y=None, we=None, wd=None, fix=None, meta={})
```

The Data class stores the data to fit.

Parameters **x** : array_like

Input data for regression.

y : array_like, optional

Input data for regression.

we : array_like, optional

If *we* is a scalar, then that value is used for all data points (and all dimensions of the response variable). If *we* is a rank-1 array of length *q* (the dimensionality of the response variable), then this vector is the diagonal of the covariant weighting matrix for all data points. If *we* is a rank-1 array of length *n* (the number of data points), then the *i*'th element is the weight for the *i*'th response variable observation (single-dimensional only). If *we* is a rank-2 array of shape (*q*, *q*), then this is the full covariant weighting matrix broadcast to each observation. If *we* is a rank-2 array of shape (*q*, *n*), then *we*[*:,i*] is the diagonal of the covariant weighting matrix for the *i*'th observation. If *we* is a rank-3 array of shape (*q*, *q*, *n*), then *we*[*,:,i*] is the full specification of the covariant weighting matrix for each observation. If the fit is implicit, then only a positive scalar value is used.

wd : array_like, optional

If *wd* is a scalar, then that value is used for all data points (and all dimensions of the input variable). If *wd* = 0, then the covariant weighting matrix for each observation is set to the identity matrix (so each dimension of each observation has the same weight). If *wd* is a rank-1 array of length *m* (the dimensionality of the input variable), then this vector is the diagonal of the covariant weighting matrix for all data points.

If *wd* is a rank-1 array of length *n* (the number of data points), then the *i*'th element is the weight for the *i*'th input variable observation (single-dimensional only). If *wd* is a rank-2 array of shape (*m*, *m*), then this is the full covariant weighting matrix broadcast to each observation. If *wd* is a rank-2 array of shape (*m*, *n*), then *wd[:,i]* is the diagonal of the covariant weighting matrix for the *i*'th observation. If *wd* is a rank-3 array of shape (*m*, *m*, *n*), then *wd[:, :, i]* is the full specification of the covariant weighting matrix for each observation.

fix : array_like of ints, optional

The *fix* argument is the same as *ifix* in the class ODR. It is an array of integers with the same shape as *data.x* that determines which input observations are treated as fixed. One can use a sequence of length *m* (the dimensionality of the input observations) to fix some dimensions for all observations. A value of 0 fixes the observation, a value > 0 makes it free.

meta : dict, optional

Freeform dictionary for metadata.

Notes

Each argument is attached to the member of the instance of the same name. The structures of *x* and *y* are described in the Model class docstring. If *y* is an integer, then the Data instance can only be used to fit with implicit models where the dimensionality of the response is equal to the specified value of *y*.

The *w* argument weights the effect a deviation in the response variable has on the fit. The *wd* argument weights the effect a deviation in the input variable has on the fit. To handle multidimensional inputs and responses easily, the structure of these arguments has the *n*'th dimensional axis first. These arguments heavily use the structured arguments feature of ODRPACK to conveniently and flexibly support all options. See the ODRPACK User's Guide for a full explanation of how these weights are used in the algorithm. Basically, a higher value of the weight for a particular data point makes a deviation at that point more detrimental to the fit.

Methods

`set_meta(**kws)` Update the metadata dictionary with the keywords and data provided by keywords.

`Data.set_meta(**kws)`

Update the metadata dictionary with the keywords and data provided by keywords.

Examples

```
data.set_meta(lab="Ph 7; Lab 26", title="Ag110 + Ag108 Decay")
```

```
class scipy.odr.Model(fcn, fjacb=None, fjacd=None, extra_args=None, estimate=None, implicit=0,
                    meta=None)
```

The Model class stores information about the function you wish to fit.

It stores the function itself, at the least, and optionally stores functions which compute the Jacobians used during fitting. Also, one can provide a function that will provide reasonable starting values for the fit parameters possibly given the set of data.

Parameters

fcn : function

`fcn(beta, x) -> y`

fjacb : function

Jacobian of *fcn* wrt the fit parameters *beta*.

`fjacb(beta, x) -> @f_i(x,B)/@B_j`

fjacd : function

Jacobian of *fcn* wrt the (possibly multidimensional) input variable.

`fjacd(beta, x) -> @f_i(x,B)/@x_j`

extra_args : tuple, optional

If specified, *extra_args* should be a tuple of extra arguments to pass to *fcn*, *fjacb*, and *fjacd*. Each will be called by *apply(fcn, (beta, x) + extra_args)*

estimate : array_like of rank-1

Provides estimates of the fit parameters from the data
estimate(data) → estbeta

implicit : boolean

If TRUE, specifies that the model is implicit; i.e. $fcn(beta, x) \approx 0$ and there is no y data to fit against

meta : dict, optional

freeform dictionary of metadata for the model

Notes

Note that the *fcn*, *fjacb*, and *fjacd* operate on NumPy arrays and return a NumPy array. The *estimate* object takes an instance of the Data class.

Here are the rules for the shapes of the argument and return arrays :

***x* – if the input data is single-dimensional, then *x* is rank-1**

array; i.e. $x = \text{array}([1, 2, 3, \dots])$; $x.\text{shape} = (n,)$ If the input data is multi-dimensional, then *x* is a rank-2 array; i.e., $x = \text{array}([[1, 2, \dots], [2, 4, \dots]])$; $x.\text{shape} = (m, n)$ In all cases, it has the same shape as the input data array passed to *odr*(). *m* is the dimensionality of the input data, *n* is the number of observations.

***y* – if the response variable is single-dimensional, then *y* is a**

rank-1 array, i.e., $y = \text{array}([2, 4, \dots])$; $y.\text{shape} = (n,)$ If the response variable is multi-dimensional, then *y* is a rank-2 array, i.e., $y = \text{array}([[2, 4, \dots], [3, 6, \dots]])$; $y.\text{shape} = (q, n)$ where *q* is the dimensionality of the response variable.

***beta* – rank-1 array of length *p* where *p* is the number of parameters;**

i.e. $\text{beta} = \text{array}([B_1, B_2, \dots, B_p])$

***fjacb* – if the response variable is multi-dimensional, then the**

return array's shape is (*q*, *p*, *n*) such that $\text{fjacb}(x, \text{beta})[l, k, i] = @f_l(X, B) / @B_k$ evaluated at the *i*'th data point. If $q == 1$, then the return array is only rank-2 and with shape (*p*, *n*).

***fjacd* – as with *fjacb*, only the return array's shape is (*q*, *m*, *n*)**

such that $\text{fjacd}(x, \text{beta})[l, j, i] = @f_l(X, B) / @X_j$ at the *i*'th data point. If $q == 1$, then the return array's shape is (*m*, *n*). If $m == 1$, the shape is (*q*, *n*). If $m == q == 1$, the shape is (*n*).

Methods

`set_meta(**kwds)` Update the metadata dictionary with the keywords and data provided here.

`Model.set_meta (**kwds)`

Update the metadata dictionary with the keywords and data provided here.

Examples

```
set_meta(name="Exponential", equation="y = a exp(b x) + c")
```

class `scipy.odr.Output` (*output*)

The Output class stores the output of an ODR run.

Takes one argument for initialization, the return value from the function `odr`.

Notes

The attributes listed as “optional” above are only present if `odr` was run with `full_output=1`.

Attributes

beta	(ndarray) Estimated parameter values, of shape (q).
sd_beta	(ndarray) Standard errors of the estimated parameters, of shape (p).
cov_beta	(ndarray) Covariance matrix of the estimated parameters, of shape (p,p).
delta	(ndarray, optional) Array of estimated errors in input variables, of same shape as x.
eps	(ndarray, optional) Array of estimated errors in response variables, of same shape as y.
xplus	(ndarray, optional) Array of x + delta.
y	(ndarray, optional) Array y = fcn(x + delta).
res_var	(float, optional) Residual variance.
sum_square	(float, optional) Sum of squares error.
sum_square_delta	(float, optional) Sum of squares of delta error.
sum_square_eps	(float, optional) Sum of squares of eps error.
inv_condnum	(float, optional) Inverse condition number (cf. ODRPACK UG p. 77).
rel_error	(float, optional) Relative error in function values computed within fcn.
work	(ndarray, optional) Final work array.
work_ind	(dict, optional) Indices into work for drawing out values (cf. ODRPACK UG p. 83).
info	(int, optional) Reason for returning, as output by ODRPACK (cf. ODRPACK UG p. 38).
stopreason	(list of str, optional) info interpreted into English.

Methods

pprint() Pretty-print important results.

Output `.pprint()`

Pretty-print important results.

`class scipy.odr.RealData(x, y=None, sx=None, sy=None, covx=None, covy=None, fix=None, meta={})`

The RealData class stores the weightings as actual standard deviations and/or covariances.

Parameters

- x** : array_like
x
- y** : array_like, optional
y
- sx, sy** : array_like, optional
Standard deviations of x. sx are standard deviations of x and are converted to weights by dividing 1.0 by their squares.
- sy** : array_like, optional
Standard deviations of y. sy are standard deviations of y and are converted to weights by dividing 1.0 by their squares.
- covx** : array_like, optional
Covariance of x covx is an array of covariance matrices of x and are converted to weights by performing a matrix inversion on each observation's covariance matrix.
- covy** : array_like, optional
Covariance of y covy is an array of covariance matrices and are converted to weights by performing a matrix inversion on each observation's covariance matrix.
- fix** : array_like
The argument and member fix is the same as Data.fix and ODR.ifixx: It is an array of integers with the same shape as x that determines which input observations are treated as fixed. One can use a sequence of length m (the dimensionality of the input observations) to fix some dimensions for all observations. A value of 0 fixes the observation, a value > 0 makes it free.

meta : dict
Meta

Notes

The weights needed for ODRPACK are generated on-the-fly with `__getattr__` trickery.

`sx` and `sy` are converted to weights by dividing 1.0 by their squares. For example, `wd = 1./numpy.power('sx', 2)`.

`covx` and `covy` are arrays of covariance matrices and are converted to weights by performing a matrix inversion on each observation's covariance matrix. For example, `we[i] = numpy.linalg.inv(covy[i])`.

These arguments follow the same structured argument conventions as `wd` and `we` only restricted by their natures: `sx` and `sy` can't be rank-3, but `covx` and `covy` can be.

Only set *either* `sx` or `covx` (not both). Setting both will raise an exception. Same with `sy` and `covy`.

Methods

`set_meta(**kws)` Update the metadata dictionary with the keywords and data provided by keywords.

`RealData.set_meta(**kws)`

Update the metadata dictionary with the keywords and data provided by keywords.

Examples

```
data.set_meta(lab="Ph 7; Lab 26", title="Ag110 + Ag108 Decay")
```

exception `scipy.odr.odr_error`

exception `scipy.odr.odr_stop`

5.18.2 Usage information

Introduction

Why Orthogonal Distance Regression (ODR)? Sometimes one has measurement errors in the explanatory (a.k.a., “independent”) variable(s), not just the response (a.k.a., “dependent”) variable(s). Ordinary Least Squares (OLS) fitting procedures treat the data for explanatory variables as fixed, i.e., not subject to error of any kind. Furthermore, OLS procedures require that the response variables be an explicit function of the explanatory variables; sometimes making the equation explicit is impractical and/or introduces errors. ODR can handle both of these cases with ease, and can even reduce to the OLS case if that is sufficient for the problem.

ODRPACK is a FORTRAN-77 library for performing ODR with possibly non-linear fitting functions. It uses a modified trust-region Levenberg-Marquardt-type algorithm [R264] to estimate the function parameters. The fitting functions are provided by Python functions operating on NumPy arrays. The required derivatives may be provided by Python functions as well, or may be estimated numerically. ODRPACK can do explicit or implicit ODR fits, or it can do OLS. Input and output variables may be multi-dimensional. Weights can be provided to account for different variances of the observations, and even covariances between dimensions of the variables.

`odr` provides two interfaces: a single function, and a set of high-level classes that wrap that function; please refer to their docstrings for more information. While the docstring of the function `odr` does not have a full explanation of its arguments, the classes do, and arguments of the same name usually have the same requirements. Furthermore, the user is urged to at least skim the [ODRPACK User's Guide](#) - “Know Thy Algorithm.”

Use

See the docstrings of `odr.odrpack` and the functions and classes for usage instructions. The ODRPACK User's Guide (linked above) is also quite helpful.

References

5.19 Optimization and root finding (`scipy.optimize`)

5.19.1 Optimization

General-purpose

<code>minimize</code> (<code>fun</code> , <code>x0</code> [, <code>args</code> , <code>method</code> , <code>jac</code> , <code>hess</code> , ...])	Minimization of scalar function of one or more variables.
<code>fmin</code> (<code>func</code> , <code>x0</code> [, <code>args</code> , <code>xtol</code> , <code>ftol</code> , <code>maxiter</code> , ...])	Minimize a function using the downhill simplex algorithm.
<code>fmin_powell</code> (<code>func</code> , <code>x0</code> [, <code>args</code> , <code>xtol</code> , <code>ftol</code> , ...])	Minimize a function using modified Powell's method. This method
<code>fmin_cg</code> (<code>f</code> , <code>x0</code> [, <code>fprime</code> , <code>args</code> , <code>gtol</code> , <code>norm</code> , ...])	Minimize a function using a nonlinear conjugate gradient algorithm.
<code>fmin_bfgs</code> (<code>f</code> , <code>x0</code> [, <code>fprime</code> , <code>args</code> , <code>gtol</code> , <code>norm</code> , ...])	Minimize a function using the BFGS algorithm.
<code>fmin_ncg</code> (<code>f</code> , <code>x0</code> , <code>fprime</code> [, <code>fhess_p</code> , <code>fhess</code> , ...])	Unconstrained minimization of a function using the Newton-CG method.
<code>leastsq</code> (<code>func</code> , <code>x0</code> [, <code>args</code> , <code>Dfun</code> , <code>full_output</code> , ...])	Minimize the sum of squares of a set of equations.

`scipy.optimize.minimize` (*fun*, *x0*, *args*=(), *method*='BFGS', *jac*=None, *hess*=None, *hessp*=None, *bounds*=None, *constraints*=(), *tol*=None, *callback*=None, *options*=None)
 Minimization of scalar function of one or more variables. New in version 0.11.0.

Parameters

- fun** : callable
Objective function.
- x0** : ndarray
Initial guess.
- args** : tuple, optional
Extra arguments passed to the objective function and its derivatives (Jacobian, Hessian).
- method** : str, optional
Type of solver. Should be one of
 - 'Nelder-Mead'
 - 'Powell'
 - 'CG'
 - 'BFGS'
 - 'Newton-CG'
 - 'Anneal'
 - 'L-BFGS-B'
 - 'TNC'
 - 'COBYLA'
 - 'SLSQP'
- jac** : bool or callable, optional
Jacobian of objective function. Only for CG, BFGS, Newton-CG. If *jac* is a Boolean and is True, *fun* is assumed to return the value of Jacobian along with the objective function. If False, the Jacobian will be estimated numerically. *jac* can also be a callable returning the Jacobian of the objective. In this case, it must accept the same arguments as *fun*.
- hess, hessp** : callable, optional

Hessian of objective function or Hessian of objective function times an arbitrary vector p . Only for Newton-CG. Only one of *hessp* or *hess* needs to be given. If *hess* is provided, then *hessp* will be ignored. If neither *hess* nor *hessp* is provided, then the hessian product will be approximated using finite differences on *jac*. *hessp* must compute the Hessian times an arbitrary vector.

bounds : sequence, optional

Bounds for variables (only for L-BFGS-B, TNC, COBYLA and SLSQP). (*min*, *max*) pairs for each element in x , defining the bounds on that parameter. Use *None* for one of *min* or *max* when there is no bound in that direction.

constraints : dict or sequence of dict, optional

Constraints definition (only for COBYLA and SLSQP). Each constraint is defined in a dictionary with fields:

type	[str] Constraint type: 'eq' for equality, 'ineq' for inequality.
fun	[callable] The function defining the constraint.
jac	[callable, optional] The Jacobian of <i>fun</i> (only for SLSQP).
args	[sequence, optional] Extra arguments to be passed to the function and Jacobian.

Equality constraint means that the constraint function result is to be zero whereas inequality means that it is to be non-negative. Note that COBYLA only supports inequality constraints.

tol : float, optional

Tolerance for termination. For detailed control, use solver-specific options.

options : dict, optional

A dictionary of solver options. All methods accept the following generic options:

maxiter	[int] Maximum number of iterations to perform.
disp	[bool] Set to True to print convergence messages.

For method-specific options, see *show_options('minimize', method)*.

callback : callable, optional

Called after each iteration, as *callback(xk)*, where xk is the current parameter vector.

Returns **res** : Result

The optimization result represented as a *Result* object. Important attributes are: x the solution array, *success* a Boolean flag indicating if the optimizer exited successfully and *message* which describes the cause of the termination. See *Result* for a description of other attributes.

See Also

[*minimize_scalar*](#)

Interface to minimization algorithms for scalar univariate functions.

Notes

This section describes the available solvers that can be selected by the 'method' parameter. The default method is *BFGS*.

Unconstrained minimization

Method *Nelder-Mead* uses the Simplex algorithm [R79], [R80]. This algorithm has been successful in many applications but other algorithms using the first and/or second derivatives information might be preferred for their better performances and robustness in general.

Method *Powell* is a modification of Powell's method [R81], [R82] which is a conjugate direction method. It performs sequential one-dimensional minimizations along each vector of the directions set (*direc* field in *options* and *info*), which is updated at each iteration of the main minimization loop. The function need not be differentiable, and no derivatives are taken.

Method *CG* uses a nonlinear conjugate gradient algorithm by Polak and Ribiere, a variant of the Fletcher-Reeves method described in [R83] pp. 120-122. Only the first derivatives are used.

Method *BFGS* uses the quasi-Newton method of Broyden, Fletcher, Goldfarb, and Shanno (BFGS) [R83] pp. 136. It uses the first derivatives only. BFGS has proven good performance even for non-smooth optimizations

Method *Newton-CG* uses a Newton-CG algorithm [R83] pp. 168 (also known as the truncated Newton method). It uses a CG method to compute the search direction. See also *TNC* method for a box-constrained minimization with a similar algorithm.

Method *Anneal* uses simulated annealing, which is a probabilistic metaheuristic algorithm for global optimization. It uses no derivative information from the function being optimized.

Constrained minimization

Method *L-BFGS-B* uses the L-BFGS-B algorithm [R84], [R85] for bound constrained minimization.

Method *TNC* uses a truncated Newton algorithm [R83], [R86] to minimize a function with variables subject to bounds. This algorithm uses gradient information; it is also called Newton Conjugate-Gradient. It differs from the *Newton-CG* method described above as it wraps a C implementation and allows each variable to be given upper and lower bounds.

Method *COBYLA* uses the Constrained Optimization BY Linear Approximation (COBYLA) method [R87], ¹, ². The algorithm is based on linear approximations to the objective function and each constraint. The method wraps a FORTRAN implementation of the algorithm.

Method *SLSQP* uses Sequential Least Squares Programming to minimize a function of several variables with any combination of bounds, equality and inequality constraints. The method wraps the SLSQP Optimization subroutine originally implemented by Dieter Kraft ³.

References

[R79], [R80], [R81], [R82], [R83], [R84], [R85], [R86], [R87], ¹⁰, ¹¹, ¹²

Examples

Let us consider the problem of minimizing the Rosenbrock function. This function (and its respective derivatives) is implemented in `rosen` (resp. `rosen_der`, `rosen_hess`) in the `scipy.optimize`.

```
>>> from scipy.optimize import minimize, rosen, rosen_der
```

A simple application of the *Nelder-Mead* method is:

```
>>> x0 = [1.3, 0.7, 0.8, 1.9, 1.2]
>>> res = minimize(rosen, x0, method='Nelder-Mead')
>>> res.x
[ 1.  1.  1.  1.  1.]
```

Now using the *BFGS* algorithm, using the first derivative and a few options:

```
>>> res = minimize(rosen, x0, method='BFGS', jac=rosen_der,
...               options={'gtol': 1e-6, 'disp': True})
Optimization terminated successfully.
    Current function value: 0.000000
    Iterations: 52
    Function evaluations: 64
    Gradient evaluations: 64
```

¹ Powell M J D. Direct search algorithms for optimization calculations. 1998. Acta Numerica 7: 287-336.

² Powell M J D. A view of algorithms for optimization without derivatives. 2007. Cambridge University Technical Report DAMTP 2007/NA03

³ Kraft, D. A software package for sequential quadratic programming. 1988. Tech. Rep. DFVLR-FB 88-28, DLR German Aerospace Center – Institute for Flight Mechanics, Koln, Germany.


```
>>> res.x
[ 1.  1.  1.  1.  1.]
>>> print res.message
Optimization terminated successfully.
>>> res.hess
[[ 0.00749589  0.01255155  0.02396251  0.04750988  0.09495377]
 [ 0.01255155  0.02510441  0.04794055  0.09502834  0.18996269]
 [ 0.02396251  0.04794055  0.09631614  0.19092151  0.38165151]
 [ 0.04750988  0.09502834  0.19092151  0.38341252  0.7664427 ]
 [ 0.09495377  0.18996269  0.38165151  0.7664427  1.53713523]]
```

Next, consider a minimization problem with several constraints (namely Example 16.4 from [R83]). The objective function is:

```
>>> fun = lambda x: (x[0] - 1)**2 + (x[1] - 2.5)**2
```

There are three constraints defined as:

```
>>> cons = ({'type': 'ineq', 'fun': lambda x: x[0] - 2 * x[1] + 2},
...         {'type': 'ineq', 'fun': lambda x: -x[0] - 2 * x[1] + 6},
...         {'type': 'ineq', 'fun': lambda x: -x[0] + 2 * x[1] + 2})
```

And variables must be positive, hence the following bounds:

```
>>> bnds = ((0, None), (0, None))
```

The optimization problem is solved using the SLSQP method as:

```
>>> res = minimize(fun, (2, 0), method='SLSQP', bounds=bnds,
...               constraints=cons)
```

It should converge to the theoretical solution (1.4, 1.7).

```
scipy.optimize.fmin(func, x0, args=(), xtol=0.0001, ftol=0.0001, maxiter=None, maxfun=None,
                    full_output=0, disp=1, retall=0, callback=None)
```

Minimize a function using the downhill simplex algorithm.

This algorithm only uses function values, not derivatives or second derivatives.

Parameters

- func** : callable func(x,*args)
The objective function to be minimized.
- x0** : ndarray
Initial guess.
- args** : tuple, optional
Extra arguments passed to func, i.e. $f(x, *args)$.
- callback** : callable, optional
Called after each iteration, as callback(xk), where xk is the current parameter vector.
- xtol** : float, optional
Relative error in xopt acceptable for convergence.
- ftol** : number, optional
Relative error in func(xopt) acceptable for convergence.
- maxiter** : int, optional
Maximum number of iterations to perform.
- maxfun** : number, optional
Maximum number of function evaluations to make.
- full_output** : bool, optional
Set to True if fopt and warnflag outputs are desired.
- disp** : bool, optional
Set to True to print convergence messages.

Returns

- retall** : bool, optional
Set to True to return list of solutions at each iteration.
- xopt** : ndarray
Parameter that minimizes function.
- fopt** : float
Value of function at minimum: $f_{opt} = \text{func}(x_{opt})$.
- iter** : int
Number of iterations performed.
- funcalls** : int
Number of function calls made.
- warnflag** : int
1 : Maximum number of function evaluations made. 2 : Maximum number of iterations reached.
- allvecs** : list
Solution at each iteration.

See Also

minimize Interface to minimization algorithms for multivariate functions. See the ‘Nelder-Mead’ *method* in particular.

Notes

Uses a Nelder-Mead simplex algorithm to find the minimum of function of one or more variables.

This algorithm has a long history of successful use in applications. But it will usually be slower than an algorithm that uses first or second derivative information. In practice it can have poor performance in high-dimensional problems and is not robust to minimizing complicated functions. Additionally, there currently is no complete theory describing when the algorithm will successfully converge to the minimum, or how fast it will if it does.

References

[R76], [R77]

`scipy.optimize.fmin_powell` (*func*, *x0*, *args*=(), *xtol*=0.0001, *ftol*=0.0001, *maxiter*=None, *maxfun*=None, *full_output*=0, *disp*=1, *retall*=0, *callback*=None, *direction*=None)

Minimize a function using modified Powell’s method. This method only uses function values, not derivatives.

Parameters

- func** : callable $f(x, *args)$
Objective function to be minimized.
- x0** : ndarray
Initial guess.
- args** : tuple, optional
Extra arguments passed to *func*.
- callback** : callable, optional
An optional user-supplied function, called after each iteration. Called as `callback(xk)`, where *xk* is the current parameter vector.
- direc** : ndarray, optional
Initial direction set.
- xtol** : float, optional
Line-search error tolerance.
- ftol** : float, optional
Relative error in $\text{func}(x_{opt})$ acceptable for convergence.
- maxiter** : int, optional
Maximum number of iterations to perform.
- maxfun** : int, optional

Maximum number of function evaluations to make.

full_output : bool, optional
If True, fopt, xi, direc, iter, funcalls, and warnflag are returned.

disp : bool, optional
If True, print convergence messages.

retall : bool, optional
If True, return a list of the solution at each iteration.

Returns **xopt** : ndarray
Parameter which minimizes *func*.

fopt : number
Value of function at minimum: $f_{opt} = func(x_{opt})$.

direc : ndarray
Current direction set.

iter : int
Number of iterations.

funcalls : int
Number of function calls made.

warnflag : int
Integer warning flag:
1 : Maximum number of function evaluations. 2 : Maximum number of iterations.

allvecs : list
List of solutions at each iteration.

See Also

minimize Interface to unconstrained minimization algorithms for multivariate functions. See the ‘Powell’ *method* in particular.

Notes

Uses a modification of Powell’s method to find the minimum of a function of N variables. Powell’s method is a conjugate direction method.

The algorithm has two loops. The outer loop merely iterates over the inner loop. The inner loop minimizes over each current direction in the direction set. At the end of the inner loop, if certain conditions are met, the direction that gave the largest decrease is dropped and replaced with the difference between the current estimated x and the estimated x from the beginning of the inner-loop.

The technical conditions for replacing the direction of greatest increase amount to checking that

- 1.No further gain can be made along the direction of greatest increase from that iteration.
- 2.The direction of greatest increase accounted for a large sufficient fraction of the decrease in the function value from that iteration of the inner loop.

References

Powell M.J.D. (1964) An efficient method for finding the minimum of a function of several variables without calculating derivatives, *Computer Journal*, 7 (2):155-162.

Press W., Teukolsky S.A., Vetterling W.T., and Flannery B.P.: *Numerical Recipes* (any edition), Cambridge University Press

```
scipy.optimize.fmin_cg(f, x0, fprime=None, args=(), gtol=1e-05, norm=inf,
epsilon=1.4901161193847656e-08, maxiter=None, full_output=0, disp=1,
retall=0, callback=None)
```

Minimize a function using a nonlinear conjugate gradient algorithm.

- Parameters**
- f** : callable, $f(x, *args)$
Objective function to be minimized. Here x must be a 1-D array of the variables that are to be changed in the search for a minimum, and $args$ are the other (fixed) parameters of f .
 - x0** : ndarray
A user-supplied initial estimate of x_{opt} , the optimal value of x . It must be a 1-D array of values.
 - fprime** : callable, $fprime(x, *args)$, optional
A function that returns the gradient of f at x . Here x and $args$ are as described above for f . The returned value must be a 1-D array. Defaults to None, in which case the gradient is approximated numerically (see *epsilon*, below).
 - args** : tuple, optional
Parameter values passed to f and $fprime$. Must be supplied whenever additional fixed parameters are needed to completely specify the functions f and $fprime$.
 - gtol** : float, optional
Stop when the norm of the gradient is less than $gtol$.
 - norm** : float, optional
Order to use for the norm of the gradient ($-np.Inf$ is min, $np.Inf$ is max).
 - epsilon** : float or ndarray, optional
Step size(s) to use when $fprime$ is approximated numerically. Can be a scalar or a 1-D array. Defaults to $\sqrt{\text{eps}}$, with eps the floating point machine precision. Usually $\sqrt{\text{eps}}$ is about $1.5e-8$.
 - maxiter** : int, optional
Maximum number of iterations to perform. Default is $200 * \text{len}(x0)$.
 - full_output** : bool, optional
If True, return f_{opt} , $func_calls$, $grad_calls$, and $warnflag$ in addition to x_{opt} . See the Returns section below for additional information on optional return values.
 - disp** : bool, optional
If True, return a convergence message, followed by x_{opt} .
 - retall** : bool, optional
If True, add to the returned values the results of each iteration.
 - callback** : callable, optional
An optional user-supplied function, called after each iteration. Called as $callback(xk)$, where xk is the current value of $x0$.
- Returns**
- xopt** : ndarray
Parameters which minimize f , i.e. $f(x_{opt}) == f_{opt}$.
 - fopt** : float, optional
Minimum value found, $f(x_{opt})$. Only returned if *full_output* is True.
 - func_calls** : int, optional
The number of function_calls made. Only returned if *full_output* is True.
 - grad_calls** : int, optional
The number of gradient calls made. Only returned if *full_output* is True.
 - warnflag** : int, optional
Integer value with warning status, only returned if *full_output* is True.
0 : Success.
1 : The maximum number of iterations was exceeded.
2 [Gradient and/or function calls were not changing. May indicate] that precision was lost, i.e., the routine did not converge.
 - allvecs** : list of ndarray, optional
List of arrays, containing the results at each iteration. Only returned if *retall* is True.

See Also

minimize common interface to all `scipy.optimize` algorithms for unconstrained and constrained minimization of multivariate functions. It provides an alternative way to call `fmin_cg`, by specifying `method='CG'`.

Notes

This conjugate gradient algorithm is based on that of Polak and Ribiere [R78].

Conjugate gradient methods tend to work better when:

1. f has a unique global minimizing point, and no local minima or other stationary points,
2. f is, at least locally, reasonably well approximated by a quadratic function of the variables,
3. f is continuous and has a continuous gradient,
4. f 's prime is not too large, e.g., has a norm less than 1000,
5. The initial guess, x_0 , is reasonably close to f 's global minimizing point, x_{opt} .

References

[R78]

Examples

Example 1: seek the minimum value of the expression $a*u**2 + b*u*v + c*v**2 + d*u + e*v + f$ for given values of the parameters and an initial guess $(u, v) = (0, 0)$.

```
>>> args = (2, 3, 7, 8, 9, 10) # parameter values
>>> def f(x, *args):
...     u, v = x
...     a, b, c, d, e, f = args
...     return a*u**2 + b*u*v + c*v**2 + d*u + e*v + f
>>> def gradf(x, *args):
...     u, v = x
...     a, b, c, d, e, f = args
...     gu = 2*a*u + b*v + d # u-component of the gradient
...     gv = b*u + 2*c*v + e # v-component of the gradient
...     return np.asarray((gu, gv))
>>> x0 = np.asarray((0, 0)) # Initial guess.
>>> from scipy import optimize
>>> res1 = optimize.fmin_cg(f, x0, fprime=gradf, args=args)
>>> print 'res1 = ', res1
Optimization terminated successfully.
    Current function value: 1.617021
    Iterations: 2
    Function evaluations: 5
    Gradient evaluations: 5
res1 = [-1.80851064 -0.25531915]
```

Example 2: solve the same problem using the `minimize` function. (This `myopts` dictionary shows all of the available options, although in practice only non-default values would be needed. The returned value will be a dictionary.)

```
>>> opts = {'maxiter' : None, # default value.
...         'disp' : True, # non-default value.
...         'gtol' : 1e-5, # default value.
...         'norm' : np.inf, # default value.
...         'eps' : 1.4901161193847656e-08} # default value.
```

```
>>> res2 = optimize.minimize(f, x0, jac=gradf, args=args,
...                          method='CG', options=opts)
Optimization terminated successfully.
    Current function value: 1.617021
    Iterations: 2
    Function evaluations: 5
    Gradient evaluations: 5
>>> res2.x # minimum found
array([-1.80851064 -0.25531915])
```

```
scipy.optimize.fmin_bfgs(f, x0, fprime=None, args=(), gtol=1e-05, norm=inf,
                        epsilon=1.4901161193847656e-08, maxiter=None, full_output=0,
                        disp=1, retall=0, callback=None)
```

Minimize a function using the BFGS algorithm.

Parameters

- f** : callable f(x,*args)
Objective function to be minimized.
- x0** : ndarray
Initial guess.
- fprime** : callable f'(x,*args), optional
Gradient of f.
- args** : tuple, optional
Extra arguments passed to f and fprime.
- gtol** : float, optional
Gradient norm must be less than gtol before succesful termination.
- norm** : float, optional
Order of norm (Inf is max, -Inf is min)
- epsilon** : int or ndarray, optional
If fprime is approximated, use this value for the step size.
- callback** : callable, optional
An optional user-supplied function to call after each iteration. Called as callback(xk), where xk is the current parameter vector.
- maxiter** : int, optional
Maximum number of iterations to perform.
- full_output** : bool, optional
If True,return fopt, func_calls, grad_calls, and warnflag in addition to xopt.
- disp** : bool, optional
Print convergence message if True.
- retall** : bool, optional
Return a list of results at each iteration if True.

Returns

- xopt** : ndarray
Parameters which minimize f, i.e. f(xopt) == fopt.
- fopt** : float
Minimum value.
- gopt** : ndarray
Value of gradient at minimum, f'(xopt), which should be near 0.
- Bopt** : ndarray
Value of 1/f''(xopt), i.e. the inverse hessian matrix.
- func_calls** : int
Number of function_calls made.
- grad_calls** : int
Number of gradient calls made.
- warnflag** : integer
1 : Maximum number of iterations exceeded. 2 : Gradient and/or function calls not changing.

allvecs : list

Results at each iteration. Only returned if `retall` is `True`.

See Also

minimize Interface to minimization algorithms for multivariate functions. See the ‘BFGS’ *method* in particular.

Notes

Optimize the function, `f`, whose gradient is given by `fprime` using the quasi-Newton method of Broyden, Fletcher, Goldfarb, and Shanno (BFGS)

References

Wright, and Nocedal ‘Numerical Optimization’, 1999, pg. 198.

```
scipy.optimize.fmin_ncg(f, x0, fprime, fhess_p=None, fhess=None, args=(), avextol=1e-05,
                        epsilon=1.4901161193847656e-08, maxiter=None, full_output=0, disp=1,
                        retall=0, callback=None)
```

Unconstrained minimization of a function using the Newton-CG method.

Parameters **f** : callable `f(x, *args)`

Objective function to be minimized.

x0 : ndarray

Initial guess.

fprime : callable `f'(x, *args)`

Gradient of `f`.

fhess_p : callable `fhess_p(x, p, *args)`, optional

Function which computes the Hessian of `f` times an arbitrary vector, `p`.

fhess : callable `fhess(x, *args)`, optional

Function to compute the Hessian matrix of `f`.

args : tuple, optional

Extra arguments passed to `f`, `fprime`, `fhess_p`, and `fhess` (the same set of extra arguments is supplied to all of these functions).

epsilon : float or ndarray, optional

If `fhess` is approximated, use this value for the step size.

callback : callable, optional

An optional user-supplied function which is called after each iteration. Called as `callback(xk)`, where `xk` is the current parameter vector.

avextol : float, optional

Convergence is assumed when the average relative error in the minimizer falls below this amount.

maxiter : int, optional

Maximum number of iterations to perform.

full_output : bool, optional

If `True`, return the optional outputs.

disp : bool, optional

If `True`, print convergence message.

retall : bool, optional

If `True`, return a list of results at each iteration.

Returns **xopt** : ndarray

Parameters which minimize `f`, i.e. `f(xopt) == fopt`.

fopt : float

Value of the function at `xopt`, i.e. `fopt = f(xopt)`.

fcalls : int

Number of function calls made.

gcalls : int
 Number of gradient calls made.

hcalls : int
 Number of hessian calls made.

warnflag : int
 Warnings generated by the algorithm. 1 : Maximum number of iterations exceeded.

allvecs : list
 The result at each iteration, if retall is True (see below).

See Also

minimize Interface to minimization algorithms for multivariate functions. See the ‘Newton-CG’ *method* in particular.

Notes

Only one of *fhess_p* or *fhess* need to be given. If *fhess* is provided, then *fhess_p* will be ignored. If neither *fhess* nor *fhess_p* is provided, then the hessian product will be approximated using finite differences on *fprime*. *fhess_p* must compute the hessian times an arbitrary vector. If it is not given, finite-differences on *fprime* are used to compute it.

Newton-CG methods are also called truncated Newton methods. This function differs from `scipy.optimize.fmin_tnc` because

1. *scipy.optimize.fmin_ncg* is written purely in python using *numpy* and *scipy* while `scipy.optimize.fmin_tnc` calls a C function.
2. *scipy.optimize.fmin_ncg* is only for unconstrained minimization while `scipy.optimize.fmin_tnc` is for unconstrained minimization or box constrained minimization. (Box constraints give lower and upper bounds for each variable seperately.)

References

Wright & Nocedal, ‘Numerical Optimization’, 1999, pg. 140.

`scipy.optimize.leastsq` (*func*, *x0*, *args=()*, *Dfun=None*, *full_output=0*, *col_deriv=0*, *ftol=1.49012e-08*, *xtol=1.49012e-08*, *gtol=0.0*, *maxfev=0*, *epsfcn=None*, *factor=100*, *diag=None*)

Minimize the sum of squares of a set of equations.

```
x = arg miny (sum(func(y)**2,axis=0))
```

Parameters

func : callable
 should take at least one (possibly length N vector) argument and returns M floating point numbers.

x0 : ndarray
 The starting estimate for the minimization.

args : tuple
 Any extra arguments to *func* are placed in this tuple.

Dfun : callable
 A function or method to compute the Jacobian of *func* with derivatives across the rows. If this is None, the Jacobian will be estimated.

full_output : bool
 non-zero to return all optional outputs.

col_deriv : bool
 non-zero to specify that the Jacobian function computes derivatives down the columns (faster, because there is no transpose operation).

ftol : float
Relative error desired in the sum of squares.

xtol : float
Relative error desired in the approximate solution.

gtol : float
Orthogonality desired between the function vector and the columns of the Jacobian.

maxfev : int
The maximum number of calls to the function. If zero, then $100*(N+1)$ is the maximum where N is the number of elements in $x0$.

epsfcn : float
A suitable step length for the forward-difference approximation of the Jacobian (for `Dfun=None`). If `epsfcn` is less than the machine precision, it is assumed that the relative errors in the functions are of the order of the machine precision.

factor : float
A parameter determining the initial step bound (`factor * ||diag * x||`). Should be in interval $(0.1, 100)$.

diag : sequence
 N positive entries that serve as a scale factors for the variables.

Returns

x : ndarray
The solution (or the result of the last iteration for an unsuccessful call).

cov_x : ndarray
Uses the `fjac` and `ipvt` optional outputs to construct an estimate of the jacobian around the solution. `None` if a singular matrix encountered (indicates very flat curvature in some direction). This matrix must be multiplied by the residual variance to get the covariance of the parameter estimates – see `curve_fit`.

infodict : dict
a dictionary of optional outputs with the key s:

- 'nfev' : the number of function calls
- 'fvec' : the function evaluated at the output
- 'fjac' : A permutation of the R matrix of a QR factorization of the final approximate Jacobian matrix, stored column wise. Together with `ipvt`, the covariance of the estimate can be approximated.
- 'ipvt' : an integer array of length N which defines a permutation matrix, p , such that $fjac*p = q*r$, where r is upper triangular with diagonal elements of nonincreasing magnitude. Column j of p is column `ipvt(j)` of the identity matrix.
- 'qtf' : the vector $(\text{transpose}(q) * \text{fvec})$.

mesg : str
A string message giving information about the cause of failure.

ier : int
An integer flag. If it is equal to 1, 2, 3 or 4, the solution was found. Otherwise, the solution was not found. In either case, the optional output variable 'mesg' gives more information.

Notes

“leastsq” is a wrapper around MINPACK’s `lmdif` and `lmdcr` algorithms.

`cov_x` is a Jacobian approximation to the Hessian of the least squares objective function. This approximation assumes that the objective function is based on the difference between some observed target data (`ydata`) and a (non-linear) function of the parameters `f(xdata, params)`

```
func(params) = ydata - f(xdata, params)
```

so that the objective function is

```
min sum((ydata - f(xdata, params))**2, axis=0)
params
```

Constrained (multivariate)

<code>fmin_l_bfgs_b(func, x0[, fprime, args, ...])</code>	Minimize a function <code>func</code> using the L-BFGS-B algorithm.
<code>fmin_tnc(func, x0[, fprime, args, ...])</code>	Minimize a function with variables subject to bounds, using
<code>fmin_cobyla(func, x0, cons[, args, ...])</code>	Minimize a function using the Constrained Optimization BY Linear
<code>fmin_slsqp(func, x0[, eqcons, f_eqcons, ...])</code>	Minimize a function using Sequential Least Squares Programming
<code>nnls(A, b)</code>	Solve $\operatorname{argmin}_x \ Ax - b\ _2$ for $x \geq 0$. This is a wrapper

```
scipy.optimize.fmin_l_bfgs_b(func, x0, fprime=None, args=(), approx_grad=0, bounds=None,
                             m=10, factr=10000000.0, pgtol=1e-05, epsilon=1e-08, iprint=-1,
                             maxfun=15000, maxiter=15000, disp=None, callback=None)
```

Minimize a function `func` using the L-BFGS-B algorithm.

Parameters

- func** : callable `f(x,*args)`
Function to minimise.
- x0** : ndarray
Initial guess.
- fprime** : callable `fprime(x,*args)`
The gradient of `func`. If `None`, then `func` returns the function value and the gradient (`f, g = func(x, *args)`), unless `approx_grad` is `True` in which case `func` returns only `f`.
- args** : sequence
Arguments to pass to `func` and `fprime`.
- approx_grad** : bool
Whether to approximate the gradient numerically (in which case `func` returns only the function value).
- bounds** : list
(`min, max`) pairs for each element in `x`, defining the bounds on that parameter. Use `None` for one of `min` or `max` when there is no bound in that direction.
- m** : int
The maximum number of variable metric corrections used to define the limited memory matrix. (The limited memory BFGS method does not store the full hessian but uses this many terms in an approximation to it.)
- factr** : float
The iteration stops when $(f^k - f^{k+1}) / \max\{|f^k|, |f^{k+1}|, 1\} \leq \text{factr} * \text{eps}$, where `eps` is the machine precision, which is automatically generated by the code. Typical values for `factr` are: `1e12` for low accuracy; `1e7` for moderate accuracy; `10.0` for extremely high accuracy.
- pgtol** : float
The iteration will stop when $\max\{|\text{proj } g_i| \mid i = 1, \dots, n\} \leq \text{pgtol}$ where `pg_i` is the `i`-th component of the projected gradient.
- epsilon** : float
Step size used when `approx_grad` is `True`, for numerically calculating the gradient
- iprint** : int

Controls the frequency of output. `iprint < 0` means no output; `iprint == 0` means write messages to `stdout`; `iprint > 1` in addition means write logging information to a file named `iterate.dat` in the current working directory.

disp : int, optional

If zero, then no output. If a positive number, then this over-rides `iprint` (i.e., `iprint` gets the value of `disp`).

maxfun : int

Maximum number of function evaluations.

maxiter : int

Maximum number of iterations.

callback : callable, optional

Called after each iteration, as `callback(xk)`, where `xk` is the current parameter vector.

Returns

x : array_like

Estimated position of the minimum.

f : float

Value of `func` at the minimum.

d : dict

Information dictionary.

- `d['warnflag']` is
 - 0 if converged,
 - 1 if too many function evaluations or too many iterations,
 - 2 if stopped for another reason, given in `d['task']`
- `d['grad']` is the gradient at the minimum (should be 0 ish)
- `d['funcalls']` is the number of function calls made.
- `d['nit']` is the number of iterations.

See Also

minimize Interface to minimization algorithms for multivariate functions. See the ‘L-BFGS-B’ *method* in particular.

Notes

License of L-BFGS-B (FORTRAN code):

The version included here (in fortran code) is 3.0 (released April 25, 2011). It was written by Ciyou Zhu, Richard Byrd, and Jorge Nocedal <nocedal@ece.nwu.edu>. It carries the following condition for use:

This software is freely available, but we expect that all publications describing work using this software, or all commercial products using it, quote at least one of the references given below. This software is released under the BSD License.

References

- R. H. Byrd, P. Lu and J. Nocedal. A Limited Memory Algorithm for Bound Constrained Optimization, (1995), SIAM Journal on Scientific and Statistical Computing, 16, 5, pp. 1190-1208.
- C. Zhu, R. H. Byrd and J. Nocedal. L-BFGS-B: Algorithm 778: L-BFGS-B, FORTRAN routines for large scale bound constrained optimization (1997), ACM Transactions on Mathematical Software, 23, 4, pp. 550 - 560.
- J.L. Morales and J. Nocedal. L-BFGS-B: Remark on Algorithm 778: L-BFGS-B, FORTRAN routines for large scale bound constrained optimization (2011), ACM Transactions on Mathematical Software, 38, 1.

`scipy.optimize.fmin_tnc` (*func*, *x0*, *fprime=None*, *args=()*, *approx_grad=0*, *bounds=None*, *epsilon=1e-08*, *scale=None*, *offset=None*, *messages=15*, *maxCGit=-1*, *maxfun=None*, *eta=-1*, *stepmx=0*, *accuracy=0*, *fmin=0*, *ftol=-1*, *xtol=-1*, *pgtol=-1*, *rescale=-1*, *disp=None*, *callback=None*)

Minimize a function with variables subject to bounds, using gradient information in a truncated Newton algorithm. This method wraps a C implementation of the algorithm.

Parameters

- func** : callable `func(x, *args)`
Function to minimize. Must do one of:
 1. Return *f* and *g*, where *f* is the value of the function and *g* its gradient (a list of floats).
 2. Return the function value but supply gradient function separately as *fprime*.
 3. Return the function value and set `approx_grad=True`.
 If the function returns `None`, the minimization is aborted.
- x0** : list of floats
Initial estimate of minimum.
- fprime** : callable `fprime(x, *args)`
Gradient of *func*. If `None`, then either *func* must return the function value and the gradient (`f, g = func(x, *args)`) or `approx_grad` must be `True`.
- args** : tuple
Arguments to pass to function.
- approx_grad** : bool
If true, approximate the gradient numerically.
- bounds** : list
(min, max) pairs for each element in *x0*, defining the bounds on that parameter. Use `None` or `+/-inf` for one of min or max when there is no bound in that direction.
- epsilon** : float
Used if `approx_grad` is `True`. The stepsize in a finite difference approximation for *fprime*.
- scale** : list of floats
Scaling factors to apply to each variable. If `None`, the factors are up-low for interval bounded variables and `1+|x|` for the others. Defaults to `None`
- offset** : float
Value to subtract from each variable. If `None`, the offsets are `(up+low)/2` for interval bounded variables and *x* for the others.
- messages** : :
Bit mask used to select messages display during minimization values defined in the `MSG` dict. Defaults to `MGS_ALL`.
- disp** : int
Integer interface to messages. 0 = no message, 5 = all messages
- maxCGit** : int
Maximum number of hessian*vector evaluations per main iteration. If `maxCGit == 0`, the direction chosen is -gradient if `maxCGit < 0`, `maxCGit` is set to `max(1, min(50, n/2))`. Defaults to -1.
- maxfun** : int
Maximum number of function evaluation. if `None`, `maxfun` is set to `max(100, 10*len(x0))`. Defaults to `None`.
- eta** : float
Severity of the line search. if `< 0` or `> 1`, set to 0.25. Defaults to -1.
- stepmx** : float
Maximum step for the line search. May be increased during call. If too small, it will be set to 10.0. Defaults to 0.
- accuracy** : float
Relative precision for finite difference calculations. If `<= machine_precision`, set to `sqrt(machine_precision)`. Defaults to 0.

fmin : float
Minimum function value estimate. Defaults to 0.

ftol : float
Precision goal for the value of f in the stopping criterion. If $ftol < 0.0$, ftol is set to 0.0 defaults to -1.

xtol : float
Precision goal for the value of x in the stopping criterion (after applying x scaling factors). If $xtol < 0.0$, xtol is set to $\sqrt{\text{machine_precision}}$. Defaults to -1.

pgtol : float
Precision goal for the value of the projected gradient in the stopping criterion (after applying x scaling factors). If $pgtol < 0.0$, pgtol is set to $1e-2 * \sqrt{\text{accuracy}}$. Setting it to 0.0 is not recommended. Defaults to -1.

rescale : float
Scaling factor (in log10) used to trigger f value rescaling. If 0, rescale at each iteration. If a large value, never rescale. If < 0 , rescale is set to 1.3.

callback : callable, optional
Called after each iteration, as `callback(xk)`, where `xk` is the current parameter vector.

Returns

x : list of floats
The solution.

nfeval : int
The number of function evaluations.

rc : int
Return code as defined in the RCSTRINGS dict.

See Also

minimize Interface to minimization algorithms for multivariate functions. See the ‘TNC’ *method* in particular.

Notes

The underlying algorithm is truncated Newton, also called Newton Conjugate-Gradient. This method differs from `scipy.optimize.fmin_ncg` in that

- 1.It wraps a C implementation of the algorithm
- 2.It allows each variable to be given an upper and lower bound.

The algorithm incorporates the bound constraints by determining the descent direction as in an unconstrained truncated Newton, but never taking a step-size large enough to leave the space of feasible x 's. The algorithm keeps track of a set of currently active constraints, and ignores them when computing the minimum allowable step size. (The x 's associated with the active constraint are kept fixed.) If the maximum allowable step size is zero then a new constraint is added. At the end of each iteration one of the constraints may be deemed no longer active and removed. A constraint is considered no longer active if it is currently active but the gradient for that variable points inward from the constraint. The specific constraint removed is the one associated with the variable of largest index whose constraint is no longer active.

References

Wright S., Nocedal J. (2006), ‘Numerical Optimization’

Nash S.G. (1984), “Newton-Type Minimization Via the Lanczos Method”, SIAM Journal of Numerical Analysis 21, pp. 770-778

`scipy.optimize.fmin_cobyla` (*func*, *x0*, *cons*, *args=()*, *consargs=None*, *rhobeg=1.0*, *rhoend=0.0001*, *iprint=1*, *maxfun=1000*, *disp=None*)

Minimize a function using the Constrained Optimization BY Linear Approximation (COBYLA) method. This method wraps a FORTRAN implementation of the algorithm.

Parameters

- func** : callable
Function to minimize. In the form `func(x, *args)`.
- x0** : ndarray
Initial guess.
- cons** : sequence
Constraint functions; must all be ≥ 0 (a single function if only 1 constraint). Each function takes the parameters x as its first argument.
- args** : tuple
Extra arguments to pass to function.
- consargs** : tuple
Extra arguments to pass to constraint functions (default of None means use same extra arguments as those passed to func). Use `()` for no extra arguments.
- rhobeg** :
Reasonable initial changes to the variables.
- rhoend** :
Final accuracy in the optimization (not precisely guaranteed). This is a lower bound on the size of the trust region.
- iprint** : {0, 1, 2, 3}
Controls the frequency of output; 0 implies no output. Deprecated.
- disp** : {0, 1, 2, 3}
Over-rides the iprint interface. Preferred.
- maxfun** : int
Maximum number of function evaluations.

Returns

- x** : ndarray
The argument that minimises f .

See Also

minimize Interface to minimization algorithms for multivariate functions. See the ‘COBYLA’ *method* in particular.

Notes

This algorithm is based on linear approximations to the objective function and each constraint. We briefly describe the algorithm.

Suppose the function is being minimized over k variables. At the j th iteration the algorithm has $k+1$ points $v_1, \dots, v_{(k+1)}$, an approximate solution x_j , and a radius RHO_j . (i.e. linear plus a constant) approximations to the objective function and constraint functions such that their function values agree with the linear approximation on the $k+1$ points $v_1, \dots, v_{(k+1)}$. This gives a linear program to solve (where the linear approximations of the constraint functions are constrained to be non-negative).

However the linear approximations are likely only good approximations near the current simplex, so the linear program is given the further requirement that the solution, which will become $x_{(j+1)}$, must be within RHO_j from x_j . RHO_j only decreases, never increases. The initial RHO_j is `rhobeg` and the final RHO_j is `rhoend`. In this way COBYLA’s iterations behave like a trust region algorithm.

Additionally, the linear program may be inconsistent, or the approximation may give poor improvement. For details about how these issues are resolved, as well as how the points v_i are updated, refer to the source code or the references below.

References

Powell M.J.D. (1994), “A direct search optimization method that models the objective and constraint functions by linear interpolation.”, in *Advances in Optimization and Numerical Analysis*, eds. S. Gomez and J-P Hennart, Kluwer Academic (Dordrecht), pp. 51-67

Powell M.J.D. (1998), “Direct search algorithms for optimization calculations”, *Acta Numerica* 7, 287-336

Powell M.J.D. (2007), “A view of algorithms for optimization without derivatives”, Cambridge University Technical Report DAMTP 2007/NA03

Examples

Minimize the objective function $f(x,y) = x*y$ subject to the constraints $x**2 + y**2 < 1$ and $y > 0$:

```
>>> def objective(x):
...     return x[0]*x[1]
...
>>> def constr1(x):
...     return 1 - (x[0]**2 + x[1]**2)
...
>>> def constr2(x):
...     return x[1]
...
>>> fmin_cobyla(objective, [0.0, 0.1], [constr1, constr2], rhoend=1e-7)
```

```
Normal return from subroutine COBYLA

NFVALS = 64 F =-5.000000E-01 MAXCV = 1.998401E-14
X =-7.071069E-01 7.071067E-01
array([-0.70710685, 0.70710671])
```

The exact solution is $(-\sqrt{2}/2, \sqrt{2}/2)$.

```
scipy.optimize.fmin_slsqp(func, x0, eqcons=[], f_eqcons=None, ieqcons=[],
                          f_ieqcons=None, bounds=[], fprime=None, fprime_eqcons=None,
                          fprime_ieqcons=None, args=(), iter=100, acc=1e-06, iprint=1,
                          disp=None, full_output=0, epsilon=1.4901161193847656e-08)
```

Minimize a function using Sequential Least Squares Programming

Python interface function for the SLSQP Optimization subroutine originally implemented by Dieter Kraft.

Parameters

- func** : callable $f(x, *args)$
Objective function.
- x0** : 1-D ndarray of float
Initial guess for the independent variable(s).
- eqcons** : list
A list of functions of length n such that $eqcons[j](x, *args) == 0.0$ in a successfully optimized problem.
- f_eqcons** : callable $f(x, *args)$
Returns a 1-D array in which each element must equal 0.0 in a successfully optimized problem. If **f_eqcons** is specified, **eqcons** is ignored.
- ieqcons** : list
A list of functions of length n such that $ieqcons[j](x, *args) >= 0.0$ in a successfully optimized problem.
- f_ieqcons** : callable $f(x, *args)$
Returns a 1-D ndarray in which each element must be greater or equal to 0.0 in a successfully optimized problem. If **f_ieqcons** is specified, **ieqcons** is ignored.
- bounds** : list
A list of tuples specifying the lower and upper bound for each independent variable $[(x_l0, x_u0), (x_l1, x_u1), \dots]$
- fprime** : callable $f(x, *args)$
A function that evaluates the partial derivatives of **func**.
- fprime_eqcons** : callable $f(x, *args)$

A function of the form $f(x, *args)$ that returns the m by n array of equality constraint normals. If not provided, the normals will be approximated. The array returned by `fprime_eqcons` should be sized as $(\text{len}(\text{eqcons}), \text{len}(x_0))$.

fprime_ieqcons : callable $f(x, *args)$

A function of the form $f(x, *args)$ that returns the m by n array of inequality constraint normals. If not provided, the normals will be approximated. The array returned by `fprime_ieqcons` should be sized as $(\text{len}(\text{ieqcons}), \text{len}(x_0))$.

args : sequence

Additional arguments passed to `func` and `fprime`.

iter : int

The maximum number of iterations.

acc : float

Requested accuracy.

iprint : int

The verbosity of `fmin_slsqp` :

- `iprint <= 0` : Silent operation
- `iprint == 1` : Print summary upon completion (default)
- `iprint >= 2` : Print status of each iterate and summary

disp : int

Over-rides the `iprint` interface (preferred).

full_output : bool

If `False`, return only the minimizer of `func` (default). Otherwise, output final objective function and summary information.

epsilon : float

The step size for finite-difference derivative estimates.

Returns

out : ndarray of float

The final minimizer of `func`.

fx : ndarray of float, if `full_output` is true

The final value of the objective function.

its : int, if `full_output` is true

The number of iterations.

imode : int, if `full_output` is true

The exit mode from the optimizer (see below).

smode : string, if `full_output` is true

Message describing the exit mode from the optimizer.

See Also

minimize Interface to minimization algorithms for multivariate functions. See the ‘SLSQP’ *method* in particular.

Notes

Exit modes are defined as follows

- 1 : Gradient evaluation required (g & a)
- 0 : Optimization terminated successfully.
- 1 : Function evaluation required (f & c)
- 2 : More equality constraints than independent variables
- 3 : More than $3*n$ iterations in LSQ subproblem
- 4 : Inequality constraints incompatible
- 5 : Singular matrix E in LSQ subproblem
- 6 : Singular matrix C in LSQ subproblem
- 7 : Rank-deficient equality constraint subproblem HFTI
- 8 : Positive directional derivative for linesearch
- 9 : Iteration limit exceeded

Examples

Examples are given *in the tutorial*.

`scipy.optimize.nnls(A, b)`

Solve $\operatorname{argmin}_x \|Ax - b\|_2$ for $x \geq 0$. This is a wrapper for a FORTRAN non-negative least squares solver.

Parameters

- A** : ndarray
Matrix A as shown above.
- b** : ndarray
Right-hand side vector.

Returns

- x** : ndarray
Solution vector.
- rnorm** : float
The residual, $\|Ax - b\|_2$.

Notes

The FORTRAN code was published in the book below. The algorithm is an active set method. It solves the KKT (Karush-Kuhn-Tucker) conditions for the non-negative least squares problem.

References

Lawson C., Hanson R.J., (1987) Solving Least Squares Problems, SIAM

Global

<code>anneal(func, x0[, args, schedule, ...])</code>	Minimize a function using simulated annealing.
<code>basinhopping(func, x0[, niter, T, stepsize, ...])</code>	Find the global minimum of a function using the basin-hopping algorithm ..
<code>brute(func, ranges[, args, Ns, full_output, ...])</code>	Minimize a function over a given range by brute force.

`scipy.optimize.anneal` (*func*, *x0*, *args*=(), *schedule*='fast', *full_output*=0, *T0*=None, *Tf*=1e-12, *max_eval*=None, *maxaccept*=None, *maxiter*=400, *boltzmann*=1.0, *learn_rate*=0.5, *feqs*=1e-06, *quench*=1.0, *m*=1.0, *n*=1.0, *lower*=-100, *upper*=100, *dwell*=50, *disp*=True)

Minimize a function using simulated annealing.

Schedule is a schedule class implementing the annealing schedule. Available ones are 'fast', 'cauchy', 'boltzmann'

Parameters

- func** : callable $f(x, *args)$
Function to be optimized.
- x0** : ndarray
Initial guess.
- args** : tuple
Extra parameters to *func*.
- schedule** : base_schedule
Annealing schedule to use (a class).
- full_output** : bool
Whether to return optional outputs.
- T0** : float
Initial Temperature (estimated as 1.2 times the largest cost-function deviation over random points in the range).
- Tf** : float
Final goal temperature.

maxeval : int
Maximum function evaluations.

maxaccept : int
Maximum changes to accept.

maxiter : int
Maximum cooling iterations.

learn_rate : float
Scale constant for adjusting guesses.

boltzmann : float
Boltzmann constant in acceptance test (increase for less stringent test at each temperature).

feps : float
Stopping relative error tolerance for the function value in last four coolings.

quench, m, n : float
Parameters to alter fast_sa schedule.

lower, upper : float or ndarray
Lower and upper bounds on x .

dwell : int
The number of times to search the space at each temperature.

disp : bool
Set to True to print convergence messages.

xmin : ndarray
Point giving smallest value found.

Jmin : float
Minimum value of function found.

T : float
Final temperature.

feval : int
Number of function evaluations.

iters : int
Number of cooling iterations.

accept : int
Number of tests accepted.

retval : int
Flag indicating stopping condition:
 0 : Points no longer changing
 1 : Cooled to final temperature
 2 : Maximum function evaluations
 3 : Maximum cooling iterations reached
 4 : Maximum accepted query locations reached
 5 : Final point not the minimum amongst encountered points

Returns

See Also

minimize Interface to minimization algorithms for multivariate functions. See the ‘Anneal’ *method* in particular.

Notes

Simulated annealing is a random algorithm which uses no derivative information from the function being optimized. In practice it has been more useful in discrete optimization than continuous optimization, as there are usually better algorithms for continuous optimization problems.

Some experimentation by trying the difference temperature schedules and altering their parameters is likely required to obtain good performance.

The randomness in the algorithm comes from random sampling in numpy. To obtain the same results you can call `numpy.random.seed` with the same seed immediately before calling `scipy.optimize.anneal`.

We give a brief description of how the three temperature schedules generate new points and vary their temperature. Temperatures are only updated with iterations in the outer loop. The inner loop is over loop over `xrange(dwell)`, and new points are generated for every iteration in the inner loop. (Though whether the proposed new points are accepted is probabilistic.)

For readability, let `d` denote the dimension of the inputs to `func`. Also, let `x_old` denote the previous state, and `k` denote the iteration number of the outer loop. All other variables not defined below are input variables to `scipy.optimize.anneal` itself.

In the ‘fast’ schedule the updates are

```
u ~ Uniform(0, 1, size=d)
y = sgn(u - 0.5) * T * ((1 + 1/T)**abs(2u-1) - 1.0)
xc = y * (upper - lower)
x_new = x_old + xc
```

```
c = n * exp(-n * quench)
T_new = T0 * exp(-c * k**quench)
```

In the ‘cauchy’ schedule the updates are

```
u ~ Uniform(-pi/2, pi/2, size=d)
xc = learn_rate * T * tan(u)
x_new = x_old + xc
```

```
T_new = T0 / (1+k)
```

In the ‘boltzmann’ schedule the updates are

```
std = minimum( sqrt(T) * ones(d), (upper-lower) / (3*learn_rate) )
y ~ Normal(0, std, size=d)
x_new = x_old + learn_rate * y
```

```
T_new = T0 / log(1+k)
```

`scipy.optimize.basinhopping` (*func*, *x0*, *niter=100*, *T=1.0*, *stepsize=0.5*, *minimizer_kwargs=None*, *take_step=None*, *accept_test=None*, *callback=None*, *interval=50*, *disp=False*, *niter_success=None*)

Find the global minimum of a function using the basin-hopping algorithm New in version 0.12.0.

Parameters **func**: callable $f(x, *args)$

Function to be optimized. `args` can be passed as an optional item in the dict `minimizer_kwargs`

x0: ndarray

Initial guess.

niter: integer, optional

The number of basin hopping iterations

T: float, optional

The “temperature” parameter for the accept or reject criterion. Higher “temperatures” mean that larger jumps in function value will be accepted. For best results `T` should be comparable to the separation (in function value) between local minima.

stepsize: float, optional

initial step size for use in the random displacement.

minimizer_kwargs: dict, optional

Extra keyword arguments to be passed to the minimizer `scipy.optimize.minimize()` Some important options could be:

method [str] The minimization method (e.g. "L-BFGS-B")
args [tuple] Extra arguments passed to the objective function (`func`) and its derivatives (Jacobian, Hessian).

take_step : callable `take_step(x)`, optional

Replace the default step taking routine with this routine. The default step taking routine is a random displacement of the coordinates, but other step taking algorithms may be better for some systems. `take_step` can optionally have the attribute `take_step.stepsize`. If this attribute exists, then `basinhopping` will adjust `take_step.stepsize` in order to try to optimize the global minimum search.

accept_test : callable, `accept_test(f_new=f_new, x_new=x_new, f_old=fold, x_old=x_old)`, optional

Define a test which will be used to judge whether or not to accept the step. This will be used in addition to the Metropolis test based on "temperature" `T`. The acceptable return values are `True`, `False`, or "force accept". If the latter, then this will override any other tests in order to accept the step. This can be used, for example, to forcefully escape from a local minimum that `basinhopping` is trapped in.

callback : callable, `callback(x, f, accept)`, optional

A callback function which will be called for all minimum found. `x` and `f` are the coordinates and function value of the trial minima, and `accept` is whether or not that minima was accepted. This can be used, for example, to save the lowest `N` minima found. Also, `callback` can be used to specify a user defined stop criterion by optionally returning `True` to stop the `basinhopping` routine.

interval : integer, optional

interval for how often to update the `stepsize`

disp : bool, optional

Set to `True` to print status messages

niter_success : integer, optional

Stop the run if the global minimum candidate remains the same for this number of iterations.

Returns **res** : Result

The optimization result represented as a `Result` object. Important attributes are: `x` the solution array, `fun` the value of the function at the solution, and `message` which describes the cause of the termination. See `Result` for a description of other attributes.

See Also

minimize The local minimization function called once for each `basinhopping` step. `minimizer_kwargs` is passed to this routine.

Notes

Basin-hopping is a stochastic algorithm which attempts to find the global minimum of a smooth scalar function of one or more variables [R72] [R73] [R74] [R75]. The algorithm in its current form was described by David Wales and Jonathan Doye [R73] <http://www-wales.ch.cam.ac.uk/>.

The algorithm is iterative with each cycle composed of the following features

- 1.random perturbation of the coordinates
- 2.local minimization
- 3.accept or reject the new coordinates based on the minimized function value

The acceptance test used here is the Metropolis criterion of standard Monte Carlo algorithms, although there are many other possibilities [R74].

This global minimization method has been shown to be extremely efficient for a wide variety of problems in physics and chemistry. It is particularly useful when the function has many minima separated by large barriers. See the Cambridge Cluster Database <http://www-wales.ch.cam.ac.uk/CCD.html> for databases of molecular systems that have been optimized primarily using basin-hopping. This database includes minimization problems exceeding 300 degrees of freedom.

See the free software program GMIN (<http://www-wales.ch.cam.ac.uk/GMIN>) for a Fortran implementation of basin-hopping. This implementation has many different variations of the procedure described above, including more advanced step taking algorithms and alternate acceptance criterion.

For stochastic global optimization there is no way to determine if the true global minimum has actually been found. Instead, as a consistency check, the algorithm can be run from a number of different random starting points to ensure the lowest minimum found in each example has converged to the global minimum. For this reason `basinhopping` will by default simply run for the number of iterations `niter` and return the lowest minimum found. It is left to the user to ensure that this is in fact the global minimum.

Choosing `stepsize`: This is a crucial parameter in `basinhopping` and depends on the problem being solved. Ideally it should be comparable to the typical separation between local minima of the function being optimized. `basinhopping` will, by default, adjust `stepsize` to find an optimal value, but this may take many iterations. You will get quicker results if you set a sensible value for `stepsize`.

Choosing `T`: The parameter `T` is the temperature used in the metropolis criterion. Basinhopping steps are accepted with probability 1 if `func(xnew) < func(xold)`, or otherwise with probability:

$$\exp(-(\text{func}(x_{\text{new}}) - \text{func}(x_{\text{old}})) / T)$$

So, for best results, `T` should be comparable to the typical difference in function value between local minima

References

[R72], [R73], [R74], [R75]

Examples

The following example is a one-dimensional minimization problem, with many local minima superimposed on a parabola.

```
>>> func = lambda x: cos(14.5 * x - 0.3) + (x + 0.2) * x
>>> x0=[1.]
```

`Basinhopping`, internally, uses a local minimization algorithm. We will use the parameter `minimizer_kwargs` to tell `basinhopping` which algorithm to use and how to set up that minimizer. This parameter will be passed to `scipy.optimize.minimize()`.

```
>>> minimizer_kwargs = {"method": "BFGS"}
>>> ret = basinhopping(func, x0, minimizer_kwargs=minimizer_kwargs,
...                   niter=200)
>>> print("global minimum: x = %.4f, f(x0) = %.4f" % (ret.x, ret.fun))
global minimum: x = -0.1951, f(x0) = -1.0009
```

Next consider a two-dimensional minimization problem. Also, this time we will use gradient information to significantly speed up the search.

```
>>> def func2d(x):
...     f = cos(14.5 * x[0] - 0.3) + (x[1] + 0.2) * x[1] + (x[0] +
...                                                0.2) * x[0]
...     df = np.zeros(2)
...     df[0] = -14.5 * sin(14.5 * x[0] - 0.3) + 2. * x[0] + 0.2
```

```
...     df[1] = 2. * x[1] + 0.2
...     return f, df
```

We'll also use a different local minimization algorithm. Also we must tell the minimizer that our function returns both energy and gradient (jacobian)

```
>>> minimizer_kwargs = {"method": "L-BFGS-B", "jac": True}
>>> x0 = [1.0, 1.0]
>>> ret = basinhopping(func2d, x0, minimizer_kwargs=minimizer_kwargs,
...                   niter=200)
>>> print("global minimum: x = [%.4f, %.4f], f(x0) = %.4f" % (ret.x[0],
...                                                         ret.x[1],
...                                                         ret.fun))
...
...
global minimum: x = [-0.1951, -0.1000], f(x0) = -1.0109
```

Here is an example using a custom step taking routine. Imagine you want the first coordinate to take larger steps than the rest of the coordinates. This can be implemented like so:

```
>>> class MyTakeStep(object):
...     def __init__(self, stepsize=0.5):
...         self.stepsize = stepsize
...     def __call__(self, x):
...         s = self.stepsize
...         x[0] += np.random.uniform(-2.*s, 2.*s)
...         x[1:] += np.random.uniform(-s, s, x[1:].shape)
...         return x
```

Since `MyTakeStep.stepsize` exists `basinhopping` will adjust the magnitude of `stepsize` to optimize the search. We'll use the same 2-D function as before

```
>>> mytakestep = MyTakeStep()
>>> ret = basinhopping(func2d, x0, minimizer_kwargs=minimizer_kwargs,
...                   niter=200, take_step=mytakestep)
>>> print("global minimum: x = [%.4f, %.4f], f(x0) = %.4f" % (ret.x[0],
...                                                         ret.x[1],
...                                                         ret.fun))
...
...
global minimum: x = [-0.1951, -0.1000], f(x0) = -1.0109
```

Now let's do an example using a custom callback function which prints the value of every minimum found

```
>>> def print_fun(x, f, accepted):
...     print("at minima %.4f accepted %d" % (f, int(accepted)))
```

We'll run it for only 10 `basinhopping` steps this time.

```
>>> np.random.seed(1)
>>> ret = basinhopping(func2d, x0, minimizer_kwargs=minimizer_kwargs,
...                   niter=10, callback=print_fun)
at minima 0.4159 accepted 1
at minima -0.9073 accepted 1
at minima -0.1021 accepted 1
at minima -0.1021 accepted 1
at minima 0.9102 accepted 1
at minima 0.9102 accepted 1
at minima 2.2945 accepted 0
at minima -0.1021 accepted 1
at minima -1.0109 accepted 1
at minima -1.0109 accepted 1
```

The minima at -1.0109 is actually the global minimum, found already on the 8th iteration.

Now let's implement bounds on the problem using a custom `accept_test`:

```
>>> class MyBounds(object):
...     def __init__(self, xmax=[1.1,1.1], xmin=[-1.1,-1.1]):
...         self.xmax = np.array(xmax)
...         self.xmin = np.array(xmin)
...     def __call__(self, **kwargs):
...         x = kwargs["x_new"]
...         tmax = bool(np.all(x <= self.xmax))
...         tmin = bool(np.all(x >= self.xmin))
...         return tmax and tmin

>>> mybounds = MyBounds()
>>> ret = basinhopping(func2d, x0, minimizer_kwargs=minimizer_kwargs,
...                   niter=10, accept_test=mybounds)
```

`scipy.optimize.brute` (*func*, *ranges*, *args*=(), *Ns*=20, *full_output*=0, *finish*=<function *fmin* at 0x483ade8>, *disp*=False)

Minimize a function over a given range by brute force.

Parameters

- func** : callable $f(x, *args)$
Objective function to be minimized.
- ranges** : tuple
Each element is a tuple of parameters or a slice object to be handed to `numpy.mgrid`.
- args** : tuple
Extra arguments passed to function.
- Ns** : int
Default number of samples, if those are not provided.
- full_output** : bool
If True, return the evaluation grid.
- finish** : callable, optional
An optimization function that is called with the result of brute force minimization as initial guess. *finish* should take the initial guess as positional argument, and take *args*, *full_output* and *disp* as keyword arguments. See Notes for more details.
- disp** : bool, optional
Set to True to print convergence messages.

Returns

- x0** : ndarray
Value of arguments to *func*, giving minimum over the grid.
- fval** : int
Function value at minimum.
- grid** : tuple
Representation of the evaluation grid. It has the same length as *x0*.
- Jout** : ndarray
Function values over grid: `Jout = func(*grid)`.

Notes

The range is respected by the brute force minimization, but if the *finish* keyword specifies another optimization function (including the default *fmin*), the returned value may still be (just) outside the range. In order to ensure the range is specified, use `finish=None`.

Scalar function minimizers

`minimize_scalar`(*fun*[, *bracket*, *bounds*, ...]) Minimization of scalar function of one variable.

Table 5.93 – continued from previous page

<code>fminbound(func, x1, x2[, args, xtol, ...])</code>	Bounded minimization for scalar functions.
<code>brent(func[, args, brack, tol, full_output, ...])</code>	Given a function of one-variable and a possible bracketing interval, return the minimum.
<code>golden(func[, args, brack, tol, full_output])</code>	Return the minimum of a function of one variable.
<code>bracket(func[, xa, xb, args, grow_limit, ...])</code>	Bracket the minimum of the function.

`scipy.optimize.minimize_scalar` (*fun*, *bracket=None*, *bounds=None*, *args=()*, *method='brent'*, *tol=None*, *options=None*)

Minimization of scalar function of one variable. New in version 0.11.0.

Parameters

- fun** : callable
Objective function. Scalar function, must return a scalar.
- bracket** : sequence, optional
For methods 'brent' and 'golden', `bracket` defines the bracketing interval and can either have three items (*a*, *b*, *c*) so that $a < b < c$ and $fun(b) < fun(a)$, $fun(c)$ or two items *a* and *c* which are assumed to be a starting interval for a downhill bracket search (see `bracket`); it doesn't always mean that the obtained solution will satisfy $a \leq x \leq c$.
- bounds** : sequence, optional
For method 'bounded', *bounds* is mandatory and must have two items corresponding to the optimization bounds.
- args** : tuple, optional
Extra arguments passed to the objective function.
- method** : str, optional
Type of solver. Should be one of
 - 'Brent'
 - 'Bounded'
 - 'Golden'
- tol** : float, optional
Tolerance for termination. For detailed control, use solver-specific options.
- options** : dict, optional
A dictionary of solver options.

<i>xtol</i>	[float] Relative error in solution <i>xopt</i> acceptable for convergence.
<i>maxiter</i>	[int] Maximum number of iterations to perform.
<i>disp</i>	[bool] Set to True to print convergence messages.

Returns

- res** : Result
The optimization result represented as a `Result` object. Important attributes are: `x` the solution array, `success` a Boolean flag indicating if the optimizer exited successfully and `message` which describes the cause of the termination. See `Result` for a description of other attributes.

See Also

`minimize` Interface to minimization algorithms for scalar multivariate functions.

Notes

This section describes the available solvers that can be selected by the 'method' parameter. The default method is *Brent*.

Method *Brent* uses Brent's algorithm to find a local minimum. The algorithm uses inverse parabolic interpolation when possible to speed up convergence of the golden section method.

Method *Golden* uses the golden section search technique. It uses analog of the bisection method to decrease the bracketed interval. It is usually preferable to use the *Brent* method.

Method *Bounded* can perform bounded minimization. It uses the Brent method to find a local minimum in the interval $x1 < xopt < x2$.

Examples

Consider the problem of minimizing the following function.

```
>>> def f(x):
...     return (x - 2) * x * (x + 2)**2
```

Using the *Brent* method, we find the local minimum as:

```
>>> from scipy.optimize import minimize_scalar
>>> res = minimize_scalar(f)
>>> res.x
1.28077640403
```

Using the *Bounded* method, we find a local minimum with specified bounds as:

```
>>> res = minimize_scalar(f, bounds=(-3, -1), method='bounded')
>>> res.x
-2.0000002026
```

`scipy.optimize.fminbound` (*func*, *x1*, *x2*, *args*=(), *xtol*=1e-05, *maxfun*=500, *full_output*=0, *disp*=1)
Bounded minimization for scalar functions.

Parameters

- func** : callable f(x,*args)
Objective function to be minimized (must accept and return scalars).
- x1, x2** : float or array scalar
The optimization bounds.
- args** : tuple, optional
Extra arguments passed to function.
- xtol** : float, optional
The convergence tolerance.
- maxfun** : int, optional
Maximum number of function evaluations allowed.
- full_output** : bool, optional
If True, return optional outputs.
- disp** : int, optional
If non-zero, print messages.
0 : no message printing. 1 : non-convergence notification messages only. 2 : print a message on convergence too. 3 : print iteration results.

Returns

- xopt** : ndarray
Parameters (over given interval) which minimize the objective function.
- fval** : number
The function value at the minimum point.
- ierr** : int
An error flag (0 if converged, 1 if maximum number of function calls reached).
- numfunc** : int
The number of function calls made.

See Also

`minimize_scalar`

Interface to minimization algorithms for scalar univariate functions. See the ‘Bounded’ *method* in particular.

Notes

Finds a local minimizer of the scalar function *func* in the interval $x_1 < x_{opt} < x_2$ using Brent's method. (See [brent](#) for auto-bracketing).

`scipy.optimize.brent` (*func*, *args*=(), *brack*=None, *tol*=1.48e-08, *full_output*=0, *maxiter*=500)

Given a function of one-variable and a possible bracketing interval, return the minimum of the function isolated to a fractional precision of *tol*.

Parameters

- func** : callable f(x,*args)
Objective function.
- args** :
Additional arguments (if present).
- brack** : tuple
Triple (a,b,c) where (a<b<c) and func(b) < func(a),func(c). If bracket consists of two numbers (a,c) then they are assumed to be a starting interval for a downhill bracket search (see [bracket](#)); it doesn't always mean that the obtained solution will satisfy $a \leq x \leq c$.
- tol** : float
Stop if between iteration change is less than *tol*.
- full_output** : bool
If True, return all output args (xmin, fval, iter, funcalls).
- maxiter** : int
Maximum number of iterations in solution.

Returns

- xmin** : ndarray
Optimum point.
- fval** : float
Optimum value.
- iter** : int
Number of iterations.
- funcalls** : int
Number of objective function evaluations made.

See Also[**minimize_scalar**](#)

Interface to minimization algorithms for scalar univariate functions. See the 'Brent' *method* in particular.

Notes

Uses inverse parabolic interpolation when possible to speed up convergence of golden section method.

`scipy.optimize.golden` (*func*, *args*=(), *brack*=None, *tol*=1.4901161193847656e-08, *full_output*=0)

Return the minimum of a function of one variable.

Given a function of one variable and a possible bracketing interval, return the minimum of the function isolated to a fractional precision of *tol*.

Parameters

- func** : callable func(x,*args)
Objective function to minimize.
- args** : tuple
Additional arguments (if present), passed to func.
- brack** : tuple
Triple (a,b,c), where (a<b<c) and func(b) < func(a),func(c). If bracket consists of two numbers (a, c), then they are assumed to be a starting interval for a downhill bracket search (see [bracket](#)); it doesn't always mean that obtained solution will satisfy $a \leq x \leq c$.

tol : float
x tolerance stop criterion
full_output : bool
If True, return optional outputs.

See Also**`minimize_scalar`**

Interface to minimization algorithms for scalar univariate functions. See the ‘Golden’ *method* in particular.

Notes

Uses analog of bisection method to decrease the bracketed interval.

`scipy.optimize.bracket` (*func*, *xa=0.0*, *xb=1.0*, *args=()*, *grow_limit=110.0*, *maxiter=1000*)
Bracket the minimum of the function.

Given a function and distinct initial points, search in the downhill direction (as defined by the initial points) and return new points *xa*, *xb*, *xc* that bracket the minimum of the function $f(xa) > f(xb) < f(xc)$. It doesn’t always mean that obtained solution will satisfy $xa \leq x \leq xb$

Parameters

- func** : callable $f(x, *args)$
Objective function to minimize.
- xa, xb** : float, optional
Bracketing interval. Defaults *xa* to 0.0, and *xb* to 1.0.
- args** : tuple, optional
Additional arguments (if present), passed to *func*.
- grow_limit** : float, optional
Maximum grow limit. Defaults to 110.0
- maxiter** : int, optional
Maximum number of iterations to perform. Defaults to 1000.

Returns

- xa, xb, xc** : float
Bracket.
- fa, fb, fc** : float
Objective function values in bracket.
- funcalls** : int
Number of function evaluations made.

Rosenbrock function

<code>rosen(x)</code>	The Rosenbrock function.
<code>rosen_der(x)</code>	The derivative (i.e.
<code>rosen_hess(x)</code>	The Hessian matrix of the Rosenbrock function.
<code>rosen_hess_prod(x, p)</code>	Product of the Hessian matrix of the Rosenbrock function with a vector.

`scipy.optimize.rosen` (*x*)
The Rosenbrock function.

The function computed is:

$$\text{sum}(100.0 * (x[1:] - x[:-1]) ** 2.0) ** 2.0 + (1 - x[:-1]) ** 2.0$$

Parameters

- x** : array_like
1-D array of points at which the Rosenbrock function is to be computed.

Returns **f**: float
The value of the Rosenbrock function.

See Also

`rosen_der`, `rosen_hess`, `rosen_hess_prod`

`scipy.optimize.rosen_der`(*x*)
The derivative (i.e. gradient) of the Rosenbrock function.

Parameters **x**: array_like
1-D array of points at which the derivative is to be computed.

Returns **rosen_der**: (N,) ndarray
The gradient of the Rosenbrock function at *x*.

See Also

`rosen`, `rosen_hess`, `rosen_hess_prod`

`scipy.optimize.rosen_hess`(*x*)
The Hessian matrix of the Rosenbrock function.

Parameters **x**: array_like
1-D array of points at which the Hessian matrix is to be computed.

Returns **rosen_hess**: ndarray
The Hessian matrix of the Rosenbrock function at *x*.

See Also

`rosen`, `rosen_der`, `rosen_hess_prod`

`scipy.optimize.rosen_hess_prod`(*x*, *p*)
Product of the Hessian matrix of the Rosenbrock function with a vector.

Parameters **x**: array_like
1-D array of points at which the Hessian matrix is to be computed.

p: array_like
1-D array, the vector to be multiplied by the Hessian matrix.

Returns **rosen_hess_prod**: ndarray
The Hessian matrix of the Rosenbrock function at *x* multiplied by the vector *p*.

See Also

`rosen`, `rosen_der`, `rosen_hess`

5.19.2 Fitting

`curve_fit`(*f*, *xdata*, *ydata*[, *p0*, *sigma*]) Use non-linear least squares to fit a function, *f*, to data.

`scipy.optimize.curve_fit`(*f*, *xdata*, *ydata*, *p0*=None, *sigma*=None, ****kw**)
Use non-linear least squares to fit a function, *f*, to data.

Assumes $ydata = f(xdata, *params) + \epsilon$

Parameters **f**: callable
The model function, $f(x, \dots)$. It must take the independent variable as the first argument and the parameters to fit as separate remaining arguments.
xdata: An N-length sequence or an (k,N)-shaped array

for functions with k predictors. The independent variable where the data is measured.
ydata : N-length sequence

The dependent data — nominally $f(xdata, \dots)$

p0 : None, scalar, or M-length sequence

Initial guess for the parameters. If None, then the initial values will all be 1 (if the number of parameters for the function can be determined using introspection, otherwise a `ValueError` is raised).

sigma : None or N-length sequence

If not None, it represents the standard-deviation of `ydata`. This vector, if given, will be used as weights in the least-squares problem.

Returns

popt : array

Optimal values for the parameters so that the sum of the squared error of $f(xdata, *popt) - ydata$ is minimized

pcov : 2d array

The estimated covariance of `popt`. The diagonals provide the variance of the parameter estimate.

See Also

`leastsq`

Notes

The algorithm uses the Levenberg-Marquardt algorithm through `leastsq`. Additional keyword arguments are passed directly to that algorithm.

Examples

```
>>> import numpy as np
>>> from scipy.optimize import curve_fit
>>> def func(x, a, b, c):
...     return a*np.exp(-b*x) + c

>>> x = np.linspace(0, 4, 50)
>>> y = func(x, 2.5, 1.3, 0.5)
>>> yn = y + 0.2*np.random.normal(size=len(x))

>>> popt, pcov = curve_fit(func, x, yn)
```

5.19.3 Root finding

Scalar functions

<code>brentq(f, a, b[, args, xtol, rtol, maxiter, ...])</code>	Find a root of a function in given interval.
<code>brenth(f, a, b[, args, xtol, rtol, maxiter, ...])</code>	Find root of f in $[a,b]$.
<code>ridder(f, a, b[, args, xtol, rtol, maxiter, ...])</code>	Find a root of a function in an interval.
<code>bisect(f, a, b[, args, xtol, rtol, maxiter, ...])</code>	Find root of a function within an interval.
<code>newton(func, x0[, fprime, args, tol, ...])</code>	Find a zero using the Newton-Raphson or secant method.

`scipy.optimize.brentq(f, a, b, args=(), xtol=1e-12, rtol=4.4408920985006262e-16, maxiter=100, full_output=False, disp=True)`

Find a root of a function in given interval.

Return float, a zero of f between a and b . f must be a continuous function, and $[a,b]$ must be a sign changing

interval.

Description: Uses the classic Brent (1973) method to find a zero of the function f on the sign changing interval $[a, b]$. Generally considered the best of the rootfinding routines here. It is a safe version of the secant method that uses inverse quadratic extrapolation. Brent's method combines root bracketing, interval bisection, and inverse quadratic interpolation. It is sometimes known as the van Wijngaarden-Deker-Brent method. Brent (1973) claims convergence is guaranteed for functions computable within $[a, b]$.

[Brent1973] provides the classic description of the algorithm. Another description can be found in a recent edition of Numerical Recipes, including [PressEtal1992]. Another description is at <http://mathworld.wolfram.com/BrentsMethod.html>. It should be easy to understand the algorithm just by reading our code. Our code diverges a bit from standard presentations: we choose a different formula for the extrapolation step.

Parameters

- f** : function
Python function returning a number. f must be continuous, and $f(a)$ and $f(b)$ must have opposite signs.
- a** : number
One end of the bracketing interval $[a, b]$.
- b** : number
The other end of the bracketing interval $[a, b]$.
- xtol** : number, optional
The routine converges when a root is known to lie within $xtol$ of the value return. Should be ≥ 0 . The routine modifies this to take into account the relative precision of doubles.
- maxiter** : number, optional
if convergence is not achieved in $maxiter$ iterations, and error is raised. Must be ≥ 0 .
- args** : tuple, optional
containing extra arguments for the function f . f is called by `apply(f, (x)+args)`.
- full_output** : bool, optional
If `full_output` is False, the root is returned. If `full_output` is True, the return value is (x, r) , where x is the root, and r is a RootResults object.
- disp** : bool, optional
If True, raise RuntimeError if the algorithm didn't converge.

Returns

- x0** : float
Zero of f between a and b .
- r** : RootResults (present if `full_output = True`)
Object containing information about the convergence. In particular, `r.converged` is True if the routine converged.

See Also

multivariate

`fmin`, `fmin_powell`, `fmin_cg`, `fmin_bfgs`, `fmin_ncg`

nonlinear `leastsq`

constrained

`fmin_l_bfgs_b`, `fmin_tnc`, `fmin_cobyla`

global `anneal`, `basinhopping`, `brute`

local `fminbound`, `brent`, `golden`, `bracket`

n-dimensional

`fsolve`

one-dimensional

`brentq`, `brenth`, `ridder`, `bisect`, `newton`

scalar `fixed_point`

Notes

f must be continuous. $f(a)$ and $f(b)$ must have opposite signs.

References

[Brent1973], [PressEtal1992]

`scipy.optimize.brenth` (f , a , b , $args=()$, $xtol=1e-12$, $rtol=4.4408920985006262e-16$, $maxiter=100$,
 $full_output=False$, $disp=True$)

Find root of f in $[a,b]$.

A variation on the classic Brent routine to find a zero of the function f between the arguments a and b that uses hyperbolic extrapolation instead of inverse quadratic extrapolation. There was a paper back in the 1980's ... $f(a)$ and $f(b)$ can not have the same signs. Generally on a par with the brent routine, but not as heavily tested. It is a safe version of the secant method that uses hyperbolic extrapolation. The version here is by Chuck Harris.

Parameters **f** : function

Python function returning a number. f must be continuous, and $f(a)$ and $f(b)$ must have opposite signs.

a : number

One end of the bracketing interval $[a,b]$.

b : number

The other end of the bracketing interval $[a,b]$.

xtol : number, optional

The routine converges when a root is known to lie within $xtol$ of the value return. Should be ≥ 0 . The routine modifies this to take into account the relative precision of doubles.

maxiter : number, optional

if convergence is not achieved in $maxiter$ iterations, and error is raised. Must be ≥ 0 .

args : tuple, optional

containing extra arguments for the function f . f is called by `apply(f, (x)+args)`.

full_output : bool, optional

If $full_output$ is `False`, the root is returned. If $full_output$ is `True`, the return value is (x, r) , where x is the root, and r is a `RootResults` object.

disp : bool, optional

If `True`, raise `RuntimeError` if the algorithm didn't converge.

Returns

x0 : float

Zero of f between a and b .

r : `RootResults` (present if $full_output = True$)

Object containing information about the convergence. In particular, $r.converged$ is `True` if the routine converged.

See Also

`fmin`, `fmin_powell`, `fmin_cg`

leastsq nonlinear least squares minimizer

`fmin_l_bfgs_b`, `fmin_tnc`, `fmin_cobyla`, `anneal`, `brute`, `fminbound`, `brent`, `golden`, `bracket`

fsolve n-dimensional root-finding

`brentq`, `brenth`, `ridder`, `bisect`, `newton`

fixed_point

scalar fixed-point finder

`scipy.optimize.ridder` (*f*, *a*, *b*, *args=()*, *xtol=1e-12*, *rtol=4.4408920985006262e-16*, *maxiter=100*,
full_output=False, *disp=True*)

Find a root of a function in an interval.

Parameters **f** : function

Python function returning a number. *f* must be continuous, and *f*(*a*) and *f*(*b*) must have opposite signs.

a : number

One end of the bracketing interval [*a*,*b*].

b : number

The other end of the bracketing interval [*a*,*b*].

xtol : number, optional

The routine converges when a root is known to lie within *xtol* of the value return. Should be ≥ 0 . The routine modifies this to take into account the relative precision of doubles.

maxiter : number, optional

if convergence is not achieved in *maxiter* iterations, and error is raised. Must be ≥ 0 .

args : tuple, optional

containing extra arguments for the function *f*. *f* is called by `apply(f, (x)+args)`.

full_output : bool, optional

If *full_output* is `False`, the root is returned. If *full_output* is `True`, the return value is (*x*, *r*), where *x* is the root, and *r* is a `RootResults` object.

disp : bool, optional

If `True`, raise `RuntimeError` if the algorithm didn't converge.

Returns

x0 : float

Zero of *f* between *a* and *b*.

r : `RootResults` (present if *full_output* = `True`)

Object containing information about the convergence. In particular, *r*.`converged` is `True` if the routine converged.

See Also

`brentq`, `brenth`, `bisect`, `newton`

fixed_point

scalar fixed-point finder

Notes

Uses [Ridders1979] method to find a zero of the function *f* between the arguments *a* and *b*. Ridders' method is faster than bisection, but not generally as fast as the Brent routines. [Ridders1979] provides the classic description and source of the algorithm. A description can also be found in any recent edition of Numerical Recipes.

The routine used here diverges slightly from standard presentations in order to be a bit more careful of tolerance.

References

[Ridders1979]

`scipy.optimize.bisect` (*f*, *a*, *b*, *args=()*, *xtol=1e-12*, *rtol=4.4408920985006262e-16*, *maxiter=100*,
full_output=False, *disp=True*)

Find root of a function within an interval.

Basic bisection routine to find a zero of the function f between the arguments a and b . $f(a)$ and $f(b)$ can not have the same signs. Slow but sure.

Parameters

- f** : function
Python function returning a number. f must be continuous, and $f(a)$ and $f(b)$ must have opposite signs.
- a** : number
One end of the bracketing interval $[a,b]$.
- b** : number
The other end of the bracketing interval $[a,b]$.
- xtol** : number, optional
The routine converges when a root is known to lie within $xtol$ of the value return. Should be ≥ 0 . The routine modifies this to take into account the relative precision of doubles.
- maxiter** : number, optional
if convergence is not achieved in $maxiter$ iterations, and error is raised. Must be ≥ 0 .
- args** : tuple, optional
containing extra arguments for the function f . f is called by `apply(f, (x)+args)`.
- full_output** : bool, optional
If `full_output` is False, the root is returned. If `full_output` is True, the return value is (x, r) , where x is the root, and r is a `RootResults` object.
- disp** : bool, optional
If True, raise `RuntimeError` if the algorithm didn't converge.

Returns

- x0** : float
Zero of f between a and b .
- r** : `RootResults` (present if `full_output = True`)
Object containing information about the convergence. In particular, `r.converged` is True if the routine converged.

See Also

`brentq`, `brenth`, `bisect`, `newton`

`fixed_point`

scalar fixed-point finder

`fsolve`

n-dimensional root-finding

`scipy.optimize.newton` (`func`, `x0`, `fprime=None`, `args=()`, `tol=1.48e-08`, `maxiter=50`, `fprime2=None`)

Find a zero using the Newton-Raphson or secant method.

Find a zero of the function $func$ given a nearby starting point $x0$. The Newton-Raphson method is used if the derivative $fprime$ of $func$ is provided, otherwise the secant method is used. If the second order derivate $fprime2$ of $func$ is provided, parabolic Halley's method is used.

Parameters

- func** : function
The function whose zero is wanted. It must be a function of a single variable of the form $f(x,a,b,c\dots)$, where $a,b,c\dots$ are extra arguments that can be passed in the `args` parameter.
- x0** : float
An initial estimate of the zero that should be somewhere near the actual zero.
- fprime** : function, optional
The derivative of the function when available and convenient. If it is None (default), then the secant method is used.
- args** : tuple, optional
Extra arguments to be used in the function call.

tol : float, optional
The allowable error of the zero value.

maxiter : int, optional
Maximum number of iterations.

fprime2 : function, optional
The second order derivative of the function when available and convenient. If it is None (default), then the normal Newton-Raphson or the secant method is used. If it is given, parabolic Halley's method is used.

Returns **zero** : float
Estimated location where function is zero.

See Also

`brentq`, `brenth`, `ridder`, `bisect`

`fsolve` find zeroes in n dimensions.

Notes

The convergence rate of the Newton-Raphson method is quadratic, the Halley method is cubic, and the secant method is sub-quadratic. This means that if the function is well behaved the actual error in the estimated zero is approximately the square (cube for Halley) of the requested tolerance up to roundoff error. However, the stopping criterion used here is the step size and there is no guarantee that a zero has been found. Consequently the result should be verified. Safer algorithms are `brentq`, `brenth`, `ridder`, and `bisect`, but they all require that the root first be bracketed in an interval where the function changes sign. The `brentq` algorithm is recommended for general use in one dimensional problems when such an interval has been found.

Fixed point finding:

`fixed_point(func, x0[, args, xtol, maxiter])` Find a fixed point of the function.

`scipy.optimize.fixed_point` (*func*, *x0*, *args=()*, *xtol=1e-08*, *maxiter=500*)

Find a fixed point of the function.

Given a function of one or more variables and a starting point, find a fixed-point of the function: i.e. where `func(x0) == x0`.

Parameters **func** : function
Function to evaluate.

x0 : array_like
Fixed point of function.

args : tuple, optional
Extra arguments to *func*.

xtol : float, optional
Convergence tolerance, defaults to 1e-08.

maxiter : int, optional
Maximum number of iterations, defaults to 500.

Notes

Uses Steffensen's Method using Aitken's Del^2 convergence acceleration. See Burden, Faires, "Numerical Analysis", 5th edition, pg. 80

Examples

```
>>> from scipy import optimize
>>> def func(x, c1, c2):
....     return np.sqrt(c1/(x+c2))
```

```
>>> c1 = np.array([10,12.])
>>> c2 = np.array([3, 5.])
>>> optimize.fixed_point(func, [1.2, 1.3], args=(c1,c2))
array([ 1.4920333 ,  1.37228132])
```

Multidimensional

General nonlinear solvers:

<code>root(func, x0[, args, method, jac, tol, ...])</code>	Find a root of a vector function.
<code>fsolve(func, x0[, args, fprime, ...])</code>	Find the roots of a function.
<code>broyden1(F, xin[, iter, alpha, ...])</code>	Find a root of a function, using Broyden's first Jacobian approximation.
<code>broyden2(F, xin[, iter, alpha, ...])</code>	Find a root of a function, using Broyden's second Jacobian approximation.

`scipy.optimize.root` (*func*, *x0*, *args*=(), *method*='hybr', *jac*=None, *tol*=None, *callback*=None, *options*=None)

Find a root of a vector function. New in version 0.11.0.

Parameters

func : callable

A vector function to find a root of.

x0 : ndarray

Initial guess.

args : tuple, optional

Extra arguments passed to the objective function and its Jacobian.

method : str, optional

Type of solver. Should be one of

- 'hybr'
- 'lm'
- 'broyden1'
- 'broyden2'
- 'anderson'
- 'linearmixing'
- 'diagbroyden'
- 'excitingmixing'
- 'krylov'

jac : bool or callable, optional

If *jac* is a Boolean and is True, *func* is assumed to return the value of Jacobian along with the objective function. If False, the Jacobian will be estimated numerically. *jac* can also be a callable returning the Jacobian of *func*. In this case, it must accept the same arguments as *func*.

tol : float, optional

Tolerance for termination. For detailed control, use solver-specific options.

callback : function, optional

Optional callback function. It is called on every iteration as `callback(x, f)` where *x* is the current solution and *f* the corresponding residual. For all methods but 'hybr' and 'lm'.

options : dict, optional

A dictionary of solver options. E.g. *xtol* or *maxiter*, see `show_options('root', method)` for details.

Returns

sol : Result

The solution represented as a `Result` object. Important attributes are: *x* the solution array, *success* a Boolean flag indicating if the algorithm exited successfully and

message which describes the cause of the termination. See `Result` for a description of other attributes.

Notes

This section describes the available solvers that can be selected by the ‘method’ parameter. The default method is *hybr*.

Method *hybr* uses a modification of the Powell hybrid method as implemented in MINPACK [R88].

Method *lm* solves the system of nonlinear equations in a least squares sense using a modification of the Levenberg-Marquardt algorithm as implemented in MINPACK [R88].

Methods *broyden1*, *broyden2*, *anderson*, *linearmixing*, *diagbroyden*, *excitingmixing*, *krylov* are inexact Newton methods, with backtracking or full line searches [R89]. Each method corresponds to a particular Jacobian approximations. See `nonlin` for details.

- Method *broyden1* uses Broyden’s first Jacobian approximation, it is known as Broyden’s good method.
- Method *broyden2* uses Broyden’s second Jacobian approximation, it is known as Broyden’s bad method.
- Method *anderson* uses (extended) Anderson mixing.
- Method *Krylov* uses Krylov approximation for inverse Jacobian. It is suitable for large-scale problem.
- Method *diagbroyden* uses diagonal Broyden Jacobian approximation.
- Method *linearmixing* uses a scalar Jacobian approximation.
- Method *excitingmixing* uses a tuned diagonal Jacobian approximation.

Warning: The algorithms implemented for methods *diagbroyden*, *linearmixing* and *excitingmixing* may be useful for specific problems, but whether they will work may depend strongly on the problem.

References

[R88], [R89]

Examples

The following functions define a system of nonlinear equations and its jacobian.

```
>>> def fun(x):
...     return [x[0] + 0.5 * (x[0] - x[1])**3 - 1.0,
...             0.5 * (x[1] - x[0])**3 + x[1]]

>>> def jac(x):
...     return np.array([[1 + 1.5 * (x[0] - x[1])**2,
...                       -1.5 * (x[0] - x[1])**2],
...                      [-1.5 * (x[1] - x[0])**2,
...                       1 + 1.5 * (x[1] - x[0])**2]])
```

A solution can be obtained as follows.

```
>>> from scipy import optimize
>>> sol = optimize.root(fun, [0, 0], jac=jac, method='hybr')
>>> sol.x
array([ 0.8411639,  0.1588361])
```

`scipy.optimize.fsolve` (*func*, *x0*, *args=()*, *fprime=None*, *full_output=0*, *col_deriv=0*, *xtol=1.49012e-08*, *maxfev=0*, *band=None*, *epsfcn=None*, *factor=100*, *diag=None*)

Find the roots of a function.

Return the roots of the (non-linear) equations defined by $\text{func}(x) = 0$ given a starting estimate.

Parameters

func : callable $f(x, *args)$
A function that takes at least one (possibly vector) argument.

x0 : ndarray
The starting estimate for the roots of $\text{func}(x) = 0$.

args : tuple, optional
Any extra arguments to *func*.

fprime : callable(x), optional
A function to compute the Jacobian of *func* with derivatives across the rows. By default, the Jacobian will be estimated.

full_output : bool, optional
If True, return optional outputs.

col_deriv : bool, optional
Specify whether the Jacobian function computes derivatives down the columns (faster, because there is no transpose operation).

xtol : float
The calculation will terminate if the relative error between two consecutive iterates is at most *xtol*.

maxfev : int, optional
The maximum number of calls to the function. If zero, then $100 * (N+1)$ is the maximum where *N* is the number of elements in *x0*.

band : tuple, optional
If set to a two-sequence containing the number of sub- and super-diagonals within the band of the Jacobi matrix, the Jacobi matrix is considered banded (only for *fprime=None*).

epsfcn : float, optional
A suitable step length for the forward-difference approximation of the Jacobian (for *fprime=None*). If *epsfcn* is less than the machine precision, it is assumed that the relative errors in the functions are of the order of the machine precision.

factor : float, optional
A parameter determining the initial step bound ($\text{factor} * || \text{diag} * x ||$). Should be in the interval (0.1, 100).

diag : sequence, optional
N positive entries that serve as a scale factors for the variables.

Returns

x : ndarray
The solution (or the result of the last iteration for an unsuccessful call).

infodict : dict
A dictionary of optional outputs with the keys:

- 'nfev' : number of function calls
- 'njev' : number of Jacobian calls
- 'fvec' : function evaluated at the output
- '*fjac*' [the orthogonal matrix, *q*, produced by the QR] factorization of the final approximate Jacobian matrix, stored column wise
- '*r*' [upper triangular matrix produced by QR factorization] of the same matrix
- 'qtf': the vector ($\text{transpose}(q) * \text{fvec}$)

ier : int
An integer flag. Set to 1 if a solution was found, otherwise refer to *mesg* for more information.

mesg : str
If no solution is found, *mesg* details the cause of failure.

See Also

root Interface to root finding algorithms for multivariate functions. See the ‘hybr’ *method* in particular.

Notes

`fsolve` is a wrapper around MINPACK’s `hybrd` and `hybrj` algorithms.

```
scipy.optimize.broyden1(F, xin, iter=None, alpha=None, reduction_method='restart',
                        max_rank=None, verbose=False, maxiter=None, f_tol=None,
                        f_rtol=None, x_tol=None, x_rtol=None, tol_norm=None,
                        line_search='armijo', callback=None, **kw)
```

Find a root of a function, using Broyden’s first Jacobian approximation.

This method is also known as “Broyden’s good method”.

Parameters **F** : function(x) -> f

Function whose root to find; should take and return an array-like object.

x0 : array_like

Initial guess for the solution

alpha : float, optional

Initial guess for the Jacobian is $(-1/\alpha)$.

reduction_method : str or tuple, optional

Method used in ensuring that the rank of the Broyden matrix stays low. Can either be a string giving the name of the method, or a tuple of the form `(method, param1, param2, ...)` that gives the name of the method and values for additional parameters.

Methods available:

- `restart`: drop all matrix columns. Has no extra parameters.
- `simple`: drop oldest matrix column. Has no extra parameters.
- `svd`: keep only the most significant SVD components. Takes an extra parameter, `to_retain`, which determines the number of SVD components to retain when rank reduction is done. Default is `max_rank - 2`.

max_rank : int, optional

Maximum rank for the Broyden matrix. Default is infinity (ie., no rank reduction).

iter : int, optional

Number of iterations to make. If omitted (default), make as many as required to meet tolerances.

verbose : bool, optional

Print status to stdout on every iteration.

maxiter : int, optional

Maximum number of iterations to make. If more are needed to meet convergence, `NoConvergence` is raised.

f_tol : float, optional

Absolute tolerance (in max-norm) for the residual. If omitted, default is $6e-6$.

f_rtol : float, optional

Relative tolerance for the residual. If omitted, not used.

x_tol : float, optional

Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.

x_rtol : float, optional

Relative minimum step size. If omitted, not used.

tol_norm : function(vector) -> scalar, optional

Norm to use in convergence check. Default is the maximum norm.

line_search : {None, ‘armijo’ (default), ‘wolfe’}, optional

Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.

callback : function, optional

Optional callback function. It is called on every iteration as `callback(x, f)` where x is the current solution and f the corresponding residual.

Returns

sol : ndarray

An array (of similar array type as $x0$) containing the final solution.

Raises

NoConvergence :

When a solution was not found.

Notes

This algorithm implements the inverse Jacobian Quasi-Newton update

$$H_+ = H + (dx - Hdf)dx^\dagger H / (dx^\dagger Hdf)$$

which corresponds to Broyden's first Jacobian update

$$J_+ = J + (df - Jdx)dx^\dagger / dx^\dagger dx$$

References

[vR]

```
scipy.optimize.broyden2(F, xin, iter=None, alpha=None, reduction_method='restart',
                        max_rank=None, verbose=False, maxiter=None, f_tol=None,
                        f_rtol=None, x_tol=None, x_rtol=None, tol_norm=None,
                        line_search='armijo', callback=None, **kw)
```

Find a root of a function, using Broyden's second Jacobian approximation.

This method is also known as "Broyden's bad method".

Parameters **F** : function(x) -> f

Function whose root to find; should take and return an array-like object.

x0 : array_like

Initial guess for the solution

alpha : float, optional

Initial guess for the Jacobian is $(-1/\alpha)$.

reduction_method : str or tuple, optional

Method used in ensuring that the rank of the Broyden matrix stays low. Can either be a string giving the name of the method, or a tuple of the form `(method, param1, param2, ...)` that gives the name of the method and values for additional parameters.

Methods available:

- `restart`: drop all matrix columns. Has no extra parameters.
- `simple`: drop oldest matrix column. Has no extra parameters.
- `svd`: keep only the most significant SVD components. Takes an extra parameter, `to_retain`, which determines the number of SVD components to retain when rank reduction is done. Default is `'max_rank - 2'`.

max_rank : int, optional

Maximum rank for the Broyden matrix. Default is infinity (ie., no rank reduction).

iter : int, optional

Number of iterations to make. If omitted (default), make as many as required to meet tolerances.

verbose : bool, optional
 Print status to stdout on every iteration.

maxiter : int, optional
 Maximum number of iterations to make. If more are needed to meet convergence, *NoConvergence* is raised.

f_tol : float, optional
 Absolute tolerance (in max-norm) for the residual. If omitted, default is 6e-6.

f_rtol : float, optional
 Relative tolerance for the residual. If omitted, not used.

x_tol : float, optional
 Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.

x_rtol : float, optional
 Relative minimum step size. If omitted, not used.

tol_norm : function(vector) -> scalar, optional
 Norm to use in convergence check. Default is the maximum norm.

line_search : {None, 'armijo' (default), 'wolfe' }, optional
 Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.

callback : function, optional
 Optional callback function. It is called on every iteration as `callback(x, f)` where *x* is the current solution and *f* the corresponding residual.

Returns **sol** : ndarray
 An array (of similar array type as *x0*) containing the final solution.

Raises **NoConvergence** :
 When a solution was not found.

Notes

This algorithm implements the inverse Jacobian Quasi-Newton update

$$H_+ = H + (dx - Hdf)df^\dagger / (df^\dagger df)$$

corresponding to Broyden's second method.

References

[vR]

Large-scale nonlinear solvers:

<code>newton_krylov(F, xin[, iter, rdiff, method, ...])</code>	Find a root of a function, using Krylov approximation for inverse Jacobian.
<code>anderson(F, xin[, iter, alpha, w0, M, ...])</code>	Find a root of a function, using (extended) Anderson mixing.

```
scipy.optimize.newton_krylov(F, xin, iter=None, rdiff=None, method='lgmres',
                             inner_maxiter=20, inner_M=None, outer_k=10, verbose=False,
                             maxiter=None, f_tol=None, f_rtol=None, x_tol=None,
                             x_rtol=None, tol_norm=None, line_search='armijo',
                             callback=None, **kw)
```

Find a root of a function, using Krylov approximation for inverse Jacobian.

This method is suitable for solving large-scale problems.

Parameters **F** : function(x) -> f

Function whose root to find; should take and return an array-like object.

x0 : array_like
Initial guess for the solution

rdiff : float, optional
Relative step size to use in numerical differentiation.

method : {'lgmres', 'gmres', 'bicgstab', 'cgs', 'minres'} or function
Krylov method to use to approximate the Jacobian. Can be a string, or a function implementing the same interface as the iterative solvers in `scipy.sparse.linalg`. The default is `scipy.sparse.linalg.lgmres`.

inner_M : LinearOperator or InverseJacobian
Preconditioner for the inner Krylov iteration. Note that you can use also inverse Jacobians as (adaptive) preconditioners. For example,

```
>>> jac = BroydenFirst()
>>> kjac = KrylovJacobian(inner_M=jac.inverse)
```

If the preconditioner has a method named 'update', it will be called as `update(x, f)` after each nonlinear step, with `x` giving the current point, and `f` the current function value.

inner_tol, inner_maxiter, ... :
Parameters to pass on to the "inner" Krylov solver. See `scipy.sparse.linalg.gmres` for details.

outer_k : int, optional
Size of the subspace kept across LGMRES nonlinear iterations. See `scipy.sparse.linalg.lgmres` for details.

iter : int, optional
Number of iterations to make. If omitted (default), make as many as required to meet tolerances.

verbose : bool, optional
Print status to stdout on every iteration.

maxiter : int, optional
Maximum number of iterations to make. If more are needed to meet convergence, `NoConvergence` is raised.

f_tol : float, optional
Absolute tolerance (in max-norm) for the residual. If omitted, default is 6e-6.

f_rtol : float, optional
Relative tolerance for the residual. If omitted, not used.

x_tol : float, optional
Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.

x_rtol : float, optional
Relative minimum step size. If omitted, not used.

tol_norm : function(vector) -> scalar, optional
Norm to use in convergence check. Default is the maximum norm.

line_search : {None, 'armijo' (default), 'wolfe'}, optional
Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.

callback : function, optional
Optional callback function. It is called on every iteration as `callback(x, f)` where `x` is the current solution and `f` the corresponding residual.

Returns **sol** : ndarray
An array (of similar array type as `x0`) containing the final solution.

Raises **NoConvergence** :
When a solution was not found.

See Also

`scipy.sparse.linalg.gmres`, `scipy.sparse.linalg.lgmres`

Notes

This function implements a Newton-Krylov solver. The basic idea is to compute the inverse of the Jacobian with an iterative Krylov method. These methods require only evaluating the Jacobian-vector products, which are conveniently approximated by numerical differentiation:

$$Jv \approx (f(x + \omega * v/|v|) - f(x))/\omega$$

Due to the use of iterative matrix inverses, these methods can deal with large nonlinear problems.

Scipy's `scipy.sparse.linalg` module offers a selection of Krylov solvers to choose from. The default here is `lgmres`, which is a variant of restarted GMRES iteration that reuses some of the information obtained in the previous Newton steps to invert Jacobians in subsequent steps.

For a review on Newton-Krylov methods, see for example [KK], and for the LGMRES sparse inverse method, see [BJM].

References

[KK], [BJM]

```
scipy.optimize.anderson(F, xin, iter=None, alpha=None, w0=0.01, M=5, verbose=False,
                        maxiter=None, f_tol=None, f_rtol=None, x_tol=None, x_rtol=None,
                        tol_norm=None, line_search='armijo', callback=None, **kw)
```

Find a root of a function, using (extended) Anderson mixing.

The Jacobian is formed by for a ‘best’ solution in the space spanned by last *M* vectors. As a result, only a *MxM* matrix inversions and *MxN* multiplications are required. [Ey]

- Parameters**
- F** : function(x) -> f
Function whose root to find; should take and return an array-like object.
 - x0** : array_like
Initial guess for the solution
 - alpha** : float, optional
Initial guess for the Jacobian is (-1/alpha).
 - M** : float, optional
Number of previous vectors to retain. Defaults to 5.
 - w0** : float, optional
Regularization parameter for numerical stability. Compared to unity, good values of the order of 0.01.
 - iter** : int, optional
Number of iterations to make. If omitted (default), make as many as required to meet tolerances.
 - verbose** : bool, optional
Print status to stdout on every iteration.
 - maxiter** : int, optional
Maximum number of iterations to make. If more are needed to meet convergence, *NoConvergence* is raised.
 - f_tol** : float, optional
Absolute tolerance (in max-norm) for the residual. If omitted, default is 6e-6.
 - f_rtol** : float, optional
Relative tolerance for the residual. If omitted, not used.
 - x_tol** : float, optional

Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.

x_rtol : float, optional

Relative minimum step size. If omitted, not used.

tol_norm : function(vector) -> scalar, optional

Norm to use in convergence check. Default is the maximum norm.

line_search : {None, 'armijo' (default), 'wolfe' }, optional

Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.

callback : function, optional

Optional callback function. It is called on every iteration as `callback(x, f)` where x is the current solution and f the corresponding residual.

Returns

sol : ndarray

An array (of similar array type as $x0$) containing the final solution.

Raises

NoConvergence :

When a solution was not found.

References

[Ey]

Simple iterations:

<code>excitingmixing(F, xin[, iter, alpha, ...])</code>	Find a root of a function, using a tuned diagonal Jacobian approximation.
<code>linearmixing(F, xin[, iter, alpha, verbose, ...])</code>	Find a root of a function, using a scalar Jacobian approximation.
<code>diagbroyden(F, xin[, iter, alpha, verbose, ...])</code>	Find a root of a function, using diagonal Broyden Jacobian approximation.

`scipy.optimize.excitingmixing(F, xin, iter=None, alpha=None, alphamax=1.0, verbose=False, maxiter=None, f_tol=None, f_rtol=None, x_tol=None, x_rtol=None, tol_norm=None, line_search='armijo', callback=None, **kw)`

Find a root of a function, using a tuned diagonal Jacobian approximation.

The Jacobian matrix is diagonal and is tuned on each iteration.

Warning: This algorithm may be useful for specific problems, but whether it will work may depend strongly on the problem.

Parameters

F : function(x) -> f

Function whose root to find; should take and return an array-like object.

x0 : array_like

Initial guess for the solution

alpha : float, optional

Initial Jacobian approximation is $(-1/\alpha)$.

alphamax : float, optional

The entries of the diagonal Jacobian are kept in the range $[\alpha, \text{alphamax}]$.

iter : int, optional

Number of iterations to make. If omitted (default), make as many as required to meet tolerances.

verbose : bool, optional

Print status to stdout on every iteration.

maxiter : int, optional

Maximum number of iterations to make. If more are needed to meet convergence, *NoConvergence* is raised.

f_tol : float, optional
 Absolute tolerance (in max-norm) for the residual. If omitted, default is 6e-6.

f_rtol : float, optional
 Relative tolerance for the residual. If omitted, not used.

x_tol : float, optional
 Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.

x_rtol : float, optional
 Relative minimum step size. If omitted, not used.

tol_norm : function(vector) -> scalar, optional
 Norm to use in convergence check. Default is the maximum norm.

line_search : {None, 'armijo' (default), 'wolfe'}, optional
 Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.

callback : function, optional
 Optional callback function. It is called on every iteration as `callback(x, f)` where x is the current solution and f the corresponding residual.

Returns **sol** : ndarray
 An array (of similar array type as $x0$) containing the final solution.

Raises **NoConvergence** :
 When a solution was not found.

`scipy.optimize.linarmixing` (F , xin , $iter=None$, $alpha=None$, $verbose=False$, $max_iter=None$, $f_tol=None$, $f_rtol=None$, $x_tol=None$, $x_rtol=None$, $tol_norm=None$, $line_search='armijo'$, $callback=None$, $**kw$)

Find a root of a function, using a scalar Jacobian approximation.

Warning: This algorithm may be useful for specific problems, but whether it will work may depend strongly on the problem.

Parameters

F : function(x) -> f
 Function whose root to find; should take and return an array-like object.

x0 : array_like
 Initial guess for the solution

alpha : float, optional
 The Jacobian approximation is $(-1/\alpha)$.

iter : int, optional
 Number of iterations to make. If omitted (default), make as many as required to meet tolerances.

verbose : bool, optional
 Print status to stdout on every iteration.

maxiter : int, optional
 Maximum number of iterations to make. If more are needed to meet convergence, *NoConvergence* is raised.

f_tol : float, optional
 Absolute tolerance (in max-norm) for the residual. If omitted, default is 6e-6.

f_rtol : float, optional
 Relative tolerance for the residual. If omitted, not used.

x_tol : float, optional
 Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.

x_rtol : float, optional
 Relative minimum step size. If omitted, not used.

tol_norm : function(vector) -> scalar, optional
Norm to use in convergence check. Default is the maximum norm.

line_search : {None, 'armijo' (default), 'wolfe' }, optional
Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.

callback : function, optional
Optional callback function. It is called on every iteration as `callback(x, f)` where x is the current solution and f the corresponding residual.

Returns **sol** : ndarray
An array (of similar array type as $x0$) containing the final solution.

Raises **NoConvergence** :
When a solution was not found.

```
scipy.optimize.diagbroyden(F, xin, iter=None, alpha=None, verbose=False, maxiter=None,
                           f_tol=None, f_rtol=None, x_tol=None, x_rtol=None, tol_norm=None,
                           line_search='armijo', callback=None, **kw)
```

Find a root of a function, using diagonal Broyden Jacobian approximation.

The Jacobian approximation is derived from previous iterations, by retaining only the diagonal of Broyden matrices.

Warning: This algorithm may be useful for specific problems, but whether it will work may depend strongly on the problem.

Parameters

F : function(x) -> f
Function whose root to find; should take and return an array-like object.

x0 : array_like
Initial guess for the solution

alpha : float, optional
Initial guess for the Jacobian is $(-1/\alpha)$.

iter : int, optional
Number of iterations to make. If omitted (default), make as many as required to meet tolerances.

verbose : bool, optional
Print status to stdout on every iteration.

maxiter : int, optional
Maximum number of iterations to make. If more are needed to meet convergence, *NoConvergence* is raised.

f_tol : float, optional
Absolute tolerance (in max-norm) for the residual. If omitted, default is $6e-6$.

f_rtol : float, optional
Relative tolerance for the residual. If omitted, not used.

x_tol : float, optional
Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.

x_rtol : float, optional
Relative minimum step size. If omitted, not used.

tol_norm : function(vector) -> scalar, optional
Norm to use in convergence check. Default is the maximum norm.

line_search : {None, 'armijo' (default), 'wolfe' }, optional
Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.

callback : function, optional

Optional callback function. It is called on every iteration as `callback(x, f)` where x is the current solution and f the corresponding residual.

Returns **sol** : ndarray
An array (of similar array type as $x0$) containing the final solution.

Raises **NoConvergence** :
When a solution was not found.

[Additional information on the nonlinear solvers](#)

5.19.4 Utility Functions

<code>line_search(f, myfprime, xk, pk[, gfk, ...])</code>	Find alpha that satisfies strong Wolfe conditions.
<code>check_grad(func, grad, x0, *args)</code>	Check the correctness of a gradient function by comparing it against a (forward) finite difference.
<code>show_options(solver[, method])</code>	Show documentation for additional options of optimization solvers.

`scipy.optimize.line_search` (*f*, *myfprime*, *xk*, *pk*, *gfk=None*, *old_fval=None*, *old_old_fval=None*, *args=()*, *c1=0.0001*, *c2=0.9*, *amax=50*)

Find alpha that satisfies strong Wolfe conditions.

Parameters

- f** : callable $f(x, *args)$
Objective function.
- myfprime** : callable $f'(x, *args)$
Objective function gradient.
- xk** : ndarray
Starting point.
- pk** : ndarray
Search direction.
- gfk** : ndarray, optional
Gradient value for $x=xk$ (xk being the current parameter estimate). Will be recomputed if omitted.
- old_fval** : float, optional
Function value for $x=xk$. Will be recomputed if omitted.
- old_old_fval** : float, optional
Function value for the point preceding $x=xk$
- args** : tuple, optional
Additional arguments passed to objective function.
- c1** : float, optional
Parameter for Armijo condition rule.
- c2** : float, optional
Parameter for curvature condition rule.

Returns

- alpha0** : float
Alpha for which $x_{new} = x0 + alpha * pk$.
- fc** : int
Number of function evaluations made.
- gc** : int
Number of gradient evaluations made.

Notes

Uses the line search algorithm to enforce strong Wolfe conditions. See Wright and Nocedal, 'Numerical Optimization', 1999, pg. 59-60.

For the zoom phase it uses an algorithm by [...].

`scipy.optimize.check_grad` (*func*, *grad*, *x0*, **args*)

Check the correctness of a gradient function by comparing it against a (forward) finite-difference approximation of the gradient.

Parameters

- func** : callable func(*x0*,**args*)
Function whose derivative is to be checked.
- grad** : callable grad(*x0*, **args*)
Gradient of *func*.
- x0** : ndarray
Points to check *grad* against forward difference approximation of grad using *func*.
- args** : **args*, optional
Extra arguments passed to *func* and *grad*.

Returns

- err** : float
The square root of the sum of squares (i.e. the 2-norm) of the difference between `grad(x0, *args)` and the finite difference approximation of *grad* using *func* at the points *x0*.

See Also

`approx_fprime`

`scipy.optimize.show_options` (*solver*, *method=None*)

Show documentation for additional options of optimization solvers.

These are method-specific options that can be supplied through the `options` dict.

Parameters

- solver** : str
Type of optimization solver. One of `{minimize, root}`.
- method** : str, optional
If not given, shows all methods of the specified solver. Otherwise, show only the options for the specified method. Valid values corresponds to methods' names of respective solver (e.g. 'BFGS' for 'minimize').

Notes

** minimize options

•BFGS options:

- gtol** [float] Gradient norm must be less than *gtol* before successful termination.
- norm** [float] Order of norm (Inf is max, -Inf is min).
- eps** [float or ndarray] If *jac* is approximated, use this value for the step size.

•Nelder-Mead options:

- xtol** [float] Relative error in solution *xopt* acceptable for convergence.
- ftol** [float] Relative error in `fun(xopt)` acceptable for convergence.
- maxfev** [int] Maximum number of function evaluations to make.

•Newton-CG options:

- xtol** [float] Average relative error in solution *xopt* acceptable for convergence.
- eps** [float or ndarray] If *jac* is approximated, use this value for the step size.

•CG options:

gtol [float] Gradient norm must be less than *gtol* before successful termination.
norm [float] Order of norm (Inf is max, -Inf is min).
eps [float or ndarray] If *jac* is approximated, use this value for the step size.

•**Powell options:**

xtol [float] Relative error in solution *xopt* acceptable for convergence.
ftol [float] Relative error in `fun(xopt)` acceptable for convergence.
maxfev [int] Maximum number of function evaluations to make.
direc [ndarray] Initial set of direction vectors for the Powell method.

•**Anneal options:**

ftol [float] Relative error in `fun(x)` acceptable for convergence.
schedule [str] Annealing schedule to use. One of: ‘fast’, ‘cauchy’ or ‘boltzmann’.
T0 [float] Initial Temperature (estimated as 1.2 times the largest cost-function deviation over random points in the range).
Tf [float] Final goal temperature.
maxfev [int] Maximum number of function evaluations to make.
maxaccept [int] Maximum changes to accept.
boltzmann [float] Boltzmann constant in acceptance test (increase for less stringent test at each temperature).
learn_rate [float] Scale constant for adjusting guesses.
quench, m, n [float] Parameters to alter `fast_sa` schedule.
lower, upper [float or ndarray] Lower and upper bounds on *x*.
dwel [int] The number of times to search the space at each temperature.

•**L-BFGS-B options:**

ftol [float] The iteration stops when $(f^k - f^{k+1}) / \max\{|f^k|, |f^{k+1}|, 1\} \leq ftol$.
gtol [float] The iteration will stop when $\max\{|\text{proj } g_i| \mid i = 1, \dots, n\} \leq gtol$ where `pg_i` is the *i*-th component of the projected gradient.
maxcor [int] The maximum number of variable metric corrections used to define the limited memory matrix. (The limited memory BFGS method does not store the full hessian but uses this many terms in an approximation to it.)
maxiter [int] Maximum number of function evaluations.

•**TNC options:**

ftol [float] Precision goal for the value of *f* in the stopping criterion. If *ftol* < 0.0, *ftol* is set to 0.0 defaults to -1.

<i>xtol</i>	[float] Precision goal for the value of x in the stopping criterion (after applying x scaling factors). If $xtol < 0.0$, $xtol$ is set to $\sqrt{\text{machine_precision}}$. Defaults to -1 .
<i>gtol</i>	[float] Precision goal for the value of the projected gradient in the stopping criterion (after applying x scaling factors). If $gtol < 0.0$, $gtol$ is set to $1e-2 * \sqrt{\text{accuracy}}$. Setting it to 0.0 is not recommended. Defaults to -1 .
<i>scale</i>	[list of floats] Scaling factors to apply to each variable. If <code>None</code> , the factors are up-low for interval bounded variables and $1+ x $ for the others. Defaults to <code>None</code>
<i>offset</i>	[float] Value to subtract from each variable. If <code>None</code> , the offsets are $(\text{up}+\text{low})/2$ for interval bounded variables and x for the others.
<i>maxCGit</i>	[int] Maximum number of hessian*vector evaluations per main iteration. If $\text{maxCGit} == 0$, the direction chosen is $-\text{gradient}$ if $\text{maxCGit} < 0$, maxCGit is set to $\max(1, \min(50, n/2))$. Defaults to -1 .
<i>maxiter</i>	[int] Maximum number of function evaluation. if <code>None</code> , <i>maxiter</i> is set to $\max(100, 10 * \text{len}(x_0))$. Defaults to <code>None</code> .
<i>eta</i>	[float] Severity of the line search. if < 0 or > 1 , set to 0.25 . Defaults to -1 .
<i>stepmx</i>	[float] Maximum step for the line search. May be increased during call. If too small, it will be set to 10.0 . Defaults to 0 .
<i>accuracy</i>	[float] Relative precision for finite difference calculations. If $\leq \text{machine_precision}$, set to $\sqrt{\text{machine_precision}}$. Defaults to 0 .
<i>minfev</i>	[float] Minimum function value estimate. Defaults to 0 .
<i>rescale</i>	[float] Scaling factor (in \log_{10}) used to trigger f value rescaling. If 0 , rescale at each iteration. If a large value, never rescale. If < 0 , rescale is set to 1.3 .

•**COBYLA options:**

<i>tol</i>	[float] Final accuracy in the optimization (not precisely guaranteed). This is a lower bound on the size of the trust region.
<i>rhobeg</i>	[float] Reasonable initial changes to the variables.
<i>maxfev</i>	[int] Maximum number of function evaluations.

•**SLSQP options:**

<i>ftol</i>	[float] Precision goal for the value of f in the stopping criterion.
<i>eps</i>	[float] Step size used for numerical approximation of the jacobian.
<i>maxiter</i>	[int] Maximum number of iterations.

** root options

•**hybrd options:**

<i>col_deriv</i>	[bool] Specify whether the Jacobian function computes derivatives down the columns (faster, because there is no transpose operation).
<i>xtol</i>	[float] The calculation will terminate if the relative error between two consecutive iterates is at most <i>xtol</i> .

<i>maxfev</i>	[int] The maximum number of calls to the function. If zero, then $100 * (N+1)$ is the maximum where N is the number of elements in $x0$.
<i>band</i>	[sequence] If set to a two-sequence containing the number of sub- and super-diagonals within the band of the Jacobi matrix, the Jacobi matrix is considered banded (only for <code>fprime=None</code>).
<i>epsfcn</i>	[float] A suitable step length for the forward-difference approximation of the Jacobian (for <code>fprime=None</code>). If <i>epsfcn</i> is less than the machine precision, it is assumed that the relative errors in the functions are of the order of the machine precision.
<i>factor</i>	[float] A parameter determining the initial step bound (<code>factor * diag * x </code>). Should be in the interval $(0.1, 100)$.
<i>diag</i>	[sequence] N positive entries that serve as a scale factors for the variables.

•*LM options:*

<i>col_deriv</i>	[bool] non-zero to specify that the Jacobian function computes derivatives down the columns (faster, because there is no transpose operation).
<i>ftol</i>	[float] Relative error desired in the sum of squares.
<i>xtol</i>	[float] Relative error desired in the approximate solution.
<i>gtol</i>	[float] Orthogonality desired between the function vector and the columns of the Jacobian.
<i>maxfev</i>	[int] The maximum number of calls to the function. If zero, then $100*(N+1)$ is the maximum where N is the number of elements in $x0$.
<i>epsfcn</i>	[float] A suitable step length for the forward-difference approximation of the Jacobian (for <code>Dfun=None</code>). If <i>epsfcn</i> is less than the machine precision, it is assumed that the relative errors in the functions are of the order of the machine precision.
<i>factor</i>	[float] A parameter determining the initial step bound (<code>factor * diag * x </code>). Should be in interval $(0.1, 100)$.
<i>diag</i>	[sequence] N positive entries that serve as a scale factors for the variables.

•*Broyden1 options:*

<i>nit</i>	[int, optional] Number of iterations to make. If omitted (default), make as many as required to meet tolerances.
<i>disp</i>	[bool, optional] Print status to stdout on every iteration.
<i>maxiter</i>	[int, optional] Maximum number of iterations to make. If more are needed to meet convergence, <i>NoConvergence</i> is raised.
<i>ftol</i>	[float, optional] Relative tolerance for the residual. If omitted, not used.
<i>fatol</i>	[float, optional] Absolute tolerance (in max-norm) for the residual. If omitted, default is $6e-6$.
<i>xtol</i>	[float, optional] Relative minimum step size. If omitted, not used.
<i>xatol</i>	[float, optional] Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.

tol_norm [function(vector) -> scalar, optional] Norm to use in convergence check. Default is the maximum norm.

line_search [{None, 'armijo' (default), 'wolfe'}, optional] Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.

jac_options [dict, optional]

Options for the respective Jacobian approximation.

alpha [float, optional] Initial guess for the Jacobian is (-1/alpha).

reduction_method [str or tuple, optional] Method used in ensuring that the rank of the Broyden matrix stays low. Can either be a string giving the name of the method, or a tuple of the form (method, param1, param2, ...) that gives the name of the method and values for additional parameters.

Methods available:

-restart: drop all matrix columns. Has no

extra pa-
rameters.

-simple: drop oldest matrix column. Has no

extra pa-
rameters.

-svd: keep only the most significant SVD

components.

Extra parameters:

****'to_retain':*** number of SV.

retain
when
rank
re-
duc-
tion
is
done.
De-
fault
is
max_rank

max_rank [int, optional] Maximum rank for the Broyden matrix. Default is infinity (ie., no rank reduction).

•Broyden2 options:

nit [int, optional] Number of iterations to make. If omitted (default), make as many as required to meet tolerances.

disp [bool, optional] Print status to stdout on every iteration.

maxiter [int, optional] Maximum number of iterations to make. If more are needed to meet convergence, *NoConvergence* is raised.

ftol [float, optional] Relative tolerance for the residual. If omitted, not used.

fatol [float, optional] Absolute tolerance (in max-norm) for the residual. If omitted, default is 6e-6.

xtol [float, optional] Relative minimum step size. If omitted, not used.

xatol [float, optional] Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.

tol_norm [function(vector) -> scalar, optional] Norm to use in convergence check. Default is the maximum norm.

line_search [{None, 'armijo' (default), 'wolfe'}, optional] Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.

jac_options [dict, optional]

Options for the respective Jacobian approximation.

alpha [float, optional] Initial guess for the Jacobian is (-1/alpha).

reduction_method [str or tuple, optional] Method used in ensuring that the rank of the Broyden matrix stays low. Can either be a string giving the name of the method, or a tuple of the form (method, param1, param2, . . .) that gives the name of the method and values for additional parameters.

Methods available:

-restart: drop all matrix columns. Has

extra parameters.

-simple: drop oldest matrix column. Has

extra pa-
rameters.

-svd: keep only the most significant SVD

components.

Extra parameters:

***“to_retain“: number of S**

retain
when
rank
re-
duc-
tion
is
done.
De-
fault
is
max_ran-
-
2.

max_rank [int, optional] Maximum rank for the Broyden matrix. Default is infinity (ie., no rank reduction).

•Anderson options:

- nit** [int, optional] Number of iterations to make. If omitted (default), make as many as required to meet tolerances.
- disp** [bool, optional] Print status to stdout on every iteration.
- maxiter** [int, optional] Maximum number of iterations to make. If more are needed to meet convergence, *NoConvergence* is raised.
- ftol** [float, optional] Relative tolerance for the residual. If omitted, not used.
- fatol** [float, optional] Absolute tolerance (in max-norm) for the residual. If omitted, default is 6e-6.
- xtol** [float, optional] Relative minimum step size. If omitted, not used.
- xatol** [float, optional] Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.
- tol_norm** [function(vector) -> scalar, optional] Norm to use in convergence check. Default is the maximum norm.
- line_search** [{None, 'armijo' (default), 'wolfe'}, optional] Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.
- jac_options** [dict, optional]

Options for the respective Jacobian approximation.

<i>alpha</i>	[float, optional] Initial guess for the Jacobian is (-1/alpha).
<i>M</i>	[float, optional] Number of previous vectors to retain. Defaults to 5.
<i>w0</i>	[float, optional] Regularization parameter for numerical stability. Compared to unity, good values of the order of 0.01.

•*LinearMixing options:*

<i>nit</i>	[int, optional] Number of iterations to make. If omitted (default), make as many as required to meet tolerances.
<i>disp</i>	[bool, optional] Print status to stdout on every iteration.
<i>maxiter</i>	[int, optional] Maximum number of iterations to make. If more are needed to meet convergence, <i>NoConvergence</i> is raised.
<i>ftol</i>	[float, optional] Relative tolerance for the residual. If omitted, not used.
<i>fatol</i>	[float, optional] Absolute tolerance (in max-norm) for the residual. If omitted, default is 6e-6.
<i>xtol</i>	[float, optional] Relative minimum step size. If omitted, not used.
<i>xatol</i>	[float, optional] Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.
<i>tol_norm</i>	[function(vector) -> scalar, optional] Norm to use in convergence check. Default is the maximum norm.
<i>line_search</i>	[{None, 'armijo' (default), 'wolfe'}, optional] Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.
<i>jac_options</i>	[dict, optional]

Options for the respective Jacobian approximation.

<i>alpha</i>	[float, optional] initial guess for the jacobian is (-1/alpha).
--------------	---

•*DiagBroyden options:*

<i>nit</i>	[int, optional] Number of iterations to make. If omitted (default), make as many as required to meet tolerances.
<i>disp</i>	[bool, optional] Print status to stdout on every iteration.
<i>maxiter</i>	[int, optional] Maximum number of iterations to make. If more are needed to meet convergence, <i>NoConvergence</i> is raised.
<i>ftol</i>	[float, optional] Relative tolerance for the residual. If omitted, not used.
<i>fatol</i>	[float, optional] Absolute tolerance (in max-norm) for the residual. If omitted, default is 6e-6.

<i>xtol</i>	[float, optional] Relative minimum step size. If omitted, not used.
<i>xatol</i>	[float, optional] Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.
<i>tol_norm</i>	[function(vector) -> scalar, optional] Norm to use in convergence check. Default is the maximum norm.
<i>line_search</i>	[[None, 'armijo' (default), 'wolfe'], optional] Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.
<i>jac_options</i>	[dict, optional]

Options for the respective Jacobian approximation.

<i>alpha</i>	[float, optional] initial guess for the jacobian is (-1/alpha).
--------------	---

•*ExcitingMixing options:*

<i>nit</i>	[int, optional] Number of iterations to make. If omitted (default), make as many as required to meet tolerances.
<i>disp</i>	[bool, optional] Print status to stdout on every iteration.
<i>maxiter</i>	[int, optional] Maximum number of iterations to make. If more are needed to meet convergence, <i>NoConvergence</i> is raised.
<i>ftol</i>	[float, optional] Relative tolerance for the residual. If omitted, not used.
<i>fatol</i>	[float, optional] Absolute tolerance (in max-norm) for the residual. If omitted, default is 6e-6.
<i>xtol</i>	[float, optional] Relative minimum step size. If omitted, not used.
<i>xatol</i>	[float, optional] Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.
<i>tol_norm</i>	[function(vector) -> scalar, optional] Norm to use in convergence check. Default is the maximum norm.
<i>line_search</i>	[[None, 'armijo' (default), 'wolfe'], optional] Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.
<i>jac_options</i>	[dict, optional]

Options for the respective Jacobian approximation.

<i>alpha</i>	[float, optional] Initial Jacobian approximation is (-1/alpha).
<i>alphamax</i>	[float, optional] The entries of the diagonal Jacobian are kept in the range [<i>alpha</i> , <i>alphamax</i>].

•*Krylov options:*

<i>nit</i>	[int, optional] Number of iterations to make. If omitted (default), make as many as required to meet tolerances.
<i>disp</i>	[bool, optional] Print status to stdout on every iteration.
<i>maxiter</i>	[int, optional] Maximum number of iterations to make. If more are needed to meet convergence, <i>NoConvergence</i> is raised.
<i>ftol</i>	[float, optional] Relative tolerance for the residual. If omitted, not used.
<i>fatol</i>	[float, optional] Absolute tolerance (in max-norm) for the residual. If omitted, default is 6e-6.
<i>xtol</i>	[float, optional] Relative minimum step size. If omitted, not used.
<i>xatol</i>	[float, optional] Absolute minimum step size, as determined from the Jacobian approximation. If the step size is smaller than this, optimization is terminated as successful. If omitted, not used.
<i>tol_norm</i>	[function(vector) -> scalar, optional] Norm to use in convergence check. Default is the maximum norm.
<i>line_search</i>	[[None, 'armijo' (default), 'wolfe'], optional] Which type of a line search to use to determine the step size in the direction given by the Jacobian approximation. Defaults to 'armijo'.
<i>jac_options</i>	[dict, optional]

Options for the respective Jacobian approximation.

rdiff [float, optional] Relative step size to use in numerical differentiation.

method [{"lgmres", "gmres", "bicgstab", "cgs", "minres"} or] function Krylov method to use to approximate the Jacobian. Can be a string, or a function implementing the same interface as the iterative solvers in `scipy.sparse.linalg`.

The default is `scipy.sparse.linalg.lgmres`.

inner_M [LinearOperator or InverseJacobian] Preconditioner for the inner Krylov iteration. Note that you can use also inverse Jacobians as (adaptive) preconditioners. For example,

```
>>> jac = BroydenFirst()
>>> kjac = KrylovJacobian(inner_M=jac.inverse)
```

If the preconditioner has a method named 'update', it will be called as `update(x, f)` after each nonlinear step, with `x` giving the current point, and `f` the current function value.

inner_tol, inner_maxiter, ...

Parameters to pass on to the "inner" Krylov solver. See

`scipy.sparse.linalg.gmres` for details.

`outer_k` [int, optional] Size of the subspace kept across LGMRES nonlinear iterations.

See `scipy.sparse.linalg.lgmres` for details.

5.20 Nonlinear solvers

This is a collection of general-purpose nonlinear multidimensional solvers. These solvers find x for which $F(x) = 0$. Both x and F can be multidimensional.

5.20.1 Routines

Large-scale nonlinear solvers:

<code>newton_krylov(F, xin[, iter, rdiff, method, ...])</code>	Find a root of a function, using Krylov approximation for inverse Jacobian.
<code>anderson(F, xin[, iter, alpha, w0, M, ...])</code>	Find a root of a function, using (extended) Anderson mixing.

General nonlinear solvers:

<code>broyden1(F, xin[, iter, alpha, ...])</code>	Find a root of a function, using Broyden's first Jacobian approximation.
<code>broyden2(F, xin[, iter, alpha, ...])</code>	Find a root of a function, using Broyden's second Jacobian approximation.

Simple iterations:

<code>excitingmixing(F, xin[, iter, alpha, ...])</code>	Find a root of a function, using a tuned diagonal Jacobian approximation.
<code>linearmixing(F, xin[, iter, alpha, verbose, ...])</code>	Find a root of a function, using a scalar Jacobian approximation.
<code>diagbroyden(F, xin[, iter, alpha, verbose, ...])</code>	Find a root of a function, using diagonal Broyden Jacobian approximation.

5.20.2 Examples

Small problem

```
>>> def F(x):
...     return np.cos(x) + x[::-1] - [1, 2, 3, 4]
>>> import scipy.optimize
>>> x = scipy.optimize.broyden1(F, [1,1,1,1], f_tol=1e-14)
>>> x
array([ 4.04674914,  3.91158389,  2.71791677,  1.61756251])
>>> np.cos(x) + x[::-1]
array([ 1.,  2.,  3.,  4.])
```

Large problem

Suppose that we needed to solve the following integrodifferential equation on the square $[0, 1] \times [0, 1]$:

$$\nabla^2 P = 10 \left(\int_0^1 \int_0^1 \cosh(P) dx dy \right)^2$$

with $P(x, 1) = 1$ and $P = 0$ elsewhere on the boundary of the square.

The solution can be found using the `newton_krylov` solver:

```
import numpy as np
from scipy.optimize import newton_krylov
from numpy import cosh, zeros_like, mgrid, zeros

# parameters
nx, ny = 75, 75
hx, hy = 1./(nx-1), 1./(ny-1)

P_left, P_right = 0, 0
P_top, P_bottom = 1, 0

def residual(P):
    d2x = zeros_like(P)
    d2y = zeros_like(P)

    d2x[1:-1] = (P[2:] - 2*P[1:-1] + P[:-2]) / hx/hx
    d2x[0] = (P[1] - 2*P[0] + P_left) / hx/hx
    d2x[-1] = (P_right - 2*P[-1] + P[-2]) / hx/hx

    d2y[:,1:-1] = (P[:,2:] - 2*P[:,1:-1] + P[:, :-2]) / hy/hy
    d2y[:,0] = (P[:,1] - 2*P[:,0] + P_bottom) / hy/hy
    d2y[:, -1] = (P_top - 2*P[:, -1] + P[:, -2]) / hy/hy

    return d2x + d2y - 10*cosh(P).mean()*2

# solve
guess = zeros((nx, ny), float)
sol = newton_krylov(residual, guess, method='lgmres', verbose=1)
print 'Residual', abs(residual(sol)).max()

# visualize
import matplotlib.pyplot as plt
x, y = mgrid[0:1:(nx*1j), 0:1:(ny*1j)]
plt.pcolor(x, y, sol)
plt.colorbar()
plt.show()
```

5.21 Signal processing (`scipy.signal`)

5.21.1 Convolution

<code>convolve</code> (in1, in2[, mode])	Convolve two N-dimensional arrays.
Continued on next page	

Table 5.105 – continued from previous page

<code>correlate(in1, in2[, mode])</code>	Cross-correlate two N-dimensional arrays.
<code>fftconvolve(in1, in2[, mode])</code>	Convolve two N-dimensional arrays using FFT.
<code>convolve2d(in1, in2[, mode, boundary, fillvalue])</code>	Convolve two 2-dimensional arrays.
<code>correlate2d(in1, in2[, mode, boundary, ...])</code>	Cross-correlate two 2-dimensional arrays.
<code>sepfir2d((input, hrow, hcol) -> output)</code>	Description:

`scipy.signal.convolve(in1, in2, mode='full')`

Convolve two N-dimensional arrays.

Convolve *in1* and *in2*, with the output size determined by the *mode* argument.

Parameters

- in1** : array_like
First input.
- in2** : array_like
Second input. Should have the same number of dimensions as *in1*; if sizes of *in1* and *in2* are not equal then *in1* has to be the larger array.
- mode** : str { 'full', 'valid', 'same' }, optional
A string indicating the size of the output:
 - full** The output is the full discrete linear convolution of the inputs. (Default)
 - valid** The output consists only of those elements that do not rely on the zero-padding.
 - same** The output is the same size as *in1*, centered with respect to the 'full' output.

Returns

- convolve** : array
An N-dimensional array containing a subset of the discrete linear convolution of *in1* with *in2*.

`scipy.signal.correlate(in1, in2, mode='full')`

Cross-correlate two N-dimensional arrays.

Cross-correlate *in1* and *in2*, with the output size determined by the *mode* argument.

Parameters

- in1** : array_like
First input.
- in2** : array_like
Second input. Should have the same number of dimensions as *in1*; if sizes of *in1* and *in2* are not equal then *in1* has to be the larger array.
- mode** : str { 'full', 'valid', 'same' }, optional
A string indicating the size of the output:
 - full** The output is the full discrete linear cross-correlation of the inputs. (Default)
 - valid** The output consists only of those elements that do not rely on the zero-padding.
 - same** The output is the same size as *in1*, centered with respect to the 'full' output.

Returns

- correlate** : array
An N-dimensional array containing a subset of the discrete linear cross-correlation of *in1* with *in2*.

Notes

The correlation *z* of two arrays *x* and *y* of rank *d* is defined as:

$$z[...k,...] = \text{sum}[..., i_1, ...] \\ x[..., i_1, ...] * \text{conj}(y[..., i_1 + k, ...])$$

`scipy.signal.fftconvolve(in1, in2, mode='full')`

Convolve two N-dimensional arrays using FFT.

Convolve *in1* and *in2* using the fast Fourier transform method, with the output size determined by the *mode* argument.

This is generally much faster than `convolve` for large arrays ($n > \sim 500$), but can be slower when only a few output values are needed, and can only output float arrays (int or object array inputs will be cast to float).

Parameters

- in1** : array_like
First input.
- in2** : array_like
Second input. Should have the same number of dimensions as *in1*; if sizes of *in1* and *in2* are not equal then *in1* has to be the larger array.
- mode** : str { 'full', 'valid', 'same' }, optional
A string indicating the size of the output:
 - full** The output is the full discrete linear convolution of the inputs. (Default)
 - valid** The output consists only of those elements that do not rely on the zero-padding.
 - same** The output is the same size as *in1*, centered with respect to the 'full' output.

Returns

- out** : array
An N-dimensional array containing a subset of the discrete linear convolution of *in1* with *in2*.

`scipy.signal.convolve2d(in1, in2, mode='full', boundary='fill', fillvalue=0)`
Convolve two 2-dimensional arrays.

Convolve *in1* and *in2* with output size determined by *mode*, and boundary conditions determined by *boundary* and *fillvalue*.

Parameters

- in1, in2** : array_like
Two-dimensional input arrays to be convolved.
- mode** : str { 'full', 'valid', 'same' }, optional
A string indicating the size of the output:
 - full** The output is the full discrete linear convolution of the inputs. (Default)
 - valid** The output consists only of those elements that do not rely on the zero-padding.
 - same** The output is the same size as *in1*, centered with respect to the 'full' output.
- boundary** : str { 'fill', 'wrap', 'symm' }, optional
A flag indicating how to handle boundaries:
 - fill** pad input arrays with fillvalue. (default)
 - wrap** circular boundary conditions.
 - symm** symmetrical boundary conditions.
- fillvalue** : scalar, optional
Value to fill pad input arrays with. Default is 0.

Returns

- out** : ndarray
A 2-dimensional array containing a subset of the discrete linear convolution of *in1* with *in2*.

`scipy.signal.correlate2d(in1, in2, mode='full', boundary='fill', fillvalue=0)`
Cross-correlate two 2-dimensional arrays.

Cross correlate *in1* and *in2* with output size determined by *mode*, and boundary conditions determined by *boundary* and *fillvalue*.

Parameters

- in1, in2** : array_like
Two-dimensional input arrays to be convolved.
- mode** : str { 'full', 'valid', 'same' }, optional
A string indicating the size of the output:
 - full** The output is the full discrete linear cross-correlation of the inputs. (Default)

valid The output consists only of those elements that do not rely on the zero-padding.
same The output is the same size as *in1*, centered with respect to the 'full' output.
boundary : str {'fill', 'wrap', 'symm'}, optional
 A flag indicating how to handle boundaries:
fill pad input arrays with fillvalue. (default)
wrap circular boundary conditions.
symm symmetrical boundary conditions.
fillvalue : scalar, optional
 Value to fill pad input arrays with. Default is 0.
Returns **correlate2d** : ndarray
 A 2-dimensional array containing a subset of the discrete linear cross-correlation of *in1* with *in2*.

scipy.signal.**sepfir2d**(*input*, *hrow*, *hcol*) → output

Description:

Convolve the rank-2 input array with the separable filter defined by the rank-1 arrays *hrow*, and *hcol*. Mirror symmetric boundary conditions are assumed. This function can be used to find an image given its B-spline representation.

5.21.2 B-splines

<code>bspline(x, n)</code>	B-spline basis function of order n.
<code>cubic(x)</code>	A cubic B-spline.
<code>quadratic(x)</code>	A quadratic B-spline.
<code>gauss_spline(x, n)</code>	Gaussian approximation to B-spline basis function of order n.
<code>cspline1d(signal[, lamb])</code>	Compute cubic spline coefficients for rank-1 array.
<code>qspline1d(signal[, lamb])</code>	Compute quadratic spline coefficients for rank-1 array.
<code>cspline2d((input {, lambda, precision}) -> ck)</code>	Description:
<code>qspline2d((input {, lambda, precision}) -> qk)</code>	Description:
<code>cspline1d_eval(cj, newx[, dx, x0])</code>	Evaluate a spline at the new set of points.
<code>cspline1d_eval(cj, newx[, dx, x0])</code>	Evaluate a spline at the new set of points.
<code>spline_filter(lin[, lmbda])</code>	Smoothing spline (cubic) filtering of a rank-2 array.

scipy.signal.**bspline**(*x*, *n*)
 B-spline basis function of order n.

Notes

Uses numpy.piecewise and automatic function-generator.

scipy.signal.**cubic**(*x*)
 A cubic B-spline.

This is a special case of `bspline`, and equivalent to `bspline(x, 3)`.

scipy.signal.**quadratic**(*x*)
 A quadratic B-spline.

This is a special case of `bspline`, and equivalent to `bspline(x, 2)`.

scipy.signal.**gauss_spline**(*x*, *n*)
 Gaussian approximation to B-spline basis function of order n.

scipy.signal.**cspline1d**(*signal*, *lamb*=0.0)
 Compute cubic spline coefficients for rank-1 array.

Filter an input data set, *in*, using a (cubic) smoothing spline of fall-off *lambda*.

5.21.3 Filtering

<code>order_filter(a, domain, rank)</code>	Perform an order filter on an N-dimensional array.
<code>medfilt(volume[, kernel_size])</code>	Perform a median filter on an N-dimensional array.
<code>medfilt2d(input[, kernel_size])</code>	Median filter a 2-dimensional array.
<code>wiener(im[, mysize, noise])</code>	Perform a Wiener filter on an N-dimensional array.
<code>symiirorder1((input, c0, z1 {, ...})</code>	Implement a smoothing IIR filter with mirror-symmetric boundary conditions
<code>symiirorder2((input, r, omega {, ...})</code>	Implement a smoothing IIR filter with mirror-symmetric boundary conditions
<code>lfilter(b, a, x[, axis, zi])</code>	Filter data along one-dimension with an IIR or FIR filter.
<code>lfiltic(b, a, y[, x])</code>	Construct initial conditions for lfilter.
<code>lfilter_zi(b, a)</code>	Compute an initial state <i>zi</i> for the lfilter function that corresponds to the steady state of
<code>filtfilt(b, a, x[, axis, padtype, padlen])</code>	A forward-backward filter.
<code>deconvolve(signal, divisor)</code>	Deconvolves <i>divisor</i> out of <i>signal</i> .
<code>hilbert(x[, N, axis])</code>	Compute the analytic signal.
<code>get_window(window, Nx[, fftbins])</code>	Return a window.
<code>decimate(x, q[, n, ftype, axis])</code>	Downsample the <i>signal</i> by using a filter.
<code>detrend(data[, axis, type, bp])</code>	Remove linear trend along <i>axis</i> from <i>data</i> .
<code>resample(x, num[, t, axis, window])</code>	Resample <i>x</i> to <i>num</i> samples using Fourier method along the given axis.

`scipy.signal.order_filter(a, domain, rank)`

Perform an order filter on an N-dimensional array.

Perform an order filter on the array *in*. The domain argument acts as a mask centered over each pixel. The non-zero elements of domain are used to select elements surrounding each input pixel which are placed in a list. The list is sorted, and the output for that pixel is the element corresponding to rank in the sorted list.

Parameters

- a** : ndarray
The N-dimensional input array.
- domain** : array_like
A mask array with the same number of dimensions as *in*. Each dimension should have an odd number of elements.
- rank** : int
A non-negative integer which selects the element from the sorted list (0 corresponds to the smallest element, 1 is the next smallest element, etc.).

Returns

- out** : ndarray
The results of the order filter in an array with the same shape as *in*.

Examples

```
>>> from scipy import signal
>>> x = np.arange(25).reshape(5, 5)
>>> domain = np.identity(3)
>>> x
array([[ 0,  1,  2,  3,  4],
       [ 5,  6,  7,  8,  9],
       [10, 11, 12, 13, 14],
       [15, 16, 17, 18, 19],
       [20, 21, 22, 23, 24]])
>>> signal.order_filter(x, domain, 0)
array([[ 0.,  0.,  0.,  0.,  0.],
       [ 0.,  0.,  1.,  2.,  0.],
       [ 0.,  5.,  6.,  7.,  0.]])
```

```

    [ 0., 10., 11., 12., 0.],
    [ 0., 0., 0., 0., 0.]])
>>> signal.order_filter(x, domain, 2)
array([[ 6.,  7.,  8.,  9.,  4.],
       [11., 12., 13., 14.,  9.],
       [16., 17., 18., 19., 14.],
       [21., 22., 23., 24., 19.],
       [20., 21., 22., 23., 24.]])

```

`scipy.signal.medfilt` (*volume*, *kernel_size=None*)

Perform a median filter on an N-dimensional array.

Apply a median filter to the input array using a local window-size given by *kernel_size*.

Parameters

- volume** : array_like
An N-dimensional input array.
- kernel_size** : array_like, optional
A scalar or an N-length list giving the size of the median filter window in each dimension. Elements of *kernel_size* should be odd. If *kernel_size* is a scalar, then this scalar is used as the size in each dimension. Default size is 3 for each dimension.

Returns

- out** : ndarray
An array the same size as input containing the median filtered result.

`scipy.signal.medfilt2d` (*input*, *kernel_size=3*)

Median filter a 2-dimensional array.

Apply a median filter to the *input* array using a local window-size given by *kernel_size* (must be odd).

Parameters

- input** : array_like
A 2-dimensional input array.
- kernel_size** : array_like, optional
A scalar or a list of length 2, giving the size of the median filter window in each dimension. Elements of *kernel_size* should be odd. If *kernel_size* is a scalar, then this scalar is used as the size in each dimension. Default is a kernel of size (3, 3).

Returns

- out** : ndarray
An array the same size as input containing the median filtered result.

`scipy.signal.wiener` (*im*, *mysize=None*, *noise=None*)

Perform a Wiener filter on an N-dimensional array.

Apply a Wiener filter to the N-dimensional array *im*.

Parameters

- im** : ndarray
An N-dimensional array.
- mysize** : int or arraylike, optional
A scalar or an N-length list giving the size of the Wiener filter window in each dimension. Elements of *mysize* should be odd. If *mysize* is a scalar, then this scalar is used as the size in each dimension.
- noise** : float, optional
The noise-power to use. If None, then noise is estimated as the average of the local variance of the input.

Returns

- out** : ndarray
Wiener filtered result with the same shape as *im*.

`scipy.signal.symiirorder1` (*input*, *c0*, *z1* [, *precision*]) → output

Implement a smoothing IIR filter with mirror-symmetric boundary conditions using a cascade of first-order sections. The second section uses a reversed sequence. This implements a system with the following transfer function and mirror-symmetric boundary conditions:

$$H(z) = \frac{c_0}{(1-z_1/z)(1-z_1 z)}$$

The resulting signal will have mirror symmetric boundary conditions as well.

Parameters

- input** : ndarray
The input signal.
- c0, z1** : scalar
Parameters in the transfer function.
- precision** : :
Specifies the precision for calculating initial conditions of the recursive filter based on mirror-symmetric input.

Returns

- output** : ndarray
The filtered signal.

`scipy.signal.symiirorder2(input, r, omega {, precision})` → output

Implement a smoothing IIR filter with mirror-symmetric boundary conditions using a cascade of second-order sections. The second section uses a reversed sequence. This implements the following transfer function:

$$H(z) = \frac{cs^2}{(1 - a_2/z - a_3/z^2)(1 - a_2 z - a_3 z^2)}$$

where:

$$\begin{aligned} a_2 &= (2 r \cos \omega) \\ a_3 &= - r^2 \\ cs &= 1 - 2 r \cos \omega + r^2 \end{aligned}$$

Parameters

- input** : ndarray
The input signal.
- r, omega** : scalar
Parameters in the transfer function.
- precision** : :
Specifies the precision for calculating initial conditions of the recursive filter based on mirror-symmetric input.

Returns

- output** : ndarray
The filtered signal.

`scipy.signal.lfilter(b, a, x, axis=-1, zi=None)`

Filter data along one-dimension with an IIR or FIR filter.

Filter a data sequence, *x*, using a digital filter. This works for many fundamental data types (including Object type). The filter is a direct form II transposed implementation of the standard difference equation (see Notes).

Parameters

- b** : array_like
The numerator coefficient vector in a 1-D sequence.
- a** : array_like
The denominator coefficient vector in a 1-D sequence. If *a*[0] is not 1, then both *a* and *b* are normalized by *a*[0].
- x** : array_like
An N-dimensional input array.
- axis** : int
The axis of the input data array along which to apply the linear filter. The filter is applied to each subarray along this axis. Default is -1.

zi : array_like, optional
 Initial conditions for the filter delays. It is a vector (or array of vectors for an N-dimensional input) of length $\max(\text{len}(a), \text{len}(b)) - 1$. If *zi* is None or is not given then initial rest is assumed. See `lfiltic` for more information.

Returns **y** : array
 The output of the digital filter.

zf : array, optional
 If *zi* is None, this is not returned, otherwise, *zf* holds the final filter delay values.

Notes

The filter function is implemented as a direct II transposed structure. This means that the filter implements:

$$a[0]*y[n] = b[0]*x[n] + b[1]*x[n-1] + \dots + b[nb]*x[n-nb] - a[1]*y[n-1] - \dots - a[na]*y[n-na]$$

using the following difference equations:

$$\begin{aligned} y[m] &= b[0]*x[m] + z[0,m-1] \\ z[0,m] &= b[1]*x[m] + z[1,m-1] - a[1]*y[m] \\ &\dots \\ z[n-3,m] &= b[n-2]*x[m] + z[n-2,m-1] - a[n-2]*y[m] \\ z[n-2,m] &= b[n-1]*x[m] - a[n-1]*y[m] \end{aligned}$$

where *m* is the output sample number and $n=\max(\text{len}(a),\text{len}(b))$ is the model order.

The rational transfer function describing this filter in the z-transform domain is:

$$Y(z) = \frac{b[0] + b[1]z^{-1} + \dots + b[nb]z^{-nb}}{a[0] + a[1]z^{-1} + \dots + a[na]z^{-na}} X(z)$$

`scipy.signal.lfiltic` (*b, a, y, x=None*)
 Construct initial conditions for lfilter.

Given a linear filter (*b, a*) and initial conditions on the output *y* and the input *x*, return the initial conditions on the state vector *zi* which is used by `lfilter` to generate the output given the input.

Parameters **b** : array_like
 Linear filter term.

a : array_like
 Linear filter term.

y : array_like
 Initial conditions.
 If $N=\text{len}(a) - 1$, then $y = \{y[-1], y[-2], \dots, y[-N]\}$.
 If *y* is too short, it is padded with zeros.

x : array_like, optional
 Initial conditions.
 If $M=\text{len}(b) - 1$, then $x = \{x[-1], x[-2], \dots, x[-M]\}$.
 If *x* is not given, its initial conditions are assumed zero.
 If *x* is too short, it is padded with zeros.

Returns **zi** : ndarray
 The state vector *zi*. $z_i = \{z_{-0}[-1], z_{-1}[-1], \dots, z_{-K-1}[-1]\}$, where $K = \max(M, N)$.

See Also`lfilter``scipy.signal.lfilter_zi(b, a)`

Compute an initial state z_i for the `lfilter` function that corresponds to the steady state of the step response.

A typical use of this function is to set the initial state so that the output of the filter starts at the same value as the first element of the signal to be filtered.

Parameters **b, a** : array_like (1-D)
 The IIR filter coefficients. See `lfilter` for more information.

Returns **zi** : 1-D ndarray
 The initial state for the filter.

Notes

A linear filter with order m has a state space representation (A, B, C, D) , for which the output y of the filter can be expressed as:

$$\begin{aligned} z(n+1) &= A*z(n) + B*x(n) \\ y(n) &= C*z(n) + D*x(n) \end{aligned}$$

where $z(n)$ is a vector of length m , A has shape (m, m) , B has shape $(m, 1)$, C has shape $(1, m)$ and D has shape $(1, 1)$ (assuming $x(n)$ is a scalar). `lfilter_zi` solves:

$$z_i = A*z_i + B$$

In other words, it finds the initial condition for which the response to an input of all ones is a constant.

Given the filter coefficients a and b , the state space matrices for the transposed direct form II implementation of the linear filter, which is the implementation used by `scipy.signal.lfilter`, are:

```
A = scipy.linalg.companion(a).T
B = b[1:] - a[1:]*b[0]
```

assuming $a[0]$ is 1.0; if $a[0]$ is not 1, a and b are first divided by $a[0]$.

Examples

The following code creates a lowpass Butterworth filter. Then it applies that filter to an array whose values are all 1.0; the output is also all 1.0, as expected for a lowpass filter. If the z_i argument of `lfilter` had not been given, the output would have shown the transient signal.

```
>>> from numpy import array, ones
>>> from scipy.signal import lfilter, lfilter_zi, butter
>>> b, a = butter(5, 0.25)
>>> zi = lfilter_zi(b, a)
>>> y, zo = lfilter(b, a, ones(10), zi=zi)
>>> y
array([1., 1., 1., 1., 1., 1., 1., 1., 1., 1.])
```

Another example:

```
>>> x = array([0.5, 0.5, 0.5, 0.0, 0.0, 0.0, 0.0])
>>> y, zf = lfilter(b, a, x, zi=zi*x[0])
>>> y
array([ 0.5          ,  0.5          ,  0.5          ,  0.49836039,  0.48610528,
        0.44399389,  0.35505241])
```

Note that the `zi` argument to `lfilter` was computed using `lfilter_zi` and scaled by `x[0]`. Then the output `y` has no transient until the input drops from 0.5 to 0.0.

```
scipy.signal.filtfilt(b, a, x, axis=-1, padtype='odd', padlen=None)
```

A forward-backward filter.

This function applies a linear filter twice, once forward and once backwards. The combined filter has linear phase.

Before applying the filter, the function can pad the data along the given axis in one of three ways: odd, even or constant. The odd and even extensions have the corresponding symmetry about the end point of the data. The constant extension extends the data with the values at end points. On both the forward and backwards passes, the initial condition of the filter is found by using `lfilter_zi` and scaling it by the end point of the extended data.

Parameters	<p>b : (N,) array_like The numerator coefficient vector of the filter.</p> <p>a : (N,) array_like The denominator coefficient vector of the filter. If <code>a[0]</code> is not 1, then both <code>a</code> and <code>b</code> are normalized by <code>a[0]</code>.</p> <p>x : array_like The array of data to be filtered.</p> <p>axis : int, optional The axis of <code>x</code> to which the filter is applied. Default is -1.</p> <p>padtype : str or None, optional Must be 'odd', 'even', 'constant', or None. This determines the type of extension to use for the padded signal to which the filter is applied. If <code>padtype</code> is None, no padding is used. The default is 'odd'.</p> <p>padlen : int or None, optional The number of elements by which to extend <code>x</code> at both ends of <code>axis</code> before applying the filter. This value must be less than <code>x.shape[axis]-1</code>. <code>padlen=0</code> implies no padding. The default value is <code>3*max(len(a),len(b))</code>.</p>
Returns	<p>y : ndarray The filtered output, an array of type <code>numpy.float64</code> with the same shape as <code>x</code>.</p>

See Also

`lfilter_zi`, `lfilter`

Examples

First we create a one second signal that is the sum of two pure sine waves, with frequencies 5 Hz and 250 Hz, sampled at 2000 Hz.

```
>>> t = np.linspace(0, 1.0, 2001)
>>> xlow = np.sin(2 * np.pi * 5 * t)
>>> xhigh = np.sin(2 * np.pi * 250 * t)
>>> x = xlow + xhigh
```

Now create a lowpass Butterworth filter with a cutoff of 0.125 times the Nyquist rate, or 125 Hz, and apply it to `x` with `filtfilt`. The result should be approximately `xlow`, with no phase shift.

```
>>> from scipy import signal
>>> b, a = signal.butter(8, 0.125)
>>> y = signal.filtfilt(b, a, x, padlen=150)
>>> np.abs(y - xlow).max()
9.1086182074789912e-06
```

We get a fairly clean result for this artificial example because the odd extension is exact, and with the moderately long padding, the filter's transients have dissipated by the time the actual data is reached. In general, transient effects at the edges are unavoidable.

`scipy.signal.deconvolve` (*signal*, *divisor*)
Deconvolves *divisor* out of *signal*.

`scipy.signal.hilbert` (*x*, *N=None*, *axis=-1*)
Compute the analytic signal.

The transformation is done along the last axis by default.

Parameters

- x** : array_like
Signal data
- N** : int, optional
Number of Fourier components. Default: `x.shape[axis]`
- axis** : int, optional
Axis along which to do the transformation. Default: -1.

Returns

- xa** : ndarray
Analytic signal of *x*, of each 1-D array along *axis*

Notes

The analytic signal $x_a(t)$ of $x(t)$ is:

$$x_a = F^{-1}\{F(x) \cup\} = x + i y$$

where F is the Fourier transform, \cup the unit step function, and y the Hilbert transform of x . [R111]

axis argument is new in scipy 0.8.0.

References

[R111]

`scipy.signal.get_window` (*window*, *Nx*, *fftbins=True*)
Return a window.

Parameters

- window** : string, float, or tuple
The type of window to create. See below for more details.
- Nx** : int
The number of samples in the window.
- fftbins** : bool, optional
If True, create a “periodic” window ready to use with `ifftshift` and be multiplied by the result of an `fft` (SEE ALSO `fftfreq`).

Returns

- get_window** : ndarray
Returns a window of length *Nx* and type *window*

Notes

Window types:

boxcar, triang, blackman, hamming, hann, bartlett, flattop, parzen, bohman, blackmanharris, nuttall, barthann, kaiser (needs beta), gaussian (needs std), general_gaussian (needs power, width), slepian (needs width), chebwin (needs attenuation)

If the window requires no parameters, then *window* can be a string.

If the window requires parameters, then *window* must be a tuple with the first argument the string name of the window, and the next arguments the needed parameters.

If *window* is a floating point number, it is interpreted as the beta parameter of the kaiser window.

Each of the window types listed above is also the name of a function that can be called directly to create a window of that type.

Examples

```
>>> from scipy import signal
>>> signal.get_window('triang', 7)
array([ 0.25,  0.5 ,  0.75,  1.   ,  0.75,  0.5 ,  0.25])
>>> signal.get_window('kaiser', 4.0), 9)
array([ 0.08848053,  0.32578323,  0.63343178,  0.89640418,  1.   ,
        0.89640418,  0.63343178,  0.32578323,  0.08848053])
>>> signal.get_window(4.0, 9)
array([ 0.08848053,  0.32578323,  0.63343178,  0.89640418,  1.   ,
        0.89640418,  0.63343178,  0.32578323,  0.08848053])
```

```
scipy.signal.decimate(x, q, n=None, ftype='iir', axis=-1)
```

Downsample the signal by using a filter.

By default, an order 8 Chebyshev type I filter is used. A 30 point FIR filter with hamming window is used if *ftype* is 'fir'.

Parameters	x : ndarray	The signal to be downsampled, as an N-dimensional array.
	q : int	The downsampling factor.
	n : int, optional	The order of the filter (1 less than the length for 'fir').
	ftype : str {'iir', 'fir'}, optional	The type of the lowpass filter.
	axis : int, optional	The axis along which to decimate.
Returns	y : ndarray	The down-sampled signal.

See Also

[resample](#)

```
scipy.signal.detrend(data, axis=-1, type='linear', bp=0)
```

Remove linear trend along axis from data.

Parameters	data : array_like	The input data.
	axis : int, optional	The axis along which to detrend the data. By default this is the last axis (-1).
	type : {'linear', 'constant'}, optional	The type of detrending. If <code>type == 'linear'</code> (default), the result of a linear least-squares fit to <i>data</i> is subtracted from <i>data</i> . If <code>type == 'constant'</code> , only the mean of <i>data</i> is subtracted.
	bp : array_like of ints, optional	A sequence of break points. If given, an individual linear fit is performed for each part of <i>data</i> between two break points. Break points are specified as indices into <i>data</i> .
Returns	ret : ndarray	The detrended input data.

Examples

```
>>> from scipy import signal
>>> randgen = np.random.RandomState(9)
>>> npoints = 1e3
>>> noise = randgen.randn(npoints)
>>> x = 3 + 2*np.linspace(0, 1, npoints) + noise
>>> (signal.detrend(x) - noise).max() < 0.01
True
```

`scipy.signal.resample(x, num, t=None, axis=0, window=None)`
Resample x to num samples using Fourier method along the given axis.

The resampled signal starts at the same value as x but is sampled with a spacing of $\text{len}(x) / num * (\text{spacing of } x)$. Because a Fourier method is used, the signal is assumed to be periodic.

Parameters

- x** : array_like
The data to be resampled.
- num** : int
The number of samples in the resampled signal.
- t** : array_like, optional
If t is given, it is assumed to be the sample positions associated with the signal data in x .
- axis** : int, optional
The axis of x that is resampled. Default is 0.
- window** : array_like, callable, string, float, or tuple, optional
Specifies the window applied to the signal in the Fourier domain. See below for details.

Returns **resampled_x** or **(resampled_x, resampled_t)** :
Either the resampled array, or, if t was given, a tuple containing the resampled array and the corresponding resampled positions.

Notes

The argument *window* controls a Fourier-domain window that tapers the Fourier spectrum before zero-padding to alleviate ringing in the resampled values for sampled signals you didn't intend to be interpreted as band-limited.

If *window* is a function, then it is called with a vector of inputs indicating the frequency bins (i.e. `fft-freq(x.shape[axis])`).

If *window* is an array of the same length as $x.\text{shape}[\text{axis}]$ it is assumed to be the window to be applied directly in the Fourier domain (with dc and low-frequency first).

For any other type of *window*, the function `scipy.signal.get_window` is called to generate the window.

The first sample of the returned vector is the same as the first sample of the input vector. The spacing between samples is changed from dx to:

$$dx * \text{len}(x) / \text{num}$$

If t is not `None`, then it represents the old sample positions, and the new sample positions will be returned as well as the new samples.

5.21.4 Filter design

<code>bilinear(b, a[, fs])</code>	Return a digital filter from an analog one using a bilinear transform.
-----------------------------------	--

Continued on next page

Table 5.108 – continued from previous page

<code>firwin(numtaps, cutoff[, width, window, ...])</code>	FIR filter design using the window method.
<code>firwin2(numtaps, freq, gain[, nfreqs, ...])</code>	FIR filter design using the window method.
<code>freqs(b, a[, worN, plot])</code>	Compute frequency response of analog filter.
<code>freqz(b[, a, worN, whole, plot])</code>	Compute the frequency response of a digital filter.
<code>iirdesign(wp, ws, gpass, gstop[, analog, ...])</code>	Complete IIR digital and analog filter design.
<code>iirfilter(N, Wn[, rp, rs, btype, analog, ...])</code>	IIR digital and analog filter design given order and critical points.
<code>kaiser_atten(numtaps, width)</code>	Compute the attenuation of a Kaiser FIR filter.
<code>kaiser_beta(a)</code>	Compute the Kaiser parameter <i>beta</i> , given the attenuation <i>a</i> .
<code>kaiserord(ripple, width)</code>	Design a Kaiser window to limit ripple and width of transition region.
<code>remez(numtaps, bands, desired[, weight, Hz, ...])</code>	Calculate the minimax optimal filter using the Remez exchange algorithm.
<code>unique_roots(p[, tol, rtype])</code>	Determine unique roots and their multiplicities from a list of roots.
<code>residue(b, a[, tol, rtype])</code>	Compute partial-fraction expansion of $b(s) / a(s)$.
<code>residuez(b, a[, tol, rtype])</code>	Compute partial-fraction expansion of $b(z) / a(z)$.
<code>invres(r, p, k[, tol, rtype])</code>	Compute $b(s)$ and $a(s)$ from partial fraction expansion: r,p,k

`scipy.signal.bilinear(b, a, fs=1.0)`

Return a digital filter from an analog one using a bilinear transform.

The bilinear transform substitutes $(z-1) / (z+1)$ for s .

`scipy.signal.firwin(numtaps, cutoff, width=None, window='hamming', pass_zero=True, scale=True, nyq=1.0)`

FIR filter design using the window method.

This function computes the coefficients of a finite impulse response filter. The filter will have linear phase; it will be Type I if *numtaps* is odd and Type II if *numtaps* is even.

Type II filters always have zero response at the Nyquist rate, so a `ValueError` exception is raised if `firwin` is called with *numtaps* even and having a passband whose right end is at the Nyquist rate.

Parameters `numtaps` : int

Length of the filter (number of coefficients, i.e. the filter order + 1). *numtaps* must be even if a passband includes the Nyquist frequency.

`cutoff` : float or 1D array_like

Cutoff frequency of filter (expressed in the same units as *nyq*) OR an array of cutoff frequencies (that is, band edges). In the latter case, the frequencies in *cutoff* should be positive and monotonically increasing between 0 and *nyq*. The values 0 and *nyq* must not be included in *cutoff*.

`width` : float or None

If *width* is not None, then assume it is the approximate width of the transition region (expressed in the same units as *nyq*) for use in Kaiser FIR filter design. In this case, the *window* argument is ignored.

`window` : string or tuple of string and parameter values

Desired window to use. See `scipy.signal.get_window` for a list of windows and required parameters.

`pass_zero` : bool

If True, the gain at the frequency 0 (i.e. the “DC gain”) is 1. Otherwise the DC gain is 0.

`scale` : bool

Set to True to scale the coefficients so that the frequency response is exactly unity at a certain frequency. That frequency is either:

0 (DC) if the first passband starts at 0 (i.e. pass_zero is True)

nyq (*the Nyquist rate*) if the first passband ends at *nyq* (i.e the filter is a single band highpass filter); center of first passband otherwise

nyq : float
Returns **h** : (numtaps,) ndarray
 Nyquist frequency. Each frequency in *cutoff* must be between 0 and *nyq*.
Raises **ValueError** : Coefficients of length *numtaps* FIR filter.
 If any value in *cutoff* is less than or equal to 0 or greater than or equal to *nyq*, if the values in *cutoff* are not strictly monotonically increasing, or if *numtaps* is even but a passband includes the Nyquist frequency.

See Also

`scipy.signal.firwin2`

Examples

Low-pass from 0 to f:

```
>>> from scipy import signal
>>> signal.firwin(numtaps, f)
```

Use a specific window function:

```
>>> signal.firwin(numtaps, f, window='nuttall')
```

High-pass ('stop' from 0 to f):

```
>>> signal.firwin(numtaps, f, pass_zero=False)
```

Band-pass:

```
>>> signal.firwin(numtaps, [f1, f2], pass_zero=False)
```

Band-stop:

```
>>> signal.firwin(numtaps, [f1, f2])
```

Multi-band (passbands are [0, f1], [f2, f3] and [f4, 1]):

```
>>> signal.firwin(numtaps, [f1, f2, f3, f4])
```

Multi-band (passbands are [f1, f2] and [f3,f4]):

```
>>> signal.firwin(numtaps, [f1, f2, f3, f4], pass_zero=False)
```

`scipy.signal.firwin2` (*numtaps*, *freq*, *gain*, *nfreqs=None*, *window='hamming'*, *nyq=1.0*, *antisymmetric=False*)

FIR filter design using the window method.

From the given frequencies *freq* and corresponding gains *gain*, this function constructs an FIR filter with linear phase and (approximately) the given frequency response.

Parameters **numtaps** : int
 The number of taps in the FIR filter. *numtaps* must be less than *nfreqs*.
freq : array_like, 1D

The frequency sampling points. Typically 0.0 to 1.0 with 1.0 being Nyquist. The Nyquist frequency can be redefined with the argument *nyq*. The values in *freq* must be nondecreasing. A value can be repeated once to implement a discontinuity. The first value in *freq* must be 0, and the last value must be *nyq*.

gain : array_like

The filter gains at the frequency sampling points. Certain constraints to gain values, depending on the filter type, are applied, see Notes for details.

nfreqs : int, optional

The size of the interpolation mesh used to construct the filter. For most efficient behavior, this should be a power of 2 plus 1 (e.g, 129, 257, etc). The default is one more than the smallest power of 2 that is not less than *numtaps*. *nfreqs* must be greater than *numtaps*.

window : string or (string, float) or float, or None, optional

Window function to use. Default is “hamming”. See [scipy.signal.get_window](#) for the complete list of possible values. If None, no window function is applied.

nyq : float

Nyquist frequency. Each frequency in *freq* must be between 0 and *nyq* (inclusive).

antisymmetric : bool

Flag setting whether resulting impulse response is symmetric/antisymmetric. See Notes for more details.

Returns

taps : ndarray

The filter coefficients of the FIR filter, as a 1-D array of length *numtaps*.

See Also

[scipy.signal.firwin](#)

Notes

From the given set of frequencies and gains, the desired response is constructed in the frequency domain. The inverse FFT is applied to the desired response to create the associated convolution kernel, and the first *numtaps* coefficients of this kernel, scaled by *window*, are returned.

The FIR filter will have linear phase. The type of filter is determined by the value of ‘*numtaps*’ and *antisymmetric* flag. There are four possible combinations:

- odd *numtaps*, *antisymmetric* is False, type I filter is produced
- even *numtaps*, *antisymmetric* is False, type II filter is produced
- odd *numtaps*, *antisymmetric* is True, type III filter is produced
- even *numtaps*, *antisymmetric* is True, type IV filter is produced

Magnitude response of all but type I filters are subjects to following constraints:

- type II – zero at the Nyquist frequency
- type III – zero at zero and Nyquist frequencies
- type IV – zero at zero frequency

New in version 0.9.0.

References

[R101], [R102]

Examples

A lowpass FIR filter with a response that is 1 on [0.0, 0.5], and that decreases linearly on [0.5, 1.0] from 1 to 0:

```
>>> from scipy import signal
>>> taps = signal.firwin2(150, [0.0, 0.5, 1.0], [1.0, 1.0, 0.0])
>>> print(taps[72:78])
[-0.02286961 -0.06362756  0.57310236  0.57310236 -0.06362756 -0.02286961]
```

`scipy.signal.freqs` (*b*, *a*, *worN=None*, *plot=None*)

Compute frequency response of analog filter.

Given the numerator *b* and denominator *a* of a filter, compute its frequency response:

$$H(\omega) = \frac{b[0]*(j\omega)^{(nb-1)} + b[1]*(j\omega)^{(nb-2)} + \dots + b[nb-1]}{a[0]*(j\omega)^{(na-1)} + a[1]*(j\omega)^{(na-2)} + \dots + a[na-1]}$$

Parameters

- b** : ndarray
Numerator of a linear filter.
- a** : ndarray
Denominator of a linear filter.
- worN** : {None, int}, optional
If None, then compute at 200 frequencies around the interesting parts of the response curve (determined by pole-zero locations). If a single integer, then compute at that many frequencies. Otherwise, compute the response at frequencies given in *worN*.
- plot** : callable
A callable that takes two arguments. If given, the return parameters *w* and *h* are passed to plot. Useful for plotting the frequency response inside `freqs`.

Returns

- w** : ndarray
The frequencies at which *h* was computed.
- h** : ndarray
The frequency response.

See Also

`freqz` Compute the frequency response of a digital filter.

Notes

Using Matplotlib's "plot" function as the callable for *plot* produces unexpected results, this plots the real part of the complex transfer function, not the magnitude.


Examples

```
>>> from scipy.signal import freqs, iirfilter

>>> b, a = iirfilter(4, [1, 10], 1, 60, analog=True, ftype='cheby1')

>>> w, h = freqs(b, a, worN=np.logspace(-1, 2, 1000))

>>> import matplotlib.pyplot as plt
>>> plt.semilogx(w, abs(h))
>>> plt.xlabel('Frequency')
>>> plt.ylabel('Amplitude response')
>>> plt.grid()
>>> plt.show()
```



`scipy.signal.freqz` (*b*, *a=1*, *worN=None*, *whole=0*, *plot=None*)

Compute the frequency response of a digital filter.

Given the numerator *b* and denominator *a* of a digital filter, compute its frequency response:

$$H(e^{j\omega}) = \frac{B(e^{j\omega})}{A(e^{j\omega})} = \frac{b[0] + b[1]e^{-j\omega} + \dots + b[m]e^{-jm\omega}}{a[0] + a[1]e^{-j\omega} + \dots + a[n]e^{-jn\omega}}$$

Parameters **b** : ndarray

numerator of a linear filter

a : ndarray

denominator of a linear filter

worN : {None, int}, optional

If None, then compute at 512 frequencies around the unit circle. If a single integer, then compute at that many frequencies. Otherwise, compute the response at frequencies given in *worN*

whole : bool, optional

Normally, frequencies are computed from 0 to pi (upper-half of unit-circle). If *whole* is True, compute frequencies from 0 to 2*pi.

plot : callable

A callable that takes two arguments. If given, the return parameters *w* and *h* are passed to plot. Useful for plotting the frequency response inside `freqz`.

Returns

w : ndarray

The frequencies at which *h* was computed.

h : ndarray

The frequency response.

Notes

Using Matplotlib's "plot" function as the callable for *plot* produces unexpected results, this plots the real part of the complex transfer function, not the magnitude.

Examples

```


>>> from scipy import signal
>>> b = signal.firwin(80, 0.5, window=('kaiser', 8))
>>> w, h = signal.freqz(b)

>>> import matplotlib.pyplot as plt
>>> fig = plt.figure()
>>> plt.title('Digital filter frequency response')
>>> ax1 = fig.add_subplot(111)

>>> plt.semilogy(w, np.abs(h), 'b')
>>> plt.ylabel('Amplitude (dB)', color='b')
>>> plt.xlabel('Frequency (rad/sample)')

>>> ax2 = ax1.twinx()
>>> angles = np.unwrap(np.angle(h))
>>> plt.plot(w, angles, 'g')
>>> plt.ylabel('Angle (radians)', color='g')
>>> plt.grid()
>>> plt.axis('tight')
>>> plt.show()

```



`scipy.signal.iirdesign` (*wp*, *ws*, *gpass*, *gstop*, *analog=False*, *ftype='ellip'*, *output='ba'*)
 Complete IIR digital and analog filter design.

Given passband and stopband frequencies and gains, construct an analog or digital IIR filter of minimum order for a given basic type. Return the output in numerator, denominator ('ba') or pole-zero ('zpk') form.

Parameters *wp*, *ws* : float

Passband and stopband edge frequencies. For digital filters, these are normalized from 0 to 1, where 1 is the Nyquist frequency, pi radians / sample. (*wp* and *ws* are thus in half-cycles / sample.) For example:

- Lowpass: *wp* = 0.2, *ws* = 0.3
- Highpass: *wp* = 0.3, *ws* = 0.2
- Bandpass: *wp* = [0.2, 0.5], *ws* = [0.1, 0.6]
- Bandstop: *wp* = [0.1, 0.6], *ws* = [0.2, 0.5]

For analog filters, *wp* and *ws* are in radians / second.

gpass : float
The maximum loss in the passband (dB).

gstop : float
The minimum attenuation in the stopband (dB).

analog : bool, optional
When True, return an analog filter, otherwise a digital filter is returned.

ftype : str, optional
The type of IIR filter to design:

- elliptic : 'ellip'
- Butterworth : 'butter'
- Chebyshev I : 'cheby1'
- Chebyshev II : 'cheby2'
- Bessel : 'bessel'

output : {'ba', 'zpk'}, optional
Type of output: numerator/denominator ('ba') or pole-zero ('zpk'). Default is 'ba'.

Returns

b, a : ndarray, ndarray
Numerator (*b*) and denominator (*a*) polynomials of the IIR filter. Only returned if `output='ba'`.

z, p, k : ndarray, ndarray, float
Zeros, poles, and system gain of the IIR filter transfer function. Only returned if `output='zpk'`.

`scipy.signal.iirfilter` (*N*, *Wn*, *rp=None*, *rs=None*, *btype='band'*, *analog=False*, *ftype='butter'*, *output='ba'*)

IIR digital and analog filter design given order and critical points.

Design an *N*th order digital or analog filter and return the filter coefficients in (B,A) (numerator, denominator) or (Z,P,K) form.

Parameters **N** : int

The order of the filter.

Wn : array_like

A scalar or length-2 sequence giving the critical frequencies. For digital filters, *Wn* is normalized from 0 to 1, where 1 is the Nyquist frequency, pi radians / sample. (*Wn* is thus in half-cycles / sample.) For analog filters, *Wn* is in radians / second.

rp : float, optional

For Chebyshev and elliptic filters, provides the maximum ripple in the pass-band. (dB)

rs : float, optional

For Chebyshev and elliptic filters, provides the minimum attenuation in the stop band. (dB)

btype : {'bandpass', 'lowpass', 'highpass', 'bandstop'}, optional

The type of filter. Default is 'bandpass'.

analog : bool, optional

When True, return an analog filter, otherwise a digital filter is returned.

ftype : str, optional

The type of IIR filter to design:

- elliptic : 'ellip'
- Butterworth : 'butter'
- Chebyshev I : 'cheby1'
- Chebyshev II : 'cheby2'
- Bessel : 'bessel'

output : {'ba', 'zpk'}, optional

Type of output: numerator/denominator ('ba') or pole-zero ('zpk'). Default is 'ba'.

See Also

`buttord`, `cheblord`, `cheb2ord`, `ellipord`

`scipy.signal.kaiser_atten` (*numtaps*, *width*)

Compute the attenuation of a Kaiser FIR filter.

Given the number of taps N and the transition width *width*, compute the attenuation a in dB, given by Kaiser's formula:

$$a = 2.285 * (N - 1) * \pi * \text{width} + 7.95$$

Parameters	N : int	The number of taps in the FIR filter.
	width : float	The desired width of the transition region between passband and stopband (or, in general, at any discontinuity) for the filter.
Returns	a : float	The attenuation of the ripple, in dB.

See Also

`kaiserord`, `kaiser_beta`

`scipy.signal.kaiser_beta` (a)

Compute the Kaiser parameter β , given the attenuation a .

Parameters	a : float	The desired attenuation in the stopband and maximum ripple in the passband, in dB. This should be a <i>positive</i> number.
Returns	beta : float	The β parameter to be used in the formula for a Kaiser window.

References

Oppenheim, Schaffer, "Discrete-Time Signal Processing", p.475-476.

`scipy.signal.kaiserord` (*ripple*, *width*)

Design a Kaiser window to limit ripple and width of transition region.

Parameters	ripple : float	Positive number specifying maximum ripple in passband (dB) and minimum ripple in stopband.
	width : float	Width of transition region (normalized so that 1 corresponds to π radians / sample).
Returns	numtaps : int	The length of the kaiser window.
	beta :	The beta parameter for the kaiser window.

See Also

`kaiser_beta`, `kaiser_atten`

Notes

There are several ways to obtain the Kaiser window:

- `signal.kaiser(numtaps, beta, sym=0)`
- `signal.get_window(beta, numtaps)`
- `signal.get_window('kaiser', beta), numtaps)`

The empirical equations discovered by Kaiser are used.

References

Oppenheim, Schafer, “Discrete-Time Signal Processing”, p.475-476.

`scipy.signal.remez` (*numtaps*, *bands*, *desired*, *weight=None*, *Hz=1*, *type='bandpass'*, *maxiter=25*, *grid_density=16*)

Calculate the minimax optimal filter using the Remez exchange algorithm.

Calculate the filter-coefficients for the finite impulse response (FIR) filter whose transfer function minimizes the maximum error between the desired gain and the realized gain in the specified frequency bands using the Remez exchange algorithm.

Parameters **numtaps** : int

The desired number of taps in the filter. The number of taps is the number of terms in the filter, or the filter order plus one.

bands : array_like

A monotonic sequence containing the band edges in Hz. All elements must be non-negative and less than half the sampling frequency as given by *Hz*.

desired : array_like

A sequence half the size of *bands* containing the desired gain in each of the specified bands.

weight : array_like, optional

A relative weighting to give to each band region. The length of *weight* has to be half the length of *bands*.

Hz : scalar, optional

The sampling frequency in Hz. Default is 1.

type : {'bandpass', 'differentiator', 'hilbert'}, optional

The type of filter:

 'bandpass' : flat response in bands. This is the default.

 'differentiator' : frequency proportional response in bands.

 '**hilbert**' [filter with odd symmetry, that is, type III] (for even order) or type IV (for odd order) linear phase filters.

maxiter : int, optional

Maximum number of iterations of the algorithm. Default is 25.

grid_density : int, optional

Grid density. The dense grid used in `remez` is of size $(\text{numtaps} + 1) * \text{grid_density}$. Default is 16.

Returns **out** : ndarray

A rank-1 array containing the coefficients of the optimal (in a minimax sense) filter.

See Also

[`freqz`](#) Compute the frequency response of a digital filter.

References

[R118], [R119]

Examples

We want to construct a filter with a passband at 0.2-0.4 Hz, and stop bands at 0-0.1 Hz and 0.45-0.5 Hz. Note that this means that the behavior in the frequency ranges between those bands is unspecified and may overshoot.

```
>>> from scipy import signal
>>> bpass = signal.remez(72, [0, 0.1, 0.2, 0.4, 0.45, 0.5], [0, 1, 0])
```




```

>>> freq, response = signal.freqz(bpass)
>>> ampl = np.abs(response)

>>> import matplotlib.pyplot as plt
>>> fig = plt.figure()
>>> ax1 = fig.add_subplot(111)
>>> ax1.semilogy(freq/(2*np.pi), ampl, 'b-') # freq in Hz
>>> plt.show()

```



```
scipy.signal.unique_roots(p, tol=0.001, rtype='min')
```

Determine unique roots and their multiplicities from a list of roots.

Parameters **p** : array_like

The list of roots.

tol : float, optional

The tolerance for two roots to be considered equal. Default is 1e-3.

rtype : { 'max', 'min', 'avg' }, optional

How to determine the returned root if multiple roots are within *tol* of each other.

- 'max': pick the maximum of those roots.
- 'min': pick the minimum of those roots.
- 'avg': take the average of those roots.

Returns **pout** : ndarray

The list of unique roots, sorted from low to high.

mult : ndarray

The multiplicity of each root.

Notes

This utility function is not specific to roots but can be used for any sequence of values for which uniqueness and multiplicity has to be determined. For a more general routine, see `numpy.unique`.

Examples

```

>>> from scipy import signal
>>> vals = [0, 1.3, 1.31, 2.8, 1.25, 2.2, 10.3]
>>> uniq, mult = signal.unique_roots(vals, tol=2e-2, rtype='avg')

```

Check which roots have multiplicity larger than 1:

```
>>> uniq[mult > 1]
array([ 1.305])
```

`scipy.signal.residue` (*b*, *a*, *tol*=0.001, *rtype*='avg')

Compute partial-fraction expansion of $b(s) / a(s)$.

If $M = \text{len}(b)$ and $N = \text{len}(a)$, then the partial-fraction expansion $H(s)$ is defined as:

$$H(s) = \frac{b(s)}{a(s)} = \frac{b[0] s^{*(M-1)} + b[1] s^{*(M-2)} + \dots + b[M-1]}{a[0] s^{*(N-1)} + a[1] s^{*(N-2)} + \dots + a[N-1]}$$

$$= \frac{r[0]}{(s-p[0])} + \frac{r[1]}{(s-p[1])} + \dots + \frac{r[-1]}{(s-p[-1])} + k(s)$$

If there are any repeated roots (closer together than *tol*), then $H(s)$ has terms like:

$$\frac{r[i]}{(s-p[i])} + \frac{r[i+1]}{(s-p[i])**2} + \dots + \frac{r[i+n-1]}{(s-p[i])**n}$$

Returns

- r** : ndarray
Residues.
- p** : ndarray
Poles.
- k** : ndarray
Coefficients of the direct polynomial term.

See Also

`invres`, `numpy.poly`, `unique_roots`

`scipy.signal.residuez` (*b*, *a*, *tol*=0.001, *rtype*='avg')

Compute partial-fraction expansion of $b(z) / a(z)$.

If $M = \text{len}(b)$ and $N = \text{len}(a)$:

$$H(z) = \frac{b(z)}{a(z)} = \frac{b[0] + b[1] z^{*(-1)} + \dots + b[M-1] z^{*(-M+1)}}{a[0] + a[1] z^{*(-1)} + \dots + a[N-1] z^{*(-N+1)}}$$

$$= \frac{r[0]}{(1-p[0]z^{*(-1)})} + \dots + \frac{r[-1]}{(1-p[-1]z^{*(-1)})} + k[0] + k[1]z^{*(-1)} \dots$$

If there are any repeated roots (closer than *tol*), then the partial fraction expansion has terms like:

$$\frac{r[i]}{(1-p[i]z^{*(-1)})} + \frac{r[i+1]}{(1-p[i]z^{*(-1)})**2} + \dots + \frac{r[i+n-1]}{(1-p[i]z^{*(-1)})**n}$$

See Also

`invresz, unique_roots`

`scipy.signal.invres(r, p, k, tol=0.001, rtype='avg')`

Compute $b(s)$ and $a(s)$ from partial fraction expansion: r, p, k

If $M = \text{len}(b)$ and $N = \text{len}(a)$:

$$H(s) = \frac{b(s)}{a(s)} = \frac{b[0]x^{(M-1)} + b[1]x^{(M-2)} + \dots + b[M-1]}{a[0]x^{(N-1)} + a[1]x^{(N-2)} + \dots + a[N-1]}$$

$$= \frac{r[0]}{(s-p[0])} + \frac{r[1]}{(s-p[1])} + \dots + \frac{r[-1]}{(s-p[-1])} + k(s)$$

If there are any repeated roots (closer than tol), then the partial fraction expansion has terms like:

$$\frac{r[i]}{(s-p[i])} + \frac{r[i+1]}{(s-p[i])**2} + \dots + \frac{r[i+n-1]}{(s-p[i])**n}$$

Parameters **r** : ndarray

Residues.

p : ndarray

Poles.

k : ndarray

Coefficients of the direct polynomial term.

tol : float, optional

The tolerance for two roots to be considered equal. Default is $1e-3$.

rtype : { 'max', 'min', 'avg' }, optional

How to determine the returned root if multiple roots are within tol of each other.

'max': pick the maximum of those roots.

'min': pick the minimum of those roots.

'avg': take the average of those roots.

See Also

`residue, unique_roots`

5.21.5 Matlab-style IIR filter design

<code>butter(N, Wn[, btype, analog, output])</code>	Butterworth digital and analog filter design.
<code>buttord(wp, ws, gpass, gstop[, analog])</code>	Butterworth filter order selection.
<code>cheby1(N, rp, Wn[, btype, analog, output])</code>	Chebyshev type I digital and analog filter design.
<code>cheblord(wp, ws, gpass, gstop[, analog])</code>	Chebyshev type I filter order selection.
<code>cheby2(N, rs, Wn[, btype, analog, output])</code>	Chebyshev type II digital and analog filter design.
<code>cheb2ord(wp, ws, gpass, gstop[, analog])</code>	Chebyshev type II filter order selection.
<code>ellip(N, rp, rs, Wn[, btype, analog, output])</code>	Elliptic (Cauer) digital and analog filter design.
<code>ellipord(wp, ws, gpass, gstop[, analog])</code>	Elliptic (Cauer) filter order selection.
<code>bessel(N, Wn[, btype, analog, output])</code>	Bessel digital and analog filter design.

`scipy.signal.butter` (*N*, *Wn*, *btype*='low', *analog*=False, *output*='ba')

Butterworth digital and analog filter design.

Design an *N*th order digital or analog Butterworth filter and return the filter coefficients in (B,A) or (Z,P,K) form.

Parameters

- N** : int
The order of the filter.
- Wn** : array_like
A scalar or length-2 sequence giving the critical frequencies. For digital filters, *Wn* is normalized from 0 to 1, where 1 is the Nyquist frequency, pi radians / sample. (*Wn* is thus in half-cycles / sample.) For analog filters, *Wn* is in radians / second.
- btype** : { 'lowpass', 'highpass', 'bandpass', 'bandstop' }, optional
The type of filter. Default is 'lowpass'.
- analog** : bool, optional
When True, return an analog filter, otherwise a digital filter is returned.
- output** : { 'ba', 'zpk' }, optional
Type of output: numerator/denominator ('ba') or pole-zero ('zpk'). Default is 'ba'.

Returns

- b, a** : ndarray, ndarray
Numerator (*b*) and denominator (*a*) polynomials of the IIR filter. Only returned if *output*='ba'.
- z, p, k** : ndarray, ndarray, float
Zeros, poles, and system gain of the IIR filter transfer function. Only returned if *output*='zpk'.

See Also

`buttord`

`scipy.signal.buttord` (*wp*, *ws*, *gpass*, *gstop*, *analog*=False)

Butterworth filter order selection.

Return the order of the lowest order digital or analog Butterworth filter that loses no more than *gpass* dB in the passband and has at least *gstop* dB attenuation in the stopband.

Parameters

- wp, ws** : float
Passband and stopband edge frequencies. For digital filters, these are normalized from 0 to 1, where 1 is the Nyquist frequency, pi radians / sample. (*wp* and *ws* are thus in half-cycles / sample.) For example:
 - Lowpass: *wp* = 0.2, *ws* = 0.3
 - Highpass: *wp* = 0.3, *ws* = 0.2
 - Bandpass: *wp* = [0.2, 0.5], *ws* = [0.1, 0.6]
 - Bandstop: *wp* = [0.1, 0.6], *ws* = [0.2, 0.5]
 For analog filters, *wp* and *ws* are in radians / second.
- gpass** : float
The maximum loss in the passband (dB).
- gstop** : float
The minimum attenuation in the stopband (dB).
- analog** : bool, optional
When True, return an analog filter, otherwise a digital filter is returned.

Returns

- ord** : int
The lowest order for a Butterworth filter which meets specs.
- wn** : ndarray or float
The Butterworth natural frequency (i.e. the “3dB frequency”). Should be used with `butterm` to give filter results.

`scipy.signal.cheby1` (*N*, *rp*, *Wn*, *btype*='low', *analog*=False, *output*='ba')

Chebyshev type I digital and analog filter design.

Design an Nth order digital or analog Chebyshev type I filter and return the filter coefficients in (B,A) or (Z,P,K) form.

Parameters

N : int
The order of the filter.

rp : float
Provides the maximum ripple in the passband. (dB)

Wn : array_like
A scalar or length-2 sequence giving the critical frequencies. For digital filters, *Wn* is normalized from 0 to 1, where 1 is the Nyquist frequency, pi radians / sample. (*Wn* is thus in half-cycles / sample.) For analog filters, *Wn* is in radians / second.

btype : { 'lowpass', 'highpass', 'bandpass', 'bandstop' }, optional
The type of filter. Default is 'lowpass'.

analog : bool, optional
When True, return an analog filter, otherwise a digital filter is returned.

output : { 'ba', 'zpk' }, optional
Type of output: numerator/denominator ('ba') or pole-zero ('zpk'). Default is 'ba'.

Returns

b, a : ndarray, ndarray
Numerator (*b*) and denominator (*a*) polynomials of the IIR filter. Only returned if `output='ba'`.

z, p, k : ndarray, ndarray, float
Zeros, poles, and system gain of the IIR filter transfer function. Only returned if `output='zpk'`.

See Also

[cheblord](#)

`scipy.signal.cheblord` (*wp, ws, gpass, gstop, analog=False*)
Chebyshev type I filter order selection.

Return the order of the lowest order digital or analog Chebyshev Type I filter that loses no more than *gpass* dB in the passband and has at least *gstop* dB attenuation in the stopband.

Parameters

wp, ws : float
Passband and stopband edge frequencies. For digital filters, these are normalized from 0 to 1, where 1 is the Nyquist frequency, pi radians / sample. (*wp* and *ws* are thus in half-cycles / sample.) For example:

- Lowpass: `wp = 0.2, ws = 0.3`
- Highpass: `wp = 0.3, ws = 0.2`
- Bandpass: `wp = [0.2, 0.5], ws = [0.1, 0.6]`
- Bandstop: `wp = [0.1, 0.6], ws = [0.2, 0.5]`

For analog filters, *wp* and *ws* are in radians / second.

gpass : float
The maximum loss in the passband (dB).

gstop : float
The minimum attenuation in the stopband (dB).

analog : bool, optional
When True, return an analog filter, otherwise a digital filter is returned.

Returns

ord : int
The lowest order for a Chebyshev type I filter that meets specs.

wn : ndarray or float
The Chebyshev natural frequency (the "3dB frequency") for use with `cheby1` to give filter results.

`scipy.signal.cheby2` (*N, rs, Wn, btype='low', analog=False, output='ba'*)
Chebyshev type II digital and analog filter design.

Design an Nth order digital or analog Chebyshev type II filter and return the filter coefficients in (B,A) or (Z,P,K) form.

Parameters

N : int
The order of the filter.

rs : float
Provides the minimum attenuation in the stop band. (dB)

Wn : array_like
A scalar or length-2 sequence giving the critical frequencies. For digital filters, *Wn* is normalized from 0 to 1, where 1 is the Nyquist frequency, pi radians / sample. (*Wn* is thus in half-cycles / sample.) For analog filters, *Wn* is in radians / second.

btype : { 'lowpass', 'highpass', 'bandpass', 'bandstop' }, optional
The type of filter. Default is 'lowpass'.

analog : bool, optional
When True, return an analog filter, otherwise a digital filter is returned.

output : { 'ba', 'zpk' }, optional
Type of output: numerator/denominator ('ba') or pole-zero ('zpk'). Default is 'ba'.

Returns

b, a : ndarray, ndarray
Numerator (*b*) and denominator (*a*) polynomials of the IIR filter. Only returned if `output='ba'`.

z, p, k : ndarray, ndarray, float
Zeros, poles, and system gain of the IIR filter transfer function. Only returned if `output='zpk'`.

See Also

[cheb2ord](#)

`scipy.signal.cheb2ord` (*wp, ws, gpass, gstop, analog=False*)
Chebyshev type II filter order selection.

Return the order of the lowest order digital or analog Chebyshev Type II filter that loses no more than *gpass* dB in the passband and has at least *gstop* dB attenuation in the stopband.

Parameters

wp, ws : float
Passband and stopband edge frequencies. For digital filters, these are normalized from 0 to 1, where 1 is the Nyquist frequency, pi radians / sample. (*wp* and *ws* are thus in half-cycles / sample.) For example:

- Lowpass: `wp = 0.2, ws = 0.3`
- Highpass: `wp = 0.3, ws = 0.2`
- Bandpass: `wp = [0.2, 0.5], ws = [0.1, 0.6]`
- Bandstop: `wp = [0.1, 0.6], ws = [0.2, 0.5]`

For analog filters, *wp* and *ws* are in radians / second.

gpass : float
The maximum loss in the passband (dB).

gstop : float
The minimum attenuation in the stopband (dB).

analog : bool, optional
When True, return an analog filter, otherwise a digital filter is returned.

Returns

ord : int
The lowest order for a Chebyshev type II filter that meets specs.

wn : ndarray or float
The Chebyshev natural frequency (the “3dB frequency”) for use with `cheby2` to give filter results.

`scipy.signal.ellip` (*N, rp, rs, Wn, btype='low', analog=False, output='ba'*)
Elliptic (Cauer) digital and analog filter design.

Design an Nth order digital or analog elliptic filter and return the filter coefficients in (B,A) or (Z,P,K) form.

Parameters

- N** : int
The order of the filter.
- rp** : float
Provides the maximum ripple in the passband. (dB)
- rs** : float
Provides the minimum attenuation in the stop band. (dB)
- Wn** : array_like
A scalar or length-2 sequence giving the critical frequencies. For digital filters, *Wn* is normalized from 0 to 1, where 1 is the Nyquist frequency, pi radians / sample. (*Wn* is thus in half-cycles / sample.) For analog filters, *Wn* is in radians / second.
- btype** : { 'lowpass', 'highpass', 'bandpass', 'bandstop' }, optional
The type of filter. Default is 'lowpass'.
- analog** : bool, optional
When True, return an analog filter, otherwise a digital filter is returned.
- output** : { 'ba', 'zpk' }, optional
Type of output: numerator/denominator ('ba') or pole-zero ('zpk'). Default is 'ba'.

Returns

- b, a** : ndarray, ndarray
Numerator (*b*) and denominator (*a*) polynomials of the IIR filter. Only returned if `output='ba'`.
- z, p, k** : ndarray, ndarray, float
Zeros, poles, and system gain of the IIR filter transfer function. Only returned if `output='zpk'`.

See Also

`ellipord`

`scipy.signal.ellipord` (*wp, ws, gpass, gstop, analog=False*)

Elliptic (Cauer) filter order selection.

Return the order of the lowest order digital or analog elliptic filter that loses no more than *gpass* dB in the passband and has at least *gstop* dB attenuation in the stopband.

Parameters

- wp, ws** : float
Passband and stopband edge frequencies. For digital filters, these are normalized from 0 to 1, where 1 is the Nyquist frequency, pi radians / sample. (*wp* and *ws* are thus in half-cycles / sample.) For example:
 - Lowpass: `wp = 0.2, ws = 0.3`
 - Highpass: `wp = 0.3, ws = 0.2`
 - Bandpass: `wp = [0.2, 0.5], ws = [0.1, 0.6]`
 - Bandstop: `wp = [0.1, 0.6], ws = [0.2, 0.5]`
- For analog filters, *wp* and *ws* are in radians / second.
- gpass** : float
The maximum loss in the passband (dB).
- gstop** : float
The minimum attenuation in the stopband (dB).
- analog** : bool, optional
When True, return an analog filter, otherwise a digital filter is returned.

Returns

- ord** : int
The lowest order for an Elliptic (Cauer) filter that meets specs.
- wn** : ndarray or float
The Chebyshev natural frequency (the "3dB frequency") for use with `ellip` to give filter results.

`scipy.signal.bessel` (*N*, *Wn*, *btype*='low', *analog*=False, *output*='ba')

Bessel digital and analog filter design.

Design an *N*th order digital or analog Bessel filter and return the filter coefficients in (B,A) or (Z,P,K) form.

Parameters

- N** : int
The order of the filter.
- Wn** : array_like
A scalar or length-2 sequence giving the critical frequencies. For digital filters, *Wn* is normalized from 0 to 1, where 1 is the Nyquist frequency, pi radians / sample. (*Wn* is thus in half-cycles / sample.) For analog filters, *Wn* is in radians / second.
- btype** : { 'lowpass', 'highpass', 'bandpass', 'bandstop' }, optional
The type of filter. Default is 'lowpass'.
- analog** : bool, optional
When True, return an analog filter, otherwise a digital filter is returned.
- output** : { 'ba', 'zpk' }, optional
Type of output: numerator/denominator ('ba') or pole-zero ('zpk'). Default is 'ba'.

Returns

- b, a** : ndarray, ndarray
Numerator (*b*) and denominator (*a*) polynomials of the IIR filter. Only returned if *output*='ba'.
- z, p, k** : ndarray, ndarray, float
Zeros, poles, and system gain of the IIR filter transfer function. Only returned if *output*='zpk'.

5.21.6 Continuous-Time Linear Systems

<code>freqresp</code> (system[, w, n])	Calculate the frequency response of a continuous-time system.
<code>lti</code> (*args, **kwargs)	Linear Time Invariant class which simplifies representation.
<code>lsim</code> (system, U, T[, X0, interp])	Simulate output of a continuous-time linear system.
<code>lsim2</code> (system[, U, T, X0])	Simulate output of a continuous-time linear system, by using
<code>impulse</code> (system[, X0, T, N])	Impulse response of continuous-time system.
<code>impulse2</code> (system[, X0, T, N])	Impulse response of a single-input, continuous-time linear system.
<code>step</code> (system[, X0, T, N])	Step response of continuous-time system.
<code>step2</code> (system[, X0, T, N])	Step response of continuous-time system.
<code>bode</code> (system[, w, n])	Calculate bode magnitude and phase data of a continuous-time system.

`scipy.signal.freqresp` (*system*, *w*=None, *n*=10000)

Calculate the frequency response of a continuous-time system.

Parameters

- system** : an instance of the LTI class or a tuple describing the system.
The following gives the number of elements in the tuple and the interpretation:

- 2 (num, den)
- 3 (zeros, poles, gain)
- 4 (A, B, C, D)

- w** : array_like, optional
Array of frequencies (in rad/s). Magnitude and phase data is calculated for every value in this array. If not given a reasonable set will be calculated.

- n** : int, optional
Number of frequency points to compute if *w* is not given. The *n* frequencies are logarithmically spaced in the range from two orders of magnitude before the minimum (slowest) pole to two orders of magnitude after the maximum

Returns **w** : 1D ndarray (fastest) pole.
 Frequency array [rad/s]
H : 1D ndarray
 Array of complex magnitude values

class `scipy.signal.lti` (*args, **kwargs)
 Linear Time Invariant class which simplifies representation.

Parameters **args** : arguments
 The `lti` class can be instantiated with either 2, 3 or 4 arguments. The following gives the number of elements in the tuple and the interpretation:

- 2: (numerator, denominator)
- 3: (zeros, poles, gain)
- 4: (A, B, C, D)

Each argument can be an array or sequence.

Notes

`lti` instances have all types of representations available; for example after creating an instance `s` with `(zeros, poles, gain)` the state-space representation (numerator, denominator) can be accessed as `s.num` and `s.den`.

Methods

<code>bode([w, n])</code>	Calculate bode magnitude and phase data.
<code>freqresp([w, n])</code>	Calculate the frequency response of a continuous-time system.
<code>impulse([X0, T, N])</code>	
<code>output(U, T[, X0])</code>	
<code>step([X0, T, N])</code>	

`lti.bode` (*w=None, n=100*)
 Calculate bode magnitude and phase data.



Returns a 3-tuple containing arrays of frequencies [rad/s], magnitude [dB] and phase [deg]. See `scipy.signal.bode` for details. New in version 0.11.0.

Examples

```
>>> from scipy import signal
>>> import matplotlib.pyplot as plt

>>> s1 = signal.lti([1], [1, 1])
>>> w, mag, phase = s1.bode()

>>> plt.figure()
>>> plt.semilogx(w, mag)      # bode magnitude plot
>>> plt.figure()
>>> plt.semilogx(w, phase)   # bode phase plot
>>> plt.show()
```



`lti.freqresp` ($w=None, n=10000$)

Calculate the frequency response of a continuous-time system.

Returns a 2-tuple containing arrays of frequencies [rad/s] and complex magnitude. See `scipy.signal.freqresp` for details.

`lti.impulse` ($X0=None, T=None, N=None$)

`lti.output` ($U, T, X0=None$)

`lti.step` ($X0=None, T=None, N=None$)

`scipy.signal.lsim` ($system, U, T, X0=None, interp=1$)

Simulate output of a continuous-time linear system.

Parameters `system` : an instance of the LTI class or a tuple describing the system.

The following gives the number of elements in the tuple and the interpretation:

- 2: (num, den)
- 3: (zeros, poles, gain)
- 4: (A, B, C, D)

U : array_like

An input array describing the input at each time T (interpolation is assumed between given times). If there are multiple inputs, then each column of the rank-2 array represents an input.

T : array_like

The time steps at which the input is defined and at which the output is desired.

X0 :

The initial conditions on the state vector (zero by default).

interp : {1, 0}

Whether to use linear (1) or zero-order hold (0) interpolation.

Returns

T : 1D ndarray

Time values for the output.

yout : 1D ndarray

System response.

xout : ndarray

Time-evolution of the state-vector.

`scipy.signal.lsim2` (*system*, *U=None*, *T=None*, *X0=None*, ***kwargs*)

Simulate output of a continuous-time linear system, by using the ODE solver `scipy.integrate.odeint`.

Parameters

system : an instance of the LTI class or a tuple describing the system.

The following gives the number of elements in the tuple and the interpretation:

- 2: (num, den)
- 3: (zeros, poles, gain)
- 4: (A, B, C, D)

U : array_like (1D or 2D), optional

An input array describing the input at each time T . Linear interpolation is used between given times. If there are multiple inputs, then each column of the rank-2 array represents an input. If U is not given, the input is assumed to be zero.

T : array_like (1D or 2D), optional

The time steps at which the input is defined and at which the output is desired. The default is 101 evenly spaced points on the interval $[0, 10.0]$.

X0 : array_like (1D), optional

The initial condition of the state vector. If $X0$ is not given, the initial conditions are assumed to be 0.

kwargs : dict

Additional keyword arguments are passed on to the function `odeint`. See the notes below for more details.

Returns

T : 1D ndarray

The time values for the output.

yout : ndarray

The response of the system.

xout : ndarray

The time-evolution of the state-vector.

Notes

This function uses `scipy.integrate.odeint` to solve the system's differential equations. Additional keyword arguments given to `lsim2` are passed on to `odeint`. See the documentation for `scipy.integrate.odeint` for the full list of arguments.

`scipy.signal.impulse` (*system*, *X0=None*, *T=None*, *N=None*)

Impulse response of continuous-time system.

Parameters

- system** : LTI class or tuple
If specified as a tuple, the system is described as (*num*, *den*), (*zero*, *pole*, *gain*), or (*A*, *B*, *C*, *D*).
- X0** : array_like, optional
Initial state-vector. Defaults to zero.
- T** : array_like, optional
Time points. Computed if not given.
- N** : int, optional
The number of time points to compute (if *T* is not given).

Returns

- T** : ndarray
A 1-D array of time points.
- yout** : ndarray
A 1-D array containing the impulse response of the system (except for singularities at zero).

`scipy.signal.impulse2` (*system*, *X0=None*, *T=None*, *N=None*, ****kwargs**)

Impulse response of a single-input, continuous-time linear system.

Parameters

- system** : an instance of the LTI class or a tuple describing the system.
The following gives the number of elements in the tuple and the interpretation:
 - 2 (*num*, *den*)
 - 3 (*zeros*, *poles*, *gain*)
 - 4 (*A*, *B*, *C*, *D*)
- T** : 1-D array_like, optional
The time steps at which the input is defined and at which the output is desired. If *T* is not given, the function will generate a set of time samples automatically.
- X0** : 1-D array_like, optional
The initial condition of the state vector. Default: 0 (the zero vector).
- N** : int, optional
Number of time points to compute. Default: 100.
- kwargs** : various types
Additional keyword arguments are passed on to the function `scipy.signal.lsim2`, which in turn passes them on to `scipy.integrate.odeint`; see the latter's documentation for information about these arguments.

Returns

- T** : ndarray
The time values for the output.
- yout** : ndarray
The output response of the system.

See Also

`impulse`, `lsim2`, `integrate.odeint`


Notes

The solution is generated by calling `scipy.signal.lsim2`, which uses the differential equation solver `scipy.integrate.odeint`. New in version 0.8.0.

Examples

Second order system with a repeated root: $x''(t) + 2x'(t) + x(t) = u(t)$

```
>>> from scipy import signal
>>> system = ([1.0], [1.0, 2.0, 1.0])
>>> t, y = signal.impulse2(system)
>>> import matplotlib.pyplot as plt
>>> plt.plot(t, y)
```



`scipy.signal.step` (*system*, *X0=None*, *T=None*, *N=None*)

Step response of continuous-time system.

Parameters

- system** : an instance of the LTI class or a tuple describing the system.
The following gives the number of elements in the tuple and the interpretation:
 - 2 (num, den)
 - 3 (zeros, poles, gain)
 - 4 (A, B, C, D)
- X0** : array_like, optional
Initial state-vector (default is zero).
- T** : array_like, optional
Time points (computed if not given).
- N** : int
Number of time points to compute if *T* is not given.

Returns

- T** : 1D ndarray
Output time points.
- yout** : 1D ndarray
Step response of system.

See Also

`scipy.signal.step2`

`scipy.signal.step2` (*system*, *X0=None*, *T=None*, *N=None*, ***kwargs*)

Step response of continuous-time system.

This function is functionally the same as `scipy.signal.step`, but it uses the function `scipy.signal.lsim2` to compute the step response.

Parameters

- system** : an instance of the LTI class or a tuple describing the system.
The following gives the number of elements in the tuple and the interpretation:

$\bullet 2$ (num, den)
 $\bullet 3$ (zeros, poles, gain)
 $\bullet 4$ (A, B, C, D)

X0 : array_like, optional
 Initial state-vector (default is zero).

T : array_like, optional
 Time points (computed if not given).

N : int
 Number of time points to compute if *T* is not given.

kwargs : :
 Additional keyword arguments are passed on the function `scipy.signal.lsim2`, which in turn passes them on to `scipy.integrate.odeint`. See the documentation for `scipy.integrate.odeint` for information about these arguments.

Returns

T : 1D ndarray
 Output time points.

yout : 1D ndarray
 Step response of system.

See Also

`scipy.signal.step`

Notes

New in version 0.8.0.

`scipy.signal.bode` (*system*, *w=None*, *n=100*)

Calculate bode magnitude and phase data of a continuous-time system. New in version 0.11.0.

Parameters

system : an instance of the LTI class or a tuple describing the system.
 The following gives the number of elements in the tuple and the interpretation:

$\bullet 2$ (num, den)
 $\bullet 3$ (zeros, poles, gain)
 $\bullet 4$ (A, B, C, D)

w : array_like, optional
 Array of frequencies (in rad/s). Magnitude and phase data is calculated for every value in this array. If not given a reasonable set will be calculated.

n : int, optional
 Number of frequency points to compute if *w* is not given. The *n* frequencies are logarithmically spaced in the range from two orders of magnitude before the minimum (slowest) pole to two orders of magnitude after the maximum (fastest) pole.

Returns

w : 1D ndarray
 Frequency array [rad/s]

mag : 1D ndarray
 Magnitude array [dB]

phase : 1D ndarray
 Phase array [deg]

Examples

```



>>> from scipy import signal
>>> import matplotlib.pyplot as plt

>>> s1 = signal.lti([1], [1, 1])
>>> w, mag, phase = signal.bode(s1)
    
```

```

>>> plt.figure()
>>> plt.semilogx(w, mag)    # bode magnitude plot
>>> plt.figure()
>>> plt.semilogx(w, phase) # bode phase plot
>>> plt.show()

```



5.21.7 Discrete-Time Linear Systems

<code>dlsim(system, u, t, x0)</code>	Simulate output of a discrete-time linear system.
<code>dimpulse(system[, x0, t, n])</code>	Impulse response of discrete-time system.
<code>dstep(system[, x0, t, n])</code>	Step response of discrete-time system.

`scipy.signal.dlsim(system, u, t=None, x0=None)`
 Simulate output of a discrete-time linear system.

Parameters

system : class instance or tuple
 An instance of the LTI class, or a tuple describing the system. The following gives the number of elements in the tuple and the interpretation:

- 3: (num, den, dt)
- 4: (zeros, poles, gain, dt)
- 5: (A, B, C, D, dt)

u : array_like
 An input array describing the input at each time t (interpolation is assumed between given times). If there are multiple inputs, then each column of the rank-2 array represents an input.

t : array_like, optional
 The time steps at which the input is defined. If t is given, the final value in t determines the number of steps returned in the output.

x0 : array_like, optional
 The initial conditions on the state vector (zero by default).

Returns

tout : ndarray
 Time values for the output, as a 1-D array.

yout : ndarray
 System response, as a 1-D array.

xout : ndarray, optional
 Time-evolution of the state-vector. Only generated if the input is a state-space systems.

See Also

`lsim`, `dstep`, `dimpulse`, `cont2discrete`

Examples

A simple integrator transfer function with a discrete time step of 1.0 could be implemented as:

```
>>> from scipy import signal
>>> tf = ([1.0,], [1.0, -1.0], 1.0)
>>> t_in = [0.0, 1.0, 2.0, 3.0]
>>> u = np.asarray([0.0, 0.0, 1.0, 1.0])
>>> t_out, y = signal.dlsim(tf, u, t=t_in)
>>> y
array([ 0.,  0.,  0.,  1.]
```

`scipy.signal.dimpulse` (*system*, *x0=None*, *t=None*, *n=None*)

Impulse response of discrete-time system.

Parameters

system : tuple
 The following gives the number of elements in the tuple and the interpretation:

- 3: (num, den, dt)
- 4: (zeros, poles, gain, dt)
- 5: (A, B, C, D, dt)

x0 : array_like, optional
 Initial state-vector. Defaults to zero.

t : array_like, optional
 Time points. Computed if not given.

n : int, optional
 The number of time points to compute (if t is not given).

Returns

t : ndarray
 A 1-D array of time points.

yout : tuple of array_like
 Step response of system. Each element of the tuple represents the output of the system based on an impulse in each input.

See Also

`impulse`, `dstep`, `dlsim`, `cont2discrete`

`scipy.signal.dstep` (*system*, *x0=None*, *t=None*, *n=None*)

Step response of discrete-time system.

Parameters **system** : a tuple describing the system.

The following gives the number of elements in the tuple and the interpretation:

- 3: (num, den, dt)
- 4: (zeros, poles, gain, dt)
- 5: (A, B, C, D, dt)

x0 : array_like, optional

Initial state-vector (default is zero).

t : array_like, optional

Time points (computed if not given).

n : int, optional

Number of time points to compute if *t* is not given.

Returns

t : ndarray

Output time points, as a 1-D array.

yout : tuple of array_like

Step response of system. Each element of the tuple represents the output of the system based on a step response to each input.

See Also

`step`, `dimpulse`, `dlsim`, `cont2discrete`

5.21.8 LTI Representations

<code>tf2zpk(b, a)</code>	Return zero, pole, gain (z,p,k) representation from a numerator, denominator representation
<code>zpk2tf(z, p, k)</code>	Return polynomial transfer function representation from zeros
<code>tf2ss(num, den)</code>	Transfer function to state-space representation.
<code>ss2tf(A, B, C, D[, input])</code>	State-space to transfer function.
<code>zpk2ss(z, p, k)</code>	Zero-pole-gain representation to state-space representation
<code>ss2zpk(A, B, C, D[, input])</code>	State-space representation to zero-pole-gain representation.
<code>cont2discrete(sys, dt[, method, alpha])</code>	Transform a continuous to a discrete state-space system.

`scipy.signal.tf2zpk` (*b*, *a*)

Return zero, pole, gain (z,p,k) representation from a numerator, denominator representation of a linear filter.

Parameters **b** : ndarray

Numerator polynomial.

a : ndarray

Denominator polynomial.

Returns

z : ndarray

Zeros of the transfer function.

p : ndarray

Poles of the transfer function.

k : float

System gain.

Notes

If some values of *b* are too close to 0, they are removed. In that case, a `BadCoefficients` warning is emitted.

`scipy.signal.zpk2tf(z, p, k)`

Return polynomial transfer function representation from zeros and poles

Parameters

- z** : ndarray
Zeros of the transfer function.
- p** : ndarray
Poles of the transfer function.
- k** : float
System gain.

Returns

- b** : ndarray
Numerator polynomial.
- a** : ndarray
Denominator polynomial.

`scipy.signal.tf2ss(num, den)`

Transfer function to state-space representation.

Parameters

- num, den** : array_like
Sequences representing the numerator and denominator polynomials. The denominator needs to be at least as long as the numerator.

Returns

- A, B, C, D** : ndarray
State space representation of the system.

`scipy.signal.ss2tf(A, B, C, D, input=0)`

State-space to transfer function.

Parameters

- A, B, C, D** : ndarray
State-space representation of linear system.
- input** : int, optional
For multiple-input systems, the input to use.

Returns

- num, den** : 1D ndarray
Numerator and denominator polynomials (as sequences) respectively.

`scipy.signal.zpk2ss(z, p, k)`

Zero-pole-gain representation to state-space representation

Parameters

- z, p** : sequence
Zeros and poles.
- k** : float
System gain.

Returns

- A, B, C, D** : ndarray
State-space matrices.

`scipy.signal.ss2zpk(A, B, C, D, input=0)`

State-space representation to zero-pole-gain representation.

Parameters

- A, B, C, D** : ndarray
State-space representation of linear system.
- input** : int, optional
For multiple-input systems, the input to use.

Returns

- z, p** : sequence
Zeros and poles.
- k** : float
System gain.

`scipy.signal.cont2discrete(sys, dt, method='zoh', alpha=None)`

Transform a continuous to a discrete state-space system.

Parameters

- sys** : a tuple describing the system.
The following gives the number of elements in the tuple and the interpretation:
 - 2: (num, den)

z: (zeros, poles, gain)
4: (A, B, C, D)

dt : float
 The discretization time step.

method : {"gbt", "bilinear", "euler", "backward_diff", "zoh"}
 Which method to use:

- gbt: generalized bilinear transformation
- bilinear: Tustin's approximation ("gbt" with $\alpha=0.5$)
- euler: Euler (or forward differencing) method ("gbt" with $\alpha=0$)
- backward_diff: Backwards differencing ("gbt" with $\alpha=1.0$)
- zoh: zero-order hold (default)

alpha : float within [0, 1]
 The generalized bilinear transformation weighting parameter, which should only be specified with `method="gbt"`, and is ignored otherwise

Returns **sysd** : tuple containing the discrete system
 Based on the input type, the output will be of the form (num, den, dt) for transfer function input (zeros, poles, gain, dt) for zeros-poles-gain input (A, B, C, D, dt) for state-space system input

Notes

By default, the routine uses a Zero-Order Hold (zoh) method to perform the transformation. Alternatively, a generalized bilinear transformation may be used, which includes the common Tustin's bilinear approximation, an Euler's method technique, or a backwards differencing technique.

The Zero-Order Hold (zoh) method is based on [R97], the generalized bilinear approximation is based on [R98] and [3].

References

[R97], [R98], [R99]

5.21.9 Waveforms

<code>chirp(t, f0, t1, f1[, method, phi, vertex_zero])</code>	Frequency-swept cosine generator.
<code>gausspulse(t[, fc, bw, bwr, tpr, retquad, ...])</code>	Return a Gaussian modulated sinusoid:
<code>sawtooth(t[, width])</code>	Return a periodic sawtooth or triangle waveform.
<code>square(t[, duty])</code>	Return a periodic square-wave waveform.
<code>sweep_poly(t, poly[, phi])</code>	Frequency-swept cosine generator, with a time-dependent frequency.

`scipy.signal.chirp(t, f0, t1, f1, method='linear', phi=0, vertex_zero=True)`

Frequency-swept cosine generator.

In the following, 'Hz' should be interpreted as 'cycles per time unit'; there is no assumption here that the time unit is one second. The important distinction is that the units of rotation are cycles, not radians.

Parameters

- t** : ndarray
Times at which to evaluate the waveform.
- f0** : float
Frequency (in Hz) at time $t=0$.
- t1** : float
Time at which $f1$ is specified.
- f1** : float
Frequency (in Hz) of the waveform at time $t1$.
- method** : {'linear', 'quadratic', 'logarithmic', 'hyperbolic'}, optional

Kind of frequency sweep. If not given, *linear* is assumed. See Notes below for more details.

phi : float, optional
Phase offset, in degrees. Default is 0.

vertex_zero : bool, optional
This parameter is only used when *method* is 'quadratic'. It determines whether the vertex of the parabola that is the graph of the frequency is at $t=0$ or $t=t1$.

Returns **y** : ndarray
A numpy array containing the signal evaluated at t with the requested time-varying frequency. More precisely, the function returns $\cos(\text{phase} + (\pi/180) * \text{phi})$ where *phase* is the integral (from 0 to t) of $2 * \pi * f(t)$. $f(t)$ is defined below.

See Also

[sweep_poly](#)

Notes

There are four options for the *method*. The following formulas give the instantaneous frequency (in Hz) of the signal generated by *chirp()*. For convenience, the shorter names shown below may also be used.

linear, lin, li:

$$f(t) = f0 + (f1 - f0) * t / t1$$

quadratic, quad, q:

The graph of the frequency $f(t)$ is a parabola through $(0, f0)$ and $(t1, f1)$. By default, the vertex of the parabola is at $(0, f0)$. If *vertex_zero* is False, then the vertex is at $(t1, f1)$. The formula is:

if *vertex_zero* is True:

$$f(t) = f0 + (f1 - f0) * t**2 / t1**2$$

else:

$$f(t) = f1 - (f1 - f0) * (t1 - t)**2 / t1**2$$

To use a more general quadratic function, or an arbitrary polynomial, use the function `scipy.signal.waveforms.sweep_poly`.

logarithmic, log, lo:

$$f(t) = f0 * (f1/f0)**(t/t1)$$

$f0$ and $f1$ must be nonzero and have the same sign.

This signal is also known as a geometric or exponential chirp.

hyperbolic, hyp:

$$f(t) = f0 * f1 * t1 / ((f0 - f1) * t + f1 * t1)$$

$f1$ must be positive, and $f0$ must be greater than $f1$.

`scipy.signal.gausspulse` ($t, fc=1000, bw=0.5, bwr=-6, tpr=-60, retquad=False, retenv=False$)

Return a Gaussian modulated sinusoid:

$$\exp(-a * t^2) * \exp(1j * 2 * \pi * fc * t)$$

If *retquad* is True, then return the real and imaginary parts (in-phase and quadrature). If *retenv* is True, then return the envelope (unmodulated signal). Otherwise, return the real part of the modulated sinusoid.

Parameters **t** : ndarray or the string 'cutoff'
Input array.

fc : int, optional
Center frequency (Hz). Default is 1000.

bw : float, optional

Fractional bandwidth in frequency domain of pulse (Hz). Default is 0.5.

bwr : float, optional
Reference level at which fractional bandwidth is calculated (dB). Default is -6.

tpr : float, optional
If *t* is 'cutoff', then the function returns the cutoff time for when the pulse amplitude falls below *tpr* (in dB). Default is -60.

retquad : bool, optional
If True, return the quadrature (imaginary) as well as the real part of the signal. Default is False.

retenv : bool, optional
If True, return the envelope of the signal. Default is False.

Returns

yI : ndarray
Real part of signal. Always returned.

yQ : ndarray
Imaginary part of signal. Only returned if *retquad* is True.

yenv : ndarray
Envelope of signal. Only returned if *retenv* is True.


See Also

`scipy.signal.morlet`

Examples

Plot real component, imaginary component, and envelope for a 5 Hz pulse, sampled at 100 Hz for 2 seconds:

```
>>> from scipy import signal
>>> import matplotlib.pyplot as plt
>>> t = np.linspace(-1, 1, 2 * 100, endpoint=False)
>>> i, q, e = signal.gausspulse(t, fc=5, retquad=True, retenv=True)
>>> plt.plot(t, i, t, q, t, e, '--')
```



`scipy.signal.sawtooth`(*t*, *width=1*)

Return a periodic sawtooth or triangle waveform.

The sawtooth waveform has a period $2 * \pi$, rises from -1 to 1 on the interval 0 to $width * 2 * \pi$, then drops from 1 to -1 on the interval $width * 2 * \pi$ to $2 * \pi$. *width* must be in the interval [0, 1].

Note that this is not band-limited. It produces an infinite number of harmonics, which are aliased back and forth across the frequency spectrum.

Parameters **t** : array_like
Time.


width : array_like, optional
Width of the rising ramp as a proportion of the total cycle. Default is 1, producing a rising ramp, while 0 produces a falling ramp. $t = 0.5$ produces a triangle wave. If an array, must be the same length as t, causes wave shape to change over time.

Returns **y** : ndarray
Output array containing the sawtooth waveform.

Examples

A 5 Hz waveform sampled at 500 Hz for 1 second:

```
>>> from scipy import signal
>>> import matplotlib.pyplot as plt
>>> t = np.linspace(0, 1, 500)
>>> plt.plot(t, signal.sawtooth(2 * np.pi * 5 * t))
```



`scipy.signal.square(t, duty=0.5)`
Return a periodic square-wave waveform.

The square wave has a period $2*\pi$, has value +1 from 0 to $2*\pi*duty$ and -1 from $2*\pi*duty$ to $2*\pi$. *duty* must be in the interval [0,1].

Note that this is not band-limited. It produces an infinite number of harmonics, which are aliased back and forth across the frequency spectrum.

Parameters **t** : array_like
The input time array.

duty : array_like, optional
Duty cycle. Default is 0.5 (50% duty cycle). If an array, must be the same length as t, causes wave shape to change over time.

Returns **y** : ndarray
Output array containing the square waveform.


Examples

A 5 Hz waveform sampled at 500 Hz for 1 second:

```
>>> from scipy import signal
>>> import matplotlib.pyplot as plt
>>> t = np.linspace(0, 1, 500, endpoint=False)
>>> plt.plot(t, signal.square(2 * np.pi * 5 * t))
>>> plt.ylim(-2, 2)
```

A pulse-width modulated sine wave:

```
>>> sig = np.sin(2 * np.pi * t)
>>> pwm = signal.square(2 * np.pi * 30 * t, duty=(sig + 1)/2)
>>> plt.subplot(2, 1, 1)
>>> plt.plot(t, sig)
>>> plt.subplot(2, 1, 2)
>>> plt.plot(t, pwm)
>>> plt.ylim(-1.5, 1.5)
```



`scipy.signal.sweep_poly(t, poly, phi=0)`

Frequency-swept cosine generator, with a time-dependent frequency.

This function generates a sinusoidal function whose instantaneous frequency varies with time. The frequency at time t is given by the polynomial $poly$.

Parameters t : ndarray

Times at which to evaluate the waveform.

poly: 1-D array-like or instance of `numpy.poly1d`

The desired frequency expressed as a polynomial. If $poly$ is a list or ndarray of length n , then the elements of $poly$ are the coefficients of the polynomial, and the instantaneous frequency is

$$f(t) = poly[0]*t^{n-1} + poly[1]*t^{n-2} + \dots + poly[n-1]$$

If $poly$ is an instance of `numpy.poly1d`, then the instantaneous frequency is

$$f(t) = poly(t)$$

phi: float, optional

Phase offset, in degrees, Default: 0.

Returns `sweep_poly` : ndarray
 A numpy array containing the signal evaluated at t with the requested time-varying frequency. More precisely, the function returns $\cos(\text{phase} + (\pi/180) * \text{phi})$, where phase is the integral (from 0 to t) of $2 * \pi * f(t)$; $f(t)$ is defined above.

See Also

`chirp`

Notes

New in version 0.8.0. If `poly` is a list or ndarray of length n , then the elements of `poly` are the coefficients of the polynomial, and the instantaneous frequency is:

$$f(t) = \text{poly}[0] * t^{n-1} + \text{poly}[1] * t^{n-2} + \dots + \text{poly}[n-1]$$

If `poly` is an instance of `numpy.poly1d`, then the instantaneous frequency is:

$$f(t) = \text{poly}(t)$$

Finally, the output `s` is:

$$\cos(\text{phase} + (\pi/180) * \text{phi})$$

where phase is the integral from 0 to t of $2 * \pi * f(t)$, $f(t)$ as defined above.

5.21.10 Window functions

<code>get_window(window, Nx[, fftbins])</code>	Return a window.
<code>barthann(M[, sym])</code>	Return a modified Bartlett-Hann window.
<code>bartlett(M[, sym])</code>	Return a Bartlett window.
<code>blackman(M[, sym])</code>	Return a Blackman window.
<code>blackmanharris(M[, sym])</code>	Return a minimum 4-term Blackman-Harris window.
<code>bohman(M[, sym])</code>	Return a Bohman window.
<code>boxcar(M[, sym])</code>	Return a boxcar or rectangular window.
<code>chebwin(M, at[, sym])</code>	Return a Dolph-Chebyshev window.
<code>flattop(M[, sym])</code>	Return a flat top window.
<code>gaussian(M, std[, sym])</code>	Return a Gaussian window.
<code>general_gaussian(M, p, sig[, sym])</code>	Return a window with a generalized Gaussian shape.
<code>hamming(M[, sym])</code>	Return a Hamming window.
<code>hann(M[, sym])</code>	Return a Hann window.
<code>kaiser(M, beta[, sym])</code>	Return a Kaiser window.
<code>nuttall(M[, sym])</code>	Return a minimum 4-term Blackman-Harris window according to Nuttall.
<code>parzen(M[, sym])</code>	Return a Parzen window.
<code>slepian(M, width[, sym])</code>	Return a digital Slepian window.
<code>triang(M[, sym])</code>	Return a triangular window.

`scipy.signal.get_window` (`window`, `Nx`, `fftbins=True`)

Return a window.

Parameters `window` : string, float, or tuple
 The type of window to create. See below for more details.
`Nx` : int
 The number of samples in the window.
`fftbins` : bool, optional

Returns `get_window`: If True, create a “periodic” window ready to use with `ifftshift` and be multiplied by the result of an `fft` (SEE ALSO `fftshift`).
 ndarray
 Returns a window of length Nx and type *window*

Notes

Window types:

boxcar, triang, blackman, hamming, hann, bartlett, flattop, parzen, bohman, blackmanharris, nuttall, barthann, kaiser (needs beta), gaussian (needs std), general_gaussian (needs power, width), slepian (needs width), chebwin (needs attenuation)

If the window requires no parameters, then *window* can be a string.

If the window requires parameters, then *window* must be a tuple with the first argument the string name of the window, and the next arguments the needed parameters.

If *window* is a floating point number, it is interpreted as the beta parameter of the kaiser window.

Each of the window types listed above is also the name of a function that can be called directly to create a window of that type.

Examples

```
>>> from scipy import signal
>>> signal.get_window('triang', 7)
array([ 0.25,  0.5 ,  0.75,  1.   ,  0.75,  0.5 ,  0.25])
>>> signal.get_window(('kaiser', 4.0), 9)
array([ 0.08848053,  0.32578323,  0.63343178,  0.89640418,  1.         ,
        0.89640418,  0.63343178,  0.32578323,  0.08848053])
>>> signal.get_window(4.0, 9)
array([ 0.08848053,  0.32578323,  0.63343178,  0.89640418,  1.         ,
        0.89640418,  0.63343178,  0.32578323,  0.08848053])
```

`scipy.signal.barthann` (M , *sym*=True)

Return a modified Bartlett-Hann window.

Parameters `M`: int

Number of points in the output window. If zero or less, an empty array is returned.

`sym`: bool, optional

When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns `w`: ndarray

The window, with the maximum value normalized to 1 (though the value 1 does not appear if the number of samples is even and *sym* is True).

Examples

Plot the window and its frequency response:



```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.barthann(51)
>>> plt.plot(window)
>>> plt.title("Bartlett-Hann window")
```

```

>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the Bartlett-Hann window")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
    
```



`scipy.signal.bartlett` (M , $sym=True$)
 Return a Bartlett window.

The Bartlett window is very similar to a triangular window, except that the end points are at zero. It is often

used in signal processing for tapering a signal, without generating too much ripple in the frequency domain.

Parameters	M : int	Number of points in the output window. If zero or less, an empty array is returned.
	sym : bool, optional	When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.
Returns	w : ndarray	The triangular window, with the maximum value normalized to 1 (though the value 1 does not appear if the number of samples is even and sym is True), with the first and last samples equal to zero.

Notes

The Bartlett window is defined as

$$w(n) = \frac{2}{M-1} \left(\frac{M-1}{2} - \left| n - \frac{M-1}{2} \right| \right)$$

Most references to the Bartlett window come from the signal processing literature, where it is used as one of many windowing functions for smoothing values. Note that convolution with this window produces linear interpolation. It is also known as an apodization (which means "removing the foot", i.e. smoothing discontinuities at the beginning and end of the sampled signal) or tapering function. The Fourier transform of the Bartlett is the product of two sinc functions. Note the excellent discussion in Kanasewich.

References

[R90], [R91], [R92], [R93], [R94]



Examples

Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.bartlett(51)
>>> plt.plot(window)
>>> plt.title("Bartlett window")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the Bartlett window")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
```



`scipy.signal.blackman` (M , $sym=True$)

Return a Blackman window.

The Blackman window is a taper formed by using the the first three terms of a summation of cosines. It was designed to have close to the minimal leakage possible. It is close to optimal, only slightly worse than a Kaiser window.

Parameters M : int

Number of points in the output window. If zero or less, an empty array is returned.

sym : bool, optional

When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns w : ndarray

The window, with the maximum value normalized to 1 (though the value 1 does not appear if the number of samples is even and sym is True).

Notes

The Blackman window is defined as

$$w(n) = 0.42 - 0.5 \cos(2\pi n/M) + 0.08 \cos(4\pi n/M)$$

Most references to the Blackman window come from the signal processing literature, where it is used as one of many windowing functions for smoothing values. It is also known as an apodization (which means “removing the foot”, i.e. smoothing discontinuities at the beginning and end of the sampled signal) or tapering function. It is known as a “near optimal” tapering function, almost as good (by some measures) as the Kaiser window.

References

[R95], [R96]



Examples

Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.blackman(51)
>>> plt.plot(window)
>>> plt.title("Blackman window")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the Blackman window")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
```



`scipy.signal.blackmanharris` (M , $sym=True$)
 Return a minimum 4-term Blackman-Harris window.

Parameters **M** : int
 Number of points in the output window. If zero or less, an empty array is returned.

sym : bool, optional
 When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns **w** : ndarray
 The window, with the maximum value normalized to 1 (though the value 1 does not appear if the number of samples is even and `sym` is True).


Examples


Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.blackmanharris(51)
>>> plt.plot(window)
>>> plt.title("Blackman-Harris window")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the Blackman-Harris window")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
```





`scipy.signal.bohman` (M , $\text{sym}=\text{True}$)

Return a Bohman window.

Parameters M : int

Number of points in the output window. If zero or less, an empty array is returned.

sym : bool, optional

When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns w : ndarray

The window, with the maximum value normalized to 1 (though the value 1 does not appear if the number of samples is even and sym is True).



Examples

Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.bohman(51)
>>> plt.plot(window)
>>> plt.title("Bohman window")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the Bohman window")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample])"
```

`scipy.signal.boxcar` (M , $sym=True$)

Return a boxcar or rectangular window.

Included for completeness, this is equivalent to no window at all.

Parameters M : int

Number of points in the output window. If zero or less, an empty array is returned.

sym : bool, optional

Whether the window is symmetric. (Has no effect for boxcar.)

Returns w : ndarray

The window, with the maximum value normalized to 1


Examples


Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.boxcar(51)
>>> plt.plot(window)
>>> plt.title("Boxcar window")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the boxcar window")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
```





`scipy.signal.chebwin` (M , at , $sym=True$)

Return a Dolph-Chebyshev window.

Parameters M : int

Number of points in the output window. If zero or less, an empty array is returned.

at : float

Attenuation (in dB).

sym : bool, optional

When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns w : ndarray

The window, with the maximum value always normalized to 1



Examples

Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.chebwin(51, at=100)
>>> plt.plot(window)
>>> plt.title("Dolph-Chebyshev window (100 dB)")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the Dolph-Chebyshev window (100 dB)")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
```



`scipy.signal.flattop` (M , $sym=True$)

Return a flat top window.

Parameters M : int

Number of points in the output window. If zero or less, an empty array is returned.

sym : bool, optional

When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns w : ndarray

The window, with the maximum value normalized to 1 (though the value 1 does not appear if the number of samples is even and sym is True).


Examples


Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.flattop(51)
>>> plt.plot(window)
>>> plt.title("Flat top window")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the flat top window")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
```





`scipy.signal.gaussian` (M , std , $sym=True$)

Return a Gaussian window.

Parameters M : int

Number of points in the output window. If zero or less, an empty array is returned.

std : float

The standard deviation, sigma.

sym : bool, optional

When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns w : ndarray

The window, with the maximum value normalized to 1 (though the value 1 does not appear if the number of samples is even and sym is True).

Notes

The Gaussian window is defined as

$$w(n) = e^{-\frac{1}{2}\left(\frac{n}{\sigma}\right)^2}$$

Examples

Plot the window and its frequency response:



```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.gaussian(51, std=7)
>>> plt.plot(window)
>>> plt.title(r"Gaussian window (\sigma=7)")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")
```

```

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title(r"Frequency response of the Gaussian window ( $\sigma=7$ )")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")

```



`scipy.signal.general_gaussian` ($M, p, sig, sym=True$)

Return a window with a generalized Gaussian shape.

Parameters **M** : int

Number of points in the output window. If zero or less, an empty array is returned.

p : float

		Shape parameter. $p = 1$ is identical to <code>gaussian</code> , $p = 0.5$ is the same shape as the Laplace distribution.
	sig : float	The standard deviation, sigma.
	sym : bool, optional	When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.
Returns	w : ndarray	The window, with the maximum value normalized to 1 (though the value 1 does not appear if the number of samples is even and sym is True).

Notes

The generalized Gaussian window is defined as

$$w(n) = e^{-\frac{1}{2} \left| \frac{n}{\sigma} \right|^{2p}}$$

the half-power point is at

$$(2 \log(2))^{1/(2p)} \sigma$$



Examples

Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.general_gaussian(51, p=1.5, sig=7)
>>> plt.plot(window)
>>> plt.title(r"Generalized Gaussian window (p=1.5, $\sigma$=7)")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title(r"Freq. resp. of the gen. Gaussian window (p=1.5, $\sigma$=7)")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
```

`scipy.signal.hamming` (M , $sym=True$)

Return a Hamming window.

The Hamming window is a taper formed by using a raised cosine with non-zero endpoints, optimized to minimize the nearest side lobe.

Parameters M : int

Number of points in the output window. If zero or less, an empty array is returned.

sym : bool, optional

When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns w : ndarray

The window, with the maximum value normalized to 1 (though the value 1 does not appear if the number of samples is even and sym is True).

Notes

The Hamming window is defined as

$$w(n) = 0.54 - 0.46 \cos\left(\frac{2\pi n}{M-1}\right) \quad 0 \leq n \leq M-1$$

The Hamming was named for R. W. Hamming, an associate of J. W. Tukey and is described in Blackman and Tukey. It was recommended for smoothing the truncated autocovariance function in the time domain. Most references to the Hamming window come from the signal processing literature, where it is used as one of many windowing functions for smoothing values. It is also known as an apodization (which means “removing the foot”, i.e. smoothing discontinuities at the beginning and end of the sampled signal) or tapering function.

References

[R103], [R104], [R105], [R106]



Examples

Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.hamming(51)
>>> plt.plot(window)
>>> plt.title("Hamming window")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the Hamming window")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
```



`scipy.signal.hann` (M , $sym=True$)

Return a Hann window.

The Hann window is a taper formed by using a raised cosine or sine-squared with ends that touch zero.

Parameters M : int

Number of points in the output window. If zero or less, an empty array is returned.

sym : bool, optional

When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns w : ndarray

The window, with the maximum value normalized to 1 (though the value 1 does not appear if M is even and sym is True).

Notes

The Hann window is defined as

$$w(n) = 0.5 - 0.5 \cos\left(\frac{2\pi n}{M-1}\right) \quad 0 \leq n \leq M-1$$

The window was named for Julius van Hann, an Austrian meteorologist. It is also known as the Cosine Bell. It is sometimes erroneously referred to as the “Hanning” window, from the use of “hann” as a verb in the original paper and confusion with the very similar Hamming window.

Most references to the Hann window come from the signal processing literature, where it is used as one of many windowing functions for smoothing values. It is also known as an apodization (which means “removing the foot”, i.e. smoothing discontinuities at the beginning and end of the sampled signal) or tapering function.

References

[R107], [R108], [R109], [R110]



Examples

Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.hann(51)
>>> plt.plot(window)
>>> plt.title("Hann window")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the Hann window")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
```



`scipy.signal.kaiser` (M , β , $\text{sym}=\text{True}$)

Return a Kaiser window.

The Kaiser window is a taper formed by using a Bessel function.

Parameters M : int

Number of points in the output window. If zero or less, an empty array is returned.

β : float

Shape parameter, determines trade-off between main-lobe width and side lobe level. As β gets large, the window narrows.

sym : bool, optional

When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns w : ndarray

The window, with the maximum value normalized to 1 (though the value 1 does not appear if the number of samples is even and sym is True).

Notes

The Kaiser window is defined as

$$w(n) = I_0 \left(\beta \sqrt{1 - \frac{4n^2}{(M-1)^2}} \right) / I_0(\beta)$$

with

$$-\frac{M-1}{2} \leq n \leq \frac{M-1}{2},$$

where I_0 is the modified zeroth-order Bessel function.

The Kaiser was named for Jim Kaiser, who discovered a simple approximation to the DPSS window based on Bessel functions. The Kaiser window is a very good approximation to the Digital Prolate Spheroidal Sequence, or Slepian window, which is the transform which maximizes the energy in the main lobe of the window relative to total energy.

The Kaiser can approximate many other windows by varying the beta parameter.

beta	Window shape
0	Rectangular
5	Similar to a Hamming
6	Similar to a Hann
8.6	Similar to a Blackman

A beta value of 14 is probably a good starting point. Note that as beta gets large, the window narrows, and so the number of samples needs to be large enough to sample the increasingly narrow spike, otherwise NaNs will get returned.

Most references to the Kaiser window come from the signal processing literature, where it is used as one of many windowing functions for smoothing values. It is also known as an apodization (which means “removing the foot”, i.e. smoothing discontinuities at the beginning and end of the sampled signal) or tapering function.

References

[R112], [R113], [R114]

Examples

Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt



>>> window = signal.kaiser(51, beta=14)
>>> plt.plot(window)
>>> plt.title(r"Kaiser window (\beta=14)")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
```

```

>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title(r"Frequency response of the Kaiser window ( $\beta=14$ )")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")

```



`scipy.signal.nuttall` (M , $sym=True$)

Return a minimum 4-term Blackman-Harris window according to Nuttall.

Parameters M : int

Number of points in the output window. If zero or less, an empty array is returned.

sym : bool, optional

When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns w : ndarray

The window, with the maximum value normalized to 1 (though the value 1 does not appear if the number of samples is even and `sym` is `True`).


Examples


Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.nuttall(51)
>>> plt.plot(window)
>>> plt.title("Nuttall window")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the Nuttall window")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
```





`scipy.signal.parzen` (M , $\text{sym}=\text{True}$)

Return a Parzen window.

Parameters M : int

Number of points in the output window. If zero or less, an empty array is returned.

sym : bool, optional

When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns w : ndarray

The window, with the maximum value normalized to 1 (though the value 1 does not appear if the number of samples is even and sym is True).



Examples

Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.parzen(51)
>>> plt.plot(window)
>>> plt.title("Parzen window")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the Parzen window")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
```



`scipy.signal.slepian` (M , $width$, $sym=True$)

Return a digital Slepian window.

Used to maximize the energy concentration in the main lobe. Also called the digital prolate spheroidal sequence (DPSS).

Parameters M : int

Number of points in the output window. If zero or less, an empty array is returned.

width : float

Bandwidth

sym : bool, optional

When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns w : ndarray

The window, with the maximum value always normalized to 1


Examples


Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.slepian(51, width=0.3)
>>> plt.plot(window)
>>> plt.title("Slepian (DPSS) window (BW=0.3)")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the Slepian window (BW=0.3)")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
```





`scipy.signal.triang` (M , $\text{sym}=\text{True}$)

Return a triangular window.

Parameters M : int

Number of points in the output window. If zero or less, an empty array is returned.

sym : bool, optional

When True, generates a symmetric window, for use in filter design. When False, generates a periodic window, for use in spectral analysis.

Returns w : ndarray

The window, with the maximum value normalized to 1 (though the value 1 does not appear if the number of samples is even and sym is True).



Examples

Plot the window and its frequency response:

```
>>> from scipy import signal
>>> from scipy.fftpack import fft, fftshift
>>> import matplotlib.pyplot as plt

>>> window = signal.triang(51)
>>> plt.plot(window)
>>> plt.title("Triangular window")
>>> plt.ylabel("Amplitude")
>>> plt.xlabel("Sample")

>>> plt.figure()
>>> A = fft(window, 2048) / (len(window)/2.0)
>>> freq = np.linspace(-0.5, 0.5, len(A))
>>> response = 20 * np.log10(np.abs(fftshift(A / abs(A).max())))
>>> plt.plot(freq, response)
>>> plt.axis([-0.5, 0.5, -120, 0])
>>> plt.title("Frequency response of the triangular window")
>>> plt.ylabel("Normalized magnitude [dB]")
>>> plt.xlabel("Normalized frequency [cycles per sample]")
```



5.21.11 Wavelets

<code>cascade(hk[, J])</code>	Return (x, phi, psi) at dyadic points $K/2^{**J}$ from filter coefficients.
<code>daub(p)</code>	The coefficients for the FIR low-pass filter producing Daubechies wavelets.
<code>morlet(M[, w, s, complete])</code>	Complex Morlet wavelet.
<code>qmf(hk)</code>	Return high-pass qmf filter from low-pass
<code>ricker(points, a)</code>	Return a Ricker wavelet, also known as the “Mexican hat wavelet”.
<code>cwt(data, wavelet, widths)</code>	Continuous wavelet transform.

`scipy.signal.cascade(hk, J=7)`

Return (x, phi, psi) at dyadic points $K/2^{**J}$ from filter coefficients.

Parameters `hk` : array_like

Coefficients of low-pass filter.

Returns

J : int, optional
Values will be computed at grid points $K/2^{**J}$. Default is 7.

x : ndarray
The dyadic points $K/2^{**J}$ for $K=0 \dots N * (2^{**J}) - 1$ where $\text{len}(hk) = \text{len}(gk) = N+1$.

phi : ndarray
The scaling function $\text{phi}(x)$ at x : $\text{phi}(x) = \text{sum}(hk * \text{phi}(2x-k))$, where k is from 0 to N .

psi : ndarray, optional
The wavelet function $\text{psi}(x)$ at x : $\text{psi}(x) = \text{sum}(gk * \text{phi}(2x-k))$, where k is from 0 to N . *psi* is only returned if *gk* is not None.

Notes

The algorithm uses the vector cascade algorithm described by Strang and Nguyen in “Wavelets and Filter Banks”. It builds a dictionary of values and slices for quick reuse. Then inserts vectors into final vector at the end.

`scipy.signal.daub(p)`

The coefficients for the FIR low-pass filter producing Daubechies wavelets.

$p \geq 1$ gives the order of the zero at $f=1/2$. There are $2p$ filter coefficients.

Parameters **p** : int
Order of the zero at $f=1/2$, can have values from 1 to 34.

Returns **daub** : ndarray
Return

`scipy.signal.morlet(M, w=5.0, s=1.0, complete=True)`

Complex Morlet wavelet.

Parameters **M** : int
Length of the wavelet.

w : float
Omega0. Default is 5

s : float
Scaling factor, windowed from $-s*2*\pi$ to $+s*2*\pi$. Default is 1.

complete : bool
Whether to use the complete or the standard version.

Returns **morlet** : (M,) ndarray

See Also

`scipy.signal.gausspulse`

Notes

The standard version:

$$pi^{*-0.25} * \exp(1j*w*x) * \exp(-0.5*(x**2))$$

This commonly used wavelet is often referred to simply as the Morlet wavelet. Note that this simplified version can cause admissibility problems at low values of w .

The complete version:

$$pi^{*-0.25} * (\exp(1j*w*x) - \exp(-0.5*(w**2))) * \exp(-0.5*(x**2))$$

The complete version of the Morlet wavelet, with a correction term to improve admissibility. For w greater than 5, the correction term is negligible.

Note that the energy of the return wavelet is not normalised according to s .

The fundamental frequency of this wavelet in Hz is given by $f = 2 * s * w * r / M$ where r is the sampling rate.

`scipy.signal.qmf(hk)`

Return high-pass qmf filter from low-pass

Parameters **hk** : array_like
Coefficients of high-pass filter.

`scipy.signal.ricker(points, a)`

Return a Ricker wavelet, also known as the “Mexican hat wavelet”.

It models the function:

$$A (1 - x^2/a^2) \exp(-t^2/a^2),$$

where $A = 2/\sqrt{3a} \pi^{1/3}$.

Parameters **points** : int
Number of points in *vector*. Default is $10 * a$. Will be centered around 0.

a : scalar
Width parameter of the wavelet.

Returns **vector** : (N,) ndarray
Array of length *points* in shape of ricker curve.

Examples

```
>>> from scipy import signal
>>> import matplotlib.pyplot as plt

>>> points = 100
>>> a = 4.0
>>> vec2 = signal.ricker(points, a)
>>> print len(vec2)
100
>>> plt.plot(vec2)
>>> plt.show()
```

`scipy.signal.cwt(data, wavelet, widths)`

Continuous wavelet transform.

Performs a continuous wavelet transform on *data*, using the *wavelet* function. A CWT performs a convolution with *data* using the *wavelet* function, which is characterized by a width parameter and length parameter.

Parameters **data** : (N,) ndarray
data on which to perform the transform.

wavelet : function
Wavelet function, which should take 2 arguments. The first argument is the number of points that the returned vector will have ($\text{len}(\text{wavelet}(\text{width}, \text{length})) == \text{length}$). The second is a width parameter, defining the size of the wavelet (e.g. standard deviation of a gaussian). See [ricker](#), which satisfies these requirements.

widths : (M,) sequence
Widths to use for transform.

Returns **cwt** : (M, N) ndarray
Will have shape of $(\text{len}(\text{data}), \text{len}(\text{widths}))$.

Notes

```
>>> length = min(10 * width[ii], len(data))
>>> cwt[ii,:] = scipy.signal.convolve(data, wavelet(width[ii],
...                                     length), mode='same')
```

Examples

```
>>> from scipy import signal
>>> sig = np.random.rand(20) - 0.5
>>> wavelet = signal.ricker
>>> widths = np.arange(1, 11)
>>> cwtmatr = signal.cwt(sig, wavelet, widths)
```

5.21.12 Peak finding

<code>find_peaks_cwt(vector, widths[, wavelet, ...])</code>	Attempt to find the peaks in a 1-D array.
<code>argrelmin(data[, axis, order, mode])</code>	Calculate the relative minima of <i>data</i> .
<code>argrelmax(data[, axis, order, mode])</code>	Calculate the relative maxima of <i>data</i> .
<code>argrextrema(data, comparator[, axis, ...])</code>	Calculate the relative extrema of <i>data</i> .

`scipy.signal.find_peaks_cwt` (*vector*, *widths*, *wavelet=None*, *max_distances=None*, *gap_thresh=None*, *min_length=None*, *min_snr=1*, *noise_perc=10*)
 Attempt to find the peaks in a 1-D array.

The general approach is to smooth *vector* by convolving it with *wavelet*(*width*) for each width in *widths*. Relative maxima which appear at enough length scales, and with sufficiently high SNR, are accepted. New in version 0.11.0.

Parameters

- vector** : ndarray
1-D array in which to find the peaks.
- widths** : sequence
1-D array of widths to use for calculating the CWT matrix. In general, this range should cover the expected width of peaks of interest.
- wavelet** : callable, optional
Should take a single variable and return a 1-D array to convolve with *vector*. Should be normalized to unit area. Default is the ricker wavelet.
- max_distances** : ndarray, optional
At each row, a ridge line is only connected if the relative max at row[n] is within *max_distances*[n] from the relative max at row[n+1]. Default value is *widths*/4.
- gap_thresh** : float, optional
If a relative maximum is not found within *max_distances*, there will be a gap. A ridge line is discontinued if there are more than *gap_thresh* points without connecting a new relative maximum. Default is 2.
- min_length** : int, optional
Minimum length a ridge line needs to be acceptable. Default is `cwt.shape[0] / 4`, ie 1/4-th the number of widths.
- min_snr** : float, optional
Minimum SNR ratio. Default 1. The signal is the value of the cwt matrix at the shortest length scale (`cwt[0, loc]`), the noise is the *noise_perc*'th percentile of datapoints contained within a window of *window_size* around `cwt[0, loc]`.

noise_perc : float, optional

When calculating the noise floor, percentile of data points examined below which to consider noise. Calculated using *stats.scoreatpercentile*. Default is 10.

See Also

`cwt`

Notes

This approach was designed for finding sharp peaks among noisy data, however with proper parameter selection it should function well for different peak shapes.

The algorithm is as follows:

1. Perform a continuous wavelet transform on *vector*, for the supplied *widths*. This is a convolution of *vector* with *wavelet(width)* for each width in *widths*. See `cwt`
2. Identify “ridge lines” in the cwt matrix. These are relative maxima at each row, connected across adjacent rows. See `identify_ridge_lines`
3. Filter the `ridge_lines` using `filter_ridge_lines`.

References

[R100]

Examples

```
>>> from scipy import signal
>>> xs = np.arange(0, np.pi, 0.05)
>>> data = np.sin(xs)
>>> peakkind = signal.find_peaks_cwt(data, np.arange(1,10))
>>> peakkind, xs[peakkind], data[peakkind]
([32], array([ 1.6]), array([ 0.9995736]))
```

`scipy.signal.argrelemin` (*data*, *axis=0*, *order=1*, *mode='clip'*)

Calculate the relative minima of *data*. New in version 0.11.0.

Parameters **data** : ndarray

Array in which to find the relative minima.

axis : int, optional

Axis over which to select from *data*. Default is 0.

order : int, optional

How many points on each side to use for the comparison to consider `comparator(n, n+x)` to be True.

mode : str, optional

How the edges of the vector are treated. Available options are ‘wrap’ (wrap around) or ‘clip’ (treat overflow as the same as the last (or first) element).

Default ‘clip’. See `numpy.take`

Returns

extrema : ndarray

Indices of the minima, as an array of integers.

See Also

`argrelextrema`, `argrelexmax`

Notes

This function uses `argrelextrema` with `np.less` as comparator.

`scipy.signal.argrelmax` (*data*, *axis=0*, *order=1*, *mode='clip'*)

Calculate the relative maxima of *data*. New in version 0.11.0.

Parameters

- data** : ndarray
Array in which to find the relative maxima.
- axis** : int, optional
Axis over which to select from *data*. Default is 0.
- order** : int, optional
How many points on each side to use for the comparison to consider `comparator(n, n+x)` to be True.
- mode** : str, optional
How the edges of the vector are treated. Available options are 'wrap' (wrap around) or 'clip' (treat overflow as the same as the last (or first) element). Default 'clip'. See `numpy.take`.

Returns

- extrema** : ndarray
Indices of the maxima, as an array of integers.

See Also

`argrelextrema`, `argrelmin`

Notes

This function uses `argrelextrema` with `np.greater` as comparator.

`scipy.signal.argrelextrema` (*data*, *comparator*, *axis=0*, *order=1*, *mode='clip'*)

Calculate the relative extrema of *data*. New in version 0.11.0.

Parameters

- data** : ndarray
Array in which to find the relative extrema.
- comparator** : callable
Function to use to compare two data points. Should take 2 numbers as arguments.
- axis** : int, optional
Axis over which to select from *data*. Default is 0.
- order** : int, optional
How many points on each side to use for the comparison to consider `comparator(n, n+x)` to be True.
- mode** : str, optional
How the edges of the vector are treated. 'wrap' (wrap around) or 'clip' (treat overflow as the same as the last (or first) element). Default is 'clip'. See `numpy.take`.

Returns

- extrema** : ndarray
Indices of the extrema, as an array of integers (same format as `np.argmin`, `np.argmax`).

See Also

`argrelmin`, `argrelmax`

5.21.13 Spectral Analysis

<code>periodogram</code> (<i>x</i> [, <i>fs</i> , <i>window</i> , <i>nfft</i> , <i>detrend</i> , ...])	Estimate power spectral density using a periodogram.
<code>welch</code> (<i>x</i> [, <i>fs</i> , <i>window</i> , <i>nperseg</i> , <i>noverlap</i> , ...])	Estimate power spectral density using Welch's method.
<code>lombscargle</code> (<i>x</i> , <i>y</i> , <i>freqs</i>)	Computes the Lomb-Scargle periodogram.

```
scipy.signal.periodogram(x, fs=1.0, window=None, nfft=None, detrend='constant',
                        return_onesided=True, scaling='density', axis=-1)
```

Estimate power spectral density using a periodogram.

Parameters

x : array_like
Time series of measurement values

fs : float, optional
Sampling frequency of the *x* time series in units of Hz. Defaults to 1.0.

window : str or tuple or array_like, optional
Desired window to use. See `get_window` for a list of windows and required parameters. If *window* is an array it will be used directly as the window. Defaults to None; equivalent to 'boxcar'.

nfft : int, optional
Length of the FFT used. If None the length of *x* will be used.

detrend : str or function, optional
Specifies how to detrend *x* prior to computing the spectrum. If `detrend` is a string, it is passed as the `type` argument to `detrend`. If it is a function, it should return a detrended array. Defaults to 'constant'.

return_onesided : bool, optional
If True, return a one-sided spectrum for real data. If False return a two-sided spectrum. Note that for complex data, a two-sided spectrum is always returned.

scaling : { 'density', 'spectrum' }, optional
Selects between computing the power spectral density ('density') where *Pxx* has units of V**2/Hz if *x* is measured in V and computing the power spectrum ('spectrum') where *Pxx* has units of V**2 if *x* is measured in V. Defaults to 'density'

axis : int, optional
Axis along which the periodogram is computed; the default is over the last axis (i.e. `axis=-1`).

Returns

f : ndarray
Array of sample frequencies.

Pxx : ndarray
Power spectral density or power spectrum of *x*.

See Also

`welch` Estimate power spectral density using Welch's method
`lombscargle` Lomb-Scargle periodogram for unevenly sampled data

Notes

New in version 0.12.0.

Examples

```
>>> from scipy import signal
>>> import matplotlib.pyplot as plt
```

Generate a test signal, a 2 Vrms sine wave at 1234 Hz, corrupted by 0.001 V**2/Hz of white noise sampled at 10 kHz.

```
>>> fs = 10e3
>>> N = 1e5
>>> amp = 2*np.sqrt(2)
>>> freq = 1234.0
```


```

>>> noise_power = 0.001 * fs / 2
>>> time = np.arange(N) / fs
>>> x = amp*np.sin(2*np.pi*freq*time)
>>> x += np.random.normal(scale=np.sqrt(noise_power), size=time.shape)
    
```

Compute and plot the power spectral density.

```

>>> f, Pxx_den = signal.periodogram(x, fs)
>>> plt.semilogy(f, Pxx_den)
>>> plt.xlabel('frequency [Hz]')
>>> plt.ylabel('PSD [V**2/Hz]')
>>> plt.show()
    
```



If we average the last half of the spectral density, to exclude the peak, we can recover the noise power on the signal.


```

>>> np.mean(Pxx_den[256:])
0.0009924865443739191
    
```

Now compute and plot the power spectrum.

```

>>> f, Pxx_spec = signal.periodogram(x, fs, 'flattop', scaling='spectrum')
>>> plt.figure()
>>> plt.semilogy(f, np.sqrt(Pxx_spec))
>>> plt.xlabel('frequency [Hz]')
>>> plt.ylabel('Linear spectrum [V RMS]')
>>> plt.show()
    
```



The peak height in the power spectrum is an estimate of the RMS amplitude.

```
>>> np.sqrt(Pxx_spec.max())
2.0077340678640727
```

`scipy.signal.welch(x, fs=1.0, window='hanning', nperseg=256, noverlap=None, nfft=None, detrend='constant', return_onesided=True, scaling='density', axis=-1)`
Estimate power spectral density using Welch's method.

Welch's method [R120] computes an estimate of the power spectral density by dividing the data into overlapping segments, computing a modified periodogram for each segment and averaging the periodograms.

Parameters

- x** : array_like
Time series of measurement values
- fs** : float, optional
Sampling frequency of the *x* time series in units of Hz. Defaults to 1.0.
- window** : str or tuple or array_like, optional
Desired window to use. See `get_window` for a list of windows and required parameters. If *window* is array_like it will be used directly as the window and its length will be used for *nperseg*. Defaults to 'hanning'.
- nperseg** : int, optional
Length of each segment. Defaults to 256.
- noverlap** : int, optional
Number of points to overlap between segments. If None, `noverlap = nperseg / 2`. Defaults to None.
- nfft** : int, optional
Length of the FFT used, if a zero padded FFT is desired. If None, the FFT length is *nperseg*. Defaults to None.
- detrend** : str or function, optional
Specifies how to detrend each segment. If *detrend* is a string, it is passed as the `type` argument to `detrend`. If it is a function, it takes a segment and returns a detrended segment. Defaults to 'constant'.
- return_onesided** : bool, optional
If True, return a one-sided spectrum for real data. If False return a two-sided spectrum. Note that for complex data, a two-sided spectrum is always returned.
- scaling** : { 'density', 'spectrum' }, optional

Selects between computing the power spectral density ('density') where Pxx has units of V^2/Hz if x is measured in V and computing the power spectrum ('spectrum') where Pxx has units of V^2 if x is measured in V. Defaults to 'density'.

Returns

- axis** : int, optional
Axis along which the periodogram is computed; the default is over the last axis (i.e. `axis=-1`).
- f** : ndarray
Array of sample frequencies.
- Pxx** : ndarray
Power spectral density or power spectrum of x.

See Also

periodogram

Simple, optionally modified periodogram

lombscargle

Lomb-Scargle periodogram for unevenly sampled data

Notes

An appropriate amount of overlap will depend on the choice of window and on your requirements. For the default 'hanning' window an overlap of 50% is a reasonable trade off between accurately estimating the signal power, while not over counting any of the data. Narrower windows may require a larger overlap.

If *noverlap* is 0, this method is equivalent to Bartlett's method [R121]. New in version 0.12.0.

References

[R120], [R121]

Examples

```
>>> from scipy import signal
>>> import matplotlib.pyplot as plt
```

Generate a test signal, a 2 Vrms sine wave at 1234 Hz, corrupted by 0.001 V^2/Hz of white noise sampled at 10 kHz.

```
>>> fs = 10e3
>>> N = 1e5
>>> amp = 2*np.sqrt(2)
>>> freq = 1234.0
>>> noise_power = 0.001 * fs / 2
>>> time = np.arange(N) / fs
>>> x = amp*np.sin(2*np.pi*freq*time)
>>> x += np.random.normal(scale=np.sqrt(noise_power), size=time.shape)
```

Compute and plot the power spectral density.

```
>>> f, Pxx_den = signal.welch(x, fs, 1024)
>>> plt.semilogy(f, Pxx_den)
>>> plt.xlabel('frequency [Hz]')
>>> plt.ylabel('PSD [V**2/Hz]')
>>> plt.show()
```

If we average the last half of the spectral density, to exclude the peak, we can recover the noise power on the signal.

```
>>> np.mean(Pxx_den[256:])
0.0009924865443739191
```

Now compute and plot the power spectrum.

```
>>> f, Pxx_spec = signal.welch(x, fs, 'flattop', 1024, scaling='spectrum')
>>> plt.figure()
>>> plt.semilogy(f, np.sqrt(Pxx_spec))
>>> plt.xlabel('frequency [Hz]')
>>> plt.ylabel('Linear spectrum [V RMS]')
>>> plt.show()
```

The peak height in the power spectrum is an estimate of the RMS amplitude.

```
>>> np.sqrt(Pxx_spec.max())
2.0077340678640727
```

`scipy.signal.lombscargle(x, y, freqs)`

Computes the Lomb-Scargle periodogram.

The Lomb-Scargle periodogram was developed by Lomb [R115] and further extended by Scargle [R116] to find, and test the significance of weak periodic signals with uneven temporal sampling.

The computed periodogram is unnormalized, it takes the value $(A**2) * N/4$ for a harmonic signal with amplitude A for sufficiently large N .

Parameters	x : array_like	Sample times.
	y : array_like	Measurement values.
	freqs : array_like	Angular frequencies for output periodogram.
Returns	pgram : array_like	Lomb-Scargle periodogram.
Raises	ValueError :	If the input arrays x and y do not have the same shape.

Notes

This subroutine calculates the periodogram using a slightly modified algorithm due to Townsend [R117] which allows the periodogram to be calculated using only a single pass through the input arrays for each frequency.

The algorithm running time scales roughly as $O(x * \text{freqs})$ or $O(N^2)$ for a large number of samples and frequencies.

References

[R115], [R116], [R117]

Examples

```
>>> import scipy.signal
```

First define some input parameters for the signal:

```
>>> A = 2.
>>> w = 1.
>>> phi = 0.5 * np.pi
>>> nin = 1000
```

```
>>> nout = 100000
>>> frac_points = 0.9 # Fraction of points to select
```

Randomly select a fraction of an array with timesteps:

```
>>> r = np.random.rand(nin)
>>> x = np.linspace(0.01, 10*np.pi, nin)
>>> x = x[r >= frac_points]
>>> normval = x.shape[0] # For normalization of the periodogram
```

Plot a sine wave for the selected times:

```
>>> y = A * np.sin(w*x+phi)
```

Define the array of frequencies for which to compute the periodogram:

```
>>> f = np.linspace(0.01, 10, nout)
```

Calculate Lomb-Scargle periodogram:

```
>>> pgram = sp.signal.lombscargle(x, y, f)
```

Now make a plot of the input data:

```
>>> plt.subplot(2, 1, 1)
<matplotlib.axes.AxesSubplot object at 0x102154f50>
>>> plt.plot(x, y, 'b+')
[<matplotlib.lines.Line2D object at 0x102154a10>]
```

Then plot the normalized periodogram:

```
>>> plt.subplot(2, 1, 2)
<matplotlib.axes.AxesSubplot object at 0x104b0a990>
>>> plt.plot(f, np.sqrt(4*(pgram/normval)))
[<matplotlib.lines.Line2D object at 0x104b2f910>]
>>> plt.show()
```

5.22 Sparse matrices (scipy.sparse)

SciPy 2-D sparse matrix package.

5.22.1 Contents

Sparse matrix classes

<code>bsr_matrix</code> (arg1[, shape, dtype, copy, blocksize])	Block Sparse Row matrix
<code>coo_matrix</code> (arg1[, shape, dtype, copy])	A sparse matrix in COOrdinate format.
<code>csc_matrix</code> (arg1[, shape, dtype, copy])	Compressed Sparse Column matrix
<code>csr_matrix</code> (arg1[, shape, dtype, copy])	Compressed Sparse Row matrix
<code>dia_matrix</code> (arg1[, shape, dtype, copy])	Sparse matrix with DIAGONAL storage

Continued on next page

Table 5.119 – continued from previous page

<code>dok_matrix(arg1[, shape, dtype, copy])</code>	Dictionary Of Keys based sparse matrix.
<code>lil_matrix(arg1[, shape, dtype, copy])</code>	Row-based linked list sparse matrix

class `scipy.sparse.bsr_matrix` (*arg1, shape=None, dtype=None, copy=False, blocksize=None*)
Block Sparse Row matrix

This can be instantiated in several ways:

`bsr_matrix(D, [blocksize=(R,C)])`

with a dense matrix or rank-2 ndarray D

`bsr_matrix(S, [blocksize=(R,C)])`

with another sparse matrix S (equivalent to `S.tocsr()`)

`bsr_matrix((M, N), [blocksize=(R,C), dtype])`

to construct an empty matrix with shape (M, N) dtype is optional, defaulting to `dtype='d'`.

`bsr_matrix((data, ij), [blocksize=(R,C), shape=(M, N)])`

where `data` and `ij` satisfy `a[ij[0, k], ij[1, k]] = data[k]`

`bsr_matrix((data, indices, indptr), [shape=(M, N)])`

is the standard BSR representation where the block column indices for row `i` are stored in `indices[indptr[i]:indptr[i+1]]` and their corresponding block values are stored in `data[indptr[i]: indptr[i+1]]`. If the `shape` parameter is not supplied, the matrix dimensions are inferred from the index arrays.

Notes

Sparse matrices can be used in arithmetic operations: they support addition, subtraction, multiplication, division, and matrix power.

Summary of BSR format

The Block Compressed Row (BSR) format is very similar to the Compressed Sparse Row (CSR) format. BSR is appropriate for sparse matrices with dense sub matrices like the last example below. Block matrices often arise in vector-valued finite element discretizations. In such cases, BSR is considerably more efficient than CSR and CSC for many sparse arithmetic operations.

Blocksize

The blocksize (R,C) must evenly divide the shape of the matrix (M,N). That is, R and C must satisfy the relationship $M \% R = 0$ and $N \% C = 0$.

If no blocksize is specified, a simple heuristic is applied to determine an appropriate blocksize.

Examples

```
>>> from scipy.sparse import bsr_matrix
>>> bsr_matrix((3,4), dtype=np.int8).todense()
matrix([[0, 0, 0, 0],
        [0, 0, 0, 0],
        [0, 0, 0, 0]], dtype=int8)

>>> row = np.array([0,0,1,2,2,2])
>>> col = np.array([0,2,2,0,1,2])
>>> data = np.array([1,2,3,4,5,6])
>>> bsr_matrix((data, (row,col)), shape=(3,3)).todense()
matrix([[1, 0, 2],
```

```

[0, 0, 3],
[4, 5, 6]])

>>> indptr = np.array([0,2,3,6])
>>> indices = np.array([0,2,2,0,1,2])
>>> data = np.array([1,2,3,4,5,6]).repeat(4).reshape(6,2,2)
>>> bsr_matrix((data,indices,indptr), shape=(6,6)).todense()
matrix([[1, 1, 0, 0, 2, 2],
        [1, 1, 0, 0, 2, 2],
        [0, 0, 0, 0, 3, 3],
        [0, 0, 0, 0, 3, 3],
        [4, 4, 5, 5, 6, 6],
        [4, 4, 5, 5, 6, 6]])

```

Attributes

<code>has_sorted_indices</code>	Determine whether the matrix has sorted indices
---------------------------------	---

`bsr_matrix.has_sorted_indices`
Determine whether the matrix has sorted indices

Returns

- True: if the indices of the matrix are in sorted order
- False: otherwise

<code>dtype</code>	(dtype) Data type of the matrix
<code>shape</code>	(2-tuple) Shape of the matrix
<code>ndim</code>	(int) Number of dimensions (this is always 2)
<code>nnz</code>	Number of nonzero elements
<code>data</code>	Data array of the matrix
<code>indices</code>	BSR format index array
<code>indptr</code>	BSR format index pointer array
<code>blocksize</code>	Block size of the matrix

Methods

<code>arcsin()</code>	Element-wise arcsin.
<code>arcsinh()</code>	Element-wise arcsinh.
<code>arctan()</code>	Element-wise arctan.
<code>arctanh()</code>	Element-wise arctanh.
<code>asformat(format)</code>	Return this matrix in a given sparse format
<code>asfptype()</code>	Upcast matrix to a floating point format (if necessary)
<code>astype(t)</code>	
<code>ceil()</code>	Element-wise ceil.
<code>check_format([full_check])</code>	check whether the matrix format is valid
<code>conj()</code>	
<code>conjugate()</code>	
<code>copy()</code>	
<code>deg2rad()</code>	Element-wise deg2rad.
<code>diagonal()</code>	Returns the main diagonal of the matrix
<code>dot(other)</code>	
<code>eliminate_zeros()</code>	
<code>expm1()</code>	Element-wise expm1.

Continued on next page

Table 5.121 – continued from previous page

<code>floor()</code>	Element-wise floor.
<code>getH()</code>	
<code>get_shape()</code>	
<code>getcol(j)</code>	Returns a copy of column <i>j</i> of the matrix, as an (<i>m</i> x 1) sparse
<code>getdata(ind)</code>	
<code>getformat()</code>	
<code>getmaxprint()</code>	
<code>getnnz()</code>	
<code>getrow(i)</code>	Returns a copy of row <i>i</i> of the matrix, as a (1 x <i>n</i>) sparse
<code>log1p()</code>	Element-wise log1p.
<code>matmat(other)</code>	
<code>matvec(other)</code>	
<code>mean([axis])</code>	Average the matrix over the given axis.
<code>multiply(other)</code>	Point-wise multiplication by another matrix
<code>nonzero()</code>	nonzero indices
<code>prune()</code>	Remove empty space after all non-zero elements.
<code>rad2deg()</code>	Element-wise rad2deg.
<code>reshape(shape)</code>	
<code>rint()</code>	Element-wise rint.
<code>set_shape(shape)</code>	
<code>setdiag(values[, k])</code>	Fills the diagonal elements { <i>a_{ii}</i> } with the values from the given sequence.
<code>sign()</code>	Element-wise sign.
<code>sin()</code>	Element-wise sin.
<code>sinh()</code>	Element-wise sinh.
<code>sort_indices()</code>	Sort the indices of this matrix <i>in place</i>
<code>sorted_indices()</code>	Return a copy of this matrix with sorted indices
<code>sum([axis])</code>	Sum the matrix over the given axis.
<code>sum_duplicates()</code>	
<code>tan()</code>	Element-wise tan.
<code>tanh()</code>	Element-wise tanh.
<code>toarray([order, out])</code>	See the docstring for <code>spmatrix.toarray</code> .
<code>tobsr([blocksize, copy])</code>	
<code>tocoo([copy])</code>	Convert this matrix to COOrdinate format.
<code>tocsc()</code>	
<code>tocsr()</code>	
<code>todense([order, out])</code>	Return a dense matrix representation of this matrix.
<code>todia()</code>	
<code>todok()</code>	
<code>tolil()</code>	
<code>transpose()</code>	
<code>trunc()</code>	Element-wise trunc.

`bsr_matrix.arcsin()`
Element-wise arcsin.

See `numpy.arcsin` for more information.

`bsr_matrix.arcsinh()`
Element-wise arcsinh.

See `numpy.arcsinh` for more information.

`bsr_matrix.arctan()`

Element-wise arctan.

See `numpy.arctan` for more information.

`bsr_matrix.arctanh()`

Element-wise arctanh.

See `numpy.arctanh` for more information.

`bsr_matrix.asformat(format)`

Return this matrix in a given sparse format

Parameters `format` : {string, None}
desired sparse matrix format

- None for no format conversion
- “csr” for `csr_matrix` format
- “csc” for `csc_matrix` format
- “lil” for `lil_matrix` format
- “dok” for `dok_matrix` format and so on

`bsr_matrix.asfptype()`

Ucast matrix to a floating point format (if necessary)

`bsr_matrix.astype(t)`

`bsr_matrix.ceil()`

Element-wise ceil.

See `numpy.ceil` for more information.

`bsr_matrix.check_format(full_check=True)`

check whether the matrix format is valid

Parameters:

full_check: True - rigorous check, O(N) operations : default False - basic check, O(1) operations

`bsr_matrix.conj()`

`bsr_matrix.conjugate()`

`bsr_matrix.copy()`

`bsr_matrix.deg2rad()`

Element-wise deg2rad.

See `numpy.deg2rad` for more information.

`bsr_matrix.diagonal()`

Returns the main diagonal of the matrix

`bsr_matrix.dot(other)`

`bsr_matrix.eliminate_zeros()`

`bsr_matrix.expm1()`

Element-wise expm1.

See `numpy.expm1` for more information.

`bsr_matrix.floor()`
Element-wise floor.

See `numpy.floor` for more information.

`bsr_matrix.getH()`

`bsr_matrix.get_shape()`

`bsr_matrix.getcol(j)`
Returns a copy of column `j` of the matrix, as an $(m \times 1)$ sparse matrix (column vector).

`bsr_matrix.getdata(ind)`

`bsr_matrix.getformat()`

`bsr_matrix.getmaxprint()`

`bsr_matrix.getnnz()`

`bsr_matrix.getrow(i)`
Returns a copy of row `i` of the matrix, as a $(1 \times n)$ sparse matrix (row vector).

`bsr_matrix.log1p()`
Element-wise `log1p`.

See `numpy.log1p` for more information.

`bsr_matrix.matmat(other)`

`bsr_matrix.matvec(other)`

`bsr_matrix.mean(axis=None)`
Average the matrix over the given axis. If the axis is `None`, average over both rows and columns, returning a scalar.

`bsr_matrix.multiply(other)`
Point-wise multiplication by another matrix

`bsr_matrix.nonzero()`
nonzero indices
Returns a tuple of arrays (`row,col`) containing the indices of the non-zero elements of the matrix.

Examples

```
>>> from scipy.sparse import csr_matrix
>>> A = csr_matrix([[1, 2, 0], [0, 0, 3], [4, 0, 5]])
>>> A.nonzero()
(array([0, 0, 1, 2, 2]), array([0, 1, 2, 0, 2]))
```

`bsr_matrix.prune()`
Remove empty space after all non-zero elements.

`bsr_matrix.rad2deg()`
 Element-wise rad2deg.

See `numpy.rad2deg` for more information.

`bsr_matrix.reshape(shape)`

`bsr_matrix.rint()`
 Element-wise rint.

See `numpy.rint` for more information.

`bsr_matrix.set_shape(shape)`

`bsr_matrix.setdiag(values, k=0)`

Fills the diagonal elements `{a_ii}` with the values from the given sequence. If `k != 0`, fills the off-diagonal elements `{a_{i,i+k}}` instead.

values may have any length. If the diagonal is longer than values, then the remaining diagonal entries will not be set. If values if longer than the diagonal, then the remaining values are ignored.

`bsr_matrix.sign()`
 Element-wise sign.

See `numpy.sign` for more information.

`bsr_matrix.sin()`
 Element-wise sin.

See `numpy.sin` for more information.

`bsr_matrix.sinh()`
 Element-wise sinh.

See `numpy.sinh` for more information.

`bsr_matrix.sort_indices()`
 Sort the indices of this matrix *in place*

`bsr_matrix.sorted_indices()`
 Return a copy of this matrix with sorted indices

`bsr_matrix.sum(axis=None)`

Sum the matrix over the given axis. If the axis is `None`, sum over both rows and columns, returning a scalar.

`bsr_matrix.sum_duplicates()`

`bsr_matrix.tan()`
 Element-wise tan.

See `numpy.tan` for more information.

`bsr_matrix.tanh()`
 Element-wise tanh.

See `numpy.tanh` for more information.

`bsr_matrix.toarray(order=None, out=None)`

See the docstring for `spmatrix.toarray`.

`bsr_matrix.tobsr` (*blocksize=None, copy=False*)

`bsr_matrix.tocoo` (*copy=True*)

Convert this matrix to COOrdinate format.

When `copy=False` the data array will be shared between this matrix and the resultant `coo_matrix`.

`bsr_matrix.tocsc` ()

`bsr_matrix.tocsr` ()

`bsr_matrix.todense` (*order=None, out=None*)

Return a dense matrix representation of this matrix.

Parameters `order` : {'C', 'F'}, optional

Whether to store multi-dimensional data in C (row-major) or Fortran (column-major) order in memory. The default is 'None', indicating the NumPy default of C-ordered. Cannot be specified in conjunction with the `out` argument.

`out` : ndarray, 2-dimensional, optional

If specified, uses this array (or `numpy.matrix`) as the output buffer instead of allocating a new array to return. The provided array must have the same shape and dtype as the sparse matrix on which you are

Returns `arr` : `numpy.matrix`, 2-dimensional

calling the method.
A NumPy matrix object with the same shape and containing the same data represented by the sparse matrix, with the requested memory order. If `out` was passed and was an array (rather than a `numpy.matrix`), it will be filled with the appropriate values and returned wrapped in a `numpy.matrix` object that shares the same memory.

`bsr_matrix.todia` ()

`bsr_matrix.todok` ()

`bsr_matrix.tolil` ()

`bsr_matrix.transpose` ()

`bsr_matrix.trunc` ()

Element-wise trunc.

See `numpy.trunc` for more information.

class `scipy.sparse.coo_matrix` (*arg1, shape=None, dtype=None, copy=False*)

A sparse matrix in COOrdinate format.

Also known as the 'ijv' or 'triplet' format.

This can be instantiated in several ways:

`coo_matrix(D)`

with a dense matrix D

`coo_matrix(S)` with another sparse matrix S (equivalent to `S.tocoo()`)

`coo_matrix((M, N), [dtype])`

to construct an empty matrix with shape (M, N) dtype is optional, defaulting to dtype='d'.

`coo_matrix((data, (i, j)), [shape=(M, N)])`

to construct from three arrays:

- 1.data[:] the entries of the matrix, in any order
- 2.i[:] the row indices of the matrix entries
- 3.j[:] the column indices of the matrix entries

Where $A[i[k], j[k]] = data[k]$. When shape is not specified, it is inferred from the index arrays

Notes

Sparse matrices can be used in arithmetic operations: they support addition, subtraction, multiplication, division, and matrix power.

Advantages of the COO format

- facilitates fast conversion among sparse formats
- permits duplicate entries (see example)
- very fast conversion to and from CSR/CSC formats

Disadvantages of the COO format

•*does not directly support:*

- arithmetic operations
- slicing

Intended Usage

- COO is a fast format for constructing sparse matrices
- Once a matrix has been constructed, convert to CSR or CSC format for fast arithmetic and matrix vector operations
- By default when converting to CSR or CSC format, duplicate (i,j) entries will be summed together. This facilitates efficient construction of finite element matrices and the like. (see example)

Examples

```
>>> from scipy.sparse import coo_matrix
>>> coo_matrix((3,4), dtype=np.int8).todense()
matrix([[0, 0, 0, 0],
        [0, 0, 0, 0],
        [0, 0, 0, 0]], dtype=int8)

>>> row = np.array([0,3,1,0])
>>> col = np.array([0,3,1,2])
>>> data = np.array([4,5,7,9])
>>> coo_matrix((data, (row,col)), shape=(4,4)).todense()
matrix([[4, 0, 9, 0],
        [0, 7, 0, 0],
        [0, 0, 0, 0],
        [0, 0, 0, 5]])
```



```

>>> # example with duplicates
>>> row = np.array([0,0,1,3,1,0,0])
>>> col = np.array([0,2,1,3,1,0,0])
>>> data = np.array([1,1,1,1,1,1,1])
>>> coo_matrix((data, (row,col)), shape=(4,4)).todense()
matrix([[3, 0, 1, 0],
        [0, 2, 0, 0],
        [0, 0, 0, 0],
        [0, 0, 0, 1]])

```

Attributes

<code>dtype</code>	(dtype) Data type of the matrix
<code>shape</code>	(2-tuple) Shape of the matrix
<code>ndim</code>	(int) Number of dimensions (this is always 2)
<code>nnz</code>	Number of nonzero elements
<code>data</code>	COO format data array of the matrix
<code>row</code>	COO format row index array of the matrix
<code>col</code>	COO format column index array of the matrix

Methods

<code>arcsin()</code>	Element-wise arcsin.
<code>arcsinh()</code>	Element-wise arcsinh.
<code>arctan()</code>	Element-wise arctan.
<code>arctanh()</code>	Element-wise arctanh.
<code>asformat(format)</code>	Return this matrix in a given sparse format
<code>asfptype()</code>	Upcast matrix to a floating point format (if necessary)
<code>astype(t)</code>	
<code>ceil()</code>	Element-wise ceil.
<code>conj()</code>	
<code>conjugate()</code>	
<code>copy()</code>	
<code>deg2rad()</code>	Element-wise deg2rad.
<code>diagonal()</code>	Returns the main diagonal of the matrix
<code>dot(other)</code>	
<code>expm1()</code>	Element-wise expm1.
<code>floor()</code>	Element-wise floor.
<code>getH()</code>	
<code>get_shape()</code>	
<code>getcol(j)</code>	Returns a copy of column j of the matrix, as an (m x 1) sparse
<code>getformat()</code>	
<code>getmaxprint()</code>	
<code>getnnz()</code>	
<code>getrow(i)</code>	Returns a copy of row i of the matrix, as a (1 x n) sparse
<code>log1p()</code>	Element-wise log1p.
<code>mean([axis])</code>	Average the matrix over the given axis.
<code>multiply(other)</code>	Point-wise multiplication by another matrix
<code>nonzero()</code>	nonzero indices
<code>rad2deg()</code>	Element-wise rad2deg.
<code>reshape(shape)</code>	
<code>rint()</code>	Element-wise rint.

Continued on next page

Table 5.122 – continued from previous page

<code>set_shape(shape)</code>	
<code>setdiag(values[, k])</code>	Fills the diagonal elements {a _{ii} } with the values from the given sequence.
<code>sign()</code>	Element-wise sign.
<code>sin()</code>	Element-wise sin.
<code>sinh()</code>	Element-wise sinh.
<code>sum([axis])</code>	Sum the matrix over the given axis.
<code>tan()</code>	Element-wise tan.
<code>tanh()</code>	Element-wise tanh.
<code>toarray([order, out])</code>	See the docstring for <code>spmatrix.toarray</code> .
<code>tobsr([blocksize])</code>	
<code>tocoo([copy])</code>	
<code>tocsc()</code>	Return a copy of this matrix in Compressed Sparse Column format
<code>tocsr()</code>	Return a copy of this matrix in Compressed Sparse Row format
<code>todense([order, out])</code>	Return a dense matrix representation of this matrix.
<code>todia()</code>	
<code>todok()</code>	
<code>tolil()</code>	
<code>transpose([copy])</code>	
<code>trunc()</code>	Element-wise trunc.

`coo_matrix.arcsin()`

Element-wise arcsin.

See `numpy.arcsin` for more information.

`coo_matrix.arcsinh()`

Element-wise arcsinh.

See `numpy.arcsinh` for more information.

`coo_matrix.arctan()`

Element-wise arctan.

See `numpy.arctan` for more information.

`coo_matrix.arctanh()`

Element-wise arctanh.

See `numpy.arctanh` for more information.

`coo_matrix.asformat(format)`

Return this matrix in a given sparse format

Parameters `format` : {string, None}

desired sparse matrix format

- None for no format conversion
- “csr” for `csr_matrix` format
- “csc” for `csc_matrix` format
- “lil” for `lil_matrix` format
- “dok” for `dok_matrix` format and so on

`coo_matrix.asfptype()`

Upcast matrix to a floating point format (if necessary)

`coo_matrix.astype(t)`

`coo_matrix.ceil()`

Element-wise ceil.

See `numpy.ceil` for more information.

`coo_matrix.conj()`

`coo_matrix.conjugate()`

`coo_matrix.copy()`

`coo_matrix.deg2rad()`

Element-wise deg2rad.

See `numpy.deg2rad` for more information.

`coo_matrix.diagonal()`

Returns the main diagonal of the matrix

`coo_matrix.dot(other)`

`coo_matrix.expm1()`

Element-wise expm1.

See `numpy.expm1` for more information.

`coo_matrix.floor()`

Element-wise floor.

See `numpy.floor` for more information.

`coo_matrix.getH()`

`coo_matrix.get_shape()`

`coo_matrix.getcol(j)`

Returns a copy of column *j* of the matrix, as an (*m* x 1) sparse matrix (column vector).

`coo_matrix.getformat()`

`coo_matrix.getmaxprint()`

`coo_matrix.getnnz()`

`coo_matrix.getrow(i)`

Returns a copy of row *i* of the matrix, as a (1 x *n*) sparse matrix (row vector).

`coo_matrix.log1p()`

Element-wise log1p.

See `numpy.log1p` for more information.

`coo_matrix.mean(axis=None)`

Average the matrix over the given axis. If the axis is *None*, average over both rows and columns, returning a scalar.

`coo_matrix.multiply (other)`
 Point-wise multiplication by another matrix

`coo_matrix.nonzero ()`
 nonzero indices
 Returns a tuple of arrays (row,col) containing the indices of the non-zero elements of the matrix.

Examples

```
>>> from scipy.sparse import csr_matrix
>>> A = csr_matrix([[1,2,0],[0,0,3],[4,0,5]])
>>> A.nonzero()
(array([0, 0, 1, 2, 2]), array([0, 1, 2, 0, 2]))
```

`coo_matrix.rad2deg ()`
 Element-wise rad2deg.
 See `numpy.rad2deg` for more information.

`coo_matrix.reshape (shape)`

`coo_matrix.rint ()`
 Element-wise rint.
 See `numpy.rint` for more information.

`coo_matrix.set_shape (shape)`

`coo_matrix.setdiag (values, k=0)`
 Fills the diagonal elements {a_{ii}} with the values from the given sequence. If $k \neq 0$, fills the off-diagonal elements {a_{i,i+k}} instead.
 values may have any length. If the diagonal is longer than values, then the remaining diagonal entries will not be set. If values if longer than the diagonal, then the remaining values are ignored.

`coo_matrix.sign ()`
 Element-wise sign.
 See `numpy.sign` for more information.

`coo_matrix.sin ()`
 Element-wise sin.
 See `numpy.sin` for more information.

`coo_matrix.sinh ()`
 Element-wise sinh.
 See `numpy.sinh` for more information.

`coo_matrix.sum (axis=None)`
 Sum the matrix over the given axis. If the axis is None, sum over both rows and columns, returning a scalar.

`coo_matrix.tan ()`
 Element-wise tan.
 See `numpy.tan` for more information.

`coo_matrix.tanh()`
Element-wise tanh.

See `numpy.tanh` for more information.

`coo_matrix.toarray` (*order=None, out=None*)
See the docstring for `spmatrix.toarray`.

`coo_matrix.tobsr` (*blocksize=None*)

`coo_matrix.tocoo` (*copy=False*)

`coo_matrix.tocsc()`
Return a copy of this matrix in Compressed Sparse Column format
Duplicate entries will be summed together.

Examples

```
>>> from numpy import array
>>> from scipy.sparse import coo_matrix
>>> row = array([0,0,1,3,1,0,0])
>>> col = array([0,2,1,3,1,0,0])
>>> data = array([1,1,1,1,1,1,1])
>>> A = coo_matrix( (data, (row,col)), shape=(4,4)).tocsc()
>>> A.todense()
matrix([[3, 0, 1, 0],
        [0, 2, 0, 0],
        [0, 0, 0, 0],
        [0, 0, 0, 1]])
```

`coo_matrix.tocsr()`
Return a copy of this matrix in Compressed Sparse Row format
Duplicate entries will be summed together.

Examples

```
>>> from numpy import array
>>> from scipy.sparse import coo_matrix
>>> row = array([0,0,1,3,1,0,0])
>>> col = array([0,2,1,3,1,0,0])
>>> data = array([1,1,1,1,1,1,1])
>>> A = coo_matrix( (data, (row,col)), shape=(4,4)).tocsr()
>>> A.todense()
matrix([[3, 0, 1, 0],
        [0, 2, 0, 0],
        [0, 0, 0, 0],
        [0, 0, 0, 1]])
```

`coo_matrix.todense` (*order=None, out=None*)
Return a dense matrix representation of this matrix.

Parameters `order` : {'C', 'F'}, optional

Whether to store multi-dimensional data in C (row-major) or Fortran (column-major) order in memory. The default is 'None', indicating the NumPy default of C-ordered. Cannot be specified in conjunction with the *out* argument.

out : ndarray, 2-dimensional, optional
 If specified, uses this array (or `numpy.matrix`) as the output buffer instead of allocating a new array to return. The provided array must have the same shape and dtype as the sparse matrix on which you are calling the method.

Returns **arr** : `numpy.matrix`, 2-dimensional
 A NumPy matrix object with the same shape and containing the same data represented by the sparse matrix, with the requested memory order. If `out` was passed and was an array (rather than a `numpy.matrix`), it will be filled with the appropriate values and returned wrapped in a `numpy.matrix` object that shares the same memory.

`coo_matrix.todia()`

`coo_matrix.todok()`

`coo_matrix.tolil()`

`coo_matrix.transpose(copy=False)`

`coo_matrix.trunc()`

Element-wise trunc.

See `numpy.trunc` for more information.

class `scipy.sparse.csc_matrix` (*arg1*, *shape=None*, *dtype=None*, *copy=False*)
 Compressed Sparse Column matrix

This can be instantiated in several ways:

`csc_matrix(D)` with a dense matrix or rank-2 ndarray `D`
`csc_matrix(S)` with another sparse matrix `S` (equivalent to `S.tocsc()`)
`csc_matrix((M, N), [dtype])`

to construct an empty matrix with shape (M, N) dtype is optional, defaulting to dtype='d'.

`csc_matrix((data, ij), [shape=(M, N)])`
 where `data` and `ij` satisfy the relationship `a[ij[0, k], ij[1, k]] = data[k]`

`csc_matrix((data, indices, indptr), [shape=(M, N)])`
 is the standard CSC representation where the row indices for column `i` are stored in `indices[indptr[i]:indptr[i+1]]` and their corresponding values are stored in `data[indptr[i]:indptr[i+1]]`. If the shape parameter is not supplied, the matrix dimensions are inferred from the index arrays.

Notes

Sparse matrices can be used in arithmetic operations: they support addition, subtraction, multiplication, division, and matrix power.

Advantages of the CSC format

- efficient arithmetic operations CSC + CSC, CSC * CSC, etc.
- efficient column slicing
- fast matrix vector products (CSR, BSR may be faster)

Disadvantages of the CSC format

- slow row slicing operations (consider CSR)
- changes to the sparsity structure are expensive (consider LIL or DOK)

Examples

```

>>> from scipy.sparse import *
>>> from scipy import *
>>> csc_matrix( (3,4), dtype=int8 ).todense()
matrix([[0, 0, 0, 0],
        [0, 0, 0, 0],
        [0, 0, 0, 0]], dtype=int8)

>>> row = array([0,2,2,0,1,2])
>>> col = array([0,0,1,2,2,2])
>>> data = array([1,2,3,4,5,6])
>>> csc_matrix( (data,(row,col)), shape=(3,3) ).todense()
matrix([[1, 0, 4],
        [0, 0, 5],
        [2, 3, 6]])

>>> indptr = array([0,2,3,6])
>>> indices = array([0,2,2,0,1,2])
>>> data = array([1,2,3,4,5,6])
>>> csc_matrix( (data,indices,indptr), shape=(3,3) ).todense()
matrix([[1, 0, 4],
        [0, 0, 5],
        [2, 3, 6]])

```

Attributes

<code>has_sorted_indices</code>	Determine whether the matrix has sorted indices
---------------------------------	---

`csc_matrix.has_sorted_indices`

Determine whether the matrix has sorted indices

Returns

- True: if the indices of the matrix are in sorted order
- False: otherwise

<code>dtype</code>	(dtype) Data type of the matrix
<code>shape</code>	(2-tuple) Shape of the matrix
<code>ndim</code>	(int) Number of dimensions (this is always 2)
<code>nnz</code>	Number of nonzero elements
<code>data</code>	Data array of the matrix
<code>indices</code>	CSC format index array
<code>indptr</code>	CSC format index pointer array

Methods

<code>arcsin()</code>	Element-wise arcsin.
<code>arcsinh()</code>	Element-wise arcsinh.
<code>arctan()</code>	Element-wise arctan.
<code>arctanh()</code>	Element-wise arctanh.
<code>asformat(format)</code>	Return this matrix in a given sparse format
<code>asfptype()</code>	Upcast matrix to a floating point format (if necessary)
<code>astype(t)</code>	
<code>ceil()</code>	Element-wise ceil.

Continued on next page

Table 5.124 – continued from previous page

<code>check_format([full_check])</code>	check whether the matrix format is valid
<code>conj()</code>	
<code>conjugate()</code>	
<code>copy()</code>	
<code>deg2rad()</code>	Element-wise <code>deg2rad</code> .
<code>diagonal()</code>	Returns the main diagonal of the matrix
<code>dot(other)</code>	
<code>eliminate_zeros()</code>	Remove zero entries from the matrix
<code>expm1()</code>	Element-wise <code>expm1</code> .
<code>floor()</code>	Element-wise <code>floor</code> .
<code>getH()</code>	
<code>get_shape()</code>	
<code>getcol(i)</code>	Returns a copy of column <code>i</code> of the matrix, as a $(m \times 1)$
<code>getformat()</code>	
<code>getmaxprint()</code>	
<code>getnnz()</code>	
<code>getrow(i)</code>	Returns a copy of row <code>i</code> of the matrix, as a $(1 \times n)$
<code>log1p()</code>	Element-wise <code>log1p</code> .
<code>mean([axis])</code>	Average the matrix over the given axis.
<code>multiply(other)</code>	Point-wise multiplication by another matrix
<code>nonzero()</code>	<code>nonzero</code> indices
<code>prune()</code>	Remove empty space after all non-zero elements.
<code>rad2deg()</code>	Element-wise <code>rad2deg</code> .
<code>reshape(shape)</code>	
<code>rint()</code>	Element-wise <code>rint</code> .
<code>set_shape(shape)</code>	
<code>setdiag(values[, k])</code>	Fills the diagonal elements $\{a_{ii}\}$ with the values from the given sequence.
<code>sign()</code>	Element-wise <code>sign</code> .
<code>sin()</code>	Element-wise <code>sin</code> .
<code>sinh()</code>	Element-wise <code>sinh</code> .
<code>sort_indices()</code>	Sort the indices of this matrix <i>in place</i>
<code>sorted_indices()</code>	Return a copy of this matrix with sorted indices
<code>sum([axis])</code>	Sum the matrix over the given axis.
<code>sum_duplicates()</code>	Eliminate duplicate matrix entries by adding them together
<code>tan()</code>	Element-wise <code>tan</code> .
<code>tanh()</code>	Element-wise <code>tanh</code> .
<code>toarray([order, out])</code>	See the docstring for <code>spmatrix.toarray</code> .
<code>tobsr([blocksize])</code>	
<code>tocoo([copy])</code>	Return a COOrdinate representation of this matrix
<code>tocsc([copy])</code>	
<code>tocsr()</code>	
<code>todense([order, out])</code>	Return a dense matrix representation of this matrix.
<code>todia()</code>	
<code>todok()</code>	
<code>tolil()</code>	
<code>transpose([copy])</code>	
<code>trunc()</code>	Element-wise <code>trunc</code> .

`csc_matrix.arcsin()`
Element-wise `arcsin`.

See `numpy.arcsin` for more information.

`csc_matrix.arcsinh()`
Element-wise `arcsinh`.

See `numpy.arcsinh` for more information.

`csc_matrix.arctan()`
Element-wise `arctan`.

See `numpy.arctan` for more information.

`csc_matrix.arctanh()`
Element-wise `arctanh`.

See `numpy.arctanh` for more information.

`csc_matrix.asformat(format)`
Return this matrix in a given sparse format

Parameters **format** : {string, None}
desired sparse matrix format

- None for no format conversion
- “csr” for `csr_matrix` format
- “csc” for `csc_matrix` format
- “lil” for `lil_matrix` format
- “dok” for `dok_matrix` format and so on

`csc_matrix.asfptype()`
Upcast matrix to a floating point format (if necessary)

`csc_matrix.astype(t)`

`csc_matrix.ceil()`
Element-wise `ceil`.

See `numpy.ceil` for more information.

`csc_matrix.check_format(full_check=True)`
check whether the matrix format is valid

Parameters **- full_check** : {bool}

- True - rigorous check, $O(N)$ operations : default
- False - basic check, $O(1)$ operations

`csc_matrix.conj()`

`csc_matrix.conjugate()`

`csc_matrix.copy()`

`csc_matrix.deg2rad()`
Element-wise `deg2rad`.

See `numpy.deg2rad` for more information.

`csc_matrix.diagonal()`
Returns the main diagonal of the matrix

`csc_matrix.dot (other)`

`csc_matrix.eliminate_zeros ()`
 Remove zero entries from the matrix

The is an *in place* operation

`csc_matrix.expm1 ()`
 Element-wise expm1.

See `numpy.expm1` for more information.

`csc_matrix.floor ()`
 Element-wise floor.

See `numpy.floor` for more information.

`csc_matrix.getH ()`

`csc_matrix.get_shape ()`

`csc_matrix.getcol (i)`
 Returns a copy of column *i* of the matrix, as a (m x 1) CSC matrix (column vector).

`csc_matrix.getformat ()`

`csc_matrix.getmaxprint ()`

`csc_matrix.getnnz ()`

`csc_matrix.getrow (i)`
 Returns a copy of row *i* of the matrix, as a (1 x n) CSR matrix (row vector).

`csc_matrix.log1p ()`
 Element-wise log1p.

See `numpy.log1p` for more information.

`csc_matrix.mean (axis=None)`
 Average the matrix over the given axis. If the axis is None, average over both rows and columns, returning a scalar.

`csc_matrix.multiply (other)`
 Point-wise multiplication by another matrix

`csc_matrix.nonzero ()`
 nonzero indices

Returns a tuple of arrays (row,col) containing the indices of the non-zero elements of the matrix.

Examples

```
>>> from scipy.sparse import csr_matrix
>>> A = csr_matrix([[1, 2, 0], [0, 0, 3], [4, 0, 5]])
>>> A.nonzero()
(array([0, 0, 1, 2, 2]), array([0, 1, 2, 0, 2]))
```

`csc_matrix.prune()`
Remove empty space after all non-zero elements.

`csc_matrix.rad2deg()`
Element-wise rad2deg.
See `numpy.rad2deg` for more information.

`csc_matrix.reshape(shape)`

`csc_matrix rint()`
Element-wise rint.
See `numpy rint` for more information.

`csc_matrix.set_shape(shape)`

`csc_matrix.setdiag(values, k=0)`
Fills the diagonal elements `{a_ii}` with the values from the given sequence. If `k != 0`, fills the off-diagonal elements `{a_{i,i+k}}` instead.

values may have any length. If the diagonal is longer than values, then the remaining diagonal entries will not be set. If values if longer than the diagonal, then the remaining values are ignored.

`csc_matrix.sign()`
Element-wise sign.
See `numpy.sign` for more information.

`csc_matrix.sin()`
Element-wise sin.
See `numpy.sin` for more information.

`csc_matrix.sinh()`
Element-wise sinh.
See `numpy.sinh` for more information.

`csc_matrix.sort_indices()`
Sort the indices of this matrix *in place*

`csc_matrix.sorted_indices()`
Return a copy of this matrix with sorted indices

`csc_matrix.sum(axis=None)`
Sum the matrix over the given axis. If the axis is None, sum over both rows and columns, returning a scalar.

`csc_matrix.sum_duplicates()`
Eliminate duplicate matrix entries by adding them together

The is an *in place* operation

`csc_matrix.tan()`
Element-wise tan.
See `numpy.tan` for more information.

`csc_matrix.tanh()`
Element-wise tanh.
See `numpy.tanh` for more information.

`csc_matrix.toarray` (*order=None, out=None*)

See the docstring for `spmatrix.toarray`.

`csc_matrix.tobsr` (*blocksize=None*)

`csc_matrix.tocoo` (*copy=True*)

Return a COOrdinate representation of this matrix

When `copy=False` the index and data arrays are not copied.

`csc_matrix.tocsc` (*copy=False*)

`csc_matrix.tocsr` ()

`csc_matrix.todense` (*order=None, out=None*)

Return a dense matrix representation of this matrix.

Parameters **order** : {'C', 'F'}, optional

Whether to store multi-dimensional data in C (row-major) or Fortran (column-major) order in memory. The default is 'None', indicating the NumPy default of C-ordered. Cannot be specified in conjunction with the *out* argument.

out : ndarray, 2-dimensional, optional

If specified, uses this array (or `numpy.matrix`) as the output buffer instead of allocating a new array to return. The provided array must have the same shape and dtype as the sparse matrix on which you are

Returns **arr** : `numpy.matrix`, 2-dimensional

calling the method.
A NumPy matrix object with the same shape and containing the same data represented by the sparse matrix, with the requested memory order. If *out* was passed and was an array (rather than a `numpy.matrix`), it will be filled with the appropriate values and returned wrapped in a `numpy.matrix` object that shares the same memory.

`csc_matrix.todia` ()

`csc_matrix.todok` ()

`csc_matrix.tolil` ()

`csc_matrix.transpose` (*copy=False*)

`csc_matrix.trunc` ()

Element-wise trunc.

See `numpy.trunc` for more information.

class `scipy.sparse.csr_matrix` (*arg1, shape=None, dtype=None, copy=False*)

Compressed Sparse Row matrix

This can be instantiated in several ways:

`csr_matrix(D)` with a dense matrix or rank-2 ndarray D

`csr_matrix(S)` with another sparse matrix S (equivalent to `S.tocsr()`)

`csr_matrix((M, N), [dtype])`

to construct an empty matrix with shape (M, N) dtype is optional, defaulting to dtype='d'.

`csr_matrix((data, ij), [shape=(M, N)])`

where data and ij satisfy the relationship $a[ij[0, k], ij[1, k]] = data[k]$

`csr_matrix((data, indices, indptr), [shape=(M, N)])`

is the standard CSR representation where the column indices for row i are stored in `indices[indptr[i]:indptr[i+1]]` and their corresponding values are stored in `data[indptr[i]:indptr[i+1]]`. If the shape parameter is not supplied, the matrix dimensions are inferred from the index arrays.

Notes

Sparse matrices can be used in arithmetic operations: they support addition, subtraction, multiplication, division, and matrix power.

Advantages of the CSR format

- efficient arithmetic operations CSR + CSR, CSR * CSR, etc.
- efficient row slicing
- fast matrix vector products

Disadvantages of the CSR format

- slow column slicing operations (consider CSC)
- changes to the sparsity structure are expensive (consider LIL or DOK)

Examples

```
>>> from scipy.sparse import *
>>> from scipy import *
>>> csr_matrix( (3,4), dtype=int8 ).todense()
matrix([[0, 0, 0, 0],
        [0, 0, 0, 0],
        [0, 0, 0, 0]], dtype=int8)

>>> row = array([0,0,1,2,2,2])
>>> col = array([0,2,2,0,1,2])
>>> data = array([1,2,3,4,5,6])
>>> csr_matrix( (data, (row,col)), shape=(3,3) ).todense()
matrix([[1, 0, 2],
        [0, 0, 3],
        [4, 5, 6]])

>>> indptr = array([0,2,3,6])
>>> indices = array([0,2,2,0,1,2])
>>> data = array([1,2,3,4,5,6])
>>> csr_matrix( (data,indices,indptr), shape=(3,3) ).todense()
matrix([[1, 0, 2],
        [0, 0, 3],
        [4, 5, 6]])
```

Attributes

`has_sorted_indices` Determine whether the matrix has sorted indices

`csr_matrix.has_sorted_indices`

Determine whether the matrix has sorted indices

Returns

- True: if the indices of the matrix are in sorted order
- False: otherwise

<code>dtype</code>	(dtype) Data type of the matrix
<code>shape</code>	(2-tuple) Shape of the matrix
<code>ndim</code>	(int) Number of dimensions (this is always 2)
<code>nnz</code>	Number of nonzero elements
<code>data</code>	CSR format data array of the matrix
<code>indices</code>	CSR format index array of the matrix
<code>indptr</code>	CSR format index pointer array of the matrix

Methods

<code>arcsin()</code>	Element-wise arcsin.
<code>arcsinh()</code>	Element-wise arcsinh.
<code>arctan()</code>	Element-wise arctan.
<code>arctanh()</code>	Element-wise arctanh.
<code>asformat(format)</code>	Return this matrix in a given sparse format
<code>asfptype()</code>	Upcast matrix to a floating point format (if necessary)
<code>astype(t)</code>	
<code>ceil()</code>	Element-wise ceil.
<code>check_format([full_check])</code>	check whether the matrix format is valid
<code>conj()</code>	
<code>conjugate()</code>	
<code>copy()</code>	
<code>deg2rad()</code>	Element-wise deg2rad.
<code>diagonal()</code>	Returns the main diagonal of the matrix
<code>dot(other)</code>	
<code>eliminate_zeros()</code>	Remove zero entries from the matrix
<code>expm1()</code>	Element-wise expm1.
<code>floor()</code>	Element-wise floor.
<code>getH()</code>	
<code>get_shape()</code>	
<code>getcol(i)</code>	Returns a copy of column i of the matrix, as a (m x 1)
<code>getformat()</code>	
<code>getmaxprint()</code>	
<code>getnnz()</code>	
<code>getrow(i)</code>	Returns a copy of row i of the matrix, as a (1 x n)
<code>log1p()</code>	Element-wise log1p.
<code>mean([axis])</code>	Average the matrix over the given axis.
<code>multiply(other)</code>	Point-wise multiplication by another matrix
<code>nonzero()</code>	nonzero indices
<code>prune()</code>	Remove empty space after all non-zero elements.
<code>rad2deg()</code>	Element-wise rad2deg.
<code>reshape(shape)</code>	
<code>rint()</code>	Element-wise rint.
<code>set_shape(shape)</code>	
<code>setdiag(values[, k])</code>	Fills the diagonal elements {a _{ii} } with the values from the given sequence.
<code>sign()</code>	Element-wise sign.

Continued on next page

Table 5.126 – continued from previous page

<code>sin()</code>	Element-wise sin.
<code>sinh()</code>	Element-wise sinh.
<code>sort_indices()</code>	Sort the indices of this matrix <i>in place</i>
<code>sorted_indices()</code>	Return a copy of this matrix with sorted indices
<code>sum([axis])</code>	Sum the matrix over the given axis.
<code>sum_duplicates()</code>	Eliminate duplicate matrix entries by adding them together
<code>tan()</code>	Element-wise tan.
<code>tanh()</code>	Element-wise tanh.
<code>toarray([order, out])</code>	See the docstring for <code>spmatrix.toarray</code> .
<code>tobsr([blocksize, copy])</code>	
<code>tocoo([copy])</code>	Return a COOrdinate representation of this matrix
<code>tocsc()</code>	
<code>tocsr([copy])</code>	
<code>todense([order, out])</code>	Return a dense matrix representation of this matrix.
<code>todia()</code>	
<code>todok()</code>	
<code>tolil()</code>	
<code>transpose([copy])</code>	
<code>trunc()</code>	Element-wise trunc.

`csr_matrix.arcsin()`

Element-wise arcsin.

See `numpy.arcsin` for more information.

`csr_matrix.arcsinh()`

Element-wise arcsinh.

See `numpy.arcsinh` for more information.

`csr_matrix.arctan()`

Element-wise arctan.

See `numpy.arctan` for more information.

`csr_matrix.arctanh()`

Element-wise arctanh.

See `numpy.arctanh` for more information.

`csr_matrix.asformat(format)`

Return this matrix in a given sparse format

Parameters `format` : {string, None}

desired sparse matrix format

- None for no format conversion
- “csr” for `csr_matrix` format
- “csc” for `csc_matrix` format
- “lil” for `lil_matrix` format
- “dok” for `dok_matrix` format and so on

`csr_matrix.asfptype()`

Upcast matrix to a floating point format (if necessary)

`csr_matrix.astype(t)`

`csr_matrix.ceil()`
 Element-wise ceil.

See `numpy.ceil` for more information.

`csr_matrix.check_format` (*full_check=True*)
 check whether the matrix format is valid

Parameters - **full_check** : {bool}

- True - rigorous check, $O(N)$ operations : default
- False - basic check, $O(1)$ operations

`csr_matrix.conj()`

`csr_matrix.conjugate()`

`csr_matrix.copy()`

`csr_matrix.deg2rad()`
 Element-wise deg2rad.

See `numpy.deg2rad` for more information.

`csr_matrix.diagonal()`
 Returns the main diagonal of the matrix

`csr_matrix.dot` (*other*)

`csr_matrix.eliminate_zeros()`
 Remove zero entries from the matrix

This is an *in place* operation

`csr_matrix.expm1()`
 Element-wise `expm1`.

See `numpy.expm1` for more information.

`csr_matrix.floor()`
 Element-wise floor.

See `numpy.floor` for more information.

`csr_matrix.getH()`

`csr_matrix.get_shape()`

`csr_matrix.getcol` (*i*)
 Returns a copy of column *i* of the matrix, as a ($m \times 1$) CSR matrix (column vector).

`csr_matrix.getformat()`

`csr_matrix.getmaxprint()`

`csr_matrix.getnnz()`

`csr_matrix.getrow(i)`
Returns a copy of row *i* of the matrix, as a (1 x n) CSR matrix (row vector).

`csr_matrix.log1p()`
Element-wise log1p.
See `numpy.log1p` for more information.

`csr_matrix.mean(axis=None)`
Average the matrix over the given axis. If the axis is `None`, average over both rows and columns, returning a scalar.

`csr_matrix.multiply(other)`
Point-wise multiplication by another matrix

`csr_matrix.nonzero()`
nonzero indices
Returns a tuple of arrays (row,col) containing the indices of the non-zero elements of the matrix.

Examples

```
>>> from scipy.sparse import csr_matrix
>>> A = csr_matrix([[1,2,0],[0,0,3],[4,0,5]])
>>> A.nonzero()
(array([0, 0, 1, 2, 2]), array([0, 1, 2, 0, 2]))
```

`csr_matrix.prune()`
Remove empty space after all non-zero elements.

`csr_matrix.rad2deg()`
Element-wise rad2deg.
See `numpy.rad2deg` for more information.

`csr_matrix.reshape(shape)`

`csr_matrix.rint()`
Element-wise rint.
See `numpy.rint` for more information.

`csr_matrix.set_shape(shape)`

`csr_matrix.setdiag(values, k=0)`
Fills the diagonal elements {a_{ii}} with the values from the given sequence. If *k* != 0, fills the off-diagonal elements {a_{i,i+k}} instead.
values may have any length. If the diagonal is longer than values, then the remaining diagonal entries will not be set. If values if longer than the diagonal, then the remaining values are ignored.

`csr_matrix.sign()`
Element-wise sign.
See `numpy.sign` for more information.

`csr_matrix.sin()`
Element-wise sin.
See `numpy.sin` for more information.

`csr_matrix.sinh()`
 Element-wise sinh.

See `numpy.sinh` for more information.

`csr_matrix.sort_indices()`
 Sort the indices of this matrix *in place*

`csr_matrix.sorted_indices()`
 Return a copy of this matrix with sorted indices

`csr_matrix.sum(axis=None)`
 Sum the matrix over the given axis. If the axis is `None`, sum over both rows and columns, returning a scalar.

`csr_matrix.sum_duplicates()`
 Eliminate duplicate matrix entries by adding them together
 This is an *in place* operation

`csr_matrix.tan()`
 Element-wise tan.
 See `numpy.tan` for more information.

`csr_matrix.tanh()`
 Element-wise tanh.
 See `numpy.tanh` for more information.

`csr_matrix.toarray(order=None, out=None)`
 See the docstring for `spmatrix.toarray`.

`csr_matrix.tobsr(blocksize=None, copy=True)`

`csr_matrix.tocoo(copy=True)`
 Return a COOrdinate representation of this matrix
 When `copy=False` the index and data arrays are not copied.

`csr_matrix.tocsc()`

`csr_matrix.tocsr(copy=False)`

`csr_matrix.todense(order=None, out=None)`
 Return a dense matrix representation of this matrix.

Parameters

order : {'C', 'F'}, optional
 Whether to store multi-dimensional data in C (row-major) or Fortran (column-major) order in memory. The default is 'None', indicating the NumPy default of C-ordered. Cannot be specified in conjunction with the `out` argument.

out : ndarray, 2-dimensional, optional
 If specified, uses this array (or `numpy.matrix`) as the output buffer instead of allocating a new array to return. The provided array must have the same shape and dtype as the sparse matrix on which you are calling the method.

Returns

arr : `numpy.matrix`, 2-dimensional
 A NumPy matrix object with the same shape and containing the same data represented by the sparse matrix, with the requested

memory order. If *out* was passed and was an array (rather than a `numpy.matrix`), it will be filled with the appropriate values and returned wrapped in a `numpy.matrix` object that shares the same memory.

```
csr_matrix.todia()
```

```
csr_matrix.todok()
```

```
csr_matrix.tolil()
```

```
csr_matrix.transpose(copy=False)
```

```
csr_matrix.trunc()
```

Element-wise trunc.

See `numpy.trunc` for more information.

class `scipy.sparse.dia_matrix` (*arg1*, *shape=None*, *dtype=None*, *copy=False*)

Sparse matrix with DIagonal storage

This can be instantiated in several ways:

dia_matrix(D) with a dense matrix

dia_matrix(S) with another sparse matrix *S* (equivalent to *S.todia()*)

dia_matrix((M, N), [dtype])

to construct an empty matrix with shape *(M, N)*, *dtype* is optional, defaulting to `dtype='d'`.

dia_matrix((data, offsets), shape=(M, N))

where the `data[k, :]` stores the diagonal entries for diagonal offsets `[k]` (See example below)

Notes

Sparse matrices can be used in arithmetic operations: they support addition, subtraction, multiplication, division, and matrix power.

Examples

```
>>> from scipy.sparse import *
>>> from scipy import *
>>> dia_matrix((3,4), dtype=int8).todense()
matrix([[0, 0, 0, 0],
        [0, 0, 0, 0],
        [0, 0, 0, 0]], dtype=int8)

>>> data = array([[1, 2, 3, 4]]).repeat(3, axis=0)
>>> offsets = array([0, -1, 2])
>>> dia_matrix((data, offsets), shape=(4, 4)).todense()
matrix([[1, 0, 3, 0],
        [1, 2, 0, 4],
        [0, 2, 3, 0],
        [0, 0, 3, 4]])
```

Attributes

`nnz` number of nonzero values

`dia_matrix.nnz`

number of nonzero values

explicit zero values are included in this number

<code>dtype</code>	(dtype) Data type of the matrix
<code>shape</code>	(2-tuple) Shape of the matrix
<code>ndim</code>	(int) Number of dimensions (this is always 2)
<code>data</code>	DIA format data array of the matrix
<code>offsets</code>	DIA format offset array of the matrix

Methods

<code>arcsin()</code>	Element-wise arcsin.
<code>arcsinh()</code>	Element-wise arcsinh.
<code>arctan()</code>	Element-wise arctan.
<code>arctanh()</code>	Element-wise arctanh.
<code>asformat(format)</code>	Return this matrix in a given sparse format
<code>asfptype()</code>	Upcast matrix to a floating point format (if necessary)
<code>astype(t)</code>	
<code>ceil()</code>	Element-wise ceil.
<code>conj()</code>	
<code>conjugate()</code>	
<code>copy()</code>	
<code>deg2rad()</code>	Element-wise deg2rad.
<code>diagonal()</code>	Returns the main diagonal of the matrix
<code>dot(other)</code>	
<code>expm1()</code>	Element-wise expm1.
<code>floor()</code>	Element-wise floor.
<code>getH()</code>	
<code>get_shape()</code>	
<code>getcol(j)</code>	Returns a copy of column <code>j</code> of the matrix, as an (m x 1) sparse
<code>getformat()</code>	
<code>getmaxprint()</code>	
<code>getnnz()</code>	number of nonzero values
<code>getrow(i)</code>	Returns a copy of row <code>i</code> of the matrix, as a (1 x n) sparse
<code>log1p()</code>	Element-wise log1p.
<code>mean([axis])</code>	Average the matrix over the given axis.
<code>multiply(other)</code>	Point-wise multiplication by another matrix
<code>nonzero()</code>	nonzero indices
<code>rad2deg()</code>	Element-wise rad2deg.
<code>reshape(shape)</code>	
<code>rint()</code>	Element-wise rint.
<code>set_shape(shape)</code>	
<code>setdiag(values[, k])</code>	Fills the diagonal elements <code>{a_{ii}}</code> with the values from the given sequence.
<code>sign()</code>	Element-wise sign.
<code>sin()</code>	Element-wise sin.
<code>sinh()</code>	Element-wise sinh.
<code>sum([axis])</code>	Sum the matrix over the given axis.

Continued on next page

Table 5.128 – continued from previous page

<code>tan()</code>	Element-wise tan.
<code>tanh()</code>	Element-wise tanh.
<code>toarray([order, out])</code>	Return a dense ndarray representation of this matrix.
<code>tobsr([blocksize])</code>	
<code>tocoo()</code>	
<code>tocsc()</code>	
<code>tocsr()</code>	
<code>todense([order, out])</code>	Return a dense matrix representation of this matrix.
<code>todia([copy])</code>	
<code>todok()</code>	
<code>tolil()</code>	
<code>transpose()</code>	
<code>trunc()</code>	Element-wise trunc.

`dia_matrix.arcsin()`
Element-wise arcsin.

See `numpy.arcsin` for more information.

`dia_matrix.arcsinh()`
Element-wise arcsinh.

See `numpy.arcsinh` for more information.

`dia_matrix.arctan()`
Element-wise arctan.

See `numpy.arctan` for more information.

`dia_matrix.arctanh()`
Element-wise arctanh.

See `numpy.arctanh` for more information.

`dia_matrix.asformat(format)`
Return this matrix in a given sparse format

Parameters `format` : {string, None}
desired sparse matrix format

- None for no format conversion
- “csr” for `csr_matrix` format
- “csc” for `csc_matrix` format
- “lil” for `lil_matrix` format
- “dok” for `dok_matrix` format and so on

`dia_matrix.asfptype()`
Upcast matrix to a floating point format (if necessary)

`dia_matrix.astype(t)`

`dia_matrix.ceil()`
Element-wise ceil.

See `numpy.ceil` for more information.

`dia_matrix.conj()`

`dia_matrix.conjugate()`

`dia_matrix.copy()`

`dia_matrix.deg2rad()`

Element-wise deg2rad.

See `numpy.deg2rad` for more information.

`dia_matrix.diagonal()`

Returns the main diagonal of the matrix

`dia_matrix.dot(other)`

`dia_matrix.expm1()`

Element-wise expm1.

See `numpy.expm1` for more information.

`dia_matrix.floor()`

Element-wise floor.

See `numpy.floor` for more information.

`dia_matrix.getH()`

`dia_matrix.get_shape()`

`dia_matrix.getcol(j)`

Returns a copy of column *j* of the matrix, as an (*m* x 1) sparse matrix (column vector).

`dia_matrix.getformat()`

`dia_matrix.getmaxprint()`

`dia_matrix.getnnz()`

number of nonzero values

explicit zero values are included in this number

`dia_matrix.getrow(i)`

Returns a copy of row *i* of the matrix, as a (1 x *n*) sparse matrix (row vector).

`dia_matrix.log1p()`

Element-wise log1p.

See `numpy.log1p` for more information.

`dia_matrix.mean(axis=None)`

Average the matrix over the given axis. If the axis is *None*, average over both rows and columns, returning a scalar.

`dia_matrix.multiply(other)`

Point-wise multiplication by another matrix

`dia_matrix.nonzero()`

nonzero indices

Returns a tuple of arrays (row,col) containing the indices of the non-zero elements of the matrix.

Examples

```
>>> from scipy.sparse import csr_matrix
>>> A = csr_matrix([[1,2,0],[0,0,3],[4,0,5]])
>>> A.nonzero()
(array([0, 0, 1, 2, 2]), array([0, 1, 2, 0, 2]))
```

`dia_matrix.rad2deg()`
Element-wise rad2deg.

See `numpy.rad2deg` for more information.

`dia_matrix.reshape(shape)`

`dia_matrix.rint()`
Element-wise rint.

See `numpy.rint` for more information.

`dia_matrix.set_shape(shape)`

`dia_matrix.setdiag(values, k=0)`

Fills the diagonal elements $\{a_{ii}\}$ with the values from the given sequence. If $k \neq 0$, fills the off-diagonal elements $\{a_{i,i+k}\}$ instead.

values may have any length. If the diagonal is longer than values, then the remaining diagonal entries will not be set. If values is longer than the diagonal, then the remaining values are ignored.

`dia_matrix.sign()`
Element-wise sign.

See `numpy.sign` for more information.

`dia_matrix.sin()`
Element-wise sin.

See `numpy.sin` for more information.

`dia_matrix.sinh()`
Element-wise sinh.

See `numpy.sinh` for more information.

`dia_matrix.sum(axis=None)`

Sum the matrix over the given axis. If the axis is None, sum over both rows and columns, returning a scalar.

`dia_matrix.tan()`
Element-wise tan.

See `numpy.tan` for more information.

`dia_matrix.tanh()`
Element-wise tanh.

See `numpy.tanh` for more information.

`dia_matrix.toarray(order=None, out=None)`

Return a dense ndarray representation of this matrix.

Parameters **order** : {'C', 'F'}, optional
 Whether to store multi-dimensional data in C (row-major) or Fortran (column-major) order in memory. The default is 'None', indicating the NumPy default of C-ordered. Cannot be specified in conjunction with the *out* argument.

out : ndarray, 2-dimensional, optional
 If specified, uses this array as the output buffer instead of allocating a new array to return. The provided array must have the same shape and dtype as the sparse matrix on which you are calling the method. For most sparse types, *out* is required to be memory contiguous (either C or Fortran ordered).

Returns **arr** : ndarray, 2-dimensional
 An array with the same shape and containing the same data represented by the sparse matrix, with the requested memory order. If *out* was passed, the same object is returned after being modified in-place to contain the appropriate values.

`dia_matrix.tobsr (blocksize=None)`

`dia_matrix.tocoo ()`

`dia_matrix.tocsc ()`

`dia_matrix.tocsr ()`

`dia_matrix.todense (order=None, out=None)`

Return a dense matrix representation of this matrix.

Parameters **order** : {'C', 'F'}, optional
 Whether to store multi-dimensional data in C (row-major) or Fortran (column-major) order in memory. The default is 'None', indicating the NumPy default of C-ordered. Cannot be specified in conjunction with the *out* argument.

out : ndarray, 2-dimensional, optional
 If specified, uses this array (or `numpy.matrix`) as the output buffer instead of allocating a new array to return. The provided array must have the same shape and dtype as the sparse matrix on which you are calling the method.

Returns **arr** : `numpy.matrix`, 2-dimensional
 A NumPy matrix object with the same shape and containing the same data represented by the sparse matrix, with the requested memory order. If *out* was passed and was an array (rather than a `numpy.matrix`), it will be filled with the appropriate values and returned wrapped in a `numpy.matrix` object that shares the same memory.

`dia_matrix.todia (copy=False)`

`dia_matrix.todok ()`

`dia_matrix.tolil ()`

`dia_matrix.transpose()`

`dia_matrix.trunc()`

Element-wise trunc.

See `numpy.trunc` for more information.

class `scipy.sparse.dok_matrix` (*arg1*, *shape=None*, *dtype=None*, *copy=False*)
 Dictionary Of Keys based sparse matrix.

This is an efficient structure for constructing sparse matrices incrementally.

This can be instantiated in several ways:

dok_matrix(D)

with a dense matrix, D

dok_matrix(S) with a sparse matrix, S

dok_matrix((M,N), [dtype])

create the matrix with initial shape (M,N) dtype is optional, defaulting to dtype='d'

Notes

Sparse matrices can be used in arithmetic operations: they support addition, subtraction, multiplication, division, and matrix power.

Allows for efficient O(1) access of individual elements. Duplicates are not allowed. Can be efficiently converted to a `coo_matrix` once constructed.

Examples

```
>>> from scipy.sparse import *
>>> from scipy import *
>>> S = dok_matrix((5,5), dtype=float32)
>>> for i in range(5):
>>>     for j in range(5):
>>>         S[i,j] = i+j # Update element
```

Attributes

<code>dtype</code>	(dtype) Data type of the matrix
<code>shape</code>	(2-tuple) Shape of the matrix
<code>ndim</code>	(int) Number of dimensions (this is always 2)
<code>nnz</code>	Number of nonzero elements

Methods

<code>asformat(format)</code>	Return this matrix in a given sparse format
<code>asfptype()</code>	Upcast matrix to a floating point format (if necessary)
<code>astype(t)</code>	
<code>clear()</code>	-> None. Remove all items from D.)
<code>conj()</code>	
<code>conjtransp()</code>	Return the conjugate transpose
<code>conjugate()</code>	
<code>copy()</code>	
<code>diagonal()</code>	Returns the main diagonal of the matrix
Continued on next page	

Table 5.129 – continued from previous page

<code>dot(other)</code>	
<code>fromkeys(...)</code>	<code>v</code> defaults to <code>None</code> .
<code>get(key[, default])</code>	This overrides the <code>dict.get</code> method, providing type checking
<code>getH()</code>	
<code>get_shape()</code>	
<code>getcol(j)</code>	Returns a copy of column <code>j</code> of the matrix, as an $(m \times 1)$ sparse
<code>getformat()</code>	
<code>getmaxprint()</code>	
<code>getnnz()</code>	
<code>getrow(i)</code>	Returns a copy of row <code>i</code> of the matrix, as a $(1 \times n)$ sparse
<code>has_key((k) -> True if D has a key k, else False)</code>	
<code>items()</code> -> list of D's (key, value) pairs, ...)	
<code>iteritems()</code> -> an iterator over the (key, ...)	
<code>iterkeys()</code> -> an iterator over the keys of D)	
<code>itervalues(...)</code>	
<code>keys()</code> -> list of D's keys)	
<code>mean([axis])</code>	Average the matrix over the given axis.
<code>multiply(other)</code>	Point-wise multiplication by another matrix
<code>nonzero()</code>	nonzero indices
<code>pop((k[,d]) -> v, ...)</code>	If key is not found, <code>d</code> is returned if given, otherwise <code>KeyError</code> is raised
<code>popitem()</code> -> (k, v), ...)	2-tuple; but raise <code>KeyError</code> if D is empty.
<code>reshape(shape)</code>	
<code>resize(shape)</code>	Resize the matrix in-place to dimensions given by 'shape'.
<code>set_shape(shape)</code>	
<code>setdefault((k[,d]) -> D.get(k,d), ...)</code>	
<code>setdiag(values[, k])</code>	Fills the diagonal elements <code>{a_{ii}}</code> with the values from the given sequence.
<code>split(cols_or_rows[, columns])</code>	
<code>sum([axis])</code>	Sum the matrix over the given axis.
<code>take(cols_or_rows[, columns])</code>	
<code>toarray([order, out])</code>	See the docstring for <code>spmatrix.toarray</code> .
<code>tobsr([blocksize])</code>	
<code>tocoo()</code>	Return a copy of this matrix in COOrdinate format
<code>tocsc()</code>	Return a copy of this matrix in Compressed Sparse Column format
<code>tocsr()</code>	Return a copy of this matrix in Compressed Sparse Row format
<code>todense([order, out])</code>	Return a dense matrix representation of this matrix.
<code>todia()</code>	
<code>todok([copy])</code>	
<code>tolil()</code>	
<code>transpose()</code>	Return the transpose
<code>update((E, ...)</code>	If <code>E</code> present and has a <code>.keys()</code> method, does: for <code>k</code> in <code>E</code> : <code>D[k] = E[k]</code>
<code>values()</code> -> list of D's values)	
<code>viewitems(...)</code>	
<code>viewkeys(...)</code>	
<code>viewvalues(...)</code>	

`dok_matrix.asformat` (*format*)

Return this matrix in a given sparse format

Parameters `format` : {string, None}

desired sparse matrix format

- None for no format conversion
- “csr” for csr_matrix format
- “csc” for csc_matrix format
- “lil” for lil_matrix format
- “dok” for dok_matrix format and so on

`dok_matrix.asfptype()`

Upcast matrix to a floating point format (if necessary)

`dok_matrix.astype(t)`

`dok_matrix.clear()` → None. Remove all items from D.

`dok_matrix.conj()`

`dok_matrix.conjtransp()`

Return the conjugate transpose

`dok_matrix.conjugate()`

`dok_matrix.copy()`

`dok_matrix.diagonal()`

Returns the main diagonal of the matrix

`dok_matrix.dot(other)`

static `dok_matrix.fromkeys(S[, v])` → New dict with keys from S and values equal to v.
v defaults to None.

`dok_matrix.get(key, default=0.0)`

This overrides the dict.get method, providing type checking but otherwise equivalent functionality.

`dok_matrix.getH()`

`dok_matrix.get_shape()`

`dok_matrix.getcol(j)`

Returns a copy of column j of the matrix, as an (m x 1) sparse matrix (column vector).

`dok_matrix.getformat()`

`dok_matrix.getmaxprint()`

`dok_matrix.getnnz()`

`dok_matrix.getrow(i)`

Returns a copy of row i of the matrix, as a (1 x n) sparse matrix (row vector).

`dok_matrix.has_key(k)` → True if D has a key k, else False

`dok_matrix.items()` → list of D's (key, value) pairs, as 2-tuples

`dok_matrix.iteritems()` → an iterator over the (key, value) items of D

`dok_matrix.iterkeys()` → an iterator over the keys of D

`dok_matrix.itervalues()` → an iterator over the values of D

`dok_matrix.keys()` → list of D's keys

`dok_matrix.mean(axis=None)`

Average the matrix over the given axis. If the axis is None, average over both rows and columns, returning a scalar.

`dok_matrix.multiply(other)`

Point-wise multiplication by another matrix

`dok_matrix.nonzero()`

nonzero indices

Returns a tuple of arrays (row,col) containing the indices of the non-zero elements of the matrix.

Examples

```
>>> from scipy.sparse import csr_matrix
>>> A = csr_matrix([[1, 2, 0], [0, 0, 3], [4, 0, 5]])
>>> A.nonzero()
(array([0, 0, 1, 2, 2]), array([0, 1, 2, 0, 2]))
```

`dok_matrix.pop(k[, d])` → v, remove specified key and return the corresponding value.

If key is not found, d is returned if given, otherwise `KeyError` is raised

`dok_matrix.popitem()` → (k, v), remove and return some (key, value) pair as a

2-tuple; but raise `KeyError` if D is empty.

`dok_matrix.reshape(shape)`

`dok_matrix.resize(shape)`

Resize the matrix in-place to dimensions given by 'shape'.

Any non-zero elements that lie outside the new shape are removed.

`dok_matrix.set_shape(shape)`

`dok_matrix.setdefault(k[, d])` → D.get(k,d), also set D[k]=d if k not in D

`dok_matrix.setdiag(values, k=0)`

Fills the diagonal elements {a_{ii}} with the values from the given sequence. If k != 0, fills the off-diagonal elements {a_{i,i+k}} instead.

values may have any length. If the diagonal is longer than values, then the remaining diagonal entries will not be set. If values is longer than the diagonal, then the remaining values are ignored.

`dok_matrix.split(cols_or_rows, columns=1)`

`dok_matrix.sum (axis=None)`
Sum the matrix over the given axis. If the axis is None, sum over both rows and columns, returning a scalar.

`dok_matrix.take (cols_or_rows, columns=1)`

`dok_matrix.toarray (order=None, out=None)`
See the docstring for `spmatrix.toarray`.

`dok_matrix.tobsr (blocksize=None)`

`dok_matrix.tocoo ()`
Return a copy of this matrix in COOrdinate format

`dok_matrix.tocsc ()`
Return a copy of this matrix in Compressed Sparse Column format

`dok_matrix.tocsr ()`
Return a copy of this matrix in Compressed Sparse Row format

`dok_matrix.todense (order=None, out=None)`
Return a dense matrix representation of this matrix.

Parameters

- order** : {'C', 'F'}, optional
Whether to store multi-dimensional data in C (row-major) or Fortran (column-major) order in memory. The default is 'None', indicating the NumPy default of C-ordered. Cannot be specified in conjunction with the *out* argument.
- out** : ndarray, 2-dimensional, optional
If specified, uses this array (or `numpy.matrix`) as the output buffer instead of allocating a new array to return. The provided array must have the same shape and dtype as the sparse matrix on which you are calling the method.

Returns

- arr** : `numpy.matrix`, 2-dimensional
A NumPy matrix object with the same shape and containing the same data represented by the sparse matrix, with the requested memory order. If *out* was passed and was an array (rather than a `numpy.matrix`), it will be filled with the appropriate values and returned wrapped in a `numpy.matrix` object that shares the same memory.

`dok_matrix.todia ()`

`dok_matrix.todok (copy=False)`

`dok_matrix.tolil ()`

`dok_matrix.transpose ()`
Return the transpose

`dok_matrix.update ([E], **F) → None`. Update D from dict/iterable E and F.
If E present and has a `.keys()` method, does: for k in E: D[k] = E[k] If E present and lacks `.keys()` method, does: for (k, v) in E: D[k] = v In either case, this is followed by: for k in F: D[k] = F[k]

`dok_matrix.values () → list of D's values`

`dok_matrix.viewitems()` → a set-like object providing a view on D's items

`dok_matrix.viewkeys()` → a set-like object providing a view on D's keys

`dok_matrix.viewvalues()` → an object providing a view on D's values

class `scipy.sparse.lil_matrix` (*arg1*, *shape=None*, *dtype=None*, *copy=False*)
 Row-based linked list sparse matrix

This is an efficient structure for constructing sparse matrices incrementally.

This can be instantiated in several ways:

`lil_matrix(D)` with a dense matrix or rank-2 ndarray D

`lil_matrix(S)` with another sparse matrix S (equivalent to `S.tolil()`)

`lil_matrix((M, N), [dtype])`

to construct an empty matrix with shape (M, N) dtype is optional, defaulting to `dtype='d'`.

Notes

Sparse matrices can be used in arithmetic operations: they support addition, subtraction, multiplication, division, and matrix power.

Advantages of the LIL format

- supports flexible slicing
- changes to the matrix sparsity structure are efficient

Disadvantages of the LIL format

- arithmetic operations LIL + LIL are slow (consider CSR or CSC)
- slow column slicing (consider CSC)
- slow matrix vector products (consider CSR or CSC)

Intended Usage

- LIL is a convenient format for constructing sparse matrices
- once a matrix has been constructed, convert to CSR or CSC format for fast arithmetic and matrix vector operations
- consider using the COO format when constructing large matrices

Data Structure

- An array (`self.rows`) of rows, each of which is a sorted list of column indices of non-zero elements.
- The corresponding nonzero values are stored in similar fashion in `self.data`.

Attributes

<code>dtype</code>	(dtype) Data type of the matrix
<code>shape</code>	(2-tuple) Shape of the matrix
<code>ndim</code>	(int) Number of dimensions (this is always 2)
<code>nnz</code>	Number of nonzero elements
<code>data</code>	LIL format data array of the matrix
<code>rows</code>	LIL format row index array of the matrix

Methods

<code>asformat(format)</code>	Return this matrix in a given sparse format
<code>asfptype()</code>	Ucast matrix to a floating point format (if necessary)
<code>astype(t)</code>	
<code>conj()</code>	
<code>conjugate()</code>	
<code>copy()</code>	
<code>diagonal()</code>	Returns the main diagonal of the matrix
<code>dot(other)</code>	
<code>getH()</code>	
<code>get_shape()</code>	
<code>getcol(j)</code>	Returns a copy of column <i>j</i> of the matrix, as an (m x 1) sparse
<code>getformat()</code>	
<code>getmaxprint()</code>	
<code>getnnz()</code>	
<code>getrow(i)</code>	Returns a copy of the ‘i’th row.
<code>getrowview(i)</code>	Returns a view of the ‘i’th row (without copying).
<code>mean([axis])</code>	Average the matrix over the given axis.
<code>multiply(other)</code>	Point-wise multiplication by another matrix
<code>nonzero()</code>	nonzero indices
<code>reshape(shape)</code>	
<code>set_shape(shape)</code>	
<code>setdiag(values[, k])</code>	Fills the diagonal elements {a _{ii} } with the values from the given sequence.
<code>sum([axis])</code>	Sum the matrix over the given axis.
<code>toarray([order, out])</code>	See the docstring for <code>spmatrix.toarray</code> .
<code>tobsr([blocksize])</code>	
<code>tocoo()</code>	
<code>tocsc()</code>	Return Compressed Sparse Column format arrays for this matrix.
<code>tocsr()</code>	Return Compressed Sparse Row format arrays for this matrix.
<code>todense([order, out])</code>	Return a dense matrix representation of this matrix.
<code>todia()</code>	
<code>todok()</code>	
<code>tolil([copy])</code>	
<code>transpose()</code>	

`lil_matrix.asformat(format)`

Return this matrix in a given sparse format

Parameters **format** : {string, None}
desired sparse matrix format

- None for no format conversion
- “csr” for `csr_matrix` format
- “csc” for `csc_matrix` format
- “lil” for `lil_matrix` format
- “dok” for `dok_matrix` format and so on

`lil_matrix.asfptype()`

Ucast matrix to a floating point format (if necessary)

`lil_matrix.astype(t)`

`lil_matrix.conj()`

`lil_matrix.conjugate()`

`lil_matrix.copy()`

`lil_matrix.diagonal()`
Returns the main diagonal of the matrix

`lil_matrix.dot(other)`

`lil_matrix.getH()`

`lil_matrix.get_shape()`

`lil_matrix.getcol(j)`
Returns a copy of column *j* of the matrix, as an (*m* x 1) sparse matrix (column vector).

`lil_matrix.getformat()`

`lil_matrix.getmaxprint()`

`lil_matrix.getnnz()`

`lil_matrix.getrow(i)`
Returns a copy of the *i*'th row.

`lil_matrix.getrowview(i)`
Returns a view of the *i*'th row (without copying).

`lil_matrix.mean(axis=None)`
Average the matrix over the given axis. If the axis is *None*, average over both rows and columns, returning a scalar.

`lil_matrix.multiply(other)`
Point-wise multiplication by another matrix

`lil_matrix.nonzero()`
nonzero indices
Returns a tuple of arrays (row,col) containing the indices of the non-zero elements of the matrix.

Examples

```
>>> from scipy.sparse import csr_matrix
>>> A = csr_matrix([[1, 2, 0], [0, 0, 3], [4, 0, 5]])
>>> A.nonzero()
(array([0, 0, 1, 2, 2]), array([0, 1, 2, 0, 2]))
```

`lil_matrix.reshape(shape)`

`lil_matrix.set_shape(shape)`

`lil_matrix.setdiag` (*values*, *k=0*)

Fills the diagonal elements `{a_ii}` with the values from the given sequence. If `k != 0`, fills the off-diagonal elements `{a_{i,i+k}}` instead.

values may have any length. If the diagonal is longer than *values*, then the remaining diagonal entries will not be set. If *values* is longer than the diagonal, then the remaining values are ignored.

`lil_matrix.sum` (*axis=None*)

Sum the matrix over the given axis. If the axis is `None`, sum over both rows and columns, returning a scalar.

`lil_matrix.toarray` (*order=None*, *out=None*)

See the docstring for `spmatrix.toarray`.

`lil_matrix.tobsr` (*blocksize=None*)

`lil_matrix.tocoo` ()

`lil_matrix.tocsc` ()

Return Compressed Sparse Column format arrays for this matrix.

`lil_matrix.tocsr` ()

Return Compressed Sparse Row format arrays for this matrix.

`lil_matrix.todense` (*order=None*, *out=None*)

Return a dense matrix representation of this matrix.

Parameters **order** : {'C', 'F'}, optional

Whether to store multi-dimensional data in C (row-major) or Fortran (column-major) order in memory. The default is 'None', indicating the NumPy default of C-ordered. Cannot be specified in conjunction with the *out* argument.

out : ndarray, 2-dimensional, optional

If specified, uses this array (or `numpy.matrix`) as the output buffer instead of allocating a new array to return. The provided array must have the same shape and dtype as the sparse matrix on which you are

Returns **arr** : `numpy.matrix`, 2-dimensional

calling the method.
A NumPy matrix object with the same shape and containing the same data represented by the sparse matrix, with the requested memory order. If *out* was passed and was an array (rather than a `numpy.matrix`), it will be filled with the appropriate values and returned wrapped in a `numpy.matrix` object that shares the same memory.

`lil_matrix.todia` ()

`lil_matrix.todok` ()

`lil_matrix.tolil` (*copy=False*)

`lil_matrix.transpose` ()

Functions

Building sparse matrices:

<code>eye(m[, n, k, dtype, format])</code>	Sparse matrix with ones on diagonal
<code>identity(n[, dtype, format])</code>	Identity matrix in sparse format
<code>kron(A, B[, format])</code>	kronecker product of sparse matrices A and B
<code>kronsum(A, B[, format])</code>	kronecker sum of sparse matrices A and B
<code>diags(diagonals, offsets[, shape, format, dtype])</code>	Construct a sparse matrix from diagonals.
<code>spdiags(data, diags, m, n[, format])</code>	Return a sparse matrix from diagonals.
<code>block_diag(mats[, format, dtype])</code>	Build a block diagonal sparse matrix from provided matrices.
<code>tril(A[, k, format])</code>	Return the lower triangular portion of a matrix in sparse format
<code>triu(A[, k, format])</code>	Return the upper triangular portion of a matrix in sparse format
<code>bmat(blocks[, format, dtype])</code>	Build a sparse matrix from sparse sub-blocks
<code>hstack(blocks[, format, dtype])</code>	Stack sparse matrices horizontally (column wise)
<code>vstack(blocks[, format, dtype])</code>	Stack sparse matrices vertically (row wise)
<code>rand(m, n[, density, format, dtype])</code>	Generate a sparse matrix of the given shape and density with uniformly distributed elements

`scipy.sparse.eye(m, n=None, k=0, dtype=<type 'float'>, format=None)`

Sparse matrix with ones on diagonal

Returns a sparse (m x n) matrix where the k-th diagonal is all ones and everything else is zeros.

Parameters

- n** : integer
Number of rows in the matrix.
- m** : integer, optional
Number of columns. Default: n
- k** : integer, optional
Diagonal to place ones on. Default: 0 (main diagonal)
- dtype** :
Data type of the matrix
- format** : string
Sparse format of the result, e.g. format="csr", etc.

Examples

```
>>> from scipy import sparse
>>> sparse.eye(3).todense()
matrix([[ 1.,  0.,  0.],
        [ 0.,  1.,  0.],
        [ 0.,  0.,  1.]])
>>> sparse.eye(3, dtype=np.int8)
<3x3 sparse matrix of type '<type 'numpy.int8'>'
with 3 stored elements (1 diagonals) in DIAgonal format>
```

`scipy.sparse.identity(n, dtype='d', format=None)`

Identity matrix in sparse format

Returns an identity matrix with shape (n,n) using a given sparse format and dtype.

Parameters

- n** : integer
Shape of the identity matrix.
- dtype** :
Data type of the matrix
- format** : string
Sparse format of the result, e.g. format="csr", etc.

Examples

```
>>> identity(3).todense()
matrix([[ 1.,  0.,  0.],
        [ 0.,  1.,  0.],
        [ 0.,  0.,  1.]])
>>> identity(3, dtype='int8', format='dia')
<3x3 sparse matrix of type '<type 'numpy.int8'>'
  with 3 stored elements (1 diagonals) in DIAgonal format>
```

`scipy.sparse.kron` (*A*, *B*, *format=None*)
 Kronecker product of sparse matrices *A* and *B*

Parameters

- A** : sparse or dense matrix
 first matrix of the product
- B** : sparse or dense matrix
 second matrix of the product
- format** : string
 format of the result (e.g. "csr")

Returns **kronecker product in a sparse matrix format :**

Examples

```
>>> A = csr_matrix(array([[0,2],[5,0]]))
>>> B = csr_matrix(array([[1,2],[3,4]]))
>>> kron(A,B).todense()
matrix([[ 0,  0,  2,  4],
        [ 0,  0,  6,  8],
        [ 5, 10,  0,  0],
        [15, 20,  0,  0]])
```

```
>>> kron(A, [[1,2],[3,4]]).todense()
matrix([[ 0,  0,  2,  4],
        [ 0,  0,  6,  8],
        [ 5, 10,  0,  0],
        [15, 20,  0,  0]])
```

`scipy.sparse.kronsum` (*A*, *B*, *format=None*)
 Kronecker sum of sparse matrices *A* and *B*

Kronecker sum of two sparse matrices is a sum of two Kronecker products $\text{kron}(I_n, A) + \text{kron}(B, I_m)$ where *A* has shape (*m*,*m*) and *B* has shape (*n*,*n*) and *I_m* and *I_n* are identity matrices of shape (*m*,*m*) and (*n*,*n*) respectively.

Parameters

- A** :
 square matrix
- B** :
 square matrix
- format** : string
 format of the result (e.g. "csr")

Returns **kronecker sum in a sparse matrix format :**

`scipy.sparse.diags` (*diagonals*, *offsets*, *shape=None*, *format=None*, *dtype=None*)
 Construct a sparse matrix from diagonals. New in version 0.11.

Parameters

- diagonals** : sequence of array_like
 Sequence of arrays containing the matrix diagonals, corresponding to *offsets*.
- offsets** : sequence of int

Diagonals to set:

- k = 0 the main diagonal
- k > 0 the k-th upper diagonal
- k < 0 the k-th lower diagonal

shape : tuple of int, optional
 Shape of the result. If omitted, a square matrix large enough to contain the diagonals is returned.

format : {"dia", "csr", "csc", "lil", ...}, optional
 Matrix format of the result. By default (format=None) an appropriate sparse matrix format is returned. This choice is subject to change.

dtype : dtype, optional
 Data type of the matrix.

See Also

[*spdiags*](#) construct matrix from diagonals

Notes

This function differs from [*spdiags*](#) in the way it handles off-diagonals.

The result from [*diags*](#) is the sparse equivalent of:

```
np.diag(diagonals[0], offsets[0])
+ ...
+ np.diag(diagonals[k], offsets[k])
```

Repeated diagonal offsets are disallowed.

Examples

```
>>> diagonals = [[1,2,3,4], [1,2,3], [1,2]]
>>> diags(diagonals, [0, -1, 2]).todense()
matrix([[1, 0, 1, 0],
        [1, 2, 0, 2],
        [0, 2, 3, 0],
        [0, 0, 3, 4]])
```

Broadcasting of scalars is supported (but shape needs to be specified):

```
>>> diags([1, -2, 1], [-1, 0, 1], shape=(4, 4)).todense()
matrix([[ -2.,  1.,  0.,  0.],
        [  1., -2.,  1.,  0.],
        [  0.,  1., -2.,  1.],
        [  0.,  0.,  1., -2.]])
```

If only one diagonal is wanted (as in [*numpy.diag*](#)), the following works as well:

```
>>> diags([1, 2, 3], 1).todense()
matrix([[ 0.,  1.,  0.,  0.],
        [ 0.,  0.,  2.,  0.],
        [ 0.,  0.,  0.,  3.],
        [ 0.,  0.,  0.,  0.]])
```

`scipy.sparse.spdiags` (*data, diags, m, n, format=None*)
 Return a sparse matrix from diagonals.

Parameters

- data** : array_like
matrix diagonals stored row-wise
- diags** : diagonals to set
 - $k = 0$ the main diagonal
 - $k > 0$ the k -th upper diagonal
 - $k < 0$ the k -th lower diagonal
- m, n** : int
shape of the result
- format** : format of the result (e.g. “csr”)
 - By default (format=None) an appropriate sparse matrix format is returned.
 - This choice is subject to change.

See Also

[diags](#) more convenient form of this function
[dia_matrix](#) the sparse DIAgonal format.

Examples

```
>>> data = array([[1, 2, 3, 4], [1, 2, 3, 4], [1, 2, 3, 4]])
>>> diags = array([0, -1, 2])
>>> spdiags(data, diags, 4, 4).todense()
matrix([[1, 0, 3, 0],
        [1, 2, 0, 4],
        [0, 2, 3, 0],
        [0, 0, 3, 4]])
```

`scipy.sparse.block_diag(mats, format=None, dtype=None)`

Build a block diagonal sparse matrix from provided matrices. New in version 0.11.0.

Parameters

- A, B, ...** : sequence of matrices
Input matrices.
- format** : str, optional
The sparse format of the result (e.g. “csr”). If not given, the matrix is returned in “coo” format.
- dtype** : dtype specifier, optional
The data-type of the output matrix. If not given, the dtype is determined from that of *blocks*.

Returns

- res** : sparse matrix

See Also

[bmat](#), [diags](#)

Examples

```
>>> A = coo_matrix([[1, 2], [3, 4]])
>>> B = coo_matrix([[5], [6]])
>>> C = coo_matrix([[7]])
>>> block_diag((A, B, C)).todense()
matrix([[1, 2, 0, 0],
        [3, 4, 0, 0],
        [0, 0, 5, 0],
        [0, 0, 6, 0],
        [0, 0, 0, 7]])
```

`scipy.sparse.tril(A, k=0, format=None)`

Return the lower triangular portion of a matrix in sparse format

Returns the elements on or below the k-th diagonal of the matrix A.

- k = 0 corresponds to the main diagonal
- k > 0 is above the main diagonal
- k < 0 is below the main diagonal

Parameters **A** : dense or sparse matrix
 Matrix whose lower triangular portion is desired.

k : integer
 The top-most diagonal of the lower triangle.

format : string
 Sparse format of the result, e.g. format="csr", etc.

Returns **L** : sparse matrix
 Lower triangular portion of A in sparse format.

See Also

`triu` upper triangle in sparse format

Examples

```
>>> from scipy.sparse import csr_matrix
>>> A = csr_matrix( [[1,2,0,0,3],[4,5,0,6,7],[0,0,8,9,0]], dtype='int32' )
>>> A.todense()
matrix([[1, 2, 0, 0, 3],
        [4, 5, 0, 6, 7],
        [0, 0, 8, 9, 0]])
>>> tril(A).todense()
matrix([[1, 0, 0, 0, 0],
        [4, 5, 0, 0, 0],
        [0, 0, 8, 0, 0]])
>>> tril(A).nnz
4
>>> tril(A, k=1).todense()
matrix([[1, 2, 0, 0, 0],
        [4, 5, 0, 0, 0],
        [0, 0, 8, 9, 0]])
>>> tril(A, k=-1).todense()
matrix([[0, 0, 0, 0, 0],
        [4, 0, 0, 0, 0],
        [0, 0, 0, 0, 0]])
>>> tril(A, format='csc')
<3x5 sparse matrix of type '<type 'numpy.int32'>'
with 4 stored elements in Compressed Sparse Column format>
```

`scipy.sparse.triu(A, k=0, format=None)`

Return the upper triangular portion of a matrix in sparse format

Returns the elements on or above the k-th diagonal of the matrix A.

- k = 0 corresponds to the main diagonal
- k > 0 is above the main diagonal
- k < 0 is below the main diagonal

Parameters **A** : dense or sparse matrix
 Matrix whose upper triangular portion is desired.

k : integer
 The bottom-most diagonal of the upper triangle.

Returns **format** : string
 Sparse format of the result, e.g. format="csr", etc.
L : sparse matrix
 Upper triangular portion of A in sparse format.

See Also

tril lower triangle in sparse format

Examples

```
>>> from scipy.sparse import csr_matrix
>>> A = csr_matrix( [[1,2,0,0,3],[4,5,0,6,7],[0,0,8,9,0]], dtype='int32' )
>>> A.todense()
matrix([[1, 2, 0, 0, 3],
        [4, 5, 0, 6, 7],
        [0, 0, 8, 9, 0]])
>>> triu(A).todense()
matrix([[1, 2, 0, 0, 3],
        [0, 5, 0, 6, 7],
        [0, 0, 8, 9, 0]])
>>> triu(A).nnz
8
>>> triu(A, k=1).todense()
matrix([[0, 2, 0, 0, 3],
        [0, 0, 0, 6, 7],
        [0, 0, 0, 9, 0]])
>>> triu(A, k=-1).todense()
matrix([[1, 2, 0, 0, 3],
        [4, 5, 0, 6, 7],
        [0, 0, 8, 9, 0]])
>>> triu(A, format='csc')
<3x5 sparse matrix of type '<type 'numpy.int32'>'
with 8 stored elements in Compressed Sparse Column format>
```

`scipy.sparse.bmat` (*blocks, format=None, dtype=None*)

Build a sparse matrix from sparse sub-blocks

Parameters **blocks** : array_like
 Grid of sparse matrices with compatible shapes. An entry of None implies an all-zero matrix.
format : {'bsr', 'coo', 'csc', 'csr', 'dia', 'dok', 'lil'}, optional
 The sparse format of the result (e.g. "csr"). If not given, the matrix is returned in "coo" format.
dtype : dtype specifier, optional
 The data-type of the output matrix. If not given, the dtype is determined from that of *blocks*.
Returns **bmat** : sparse matrix
 A "coo" sparse matrix or type of sparse matrix identified by *format*.

See Also

`block_diag, diags`

Examples

```
>>> from scipy.sparse import coo_matrix, bmat
>>> A = coo_matrix([[1,2],[3,4]])
>>> B = coo_matrix([[5],[6]])
```

```
>>> C = coo_matrix([[7]])
>>> bmat( [[A,B],[None,C]] ).todense()
matrix([[1, 2, 5],
        [3, 4, 6],
        [0, 0, 7]])

>>> bmat( [[A,None],[None,C]] ).todense()
matrix([[1, 2, 0],
        [3, 4, 0],
        [0, 0, 7]])
```

`scipy.sparse.hstack` (*blocks, format=None, dtype=None*)
Stack sparse matrices horizontally (column wise)

Parameters

- blocks** : sequence of sparse matrices with compatible shapes
- format** : string
sparse format of the result (e.g. “csr”) by default an appropriate sparse matrix format is returned. This choice is subject to change.

See Also

vstack stack sparse matrices vertically (row wise)

Examples

```
>>> from scipy.sparse import coo_matrix, vstack
>>> A = coo_matrix([[1,2],[3,4]])
>>> B = coo_matrix([[5],[6]])
>>> hstack( [A,B] ).todense()
matrix([[1, 2, 5],
        [3, 4, 6]])
```

`scipy.sparse.vstack` (*blocks, format=None, dtype=None*)
Stack sparse matrices vertically (row wise)

Parameters

- blocks** : sequence of sparse matrices with compatible shapes
- format** : string
sparse format of the result (e.g. “csr”) by default an appropriate sparse matrix format is returned. This choice is subject to change.

See Also

hstack stack sparse matrices horizontally (column wise)

Examples

```
>>> from scipy.sparse import coo_matrix, vstack
>>> A = coo_matrix([[1,2],[3,4]])
>>> B = coo_matrix([[5],[6]])
>>> vstack( [A,B] ).todense()
matrix([[1, 2],
        [3, 4],
        [5, 6]])
```

`scipy.sparse.rand` (*m, n, density=0.01, format='coo', dtype=None*)
Generate a sparse matrix of the given shape and density with uniformly distributed values.

Parameters

- m, n** : int
shape of the matrix
- density** : real
density of the generated matrix: density equal to one means a full matrix, density of 0 means a matrix with no non-zero items.
- format** : str
sparse matrix format.
- dtype** : dtype
type of the returned matrix values.

Notes

Only float types are supported for now.

Identifying sparse matrices:

<code>issparse(x)</code>
<code>isspmatrix(x)</code>
<code>isspmatrix_csc(x)</code>
<code>isspmatrix_csr(x)</code>
<code>isspmatrix_bsr(x)</code>
<code>isspmatrix_lil(x)</code>
<code>isspmatrix_dok(x)</code>
<code>isspmatrix_coo(x)</code>
<code>isspmatrix_dia(x)</code>

`scipy.sparse.issparse(x)`

`scipy.sparse.isspmatrix(x)`

`scipy.sparse.isspmatrix_csc(x)`

`scipy.sparse.isspmatrix_csr(x)`

`scipy.sparse.isspmatrix_bsr(x)`

`scipy.sparse.isspmatrix_lil(x)`

`scipy.sparse.isspmatrix_dok(x)`

`scipy.sparse.isspmatrix_coo(x)`

`scipy.sparse.isspmatrix_dia(x)`

Submodules

<code>csgraph</code>

Continued on next page

Table 5.133 – continued from previous page

linalg

Compressed Sparse Graph Routines (`scipy.sparse.csgraph`) Fast graph algorithms based on sparse matrix representations.

<code>connected_components(csgraph[, directed, ...])</code>	Analyze the connected components of a sparse graph ..
<code>laplacian(csgraph[, normed, return_diag])</code>	Return the Laplacian matrix of a directed graph.
<code>shortest_path(csgraph[, method, directed, ...])</code>	Perform a shortest-path graph search on a positive directed or undirected graph
<code>dijkstra(csgraph[, directed, indices, ...])</code>	Dijkstra algorithm using Fibonacci Heaps
<code>floyd_warshall(csgraph[, directed, ...])</code>	Compute the shortest path lengths using the Floyd-Warshall algorithm
<code>bellman_ford(csgraph[, directed, indices, ...])</code>	Compute the shortest path lengths using the Bellman-Ford algorithm.
<code>johnson(csgraph[, directed, indices, ...])</code>	Compute the shortest path lengths using Johnson’s algorithm.
<code>breadth_first_order(csgraph, i_start[, ...])</code>	Return a breadth-first ordering starting with specified node.
<code>depth_first_order(csgraph, i_start[, ...])</code>	Return a depth-first ordering starting with specified node.
<code>breadth_first_tree(csgraph, i_start[, directed])</code>	Return the tree generated by a breadth-first search
<code>depth_first_tree(csgraph, i_start[, directed])</code>	Return a tree generated by a depth-first search.
<code>minimum_spanning_tree(csgraph[, overwrite])</code>	Return a minimum spanning tree of an undirected graph

Contents

`scipy.sparse.csgraph.connected_components` (*csgraph*, *directed=True*, *connection='weak'*, *return_labels=True*)

Analyze the connected components of a sparse graph New in version 0.11.0.

Parameters `csgraph` : array_like or sparse matrix

The N x N matrix representing the compressed sparse graph. The input `csgraph` will be converted to `csr` format for the calculation.

directed : bool, optional

If `True` (default), then operate on a directed graph: only move from point `i` to point `j` along paths `csgraph[i, j]`. If `False`, then find the shortest path on an undirected graph: the algorithm can progress from point `i` to `j` along `csgraph[i, j]` or `csgraph[j, i]`.

connection : str, optional

['weak'|'strong']. For directed graphs, the type of connection to use. Nodes `i` and `j` are strongly connected if a path exists both from `i` to `j` and from `j` to `i`. Nodes `i` and `j` are weakly connected if only one of these paths exists. If `directed == False`, this keyword is not referenced.

return_labels : str, optional

If `True` (default), then return the labels for each of the connected components.

Returns `n_components: int` :

The number of connected components.

`labels: ndarray` :

The length-N array of labels of the connected components.

`scipy.sparse.csgraph.laplacian` (*csgraph*, *normed=False*, *return_diag=False*)

Return the Laplacian matrix of a directed graph.

For non-symmetric graphs the out-degree is used in the computation.

Parameters `csgraph` : array_like or sparse matrix, 2 dimensions

compressed-sparse graph, with shape (N, N).

normed : bool, optional

If `True`, then compute normalized Laplacian.

Returns

- return_diag** : bool, optional
If True, then return diagonal as well as laplacian.
- lap** : ndarray
The N x N laplacian matrix of graph.
- diag** : ndarray
The length-N diagonal of the laplacian matrix. `diag` is returned only if `return_diag` is True.

Notes

The Laplacian matrix of a graph is sometimes referred to as the “Kirchoff matrix” or the “admittance matrix”, and is useful in many parts of spectral graph theory. In particular, the eigen-decomposition of the laplacian matrix can give insight into many properties of the graph.

For non-symmetric directed graphs, the laplacian is computed using the out-degree of each node.

Examples

```
>>> from scipy.sparse import csgraph
>>> G = np.arange(5) * np.arange(5)[:, np.newaxis]
>>> G
array([[ 0,  0,  0,  0,  0],
       [ 0,  1,  2,  3,  4],
       [ 0,  2,  4,  6,  8],
       [ 0,  3,  6,  9, 12],
       [ 0,  4,  8, 12, 16]])
>>> csgraph.laplacian(G, normed=False)
array([[ 0,  0,  0,  0,  0],
       [ 0,  9, -2, -3, -4],
       [ 0, -2, 16, -6, -8],
       [ 0, -3, -6, 21, -12],
       [ 0, -4, -8, -12, 24]])
```

```
scipy.sparse.csgraph.shortest_path(csgraph, method='auto', directed=True,
                                  return_predecessors=False, unweighted=False,
                                  overwrite=False)
```

Perform a shortest-path graph search on a positive directed or undirected graph.

Parameters

- csgraph** : array, matrix, or sparse matrix, 2 dimensions
The N x N array of distances representing the input graph.
- method** : string ['auto'|'FW'|'D'], optional
Algorithm to use for shortest paths. Options are:
 - 'auto'** – (default) select the best among 'FW', 'D', 'BF', or 'J' based on the input data.
 - 'FW'** – *Floyd-Warshall algorithm. Computational cost is approximately $O[N^3]$. The input csgraph will be converted to a dense representation.*
 - 'D'** – *Dijkstra's algorithm with Fibonacci heaps. Computational cost is approximately $O[N(N*k + N*\log(N))]$, where k is the average number of connected edges per node. The input csgraph will be converted to a csr representation.*
 - 'BF'** – *Bellman-Ford algorithm. This algorithm can be used when weights are negative. If a negative cycle is*

encountered, an error will be raised. Computational cost is approximately $O[N(N^2 k)]$, where k is the average number of connected edges per node. The input `csgraph` will be converted to a csr representation.

‘J’ – Johnson’s algorithm. Like the Bellman-Ford algorithm,

Johnson’s algorithm is designed for use when the weights are negative. It combines the Bellman-Ford algorithm with Dijkstra’s algorithm for faster computation.

directed : bool, optional
 If True (default), then find the shortest path on a directed graph: only move from point i to point j along paths `csgraph[i, j]`. If False, then find the shortest path on an undirected graph: the algorithm can progress from point i to j along `csgraph[i, j]` or `csgraph[j, i]`

return_predecessors : bool, optional
 If True, return the size (N, N) predecessor matrix

unweighted : bool, optional
 If True, then find unweighted distances. That is, rather than finding the path between each point such that the sum of weights is minimized, find the path such that the number of edges is minimized.

overwrite : bool, optional
 If True, overwrite `csgraph` with the result. This applies only if `method == ‘FW’` and `csgraph` is a dense, c -ordered array with `dtype=float64`.

Returns **dist_matrix** : ndarray
 The $N \times N$ matrix of distances between graph nodes. `dist_matrix[i,j]` gives the shortest distance from point i to point j along the graph.

predecessors : ndarray
 Returned only if `return_predecessors == True`. The $N \times N$ matrix of predecessors, which can be used to reconstruct the shortest paths. Row i of the predecessor matrix contains information on the shortest paths from point i : each entry `predecessors[i, j]` gives the index of the previous node in the path from point i to point j . If no path exists between point i and j , then `predecessors[i, j] = -9999`

Raises **NegativeCycleError** :
 if there are negative cycles in the graph

Notes

As currently implemented, Dijkstra’s algorithm and Johnson’s algorithm do not work for graphs with direction-dependent distances when `directed == False`. i.e., if `csgraph[i,j]` and `csgraph[j,i]` are non-equal edges, `method=‘D’` may yield an incorrect result.

`scipy.sparse.csgraph.dijkstra(csgraph, directed=True, indices=None, return_predecessors=False, unweighted=False)`

Dijkstra algorithm using Fibonacci Heaps

Parameters **csgraph** : array, matrix, or sparse matrix, 2 dimensions
 The $N \times N$ array of non-negative distances representing the input graph.

directed : bool, optional
 If True (default), then find the shortest path on a directed graph: only move from point i to point j along paths `csgraph[i, j]`. If False, then find the shortest path on an undirected graph: the algorithm can progress from point i to j along `csgraph[i, j]` or `csgraph[j, i]`

indices : array_like or int, optional
 if specified, only compute the paths for the points at the given indices.

return_predecessors : bool, optional
If True, return the size (N, N) predecessor matrix

unweighted : bool, optional
If True, then find unweighted distances. That is, rather than finding the path between each point such that the sum of weights is minimized, find the path such that the number of edges is minimized.

Returns **dist_matrix** : ndarray
The matrix of distances between graph nodes. `dist_matrix[i,j]` gives the shortest distance from point `i` to point `j` along the graph.

predecessors : ndarray
Returned only if `return_predecessors == True`. The matrix of predecessors, which can be used to reconstruct the shortest paths. Row `i` of the predecessor matrix contains information on the shortest paths from point `i`: each entry `predecessors[i, j]` gives the index of the previous node in the path from point `i` to point `j`. If no path exists between point `i` and `j`, then `predecessors[i, j] = -9999`

Notes

As currently implemented, Dijkstra's algorithm does not work for graphs with direction-dependent distances when `directed == False`. i.e., if `csgraph[i,j]` and `csgraph[j,i]` are not equal and both are nonzero, setting `directed=False` will not yield the correct result.

Also, this routine does not work for graphs with negative distances. Negative distances can lead to infinite cycles that must be handled by specialized algorithms such as Bellman-Ford's algorithm or Johnson's algorithm.

`scipy.sparse.csgraph.floyd_warshall` (*csgraph*, *directed=True*, *return_predecessors=False*, *unweighted=False*, *overwrite=False*)

Compute the shortest path lengths using the Floyd-Warshall algorithm

Parameters **csgraph** : array, matrix, or sparse matrix, 2 dimensions
The N x N array of distances representing the input graph.

directed : bool, optional
If True (default), then find the shortest path on a directed graph: only move from point `i` to point `j` along paths `csgraph[i, j]`. If False, then find the shortest path on an undirected graph: the algorithm can progress from point `i` to `j` along `csgraph[i, j]` or `csgraph[j, i]`

return_predecessors : bool, optional
If True, return the size (N, N) predecessor matrix

unweighted : bool, optional
If True, then find unweighted distances. That is, rather than finding the path between each point such that the sum of weights is minimized, find the path such that the number of edges is minimized.

overwrite : bool, optional
If True, overwrite `csgraph` with the result. This applies only if `csgraph` is a dense, c-ordered array with `dtype=float64`.

Returns **dist_matrix** : ndarray
The N x N matrix of distances between graph nodes. `dist_matrix[i,j]` gives the shortest distance from point `i` to point `j` along the graph.

predecessors : ndarray
Returned only if `return_predecessors == True`. The N x N matrix of predecessors, which can be used to reconstruct the shortest paths. Row `i` of the predecessor matrix contains information on the shortest paths from point `i`: each entry `predecessors[i, j]` gives the index of the previous node in the path from point `i` to point `j`. If no path exists between point `i` and `j`, then `predecessors[i, j] = -9999`

Raises **NegativeCycleError** :
if there are negative cycles in the graph

`scipy.sparse.csgraph.bellman_ford` (*csgraph*, *directed=True*, *indices=None*, *return_predecessors=False*, *unweighted=False*)

Compute the shortest path lengths using the Bellman-Ford algorithm.

The Bellman-ford algorithm can robustly deal with graphs with negative weights. If a negative cycle is detected, an error is raised. For graphs without negative edge weights, `dijkstra`'s algorithm may be faster.

Parameters

- csgraph** : array, matrix, or sparse matrix, 2 dimensions
The N x N array of distances representing the input graph.
- directed** : bool, optional
If True (default), then find the shortest path on a directed graph: only move from point *i* to point *j* along paths `csgraph[i, j]`. If False, then find the shortest path on an undirected graph: the algorithm can progress from point *i* to *j* along `csgraph[i, j]` or `csgraph[j, i]`
- indices** : array_like or int, optional
if specified, only compute the paths for the points at the given indices.
- return_predecessors** : bool, optional
If True, return the size (N, N) predecessor matrix
- unweighted** : bool, optional
If True, then find unweighted distances. That is, rather than finding the path between each point such that the sum of weights is minimized, find the path such that the number of edges is minimized.

Returns

- dist_matrix** : ndarray
The N x N matrix of distances between graph nodes. `dist_matrix[i,j]` gives the shortest distance from point *i* to point *j* along the graph.
- predecessors** : ndarray
Returned only if `return_predecessors == True`. The N x N matrix of predecessors, which can be used to reconstruct the shortest paths. Row *i* of the predecessor matrix contains information on the shortest paths from point *i*: each entry `predecessors[i, j]` gives the index of the previous node in the path from point *i* to point *j*. If no path exists between point *i* and *j*, then `predecessors[i, j] = -9999`

Raises

- NegativeCycleError** :
if there are negative cycles in the graph

Notes

This routine is specially designed for graphs with negative edge weights. If all edge weights are positive, then Dijkstra's algorithm is a better choice.

`scipy.sparse.csgraph.johnson` (*csgraph*, *directed=True*, *indices=None*, *return_predecessors=False*, *unweighted=False*)

Compute the shortest path lengths using Johnson's algorithm.

Johnson's algorithm combines the Bellman-Ford algorithm and Dijkstra's algorithm to quickly find shortest paths in a way that is robust to the presence of negative cycles. If a negative cycle is detected, an error is raised. For graphs without negative edge weights, `dijkstra`() may be faster.

Parameters

- csgraph** : array, matrix, or sparse matrix, 2 dimensions
The N x N array of distances representing the input graph.
- directed** : bool, optional
If True (default), then find the shortest path on a directed graph: only move from point *i* to point *j* along paths `csgraph[i, j]`. If False, then find the shortest path on an undirected graph: the algorithm can progress from point *i* to *j* along `csgraph[i, j]` or `csgraph[j, i]`
- indices** : array_like or int, optional
if specified, only compute the paths for the points at the given indices.
- return_predecessors** : bool, optional

If True, return the size (N, N) predecessor matrix

unweighted : bool, optional
If True, then find unweighted distances. That is, rather than finding the path between each point such that the sum of weights is minimized, find the path such that the number of edges is minimized.

Returns **dist_matrix** : ndarray
The N x N matrix of distances between graph nodes. `dist_matrix[i,j]` gives the shortest distance from point i to point j along the graph.

predecessors : ndarray
Returned only if `return_predecessors == True`. The N x N matrix of predecessors, which can be used to reconstruct the shortest paths. Row i of the predecessor matrix contains information on the shortest paths from point i: each entry `predecessors[i, j]` gives the index of the previous node in the path from point i to point j. If no path exists between point i and j, then `predecessors[i, j] = -9999`

Raises **NegativeCycleError** :
if there are negative cycles in the graph

Notes

This routine is specially designed for graphs with negative edge weights. If all edge weights are positive, then Dijkstra's algorithm is a better choice.

```
scipy.sparse.csgraph.breadth_first_order(csgraph, i_start, directed=True, return_predecessors=True)
```

Return a breadth-first ordering starting with specified node.

Note that a breadth-first order is not unique, but the tree which it generates is unique. New in version 0.11.0.

Parameters **csgraph** : array_like or sparse matrix
The N x N compressed sparse graph. The input csgraph will be converted to csr format for the calculation.

i_start : int
The index of starting node.

directed : bool, optional
If True (default), then operate on a directed graph: only move from point i to point j along paths `csgraph[i, j]`. If False, then find the shortest path on an undirected graph: the algorithm can progress from point i to j along `csgraph[i, j]` or `csgraph[j, i]`.

return_predecessors : bool, optional
If True (default), then return the predecessor array (see below).

Returns **node_array** : ndarray, one dimension
The breadth-first list of nodes, starting with specified node. The length of `node_array` is the number of nodes reachable from the specified node.

predecessors : ndarray, one dimension
Returned only if `return_predecessors` is True. The length-N list of predecessors of each node in a breadth-first tree. If node i is in the tree, then its parent is given by `predecessors[i]`. If node i is not in the tree (and for the parent node) then `predecessors[i] = -9999`.

```
scipy.sparse.csgraph.depth_first_order(csgraph, i_start, directed=True, return_predecessors=True)
```

Return a depth-first ordering starting with specified node.

Note that a depth-first order is not unique. Furthermore, for graphs with cycles, the tree generated by a depth-first search is not unique either. New in version 0.11.0.

Parameters **csgraph** : array_like or sparse matrix

The $N \times N$ compressed sparse graph. The input `csgraph` will be converted to `csr` format for the calculation.

i_start : int

The index of starting node.

directed : bool, optional

If True (default), then operate on a directed graph: only move from point `i` to point `j` along paths `csgraph[i, j]`. If False, then find the shortest path on an undirected graph: the algorithm can progress from point `i` to `j` along `csgraph[i, j]` or `csgraph[j, i]`.

return_predecessors : bool, optional

If True (default), then return the predecessor array (see below).

Returns

node_array : ndarray, one dimension

The breadth-first list of nodes, starting with specified node. The length of `node_array` is the number of nodes reachable from the specified node.

predecessors : ndarray, one dimension

Returned only if `return_predecessors` is True. The length- N list of predecessors of each node in a breadth-first tree. If node `i` is in the tree, then its parent is given by `predecessors[i]`. If node `i` is not in the tree (and for the parent node) then `predecessors[i] = -9999`.

`scipy.sparse.csgraph.breadth_first_tree(csgraph, i_start, directed=True)`

Return the tree generated by a breadth-first search

Note that a breadth-first tree from a specified node is unique. New in version 0.11.0.

Parameters **csgraph** : array_like or sparse matrix

The $N \times N$ matrix representing the compressed sparse graph. The input `csgraph` will be converted to `csr` format for the calculation.

i_start : int

The index of starting node.

directed : bool, optional

If True (default), then operate on a directed graph: only move from point `i` to point `j` along paths `csgraph[i, j]`. If False, then find the shortest path on an undirected graph: the algorithm can progress from point `i` to `j` along `csgraph[i, j]` or `csgraph[j, i]`.


Returns

cstree : csr matrix

The $N \times N$ directed compressed-sparse representation of the breadth-first tree drawn from `csgraph`, starting at the specified node.

Examples

The following example shows the computation of a depth-first tree over a simple four-component graph, starting at node 0:



In compressed sparse representation, the solution looks like this:


```

>>> from scipy.sparse import csr_matrix
>>> from scipy.sparse.csgraph import breadth_first_tree
>>> X = csr_matrix([[0, 8, 0, 3],
...                 [0, 0, 2, 5],
...                 [0, 0, 0, 6],
...                 [0, 0, 0, 0]])
>>> Tcsr = breadth_first_tree(X, 0, directed=False)
>>> Tcsr.toarray().astype(int)
array([[0, 8, 0, 3],
       [0, 0, 2, 0],
       [0, 0, 0, 0],
       [0, 0, 0, 0]])
    
```

Note that the resulting graph is a Directed Acyclic Graph which spans the graph. A breadth-first tree from a given node is unique.

`scipy.sparse.csgraph.depth_first_tree` (*csgraph*, *i_start*, *directed=True*)


Return a tree generated by a depth-first search.

Note that a tree generated by a depth-first search is not unique: it depends on the order that the children of each node are searched. New in version 0.11.0.

Parameters	<p>csgraph : array_like or sparse matrix The N x N matrix representing the compressed sparse graph. The input csgraph will be converted to csr format for the calculation.</p> <p>i_start : int The index of starting node.</p> <p>directed : bool, optional If True (default), then operate on a directed graph: only move from point i to point j along paths csgraph[i, j]. If False, then find the shortest path on an undirected graph: the algorithm can progress from point i to j along csgraph[i, j] or csgraph[j, i].</p>
Returns	<p>cstree : csr matrix The N x N directed compressed-sparse representation of the depth-first tree drawn from csgraph, starting at the specified node.</p>

Examples

The following example shows the computation of a depth-first tree over a simple four-component graph, starting at node 0:



In compressed sparse representation, the solution looks like this:

```

>>> from scipy.sparse import csr_matrix
>>> from scipy.sparse.csgraph import depth_first_tree
>>> X = csr_matrix([[0, 8, 0, 3],
    
```

```

...           [0, 0, 2, 5],
...           [0, 0, 0, 6],
...           [0, 0, 0, 0]])
>>> Tcsr = depth_first_tree(X, 0, directed=False)
>>> Tcsr.toarray().astype(int)
array([[0, 8, 0, 0],
       [0, 0, 2, 0],
       [0, 0, 0, 6],
       [0, 0, 0, 0]])
    
```

Note that the resulting graph is a Directed Acyclic Graph which spans the graph. Unlike a breadth-first tree, a depth-first tree of a given graph is not unique if the graph contains cycles. If the above solution had begun with the edge connecting nodes 0 and 3, the result would have been different.

`scipy.sparse.csgraph.minimum_spanning_tree(csgraph, overwrite=False)`

Return a minimum spanning tree of an undirected graph

A minimum spanning tree is a graph consisting of the subset of edges which together connect all connected nodes, while minimizing the total sum of weights on the edges. This is computed using the Kruskal algorithm.

Parameters **csgraph: array_like or sparse matrix, 2 dimensions :**

The N x N matrix representing an undirected graph over N nodes (see notes below).

overwrite: bool, optional :

if true, then parts of the input graph will be overwritten for efficiency.

Returns

span_tree: csr matrix :


The N x N compressed-sparse representation of the undirected minimum spanning tree over the input (see notes below).

Notes

This routine uses undirected graphs as input and output. That is, if `graph[i, j]` and `graph[j, i]` are both zero, then nodes `i` and `j` do not have an edge connecting them. If either is nonzero, then the two are connected by the minimum nonzero value of the two.

Examples

The following example shows the computation of a minimum spanning tree over a simple four-component graph:



It is easy to see from inspection that the minimum spanning tree involves removing the edges with weights 8 and 6. In compressed sparse representation, the solution looks like this:

```

>>> from scipy.sparse import csr_matrix
>>> from scipy.sparse.csgraph import minimum_spanning_tree
>>> X = csr_matrix([[0, 8, 0, 3],
...                [0, 0, 2, 5],
    
```

```


...             [0, 0, 0, 6],
...             [0, 0, 0, 0]])
>>> Tcsr = minimum_spanning_tree(X)
>>> Tcsr.toarray().astype(int)
array([[0, 0, 0, 3],
       [0, 0, 2, 5],
       [0, 0, 0, 0],
       [0, 0, 0, 0]])

```

Graph Representations This module uses graphs which are stored in a matrix format. A graph with N nodes can be represented by an $(N \times N)$ adjacency matrix G . If there is a connection from node i to node j , then $G[i, j] = w$, where w is the weight of the connection. For nodes i and j which are not connected, the value depends on the representation:

- for dense array representations, non-edges are represented by $G[i, j] = 0$, infinity, or NaN.
- for dense masked representations (of type `np.ma.MaskedArray`), non-edges are represented by masked values. This can be useful when graphs with zero-weight edges are desired.
- for sparse array representations, non-edges are represented by non-entries in the matrix. This sort of sparse representation also allows for edges with zero weights.

As a concrete example, imagine that you would like to represent the following undirected graph:




This graph has three nodes, where node 0 and 1 are connected by an edge of weight 2, and nodes 0 and 2 are connected by an edge of weight 1. We can construct the dense, masked, and sparse representations as follows, keeping in mind that an undirected graph is represented by a symmetric matrix:

```

>>> G_dense = np.array([[0, 2, 1],
...                    [2, 0, 0],
...                    [1, 0, 0]])
>>> G_masked = np.ma.masked_values(G_dense, 0)
>>> from scipy.sparse import csr_matrix
>>> G_sparse = csr_matrix(G_dense)

```

This becomes more difficult when zero edges are significant. For example, consider the situation when we slightly modify the above graph:



This is identical to the previous graph, except nodes 0 and 2 are connected by an edge of zero weight. In this case, the dense representation above leads to ambiguities: how can non-edges be represented if zero is a meaningful value? In this case, either a masked or sparse representation must be used to eliminate the ambiguity:

```
>>> G2_data = np.array([[np.inf, 2,      0      ],
...                    [2,      np.inf, np.inf],
...                    [0,      np.inf, np.inf]])
>>> G2_masked = np.ma.masked_invalid(G2_data)
>>> from scipy.sparse.csgraph import csgraph_from_dense
>>> # G2_sparse = csr_matrix(G2_data) would give the wrong result
>>> G2_sparse = csgraph_from_dense(G2_data, null_value=np.inf)
>>> G2_sparse.data
array([ 2.,  0.,  2.,  0.]
```

Here we have used a utility routine from the `csgraph` submodule in order to convert the dense representation to a sparse representation which can be understood by the algorithms in submodule. By viewing the data array, we can see that the zero values are explicitly encoded in the graph.

Directed vs. Undirected Matrices may represent either directed or undirected graphs. This is specified throughout the `csgraph` module by a boolean keyword. Graphs are assumed to be directed by default. In a directed graph, traversal from node *i* to node *j* can be accomplished over the edge $G[i, j]$, but not the edge $G[j, i]$. In a non-directed graph, traversal from node *i* to node *j* can be accomplished over either $G[i, j]$ or $G[j, i]$. If both edges are not null, and the two have unequal weights, then the smaller of the two is used. Note that a symmetric matrix will represent an undirected graph, regardless of whether the ‘directed’ keyword is set to True or False. In this case, using `directed=True` generally leads to more efficient computation.

The routines in this module accept as input either `scipy.sparse` representations (`csr`, `csc`, or `lil` format), masked representations, or dense representations with non-edges indicated by zeros, infinities, and NaN entries.

Functions

<code>bellman_ford(csgraph[, directed, indices, ...])</code>	Compute the shortest path lengths using the Bellman-Ford algorithm.
<code>breadth_first_order(csgraph, i_start[, ...])</code>	Return a breadth-first ordering starting with specified node.
<code>breadth_first_tree(csgraph, i_start[, directed])</code>	Return the tree generated by a breadth-first search
<code>connected_components(csgraph[, directed, ...])</code>	Analyze the connected components of a sparse graph ..
<code>construct_dist_matrix(graph, predecessors[, ...])</code>	Construct distance matrix from a predecessor matrix
<code>cs_graph_components(*args, **kwargs)</code>	<code>cs_graph_components</code> is deprecated!
<code>csgraph_from_dense(graph[, null_value, ...])</code>	Construct a CSR-format sparse graph from a dense matrix.
<code>csgraph_from_masked(graph)</code>	Construct a CSR-format graph from a masked array.
<code>csgraph_masked_from_dense(graph[, ...])</code>	Construct a masked array graph representation from a dense matrix.
<code>csgraph_to_dense(csgraph[, null_value])</code>	Convert a sparse graph representation to a dense representation
<code>depth_first_order(csgraph, i_start[, ...])</code>	Return a depth-first ordering starting with specified node.
<code>depth_first_tree(csgraph, i_start[, directed])</code>	Return a tree generated by a depth-first search.
<code>dijkstra(csgraph[, directed, indices, ...])</code>	Dijkstra algorithm using Fibonacci Heaps
<code>floyd_warshall(csgraph[, directed, ...])</code>	Compute the shortest path lengths using the Floyd-Warshall algorithm
<code>johnson(csgraph[, directed, indices, ...])</code>	Compute the shortest path lengths using Johnson’s algorithm.
<code>laplacian(csgraph[, normed, return_diag])</code>	Return the Laplacian matrix of a directed graph.
<code>minimum_spanning_tree(csgraph[, overwrite])</code>	Return a minimum spanning tree of an undirected graph
<code>reconstruct_path(csgraph, predecessors[, ...])</code>	Construct a tree from a graph and a predecessor list.
<code>shortest_path(csgraph[, method, directed, ...])</code>	Perform a shortest-path graph search on a positive directed or undirected

Classes

Tester Nose test runner.

Exceptions

NegativeCycleError

Sparse linear algebra (`scipy.sparse.linalg`)

<code>LinearOperator(shape, matvec[, rmatvec, ...])</code>	Common interface for performing matrix vector products
<code>aslinearoperator(A)</code>	Return A as a LinearOperator.

Abstract linear operators

class `scipy.sparse.linalg.LinearOperator` (*shape*, *matvec*, *rmatvec=None*, *matmat=None*, *dtype=None*)

Common interface for performing matrix vector products

Many iterative methods (e.g. `cg`, `gmres`) do not need to know the individual entries of a matrix to solve a linear system $Ax=b$. Such solvers only require the computation of matrix vector products, $A*v$ where v is a dense vector. This class serves as an abstract interface between iterative solvers and matrix-like objects.

Parameters **shape** : tuple

Matrix dimensions (M,N)

matvec : callable f(v)

Returns returns $A * v$.

Other Parameters

rmatvec : callable f(v)

Returns $A^H * v$, where A^H is the conjugate transpose of A.

matmat : callable f(V)

Returns $A * V$, where V is a dense matrix with dimensions (N,K).

dtype : dtype

Data type of the matrix.

See Also

[`aslinearoperator`](#)

Construct LinearOperators

Notes

The user-defined `matvec()` function must properly handle the case where v has shape (N,) as well as the (N,1) case. The shape of the return type is handled internally by `LinearOperator`.

Examples

```
>>> from scipy.sparse.linalg import LinearOperator
>>> from scipy import *
>>> def mv(v):
...     return array([ 2*v[0], 3*v[1]])
...
>>> A = LinearOperator( (2,2), matvec=mv )
>>> A
<2x2 LinearOperator with unspecified dtype>
>>> A.matvec( ones(2) )
array([ 2.,  3.])
>>> A * ones(2)
array([ 2.,  3.])
```

Methods

<code>matmat(X)</code>	Matrix-matrix multiplication
<code>matvec(x)</code>	Matrix-vector multiplication

`LinearOperator.matmat(X)`
 Matrix-matrix multiplication

Performs the operation $y=A*X$ where A is an $M \times N$ linear operator and X dense $N \times K$ matrix or ndarray.

Parameters X : {matrix, ndarray}

Returns Y : {matrix, ndarray} An array with shape (N,K).

A matrix or ndarray with shape (M,K) depending on the type of the X argument.

Notes

This `matmat` wraps any user-specified `matmat` routine to ensure that y has the correct type.

`LinearOperator.matvec(x)`
 Matrix-vector multiplication

Performs the operation $y=A*x$ where A is an $M \times N$ linear operator and x is a column vector or rank-1 array.

Parameters x : {matrix, ndarray}

Returns y : {matrix, ndarray} An array with shape (N,) or (N,1).

A matrix or ndarray with shape (M,) or (M,1) depending on the type and shape of the x argument.

Notes

This `matvec` wraps the user-specified `matvec` routine to ensure that y has the correct shape and type.

`scipy.sparse.linalg.aslinearoperator(A)`

Return A as a `LinearOperator`.

'A' may be any of the following types:

- ndarray
- matrix
- sparse matrix (e.g. `csr_matrix`, `lil_matrix`, etc.)
- `LinearOperator`
- An object with `.shape` and `.matvec` attributes

See the `LinearOperator` documentation for additional information.

Examples

```
>>> from scipy import matrix
>>> M = matrix( [[1,2,3],[4,5,6]], dtype='int32' )
>>> aslinearoperator( M )
<2x3 LinearOperator with dtype=int32>
```

<code>inv(A)</code>	Compute the inverse of a sparse matrix ..
<code>expm(A)</code>	Compute the matrix exponential using Pade approximation.

Matrix Operations`scipy.sparse.linalg.inv(A)`

Compute the inverse of a sparse matrix New in version 0.12.0.

Parameters **A** : (M,M) ndarray or sparse matrix
Returns **Ainv** : (M,M) ndarray or sparse matrix
 square matrix to be inverted
 inverse of A

Notes

This computes the sparse inverse of A. If the inverse of A is expected to be non-sparse, it will likely be faster to convert A to dense and use `scipy.linalg.inv`.

`scipy.sparse.linalg.expm(A)`

Compute the matrix exponential using Pade approximation. New in version 0.12.0.

Parameters **A** : (M,M) array or sparse matrix
Returns **expA** : (M,M) ndarray
 2D Array or Matrix (sparse or dense) to be exponentiated
 Matrix exponential of A

References

N. J. Higham, "The Scaling and Squaring Method for the Matrix Exponential Revisited", SIAM. J. Matrix Anal. & Appl. 26, 1179 (2005).

Solving linear problems Direct methods for linear equation systems:

<code>spsolve(A, b[, permc_spec, use_umfpack])</code>	Solve the sparse linear system $Ax=b$, where b may be a vector or a matrix.
<code>factorized(A)</code>	Return a function for solving a sparse linear system, with A pre-factorized.

`scipy.sparse.linalg.spsolve(A, b, permc_spec=None, use_umfpack=True)`Solve the sparse linear system $Ax=b$, where b may be a vector or a matrix.

Parameters **A** : ndarray or sparse matrix
 The square matrix A will be converted into CSC or CSR form
b : ndarray or sparse matrix
 The matrix or vector representing the right hand side of the equation. If a vector, b.size must
permc_spec : str, optional
 How to permute the columns of the matrix for sparsity preservation. (default: 'COLAMD')

- NATURAL: natural ordering.
- MMD_ATA: minimum degree ordering on the structure of $A^T A$.
- MMD_AT_PLUS_A: minimum degree ordering on the structure of A^T+A .
- COLAMD: approximate minimum degree column ordering

use_umfpack : bool (optional)
 if True (default) then use umfpack for the solution. This is only referenced if b is a vector.
Returns **x** : ndarray or sparse matrix
 the solution of the sparse linear equation. If b is a vector, then x is a vector of size A.shape[1] If b is a matrix, then x is a matrix of size (A.shape[1], b.shape[1])

Notes

For solving the matrix expression $AX = B$, this solver assumes the resulting matrix X is sparse, as is often the case for very sparse inputs. If the resulting X is dense, the construction of this sparse result will be relatively expensive. In that case, consider converting A to a dense matrix and using `scipy.linalg.solve` or its variants.

`scipy.sparse.linalg.factorized(A)`

Return a fuction for solving a sparse linear system, with A pre-factorized.

Parameters A : (N, N) array_like

Returns `solve` : callable ^{Input.}

To solve the linear system of equations given in A , the `solve` callable should be passed an ndarray of shape (N,).

Examples

```
>>> A = np.array([[ 3. ,  2. , -1. ],
                 [ 2. , -2. ,  4. ],
                 [-1. ,  0.5, -1. ]])

>>> solve = factorized( A ) # Makes LU decomposition.

>>> rhs1 = np.array([1,-2,0])
>>> x1 = solve( rhs1 ) # Uses the LU factors.
array([ 1., -2., -2.])
```

Iterative methods for linear equation systems:

<code>bicg(A, b[, x0, tol, maxiter, xtype, M, ...])</code>	Use BIConjugate Gradient iteration to solve $Ax = b$
<code>bicgstab(A, b[, x0, tol, maxiter, xtype, M, ...])</code>	Use BIConjugate Gradient STABILized iteration to solve $Ax = b$
<code>cg(A, b[, x0, tol, maxiter, xtype, M, callback])</code>	Use Conjugate Gradient iteration to solve $Ax = b$
<code>cgs(A, b[, x0, tol, maxiter, xtype, M, callback])</code>	Use Conjugate Gradient Squared iteration to solve $Ax = b$
<code>gmres(A, b[, x0, tol, restart, maxiter, ...])</code>	Use Generalized Minimal RESidual iteration to solve $Ax = b$.
<code>lgmres(A, b[, x0, tol, maxiter, M, ...])</code>	Solve a matrix equation using the LGMRES algorithm.
<code>minres(A, b[, x0, shift, tol, maxiter, ...])</code>	Use MINimum RESidual iteration to solve $Ax=b$
<code>qmr(A, b[, x0, tol, maxiter, xtype, M1, M2, ...])</code>	Use Quasi-Minimal Residual iteration to solve $Ax = b$

`scipy.sparse.linalg.bicg(A, b, x0=None, tol=1e-05, maxiter=None, xtype=None, M=None, callback=None)`

Use BIConjugate Gradient iteration to solve $Ax = b$

Parameters A : {sparse matrix, dense matrix, LinearOperator}

The real or complex N-by-N matrix of the linear system It is required that the linear operator can produce Ax and $A^T x$.

b : {array, matrix}

Returns x : {array, matrix} ^{Right hand side of the linear system. Has shape (N,) or (N,1).}

The converged solution.

info : integer

Provides convergence information:

0 : successful exit >0 : convergence to tolerance not achieved, number of iterations <0 : illegal input or breakdown

Other Parameters

$x0$: {array, matrix}

Starting guess for the solution.

tol : float
Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.

maxiter : integer
Maximum number of iterations. Iteration will stop after maxiter steps even if the specified tolerance has not been achieved.

M : {sparse matrix, dense matrix, LinearOperator}
Preconditioner for A. The preconditioner should approximate the inverse of A. Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance.

callback : function
User-supplied function to call after each iteration. It is called as `callback(xk)`, where `xk` is the current solution vector.

xtype : {'f','d','F','D'}
This parameter is deprecated – avoid using it.
The type of the result. If None, then it will be determined from `A.dtype.char` and `b`. If A does not have a `typecode` method then it will compute `A.matvec(x0)` to get a typecode. To save the extra computation when A does not have a `typecode` attribute use `xtype=0` for the same type as `b` or use `xtype='f','d','F',`or `'D'`. This parameter has been superceded by `LinearOperator`.

`scipy.sparse.linalg.bicgstab(A, b, x0=None, tol=1e-05, maxiter=None, xtype=None, M=None, callback=None)`

Use BIConjugate Gradient STABILized iteration to solve $Ax = b$

Parameters **A** : {sparse matrix, dense matrix, LinearOperator}
The real or complex N-by-N matrix of the linear system A must represent a hermitian, positive definite matrix

b : {array, matrix}

Returns **x** : {array, matrix}
Right hand side of the linear system. Has shape (N,) or (N,1).
The converged solution.

info : integer
Provides convergence information:
0 : successful exit >0 : convergence to tolerance not achieved, number of iterations <0 : illegal input or breakdown

Other Parameters

x0 : {array, matrix}
Starting guess for the solution.

tol : float
Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.

maxiter : integer
Maximum number of iterations. Iteration will stop after maxiter steps even if the specified tolerance has not been achieved.

M : {sparse matrix, dense matrix, LinearOperator}
Preconditioner for A. The preconditioner should approximate the inverse of A. Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance.

callback : function

User-supplied function to call after each iteration. It is called as `callback(xk)`, where `xk` is the current solution vector.

xtype : {'f','d','F','D'}

This parameter is deprecated – avoid using it.

The type of the result. If `None`, then it will be determined from `A.dtype.char` and `b`. If `A` does not have a `typecode` method then it will compute `A.matvec(x0)` to get a `typecode`. To save the extra computation when `A` does not have a `typecode` attribute use `xtype=0` for the same type as `b` or use `xtype='f','d','F',`or `'D'`. This parameter has been superceded by `LinearOperator`.

`scipy.sparse.linalg.cg` (*A*, *b*, *x0=None*, *tol=1e-05*, *maxiter=None*, *xtype=None*, *M=None*, *callback=None*)

Use Conjugate Gradient iteration to solve $Ax = b$

Parameters **A** : {sparse matrix, dense matrix, `LinearOperator`}

The real or complex N -by- N matrix of the linear system A must represent a hermitian, positive definite matrix

b : {array, matrix}

Right hand side of the linear system. Has shape $(N,)$ or $(N,1)$.

Returns **x** : {array, matrix}

The converged solution.

info : integer

Provides convergence information:

0 : successful exit >0 : convergence to tolerance not achieved, number of iterations <0 : illegal input or breakdown

Other Parameters

x0 : {array, matrix}

Starting guess for the solution.

tol : float

Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.

maxiter : integer

Maximum number of iterations. Iteration will stop after *maxiter* steps even if the specified tolerance has not been achieved.

M : {sparse matrix, dense matrix, `LinearOperator`}

Preconditioner for `A`. The preconditioner should approximate the inverse of `A`. Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance.

callback : function

User-supplied function to call after each iteration. It is called as `callback(xk)`, where `xk` is the current solution vector.

xtype : {'f','d','F','D'}

This parameter is deprecated – avoid using it.

The type of the result. If `None`, then it will be determined from `A.dtype.char` and `b`. If `A` does not have a `typecode` method then it will compute `A.matvec(x0)` to get a `typecode`. To save the extra computation when `A` does not have a `typecode` attribute use `xtype=0` for the same type as `b` or use `xtype='f','d','F',`or `'D'`. This parameter has been superceded by `LinearOperator`.

`scipy.sparse.linalg.cgs` (*A*, *b*, *x0=None*, *tol=1e-05*, *maxiter=None*, *xtype=None*, *M=None*, *callback=None*)

Use Conjugate Gradient Squared iteration to solve $Ax = b$

Parameters **A** : {sparse matrix, dense matrix, LinearOperator}
The real-valued N-by-N matrix of the linear system

b : {array, matrix}

Returns **x** : {array, matrix} Right hand side of the linear system. Has shape (N,) or (N,1).
The converged solution.

info : integer
Provides convergence information:
0 : successful exit >0 : convergence to tolerance not achieved, number of iterations <0 : illegal input or breakdown

Other Parameters

x0 : {array, matrix}
Starting guess for the solution.

tol : float
Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.

maxiter : integer
Maximum number of iterations. Iteration will stop after maxiter steps even if the specified tolerance has not been achieved.

M : {sparse matrix, dense matrix, LinearOperator}
Preconditioner for A. The preconditioner should approximate the inverse of A. Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance.

callback : function
User-supplied function to call after each iteration. It is called as `callback(xk)`, where `xk` is the current solution vector.

xtype : {'f','d','F','D'}
This parameter is deprecated – avoid using it.
The type of the result. If None, then it will be determined from `A.dtype.char` and `b`. If A does not have a `typecode` method then it will compute `A.matvec(x0)` to get a `typecode`. To save the extra computation when A does not have a `typecode` attribute use `xtype=0` for the same type as `b` or use `xtype='f','d','F',`or `'D'`. This parameter has been superceded by `LinearOperator`.

`scipy.sparse.linalg.gmres(A, b, x0=None, tol=1e-05, restart=None, maxiter=None, xtype=None, M=None, callback=None, restrt=None)`

Use Generalized Minimal RESidual iteration to solve $Ax = b$.

Parameters **A** : {sparse matrix, dense matrix, LinearOperator}
The real or complex N-by-N matrix of the linear system.

b : {array, matrix}

Returns **x** : {array, matrix} Right hand side of the linear system. Has shape (N,) or (N,1).
The converged solution.

info : int
Provides convergence information:

- 0 : successful exit
- >0 : convergence to tolerance not achieved, number of iterations
- <0 : illegal input or breakdown

Other Parameters

x0 : {array, matrix}
Starting guess for the solution (a vector of zeros by default).

tol : float
Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.

restart : int, optional
Number of iterations between restarts. Larger values increase iteration cost, but may be necessary for convergence. Default is 20.

maxiter : int, optional
Maximum number of iterations. Iteration will stop after maxiter steps even if the specified tolerance has not been achieved.

xtype : {'f','d','F','D'}
This parameter is DEPRECATED — avoid using it.
The type of the result. If None, then it will be determined from `A.dtype.char` and `b`. If `A` does not have a `typecode` method then it will compute `A.matvec(x0)` to get a typecode. To save the extra computation when `A` does not have a `typecode` attribute use `xtype=0` for the same type as `b` or use `xtype='f','d','F',` or `'D'`. This parameter has been superceded by `LinearOperator`.

M : {sparse matrix, dense matrix, LinearOperator}
Inverse of the preconditioner of `A`. `M` should approximate the inverse of `A` and be easy to solve for (see Notes). Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance. By default, no preconditioner is used.

callback : function
User-supplied function to call after each iteration. It is called as `callback(rk)`, where `rk` is the current residual vector.

restrt : int, optional
DEPRECATED - use *restart* instead.

See Also

[LinearOperator](#)

Notes

A preconditioner, `P`, is chosen such that `P` is close to `A` but easy to solve for. The preconditioner parameter required by this routine is $M = P^{-1}$. The inverse should preferably not be calculated explicitly. Rather, use the following template to produce `M`:

```
# Construct a linear operator that computes P^-1 * x.
import scipy.sparse.linalg as spla
M_x = lambda x: spla.spsolve(P, x)
M = spla.LinearOperator((n, n), M_x)
```

`scipy.sparse.linalg.lgmres` (`A`, `b`, `x0=None`, `tol=1e-05`, `maxiter=1000`, `M=None`, `callback=None`, `inner_m=30`, `outer_k=3`, `outer_v=None`, `store_outer_Av=True`)
Solve a matrix equation using the LGMRES algorithm.

The LGMRES algorithm [BJM] [BPh] is designed to avoid some problems in the convergence in restarted GMRES, and often converges in fewer iterations.

Parameters

- A** : {sparse matrix, dense matrix, LinearOperator}
The real or complex N-by-N matrix of the linear system.
- b** : {array, matrix}
Right hand side of the linear system. Has shape (N,) or (N,1).
- x0** : {array, matrix}
Starting guess for the solution.

tol : float
Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.

maxiter : int
Maximum number of iterations. Iteration will stop after maxiter steps even if the specified tolerance has not been achieved.

M : {sparse matrix, dense matrix, LinearOperator}
Preconditioner for A. The preconditioner should approximate the inverse of A. Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance.

callback : function
User-supplied function to call after each iteration. It is called as `callback(xk)`, where `xk` is the current solution vector.

inner_m : int, optional
Number of inner GMRES iterations per each outer iteration.

outer_k : int, optional
Number of vectors to carry between inner GMRES iterations. According to [BJM], good values are in the range of 1...3. However, note that if you want to use the additional vectors to accelerate solving multiple similar problems, larger values may be beneficial.

outer_v : list of tuples, optional
List containing tuples (v, Av) of vectors and corresponding matrix-vector products, used to augment the Krylov subspace, and carried between inner GMRES iterations. The element Av can be *None* if the matrix-vector product should be re-evaluated. This parameter is modified in-place by `lgmres`, and can be used to pass “guess” vectors in and out of the algorithm when solving similar problems.

store_outer_Av : bool, optional
Whether LGMRES should store also $A*v$ in addition to vectors v in the *outer_v* list. Default is True.

Returns

x : array or matrix
The converged solution.

info : int
Provides convergence information:

- 0 : successful exit
- >0 : convergence to tolerance not achieved, number of iterations
- <0 : illegal input or breakdown

Notes

The LGMRES algorithm [BJM] [BPh] is designed to avoid the slowing of convergence in restarted GMRES, due to alternating residual vectors. Typically, it often outperforms GMRES(m) of comparable memory requirements by some measure, or at least is not much worse.

Another advantage in this algorithm is that you can supply it with ‘guess’ vectors in the *outer_v* argument that augment the Krylov subspace. If the solution lies close to the span of these vectors, the algorithm converges faster. This can be useful if several very similar matrices need to be inverted one after another, such as in Newton-Krylov iteration where the Jacobian matrix often changes little in the nonlinear steps.

References

[BJM], [BPh]

`scipy.sparse.linalg.minres` (*A*, *b*, *x0=None*, *shift=0.0*, *tol=1e-05*, *maxiter=None*, *xtype=None*, *M=None*, *callback=None*, *show=False*, *check=False*)

Use MINimum RESidual iteration to solve $Ax=b$

MINRES minimizes $\text{norm}(A*x - b)$ for a real symmetric matrix A . Unlike the Conjugate Gradient method, A can be indefinite or singular.

If $\text{shift} \neq 0$ then the method solves $(A - \text{shift}*I)x = b$

Parameters **A** : {sparse matrix, dense matrix, LinearOperator}
 The real symmetric N-by-N matrix of the linear system

b : {array, matrix}

Returns **x** : {array, matrix} Right hand side of the linear system. Has shape (N,) or (N,1).
 The converged solution.

info : integer

Provides convergence information:
 0 : successful exit >0 : convergence to tolerance not achieved, number of iterations <0 : illegal input or breakdown

Other Parameters

x0 : {array, matrix}
 Starting guess for the solution.

tol : float
 Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.

maxiter : integer
 Maximum number of iterations. Iteration will stop after maxiter steps even if the specified tolerance has not been achieved.

M : {sparse matrix, dense matrix, LinearOperator}
 Preconditioner for A . The preconditioner should approximate the inverse of A . Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance.

callback : function
 User-supplied function to call after each iteration. It is called as `callback(xk)`, where `xk` is the current solution vector.

xtype : {'f','d','F','D'}
 This parameter is deprecated – avoid using it.
 The type of the result. If `None`, then it will be determined from `A.dtype.char` and `b`. If A does not have a `typecode` method then it will compute `A.matvec(x0)` to get a `typecode`. To save the extra computation when A does not have a `typecode` attribute use `xtype=0` for the same type as `b` or use `xtype='f','d','F',`or `'D'`. This parameter has been superceded by `LinearOperator`.

Notes

THIS FUNCTION IS EXPERIMENTAL AND SUBJECT TO CHANGE!

References

Solution of sparse indefinite systems of linear equations,

C. C. Paige and M. A. Saunders (1975), SIAM J. Numer. Anal. 12(4), pp. 617-629.
<http://www.stanford.edu/group/SOL/software/minres.html>

This file is a translation of the following MATLAB implementation:

<http://www.stanford.edu/group/SOL/software/minres/matlab/>

`scipy.sparse.linalg.qmr(A, b, x0=None, tol=1e-05, maxiter=None, xtype=None, M1=None, M2=None, callback=None)`

Use Quasi-Minimal Residual iteration to solve $A x = b$

Parameters

A : {sparse matrix, dense matrix, LinearOperator}
The real-valued N-by-N matrix of the linear system. It is required that the linear operator can produce Ax and $A^T x$.

b : {array, matrix}

Returns

x : {array, matrix} Right hand side of the linear system. Has shape (N,) or (N,1).
The converged solution.

info : integer
Provides convergence information:
0 : successful exit >0 : convergence to tolerance not achieved, number of iterations <0 : illegal input or breakdown

Other Parameters

x0 : {array, matrix}
Starting guess for the solution.

tol : float
Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.

maxiter : integer
Maximum number of iterations. Iteration will stop after maxiter steps even if the specified tolerance has not been achieved.

M1 : {sparse matrix, dense matrix, LinearOperator}
Left preconditioner for A.

M2 : {sparse matrix, dense matrix, LinearOperator}
Right preconditioner for A. Used together with the left preconditioner M1. The matrix $M1 * A * M2$ should have better conditioned than A alone.

callback : function
User-supplied function to call after each iteration. It is called as `callback(xk)`, where `xk` is the current solution vector.

xtype : {'f','d','F','D'}
This parameter is DEPRECATED – avoid using it.
The type of the result. If None, then it will be determined from `A.dtype.char` and `b`. If A does not have a `typecode` method then it will compute `A.matvec(x0)` to get a typecode. To save the extra computation when A does not have a `typecode` attribute use `xtype=0` for the same type as `b` or use `xtype='f','d','F',`or `'D'`. This parameter has been superceded by `LinearOperator`.

See Also[LinearOperator](#)

Iterative methods for least-squares problems:

<code>lsqr(A, b[, damp, atol, btol, conlim, ...])</code>	Find the least-squares solution to a large, sparse, linear system of equations.
<code>lsmr(A, b[, damp, atol, btol, conlim, ...])</code>	Iterative solver for least-squares problems.

```
scipy.sparse.linalg.lsqr(A, b, damp=0.0, atol=1e-08, btol=1e-08, conlim=10000000.0,
                          iter_lim=None, show=False, calc_var=False)
```

Find the least-squares solution to a large, sparse, linear system of equations.

The function solves $Ax = b$ or $\min ||b - Ax||^2$ or $\min ||Ax - b||^2 + d^2 ||x||^2$.

The matrix A may be square or rectangular (over-determined or under-determined), and may have any rank.

1. Unsymmetric equations -- solve $A*x = b$

2. Linear least squares -- solve $Ax = b$
in the least-squares sense
3. Damped least squares -- solve $\begin{pmatrix} A \\ \text{damp} \cdot I \end{pmatrix} x = \begin{pmatrix} b \\ 0 \end{pmatrix}$
in the least-squares sense

Parameters

A : {sparse matrix, ndarray, LinearOperatorLinear}
Representation of an m-by-n matrix. It is required that the linear operator can produce Ax and $A^T x$.

b : (m,) ndarray
Right-hand side vector b .

damp : float
Damping coefficient.

atol, btol : float
Stopping tolerances. If both are 1.0e-9 (say), the final residual norm should be accurate to about 9 digits. (The final x will usually have fewer correct digits, depending on $\text{cond}(A)$ and the size of damp .)

conlim : float
Another stopping tolerance. `lsqr` terminates if an estimate of $\text{cond}(A)$ exceeds *conlim*. For compatible systems $Ax = b$, *conlim* could be as large as 1.0e+12 (say). For least-squares problems, *conlim* should be less than 1.0e+8. Maximum precision can be obtained by setting `atol = btol = conlim = zero`, but the number of iterations may then be excessive.

iter_lim : int
Explicit limitation on number of iterations (for safety).

show : bool
Display an iteration log.

calc_var : bool
Whether to estimate diagonals of $(A^T A + \text{damp}^2 \cdot I)^{-1}$.

Returns

x : ndarray of float
The final solution.

istop : int
Gives the reason for termination. 1 means x is an approximate solution to $Ax = b$. 2 means x approximately solves the least-squares problem.

itn : int
Iteration number upon termination.

r1norm : float
 $\text{norm}(r)$, where $r = b - Ax$.

r2norm : float
 $\text{sqrt}(\text{norm}(r)^2 + \text{damp}^2 * \text{norm}(x)^2)$. Equal to *r1norm* if `damp == 0`.

anorm : float
Estimate of Frobenius norm of $A_{\text{bar}} = \begin{bmatrix} A \\ \text{damp} \cdot I \end{bmatrix}$.

acond : float
Estimate of $\text{cond}(A_{\text{bar}})$.

arnorm : float
Estimate of $\text{norm}(A^T * r - \text{damp}^2 * x)$.

xnorm : float
 $\text{norm}(x)$

var : ndarray of float

If `calc_var` is `True`, estimates all diagonals of $(A^T A)^{-1}$ (if `damp == 0`) or more generally $(A^T A + \text{damp}^2 * I)^{-1}$. This is well defined if A has full column rank or `damp > 0`. (Not sure what `var` means if $\text{rank}(A) < n$ and `damp = 0`.)

Notes

LSQR uses an iterative method to approximate the solution. The number of iterations required to reach a certain accuracy depends strongly on the scaling of the problem. Poor scaling of the rows or columns of A should therefore be avoided where possible.

For example, in problem 1 the solution is unaltered by row-scaling. If a row of A is very small or large compared to the other rows of A , the corresponding row of $(A^T b)$ should be scaled up or down.

In problems 1 and 2, the solution x is easily recovered following column-scaling. Unless better information is known, the nonzero columns of A should be scaled so that they all have the same Euclidean norm (e.g., 1.0).

In problem 3, there is no freedom to re-scale if `damp` is nonzero. However, the value of `damp` should be assigned only after attention has been paid to the scaling of A .

The parameter `damp` is intended to help regularize ill-conditioned systems, by preventing the true solution from being very large. Another aid to regularization is provided by the parameter `acond`, which may be used to terminate iterations before the computed solution becomes very large.

If some initial estimate x_0 is known and if `damp == 0`, one could proceed as follows:

1. Compute a residual vector $r_0 = b - A * x_0$.
2. Use LSQR to solve the system $A * dx = r_0$.
3. Add the correction dx to obtain a final solution $x = x_0 + dx$.

This requires that x_0 be available before and after the call to LSQR. To judge the benefits, suppose LSQR takes k_1 iterations to solve $A * x = b$ and k_2 iterations to solve $A * dx = r_0$. If x_0 is “good”, $\text{norm}(r_0)$ will be smaller than $\text{norm}(b)$. If the same stopping tolerances `atol` and `btol` are used for each system, k_1 and k_2 will be similar, but the final solution $x_0 + dx$ should be more accurate. The only way to reduce the total work is to use a larger stopping tolerance for the second system. If some value `btol` is suitable for $A * x = b$, the larger value $\text{btol} * \text{norm}(b) / \text{norm}(r_0)$ should be suitable for $A * dx = r_0$.

Preconditioning is another way to reduce the number of iterations. If it is possible to solve a related system $M * x = b$ efficiently, where M approximates A in some helpful way (e.g. $M - A$ has low rank or its elements are small relative to those of A), LSQR may converge more rapidly on the system $A * M(\text{inverse}) * z = b$, after which x can be recovered by solving $M * x = z$.

If A is symmetric, LSQR should not be used!

Alternatives are the symmetric conjugate-gradient method (`cg`) and/or `SYMMLQ`. `SYMMLQ` is an implementation of symmetric `cg` that applies to any symmetric A and will converge more rapidly than LSQR. If A is positive definite, there are other implementations of symmetric `cg` that require slightly less work per iteration than `SYMMLQ` (but will take the same number of iterations).

References

[R16], [R17], [R18]

```
scipy.sparse.linalg.lsmr(A, b, damp=0.0, atol=1e-06, btol=1e-06, conlim=100000000.0,
                        iter=None, show=False)
```

Iterative solver for least-squares problems.

`lsmr` solves the system of linear equations $Ax = b$. If the system is inconsistent, it solves the least-squares problem $\min \|b - Ax\|_2$. A is a rectangular matrix of dimension m -by- n , where all cases are allowed: $m = n$, $m > n$, or $m < n$. B is a vector of length m . The matrix A may be dense or sparse (usually sparse). New in version 0.11.0.

Parameters A : {matrix, sparse matrix, ndarray, LinearOperator}

Matrix A in the linear system.

b : (m,) ndarray

Vector b in the linear system.

damp : float

Damping factor for regularized least-squares. `lsqr` solves the regularized least-squares problem:

$$\min \| (b - (A) x) \|^2 + (damp * I) \| x \|^2$$

where damp is a scalar. If damp is None or 0, the system is solved without regularization.

atol, btol : float

Stopping tolerances. `lsqr` continues iterations until a certain backward error estimate is smaller than some quantity depending on atol and btol. Let $r = b - Ax$ be the residual vector for the current approximate solution x . If $Ax = b$ seems to be consistent, `lsqr` terminates when $\text{norm}(r) \leq \text{atol} * \text{norm}(A) * \text{norm}(x) + \text{btol} * \text{norm}(b)$. Otherwise, `lsqr` terminates when $\text{norm}(A^T r) \leq \text{atol} * \text{norm}(A) * \text{norm}(r)$. If both tolerances are 1.0e-6 (say), the final $\text{norm}(r)$ should be accurate to about 6 digits. (The final x will usually have fewer correct digits, depending on $\text{cond}(A)$ and the size of LAMBDA.) If *atol* or *btol* is None, a default value of 1.0e-6 will be used. Ideally, they should be estimates of the relative error in the entries of A and B respectively. For example, if the entries of A have 7 correct digits, set *atol* = 1e-7. This prevents the algorithm from doing unnecessary work beyond the uncertainty of the input data.

conlim : float

`lsqr` terminates if an estimate of $\text{cond}(A)$ exceeds *conlim*. For compatible systems $Ax = b$, *conlim* could be as large as 1.0e+12 (say). For least-squares problems, *conlim* should be less than 1.0e+8. If *conlim* is None, the default value is 1e+8. Maximum precision can be obtained by setting *atol* = *btol* = *conlim* = 0, but the number of iterations may then be excessive.

maxiter : int

`lsqr` terminates if the number of iterations reaches *maxiter*. The default is *maxiter* = $\min(m, n)$. For ill-conditioned systems, a larger value of *maxiter* may be needed.

show : bool

Print iterations logs if *show*=True.

Returns

x : ndarray of float

Least-square solution returned.

istop : int

istop gives the reason for stopping:

```
istop = 0 means x=0 is a solution.
       = 1 means x is an approximate solution to A*x = B,
           according to atol and btol.
       = 2 means x approximately solves the least-squares problem
           according to atol.
       = 3 means COND(A) seems to be greater than CONLIM.
       = 4 is the same as 1 with atol = btol = eps (machine
           precision)
       = 5 is the same as 2 with atol = eps.
       = 6 is the same as 3 with CONLIM = 1/eps.
```

= 7 means ITN reached maxiter before the other stopping conditions were satisfied.

itn : int
Number of iterations used.

normr : float
 $\text{norm}(b - Ax)$

normar : float
 $\text{norm}(A^T (b - Ax))$

norma : float
 $\text{norm}(A)$

conda : float
Condition number of A.

normx : float
 $\text{norm}(x)$

References

[R14], [R15]

Matrix factorizations Eigenvalue problems:

<code>eigs(A[, k, M, sigma, which, v0, ncv, ...])</code>	Find k eigenvalues and eigenvectors of the square matrix A.
<code>eigsh(A[, k, M, sigma, which, v0, ncv, ...])</code>	Find k eigenvalues and eigenvectors of the real symmetric square matrix
<code>lobpcg(A, X[, B, M, Y, tol, maxiter, ...])</code>	Solve symmetric partial eigenproblems with optional preconditioning

`scipy.sparse.linalg.eigs` (*A*, *k*=6, *M*=None, *sigma*=None, *which*='LM', *v0*=None, *ncv*=None, *maxiter*=None, *tol*=0, *return_eigenvectors*=True, *Minv*=None, *OPinv*=None, *OPpart*=None)

Find k eigenvalues and eigenvectors of the square matrix A.

Solves $A * x[i] = w[i] * x[i]$, the standard eigenvalue problem for w[i] eigenvalues with corresponding eigenvectors x[i].

If M is specified, solves $A * x[i] = w[i] * M * x[i]$, the generalized eigenvalue problem for w[i] eigenvalues with corresponding eigenvectors x[i]

Parameters **A** : ndarray, sparse matrix or LinearOperator

An array, sparse matrix, or LinearOperator representing the operation $A * x$, where A is a real or complex square matrix.

k : int, optional

The number of eigenvalues and eigenvectors desired. *k* must be smaller than N. It is not possible to compute all eigenvectors of a matrix.

M : ndarray, sparse matrix or LinearOperator, optional

An array, sparse matrix, or LinearOperator representing the operation $M * x$ for the generalized eigenvalue problem

$$A * x = w * M * x.$$

M must represent a real, symmetric matrix if A is real, and must represent a complex, hermitian matrix if A is complex. For best results, the data type of M should be the same as that of A. Additionally:

If *sigma* is None, M is positive definite

If *sigma* is specified, M is positive semi-definite

If *sigma* is None, eigs requires an operator to compute the solution of the linear equation $M * x = b$. This is done internally via a (sparse) LU decomposition for an explicit matrix M, or via an iterative solver for a general

linear operator. Alternatively, the user can supply the matrix or operator `Minv`, which gives $x = \text{Minv} * b = M^{-1} * b$.

sigma : real or complex, optional

Find eigenvalues near `sigma` using shift-invert mode. This requires an operator to compute the solution of the linear system $[A - \text{sigma} * M] * x = b$, where `M` is the identity matrix if unspecified. This is computed internally via a (sparse) LU decomposition for explicit matrices `A` & `M`, or via an iterative solver if either `A` or `M` is a general linear operator. Alternatively, the user can supply the matrix or operator `OPinv`, which gives $x = \text{OPinv} * b = [A - \text{sigma} * M]^{-1} * b$. For a real matrix `A`, shift-invert can either be done in imaginary mode or real mode, specified by the parameter `OPpart` ('r' or 'i'). Note that when `sigma` is specified, the keyword 'which' (below) refers to the shifted eigenvalues $w' [i]$ where:

If A is real and OPpart == 'r' (default),

$$w' [i] = 1/2 * [1/(w[i]-\text{sigma}) + 1/(w[i]-\text{conj}(\text{sigma}))].$$

If A is real and OPpart == 'i',

$$w' [i] = 1/2i * [1/(w[i]-\text{sigma}) - 1/(w[i]-\text{conj}(\text{sigma}))].$$

If A is complex, $w' [i] = 1/(w[i]-\text{sigma})$.

v0 : ndarray, optional

Starting vector for iteration.

ncv : int, optional

The number of Lanczos vectors generated `ncv` must be greater than `k`; it is recommended that `ncv > 2*k`.

which : str, ['LM' | 'SM' | 'LR' | 'SR' | 'LI' | 'SI'], optional

Which `k` eigenvectors and eigenvalues to find:

- 'LM' : largest magnitude
- 'SM' : smallest magnitude
- 'LR' : largest real part
- 'SR' : smallest real part
- 'LI' : largest imaginary part
- 'SI' : smallest imaginary part

When `sigma != None`, 'which' refers to the shifted eigenvalues $w'[i]$ (see discussion in 'sigma', above). ARPACK is generally better at finding large values than small values. If small eigenvalues are desired, consider using shift-invert mode for better performance.

maxiter : int, optional

Maximum number of Arnoldi update iterations allowed

tol : float, optional

Relative accuracy for eigenvalues (stopping criterion) The default value of 0 implies machine precision.

return_eigenvectors : bool, optional

Return eigenvectors (True) in addition to eigenvalues

Minv : ndarray, sparse matrix or LinearOperator, optional

See notes in `M`, above.

OPinv : ndarray, sparse matrix or LinearOperator, optional

See notes in `sigma`, above.

OPpart : {'r' or 'i'}, optional

See notes in `sigma`, above

Returns

w : ndarray

Array of `k` eigenvalues.

v : ndarray

Raises **ArpackNoConvergence**: An array of k eigenvectors. $v[:, i]$ is the eigenvector corresponding to the eigenvalue $w[i]$.
When the requested convergence is not obtained. The currently converged eigenvalues and eigenvectors can be found as `eigenvalues` and `eigenvectors` attributes of the exception object.

See Also

eigsh eigenvalues and eigenvectors for symmetric matrix A
svds singular value decomposition for a matrix A

Notes

This function is a wrapper to the ARPACK [R10] SNEUPD, DNEUPD, CNEUPD, ZNEUPD, functions which use the Implicitly Restarted Arnoldi Method to find the eigenvalues and eigenvectors [R11].

References

[R10], [R11]

Examples

Find 6 eigenvectors of the identity matrix:

```
>>> id = np.eye(13)
>>> vals, vecs = sp.sparse.linalg.eigs(id, k=6)
>>> vals
array([ 1.+0.j,  1.+0.j,  1.+0.j,  1.+0.j,  1.+0.j,  1.+0.j])
>>> vecs.shape
(13, 6)
```

`scipy.sparse.linalg.eigsh`(A , $k=6$, $M=None$, $sigma=None$, $which='LM'$, $v0=None$, $ncv=None$, $maxiter=None$, $tol=0$, $return_eigenvectors=True$, $Minv=None$, $OPinv=None$, $mode='normal'$)

Find k eigenvalues and eigenvectors of the real symmetric square matrix or complex hermitian matrix A .

Solves $A * x[i] = w[i] * x[i]$, the standard eigenvalue problem for $w[i]$ eigenvalues with corresponding eigenvectors $x[i]$.

If M is specified, solves $A * x[i] = w[i] * M * x[i]$, the generalized eigenvalue problem for $w[i]$ eigenvalues with corresponding eigenvectors $x[i]$

Parameters **A** : An $N \times N$ matrix, array, sparse matrix, or LinearOperator representing the operation $A * x$, where A is a real symmetric matrix For buckling mode (see below) A must additionally be positive-definite

k : integer

The number of eigenvalues and eigenvectors desired. k must be smaller than N . It is not possible to compute all eigenvectors of a matrix.

Returns **w** : array

Array of k eigenvalues

v : array

An array of k eigenvectors The $v[i]$ is the eigenvector corresponding to the eigenvalue $w[i]$

Other Parameters

M : An $N \times N$ matrix, array, sparse matrix, or linear operator representing the operation $M * x$ for the generalized eigenvalue problem

$$A * x = w * M * x.$$

M must represent a real, symmetric matrix if A is real, and must represent a complex, hermitian matrix if A is complex. For best results, the data type of M should be the same as that of A. Additionally:

If sigma is None, M is symmetric positive definite

If sigma is specified, M is symmetric positive semi-definite

In buckling mode, M is symmetric indefinite.

If sigma is None, eigsh requires an operator to compute the solution of the linear equation $M * x = b$. This is done internally via a (sparse) LU decomposition for an explicit matrix M, or via an iterative solver for a general linear operator. Alternatively, the user can supply the matrix or operator Minv, which gives $x = Minv * b = M^{-1} * b$.

sigma : real

Find eigenvalues near sigma using shift-invert mode. This requires an operator to compute the solution of the linear system $[A - sigma * M] x = b$, where M is the identity matrix if unspecified. This is computed internally via a (sparse) LU decomposition for explicit matrices A & M, or via an iterative solver if either A or M is a general linear operator. Alternatively, the user can supply the matrix or operator OPinv, which gives $x = OPinv * b = [A - sigma * M]^{-1} * b$. Note that when sigma is specified, the keyword 'which' refers to the shifted eigenvalues $w' [i]$ where:

if mode == 'normal', $w' [i] = 1 / (w[i] - sigma)$.

if mode == 'cayley', $w' [i] = (w[i] + sigma) / (w[i] - sigma)$.

if mode == 'buckling', $w' [i] = w[i] / (w[i] - sigma)$.

(see further discussion in 'mode' below)

v0 : ndarray

Starting vector for iteration.

ncv : int

The number of Lanczos vectors generated ncv must be greater than k and smaller than n; it is recommended that $ncv > 2 * k$.

which : str ['LM' | 'SM' | 'LA' | 'SA' | 'BE']

If A is a complex hermitian matrix, 'BE' is invalid. Which k eigenvectors and eigenvalues to find:

'LM' : Largest (in magnitude) eigenvalues

'SM' : Smallest (in magnitude) eigenvalues

'LA' : Largest (algebraic) eigenvalues

'SA' : Smallest (algebraic) eigenvalues

'BE' : Half (k/2) from each end of the spectrum

When k is odd, return one more (k/2+1) from the high end. When sigma != None, 'which' refers to the shifted eigenvalues $w' [i]$ (see discussion in 'sigma', above). ARPACK is generally better at finding large values than small values. If small eigenvalues are desired, consider using shift-invert mode for better performance.

maxiter : int

Maximum number of Arnoldi update iterations allowed

tol : float

Relative accuracy for eigenvalues (stopping criterion). The default value of 0 implies machine precision.

Minv : N x N matrix, array, sparse matrix, or LinearOperator

See notes in M, above

OPinv : N x N matrix, array, sparse matrix, or LinearOperator

See notes in sigma, above.

return_eigenvectors : bool

Return eigenvectors (True) in addition to eigenvalues

mode : string ['normal' | 'buckling' | 'cayley']

Specify strategy to use for shift-invert mode. This argument applies only for real-valued A and sigma != None. For shift-invert mode, ARPACK internally solves the eigenvalue problem $OP * x' [i] = w' [i] * B * x' [i]$ and transforms the resulting Ritz vectors $x'[i]$ and Ritz values $w'[i]$ into the desired eigenvectors and eigenvalues of the problem $A * x[i] = w[i] * M * x[i]$. The modes are as follows:

'normal' : $OP = [A - \text{sigma} * M]^{-1} * M, B = M, w'[i] = 1 / (w[i] - \text{sigma})$

'buckling' : $OP = [A - \text{sigma} * M]^{-1} * A, B = A, w'[i] = w[i] / (w[i] - \text{sigma})$

'cayley' : $OP = [A - \text{sigma} * M]^{-1} * [A + \text{sigma} * M], B = M, w'[i] = (w[i] + \text{sigma}) / (w[i] - \text{sigma})$

The choice of mode will affect which eigenvalues are selected by the keyword 'which', and can also impact the stability of convergence (see [2] for a discussion)

Raises

ArpackNoConvergence :

When the requested convergence is not obtained.

The currently converged eigenvalues and eigenvectors can be found as `eigenvalues` and `eigenvectors` attributes of the exception object.

See Also

eigs eigenvalues and eigenvectors for a general (nonsymmetric) matrix A
svds singular value decomposition for a matrix A

Notes

This function is a wrapper to the ARPACK [R12] SSEUPD and DSEUPD functions which use the Implicitly Restarted Lanczos Method to find the eigenvalues and eigenvectors [R13].

References

[R12], [R13]

Examples

```
>>> id = np.eye(13)
>>> vals, vecs = sp.sparse.linalg.eigsh(id, k=6)
>>> vals
array([ 1.+0.j,  1.+0.j,  1.+0.j,  1.+0.j,  1.+0.j,  1.+0.j])
>>> vecs.shape
(13, 6)
```

```
scipy.sparse.linalg.lobpcg(A, X, B=None, M=None, Y=None, tol=None, maxiter=20,
                           largest=True, verbosityLevel=0, retLambdaHistory=False,
                           retResidualNormsHistory=False)
```

Solve symmetric partial eigenproblems with optional preconditioning

This function implements the Locally Optimal Block Preconditioned Conjugate Gradient Method (LOBPCG).

Parameters A : {sparse matrix, dense matrix, LinearOperator}

The symmetric linear operator of the problem, usually a sparse matrix. Often called the "stiffness matrix".

X : array_like

Initial approximation to the k eigenvectors. If A has shape (n,n) then X should have shape (n,k) .

B : {dense matrix, sparse matrix, LinearOperator}, optional
the right hand side operator in a generalized eigenproblem. by default, $B =$ Identity often called the “mass matrix”

M : {dense matrix, sparse matrix, LinearOperator}, optional
preconditioner to A ; by default $M =$ Identity M should approximate the inverse of A

Y : array_like, optional
 n -by- $sizeY$ matrix of constraints, $sizeY < n$ The iterations will be performed in the B -orthogonal complement of the column-space of Y . Y must be full rank.

Returns **w** : array
Array of k eigenvalues

v : array
An array of k eigenvectors. V has the same shape as X .

Other Parameters

tol : scalar, optional
Solver tolerance (stopping criterion) by default: $tol=n*\sqrt{eps}$

maxiter : integer, optional
maximum number of iterations by default: $maxiter=\min(n,20)$

largest : boolean, optional
when True, solve for the largest eigenvalues, otherwise the smallest

verbosityLevel : integer, optional
controls solver output. default: $verbosityLevel = 0$.

retLambdaHistory : boolean, optional
whether to return eigenvalue history

retResidualNormsHistory : boolean, optional
whether to return history of residual norms

Notes

If both `retLambdaHistory` and `retResidualNormsHistory` are True, the return tuple has the following format (lambda, V, lambda history, residual norms history)

Singular values problems:

`svds(A[, k, ncv, tol, which, v0, maxiter, ...])` Compute the largest k singular values/vectors for a sparse matrix.

`scipy.sparse.linalg.svds(A, k=6, ncv=None, tol=0, which='LM', v0=None, maxiter=None, return_singular_vectors=True)`

Compute the largest k singular values/vectors for a sparse matrix.

Parameters

A : sparse matrix
Array to compute the SVD on, of shape (M, N)

k : int, optional
Number of singular values and vectors to compute.

ncv : integer, optional
The number of Lanczos vectors generated ncv must be greater than $k+1$ and smaller than n ; it is recommended that $ncv > 2*k$

tol : float, optional
Tolerance for singular values. Zero (default) means machine precision.

which : str, ['LM' | 'SM'], optional
Which k singular values to find:

- 'LM' : largest singular values
- 'SM' : smallest singular values

New in version 0.12.0.

v0 : ndarray, optional
 Starting vector for iteration, of length $\min(A.\text{shape})$. Should be an (approximate) right singular vector if $N > M$ and a right singular vector otherwise. New in version 0.12.0.

maxiter: integer, optional :
 Maximum number of iterations. New in version 0.12.0.

return_singular_vectors : bool, optional
 Return singular vectors (True) in addition to singular values New in version 0.12.0.

Returns :
 ----- :
u : ndarray, shape=(M, k)
 Unitary matrix having left singular vectors as columns.

s : ndarray, shape=(k,)
 The singular values.

vt : ndarray, shape=(k, N)
 Unitary matrix having right singular vectors as rows.

Notes

This is a naive implementation using ARPACK as an eigensolver on $A.H * A$ or $A * A.H$, depending on which one is more efficient.

Complete or incomplete LU factorizations

<code>splu(A[, permc_spec, diag_pivot_thresh, ...])</code>	Compute the LU decomposition of a sparse, square matrix.
<code>spilu(A[, drop_tol, fill_factor, drop_rule, ...])</code>	Compute an incomplete LU decomposition for a sparse, square matrix.

`scipy.sparse.linalg.splu(A, permc_spec=None, diag_pivot_thresh=None, drop_tol=None, relax=None, panel_size=None, options={})`
 Compute the LU decomposition of a sparse, square matrix.

Parameters

A : sparse matrix
 Sparse matrix to factorize. Should be in CSR or CSC format.

permc_spec : str, optional
 How to permute the columns of the matrix for sparsity preservation. (default: 'COLAMD')

- NATURAL: natural ordering.
- MMD_ATA: minimum degree ordering on the structure of $A^T A$.
- MMD_AT_PLUS_A: minimum degree ordering on the structure of $A^T + A$.
- COLAMD: approximate minimum degree column ordering

diag_pivot_thresh : float, optional
 Threshold used for a diagonal entry to be an acceptable pivot. See SuperLU user's guide for details [SLU]

drop_tol : float, optional
 (deprecated) No effect.

relax : int, optional
 Expert option for customizing the degree of relaxing supernodes. See SuperLU user's guide for details [SLU]

panel_size : int, optional
 Expert option for customizing the panel size. See SuperLU user's guide for details [SLU]

options : dict, optional

Dictionary containing additional expert options to SuperLU. See SuperLU user guide [SLU] (section 2.4 on the ‘Options’ argument) for more details. For example, you can specify `options=dict(Equil=False, IterRefine='SINGLE')` to turn equilibration off and perform a single iterative refinement.

Returns `invA` : `scipy.sparse.linalg.dsolve._superlu.SciPyLUType` Object, which has a `solve` method.

See Also

`spilu` incomplete LU decomposition

Notes

This function uses the SuperLU library.

References

[SLU]

`scipy.sparse.linalg.spilu` (*A*, *drop_tol=None*, *fill_factor=None*, *drop_rule=None*, *perm_spec=None*, *diag_pivot_thresh=None*, *relax=None*, *panel_size=None*, *options=None*)

Compute an incomplete LU decomposition for a sparse, square matrix.

The resulting object is an approximation to the inverse of *A*.

Parameters *A* : (N, N) array_like
 Sparse matrix to factorize
drop_tol : float, optional
 Drop tolerance (0 <= tol <= 1) for an incomplete LU decomposition. (default: 1e-4)
fill_factor : float, optional
 Specifies the fill ratio upper bound (>= 1.0) for ILU. (default: 10)
drop_rule : str, optional
 Comma-separated string of drop rules to use. Available rules: `basic`, `prows`, `column`, `area`, `secondary`, `dynamic`, `interp`. (Default: `basic, area`)
 See SuperLU documentation for details.
milu : str, optional
 Which version of modified ILU to use. (Choices: `silu`, `smilu_1`, `smilu_2` (default), `smilu_3`.)

Remaining other options :

Returns `invA_approx` : `scipy.sparse.linalg.dsolve._superlu.SciPyLUType` Object, which has a `solve` method.

See Also

`splu` complete LU decomposition

Notes

To improve the better approximation to the inverse, you may need to increase *fill_factor* AND decrease *drop_tol*.

This function uses the SuperLU library.

Continued on next page

Table 5.147 – continued from previous page

<code>ArpackNoConvergence(msg, eigenvalues, ...)</code>	ARPACK iteration did not converge
<code>ArpackError(info[, infodict])</code>	ARPACK error

Exceptions

exception `scipy.sparse.linalg.ArpackNoConvergence` (*msg, eigenvalues, eigenvectors*)
 ARPACK iteration did not converge

Attributes

<code>eigenvalues</code>	(ndarray) Partial result. Converged eigenvalues.
<code>eigenvectors</code>	(ndarray) Partial result. Converged eigenvectors.

exception `scipy.sparse.linalg.ArpackError` (*info*, *infodict*={*c*: {0: 'Normal exit.', 1: 'Maximum number of iterations taken. All possible eigenvalues of OP has been found. IPARAM(5) returns the number of wanted converged Ritz values.', 2: 'No longer an informational error. Deprecated starting with release 2 of ARPACK.', 3: 'No shifts could be applied during a cycle of the Implicitly restarted Arnoldi iteration. One possibility is to increase the size of NCV relative to NEV.', -9999: 'Could not build an Arnoldi factorization. IPARAM(5) returns the size of the current Arnoldi factorization. The user is advised to check that enough workspace and array storage has been allocated.', -13: "NEV and WHICH = 'BE' are incompatible.", -12: 'IPARAM(1) must be equal to 0 or 1.', -1: 'N must be positive.', -10: 'IPARAM(7) must be 1, 2, 3.', -9: 'Starting vector is zero.', -8: 'Error return from LAPACK eigenvalue calculation;', -7: 'Length of private work array WORKL is not sufficient.', -6: "BMAT must be one of 'I' or 'G'."}, -5: " WHICH must be one of 'LM', 'SM', 'LR', 'SR', 'LI', 'SI'", -4: 'The maximum number of Arnoldi update iterations allowed must be greater than zero.', -3: 'NCV-NEV >= 2 and less than or equal to N.', -2: 'NEV must be positive.', -11: "IPARAM(7) = 1 and BMAT = 'G' are incompatible."}, *s*: {0: 'Normal exit.', 1: 'Maximum number of iterations taken. All possible eigenvalues of OP has been found. IPARAM(5) returns the number of wanted converged Ritz values.', 2: 'No longer an informational error. Deprecated starting with release 2 of ARPACK.', 3: 'No shifts could be applied during a cycle of the Implicitly restarted Arnoldi iteration. One possibility is to increase the size of NCV relative to NEV.', -9999: 'Could not build an Arnoldi factorization. IPARAM(5) returns the size of the current Arnoldi factorization. The user is advised to check that enough workspace and array storage has been allocated.', -13: "NEV and WHICH = 'BE' are incompatible.", -12: 'IPARAM(1) must be equal to 0 or 1.', -2: 'NEV must be positive.', -10: 'IPARAM(7) must be 1, 2, 3, 4.', -9: 'Starting vector is zero.', -8: 'Error return from LAPACK eigenvalue calculation;', -7: 'Length of private work array WORKL is not sufficient.', -6: "BMAT must be one of 'I' or 'G'."}, -5: " WHICH must be one of 'LM', 'SM', 'LR', 'SR', 'LI', 'SI'", -4: 'The maximum number of Arnoldi update iterations allowed must be greater than zero.', -3: 'NCV-NEV >= 2 and less than or equal to N.', -1: 'N must be positive.', -11: "IPARAM(7) = 1 and BMAT = 'G' are incompatible."}, *z*: {0: 'Normal exit.', 1: 'Maximum number of iterations taken. All possible eigenvalues of OP has been found. IPARAM(5) returns the number of wanted converged Ritz values.', 2: 'No longer an informational error. Deprecated starting with release 2 of ARPACK.', 3: 'No shifts could be applied during a cycle of the Implicitly restarted Arnoldi iteration. One possibility is to increase the size of NCV relative to NEV.', -9999: 'Could not build an Arnoldi factorization. IPARAM(5) returns the size

ARPACK error

Functions

<code>aslinearoperator(A)</code>	Return A as a LinearOperator.
<code>bicg(A, b[, x0, tol, maxiter, xtype, M, ...])</code>	Use BIConjugate Gradient iteration to solve $Ax = b$
<code>bicgstab(A, b[, x0, tol, maxiter, xtype, M, ...])</code>	Use BIConjugate Gradient STABILized iteration to solve $Ax = b$
<code>cg(A, b[, x0, tol, maxiter, xtype, M, callback])</code>	Use Conjugate Gradient iteration to solve $Ax = b$
<code>cgs(A, b[, x0, tol, maxiter, xtype, M, callback])</code>	Use Conjugate Gradient Squared iteration to solve $Ax = b$
<code>eigs(A[, k, M, sigma, which, v0, ncv, ...])</code>	Find k eigenvalues and eigenvectors of the square matrix A.
<code>eigsh(A[, k, M, sigma, which, v0, ncv, ...])</code>	Find k eigenvalues and eigenvectors of the real symmetric square matrix
<code>expm(A)</code>	Compute the matrix exponential using Pade approximation.
<code>factorized(A)</code>	Return a fuction for solving a sparse linear system, with A pre-factorized.
<code>gmres(A, b[, x0, tol, restart, maxiter, ...])</code>	Use Generalized Minimal RESidual iteration to solve $Ax = b$.
<code>inv(A)</code>	Compute the inverse of a sparse matrix ..
<code>lgmres(A, b[, x0, tol, maxiter, M, ...])</code>	Solve a matrix equation using the LGMRES algorithm.
<code>lobpcg(A, X[, B, M, Y, tol, maxiter, ...])</code>	Solve symmetric partial eigenproblems with optional preconditioning
<code>lsmr(A, b[, damp, atol, btol, conlim, ...])</code>	Iterative solver for least-squares problems.
<code>lsqr(A, b[, damp, atol, btol, conlim, ...])</code>	Find the least-squares solution to a large, sparse, linear system of equations.
<code>minres(A, b[, x0, shift, tol, maxiter, ...])</code>	Use MINimum RESidual iteration to solve $Ax=b$
<code>qmr(A, b[, x0, tol, maxiter, xtype, M1, M2, ...])</code>	Use Quasi-Minimal Residual iteration to solve $Ax = b$
<code>spilu(A[, drop_tol, fill_factor, drop_rule, ...])</code>	Compute an incomplete LU decomposition for a sparse, square matrix.
<code>splu(A[, permc_spec, diag_pivot_thresh, ...])</code>	Compute the LU decomposition of a sparse, square matrix.
<code>spsolve(A, b[, permc_spec, use_umfpack])</code>	Solve the sparse linear system $Ax=b$, where b may be a vector or a matrix.
<code>svds(A[, k, ncv, tol, which, v0, maxiter, ...])</code>	Compute the largest k singular values/vectors for a sparse matrix.
<code>use_solver(**kwargs)</code>	Valid keyword arguments with defaults (other ignored):

Classes

<code>LinearOperator(shape, matvec[, rmatvec, ...])</code>	Common interface for performing matrix vector products
<code>Tester</code>	Nose test runner.

Exceptions

<code>ArpackError(info[, infodict])</code>	ARPACK error
<code>ArpackNoConvergence(msg, eigenvalues, ...)</code>	ARPACK iteration did not converge

Exceptions

<code>SparseEfficiencyWarning</code>
<code>SparseWarning</code>

exception `scipy.sparse.SparseEfficiencyWarning`

exception `scipy.sparse.SparseWarning`

5.22.2 Usage information

There are seven available sparse matrix types:

1. `csc_matrix`: Compressed Sparse Column format
2. `csr_matrix`: Compressed Sparse Row format
3. `bsr_matrix`: Block Sparse Row format
4. `lil_matrix`: List of Lists format
5. `dok_matrix`: Dictionary of Keys format
6. `coo_matrix`: COOrdinate format (aka IJV, triplet format)
7. `dia_matrix`: DIAgonal format

To construct a matrix efficiently, use either `lil_matrix` (recommended) or `dok_matrix`. The `lil_matrix` class supports basic slicing and fancy indexing with a similar syntax to NumPy arrays. As illustrated below, the COO format may also be used to efficiently construct matrices.

To perform manipulations such as multiplication or inversion, first convert the matrix to either CSC or CSR format. The `lil_matrix` format is row-based, so conversion to CSR is efficient, whereas conversion to CSC is less so.

All conversions among the CSR, CSC, and COO formats are efficient, linear-time operations.

Example 1

Construct a 1000x1000 `lil_matrix` and add some values to it:

```
>>> from scipy.sparse import lil_matrix
>>> from scipy.sparse.linalg import spsolve
>>> from numpy.linalg import solve, norm
>>> from numpy.random import rand

>>> A = lil_matrix((1000, 1000))
>>> A[0, :100] = rand(100)
>>> A[1, 100:200] = A[0, :100]
>>> A.setdiag(rand(1000))
```

Now convert it to CSR format and solve $Ax = b$ for x :

```
>>> A = A.tocsr()
>>> b = rand(1000)
>>> x = spsolve(A, b)
```

Convert it to a dense matrix and solve, and check that the result is the same:

```
>>> x_ = solve(A.todense(), b)
```

Now we can compute norm of the error with:

```
>>> err = norm(x-x_)
>>> err < 1e-10
True
```

It should be small :)

Example 2

Construct a matrix in COO format:

```
>>> from scipy import sparse
>>> from numpy import array
>>> I = array([0,3,1,0])
>>> J = array([0,3,1,2])
>>> V = array([4,5,7,9])
>>> A = sparse.coo_matrix((V, (I, J)), shape=(4, 4))
```

Notice that the indices do not need to be sorted.

Duplicate (i,j) entries are summed when converting to CSR or CSC.

```
>>> I = array([0,0,1,3,1,0,0])
>>> J = array([0,2,1,3,1,0,0])
>>> V = array([1,1,1,1,1,1,1])
>>> B = sparse.coo_matrix((V, (I, J)), shape=(4, 4)).tocsr()
```

This is useful for constructing finite-element stiffness and mass matrices.

Further Details

CSR column indices are not necessarily sorted. Likewise for CSC row indices. Use the `.sorted_indices()` and `.sort_indices()` methods when sorted indices are required (e.g. when passing data to other libraries).

5.23 Sparse linear algebra (`scipy.sparse.linalg`)

5.23.1 Abstract linear operators

<code>LinearOperator(shape, matvec[, rmatvec, ...])</code>	Common interface for performing matrix vector products
<code>aslinearoperator(A)</code>	Return A as a LinearOperator.

```
class scipy.sparse.linalg.LinearOperator(shape, matvec, rmatvec=None, matmat=None,
                                         dtype=None)
```

Common interface for performing matrix vector products

Many iterative methods (e.g. `cg`, `gmres`) do not need to know the individual entries of a matrix to solve a linear system $Ax=b$. Such solvers only require the computation of matrix vector products, $A*v$ where v is a dense vector. This class serves as an abstract interface between iterative solvers and matrix-like objects.

Parameters

- shape** : tuple
Matrix dimensions (M,N)
- matvec** : callable f(v)
Returns returns $A * v$.

Other Parameters

- rmatvec** : callable f(v)
Returns $A^H * v$, where A^H is the conjugate transpose of A.
- matmat** : callable f(V)
Returns $A * V$, where V is a dense matrix with dimensions (N,K).
- dtype** : dtype
Data type of the matrix.

See Also

aslinearoperator

Construct LinearOperators

Notes

The user-defined matvec() function must properly handle the case where v has shape (N,) as well as the (N,1) case. The shape of the return type is handled internally by LinearOperator.

Examples

```
>>> from scipy.sparse.linalg import LinearOperator
>>> from scipy import *
>>> def mv(v):
...     return array([ 2*v[0], 3*v[1]])
...
>>> A = LinearOperator( (2,2), matvec=mv )
>>> A
<2x2 LinearOperator with unspecified dtype>
>>> A.matvec( ones(2) )
array([ 2.,  3.])
>>> A * ones(2)
array([ 2.,  3.])
```

Methods

matmat(X)	Matrix-matrix multiplication
matvec(x)	Matrix-vector multiplication

LinearOperator.**matmat**(X)

Matrix-matrix multiplication

Performs the operation $y=A*X$ where A is an MxN linear operator and X dense N*K matrix or ndarray.

Parameters X : {matrix, ndarray}

Returns Y : {matrix, ndarray} An array with shape (N,K).

A matrix or ndarray with shape (M,K) depending on the type of the X argument.

Notes

This matmat wraps any user-specified matmat routine to ensure that y has the correct type.

LinearOperator.**matvec**(x)

Matrix-vector multiplication

Performs the operation $y=A*x$ where A is an MxN linear operator and x is a column vector or rank-1 array.

Parameters x : {matrix, ndarray}

Returns y : {matrix, ndarray} An array with shape (N,) or (N,1).

A matrix or ndarray with shape (M,) or (M,1) depending on the type and shape of the x argument.

Notes

This matvec wraps the user-specified matvec routine to ensure that y has the correct shape and type.

`scipy.sparse.linalg.aslinearoperator(A)`

Return A as a LinearOperator.

'A' may be any of the following types:

- ndarray
- matrix
- sparse matrix (e.g. `csr_matrix`, `lil_matrix`, etc.)
- LinearOperator
- An object with `.shape` and `.matvec` attributes

See the LinearOperator documentation for additional information.

Examples

```
>>> from scipy import matrix
>>> M = matrix( [[1,2,3],[4,5,6]], dtype='int32' )
>>> aslinearoperator( M )
<2x3 LinearOperator with dtype=int32>
```

5.23.2 Matrix Operations

<code>inv(A)</code>	Compute the inverse of a sparse matrix ..
<code>expm(A)</code>	Compute the matrix exponential using Pade approximation.

`scipy.sparse.linalg.inv(A)`

Compute the inverse of a sparse matrix New in version 0.12.0.

Parameters **A** : (M,M) ndarray or sparse matrix

Returns **Ainv** : (M,M) ndarray or sparse matrix
square matrix to be inverted
inverse of A

Notes

This computes the sparse inverse of A. If the inverse of A is expected to be non-sparse, it will likely be faster to convert A to dense and use `scipy.linalg.inv`.

`scipy.sparse.linalg.expm(A)`

Compute the matrix exponential using Pade approximation. New in version 0.12.0.

Parameters **A** : (M,M) array or sparse matrix

Returns **expA** : (M,M) ndarray
2D Array or Matrix (sparse or dense) to be exponentiated
Matrix exponential of A

References

N. J. Higham, "The Scaling and Squaring Method for the Matrix Exponential Revisited", SIAM. J. Matrix Anal. & Appl. 26, 1179 (2005).

5.23.3 Solving linear problems

Direct methods for linear equation systems:

<code>spsolve(A, b[, permc_spec, use_umfpack])</code>	Solve the sparse linear system $Ax=b$, where b may be a vector or a matrix.
---	--

Continued on next page

Table 5.155 – continued from previous page

<code>factorized(A)</code>	Return a function for solving a sparse linear system, with A pre-factorized.
----------------------------	--

`scipy.sparse.linalg.spsolve(A, b, permc_spec=None, use_umfpack=True)`

Solve the sparse linear system $Ax=b$, where b may be a vector or a matrix.

Parameters

- A** : ndarray or sparse matrix
The square matrix A will be converted into CSC or CSR form
- b** : ndarray or sparse matrix
The matrix or vector representing the right hand side of the equation. If a vector, b.size must
- permc_spec** : str, optional
How to permute the columns of the matrix for sparsity preservation. (default: 'COLAMD')
 - NATURAL: natural ordering.
 - MMD_ATA: minimum degree ordering on the structure of $A^T A$.
 - MMD_AT_PLUS_A: minimum degree ordering on the structure of A^T+A .
 - COLAMD: approximate minimum degree column ordering
- use_umfpack** : bool (optional)
if True (default) then use umfpack for the solution. This is only referenced if b is a vector.

Returns

- x** : ndarray or sparse matrix
the solution of the sparse linear equation. If b is a vector, then x is a vector of size A.shape[1] If b is a matrix, then x is a matrix of size (A.shape[1], b.shape[1])

Notes

For solving the matrix expression $AX = B$, this solver assumes the resulting matrix X is sparse, as is often the case for very sparse inputs. If the resulting X is dense, the construction of this sparse result will be relatively expensive. In that case, consider converting A to a dense matrix and using `scipy.linalg.solve` or its variants.

`scipy.sparse.linalg.factorized(A)`

Return a function for solving a sparse linear system, with A pre-factorized.

Parameters

- A** : (N, N) array_like
Input.

Returns

- solve** : callable
To solve the linear system of equations given in A, the *solve* callable should be passed an ndarray of shape (N,).

Examples

```
>>> A = np.array([[ 3. ,  2. , -1. ],
                 [ 2. , -2. ,  4. ],
                 [-1. ,  0.5, -1. ]])

>>> solve = factorized( A ) # Makes LU decomposition.

>>> rhs1 = np.array([1,-2,0])
>>> x1 = solve( rhs1 ) # Uses the LU factors.
array([ 1., -2., -2.] )
```

Iterative methods for linear equation systems:

<code>bicg(A, b[, x0, tol, maxiter, xtype, M, ...])</code>	Use BIConjugate Gradient iteration to solve $Ax = b$
<code>bicgstab(A, b[, x0, tol, maxiter, xtype, M, ...])</code>	Use BIConjugate Gradient STABILized iteration to solve $Ax = b$
<code>cg(A, b[, x0, tol, maxiter, xtype, M, callback])</code>	Use Conjugate Gradient iteration to solve $Ax = b$
<code>cgs(A, b[, x0, tol, maxiter, xtype, M, callback])</code>	Use Conjugate Gradient Squared iteration to solve $Ax = b$
<code>gmres(A, b[, x0, tol, restart, maxiter, ...])</code>	Use Generalized Minimal RESidual iteration to solve $Ax = b$.
<code>lgmres(A, b[, x0, tol, maxiter, M, ...])</code>	Solve a matrix equation using the LGMRES algorithm.
<code>minres(A, b[, x0, shift, tol, maxiter, ...])</code>	Use MINimum RESidual iteration to solve $Ax = b$
<code>qmr(A, b[, x0, tol, maxiter, xtype, M1, M2, ...])</code>	Use Quasi-Minimal Residual iteration to solve $Ax = b$

`scipy.sparse.linalg.bicg(A, b, x0=None, tol=1e-05, maxiter=None, xtype=None, M=None, callback=None)`

Use BIConjugate Gradient iteration to solve $Ax = b$

Parameters **A** : {sparse matrix, dense matrix, LinearOperator}
 The real or complex N-by-N matrix of the linear system. It is required that the linear operator can produce Ax and $A^T x$.

b : {array, matrix}

Returns **x** : {array, matrix} Right hand side of the linear system. Has shape (N,) or (N,1).

info : integer The converged solution.

Provides convergence information:
 0 : successful exit >0 : convergence to tolerance not achieved, number of iterations <0 : illegal input or breakdown

Other Parameters

x0 : {array, matrix}
 Starting guess for the solution.

tol : float
 Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.

maxiter : integer
 Maximum number of iterations. Iteration will stop after *maxiter* steps even if the specified tolerance has not been achieved.

M : {sparse matrix, dense matrix, LinearOperator}
 Preconditioner for A. The preconditioner should approximate the inverse of A. Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance.

callback : function
 User-supplied function to call after each iteration. It is called as `callback(xk)`, where *xk* is the current solution vector.

xtype : {'f','d','F','D'}
 This parameter is deprecated – avoid using it.
 The type of the result. If None, then it will be determined from `A.dtype.char` and `b`. If A does not have a `typecode` method then it will compute `A.matvec(x0)` to get a typecode. To save the extra computation when A does not have a `typecode` attribute use `xtype=0` for the same type as `b` or use `xtype='f','d','F',`or `'D'`. This parameter has been superceded by `LinearOperator`.

`scipy.sparse.linalg.bicgstab(A, b, x0=None, tol=1e-05, maxiter=None, xtype=None, M=None, callback=None)`

Use BIConjugate Gradient STABILized iteration to solve $Ax = b$

Parameters **A** : {sparse matrix, dense matrix, LinearOperator}
 The real or complex N-by-N matrix of the linear system A must represent a hermitian, positive definite matrix

b : {array, matrix}

Returns **x** : {array, matrix} Right hand side of the linear system. Has shape (N,) or (N,1).
 The converged solution.

info : integer

Provides convergence information:
 0 : successful exit >0 : convergence to tolerance not achieved, number of iterations <0 : illegal input or breakdown

Other Parameters

x0 : {array, matrix}
 Starting guess for the solution.

tol : float
 Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.

maxiter : integer
 Maximum number of iterations. Iteration will stop after maxiter steps even if the specified tolerance has not been achieved.

M : {sparse matrix, dense matrix, LinearOperator}
 Preconditioner for A. The preconditioner should approximate the inverse of A. Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance.

callback : function
 User-supplied function to call after each iteration. It is called as `callback(xk)`, where `xk` is the current solution vector.

xtype : {'f','d','F','D'}
 This parameter is deprecated – avoid using it.
 The type of the result. If None, then it will be determined from `A.dtype.char` and `b`. If A does not have a `typecode` method then it will compute `A.matvec(x0)` to get a `typecode`. To save the extra computation when A does not have a `typecode` attribute use `xtype=0` for the same type as `b` or use `xtype='f','d','F',or 'D'`. This parameter has been superceded by `LinearOperator`.

`scipy.sparse.linalg.cg(A, b, x0=None, tol=1e-05, maxiter=None, xtype=None, M=None, callback=None)`

Use Conjugate Gradient iteration to solve $Ax = b$

Parameters **A** : {sparse matrix, dense matrix, LinearOperator}
 The real or complex N-by-N matrix of the linear system A must represent a hermitian, positive definite matrix

b : {array, matrix}

Returns **x** : {array, matrix} Right hand side of the linear system. Has shape (N,) or (N,1).
 The converged solution.

info : integer

Provides convergence information:
 0 : successful exit >0 : convergence to tolerance not achieved, number of iterations <0 : illegal input or breakdown

Other Parameters

x0 : {array, matrix}
 Starting guess for the solution.

tol : float
Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.

maxiter : integer
Maximum number of iterations. Iteration will stop after maxiter steps even if the specified tolerance has not been achieved.

M : {sparse matrix, dense matrix, LinearOperator}
Preconditioner for A. The preconditioner should approximate the inverse of A. Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance.

callback : function
User-supplied function to call after each iteration. It is called as `callback(xk)`, where `xk` is the current solution vector.

xtype : {'f','d','F','D'}
This parameter is deprecated – avoid using it.
The type of the result. If None, then it will be determined from `A.dtype.char` and `b`. If A does not have a `typecode` method then it will compute `A.matvec(x0)` to get a `typecode`. To save the extra computation when A does not have a `typecode` attribute use `xtype=0` for the same type as `b` or use `xtype='f','d','F',`or `'D'`. This parameter has been superceded by `LinearOperator`.

`scipy.sparse.linalg.cgs(A, b, x0=None, tol=1e-05, maxiter=None, xtype=None, M=None, callback=None)`

Use Conjugate Gradient Squared iteration to solve $Ax = b$

Parameters **A** : {sparse matrix, dense matrix, LinearOperator}
The real-valued N-by-N matrix of the linear system

b : {array, matrix}

Returns **x** : {array, matrix}
Right hand side of the linear system. Has shape (N,) or (N,1).
The converged solution.

info : integer
Provides convergence information:
0 : successful exit >0 : convergence to tolerance not achieved, number of iterations <0 : illegal input or breakdown

Other Parameters

x0 : {array, matrix}
Starting guess for the solution.

tol : float
Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.

maxiter : integer
Maximum number of iterations. Iteration will stop after maxiter steps even if the specified tolerance has not been achieved.

M : {sparse matrix, dense matrix, LinearOperator}
Preconditioner for A. The preconditioner should approximate the inverse of A. Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance.

callback : function
User-supplied function to call after each iteration. It is called as `callback(xk)`, where `xk` is the current solution vector.

xtype : {'f','d','F','D'}

This parameter is deprecated – avoid using it.

The type of the result. If None, then it will be determined from A.dtype.char and b. If A does not have a typecode method then it will compute A.matvec(x0) to get a typecode. To save the extra computation when A does not have a typecode attribute use xtype=0 for the same type as b or use xtype='f','d','F',or 'D'. This parameter has been superceeded by LinearOperator.

scipy.sparse.linalg.gmres(A, b, x0=None, tol=1e-05, restart=None, maxiter=None, xtype=None, M=None, callback=None, restrt=None)

Use Generalized Minimal RESidual iteration to solve $Ax = b$.

Parameters A : {sparse matrix, dense matrix, LinearOperator}
The real or complex N-by-N matrix of the linear system.

b : {array, matrix}

Returns x : {array, matrix} Right hand side of the linear system. Has shape (N,) or (N,1).

The converged solution.

info : int

Provides convergence information:

- 0 : successful exit
- >0 : convergence to tolerance not achieved, number of iterations
- <0 : illegal input or breakdown

Other Parameters

x0 : {array, matrix}

Starting guess for the solution (a vector of zeros by default).

tol : float

Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below tol.

restart : int, optional

Number of iterations between restarts. Larger values increase iteration cost, but may be necessary for convergence. Default is 20.

maxiter : int, optional

Maximum number of iterations. Iteration will stop after maxiter steps even if the specified tolerance has not been achieved.

xtype : {'f','d','F','D'}

This parameter is DEPRECATED — avoid using it.

The type of the result. If None, then it will be determined from A.dtype.char and b. If A does not have a typecode method then it will compute A.matvec(x0) to get a typecode. To save the extra computation when A does not have a typecode attribute use xtype=0 for the same type as b or use xtype='f','d','F',or 'D'. This parameter has been superceeded by LinearOperator.

M : {sparse matrix, dense matrix, LinearOperator}

Inverse of the preconditioner of A. M should approximate the inverse of A and be easy to solve for (see Notes). Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance. By default, no preconditioner is used.

callback : function

User-supplied function to call after each iteration. It is called as callback(rk), where rk is the current residual vector.

restrt : int, optional

DEPRECATED - use restart instead.

See Also`LinearOperator`**Notes**

A preconditioner, P , is chosen such that P is close to A but easy to solve for. The preconditioner parameter required by this routine is $M = P^{-1}$. The inverse should preferably not be calculated explicitly. Rather, use the following template to produce M :

```
# Construct a linear operator that computes  $P^{-1} * x$ .
import scipy.sparse.linalg as spla
M_x = lambda x: spla.spsolve(P, x)
M = spla.LinearOperator((n, n), M_x)
```

```
scipy.sparse.linalg.lgmres(A, b, x0=None, tol=1e-05, maxiter=1000, M=None, callback=None,
                           inner_m=30, outer_k=3, outer_v=None, store_outer_Av=True)
```

Solve a matrix equation using the LGMRES algorithm.

The LGMRES algorithm [BJM] [BPh] is designed to avoid some problems in the convergence in restarted GMRES, and often converges in fewer iterations.

Parameters

- A** : {sparse matrix, dense matrix, LinearOperator}
 - The real or complex N-by-N matrix of the linear system.
- b** : {array, matrix}
 - Right hand side of the linear system. Has shape (N,) or (N,1).
- x0** : {array, matrix}
 - Starting guess for the solution.
- tol** : float
 - Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.
- maxiter** : int
 - Maximum number of iterations. Iteration will stop after maxiter steps even if the specified tolerance has not been achieved.
- M** : {sparse matrix, dense matrix, LinearOperator}
 - Preconditioner for A. The preconditioner should approximate the inverse of A. Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance.
- callback** : function
 - User-supplied function to call after each iteration. It is called as `callback(xk)`, where `xk` is the current solution vector.
- inner_m** : int, optional
 - Number of inner GMRES iterations per each outer iteration.
- outer_k** : int, optional
 - Number of vectors to carry between inner GMRES iterations. According to [BJM], good values are in the range of 1...3. However, note that if you want to use the additional vectors to accelerate solving multiple similar problems, larger values may be beneficial.
- outer_v** : list of tuples, optional
 - List containing tuples (v, Av) of vectors and corresponding matrix-vector products, used to augment the Krylov subspace, and carried between inner GMRES iterations. The element Av can be *None* if the matrix-vector product should be re-evaluated. This parameter is modified in-place by `lgmres`, and can be used to pass “guess” vectors in and out of the algorithm when solving similar problems.
- store_outer_Av** : bool, optional

Returns **x** : array or matrix Whether LGMRES should store also $A*v$ in addition to vectors v in the *outer_v* list. Default is True.

info : int The converged solution.

Provides convergence information:

- 0 : successful exit
- >0 : convergence to tolerance not achieved, number of iterations
- <0 : illegal input or breakdown

Notes

The LGMRES algorithm [BJM] [BPh] is designed to avoid the slowing of convergence in restarted GMRES, due to alternating residual vectors. Typically, it often outperforms GMRES(m) of comparable memory requirements by some measure, or at least is not much worse.

Another advantage in this algorithm is that you can supply it with ‘guess’ vectors in the *outer_v* argument that augment the Krylov subspace. If the solution lies close to the span of these vectors, the algorithm converges faster. This can be useful if several very similar matrices need to be inverted one after another, such as in Newton-Krylov iteration where the Jacobian matrix often changes little in the nonlinear steps.

References

[BJM], [BPh]

`scipy.sparse.linalg.minres` (*A*, *b*, *x0=None*, *shift=0.0*, *tol=1e-05*, *maxiter=None*, *xtype=None*, *M=None*, *callback=None*, *show=False*, *check=False*)

Use MINimum RESidual iteration to solve $Ax=b$

MINRES minimizes $\text{norm}(A*x - b)$ for a real symmetric matrix A . Unlike the Conjugate Gradient method, A can be indefinite or singular.

If $\text{shift} \neq 0$ then the method solves $(A - \text{shift}*I)x = b$

Parameters **A** : {sparse matrix, dense matrix, LinearOperator}
The real symmetric N-by-N matrix of the linear system

b : {array, matrix}

Returns **x** : {array, matrix} Right hand side of the linear system. Has shape (N,) or (N,1).

info : integer The converged solution.

Provides convergence information:

- 0 : successful exit
- >0 : convergence to tolerance not achieved, number of iterations
- <0 : illegal input or breakdown

Other Parameters

x0 : {array, matrix}
Starting guess for the solution.

tol : float
Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below *tol*.

maxiter : integer
Maximum number of iterations. Iteration will stop after maxiter steps even if the specified tolerance has not been achieved.

M : {sparse matrix, dense matrix, LinearOperator}
Preconditioner for A . The preconditioner should approximate the inverse of A . Effective preconditioning dramatically improves the rate of convergence, which implies that fewer iterations are needed to reach a given error tolerance.

callback : function

User-supplied function to call after each iteration. It is called as `callback(xk)`, where `xk` is the current solution vector.

xtype : {'f','d','F','D'}

This parameter is deprecated – avoid using it.

The type of the result. If `None`, then it will be determined from `A.dtype.char` and `b`. If `A` does not have a `typecode` method then it will compute `A.matvec(x0)` to get a `typecode`. To save the extra computation when `A` does not have a `typecode` attribute use `xtype=0` for the same type as `b` or use `xtype='f','d','F',`or `'D'`. This parameter has been superceded by `LinearOperator`.

Notes

THIS FUNCTION IS EXPERIMENTAL AND SUBJECT TO CHANGE!

References

Solution of sparse indefinite systems of linear equations,

C. C. Paige and M. A. Saunders (1975), SIAM J. Numer. Anal. 12(4), pp. 617-629.

<http://www.stanford.edu/group/SOL/software/minres.html>

This file is a translation of the following MATLAB implementation:

<http://www.stanford.edu/group/SOL/software/minres/matlab/>

`scipy.sparse.linalg.qmr(A, b, x0=None, tol=1e-05, maxiter=None, xtype=None, M1=None, M2=None, callback=None)`

Use Quasi-Minimal Residual iteration to solve $Ax = b$

Parameters **A** : {sparse matrix, dense matrix, LinearOperator}

The real-valued N-by-N matrix of the linear system. It is required that the linear operator can produce Ax and $A^T x$.

b : {array, matrix}

Returns **x** : {array, matrix} Right hand side of the linear system. Has shape (N,) or (N,1).

The converged solution.

info : integer

Provides convergence information:

0 : successful exit >0 : convergence to tolerance not achieved, number of iterations <0 : illegal input or breakdown

Other Parameters

x0 : {array, matrix}

Starting guess for the solution.

tol : float

Tolerance to achieve. The algorithm terminates when either the relative or the absolute residual is below `tol`.

maxiter : integer

Maximum number of iterations. Iteration will stop after `maxiter` steps even if the specified tolerance has not been achieved.

M1 : {sparse matrix, dense matrix, LinearOperator}

Left preconditioner for `A`.

M2 : {sparse matrix, dense matrix, LinearOperator}

Right preconditioner for `A`. Used together with the left preconditioner `M1`. The matrix `M1*A*M2` should have better conditioned than `A` alone.

callback : function

User-supplied function to call after each iteration. It is called as `callback(xk)`, where `xk` is the current solution vector.

xtype : {'f','d','F','D'}

This parameter is DEPRECATED – avoid using it.

The type of the result. If None, then it will be determined from `A.dtype.char` and `b`. If `A` does not have a `typecode` method then it will compute `A.matvec(x0)` to get a `typecode`. To save the extra computation when `A` does not have a `typecode` attribute use `xtype=0` for the same type as `b` or use `xtype='f','d','F',`or `'D'`. This parameter has been superceded by `LinearOperator`.

See Also

`LinearOperator`

Iterative methods for least-squares problems:

<code>lsqr(A, b[, damp, atol, btol, conlim, ...])</code>	Find the least-squares solution to a large, sparse, linear system of equations.
<code>lsmr(A, b[, damp, atol, btol, conlim, ...])</code>	Iterative solver for least-squares problems.

`scipy.sparse.linalg.lsqr(A, b, damp=0.0, atol=1e-08, btol=1e-08, conlim=100000000.0, iter_lim=None, show=False, calc_var=False)`

Find the least-squares solution to a large, sparse, linear system of equations.

The function solves $Ax = b$ or $\min ||b - Ax||^2$ or $\min ||Ax - b||^2 + d^2 ||x||^2$.

The matrix `A` may be square or rectangular (over-determined or under-determined), and may have any rank.

1. Unsymmetric equations -- solve $Ax = b$
2. Linear least squares -- solve $Ax = b$
in the least-squares sense
3. Damped least squares -- solve $\begin{pmatrix} A \\ \text{damp} \cdot I \end{pmatrix} x = \begin{pmatrix} b \\ 0 \end{pmatrix}$
in the least-squares sense

Parameters `A` : {sparse matrix, ndarray, LinearOperatorLinear}

Representation of an `m`-by-`n` matrix. It is required that the linear operator can produce Ax and $A^T x$.

`b` : (`m`,) ndarray

Right-hand side vector `b`.

`damp` : float

Damping coefficient.

`atol, btol` : float

Stopping tolerances. If both are $1.0e-9$ (say), the final residual norm should be accurate to about 9 digits. (The final `x` will usually have fewer correct digits, depending on `cond(A)` and the size of `damp`.)

`conlim` : float

Another stopping tolerance. `lsqr` terminates if an estimate of `cond(A)` exceeds `conlim`. For compatible systems $Ax = b$, `conlim` could be as large as $1.0e+12$ (say). For least-squares problems, `conlim` should be less than $1.0e+8$. Maximum precision can be obtained by setting `atol = btol = conlim = zero`, but the number of iterations may then be excessive.

`iter_lim` : int

Explicit limitation on number of iterations (for safety).

`show` : bool

Display an iteration log.

Returns

calc_var : bool
Whether to estimate diagonals of $(A'A + \text{damp}^2 * I)^{-1}$.

x : ndarray of float
The final solution.

istop : int
Gives the reason for termination. 1 means x is an approximate solution to $Ax = b$. 2 means x approximately solves the least-squares problem.

itn : int
Iteration number upon termination.

r1norm : float
 $\text{norm}(r)$, where $r = b - Ax$.

r2norm : float
 $\sqrt{\text{norm}(r)^2 + \text{damp}^2 * \text{norm}(x)^2}$. Equal to *r1norm* if $\text{damp} == 0$.

anorm : float
Estimate of Frobenius norm of $A_{\text{bar}} = \begin{bmatrix} A \\ \text{damp} * I \end{bmatrix}$.

acond : float
Estimate of $\text{cond}(A_{\text{bar}})$.

arnorm : float
Estimate of $\text{norm}(A' * r - \text{damp}^2 * x)$.

xnorm : float
 $\text{norm}(x)$

var : ndarray of float
If **calc_var** is True, estimates all diagonals of $(A'A)^{-1}$ (if $\text{damp} == 0$) or more generally $(A'A + \text{damp}^2 * I)^{-1}$. This is well defined if A has full column rank or $\text{damp} > 0$. (Not sure what var means if $\text{rank}(A) < n$ and $\text{damp} = 0$.)

Notes

LSQR uses an iterative method to approximate the solution. The number of iterations required to reach a certain accuracy depends strongly on the scaling of the problem. Poor scaling of the rows or columns of A should therefore be avoided where possible.

For example, in problem 1 the solution is unaltered by row-scaling. If a row of A is very small or large compared to the other rows of A, the corresponding row of $(A \ b)$ should be scaled up or down.

In problems 1 and 2, the solution x is easily recovered following column-scaling. Unless better information is known, the nonzero columns of A should be scaled so that they all have the same Euclidean norm (e.g., 1.0).

In problem 3, there is no freedom to re-scale if damp is nonzero. However, the value of damp should be assigned only after attention has been paid to the scaling of A.

The parameter damp is intended to help regularize ill-conditioned systems, by preventing the true solution from being very large. Another aid to regularization is provided by the parameter acond, which may be used to terminate iterations before the computed solution becomes very large.

If some initial estimate x_0 is known and if $\text{damp} == 0$, one could proceed as follows:

1. Compute a residual vector $r_0 = b - A * x_0$.
2. Use LSQR to solve the system $A * dx = r_0$.
3. Add the correction dx to obtain a final solution $x = x_0 + dx$.

This requires that x_0 be available before and after the call to LSQR. To judge the benefits, suppose LSQR takes k_1 iterations to solve $A * x = b$ and k_2 iterations to solve $A * dx = r_0$. If x_0 is “good”, $\text{norm}(r_0)$ will be smaller than $\text{norm}(b)$. If the same stopping tolerances atol and btol are used for each system, k_1 and k_2 will be similar, but the final solution $x_0 + dx$ should be more accurate. The only way to reduce the total work is to use a larger stopping tolerance for the second system. If some value btol is suitable for $A * x = b$, the larger value $\text{btol} * \text{norm}(b) / \text{norm}(r_0)$ should be suitable for $A * dx = r_0$.

Preconditioning is another way to reduce the number of iterations. If it is possible to solve a related system $M*x = b$ efficiently, where M approximates A in some helpful way (e.g. $M - A$ has low rank or its elements are small relative to those of A), LSQR may converge more rapidly on the system $A*M(\text{inverse})*z = b$, after which x can be recovered by solving $M*x = z$.

If A is symmetric, LSQR should not be used!

Alternatives are the symmetric conjugate-gradient method (`cg`) and/or `SYMMLQ`. `SYMMLQ` is an implementation of symmetric `cg` that applies to any symmetric A and will converge more rapidly than LSQR. If A is positive definite, there are other implementations of symmetric `cg` that require slightly less work per iteration than `SYMMLQ` (but will take the same number of iterations).

References

[R146], [R147], [R148]

`scipy.sparse.linalg.lsmr` (A , b , $damp=0.0$, $atol=1e-06$, $btol=1e-06$, $conlim=100000000.0$, $max\text{-}iter=None$, $show=False$)

Iterative solver for least-squares problems.

`lsmr` solves the system of linear equations $Ax = b$. If the system is inconsistent, it solves the least-squares problem $\min ||b - Ax||_2$. A is a rectangular matrix of dimension m -by- n , where all cases are allowed: $m = n$, $m > n$, or $m < n$. B is a vector of length m . The matrix A may be dense or sparse (usually sparse). New in version 0.11.0.

Parameters A : {matrix, sparse matrix, ndarray, LinearOperator}
Matrix A in the linear system.

b : (m,) ndarray
Vector b in the linear system.

damp : float
Damping factor for regularized least-squares. `lsmr` solves the regularized least-squares problem:

$$\min ||(b - (A) x)||_2 + \text{damp} ||(0) (damp * I) x||_2$$

where $damp$ is a scalar. If $damp$ is `None` or `0`, the system is solved without regularization.

atol, btol : float
Stopping tolerances. `lsmr` continues iterations until a certain backward error estimate is smaller than some quantity depending on `atol` and `btol`. Let $r = b - Ax$ be the residual vector for the current approximate solution x . If $Ax = b$ seems to be consistent, `lsmr` terminates when $\text{norm}(r) \leq \text{atol} * \text{norm}(A) * \text{norm}(x) + \text{btol} * \text{norm}(b)$. Otherwise, `lsmr` terminates when $\text{norm}(A^T r) \leq \text{atol} * \text{norm}(A) * \text{norm}(r)$. If both tolerances are $1.0e-6$ (say), the final $\text{norm}(r)$ should be accurate to about 6 digits. (The final x will usually have fewer correct digits, depending on $\text{cond}(A)$ and the size of `LAMBDA`.) If `atol` or `btol` is `None`, a default value of $1.0e-6$ will be used. Ideally, they should be estimates of the relative error in the entries of A and B respectively. For example, if the entries of A have 7 correct digits, set `atol` = $1e-7$. This prevents the algorithm from doing unnecessary work beyond the uncertainty of the input data.

conlim : float
`lsmr` terminates if an estimate of $\text{cond}(A)$ exceeds `conlim`. For compatible systems $Ax = b$, `conlim` could be as large as $1.0e+12$ (say). For least-squares problems, `conlim` should be less than $1.0e+8$. If `conlim` is `None`, the default value is $1e+8$. Maximum precision can be obtained by setting

`atol = btol = conlim = 0`, but the number of iterations may then be excessive.

maxiter : int
`lsqr` terminates if the number of iterations reaches *maxiter*. The default is `maxiter = min(m, n)`. For ill-conditioned systems, a larger value of *maxiter* may be needed.

show : bool
Print iterations logs if `show=True`.

Returns **x** : ndarray of float
Least-square solution returned.

istop : int
istop gives the reason for stopping:

`istop`

- = 0 means `x=0` is a solution.
- = 1 means `x` is an approximate solution to `A*x = B`, according to `atol` and `btol`.
- = 2 means `x` approximately solves the least-squares problem according to `atol`.
- = 3 means `COND(A)` seems to be greater than `CONLIM`.
- = 4 is the same as 1 with `atol = btol = eps` (machine precision)
- = 5 is the same as 2 with `atol = eps`.
- = 6 is the same as 3 with `CONLIM = 1/eps`.
- = 7 means ITN reached *maxiter* before the other stopping conditions were satisfied.

itn : int
Number of iterations used.

normr : float
`norm(b-Ax)`

normar : float
`norm(A^T (b - Ax))`

norma : float
`norm(A)`

conda : float
Condition number of A.

normx : float
`norm(x)`

References

[R144], [R145]

5.23.4 Matrix factorizations

Eigenvalue problems:

<code>eigs(A[, k, M, sigma, which, v0, ncv, ...])</code>	Find <i>k</i> eigenvalues and eigenvectors of the square matrix A.
<code>eigsh(A[, k, M, sigma, which, v0, ncv, ...])</code>	Find <i>k</i> eigenvalues and eigenvectors of the real symmetric square matrix
<code>lobpcg(A, X[, B, M, Y, tol, maxiter, ...])</code>	Solve symmetric partial eigenproblems with optional preconditioning

`scipy.sparse.linalg.eigs` (*A*, *k*=6, *M*=None, *sigma*=None, *which*='LM', *v0*=None, *ncv*=None, *maxiter*=None, *tol*=0, *return_eigenvectors*=True, *Minv*=None, *OPinv*=None, *OPpart*=None)

Find *k* eigenvalues and eigenvectors of the square matrix A.

Solves $A * x[i] = w[i] * x[i]$, the standard eigenvalue problem for $w[i]$ eigenvalues with corresponding eigenvectors $x[i]$.

If M is specified, solves $A * x[i] = w[i] * M * x[i]$, the generalized eigenvalue problem for $w[i]$ eigenvalues with corresponding eigenvectors $x[i]$

Parameters **A** : ndarray, sparse matrix or LinearOperator

An array, sparse matrix, or LinearOperator representing the operation $A * x$, where A is a real or complex square matrix.

k : int, optional

The number of eigenvalues and eigenvectors desired. k must be smaller than N . It is not possible to compute all eigenvectors of a matrix.

M : ndarray, sparse matrix or LinearOperator, optional

An array, sparse matrix, or LinearOperator representing the operation $M*x$ for the generalized eigenvalue problem

$$A * x = w * M * x.$$

M must represent a real, symmetric matrix if A is real, and must represent a complex, hermitian matrix if A is complex. For best results, the data type of M should be the same as that of A . Additionally:

If σ is None, M is positive definite

If σ is specified, M is positive semi-definite

If σ is None, $eigs$ requires an operator to compute the solution of the linear equation $M * x = b$. This is done internally via a (sparse) LU decomposition for an explicit matrix M , or via an iterative solver for a general linear operator. Alternatively, the user can supply the matrix or operator M_{inv} , which gives $x = M_{inv} * b = M^{-1} * b$.

sigma : real or complex, optional

Find eigenvalues near σ using shift-invert mode. This requires an operator to compute the solution of the linear system $[A - \sigma * M] * x = b$, where M is the identity matrix if unspecified. This is computed internally via a (sparse) LU decomposition for explicit matrices A & M , or via an iterative solver if either A or M is a general linear operator. Alternatively, the user can supply the matrix or operator OP_{inv} , which gives $x = OP_{inv} * b = [A - \sigma * M]^{-1} * b$. For a real matrix A , shift-invert can either be done in imaginary mode or real mode, specified by the parameter OP_{part} ('r' or 'i'). Note that when σ is specified, the keyword 'which' (below) refers to the shifted eigenvalues $w' [i]$ where:

If A is real and $OP_{part} == 'r'$ (default),

$$w' [i] = 1/2 * [1/(w[i]-\sigma) + 1/(w[i]-\text{conj}(\sigma))].$$

If A is real and $OP_{part} == 'i'$,

$$w' [i] = 1/2i * [1/(w[i]-\sigma) - 1/(w[i]-\text{conj}(\sigma))].$$

If A is complex, $w' [i] = 1/(w[i]-\sigma)$.

v0 : ndarray, optional

Starting vector for iteration.

ncv : int, optional

The number of Lanczos vectors generated ncv must be greater than k ; it is recommended that $ncv > 2*k$.

which : str, ['LM' | 'SM' | 'LR' | 'SR' | 'LI' | 'SI'], optional

Which k eigenvectors and eigenvalues to find:

'LM' : largest magnitude

'SM' : smallest magnitude

'LR' : largest real part

‘SR’ : smallest real part
 ‘LI’ : largest imaginary part
 ‘SI’ : smallest imaginary part

When `sigma != None`, ‘which’ refers to the shifted eigenvalues `w[i]` (see discussion in ‘sigma’, above). ARPACK is generally better at finding large values than small values. If small eigenvalues are desired, consider using shift-invert mode for better performance.

maxiter : int, optional

Maximum number of Arnoldi update iterations allowed

tol : float, optional

Relative accuracy for eigenvalues (stopping criterion) The default value of 0 implies machine precision.

return_eigenvectors : bool, optional

Return eigenvectors (True) in addition to eigenvalues

Minv : ndarray, sparse matrix or LinearOperator, optional

See notes in `M`, above.

OPinv : ndarray, sparse matrix or LinearOperator, optional

See notes in `sigma`, above.

OPpart : {‘r’ or ‘i’}, optional

See notes in `sigma`, above

Returns

w : ndarray

Array of k eigenvalues.

v : ndarray

An array of k eigenvectors. `v[:, i]` is the eigenvector corresponding to the eigenvalue `w[i]`.

Raises

ArpackNoConvergence :

When the requested convergence is not obtained. The currently converged eigenvalues and eigenvectors can be found as `eigenvalues` and `eigenvectors` attributes of the exception object.

See Also

eigsh eigenvalues and eigenvectors for symmetric matrix `A`
svds singular value decomposition for a matrix `A`

Notes

This function is a wrapper to the ARPACK [R140] SNEUPD, DNEUPD, CNEUPD, ZNEUPD, functions which use the Implicitly Restarted Arnoldi Method to find the eigenvalues and eigenvectors [R141].

References

[R140], [R141]

Examples

Find 6 eigenvectors of the identity matrix:

```
>>> id = np.eye(13)
>>> vals, vecs = sp.sparse.linalg.eigs(id, k=6)
>>> vals
array([ 1.+0.j,  1.+0.j,  1.+0.j,  1.+0.j,  1.+0.j,  1.+0.j])
>>> vecs.shape
(13, 6)
```

`scipy.sparse.linalg.eigsh` (A , $k=6$, $M=None$, $sigma=None$, $which='LM'$, $v0=None$, $ncv=None$, $maxiter=None$, $tol=0$, $return_eigenvectors=True$, $Minv=None$, $OPinv=None$, $mode='normal'$)

Find k eigenvalues and eigenvectors of the real symmetric square matrix or complex hermitian matrix A .

Solves $A * x[i] = w[i] * x[i]$, the standard eigenvalue problem for $w[i]$ eigenvalues with corresponding eigenvectors $x[i]$.

If M is specified, solves $A * x[i] = w[i] * M * x[i]$, the generalized eigenvalue problem for $w[i]$ eigenvalues with corresponding eigenvectors $x[i]$

Parameters A : An $N \times N$ matrix, array, sparse matrix, or LinearOperator representing the operation $A * x$, where A is a real symmetric matrix For buckling mode (see below) A must additionally be positive-definite

k : integer

The number of eigenvalues and eigenvectors desired. k must be smaller than N . It is not possible to compute all eigenvectors of a matrix.

Returns w : array

Array of k eigenvalues

v : array

An array of k eigenvectors The $v[i]$ is the eigenvector corresponding to the eigenvector $w[i]$

Other Parameters

M : An $N \times N$ matrix, array, sparse matrix, or linear operator representing **the operation $M * x$ for the generalized eigenvalue problem**

$$A * x = w * M * x.$$

M must represent a real, symmetric matrix if A is real, and must represent a complex, hermitian matrix if A is complex. For best results, the data type of M should be the same as that of A . Additionally:

If $sigma$ is `None`, M is symmetric positive definite

If $sigma$ is specified, M is symmetric positive semi-definite

In buckling mode, M is symmetric indefinite.

If $sigma$ is `None`, `eigsh` requires an operator to compute the solution of the linear equation $M * x = b$. This is done internally via a (sparse) LU decomposition for an explicit matrix M , or via an iterative solver for a general linear operator. Alternatively, the user can supply the matrix or operator `Minv`, which gives $x = Minv * b = M^{-1} * b$.

$sigma$: real

Find eigenvalues near $sigma$ using shift-invert mode. This requires an operator to compute the solution of the linear system $[A - sigma * M] x = b$, where M is the identity matrix if unspecified. This is computed internally via a (sparse) LU decomposition for explicit matrices A & M , or via an iterative solver if either A or M is a general linear operator. Alternatively, the user can supply the matrix or operator `OPinv`, which gives $x = OPinv * b = [A - sigma * M]^{-1} * b$. Note that when $sigma$ is specified, the keyword 'which' refers to the shifted eigenvalues $w' [i]$ where:

if `mode == 'normal'`, $w' [i] = 1 / (w[i] - sigma)$.

if `mode == 'cayley'`, $w' [i] = (w[i] + sigma) / (w[i] - sigma)$.

if `mode == 'buckling'`, $w' [i] = w[i] / (w[i] - sigma)$.

(see further discussion in 'mode' below)

$v0$: ndarray

Starting vector for iteration.

ncv : int

The number of Lanczos vectors generated `ncv` must be greater than `k` and smaller than `n`; it is recommended that `ncv > 2*k`.

which : str ['LM' | 'SM' | 'LA' | 'SA' | 'BE']

If A is a complex hermitian matrix, 'BE' is invalid. Which k eigenvectors and eigenvalues to find:

'LM' : Largest (in magnitude) eigenvalues

'SM' : Smallest (in magnitude) eigenvalues

'LA' : Largest (algebraic) eigenvalues

'SA' : Smallest (algebraic) eigenvalues

'BE' : Half ($k/2$) from each end of the spectrum

When k is odd, return one more ($k/2+1$) from the high end. When `sigma != None`, 'which' refers to the shifted eigenvalues $w'[i]$ (see discussion in 'sigma', above). ARPACK is generally better at finding large values than small values. If small eigenvalues are desired, consider using shift-invert mode for better performance.

maxiter : int

Maximum number of Arnoldi update iterations allowed

tol : float

Relative accuracy for eigenvalues (stopping criterion). The default value of 0 implies machine precision.

Minv : $N \times N$ matrix, array, sparse matrix, or LinearOperator

See notes in `M`, above

OPinv : $N \times N$ matrix, array, sparse matrix, or LinearOperator

See notes in `sigma`, above.

return_eigenvectors : bool

Return eigenvectors (True) in addition to eigenvalues

mode : string ['normal' | 'buckling' | 'cayley']

Specify strategy to use for shift-invert mode. This argument applies only for real-valued A and `sigma != None`. For shift-invert mode, ARPACK internally solves the eigenvalue problem $OP * x'[i] = w'[i] * B * x'[i]$ and transforms the resulting Ritz vectors $x'[i]$ and Ritz values $w'[i]$ into the desired eigenvectors and eigenvalues of the problem $A * x[i] = w[i] * M * x[i]$. The modes are as follows:

'normal' : $OP = [A - \text{sigma} * M]^{-1} * M$, $B = M$, $w'[i] = 1 / (w[i] - \text{sigma})$

'buckling' : $OP = [A - \text{sigma} * M]^{-1} * A$, $B = A$, $w'[i] = w[i] / (w[i] - \text{sigma})$

'cayley' : $OP = [A - \text{sigma} * M]^{-1} * [A + \text{sigma} * M]$, $B = M$, $w'[i] = (w[i] + \text{sigma}) / (w[i] - \text{sigma})$

The choice of mode will affect which eigenvalues are selected by the keyword 'which', and can also impact the stability of convergence (see [2] for a discussion)

Raises

ArpackNoConvergence :

When the requested convergence is not obtained.

The currently converged eigenvalues and eigenvectors can be found as `eigenvalues` and `eigenvectors` attributes of the exception object.

See Also

eigs eigenvalues and eigenvectors for a general (nonsymmetric) matrix A
svds singular value decomposition for a matrix A

Notes

This function is a wrapper to the ARPACK [R142] SSEUPD and DSEUPD functions which use the Implicitly Restarted Lanczos Method to find the eigenvalues and eigenvectors [R143].

References

[R142], [R143]

Examples

```
>>> id = np.eye(13)
>>> vals, vecs = sp.sparse.linalg.eigsh(id, k=6)
>>> vals
array([ 1.+0.j,  1.+0.j,  1.+0.j,  1.+0.j,  1.+0.j,  1.+0.j])
>>> vecs.shape
(13, 6)
```

```
scipy.sparse.linalg.lobpcg(A, X, B=None, M=None, Y=None, tol=None, maxiter=20,
                           largest=True, verbosityLevel=0, retLambdaHistory=False, re-
                           tResidualNormsHistory=False)
```

Solve symmetric partial eigenproblems with optional preconditioning

This function implements the Locally Optimal Block Preconditioned Conjugate Gradient Method (LOBPCG).

- Parameters**
- A** : {sparse matrix, dense matrix, LinearOperator}

The symmetric linear operator of the problem, usually a sparse matrix. Often called the “stiffness matrix”.
 - X** : array_like

Initial approximation to the k eigenvectors. If A has shape=(n,n) then X should have shape shape=(n,k).
 - B** : {dense matrix, sparse matrix, LinearOperator}, optional

the right hand side operator in a generalized eigenproblem. by default, B = Identity often called the “mass matrix”
 - M** : {dense matrix, sparse matrix, LinearOperator}, optional

preconditioner to A; by default M = Identity M should approximate the inverse of A
 - Y** : array_like, optional

n-by-sizeY matrix of constraints, sizeY < n The iterations will be performed in the B-orthogonal complement of the column-space of Y. Y must be full rank.
- Returns**
- w** : array

Array of k eigenvalues
 - v** : array

An array of k eigenvectors. V has the same shape as X.
- Other Parameters**
- tol** : scalar, optional

Solver tolerance (stopping criterion) by default: tol=n*sqrt(eps)
 - maxiter** : integer, optional

maximum number of iterations by default: maxiter=min(n,20)
 - largest** : boolean, optional

when True, solve for the largest eigenvalues, otherwise the smallest
 - verbosityLevel** : integer, optional

controls solver output. default: verbosityLevel = 0.
 - retLambdaHistory** : boolean, optional

whether to return eigenvalue history
 - retResidualNormsHistory** : boolean, optional

whether to return history of residual norms

Notes

If both retLambdaHistory and retResidualNormsHistory are True, the return tuple has the following format (lambda, V, lambda history, residual norms history)

Singular values problems:

`svds(A[, k, ncv, tol, which, v0, maxiter, ...])` Compute the largest k singular values/vectors for a sparse matrix.

`scipy.sparse.linalg.svds` (*A*, *k*=6, *ncv*=None, *tol*=0, *which*='LM', *v0*=None, *maxiter*=None, *return_singular_vectors*=True)

Compute the largest k singular values/vectors for a sparse matrix.

Parameters

A : sparse matrix
Array to compute the SVD on, of shape (M, N)

k : int, optional
Number of singular values and vectors to compute.

ncv : integer, optional
The number of Lanczos vectors generated *ncv* must be greater than *k*+1 and smaller than *n*; it is recommended that *ncv* > 2*k

tol : float, optional
Tolerance for singular values. Zero (default) means machine precision.

which : str, ['LM' | 'SM'], optional
Which *k* singular values to find:

- 'LM' : largest singular values
- 'SM' : smallest singular values

New in version 0.12.0.

v0 : ndarray, optional
Starting vector for iteration, of length `min(A.shape)`. Should be an (approximate) right singular vector if *N* > *M* and a right singular vector otherwise. New in version 0.12.0.

maxiter: integer, optional :
Maximum number of iterations. New in version 0.12.0.

return_singular_vectors : bool, optional
Return singular vectors (True) in addition to singular values New in version 0.12.0.

Returns :

----- :

u : ndarray, shape=(M, k)
Unitary matrix having left singular vectors as columns.

s : ndarray, shape=(k,)
The singular values.

vt : ndarray, shape=(k, N)
Unitary matrix having right singular vectors as rows.

Notes

This is a naive implementation using ARPACK as an eigensolver on $A.H * A$ or $A * A.H$, depending on which one is more efficient.

Complete or incomplete LU factorizations

`splu(A[, permc_spec, diag_pivot_thresh, ...])` Compute the LU decomposition of a sparse, square matrix.

`spilu(A[, drop_tol, fill_factor, drop_rule, ...])` Compute an incomplete LU decomposition for a sparse, square matrix.

`scipy.sparse.linalg.splu` (*A*, *permc_spec*=None, *diag_pivot_thresh*=None, *drop_tol*=None, *relax*=None, *panel_size*=None, *options*={})

Compute the LU decomposition of a sparse, square matrix.

Parameters **A** : sparse matrix

Sparse matrix to factorize. Should be in CSR or CSC format.

perm_spec : str, optional
 How to permute the columns of the matrix for sparsity preservation. (default: 'COLAMD')

- NATURAL: natural ordering.
- MMD_ATA: minimum degree ordering on the structure of $A^T A$.
- MMD_AT_PLUS_A: minimum degree ordering on the structure of $A^T + A$.
- COLAMD: approximate minimum degree column ordering

diag_pivot_thresh : float, optional
 Threshold used for a diagonal entry to be an acceptable pivot. See SuperLU user's guide for details [SLU]

drop_tol : float, optional
 (deprecated) No effect.

relax : int, optional
 Expert option for customizing the degree of relaxing supernodes. See SuperLU user's guide for details [SLU]

panel_size : int, optional
 Expert option for customizing the panel size. See SuperLU user's guide for details [SLU]

options : dict, optional
 Dictionary containing additional expert options to SuperLU. See SuperLU user guide [SLU] (section 2.4 on the 'Options' argument) for more details. For example, you can specify `options=dict(Equil=False, IterRefine='SINGLE')` to turn equilibration off and perform a single iterative refinement.

Returns **invA** : `scipy.sparse.linalg.dsolve._superlu.SciPyLUType`
 Object, which has a `solve` method.

See Also

`spilu` incomplete LU decomposition

Notes

This function uses the SuperLU library.

References

[SLU]

`scipy.sparse.linalg.spilu` (*A*, *drop_tol=None*, *fill_factor=None*, *drop_rule=None*, *perm_spec=None*, *diag_pivot_thresh=None*, *relax=None*, *panel_size=None*, *options=None*)

Compute an incomplete LU decomposition for a sparse, square matrix.

The resulting object is an approximation to the inverse of *A*.

Parameters **A** : (N, N) array_like
 Sparse matrix to factorize

drop_tol : float, optional
 Drop tolerance ($0 \leq \text{tol} \leq 1$) for an incomplete LU decomposition. (default: 1e-4)

fill_factor : float, optional
 Specifies the fill ratio upper bound (≥ 1.0) for ILU. (default: 10)

drop_rule : str, optional

Comma-separated string of drop rules to use. Available rules: `basic`, `prows`, `column`, `area`, `secondary`, `dynamic`, `interp`. (Default: `basic, area`)

See SuperLU documentation for details.

milu : str, optional

Which version of modified ILU to use. (Choices: `silu`, `smilu_1`, `smilu_2` (default), `smilu_3`.)

Remaining other options :

Returns **invA_approx** : Same as for `splu`
`scipy.sparse.linalg.dsolve._superlu.SciPyLUType`
 Object, which has a `solve` method.

See Also

`splu` complete LU decomposition

Notes

To improve the better approximation to the inverse, you may need to increase `fill_factor` AND decrease `drop_tol`.

This function uses the SuperLU library.

5.23.5 Exceptions

<code>ArpackNoConvergence(msg, eigenvalues, ...)</code>	ARPACK iteration did not converge
<code>ArpackError(info[, infodict])</code>	ARPACK error

exception `scipy.sparse.linalg.ArpackNoConvergence` (*msg, eigenvalues, eigenvectors*)
 ARPACK iteration did not converge

Attributes

<code>eigenvalues</code>	(ndarray) Partial result. Converged eigenvalues.
<code>eigenvectors</code>	(ndarray) Partial result. Converged eigenvectors.

exception `scipy.sparse.linalg.ArpackError` (*info*, *infodict*={*c*: {0: 'Normal exit.', 1: 'Maximum number of iterations taken. All possible eigenvalues of OP has been found. IPARAM(5) returns the number of wanted converged Ritz values.', 2: 'No longer an informational error. Deprecated starting with release 2 of ARPACK.', 3: 'No shifts could be applied during a cycle of the Implicitly restarted Arnoldi iteration. One possibility is to increase the size of NCV relative to NEV.', -9999: 'Could not build an Arnoldi factorization. IPARAM(5) returns the size of the current Arnoldi factorization. The user is advised to check that enough workspace and array storage has been allocated.', -13: "NEV and WHICH = 'BE' are incompatible.", -12: 'IPARAM(1) must be equal to 0 or 1.', -1: 'N must be positive.', -10: 'IPARAM(7) must be 1, 2, 3.', -9: 'Starting vector is zero.', -8: 'Error return from LAPACK eigenvalue calculation;', -7: 'Length of private work array WORKL is not sufficient.', -6: "BMAT must be one of 'I' or 'G'."}, -5: " WHICH must be one of 'LM', 'SM', 'LR', 'SR', 'LI', 'SI'", -4: 'The maximum number of Arnoldi update iterations allowed must be greater than zero.', -3: 'NCV-NEV >= 2 and less than or equal to N.', -2: 'NEV must be positive.', -11: "IPARAM(7) = 1 and BMAT = 'G' are incompatible."}, *s*: {0: 'Normal exit.', 1: 'Maximum number of iterations taken. All possible eigenvalues of OP has been found. IPARAM(5) returns the number of wanted converged Ritz values.', 2: 'No longer an informational error. Deprecated starting with release 2 of ARPACK.', 3: 'No shifts could be applied during a cycle of the Implicitly restarted Arnoldi iteration. One possibility is to increase the size of NCV relative to NEV.', -9999: 'Could not build an Arnoldi factorization. IPARAM(5) returns the size of the current Arnoldi factorization. The user is advised to check that enough workspace and array storage has been allocated.', -13: "NEV and WHICH = 'BE' are incompatible.", -12: 'IPARAM(1) must be equal to 0 or 1.', -2: 'NEV must be positive.', -10: 'IPARAM(7) must be 1, 2, 3, 4.', -9: 'Starting vector is zero.', -8: 'Error return from LAPACK eigenvalue calculation;', -7: 'Length of private work array WORKL is not sufficient.', -6: "BMAT must be one of 'I' or 'G'."}, -5: " WHICH must be one of 'LM', 'SM', 'LR', 'SR', 'LI', 'SI'", -4: 'The maximum number of Arnoldi update iterations allowed must be greater than zero.', -3: 'NCV-NEV >= 2 and less than or equal to N.', -1: 'N must be positive.', -11: "IPARAM(7) = 1 and BMAT = 'G' are incompatible."}, *z*: {0: 'Normal exit.', 1: 'Maximum number of iterations taken. All possible eigenvalues of OP has been found. IPARAM(5) returns the number of wanted converged Ritz values.', 2: 'No longer an informational error. Deprecated starting with release 2 of ARPACK.', 3: 'No shifts could be applied during a cycle of the Implicitly restarted Arnoldi iteration. One possibility is to increase the size of NCV relative to NEV.', -9999: 'Could not build an Arnoldi factorization. IPARAM(5) returns the size

ARPACK error

5.24 Compressed Sparse Graph Routines (`scipy.sparse.csgraph`)

Fast graph algorithms based on sparse matrix representations.

5.24.1 Contents

<code>connected_components(csgraph[, directed, ...])</code>	Analyze the connected components of a sparse graph ..
<code>laplacian(csgraph[, normed, return_diag])</code>	Return the Laplacian matrix of a directed graph.
<code>shortest_path(csgraph[, method, directed, ...])</code>	Perform a shortest-path graph search on a positive directed or undirected graph
<code>dijkstra(csgraph[, directed, indices, ...])</code>	Dijkstra algorithm using Fibonacci Heaps
<code>floyd_warshall(csgraph[, directed, ...])</code>	Compute the shortest path lengths using the Floyd-Warshall algorithm
<code>bellman_ford(csgraph[, directed, indices, ...])</code>	Compute the shortest path lengths using the Bellman-Ford algorithm.
<code>johnson(csgraph[, directed, indices, ...])</code>	Compute the shortest path lengths using Johnson's algorithm.
<code>breadth_first_order(csgraph, i_start[, ...])</code>	Return a breadth-first ordering starting with specified node.
<code>depth_first_order(csgraph, i_start[, ...])</code>	Return a depth-first ordering starting with specified node.
<code>breadth_first_tree(csgraph, i_start[, directed])</code>	Return the tree generated by a breadth-first search
<code>depth_first_tree(csgraph, i_start[, directed])</code>	Return a tree generated by a depth-first search.
<code>minimum_spanning_tree(csgraph[, overwrite])</code>	Return a minimum spanning tree of an undirected graph

`scipy.sparse.csgraph.connected_components` (*csgraph*, *directed=True*, *connection='weak'*, *return_labels=True*)

Analyze the connected components of a sparse graph New in version 0.11.0.

Parameters `csgraph` : array_like or sparse matrix

The N x N matrix representing the compressed sparse graph. The input `csgraph` will be converted to csr format for the calculation.

directed : bool, optional

If True (default), then operate on a directed graph: only move from point *i* to point *j* along paths `csgraph[i, j]`. If False, then find the shortest path on an undirected graph: the algorithm can progress from point *i* to *j* along `csgraph[i, j]` or `csgraph[j, i]`.

connection : str, optional

['weak'|'strong']. For directed graphs, the type of connection to use. Nodes *i* and *j* are strongly connected if a path exists both from *i* to *j* and from *j* to *i*. Nodes *i* and *j* are weakly connected if only one of these paths exists. If `directed == False`, this keyword is not referenced.

return_labels : str, optional

If True (default), then return the labels for each of the connected components.

Returns `n_components`: int:

The number of connected components.

`labels`: ndarray :

The length-N array of labels of the connected components.

`scipy.sparse.csgraph.laplacian` (*csgraph*, *normed=False*, *return_diag=False*)

Return the Laplacian matrix of a directed graph.

For non-symmetric graphs the out-degree is used in the computation.

Parameters `csgraph` : array_like or sparse matrix, 2 dimensions

compressed-sparse graph, with shape (N, N).
normed : bool, optional
 If True, then compute normalized Laplacian.
return_diag : bool, optional
 If True, then return diagonal as well as laplacian.
Returns **lap** : ndarray
 The N x N laplacian matrix of graph.
diag : ndarray
 The length-N diagonal of the laplacian matrix. **diag** is returned only if **return_diag** is True.

Notes

The Laplacian matrix of a graph is sometimes referred to as the “Kirchoff matrix” or the “admittance matrix”, and is useful in many parts of spectral graph theory. In particular, the eigen-decomposition of the laplacian matrix can give insight into many properties of the graph.

For non-symmetric directed graphs, the laplacian is computed using the out-degree of each node.

Examples

```
>>> from scipy.sparse import csgraph
>>> G = np.arange(5) * np.arange(5)[:, np.newaxis]
>>> G
array([[ 0,  0,  0,  0,  0],
       [ 0,  1,  2,  3,  4],
       [ 0,  2,  4,  6,  8],
       [ 0,  3,  6,  9, 12],
       [ 0,  4,  8, 12, 16]])
>>> csgraph.laplacian(G, normed=False)
array([[ 0,  0,  0,  0,  0],
       [ 0,  9, -2, -3, -4],
       [ 0, -2, 16, -6, -8],
       [ 0, -3, -6, 21, -12],
       [ 0, -4, -8, -12, 24]])
```

```
scipy.sparse.csgraph.shortest_path(csgraph, method='auto', directed=True,
                                  return_predecessors=False, unweighted=False,
                                  overwrite=False)
```

Perform a shortest-path graph search on a positive directed or undirected graph.

Parameters **csgraph** : array, matrix, or sparse matrix, 2 dimensions
 The N x N array of distances representing the input graph.
method : string ['auto'|'FW'|'D'], optional
 Algorithm to use for shortest paths. Options are:
'auto' – (default) select the best among 'FW', 'D', 'BF', or 'J'
 based on the input data.
'FW' – Floyd-Warshall algorithm. Computational cost is approximately $O[N^3]$. The input csgraph will be converted to a dense representation.
'D' – Dijkstra's algorithm with Fibonacci heaps. Computational cost is approximately $O[N(N*k + N*\log(N))]$, where k is the average number of connected edges per node. The input csgraph will be converted to a csr representation.

‘BF’ – Bellman-Ford algorithm. This algorithm can be used when

weights are negative. If a negative cycle is encountered, an error will be raised. Computational cost is approximately $O[N(N^2 k)]$, where k is the average number of connected edges per node. The input `csgraph` will be converted to a csr representation.

‘J’ – Johnson’s algorithm. Like the Bellman-Ford algorithm,

Johnson’s algorithm is designed for use when the weights are negative. It combines the Bellman-Ford algorithm with Dijkstra’s algorithm for faster computation.

directed : bool, optional
 If True (default), then find the shortest path on a directed graph: only move from point i to point j along paths `csgraph[i, j]`. If False, then find the shortest path on an undirected graph: the algorithm can progress from point i to j along `csgraph[i, j]` or `csgraph[j, i]`

return_predecessors : bool, optional
 If True, return the size (N, N) predecessor matrix

unweighted : bool, optional
 If True, then find unweighted distances. That is, rather than finding the path between each point such that the sum of weights is minimized, find the path such that the number of edges is minimized.

overwrite : bool, optional
 If True, overwrite `csgraph` with the result. This applies only if method == ‘FW’ and `csgraph` is a dense, c -ordered array with `dtype=float64`.

Returns **dist_matrix** : ndarray
 The $N \times N$ matrix of distances between graph nodes. `dist_matrix[i,j]` gives the shortest distance from point i to point j along the graph.

predecessors : ndarray
 Returned only if `return_predecessors == True`. The $N \times N$ matrix of predecessors, which can be used to reconstruct the shortest paths. Row i of the predecessor matrix contains information on the shortest paths from point i : each entry `predecessors[i, j]` gives the index of the previous node in the path from point i to point j . If no path exists between point i and j , then `predecessors[i, j] = -9999`

Raises **NegativeCycleError** :
 if there are negative cycles in the graph

Notes

As currently implemented, Dijkstra’s algorithm and Johnson’s algorithm do not work for graphs with direction-dependent distances when `directed == False`. i.e., if `csgraph[i,j]` and `csgraph[j,i]` are non-equal edges, `method=‘D’` may yield an incorrect result.

`scipy.sparse.csgraph.dijkstra(csgraph, directed=True, indices=None, return_predecessors=False, unweighted=False)`
 Dijkstra algorithm using Fibonacci Heaps

Parameters **csgraph** : array, matrix, or sparse matrix, 2 dimensions
 The $N \times N$ array of non-negative distances representing the input graph.

directed : bool, optional
 If True (default), then find the shortest path on a directed graph: only move from point i to point j along paths `csgraph[i, j]`. If False, then find the

shortest path on an undirected graph: the algorithm can progress from point i to j along `csgraph[i, j]` or `csgraph[j, i]`

indices : array_like or int, optional
 if specified, only compute the paths for the points at the given indices.

return_predecessors : bool, optional
 If True, return the size (N, N) predecessor matrix

unweighted : bool, optional
 If True, then find unweighted distances. That is, rather than finding the path between each point such that the sum of weights is minimized, find the path such that the number of edges is minimized.

Returns **dist_matrix** : ndarray
 The matrix of distances between graph nodes. `dist_matrix[i,j]` gives the shortest distance from point i to point j along the graph.

predecessors : ndarray
 Returned only if `return_predecessors == True`. The matrix of predecessors, which can be used to reconstruct the shortest paths. Row i of the predecessor matrix contains information on the shortest paths from point i : each entry `predecessors[i, j]` gives the index of the previous node in the path from point i to point j . If no path exists between point i and j , then `predecessors[i, j] = -9999`

Notes

As currently implemented, Dijkstra's algorithm does not work for graphs with direction-dependent distances when `directed == False`. i.e., if `csgraph[i,j]` and `csgraph[j,i]` are not equal and both are nonzero, setting `directed=False` will not yield the correct result.

Also, this routine does not work for graphs with negative distances. Negative distances can lead to infinite cycles that must be handled by specialized algorithms such as Bellman-Ford's algorithm or Johnson's algorithm.

`scipy.sparse.csgraph.floyd_warshall` (*csgraph*, *directed=True*, *return_predecessors=False*, *unweighted=False*, *overwrite=False*)

Compute the shortest path lengths using the Floyd-Warshall algorithm

Parameters **csgraph** : array, matrix, or sparse matrix, 2 dimensions
 The N x N array of distances representing the input graph.

directed : bool, optional
 If True (default), then find the shortest path on a directed graph: only move from point i to point j along paths `csgraph[i, j]`. If False, then find the shortest path on an undirected graph: the algorithm can progress from point i to j along `csgraph[i, j]` or `csgraph[j, i]`

return_predecessors : bool, optional
 If True, return the size (N, N) predecessor matrix

unweighted : bool, optional
 If True, then find unweighted distances. That is, rather than finding the path between each point such that the sum of weights is minimized, find the path such that the number of edges is minimized.

overwrite : bool, optional
 If True, overwrite `csgraph` with the result. This applies only if `csgraph` is a dense, c-ordered array with `dtype=float64`.

Returns **dist_matrix** : ndarray
 The N x N matrix of distances between graph nodes. `dist_matrix[i,j]` gives the shortest distance from point i to point j along the graph.

predecessors : ndarray
 Returned only if `return_predecessors == True`. The N x N matrix of predecessors, which can be used to reconstruct the shortest paths. Row i of the predecessor matrix contains information on the shortest paths from point

i: each entry predecessors[*i*, *j*] gives the index of the previous node in the path from point *i* to point *j*. If no path exists between point *i* and *j*, then predecessors[*i*, *j*] = -9999

Raises **NegativeCycleError**:
if there are negative cycles in the graph

`scipy.sparse.csgraph.bellman_ford(csgraph, directed=True, indices=None, re-
turn_predecessors=False, unweighted=False)`

Compute the shortest path lengths using the Bellman-Ford algorithm.

The Bellman-ford algorithm can robustly deal with graphs with negative weights. If a negative cycle is detected, an error is raised. For graphs without negative edge weights, dijkstra's algorithm may be faster.

Parameters **csgraph**: array, matrix, or sparse matrix, 2 dimensions
The N x N array of distances representing the input graph.

directed: bool, optional
If True (default), then find the shortest path on a directed graph: only move from point *i* to point *j* along paths csgraph[*i*, *j*]. If False, then find the shortest path on an undirected graph: the algorithm can progress from point *i* to *j* along csgraph[*i*, *j*] or csgraph[*j*, *i*]

indices: array_like or int, optional
if specified, only compute the paths for the points at the given indices.

return_predecessors: bool, optional
If True, return the size (N, N) predecessor matrix

unweighted: bool, optional
If True, then find unweighted distances. That is, rather than finding the path between each point such that the sum of weights is minimized, find the path such that the number of edges is minimized.

Returns **dist_matrix**: ndarray
The N x N matrix of distances between graph nodes. dist_matrix[*i*,*j*] gives the shortest distance from point *i* to point *j* along the graph.

predecessors: ndarray
Returned only if return_predecessors == True. The N x N matrix of predecessors, which can be used to reconstruct the shortest paths. Row *i* of the predecessor matrix contains information on the shortest paths from point *i*: each entry predecessors[*i*, *j*] gives the index of the previous node in the path from point *i* to point *j*. If no path exists between point *i* and *j*, then predecessors[*i*, *j*] = -9999

Raises **NegativeCycleError**:
if there are negative cycles in the graph

Notes

This routine is specially designed for graphs with negative edge weights. If all edge weights are positive, then Dijkstra's algorithm is a better choice.

`scipy.sparse.csgraph.johnson(csgraph, directed=True, indices=None, re-
turn_predecessors=False, unweighted=False)`

Compute the shortest path lengths using Johnson's algorithm.

Johnson's algorithm combines the Bellman-Ford algorithm and Dijkstra's algorithm to quickly find shortest paths in a way that is robust to the presence of negative cycles. If a negative cycle is detected, an error is raised. For graphs without negative edge weights, dijkstra() may be faster.

Parameters **csgraph**: array, matrix, or sparse matrix, 2 dimensions
The N x N array of distances representing the input graph.

directed: bool, optional
If True (default), then find the shortest path on a directed graph: only move from point *i* to point *j* along paths csgraph[*i*, *j*]. If False, then find the

shortest path on an undirected graph: the algorithm can progress from point i to j along `csgraph[i, j]` or `csgraph[j, i]`

indices : array_like or int, optional
if specified, only compute the paths for the points at the given indices.

return_predecessors : bool, optional
If True, return the size (N, N) predecessor matrix

unweighted : bool, optional
If True, then find unweighted distances. That is, rather than finding the path between each point such that the sum of weights is minimized, find the path such that the number of edges is minimized.

Returns **dist_matrix** : ndarray
The N x N matrix of distances between graph nodes. `dist_matrix[i,j]` gives the shortest distance from point i to point j along the graph.

predecessors : ndarray
Returned only if `return_predecessors == True`. The N x N matrix of predecessors, which can be used to reconstruct the shortest paths. Row i of the predecessor matrix contains information on the shortest paths from point i : each entry `predecessors[i, j]` gives the index of the previous node in the path from point i to point j . If no path exists between point i and j , then `predecessors[i, j] = -9999`

Raises **NegativeCycleError** :
if there are negative cycles in the graph

Notes

This routine is specially designed for graphs with negative edge weights. If all edge weights are positive, then Dijkstra's algorithm is a better choice.

`scipy.sparse.csgraph.breadth_first_order` (*csgraph*, *i_start*, *directed=True*, *return_predecessors=True*)

Return a breadth-first ordering starting with specified node.

Note that a breadth-first order is not unique, but the tree which it generates is unique. New in version 0.11.0.

Parameters **csgraph** : array_like or sparse matrix
The N x N compressed sparse graph. The input `csgraph` will be converted to csr format for the calculation.

i_start : int
The index of starting node.

directed : bool, optional
If True (default), then operate on a directed graph: only move from point i to point j along paths `csgraph[i, j]`. If False, then find the shortest path on an undirected graph: the algorithm can progress from point i to j along `csgraph[i, j]` or `csgraph[j, i]`.

return_predecessors : bool, optional
If True (default), then return the predecessor array (see below).

Returns **node_array** : ndarray, one dimension
The breadth-first list of nodes, starting with specified node. The length of `node_array` is the number of nodes reachable from the specified node.

predecessors : ndarray, one dimension
Returned only if `return_predecessors` is True. The length-N list of predecessors of each node in a breadth-first tree. If node i is in the tree, then its parent is given by `predecessors[i]`. If node i is not in the tree (and for the parent node) then `predecessors[i] = -9999`.

`scipy.sparse.csgraph.depth_first_order` (*csgraph*, *i_start*, *directed=True*, *return_predecessors=True*)

Return a depth-first ordering starting with specified node.

Note that a depth-first order is not unique. Furthermore, for graphs with cycles, the tree generated by a depth-first search is not unique either. New in version 0.11.0.

Parameters

- csgraph** : array_like or sparse matrix
The N x N compressed sparse graph. The input csgraph will be converted to csr format for the calculation.
- i_start** : int
The index of starting node.
- directed** : bool, optional
If True (default), then operate on a directed graph: only move from point i to point j along paths csgraph[i, j]. If False, then find the shortest path on an undirected graph: the algorithm can progress from point i to j along csgraph[i, j] or csgraph[j, i].
- return_predecessors** : bool, optional
If True (default), then return the predecessor array (see below).

Returns

- node_array** : ndarray, one dimension
The breadth-first list of nodes, starting with specified node. The length of node_array is the number of nodes reachable from the specified node.
- predecessors** : ndarray, one dimension
Returned only if return_predecessors is True. The length-N list of predecessors of each node in a breadth-first tree. If node i is in the tree, then its parent is given by predecessors[i]. If node i is not in the tree (and for the parent node) then predecessors[i] = -9999.

`scipy.sparse.csgraph.breadth_first_tree(csgraph, i_start, directed=True)`

Return the tree generated by a breadth-first search

Note that a breadth-first tree from a specified node is unique. New in version 0.11.0.

Parameters


- csgraph** : array_like or sparse matrix
The N x N matrix representing the compressed sparse graph. The input csgraph will be converted to csr format for the calculation.
- i_start** : int
The index of starting node.
- directed** : bool, optional
If True (default), then operate on a directed graph: only move from point i to point j along paths csgraph[i, j]. If False, then find the shortest path on an undirected graph: the algorithm can progress from point i to j along csgraph[i, j] or csgraph[j, i].

Returns

- cstree** : csr matrix
The N x N directed compressed-sparse representation of the breadth-first tree drawn from csgraph, starting at the specified node.

Examples

The following example shows the computation of a depth-first tree over a simple four-component graph, starting at node 0:





In compressed sparse representation, the solution looks like this:

```
>>> from scipy.sparse import csr_matrix
>>> from scipy.sparse.csgraph import breadth_first_tree
>>> X = csr_matrix([[0, 8, 0, 3],
...                [0, 0, 2, 5],
...                [0, 0, 0, 6],
...                [0, 0, 0, 0]])
>>> Tcsr = breadth_first_tree(X, 0, directed=False)
>>> Tcsr.toarray().astype(int)
array([[0, 8, 0, 3],
       [0, 0, 2, 0],
       [0, 0, 0, 0],
       [0, 0, 0, 0]])
```

Note that the resulting graph is a Directed Acyclic Graph which spans the graph. A breadth-first tree from a given node is unique.

`scipy.sparse.csgraph.depth_first_tree` (*csgraph*, *i_start*, *directed=True*)


Return a tree generated by a depth-first search.

Note that a tree generated by a depth-first search is not unique: it depends on the order that the children of each node are searched. New in version 0.11.0.

- Parameters**
 - csgraph** : array_like or sparse matrix
The N x N matrix representing the compressed sparse graph. The input csgraph will be converted to csr format for the calculation.
 - i_start** : int
The index of starting node.
 - directed** : bool, optional
If True (default), then operate on a directed graph: only move from point i to point j along paths csgraph[i, j]. If False, then find the shortest path on an undirected graph: the algorithm can progress from point i to j along csgraph[i, j] or csgraph[j, i].
- Returns**
 - cstree** : csr matrix
The N x N directed compressed-sparse representation of the depth- first tree drawn from csgraph, starting at the specified node.

Examples

The following example shows the computation of a depth-first tree over a simple four-component graph, starting at node 0:



In compressed sparse representation, the solution looks like this:

```
>>> from scipy.sparse import csr_matrix
>>> from scipy.sparse.csgraph import depth_first_tree
>>> X = csr_matrix([[0, 8, 0, 3],
...                [0, 0, 2, 5],
...                [0, 0, 0, 6],
...                [0, 0, 0, 0]])
>>> Tcsr = depth_first_tree(X, 0, directed=False)
>>> Tcsr.toarray().astype(int)
array([[0, 8, 0, 0],
       [0, 0, 2, 0],
       [0, 0, 0, 6],
       [0, 0, 0, 0]])
```

Note that the resulting graph is a Directed Acyclic Graph which spans the graph. Unlike a breadth-first tree, a depth-first tree of a given graph is not unique if the graph contains cycles. If the above solution had begun with the edge connecting nodes 0 and 3, the result would have been different.

`scipy.sparse.csgraph.minimum_spanning_tree` (*csgraph*, *overwrite=False*)

Return a minimum spanning tree of an undirected graph

A minimum spanning tree is a graph consisting of the subset of edges which together connect all connected nodes, while minimizing the total sum of weights on the edges. This is computed using the Kruskal algorithm.

Parameters **csgraph: array_like or sparse matrix, 2 dimensions :**

The N x N matrix representing an undirected graph over N nodes (see notes below).

overwrite: bool, optional :

if true, then parts of the input graph will be overwritten for efficiency.

Returns **span_tree: csr matrix :**


The N x N compressed-sparse representation of the undirected minimum spanning tree over the input (see notes below).

Notes

This routine uses undirected graphs as input and output. That is, if `graph[i, j]` and `graph[j, i]` are both zero, then nodes `i` and `j` do not have an edge connecting them. If either is nonzero, then the two are connected by the minimum nonzero value of the two.

Examples

The following example shows the computation of a minimum spanning tree over a simple four-component graph:



It is easy to see from inspection that the minimum spanning tree involves removing the edges with weights 8 and 6. In compressed sparse representation, the solution looks like this:

```


>>> from scipy.sparse import csr_matrix
>>> from scipy.sparse.csgraph import minimum_spanning_tree
>>> X = csr_matrix([[0, 8, 0, 3],
...                [0, 0, 2, 5],
...                [0, 0, 0, 6],
...                [0, 0, 0, 0]])
>>> Tcsr = minimum_spanning_tree(X)
>>> Tcsr.toarray().astype(int)
array([[0, 0, 0, 3],
       [0, 0, 2, 5],
       [0, 0, 0, 0],
       [0, 0, 0, 0]])
    
```

5.24.2 Graph Representations

This module uses graphs which are stored in a matrix format. A graph with N nodes can be represented by an $(N \times N)$ adjacency matrix G . If there is a connection from node i to node j , then $G[i, j] = w$, where w is the weight of the connection. For nodes i and j which are not connected, the value depends on the representation:

- for dense array representations, non-edges are represented by $G[i, j] = 0$, infinity, or NaN.
- for dense masked representations (of type `np.ma.MaskedArray`), non-edges are represented by masked values. This can be useful when graphs with zero-weight edges are desired.
- for sparse array representations, non-edges are represented by non-entries in the matrix. This sort of sparse representation also allows for edges with zero weights.

As a concrete example, imagine that you would like to represent the following undirected graph:




This graph has three nodes, where node 0 and 1 are connected by an edge of weight 2, and nodes 0 and 2 are connected by an edge of weight 1. We can construct the dense, masked, and sparse representations as follows, keeping in mind that an undirected graph is represented by a symmetric matrix:

```

>>> G_dense = np.array([[0, 2, 1],
...                    [2, 0, 0],
...                    [1, 0, 0]])
>>> G_masked = np.ma.masked_values(G_dense, 0)
>>> from scipy.sparse import csr_matrix
>>> G_sparse = csr_matrix(G_dense)
    
```

This becomes more difficult when zero edges are significant. For example, consider the situation when we slightly modify the above graph:



$$\begin{array}{c} / \\ (2) \end{array} \quad \begin{array}{c} \backslash \\ (1) \end{array}$$

This is identical to the previous graph, except nodes 0 and 2 are connected by an edge of zero weight. In this case, the dense representation above leads to ambiguities: how can non-edges be represented if zero is a meaningful value? In this case, either a masked or sparse representation must be used to eliminate the ambiguity:

```
>>> G2_data = np.array([[np.inf, 2,      0      ],
...                    [2,      np.inf, np.inf],
...                    [0,      np.inf, np.inf]])
>>> G2_masked = np.ma.masked_invalid(G2_data)
>>> from scipy.sparse.csgraph import csgraph_from_dense
>>> # G2_sparse = csr_matrix(G2_data) would give the wrong result
>>> G2_sparse = csgraph_from_dense(G2_data, null_value=np.inf)
>>> G2_sparse.data
array([ 2.,  0.,  2.,  0.]
```

Here we have used a utility routine from the `csgraph` submodule in order to convert the dense representation to a sparse representation which can be understood by the algorithms in submodule. By viewing the data array, we can see that the zero values are explicitly encoded in the graph.

Directed vs. Undirected

Matrices may represent either directed or undirected graphs. This is specified throughout the `csgraph` module by a boolean keyword. Graphs are assumed to be directed by default. In a directed graph, traversal from node i to node j can be accomplished over the edge $G[i, j]$, but not the edge $G[j, i]$. In a non-directed graph, traversal from node i to node j can be accomplished over either $G[i, j]$ or $G[j, i]$. If both edges are not null, and the two have unequal weights, then the smaller of the two is used. Note that a symmetric matrix will represent an undirected graph, regardless of whether the ‘directed’ keyword is set to True or False. In this case, using `directed=True` generally leads to more efficient computation.

The routines in this module accept as input either `scipy.sparse` representations (`csr`, `csc`, or `lil` format), masked representations, or dense representations with non-edges indicated by zeros, infinities, and NaN entries.

5.25 Spatial algorithms and data structures (`scipy.spatial`)

5.25.1 Nearest-neighbor Queries

<code>KDTree(data[, leafsize])</code>	kd-tree for quick nearest-neighbor lookup
<code>cKDTree</code>	kd-tree for quick nearest-neighbor lookup
<code>distance</code>	

class `scipy.spatial.KDTree` (*data*, *leafsize=10*)

kd-tree for quick nearest-neighbor lookup

This class provides an index into a set of k -dimensional points which can be used to rapidly look up the nearest neighbors of any point.

Parameters **data** : (N,K) array_like

The data points to be indexed. This array is not copied, and so modifying this data will result in bogus results.

leafsize : int, optional

Raises **RuntimeError**: The number of points at which the algorithm switches over to brute-force. Has to be positive.

The maximum recursion limit can be exceeded for large data sets. If this happens, either increase the value for the *leafsize* parameter or increase the recursion limit by:

```
>>> import sys
>>> sys.setrecursionlimit(10000)
```

Notes

The algorithm used is described in Maneewongvatana and Mount 1999. The general idea is that the kd-tree is a binary tree, each of whose nodes represents an axis-aligned hyperrectangle. Each node specifies an axis and splits the set of points based on whether their coordinate along that axis is greater than or less than a particular value.

During construction, the axis and splitting point are chosen by the “sliding midpoint” rule, which ensures that the cells do not all become long and thin.

The tree can be queried for the *r* closest neighbors of any given point (optionally returning only those within some maximum distance of the point). It can also be queried, with a substantial gain in efficiency, for the *r* approximate closest neighbors.

For large dimensions (20 is already large) do not expect this to run significantly faster than brute force. High-dimensional nearest-neighbor queries are a substantial open problem in computer science.

The tree also supports all-neighbors queries, both with arrays of points and with other kd-trees. These do use a reasonably efficient algorithm, but the kd-tree is not necessarily the best data structure for this sort of calculation.

Methods

<code>count_neighbors(other, r[, p])</code>	Count how many nearby pairs can be formed.
<code>innernode</code>	
<code>leafnode</code>	
<code>node</code>	
<code>query(x[, k, eps, p, distance_upper_bound])</code>	Query the kd-tree for nearest neighbors
<code>query_ball_point(x, r[, p, eps])</code>	Find all points within distance <i>r</i> of point(s) <i>x</i> .
<code>query_ball_tree(other, r[, p, eps])</code>	Find all pairs of points whose distance is at most <i>r</i>
<code>query_pairs(r[, p, eps])</code>	Find all pairs of points within a distance.
<code>sparse_distance_matrix(other, max_distance)</code>	Compute a sparse distance matrix

`KDTree.count_neighbors` (*other, r, p=2.0*)

Count how many nearby pairs can be formed.

Count the number of pairs (*x1,x2*) can be formed, with *x1* drawn from self and *x2* drawn from *other*, and where `distance(x1, x2, p) <= r`. This is the “two-point correlation” described in Gray and Moore 2000, “N-body problems in statistical learning”, and the code here is based on their algorithm.

Parameters

- other** : KDTree instance
The other tree to draw points from.
- r** : float or one-dimensional array of floats
The radius to produce a count for. Multiple radii are searched with a single tree traversal.
- p** : float, 1<=p<=infinity
Which Minkowski p-norm to use

Returns

- result** : int or 1-D array of ints

The number of pairs. Note that this is internally stored in a numpy int, and so may overflow if very large (2e9).

`KDTree.query(x, k=1, eps=0, p=2, distance_upper_bound=inf)`

Query the kd-tree for nearest neighbors

Parameters

- x** : array_like, last dimension self.m
An array of points to query.
- k** : integer
The number of nearest neighbors to return.
- eps** : nonnegative float
Return approximate nearest neighbors; the kth returned value is guaranteed to be no further than (1+eps) times the distance to the real kth nearest neighbor.
- p** : float, 1<=p<=infinity
Which Minkowski p-norm to use. 1 is the sum-of-absolute-values “Manhattan” distance 2 is the usual Euclidean distance infinity is the maximum-coordinate-difference distance
- distance_upper_bound** : nonnegative float
Return only neighbors within this distance. This is used to prune tree searches, so if you are doing a series of nearest-neighbor queries, it may help to supply the distance to the nearest neighbor of the most recent point.

Returns

- d** : array of floats
The distances to the nearest neighbors. If x has shape tuple+(self.m,), then d has shape tuple if k is one, or tuple+(k,) if k is larger than one. Missing neighbors are indicated with infinite distances. If k is None, then d is an object array of shape tuple, containing lists of distances. In either case the hits are sorted by distance (nearest first).
- i** : array of integers
The locations of the neighbors in self.data. i is the same shape as d.

Examples

```
>>> from scipy import spatial
>>> x, y = np.mgrid[0:5, 2:8]
>>> tree = spatial.KDTree(zip(x.ravel(), y.ravel()))
>>> tree.data
array([[0, 2],
       [0, 3],
       [0, 4],
       [0, 5],
       [0, 6],
       [0, 7],
       [1, 2],
       [1, 3],
       [1, 4],
       [1, 5],
       [1, 6],
       [1, 7],
       [2, 2],
       [2, 3],
       [2, 4],
       [2, 5],
       [2, 6],
       [2, 7],
       [3, 2],
```

```

[3, 3],
[3, 4],
[3, 5],
[3, 6],
[3, 7],
[4, 2],
[4, 3],
[4, 4],
[4, 5],
[4, 6],
[4, 7]])
>>> pts = np.array([[0, 0], [2.1, 2.9]])
>>> tree.query(pts)
(array([ 2.          ,  0.14142136]), array([ 0, 13]))

```

KDTree.**query_ball_point** (*x*, *r*, *p*=2.0, *eps*=0)
 Find all points within distance *r* of point(s) *x*.

Parameters

- x** : array_like, shape tuple + (self.m,)
 - The point or points to search for neighbors of.
- r** : positive float
 - The radius of points to return.
- p** : float, optional
 - Which Minkowski p-norm to use. Should be in the range [1, inf].
- eps** : nonnegative float, optional
 - Approximate search. Branches of the tree are not explored if their nearest points are further than $r / (1 + \text{eps})$, and branches are added in bulk if their furthest points are nearer than $r * (1 + \text{eps})$.

Returns

- results** : list or array of lists
 - If *x* is a single point, returns a list of the indices of the neighbors of *x*. If *x* is an array of points, returns an object array of shape tuple containing lists of neighbors.

Notes

If you have many points whose neighbors you want to find, you may save substantial amounts of time by putting them in a KDTree and using query_ball_tree.

Examples

```

>>> from scipy import spatial
>>> x, y = np.mgrid[0:4, 0:4]
>>> points = zip(x.ravel(), y.ravel())
>>> tree = spatial.KDTree(points)
>>> tree.query_ball_point([2, 0], 1)
[4, 8, 9, 12]

```

KDTree.**query_ball_tree** (*other*, *r*, *p*=2.0, *eps*=0)
 Find all pairs of points whose distance is at most *r*

Parameters

- other** : KDTree instance
 - The tree containing points to search against.
- r** : float
 - The maximum distance, has to be positive.
- p** : float, optional
 - Which Minkowski norm to use. *p* has to meet the condition $1 \leq p \leq \text{infinity}$.

eps : float, optional

Approximate search. Branches of the tree are not explored if their nearest points are further than $r / (1+eps)$, and branches are added in bulk if their furthest points are nearer than $r * (1+eps)$. *eps* has to be non-negative.

Returns **results** : list of lists

For each element `self.data[i]` of this tree, `results[i]` is a list of the indices of its neighbors in `other.data`.

`KDTree.query_pairs` (*r*, *p*=2.0, *eps*=0)

Find all pairs of points within a distance.

Parameters **r** : positive float

The maximum distance.

p : float, optional

Which Minkowski norm to use. *p* has to meet the condition $1 \leq p \leq \text{infinity}$.

eps : float, optional

Approximate search. Branches of the tree are not explored if their nearest points are further than $r / (1+eps)$, and branches are added in bulk if their furthest points are nearer than $r * (1+eps)$. *eps* has to be non-negative.

Returns **results** : set

Set of pairs (i, j) , with $i < j$, for which the corresponding positions are close.

`KDTree.sparse_distance_matrix` (*other*, *max_distance*, *p*=2.0)

Compute a sparse distance matrix

Computes a distance matrix between two KDTrees, leaving as zero any distance greater than *max_distance*.

Parameters **other** : KDTree

max_distance : positive float

Returns **result** : dok_matrix

Sparse matrix representing the results in “dictionary of keys” format.

class `scipy.spatial.cKDTree`

kd-tree for quick nearest-neighbor lookup

This class provides an index into a set of k-dimensional points which can be used to rapidly look up the nearest neighbors of any point.

The algorithm used is described in Maneewongvatana and Mount 1999. The general idea is that the kd-tree is a binary trie, each of whose nodes represents an axis-aligned hyperrectangle. Each node specifies an axis and splits the set of points based on whether their coordinate along that axis is greater than or less than a particular value.

During construction, the axis and splitting point are chosen by the “sliding midpoint” rule, which ensures that the cells do not all become long and thin.

The tree can be queried for the *r* closest neighbors of any given point (optionally returning only those within some maximum distance of the point). It can also be queried, with a substantial gain in efficiency, for the *r* approximate closest neighbors.

For large dimensions (20 is already large) do not expect this to run significantly faster than brute force. High-dimensional nearest-neighbor queries are a substantial open problem in computer science.

Parameters **data** : array-like, shape (n,m)

The `n` data points of dimension `m` to be indexed. This array is not copied unless this is necessary to produce a contiguous array of doubles, and so modifying this data will result in bogus results.

leafsize : positive integer

The number of points at which the algorithm switches over to brute-force.

Attributes

<code>data</code>
<code>leafsize</code>
<code>m</code>
<code>maxes</code>
<code>mins</code>
<code>n</code>

`cKDTree.data`

`cKDTree.leafsize`

`cKDTree.m`

`cKDTree.maxes`

`cKDTree.mins`

`cKDTree.n`

Methods

<code>count_neighbors(self, other, r, p)</code>	Count how many nearby pairs can be formed.
<code>query(self, x[, k, eps, p, distance_upper_bound])</code>	Query the kd-tree for nearest neighbors
<code>query_ball_point(self, x, r, p, eps)</code>	Find all points within distance <code>r</code> of point(s) <code>x</code> .
<code>query_ball_tree(self, other, r, p, eps)</code>	Find all pairs of points whose distance is at most <code>r</code>
<code>query_pairs(self, r, p, eps)</code>	Find all pairs of points whose distance is at most <code>r</code> .
<code>sparse_distance_matrix(self, max_distance, p)</code>	Compute a sparse distance matrix

`cKDTree.count_neighbors` (*self, other, r, p*)

Count how many nearby pairs can be formed.

Count the number of pairs (`x1,x2`) can be formed, with `x1` drawn from `self` and `x2` drawn from `other`, and where `distance(x1, x2, p) <= r`. This is the “two-point correlation” described in Gray and Moore 2000, “N-body problems in statistical learning”, and the code here is based on their algorithm.

Parameters

other : KDTree instance

The other tree to draw points from.

r : float or one-dimensional array of floats

The radius to produce a count for. Multiple radii are searched with a single tree traversal.

p : float, $1 \leq p \leq \text{infinity}$

Which Minkowski `p`-norm to use

Returns **result** : int or 1-D array of ints
 The number of pairs. Note that this is internally stored in a numpy int, and so may overflow if very large ($2e9$).

`cKDTree.query` (*self*, *x*, *k=1*, *eps=0*, *p=2*, *distance_upper_bound=np.inf*)

Query the kd-tree for nearest neighbors

Parameters **x** : array_like, last dimension self.m
 An array of points to query.

k : integer
 The number of nearest neighbors to return.

eps : non-negative float
 Return approximate nearest neighbors; the kth returned value is guaranteed to be no further than $(1+eps)$ times the distance to the real k-th nearest neighbor.

p : float, $1 \leq p \leq \text{infinity}$
 Which Minkowski p-norm to use. 1 is the sum-of-absolute-values “Manhattan” distance 2 is the usual Euclidean distance infinity is the maximum-coordinate-difference distance

distance_upper_bound : nonnegative float
 Return only neighbors within this distance. This is used to prune tree searches, so if you are doing a series of nearest-neighbor queries, it may help to supply the distance to the nearest neighbor of the most recent point.

Returns **d** : array of floats
 The distances to the nearest neighbors. If *x* has shape tuple+(self.m,), then *d* has shape tuple+(k,). Missing neighbors are indicated with infinite distances.

i : ndarray of ints
 The locations of the neighbors in self.data. If *x* has shape tuple+(self.m,), then *i* has shape tuple+(k,). Missing neighbors are indicated with self.n.

`cKDTree.query_ball_point` (*self*, *x*, *r*, *p*, *eps*)

Find all points within distance *r* of point(s) *x*.

Parameters **x** : array_like, shape tuple + (self.m,)
 The point or points to search for neighbors of.

r : positive float
 The radius of points to return.

p : float, optional
 Which Minkowski p-norm to use. Should be in the range $[1, \text{inf}]$.

eps : nonnegative float, optional
 Approximate search. Branches of the tree are not explored if their nearest points are further than $r / (1 + eps)$, and branches are added in bulk if their furthest points are nearer than $r * (1 + eps)$.

Returns **results** : list or array of lists
 If *x* is a single point, returns a list of the indices of the neighbors of *x*. If *x* is an array of points, returns an object array of shape tuple containing lists of neighbors.

Notes

If you have many points whose neighbors you want to find, you may save substantial amounts of time by putting them in a `cKDTree` and using `query_ball_tree`.

Examples

```
>>> from scipy import spatial
>>> x, y = np.mgrid[0:4, 0:4]
>>> points = zip(x.ravel(), y.ravel())
>>> tree = spatial.cKDTree(points)
>>> tree.query_ball_point([2, 0], 1)
[4, 8, 9, 12]
```

`cKDTree.query_ball_tree` (*self*, *other*, *r*, *p*, *eps*)

Find all pairs of points whose distance is at most *r*

Parameters

- other** : KDTree instance
The tree containing points to search against.
- r** : float
The maximum distance, has to be positive.
- p** : float, optional
Which Minkowski norm to use. *p* has to meet the condition $1 \leq p \leq \infty$.
- eps** : float, optional
Approximate search. Branches of the tree are not explored if their nearest points are further than $r / (1 + \text{eps})$, and branches are added in bulk if their furthest points are nearer than $r * (1 + \text{eps})$. *eps* has to be non-negative.

Returns

- results** : list of lists
For each element `self.data[i]` of this tree, `results[i]` is a list of the indices of its neighbors in `other.data`.

`cKDTree.query_pairs` (*self*, *r*, *p*, *eps*)

Find all pairs of points whose distance is at most *r*.

Parameters

- r** : positive float
The maximum distance.
- p** : float, optional
Which Minkowski norm to use. *p* has to meet the condition $1 \leq p \leq \infty$.
- eps** : float, optional
Approximate search. Branches of the tree are not explored if their nearest points are further than $r / (1 + \text{eps})$, and branches are added in bulk if their furthest points are nearer than $r * (1 + \text{eps})$. *eps* has to be non-negative.

Returns

- results** : set
Set of pairs (i, j) , with “ $i < j$ ”, for which the corresponding positions are close.

`cKDTree.sparse_distance_matrix` (*self*, *max_distance*, *p*)

Compute a sparse distance matrix

Computes a distance matrix between two KDTrees, leaving as zero any distance greater than `max_distance`.

Parameters

- other** : cKDTree

Returns

- max_distance** : positive float
- result** : dok_matrix
Sparse matrix representing the results in “dictionary of keys” format. FIXME: Internally, built as a COO matrix, it would be more efficient to return this COO matrix.

Distance computations (*scipy.spatial.distance*)

Function Reference Distance matrix computation from a collection of raw observation vectors stored in a rectangular array.

<code>pdist(X[, metric, p, w, V, VI])</code>	Pairwise distances between observations in n-dimensional space.
<code>cdist(XA, XB[, metric, p, V, VI, w])</code>	Computes distance between each pair of the two collections of inputs.
<code>squareform(X[, force, checks])</code>	Converts a vector-form distance vector to a square-form distance matrix, and vice-versa.

`scipy.spatial.distance.pdist` (*X*, *metric*='euclidean', *p*=2, *w*=None, *V*=None, *VI*=None)
 Pairwise distances between observations in n-dimensional space.

The following are common calling conventions.

1.Y = `pdist(X, 'euclidean')`

Computes the distance between *m* points using Euclidean distance (2-norm) as the distance metric between the points. The points are arranged as *m* n-dimensional row vectors in the matrix *X*.

2.Y = `pdist(X, 'minkowski', p)`

Computes the distances using the Minkowski distance $\|u - v\|_p$ (*p*-norm) where $p \geq 1$.

3.Y = `pdist(X, 'cityblock')`

Computes the city block or Manhattan distance between the points.

4.Y = `pdist(X, 'seuclidean', V=None)`

Computes the standardized Euclidean distance. The standardized Euclidean distance between two *n*-vectors *u* and *v* is

$$\sqrt{\sum (u_i - v_i)^2 / V[x_i]}$$

V is the variance vector; *V*[*i*] is the variance computed over all the *i*'th components of the points. If not passed, it is automatically computed.

5.Y = `pdist(X, 'sqeuclidean')`

Computes the squared Euclidean distance $\|u - v\|_2^2$ between the vectors.

6.Y = `pdist(X, 'cosine')`

Computes the cosine distance between vectors *u* and *v*,

$$1 - \frac{u \cdot v}{\|u\|_2 \|v\|_2}$$

where $\|* \|_2$ is the 2-norm of its argument ***, and $u \cdot v$ is the dot product of *u* and *v*.

7.Y = `pdist(X, 'correlation')`

Computes the correlation distance between vectors *u* and *v*. This is

$$1 - \frac{(u - \bar{u}) \cdot (v - \bar{v})}{\|(u - \bar{u})\|_2 \|(v - \bar{v})\|_2}$$

where \bar{v} is the mean of the elements of vector *v*, and $x \cdot y$ is the dot product of *x* and *y*.

8.Y = `pdist(X, 'hamming')`

Computes the normalized Hamming distance, or the proportion of those vector elements between two *n*-vectors *u* and *v* which disagree. To save memory, the matrix *X* can be of type boolean.

9.Y = `pdist(X, 'jaccard')`

Computes the Jaccard distance between the points. Given two vectors, *u* and *v*, the Jaccard distance is the proportion of those elements *u*[*i*] and *v*[*i*] that disagree where at least one of them is non-zero.

10.Y = `pdist(X, 'chebyshev')`

Computes the Chebyshev distance between the points. The Chebyshev distance between two n-vectors u and v is the maximum norm-1 distance between their respective elements. More precisely, the distance is given by

$$d(u, v) = \max_i |u_i - v_i|$$

11.Y = pdist(X, 'canberra')

Computes the Canberra distance between the points. The Canberra distance between two points u and v is

$$d(u, v) = \sum_i \frac{|u_i - v_i|}{|u_i| + |v_i|}$$

12.Y = pdist(X, 'braycurtis')

Computes the Bray-Curtis distance between the points. The Bray-Curtis distance between two points u and v is

$$d(u, v) = \frac{\sum_i u_i - v_i}{\sum_i u_i + v_i}$$

13.Y = pdist(X, 'mahalanobis', VI=None)

Computes the Mahalanobis distance between the points. The Mahalanobis distance between two points u and v is $(u - v)(1/V)(u - v)^T$ where $(1/V)$ (the VI variable) is the inverse covariance. If VI is not None, VI will be used as the inverse covariance matrix.

14.Y = pdist(X, 'yule')

Computes the Yule distance between each pair of boolean vectors. (see yule function documentation)

15.Y = pdist(X, 'matching')

Computes the matching distance between each pair of boolean vectors. (see matching function documentation)

16.Y = pdist(X, 'dice')

Computes the Dice distance between each pair of boolean vectors. (see dice function documentation)

17.Y = pdist(X, 'kulsinski')

Computes the Kulsinski distance between each pair of boolean vectors. (see kulsinski function documentation)

18.Y = pdist(X, 'rogerstanimoto')

Computes the Rogers-Tanimoto distance between each pair of boolean vectors. (see rogerstanimoto function documentation)

19.Y = pdist(X, 'russellrao')

Computes the Russell-Rao distance between each pair of boolean vectors. (see russellrao function documentation)

20.Y = pdist(X, 'sokalmichener')

Computes the Sokal-Michener distance between each pair of boolean vectors. (see sokalmichener function documentation)

```
21.Y = pdist(X, 'sokalsneath')
```

Computes the Sokal-Sneath distance between each pair of boolean vectors. (see sokalsneath function documentation)

```
22.Y = pdist(X, 'wminkowski')
```

Computes the weighted Minkowski distance between each pair of vectors. (see wminkowski function documentation)

```
23.Y = pdist(X, f)
```

Computes the distance between all pairs of vectors in X using the user supplied 2-arity function f. For example, Euclidean distance between the vectors could be computed as follows:

```
dm = pdist(X, lambda u, v: np.sqrt(((u-v)**2).sum()))
```

Note that you should avoid passing a reference to one of the distance functions defined in this library. For example,:

```
dm = pdist(X, sokalsneath)
```

would calculate the pair-wise distances between the vectors in X using the Python function sokalsneath. This would result in sokalsneath being called $\binom{n}{2}$ times, which is inefficient. Instead, the optimized C version is more efficient, and we call it using the following syntax.:

```
dm = pdist(X, 'sokalsneath')
```

Parameters **X** : ndarray

An m by n array of m original observations in an n-dimensional space.

metric : string or function

The distance metric to use. The distance function can be 'braycurtis', 'canberra', 'chebyshev', 'cityblock', 'correlation', 'cosine', 'dice', 'euclidean', 'hamming', 'jaccard', 'kulsinski', 'mahalanobis', 'matching', 'minkowski', 'rogerstanimoto', 'russellrao', 'seuclidean', 'sokalmichener', 'sokalsneath', 'sqeuclidean', 'yule'.

w : ndarray

The weight vector (for weighted Minkowski).

p : double

The p-norm to apply (for Minkowski, weighted and unweighted)

V : ndarray

The variance vector (for standardized Euclidean).

VI : ndarray

The inverse of the covariance matrix (for Mahalanobis).

Returns **Y** : ndarray

Returns a condensed distance matrix Y. For each i and j (where $i < j < n$), the metric `dist(u=X[i], v=X[j])` is computed and stored in entry ij .

See Also

[`squareform`](#) converts between condensed distance matrices and square distance matrices.

Notes

See [`squareform`](#) for information on how to calculate the index of this entry or to convert the condensed distance matrix to a redundant square matrix.

`scipy.spatial.distance.cdist` (*XA, XB, metric='euclidean', p=2, V=None, VI=None, w=None*)

Computes distance between each pair of the two collections of inputs.

The following are common calling conventions:

1. $Y = \text{cdist}(XA, XB, \text{'euclidean'})$

Computes the distance between m points using Euclidean distance (2-norm) as the distance metric between the points. The points are arranged as m n -dimensional row vectors in the matrix X .

2. $Y = \text{cdist}(XA, XB, \text{'minkowski'}, p)$

Computes the distances using the Minkowski distance $\|u - v\|_p$ (p -norm) where $p \geq 1$.

3. $Y = \text{cdist}(XA, XB, \text{'cityblock'})$

Computes the city block or Manhattan distance between the points.

4. $Y = \text{cdist}(XA, XB, \text{'seuclidean'}, V=None)$

Computes the standardized Euclidean distance. The standardized Euclidean distance between two n -vectors u and v is

$$\sqrt{\sum (u_i - v_i)^2 / V[x_i]}.$$

V is the variance vector; $V[i]$ is the variance computed over all the i 'th components of the points. If not passed, it is automatically computed.

5. $Y = \text{cdist}(XA, XB, \text{'sqeuclidean'})$

Computes the squared Euclidean distance $\|u - v\|_2^2$ between the vectors.

6. $Y = \text{cdist}(XA, XB, \text{'cosine'})$

Computes the cosine distance between vectors u and v ,

$$1 - \frac{u \cdot v}{\|u\|_2 \|v\|_2}$$

where $\|* \|_2$ is the 2-norm of its argument $*$, and $u \cdot v$ is the dot product of u and v .

7. $Y = \text{cdist}(XA, XB, \text{'correlation'})$

Computes the correlation distance between vectors u and v . This is

$$1 - \frac{(u - \bar{u}) \cdot (v - \bar{v})}{\|(u - \bar{u})\|_2 \|(v - \bar{v})\|_2}$$

where \bar{v} is the mean of the elements of vector v , and $x \cdot y$ is the dot product of x and y .

8. $Y = \text{cdist}(XA, XB, \text{'hamming'})$

Computes the normalized Hamming distance, or the proportion of those vector elements between two n -vectors u and v which disagree. To save memory, the matrix X can be of type boolean.

9. $Y = \text{cdist}(XA, XB, \text{'jaccard'})$

Computes the Jaccard distance between the points. Given two vectors, u and v , the Jaccard distance is the proportion of those elements $u[i]$ and $v[i]$ that disagree where at least one of them is non-zero.

10. $Y = \text{cdist}(XA, XB, \text{'chebyshev'})$

Computes the Chebyshev distance between the points. The Chebyshev distance between two n -vectors u and v is the maximum norm-1 distance between their respective elements. More precisely, the distance is given by

$$d(u, v) = \max_i |u_i - v_i|.$$

11. $Y = \text{cdist}(XA, XB, \text{'canberra'})$

Computes the Canberra distance between the points. The Canberra distance between two points u and v is

$$d(u, v) = \sum_i \frac{|u_i - v_i|}{|u_i| + |v_i|}.$$

```
12.Y = cdist(XA, XB, 'braycurtis')
```

Computes the Bray-Curtis distance between the points. The Bray-Curtis distance between two points u and v is

$$d(u, v) = \frac{\sum_i (u_i - v_i)}{\sum_i (u_i + v_i)}$$

```
13.Y = cdist(XA, XB, 'mahalanobis', VI=None)
```

Computes the Mahalanobis distance between the points. The Mahalanobis distance between two points u and v is $(u - v)(1/V)(u - v)^T$ where $(1/V)$ (the `VI` variable) is the inverse covariance. If `VI` is not `None`, `VI` will be used as the inverse covariance matrix.

```
14.Y = cdist(XA, XB, 'yule')
```

Computes the Yule distance between the boolean vectors. (see `yule` function documentation)

```
15.Y = cdist(XA, XB, 'matching')
```

Computes the matching distance between the boolean vectors. (see `matching` function documentation)

```
16.Y = cdist(XA, XB, 'dice')
```

Computes the Dice distance between the boolean vectors. (see `dice` function documentation)

```
17.Y = cdist(XA, XB, 'kulsinski')
```

Computes the Kulsinski distance between the boolean vectors. (see `kulsinski` function documentation)

```
18.Y = cdist(XA, XB, 'rogerstanimoto')
```

Computes the Rogers-Tanimoto distance between the boolean vectors. (see `rogerstanimoto` function documentation)

```
19.Y = cdist(XA, XB, 'russellrao')
```

Computes the Russell-Rao distance between the boolean vectors. (see `russellrao` function documentation)

```
20.Y = cdist(XA, XB, 'sokalmichener')
```

Computes the Sokal-Michener distance between the boolean vectors. (see `sokalmichener` function documentation)

```
21.Y = cdist(XA, XB, 'sokalsneath')
```

Computes the Sokal-Sneath distance between the vectors. (see `sokalsneath` function documentation)

```
22.Y = cdist(XA, XB, 'wminkowski')
```

Computes the weighted Minkowski distance between the vectors. (see `sokalsneath` function documentation)

```
23.Y = cdist(XA, XB, f)
```

Computes the distance between all pairs of vectors in X using the user supplied 2-arity function f . For example, Euclidean distance between the vectors could be computed as follows:

```
dm = cdist(XA, XB, lambda u, v: np.sqrt(((u-v)**2).sum()))
```

Note that you should avoid passing a reference to one of the distance functions defined in this library. For example,:

```
dm = cdist(XA, XB, sokalsneath)
```

would calculate the pair-wise distances between the vectors in X using the Python function `sokalsneath`. This would result in `sokalsneath` being called $\binom{n}{2}$ times, which is inefficient. Instead, the optimized C version is more efficient, and we call it using the following syntax.:

```
dm = cdist(XA, XB, 'sokalsneath')
```

Parameters

- XA** : ndarray
An m_A by n array of m_A original observations in an n -dimensional space.
- XB** : ndarray
An m_B by n array of m_B original observations in an n -dimensional space.
- metric** : string or function
The distance metric to use. The distance function can be 'braycurtis', 'canberra', 'chebyshev', 'cityblock', 'correlation', 'cosine', 'dice', 'euclidean', 'hamming', 'jaccard', 'kulsinski', 'mahalanobis', 'matching', 'minkowski', 'rogerstanimoto', 'russellrao', 'seuclidean', 'sokalmichener', 'sokalsneath', 'sqeuclidean', 'wminkowski', 'yule'.
- w** : ndarray
The weight vector (for weighted Minkowski).
- p** : double
The p-norm to apply (for Minkowski, weighted and unweighted)
- V** : ndarray
The variance vector (for standardized Euclidean).
- VI** : ndarray
The inverse of the covariance matrix (for Mahalanobis).

Returns

- Y** : ndarray
A m_A by m_B distance matrix is returned. For each i and j , the metric $\text{dist}(u=XA[i], v=XB[j])$ is computed and stored in the ij th entry.

Raises

- An exception is thrown if **XA** and **XB** do not have the same number of columns. :**

`scipy.spatial.distance.squareform(X, force='no', checks=True)`

Converts a vector-form distance vector to a square-form distance matrix, and vice-versa.

Parameters

- X** : ndarray

Returns

- Y** : ndarray
Either a condensed or redundant distance matrix.
If a condensed distance matrix is passed, a redundant one is returned, or if a redundant one is passed, a condensed distance matrix is returned.

force : str, optional
As with MATLAB(TM), if force is equal to 'tovector' or 'tomatrix', the input will be treated as a distance matrix or distance vector respectively.

checks : bool, optional
If checks is set to False, no checks will be made for matrix symmetry nor zero diagonals. This is useful if it is known that $X - X.T1$ is small and $\text{diag}(X)$ is close to zero. These values are ignored any way so they do not disrupt the squareform transformation.

Notes

1. `v = squareform(X)`

Given a square d -by- d symmetric distance matrix X , `v=squareform(X)` returns a $d * (d-1) / 2$ (or $\binom{n}{2}$) sized vector v .

$v[\binom{n}{2} - \binom{n-i}{2} + (j-i-1)]$ is the distance between points i and j . If X is non-square or asymmetric, an error is returned.

2. `X = squareform(v)`

Given a $d*d(-1)/2$ sized v for some integer $d \geq 2$ encoding distances as described, `X=squareform(v)` returns a d by d distance matrix X . The $X[i, j]$ and $X[j, i]$ values are set to $v[\binom{n}{2} - \binom{n-i}{2} + (j-i-1)]$ and all diagonal elements are zero.

Predicates for checking the validity of distance matrices, both condensed and redundant. Also contained in this module are functions for computing the number of observations in a distance matrix.

<code>is_valid_dm(D[, tol, throw, name, warning])</code>	Returns True if input array is a valid distance matrix.
<code>is_valid_y(y[, warning, throw, name])</code>	Returns True if the input array is a valid condensed distance matrix.
<code>num_obs_dm(d)</code>	Returns the number of original observations that correspond to a square, redundant distance matrix.
<code>num_obs_y(Y)</code>	Returns the number of original observations that correspond to a condensed distance matrix.

`scipy.spatial.distance.is_valid_dm(D, tol=0.0, throw=False, name='D', warning=False)`

Returns True if input array is a valid distance matrix.

Distance matrices must be 2-dimensional numpy arrays containing doubles. They must have a zero-diagonal, and they must be symmetric.

Parameters **D** : ndarray

The candidate object to test for validity.

tol : float, optional

The distance matrix should be symmetric. *tol* is the maximum difference between entries i_j and j_i for the distance metric to be considered symmetric.

throw : bool, optional

An exception is thrown if the distance matrix passed is not valid.

name : str, optional

The name of the variable to checked. This is useful if *throw* is set to True so the offending variable can be identified in the exception message when an exception is thrown.

warning : bool, optional

Returns **valid** : bool Instead of throwing an exception, a warning message is raised.

True if the variable *D* passed is a valid distance matrix.

Notes

Small numerical differences in D and $D.T$ and non-zerosness of the diagonal are ignored if they are within the tolerance specified by *tol*.

`scipy.spatial.distance.is_valid_y(y, warning=False, throw=False, name=None)`

Returns True if the input array is a valid condensed distance matrix.

Condensed distance matrices must be 1-dimensional numpy arrays containing doubles. Their length must be a binomial coefficient $\binom{n}{2}$ for some positive integer n .

Parameters **y** : ndarray
 The condensed distance matrix.

warning : bool, optional
 Invokes a warning if the variable passed is not a valid condensed distance matrix. The warning message explains why the distance matrix is not valid. *name* is used when referencing the offending variable.

throws : throw, optional
 Throws an exception if the variable passed is not a valid condensed distance matrix.

name : bool, optional
 Used when referencing the offending variable in the warning or exception message.

`scipy.spatial.distance.num_obs_dm(d)`

Returns the number of original observations that correspond to a square, redundant distance matrix.

Parameters **d** : ndarray
 The target distance matrix.

Returns **num_obs_dm** : int
 The number of observations in the redundant distance matrix.

`scipy.spatial.distance.num_obs_y(Y)`

Returns the number of original observations that correspond to a condensed distance matrix.

Parameters **Y** : ndarray
 Condensed distance matrix.

Returns **n** : int
 The number of observations in the condensed distance matrix *Y*.

Distance functions between two vectors *u* and *v*. Computing distances over a large collection of vectors is inefficient for these functions. Use `pdist` for this purpose.

<code>braycurtis(u, v)</code>	Computes the Bray-Curtis distance between two 1-D arrays.
<code>canberra(u, v)</code>	Computes the Canberra distance between two 1-D arrays.
<code>chebyshev(u, v)</code>	Computes the Chebyshev distance.
<code>cityblock(u, v)</code>	Computes the City Block (Manhattan) distance.
<code>correlation(u, v)</code>	Computes the correlation distance between two 1-D arrays.
<code>cosine(u, v)</code>	Computes the Cosine distance between 1-D arrays.
<code>dice(u, v)</code>	Computes the Dice dissimilarity between two boolean 1-D arrays.
<code>euclidean(u, v)</code>	Computes the Euclidean distance between two 1-D arrays.
<code>hamming(u, v)</code>	Computes the Hamming distance between two 1-D arrays.
<code>jaccard(u, v)</code>	Computes the Jaccard-Needham dissimilarity between two boolean 1-D arrays.
<code>kulsinski(u, v)</code>	Computes the Kulsinski dissimilarity between two boolean 1-D arrays.
<code>mahalanobis(u, v, VI)</code>	Computes the Mahalanobis distance between two 1-D arrays.
<code>matching(u, v)</code>	Computes the Matching dissimilarity between two boolean 1-D arrays.
<code>minkowski(u, v, p)</code>	Computes the Minkowski distance between two 1-D arrays.
<code>rogerstanimoto(u, v)</code>	Computes the Rogers-Tanimoto dissimilarity between two boolean 1-D arrays.
<code>russellrao(u, v)</code>	Computes the Russell-Rao dissimilarity between two boolean 1-D arrays.
<code>seuclidean(u, v, V)</code>	Returns the standardized Euclidean distance between two 1-D arrays.
<code>sokalmichener(u, v)</code>	Computes the Sokal-Michener dissimilarity between two boolean 1-D arrays.
<code>sokalsneath(u, v)</code>	Computes the Sokal-Sneath dissimilarity between two boolean 1-D arrays.
<code>squeuclidean(u, v)</code>	Computes the squared Euclidean distance between two 1-D arrays.
<code>wminkowski(u, v, p, w)</code>	Computes the weighted Minkowski distance between two 1-D arrays.
<code>yule(u, v)</code>	Computes the Yule dissimilarity between two boolean 1-D arrays.

`scipy.spatial.distance.braycurtis(u, v)`

Computes the Bray-Curtis distance between two 1-D arrays.

Bray-Curtis distance is defined as

$$\sum |u_i - v_i| / \sum |u_i + v_i|$$

The Bray-Curtis distance is in the range [0, 1] if all coordinates are positive, and is undefined if the inputs are of length zero.

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.
Returns **braycurtis** : double
The Bray-Curtis distance between 1-D arrays *u* and *v*.

`scipy.spatial.distance.canberra` (*u*, *v*)

Computes the Canberra distance between two 1-D arrays.

The Canberra distance is defined as

$$d(u, v) = \sum_i \frac{|u_i - v_i|}{|u_i| + |v_i|}.$$

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.
Returns **canberra** : double
The Canberra distance between vectors *u* and *v*.

Notes

When $u[i]$ and $v[i]$ are 0 for given *i*, then the fraction $0/0 = 0$ is used in the calculation.

`scipy.spatial.distance.chebyshev` (*u*, *v*)

Computes the Chebyshev distance.

Computes the Chebyshev distance between two 1-D arrays *u* and *v*, which is defined as

$$\max_i |u_i - v_i|.$$

Parameters **u** : (N,) array_like
Input vector.
v : (N,) array_like
Input vector.
Returns **chebyshev** : double
The Chebyshev distance between vectors *u* and *v*.

`scipy.spatial.distance.cityblock` (*u*, *v*)

Computes the City Block (Manhattan) distance.

Computes the Manhattan distance between two 1-D arrays *u* and *v*, which is defined as

$$\sum_i |u_i - v_i|.$$

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.
Returns **cityblock** : double

The City Block (Manhattan) distance between vectors u and v .

`scipy.spatial.distance.correlation` (u, v)

Computes the correlation distance between two 1-D arrays.

The correlation distance between u and v , is defined as

$$1 - \frac{(u - \bar{u}) \cdot (v - \bar{v})}{\|u - \bar{u}\|_2 \|v - \bar{v}\|_2}$$

where \bar{u} is the mean of the elements of u and $x \cdot y$ is the dot product of x and y .

Parameters **u** : (N,) array_like
Input array.

v : (N,) array_like

Returns **correlation** : double
Input array.

The correlation distance between 1-D array u and v .

`scipy.spatial.distance.cosine` (u, v)

Computes the Cosine distance between 1-D arrays.

The Cosine distance between u and v , is defined as

$$1 - \frac{u \cdot v}{\|u\|_2 \|v\|_2}$$

where $u \cdot v$ is the dot product of u and v .

Parameters **u** : (N,) array_like
Input array.

v : (N,) array_like

Returns **cosine** : double
Input array.

The Cosine distance between vectors u and v .

`scipy.spatial.distance.dice` (u, v)

Computes the Dice dissimilarity between two boolean 1-D arrays.

The Dice dissimilarity between u and v , is

$$\frac{c_{TF} + c_{FT}}{2c_{TT} + c_{FT} + c_{TF}}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$.

Parameters **u** : (N,) ndarray, bool
Input 1-D array.

v : (N,) ndarray, bool

Returns **dice** : double
Input 1-D array.

The Dice dissimilarity between 1-D arrays u and v .

`scipy.spatial.distance.euclidean` (u, v)

Computes the Euclidean distance between two 1-D arrays.

The Euclidean distance between 1-D arrays u and v , is defined as

$$\|u - v\|_2$$

Parameters **u** : (N,) array_like
Input array.

v : (N,) array_like

Input array.

Returns **euclidean** : double

The Euclidean distance between vectors u and v .

`scipy.spatial.distance.hamming` (u, v)

Computes the Hamming distance between two 1-D arrays.

The Hamming distance between 1-D arrays u and v , is simply the proportion of disagreeing components in u and v . If u and v are boolean vectors, the Hamming distance is

$$\frac{c_{01} + c_{10}}{n}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$.

Parameters **u** : (N,) array_like

Input array.

v : (N,) array_like

Input array.

Returns **hamming** : double

The Hamming distance between vectors u and v .

`scipy.spatial.distance.jaccard` (u, v)

Computes the Jaccard-Needham dissimilarity between two boolean 1-D arrays.

The Jaccard-Needham dissimilarity between 1-D boolean arrays u and v , is defined as

$$\frac{c_{TF} + c_{FT}}{c_{TT} + c_{FT} + c_{TF}}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$.

Parameters **u** : (N,) array_like, bool

Input array.

v : (N,) array_like, bool

Input array.

Returns **jaccard** : double

The Jaccard distance between vectors u and v .

`scipy.spatial.distance.kulsinski` (u, v)

Computes the Kulsinski dissimilarity between two boolean 1-D arrays.

The Kulsinski dissimilarity between two boolean 1-D arrays u and v , is defined as

$$\frac{c_{TF} + c_{FT} - c_{TT} + n}{c_{FT} + c_{TF} + n}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$.

Parameters **u** : (N,) array_like, bool

Input array.

v : (N,) array_like, bool

Input array.

Returns **kulsinski** : double

The Kulsinski distance between vectors u and v .

`scipy.spatial.distance.mahalanobis` (u, v, VI)

Computes the Mahalanobis distance between two 1-D arrays.

The Mahalanobis distance between 1-D arrays u and v , is defined as

$$\sqrt{(u - v)V^{-1}(u - v)^T}$$

where V is the covariance matrix. Note that the argument VI is the inverse of V .

Parameters **u** : (N,) array_like
 Input array.
v : (N,) array_like
 Input array.
VI : ndarray
 The inverse of the covariance matrix.
Returns **mahalanobis** : double
 The Mahalanobis distance between vectors *u* and *v*.

`scipy.spatial.distance.matching(u, v)`

Computes the Matching dissimilarity between two boolean 1-D arrays.

The Matching dissimilarity between two boolean 1-D arrays *u* and *v*, is defined as

$$\frac{c_{TF} + c_{FT}}{n}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$.

Parameters **u** : (N,) array_like, bool
 Input array.
v : (N,) array_like, bool
 Input array.
Returns **matching** : double
 The Matching dissimilarity between vectors *u* and *v*.

`scipy.spatial.distance.minkowski(u, v, p)`

Computes the Minkowski distance between two 1-D arrays.

The Minkowski distance between 1-D arrays *u* and *v*, is defined as

$$\|u - v\|_p = \left(\sum |u_i - v_i|^p \right)^{1/p}.$$

Parameters **u** : (N,) array_like
 Input array.
v : (N,) array_like
 Input array.
p : int
 The order of the norm of the difference $\|u - v\|_p$.
Returns **d** : double
 The Minkowski distance between vectors *u* and *v*.

`scipy.spatial.distance.rogerstanimoto(u, v)`

Computes the Rogers-Tanimoto dissimilarity between two boolean 1-D arrays.

The Rogers-Tanimoto dissimilarity between two boolean 1-D arrays *u* and *v*, is defined as

$$\frac{R}{c_{TT} + c_{FF} + R}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$ and $R = 2(c_{TF} + c_{FT})$.

Parameters **u** : (N,) array_like, bool
 Input array.
v : (N,) array_like, bool
 Input array.
Returns **rogerstanimoto** : double
 The Rogers-Tanimoto dissimilarity between vectors *u* and *v*.

`scipy.spatial.distance.russellrao(u, v)`

Computes the Russell-Rao dissimilarity between two boolean 1-D arrays.

The Russell-Rao dissimilarity between two boolean 1-D arrays, u and v , is defined as

$$\frac{n - c_{TT}}{n}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$.

Parameters **u** : (N,) array_like, bool
Input array.
v : (N,) array_like, bool

Returns **russellrao** : double
Input array.
The Russell-Rao dissimilarity between vectors u and v .

`scipy.spatial.distance.seuclidean(u, v, V)`

Returns the standardized Euclidean distance between two 1-D arrays.

The standardized Euclidean distance between u and v .

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.
V : (N,) array_like

Returns **seuclidean** : double
 V is an 1-D array of component variances. It is usually computed among a larger collection vectors.
The standardized Euclidean distance between vectors u and v .

`scipy.spatial.distance.sokalmichener(u, v)`

Computes the Sokal-Michener dissimilarity between two boolean 1-D arrays.

The Sokal-Michener dissimilarity between boolean 1-D arrays u and v , is defined as

$$\frac{R}{S + R}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$, $R = 2 * (c_{TF} + c_{FT})$ and $S = c_{FF} + c_{TT}$.

Parameters **u** : (N,) array_like, bool
Input array.
v : (N,) array_like, bool

Returns **sokalmichener** : double
Input array.
The Sokal-Michener dissimilarity between vectors u and v .

`scipy.spatial.distance.sokalsneath(u, v)`

Computes the Sokal-Sneath dissimilarity between two boolean 1-D arrays.

The Sokal-Sneath dissimilarity between u and v ,

$$\frac{R}{c_{TT} + R}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$ and $R = 2(c_{TF} + c_{FT})$.

Parameters **u** : (N,) array_like, bool
Input array.
v : (N,) array_like, bool

Returns **sokalsneath** : Input array.
double
The Sokal-Sneath dissimilarity between vectors u and v .

`scipy.spatial.distance.sqeuclidean` (u, v)
Computes the squared Euclidean distance between two 1-D arrays.

The squared Euclidean distance between u and v is defined as

$$\|u - v\|_2^2.$$

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.

Returns **sqeuclidean** : Input array.
double
The squared Euclidean distance between vectors u and v .

`scipy.spatial.distance.wminkowski` (u, v, p, w)
Computes the weighted Minkowski distance between two 1-D arrays.

The weighted Minkowski distance between u and v , defined as

$$\left(\sum (w_i |u_i - v_i|^p)\right)^{1/p}.$$

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.
p : int
The order of the norm of the difference $\|u - v\|_p$.
w : (N,) array_like
The weight vector.

Returns **wminkowski** : The weight vector.
double
The weighted Minkowski distance between vectors u and v .

`scipy.spatial.distance.yule` (u, v)
Computes the Yule dissimilarity between two boolean 1-D arrays.

The Yule dissimilarity is defined as

$$\frac{R}{c_{TT} + c_{FF} + \frac{R}{2}}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$ and $R = 2.0 * (c_{TF} + c_{FT})$.

Parameters **u** : (N,) array_like, bool
Input array.
v : (N,) array_like, bool
Input array.

Returns **yule** : double
The Yule dissimilarity between vectors u and v .

Functions

<code>braycurtis</code> (u, v)	Computes the Bray-Curtis distance between two 1-D arrays.
<code>callable</code> ((object) -> bool)	Return whether the object is callable (i.e., some kind of function).
<code>canberra</code> (u, v)	Computes the Canberra distance between two 1-D arrays.
<code>cdist</code> (XA, XB[, metric, p, V, VI, w])	Computes distance between each pair of the two collections of inputs.

Contin

Table 5.170 – continued from previous page

<code>chebyshev(u, v)</code>	Computes the Chebyshev distance.
<code>cityblock(u, v)</code>	Computes the City Block (Manhattan) distance.
<code>correlation(u, v)</code>	Computes the correlation distance between two 1-D arrays.
<code>cosine(u, v)</code>	Computes the Cosine distance between 1-D arrays.
<code>dice(u, v)</code>	Computes the Dice dissimilarity between two boolean 1-D arrays.
<code>euclidean(u, v)</code>	Computes the Euclidean distance between two 1-D arrays.
<code>hamming(u, v)</code>	Computes the Hamming distance between two 1-D arrays.
<code>is_valid_dm(D[, tol, throw, name, warning])</code>	Returns True if input array is a valid distance matrix.
<code>is_valid_y(y[, warning, throw, name])</code>	Returns True if the input array is a valid condensed distance matrix.
<code>jaccard(u, v)</code>	Computes the Jaccard-Needham dissimilarity between two boolean 1-D arrays.
<code>kulsinski(u, v)</code>	Computes the Kulsinski dissimilarity between two boolean 1-D arrays.
<code>mahalanobis(u, v, VI)</code>	Computes the Mahalanobis distance between two 1-D arrays.
<code>matching(u, v)</code>	Computes the Matching dissimilarity between two boolean 1-D arrays.
<code>minkowski(u, v, p)</code>	Computes the Minkowski distance between two 1-D arrays.
<code>norm(x[, ord])</code>	Matrix or vector norm.
<code>num_obs_dm(d)</code>	Returns the number of original observations that correspond to a square, redundant distance matrix.
<code>num_obs_y(Y)</code>	Returns the number of original observations that correspond to a condensed distance matrix.
<code>pdist(X[, metric, p, w, V, VI])</code>	Pairwise distances between observations in n-dimensional space.
<code>rogerstanimoto(u, v)</code>	Computes the Rogers-Tanimoto dissimilarity between two boolean 1-D arrays.
<code>russellrao(u, v)</code>	Computes the Russell-Rao dissimilarity between two boolean 1-D arrays.
<code>seuclidean(u, v, V)</code>	Returns the standardized Euclidean distance between two 1-D arrays.
<code>sokalmichener(u, v)</code>	Computes the Sokal-Michener dissimilarity between two boolean 1-D arrays.
<code>sokalsneath(u, v)</code>	Computes the Sokal-Sneath dissimilarity between two boolean 1-D arrays.
<code>squeuclidean(u, v)</code>	Computes the squared Euclidean distance between two 1-D arrays.
<code>squareform(X[, force, checks])</code>	Converts a vector-form distance vector to a square-form distance matrix, and vice-versa.
<code>wminkowski(u, v, p, w)</code>	Computes the weighted Minkowski distance between two 1-D arrays.
<code>yule(u, v)</code>	Computes the Yule dissimilarity between two boolean 1-D arrays.

Classes

`xrange xrange(stop) -> xrange object`

5.25.2 Delaunay Triangulation, Convex Hulls and Voronoi Diagrams

<code>Delaunay(points[, furthest_site, ...])</code>	Delaunay tessellation in N dimensions.
<code>ConvexHull(points[, furthest_site, ...])</code>	Convex hulls in N dimensions.
<code>Voronoi(points[, furthest_site, ...])</code>	Voronoi diagrams in N dimensions.

class `scipy.spatial.Delaunay` (*points, furthest_site=False, incremental=False, qhull_options=None*)
 Delaunay tessellation in N dimensions. New in version 0.9.

- Parameters**
- points** : ndarray of floats, shape (npoints, ndim)
 Coordinates of points to triangulate
 - furthest_site** : bool, optional
 Whether to compute a furthest-site Delaunay triangulation. Default: False
 New in version 0.12.0.
 - incremental** : bool, optional
 Allow adding new points incrementally. This takes up some additional resources.

qhull_options : str, optional
 Additional options to pass to Qhull. See Qhull manual for details. Option “Qt” is always enabled. Default:”Qbb Qc Qz Qx” for ndim > 4 and “Qbb Qc Qz” otherwise. Incremental mode omits “Qz”. New in version 0.12.0.

Raises **QhullError** :
 Raised when Qhull encounters an error condition, such as geometrical degeneracy when options to resolve are not enabled.

Notes

The tessellation is computed using the Qhull library [Qhull].

Note: Unless you pass in the Qhull option “QJ”, Qhull does not guarantee that each input point appears as a vertex in the Delaunay triangulation. Omitted points are listed in the *coplanar* attribute.

References

[Qhull]


Examples

Triangulation of a set of points:

```
>>> points = np.array([[0, 0], [0, 1.1], [1, 0], [1, 1]])
>>> from scipy.spatial import Delaunay
>>> tri = Delaunay(points)
```

We can plot it:

```
>>> import matplotlib.pyplot as plt
>>> plt.triplot(points[:,0], points[:,1], tri.simplices.copy())
>>> plt.plot(points[:,0], points[:,1], 'o')
>>> plt.show()
```



Point indices and coordinates for the two triangles forming the triangulation:


```
>>> tri.simplices
array([[3, 2, 0],
       [3, 1, 0]], dtype=int32)
>>> points[tri.simplices]
array([[ [ 1. ,  1. ],
         [ 1. ,  0. ],
         [ 0. ,  0. ]],
       [[ 1. ,  1. ],
         [ 0. ,  1.1],
         [ 0. ,  0. ]]])
```

Triangle 0 is the only neighbor of triangle 1, and it's opposite to vertex 1 of triangle 1:

```
>>> tri.neighbors[1]
array([-1,  0, -1], dtype=int32)
>>> points[tri.simplices[1,1]]
array([ 0. ,  1.1])
```

We can find out which triangle points are in:

```
>>> p = np.array([(0.1, 0.2), (1.5, 0.5)])
>>> tri.find_simplex(p)
array([ 1, -1], dtype=int32)
```

We can also compute barycentric coordinates in triangle 1 for these points:

```
>>> b = tri.transform[1,:2].dot(p - tri.transform[1,2])
>>> np.c_[b, 1 - b.sum(axis=1)]
array([[ 0.1          ,  0.2          ,  0.7          ],
       [ 1.27272727,  0.27272727, -0.54545455]])
```

The coordinates for the first point are all positive, meaning it is indeed inside the triangle.

Attributes

<code>transform</code>	Affine transform from x to the barycentric coordinates c .
<code>vertex_to_simplex</code>	Lookup array, from a vertex, to some simplex which it is a part of.
<code>convex_hull</code>	Vertices of facets forming the convex hull of the point set.

Delaunay.`transform`

Affine transform from x to the barycentric coordinates c .

Type ndarray of double, shape (nsimplex, ndim+1, ndim)

This is defined by:

$$T c = x - r$$

At vertex j , $c_j = 1$ and the other coordinates zero.

For simplex i , `transform[i,:ndim,:ndim]` contains inverse of the matrix T , and `transform[i,ndim,:]` contains the vector r .

Delaunay.`vertex_to_simplex`

Lookup array, from a vertex, to some simplex which it is a part of.

Type ndarray of int, shape (npoints,)

Delaunay.**convex_hull**

Vertices of facets forming the convex hull of the point set.

Type ndarray of int, shape (nfaces, ndim)

The array contains the indices of the points belonging to the (N-1)-dimensional facets that form the convex hull of the triangulation.

Note: Computing convex hulls via the Delaunay triangulation is inefficient and subject to increased numerical instability. Use `ConvexHull` instead.

points	(ndarray of double, shape (npoints, ndim)) Points in the triangulation.
simplices	(ndarray of ints, shape (nsimplex, ndim+1)) Indices of the points forming the simplices in the triangulation.
neighbors	(ndarray of ints, shape (nsimplex, ndim+1)) Indices of neighbor simplices for each simplex. The kth neighbor is opposite to the kth vertex. For simplices at the boundary, -1 denotes no neighbor.
equations	(ndarray of double, shape (nsimplex, ndim+2)) [normal, offset] forming the hyperplane equation of the facet on the paraboloid (see [Qhull] documentation for more).
paraboloid_scale, paraboloid_shift	(float) Scale and shift for the extra paraboloid dimension (see [Qhull] documentation for more).
coplanar	(ndarray of int, shape (ncoplanar, 3)) Indices of coplanar points and the corresponding indices of the nearest facet and the nearest vertex. Coplanar points are input points which were <i>not</i> included in the triangulation due to numerical precision issues. If option “Qc” is not specified, this list is not computed. .. versionadded:: 0.12.0
vertices	Same as <i>simplices</i> , but deprecated.

Methods

<code>add_points(points[, restart])</code>	Process a set of additional new points.
<code>close()</code>	Finish incremental processing.
<code>find_simplex(self, xi[, brute-force, tol])</code>	Find the simplices containing the given points.
<code>lift_points(self, x)</code>	Lift points to the Qhull paraboloid.
<code>plane_distance(self, xi)</code>	Compute hyperplane distances to the point <i>xi</i> from all simplices.

Delaunay.**add_points** (*points*, *restart=False*)

Process a set of additional new points.

Parameters **points** : ndarray
 New points to add. The dimensionality should match that of the initial points.
restart : bool, optional
 Whether to restart processing from scratch, rather than adding points incrementally.

Raises **QhullError** :
 Raised when Qhull encounters an error condition, such as geometrical degeneracy when options to resolve are not enabled.

See Also

`close`

Notes

You need to specify `incremental=True` when constructing the object to be able to add points incrementally. Incremental addition of points is also not possible after `close` has been called.

`Delaunay.close()`

Finish incremental processing.

Call this to free resources taken up by Qhull, when using the incremental mode. After calling this, adding more points is no longer possible.

`Delaunay.find_simplex(self, xi, bruteforce=False, tol=None)`

Find the simplices containing the given points.

Parameters `tri` : `DelaunayInfo`

Delaunay triangulation

`xi` : ndarray of double, shape (..., ndim)

Points to locate

`bruteforce` : bool, optional

Whether to only perform a brute-force search

`tol` : float, optional

Returns `i` : ndarray of int, same shape as `xi` Tolerance allowed in the inside-triangle check. Default is `100*eps`.

Indices of simplices containing each point. Points outside the triangulation get the value -1.

Notes

This uses an algorithm adapted from Qhull's `qh_findbestfacet`, which makes use of the connection between a convex hull and a Delaunay triangulation. After finding the simplex closest to the point in N+1 dimensions, the algorithm falls back to directed search in N dimensions.

`Delaunay.lift_points(self, x)`

Lift points to the Qhull paraboloid.

`Delaunay.plane_distance(self, xi)`

Compute hyperplane distances to the point `xi` from all simplices.

class `scipy.spatial.ConvexHull(points, furthest_site=False, qhull_options=None)`

Convex hulls in N dimensions. New in version 0.12.0.

Parameters `points` : ndarray of floats, shape (npoints, ndim)

Coordinates of points to construct a convex hull from

`incremental` : bool, optional

Allow adding new points incrementally. This takes up some additional resources.

`qhull_options` : str, optional

Additional options to pass to Qhull. See Qhull manual for details. (Default: "Qx" for ndim > 4 and "" otherwise) Option "Qt" is always enabled.

Raises `QhullError` :

Raised when Qhull encounters an error condition, such as geometrical degeneracy when options to resolve are not enabled.

Notes

The convex hull is computed using the Qhull library [Qhull].

References

[Qhull]


Examples

Convex hull of a random set of points:

```
>>> from scipy.spatial import ConvexHull
>>> points = np.random.rand(30, 2) # 30 random points in 2-D
>>> hull = ConvexHull(points)
```

Plot it:

```
>>> import matplotlib.pyplot as plt
>>> plt.plot(points[:,0], points[:,1], 'o')
>>> for simplex in hull.simplices:
>>>     plt.plot(points[simplex,0], points[simplex,1], 'k-')
>>> plt.show()
```



Attributes

points	(ndarray of double, shape (npoints, ndim)) Points in the convex hull.
simplices	(ndarray of ints, shape (nfacet, ndim)) Indices of points forming the simplicial facets of the convex hull.
neighbors	(ndarray of ints, shape (nfacet, ndim)) Indices of neighbor facets for each facet. The kth neighbor is opposite to the kth vertex. -1 denotes no neighbor.
equations	(ndarray of double, shape (nfacet, ndim+1)) [normal, offset] forming the hyperplane equation of the facet (see [Qhull] documentation for more).
coplanar	(ndarray of int, shape (ncoplanar, 3)) Indices of coplanar points and the corresponding indices of the nearest facets and nearest vertex indices. Coplanar points are input points which were <i>not</i> included in the triangulation due to numerical precision issues. If option “Qc” is not specified, this list is not computed.

Methods

<code>add_points(points[, restart])</code>	Process a set of additional new points.
<code>close()</code>	Finish incremental processing.

`ConvexHull.add_points` (*points*, *restart=False*)
 Process a set of additional new points.

Parameters `points` : ndarray

New points to add. The dimensionality should match that of the initial points.

restart : bool, optional
Whether to restart processing from scratch, rather than adding points incrementally.

Raises **QhullError** :
Raised when Qhull encounters an error condition, such as geometrical degeneracy when options to resolve are not enabled.

See Also[close](#)**Notes**

You need to specify `incremental=True` when constructing the object to be able to add points incrementally. Incremental addition of points is also not possible after `close` has been called.

`ConvexHull.close()`

Finish incremental processing.

Call this to free resources taken up by Qhull, when using the incremental mode. After calling this, adding more points is no longer possible.

class `scipy.spatial.Voronoi` (*points*, *furthest_site=False*, *incremental=False*, *qhull_options=None*)
Voronoi diagrams in N dimensions. New in version 0.12.0.

Parameters **points** : ndarray of floats, shape (npoints, ndim)
Coordinates of points to construct a convex hull from

furthest_site : bool, optional
Whether to compute a furthest-site Voronoi diagram. Default: False

incremental : bool, optional
Allow adding new points incrementally. This takes up some additional resources.

qhull_options : str, optional
Additional options to pass to Qhull. See Qhull manual for details. (Default: “Qbb Qc Qz Qx” for `ndim > 4` and “Qbb Qc Qz” otherwise. Incremental mode omits “Qz”.)

Raises **QhullError** :
Raised when Qhull encounters an error condition, such as geometrical degeneracy when options to resolve are not enabled.

Notes

The Voronoi diagram is computed using the Qhull library [\[Qhull\]](#).


References[\[Qhull\]](#)**Examples**

Voronoi diagram for a set of point:

```
>>> points = np.array([[0, 0], [0, 1], [0, 2], [1, 0], [1, 1], [1, 2],
...                   [2, 0], [2, 1], [2, 2]])
>>> from scipy.spatial import Voronoi, voronoi_plot_2d
>>> vor = Voronoi(points)
```

Plot it:

```
>>> import matplotlib.pyplot as plt
>>> voronoi_plot_2d(vor)
>>> plt.show()
```



The Voronoi vertices:

```
>>> vor.vertices
array([[ 0.5,  0.5],
       [ 1.5,  0.5],
       [ 0.5,  1.5],
       [ 1.5,  1.5]])
```

There is a single finite Voronoi region, and four finite Voronoi ridges:

```
>>> vor.regions
[[], [-1, 0], [-1, 1], [1, -1, 0], [3, -1, 2], [-1, 3], [-1, 2], [3, 2, 0, 1], [2, -1, 0], [3, -
>>> vor.ridge_vertices
[[-1, 0], [-1, 0], [-1, 1], [-1, 1], [0, 1], [-1, 3], [-1, 2], [2, 3], [-1, 3], [-1, 2], [0, 2],
```

The ridges are perpendicular between lines drawn between the following input points:

```
>>> vor.ridge_points
array([[0, 1],
       [0, 3],
       [6, 3],
       [6, 7],
       [3, 4],
       [5, 8],
       [5, 2],
       [5, 4],
       [8, 7],
       [2, 1],
       [4, 1],
       [4, 7]], dtype=int32)
```

Attributes

<code>points</code>	(ndarray of double, shape (npoints, ndim)) Points used for constructing the Voronoi diagram.
<code>vertices</code>	(ndarray of double, shape (nvertices, ndim)) Coordinates of the Voronoi vertices.
<code>ridge_points</code>	(ndarray of ints, shape (nridges, 2)) Indices of the points between which each Voronoi ridge lies.
<code>ridge_vertices</code>	(list of list of ints, shape (nridges, *)) Indices of the Voronoi vertices forming each Voronoi ridge.
<code>regions</code>	(list of list of ints, shape (nregions, *)) Indices of the Voronoi vertices forming each Voronoi region. -1 indicates vertex outside the Voronoi diagram.
<code>point_region</code>	(list of ints, shape (npoints)) Index of the Voronoi region for each input point. If qhull option "Qc" was not specified, the list will contain -1 for points that are not associated with a Voronoi region.

Methods

<code>add_points(points[, restart])</code>	Process a set of additional new points.
<code>close()</code>	Finish incremental processing.

`Voronoi.add_points` (*points*, *restart=False*)

Process a set of additional new points.

Parameters **points** : ndarray
 New points to add. The dimensionality should match that of the initial points.

restart : bool, optional
 Whether to restart processing from scratch, rather than adding points incrementally.

Raises **QhullError** :
 Raised when Qhull encounters an error condition, such as geometrical degeneracy when options to resolve are not enabled.

See Also

`close`

Notes

You need to specify `incremental=True` when constructing the object to be able to add points incrementally. Incremental addition of points is also not possible after `close` has been called.

`Voronoi.close` ()

Finish incremental processing.

Call this to free resources taken up by Qhull, when using the incremental mode. After calling this, adding more points is no longer possible.

5.25.3 Plotting Helpers

<code>del aunay_plot_2d(tri[, ax])</code>	Plot the given Delaunay triangulation in 2-D
<code>convex_hull_plot_2d(hull[, ax])</code>	Plot the given convex hull diagram in 2-D
<code>voronoi_plot_2d(vor[, ax])</code>	Plot the given Voronoi diagram in 2-D

`scipy.spatial.delaunay_plot_2d` (*tri*, *ax=None*)

Plot the given Delaunay triangulation in 2-D

Parameters **tri** : `scipy.spatial.Delaunay` instance

Returns `ax` : matplotlib.axes.Axes instance, optional
 Triangulation to plot
`fig` : matplotlib.figure.Figure instance
 Axes to plot on
 Figure for the plot

See Also

`Delaunay`, `matplotlib.pyplot.triplot`

Notes

Requires Matplotlib.

`scipy.spatial.convex_hull_plot_2d` (`hull`, `ax=None`)

Plot the given convex hull diagram in 2-D

Parameters `hull` : `scipy.spatial.ConvexHull` instance
 Convex hull to plot
`ax` : matplotlib.axes.Axes instance, optional
Returns `fig` : matplotlib.figure.Figure instance
 Axes to plot on
 Figure for the plot

See Also

`ConvexHull`

Notes

Requires Matplotlib.

`scipy.spatial.voronoi_plot_2d` (`vor`, `ax=None`)

Plot the given Voronoi diagram in 2-D

Parameters `vor` : `scipy.spatial.Voronoi` instance
 Diagram to plot
`ax` : matplotlib.axes.Axes instance, optional
Returns `fig` : matplotlib.figure.Figure instance
 Axes to plot on
 Figure for the plot

See Also

`Voronoi`

Notes

Requires Matplotlib.

See Also

Tutorial

5.25.4 Simplex representation

The simplices (triangles, tetrahedra, ...) appearing in the Delaunay tessellation (N-dim simplices), convex hull facets, and Voronoi ridges (N-1 dim simplices) are represented in the following scheme:


```

tess = Delaunay(points)
hull = ConvexHull(points)
voro = Voronoi(points)

# coordinates of the j-th vertex of the i-th simplex
tess.points[tess.simplices[i, j], :]      # tessellation element
hull.points[hull.simplices[i, j], :]     # convex hull facet
voro.vertices[voro.ridge_vertices[i, j], :] # ridge between Voronoi cells

```

For Delaunay triangulations and convex hulls, the neighborhood structure of the simplices satisfies the condition:

`tess.neighbors[i, j]` is the neighboring simplex of the *i*-th simplex, opposite to the *j*-vertex. It is -1 in case of no neighbor.

Convex hull facets also define a hyperplane equation:

$$(\text{hull.equations}[i, :-1] * \text{coord}).\text{sum}() + \text{hull.equations}[i, -1] == 0$$

Similar hyperplane equations for the Delaunay triangulation correspond to the convex hull facets on the corresponding $N+1$ dimensional paraboloid.

The Delaunay triangulation objects offer a method for locating the simplex containing a given point, and barycentric coordinate computations.

Functions

<code>tsearch(tri, xi)</code>	Find simplices containing the given points.
<code>distance_matrix(x, y[, p, threshold])</code>	Compute the distance matrix.
<code>minkowski_distance(x, y[, p])</code>	Compute the L^{**p} distance between two arrays.
<code>minkowski_distance_p(x, y[, p])</code>	Compute the p -th power of the L^{**p} distance between two arrays.

`scipy.spatial.tsearch(tri, xi)`

Find simplices containing the given points. This function does the same thing as `Delaunay.find_simplex`. New in version 0.9.

See Also

`Delaunay.find_simplex`

`scipy.spatial.distance_matrix(x, y, p=2, threshold=1000000)`

Compute the distance matrix.

Returns the matrix of all pair-wise distances.

Parameters

- x** : (M, K) array_like
TODO: description needed
- y** : (N, K) array_like
TODO: description needed
- p** : float, $1 \leq p \leq \text{infinity}$
Which Minkowski p -norm to use.
- threshold** : positive int
If $M * N * K > \text{threshold}$, algorithm uses a Python loop instead of large temporary arrays.

Returns

result : (M, N) ndarray
Distance matrix.

Examples

```
>>> distance_matrix([[0,0],[0,1]], [[1,0],[1,1]])
array([[ 1.          ,  1.41421356],
       [ 1.41421356,  1.          ]])
```

`scipy.spatial.minkowski_distance(x, y, p=2)`

Compute the L**p distance between two arrays.

Parameters

- x** : (M, K) array_like
Input array.
- y** : (N, K) array_like
Input array.
- p** : float, 1 <= p <= infinity
Which Minkowski p-norm to use.

Examples

```
>>> minkowski_distance([[0,0],[0,0]], [[1,1],[0,1]])
array([ 1.41421356,  1.          ])
```

`scipy.spatial.minkowski_distance_p(x, y, p=2)`

Compute the p-th power of the L**p distance between two arrays.

For efficiency, this function computes the L**p distance but does not extract the pth root. If *p* is 1 or infinity, this is equal to the actual L**p distance.

Parameters

- x** : (M, K) array_like
Input array.
- y** : (N, K) array_like
Input array.
- p** : float, 1 <= p <= infinity
Which Minkowski p-norm to use.

Examples

```
>>> minkowski_distance_p([[0,0],[0,0]], [[1,1],[0,1]])
array([2, 1])
```

5.26 Distance computations (`scipy.spatial.distance`)

5.26.1 Function Reference

Distance matrix computation from a collection of raw observation vectors stored in a rectangular array.

<code>pdist(X[, metric, p, w, V, VI])</code>	Pairwise distances between observations in n-dimensional space.
<code>cdist(XA, XB[, metric, p, V, VI, w])</code>	Computes distance between each pair of the two collections of inputs.
<code>squareform(X[, force, checks])</code>	Converts a vector-form distance vector to a square-form distance matrix, and vice-versa.

`scipy.spatial.distance.pdist(X, metric='euclidean', p=2, w=None, V=None, VI=None)`

Pairwise distances between observations in n-dimensional space.

The following are common calling conventions.

```
l.Y = pdist(X, 'euclidean')
```

Computes the distance between m points using Euclidean distance (2-norm) as the distance metric between the points. The points are arranged as m n -dimensional row vectors in the matrix X .

2.Y = pdist(X, 'minkowski', p)

Computes the distances using the Minkowski distance $\|u - v\|_p$ (p-norm) where $p \geq 1$.

3.Y = pdist(X, 'cityblock')

Computes the city block or Manhattan distance between the points.

4.Y = pdist(X, 'seuclidean', V=None)

Computes the standardized Euclidean distance. The standardized Euclidean distance between two n -vectors u and v is

$$\sqrt{\sum (u_i - v_i)^2 / V[x_i]}$$

V is the variance vector; $V[i]$ is the variance computed over all the i 'th components of the points. If not passed, it is automatically computed.

5.Y = pdist(X, 'sqeuclidean')

Computes the squared Euclidean distance $\|u - v\|_2^2$ between the vectors.

6.Y = pdist(X, 'cosine')

Computes the cosine distance between vectors u and v ,

$$1 - \frac{u \cdot v}{\|u\|_2 \|v\|_2}$$

where $\|*\|_2$ is the 2-norm of its argument $*$, and $u \cdot v$ is the dot product of u and v .

7.Y = pdist(X, 'correlation')

Computes the correlation distance between vectors u and v . This is

$$1 - \frac{(u - \bar{u}) \cdot (v - \bar{v})}{\|(u - \bar{u})\|_2 \|(v - \bar{v})\|_2}$$

where \bar{v} is the mean of the elements of vector v , and $x \cdot y$ is the dot product of x and y .

8.Y = pdist(X, 'hamming')

Computes the normalized Hamming distance, or the proportion of those vector elements between two n -vectors u and v which disagree. To save memory, the matrix X can be of type boolean.

9.Y = pdist(X, 'jaccard')

Computes the Jaccard distance between the points. Given two vectors, u and v , the Jaccard distance is the proportion of those elements $u[i]$ and $v[i]$ that disagree where at least one of them is non-zero.

10.Y = pdist(X, 'chebyshev')

Computes the Chebyshev distance between the points. The Chebyshev distance between two n -vectors u and v is the maximum norm-1 distance between their respective elements. More precisely, the distance is given by

$$d(u, v) = \max_i |u_i - v_i|$$

11.Y = pdist(X, 'canberra')

Computes the Canberra distance between the points. The Canberra distance between two points u and v is

$$d(u, v) = \sum_i \frac{|u_i - v_i|}{|u_i| + |v_i|}$$

12.Y = pdist(X, 'braycurtis')

Computes the Bray-Curtis distance between the points. The Bray-Curtis distance between two points u and v is

$$d(u, v) = \frac{\sum_i u_i - v_i}{\sum_i u_i + v_i}$$

13.Y = pdist(X, 'mahalanobis', VI=None)

Computes the Mahalanobis distance between the points. The Mahalanobis distance between two points u and v is $(u - v)(1/V)(u - v)^T$ where $(1/V)$ (the VI variable) is the inverse covariance. If VI is not None, VI will be used as the inverse covariance matrix.

14.Y = pdist(X, 'yule')

Computes the Yule distance between each pair of boolean vectors. (see yule function documentation)

15.Y = pdist(X, 'matching')

Computes the matching distance between each pair of boolean vectors. (see matching function documentation)

16.Y = pdist(X, 'dice')

Computes the Dice distance between each pair of boolean vectors. (see dice function documentation)

17.Y = pdist(X, 'kulsinski')

Computes the Kulsinski distance between each pair of boolean vectors. (see kulsinski function documentation)

18.Y = pdist(X, 'rogerstanimoto')

Computes the Rogers-Tanimoto distance between each pair of boolean vectors. (see rogerstanimoto function documentation)

19.Y = pdist(X, 'russellrao')

Computes the Russell-Rao distance between each pair of boolean vectors. (see russellrao function documentation)

20.Y = pdist(X, 'sokalmichener')

Computes the Sokal-Michener distance between each pair of boolean vectors. (see sokalmichener function documentation)

21.Y = pdist(X, 'sokalsneath')

Computes the Sokal-Sneath distance between each pair of boolean vectors. (see sokalsneath function documentation)

22.Y = pdist(X, 'wminkowski')

Computes the weighted Minkowski distance between each pair of vectors. (see wminkowski function documentation)

23.Y = pdist(X, f)

Computes the distance between all pairs of vectors in X using the user supplied 2-arity function f. For example, Euclidean distance between the vectors could be computed as follows:

```
dm = pdist(X, lambda u, v: np.sqrt(((u-v)**2).sum()))
```

Note that you should avoid passing a reference to one of the distance functions defined in this library. For example,:

```
dm = pdist(X, sokalsneath)
```

would calculate the pair-wise distances between the vectors in X using the Python function sokalsneath. This would result in sokalsneath being called $\binom{n}{2}$ times, which is inefficient. Instead, the optimized C version is more efficient, and we call it using the following syntax.:

```
dm = pdist(X, 'sokalsneath')
```

Parameters **X** : ndarray

An m by n array of m original observations in an n-dimensional space.

metric : string or function

The distance metric to use. The distance function can be 'braycurtis', 'canberra', 'chebyshev', 'cityblock', 'correlation', 'cosine', 'dice', 'euclidean', 'hamming', 'jaccard', 'kulsinski', 'mahalanobis', 'matching', 'minkowski', 'rogerstanimoto', 'russellrao', 'seuclidean', 'sokalmichener', 'sokalsneath', 'sqeuclidean', 'yule'.

w : ndarray

The weight vector (for weighted Minkowski).

p : double

The p-norm to apply (for Minkowski, weighted and unweighted)

V : ndarray

The variance vector (for standardized Euclidean).

VI : ndarray

The inverse of the covariance matrix (for Mahalanobis).

Returns

Y : ndarray

Returns a condensed distance matrix Y. For each i and j (where $i < j < n$), the metric `dist(u=X[i], v=X[j])` is computed and stored in entry ij .

See Also

[squareform](#) converts between condensed distance matrices and square distance matrices.

Notes

See [squareform](#) for information on how to calculate the index of this entry or to convert the condensed distance matrix to a redundant square matrix.

`scipy.spatial.distance.cdist(XA, XB, metric='euclidean', p=2, V=None, VI=None, w=None)`
Computes distance between each pair of the two collections of inputs.

The following are common calling conventions:

```
1.Y = cdist(XA, XB, 'euclidean')
```

Computes the distance between m points using Euclidean distance (2-norm) as the distance metric between the points. The points are arranged as m n -dimensional row vectors in the matrix X.

```
2.Y = cdist(XA, XB, 'minkowski', p)
```

Computes the distances using the Minkowski distance $\|u - v\|_p$ (p -norm) where $p \geq 1$.

```
3.Y = cdist(XA, XB, 'cityblock')
```

Computes the city block or Manhattan distance between the points.

```
4.Y = cdist(XA, XB, 'seuclidean', V=None)
```

Computes the standardized Euclidean distance. The standardized Euclidean distance between two n -vectors u and v is

$$\sqrt{\sum (u_i - v_i)^2 / V[x_i]}.$$

V is the variance vector; $V[i]$ is the variance computed over all the i 'th components of the points. If not passed, it is automatically computed.

5.Y = cdist(XA, XB, 'sqeuclidean')

Computes the squared Euclidean distance $\|u - v\|_2^2$ between the vectors.

6.Y = cdist(XA, XB, 'cosine')

Computes the cosine distance between vectors u and v ,

$$1 - \frac{u \cdot v}{\|u\|_2 \|v\|_2}$$

where $\|*\|_2$ is the 2-norm of its argument $*$, and $u \cdot v$ is the dot product of u and v .

7.Y = cdist(XA, XB, 'correlation')

Computes the correlation distance between vectors u and v . This is

$$1 - \frac{(u - \bar{u}) \cdot (v - \bar{v})}{\|(u - \bar{u})\|_2 \|(v - \bar{v})\|_2}$$

where \bar{v} is the mean of the elements of vector v , and $x \cdot y$ is the dot product of x and y .

8.Y = cdist(XA, XB, 'hamming')

Computes the normalized Hamming distance, or the proportion of those vector elements between two n -vectors u and v which disagree. To save memory, the matrix X can be of type boolean.

9.Y = cdist(XA, XB, 'jaccard')

Computes the Jaccard distance between the points. Given two vectors, u and v , the Jaccard distance is the proportion of those elements $u[i]$ and $v[i]$ that disagree where at least one of them is non-zero.

10.Y = cdist(XA, XB, 'chebyshev')

Computes the Chebyshev distance between the points. The Chebyshev distance between two n -vectors u and v is the maximum norm-1 distance between their respective elements. More precisely, the distance is given by

$$d(u, v) = \max_i |u_i - v_i|.$$

11.Y = cdist(XA, XB, 'canberra')

Computes the Canberra distance between the points. The Canberra distance between two points u and v is

$$d(u, v) = \sum_i \frac{|u_i - v_i|}{|u_i| + |v_i|}.$$

12.Y = cdist(XA, XB, 'braycurtis')

Computes the Bray-Curtis distance between the points. The Bray-Curtis distance between two points u and v is

$$d(u, v) = \frac{\sum_i (u_i - v_i)}{\sum_i (u_i + v_i)}$$

13.Y = cdist(XA, XB, 'mahalanobis', VI=None)

Computes the Mahalanobis distance between the points. The Mahalanobis distance between two points u and v is $(u - v)(1/V)(u - v)^T$ where $(1/V)$ (the `VI` variable) is the inverse covariance. If `VI` is not `None`, `VI` will be used as the inverse covariance matrix.

```
14.Y = cdist(XA, XB, 'yule')
```

Computes the Yule distance between the boolean vectors. (see `yule` function documentation)

```
15.Y = cdist(XA, XB, 'matching')
```

Computes the matching distance between the boolean vectors. (see `matching` function documentation)

```
16.Y = cdist(XA, XB, 'dice')
```

Computes the Dice distance between the boolean vectors. (see `dice` function documentation)

```
17.Y = cdist(XA, XB, 'kulsinski')
```

Computes the Kulsinski distance between the boolean vectors. (see `kulsinski` function documentation)

```
18.Y = cdist(XA, XB, 'rogerstanimoto')
```

Computes the Rogers-Tanimoto distance between the boolean vectors. (see `rogerstanimoto` function documentation)

```
19.Y = cdist(XA, XB, 'russellrao')
```

Computes the Russell-Rao distance between the boolean vectors. (see `russellrao` function documentation)

```
20.Y = cdist(XA, XB, 'sokalmichener')
```

Computes the Sokal-Michener distance between the boolean vectors. (see `sokalmichener` function documentation)

```
21.Y = cdist(XA, XB, 'sokalsneath')
```

Computes the Sokal-Sneath distance between the vectors. (see `sokalsneath` function documentation)

```
22.Y = cdist(XA, XB, 'wminkowski')
```

Computes the weighted Minkowski distance between the vectors. (see `sokalsneath` function documentation)

```
23.Y = cdist(XA, XB, f)
```

Computes the distance between all pairs of vectors in `X` using the user supplied 2-arity function `f`. For example, Euclidean distance between the vectors could be computed as follows:

```
dm = cdist(XA, XB, lambda u, v: np.sqrt(((u-v)**2).sum()))
```

Note that you should avoid passing a reference to one of the distance functions defined in this library. For example,:

```
dm = cdist(XA, XB, sokalsneath)
```

would calculate the pair-wise distances between the vectors in `X` using the Python function `sokalsneath`. This would result in `sokalsneath` being called $\binom{n}{2}$ times, which is inefficient. Instead, the optimized C version is more efficient, and we call it using the following syntax.:

```
dm = cdist(XA, XB, 'sokalsneath')
```

Parameters	XA : ndarray	An m_A by n array of m_A original observations in an n -dimensional space.
	XB : ndarray	An m_B by n array of m_B original observations in an n -dimensional space.
	metric : string or function	The distance metric to use. The distance function can be 'braycurtis', 'canberra', 'chebyshev', 'cityblock', 'correlation', 'cosine', 'dice', 'euclidean', 'hamming', 'jaccard', 'kulsinski', 'mahalanobis', 'matching', 'minkowski', 'rogerstanimoto', 'russellrao', 'seuclidean', 'sokalmichener', 'sokalsneath', 'sqeuclidean', 'wminkowski', 'yule'.
	w : ndarray	The weight vector (for weighted Minkowski).
	p : double	The p-norm to apply (for Minkowski, weighted and unweighted)
	V : ndarray	The variance vector (for standardized Euclidean).
	VI : ndarray	The inverse of the covariance matrix (for Mahalanobis).
Returns	Y : ndarray	A m_A by m_B distance matrix is returned. For each i and j , the metric $\text{dist}(u=XA[i], v=XB[j])$ is computed and stored in the ij th entry.
Raises	An exception is thrown if "XA" and "XB" do not have the same number of columns. :	

`scipy.spatial.distance.squareform(X, force='no', checks=True)`

Converts a vector-form distance vector to a square-form distance matrix, and vice-versa.

Parameters	X : ndarray	Either a condensed or redundant distance matrix.
Returns	Y : ndarray	If a condensed distance matrix is passed, a redundant one is returned, or if a redundant one is passed, a condensed distance matrix is returned.
	force : str, optional	As with MATLAB(TM), if force is equal to 'tovector' or 'tomatrix', the input will be treated as a distance matrix or distance vector respectively.
	checks : bool, optional	If checks is set to False, no checks will be made for matrix symmetry nor zero diagonals. This is useful if it is known that $X - X.T$ is small and $\text{diag}(X)$ is close to zero. These values are ignored any way so they do not disrupt the squareform transformation.

Notes

1. $v = \text{squareform}(X)$

Given a square d -by- d symmetric distance matrix X , $v = \text{squareform}(X)$ returns a $d * (d-1) / 2$ (or $\binom{d}{2}$) sized vector v .

$v[\binom{d}{2} - \binom{d-i}{2} + (j-i-1)]$ is the distance between points i and j . If X is non-square or asymmetric, an error is returned.

2. $X = \text{squareform}(v)$

Given a $d * (d-1) / 2$ sized v for some integer $d \geq 2$ encoding distances as described, $X = \text{squareform}(v)$ returns a d by d distance matrix X . The $X[i, j]$ and $X[j, i]$ values are set to $v[\binom{d}{2} - \binom{d-i}{2} + (j-i-1)]$ and all diagonal elements are zero.

Predicates for checking the validity of distance matrices, both condensed and redundant. Also contained in this module are functions for computing the number of observations in a distance matrix.

<code>is_valid_dm(D[, tol, throw, name, warning])</code>	Returns True if input array is a valid distance matrix.
<code>is_valid_y(y[, warning, throw, name])</code>	Returns True if the input array is a valid condensed distance matrix.
<code>num_obs_dm(d)</code>	Returns the number of original observations that correspond to a square, redundant distance matrix.
<code>num_obs_y(Y)</code>	Returns the number of original observations that correspond to a condensed distance matrix.

`scipy.spatial.distance.is_valid_dm(D, tol=0.0, throw=False, name='D', warning=False)`

Returns True if input array is a valid distance matrix.

Distance matrices must be 2-dimensional numpy arrays containing doubles. They must have a zero-diagonal, and they must be symmetric.

Parameters **D** : ndarray

The candidate object to test for validity.

tol : float, optional

The distance matrix should be symmetric. *tol* is the maximum difference between entries *i j* and *j i* for the distance metric to be considered symmetric.

throw : bool, optional

An exception is thrown if the distance matrix passed is not valid.

name : str, optional

The name of the variable to checked. This is useful if *throw* is set to True so the offending variable can be identified in the exception message when an exception is thrown.

warning : bool, optional

Instead of throwing an exception, a warning message is raised.

Returns

valid : bool

True if the variable *D* passed is a valid distance matrix.

Notes

Small numerical differences in *D* and *D.T* and non-zerosness of the diagonal are ignored if they are within the tolerance specified by *tol*.

`scipy.spatial.distance.is_valid_y(y, warning=False, throw=False, name=None)`

Returns True if the input array is a valid condensed distance matrix.

Condensed distance matrices must be 1-dimensional numpy arrays containing doubles. Their length must be a binomial coefficient $\binom{n}{2}$ for some positive integer *n*.

Parameters **y** : ndarray

The condensed distance matrix.

warning : bool, optional

Invokes a warning if the variable passed is not a valid condensed distance matrix. The warning message explains why the distance matrix is not valid. *name* is used when referencing the offending variable.

throws : throw, optional

Throws an exception if the variable passed is not a valid condensed distance matrix.

name : bool, optional

Used when referencing the offending variable in the warning or exception message.

`scipy.spatial.distance.num_obs_dm(d)`

Returns the number of original observations that correspond to a square, redundant distance matrix.

Parameters **d** : ndarray
Returns **num_obs_dm** : int
 The target distance matrix.
 The number of observations in the redundant distance matrix.

`scipy.spatial.distance.num_obs_y` (*Y*)
 Returns the number of original observations that correspond to a condensed distance matrix.

Parameters **Y** : ndarray
Returns **n** : int
 Condensed distance matrix.
 The number of observations in the condensed distance matrix *Y*.

Distance functions between two vectors *u* and *v*. Computing distances over a large collection of vectors is inefficient for these functions. Use `pdist` for this purpose.

<code>braycurtis(u, v)</code>	Computes the Bray-Curtis distance between two 1-D arrays.
<code>canberra(u, v)</code>	Computes the Canberra distance between two 1-D arrays.
<code>chebyshev(u, v)</code>	Computes the Chebyshev distance.
<code>cityblock(u, v)</code>	Computes the City Block (Manhattan) distance.
<code>correlation(u, v)</code>	Computes the correlation distance between two 1-D arrays.
<code>cosine(u, v)</code>	Computes the Cosine distance between 1-D arrays.
<code>dice(u, v)</code>	Computes the Dice dissimilarity between two boolean 1-D arrays.
<code>euclidean(u, v)</code>	Computes the Euclidean distance between two 1-D arrays.
<code>hamming(u, v)</code>	Computes the Hamming distance between two 1-D arrays.
<code>jaccard(u, v)</code>	Computes the Jaccard-Needham dissimilarity between two boolean 1-D arrays.
<code>kulsinski(u, v)</code>	Computes the Kulsinski dissimilarity between two boolean 1-D arrays.
<code>mahalanobis(u, v, VI)</code>	Computes the Mahalanobis distance between two 1-D arrays.
<code>matching(u, v)</code>	Computes the Matching dissimilarity between two boolean 1-D arrays.
<code>minkowski(u, v, p)</code>	Computes the Minkowski distance between two 1-D arrays.
<code>rogerstanimoto(u, v)</code>	Computes the Rogers-Tanimoto dissimilarity between two boolean 1-D arrays.
<code>russellrao(u, v)</code>	Computes the Russell-Rao dissimilarity between two boolean 1-D arrays.
<code>seuclidean(u, v, V)</code>	Returns the standardized Euclidean distance between two 1-D arrays.
<code>sokalmichener(u, v)</code>	Computes the Sokal-Michener dissimilarity between two boolean 1-D arrays.
<code>sokalsneath(u, v)</code>	Computes the Sokal-Sneath dissimilarity between two boolean 1-D arrays.
<code>squeuclidean(u, v)</code>	Computes the squared Euclidean distance between two 1-D arrays.
<code>wminkowski(u, v, p, w)</code>	Computes the weighted Minkowski distance between two 1-D arrays.
<code>yule(u, v)</code>	Computes the Yule dissimilarity between two boolean 1-D arrays.

`scipy.spatial.distance.braycurtis` (*u*, *v*)
 Computes the Bray-Curtis distance between two 1-D arrays.

Bray-Curtis distance is defined as

$$\frac{\sum |u_i - v_i|}{\sum |u_i + v_i|}$$

The Bray-Curtis distance is in the range [0, 1] if all coordinates are positive, and is undefined if the inputs are of length zero.

Parameters **u** : (N,) array_like
 Input array.
v : (N,) array_like
 Input array.
Returns **braycurtis** : double
 The Bray-Curtis distance between 1-D arrays *u* and *v*.

`scipy.spatial.distance.canberra` (*u*, *v*)
 Computes the Canberra distance between two 1-D arrays.

The Canberra distance is defined as

$$d(u, v) = \sum_i \frac{|u_i - v_i|}{|u_i| + |v_i|}.$$

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.
Returns **canberra** : double
The Canberra distance between vectors u and v .

Notes

When $u[i]$ and $v[i]$ are 0 for given i , then the fraction $0/0 = 0$ is used in the calculation.

`scipy.spatial.distance.chebyshev` (u, v)
Computes the Chebyshev distance.

Computes the Chebyshev distance between two 1-D arrays u and v , which is defined as

$$\max_i |u_i - v_i|.$$

Parameters **u** : (N,) array_like
Input vector.
v : (N,) array_like
Input vector.
Returns **chebyshev** : double
The Chebyshev distance between vectors u and v .

`scipy.spatial.distance.cityblock` (u, v)
Computes the City Block (Manhattan) distance.

Computes the Manhattan distance between two 1-D arrays u and v , which is defined as

$$\sum_i |u_i - v_i|.$$

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.
Returns **cityblock** : double
The City Block (Manhattan) distance between vectors u and v .

`scipy.spatial.distance.correlation` (u, v)
Computes the correlation distance between two 1-D arrays.

The correlation distance between u and v , is defined as

$$1 - \frac{(u - \bar{u}) \cdot (v - \bar{v})}{\|u - \bar{u}\|_2 \|v - \bar{v}\|_2}$$

where \bar{u} is the mean of the elements of u and $x \cdot y$ is the dot product of x and y .

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.
Returns **correlation** : double
The correlation distance between 1-D array u and v .

`scipy.spatial.distance.cosine(u, v)`

Computes the Cosine distance between 1-D arrays.

The Cosine distance between u and v , is defined as

$$1 - \frac{u \cdot v}{\|u\|_2 \|v\|_2}.$$

where $u \cdot v$ is the dot product of u and v .

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.

Returns **cosine** : double
The Cosine distance between vectors u and v .

`scipy.spatial.distance.dice(u, v)`

Computes the Dice dissimilarity between two boolean 1-D arrays.

The Dice dissimilarity between u and v , is

$$\frac{c_{TF} + c_{FT}}{2c_{TT} + c_{FT} + c_{TF}}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$.

Parameters **u** : (N,) ndarray, bool
Input 1-D array.
v : (N,) ndarray, bool
Input 1-D array.

Returns **dice** : double
The Dice dissimilarity between 1-D arrays u and v .

`scipy.spatial.distance.euclidean(u, v)`

Computes the Euclidean distance between two 1-D arrays.

The Euclidean distance between 1-D arrays u and v , is defined as

$$\|u - v\|_2$$

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.

Returns **euclidean** : double
The Euclidean distance between vectors u and v .

`scipy.spatial.distance.hamming(u, v)`

Computes the Hamming distance between two 1-D arrays.

The Hamming distance between 1-D arrays u and v , is simply the proportion of disagreeing components in u and v . If u and v are boolean vectors, the Hamming distance is

$$\frac{c_{01} + c_{10}}{n}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$.

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.

Returns **hamming** : double

The Hamming distance between vectors u and v .

`scipy.spatial.distance.jaccard` (u, v)

Computes the Jaccard-Needham dissimilarity between two boolean 1-D arrays.

The Jaccard-Needham dissimilarity between 1-D boolean arrays u and v , is defined as

$$\frac{c_{TF} + c_{FT}}{c_{TT} + c_{FT} + c_{TF}}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$.

Parameters **u** : (N,) array_like, bool
Input array.

v : (N,) array_like, bool

Returns **jaccard** : double
Input array.

The Jaccard distance between vectors u and v .

`scipy.spatial.distance.kulsinski` (u, v)

Computes the Kulsinski dissimilarity between two boolean 1-D arrays.

The Kulsinski dissimilarity between two boolean 1-D arrays u and v , is defined as

$$\frac{c_{TF} + c_{FT} - c_{TT} + n}{c_{FT} + c_{TF} + n}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$.

Parameters **u** : (N,) array_like, bool
Input array.

v : (N,) array_like, bool

Returns **kulsinski** : double
Input array.

The Kulsinski distance between vectors u and v .

`scipy.spatial.distance.mahalanobis` (u, v, VI)

Computes the Mahalanobis distance between two 1-D arrays.

The Mahalanobis distance between 1-D arrays u and v , is defined as

$$\sqrt{(u - v)V^{-1}(u - v)^T}$$

where V is the covariance matrix. Note that the argument VI is the inverse of V .

Parameters **u** : (N,) array_like
Input array.

v : (N,) array_like

Input array.

VI : ndarray

Returns **mahalanobis** : double
The inverse of the covariance matrix.

The Mahalanobis distance between vectors u and v .

`scipy.spatial.distance.matching` (u, v)

Computes the Matching dissimilarity between two boolean 1-D arrays.

The Matching dissimilarity between two boolean 1-D arrays u and v , is defined as

$$\frac{c_{TF} + c_{FT}}{n}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$.

Parameters **u** : (N,) array_like, bool
 Input array.
v : (N,) array_like, bool
 Input array.
Returns **matching** : double
 The Matching dissimilarity between vectors u and v .

`scipy.spatial.distance.minkowski` (u, v, p)
 Computes the Minkowski distance between two 1-D arrays.

The Minkowski distance between 1-D arrays u and v , is defined as

$$\|u - v\|_p = \left(\sum |u_i - v_i|^p \right)^{1/p}.$$

Parameters **u** : (N,) array_like
 Input array.
v : (N,) array_like
 Input array.
p : int
 The order of the norm of the difference $\|u - v\|_p$.
Returns **d** : double
 The Minkowski distance between vectors u and v .

`scipy.spatial.distance.rogerstanimoto` (u, v)
 Computes the Rogers-Tanimoto dissimilarity between two boolean 1-D arrays.

The Rogers-Tanimoto dissimilarity between two boolean 1-D arrays u and v , is defined as

$$\frac{R}{c_{TT} + c_{FF} + R}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$ and $R = 2(c_{TF} + c_{FT})$.

Parameters **u** : (N,) array_like, bool
 Input array.
v : (N,) array_like, bool
 Input array.
Returns **rogerstanimoto** : double
 The Rogers-Tanimoto dissimilarity between vectors u and v .

`scipy.spatial.distance.russellrao` (u, v)
 Computes the Russell-Rao dissimilarity between two boolean 1-D arrays.

The Russell-Rao dissimilarity between two boolean 1-D arrays, u and v , is defined as

$$\frac{n - c_{TT}}{n}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$.

Parameters **u** : (N,) array_like, bool
 Input array.
v : (N,) array_like, bool
 Input array.
Returns **russellrao** : double
 The Russell-Rao dissimilarity between vectors u and v .

`scipy.spatial.distance.seuclidean` (u, v, V)
 Returns the standardized Euclidean distance between two 1-D arrays.

The standardized Euclidean distance between u and v .

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.
V : (N,) array_like
V is an 1-D array of component variances. It is usually computed among a larger collection vectors.

Returns **seuclidean** : double
The standardized Euclidean distance between vectors u and v .

`scipy.spatial.distance.sokalmichener(u, v)`

Computes the Sokal-Michener dissimilarity between two boolean 1-D arrays.

The Sokal-Michener dissimilarity between boolean 1-D arrays u and v , is defined as

$$\frac{R}{S + R}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$, $R = 2 * (c_{TF} + c_{FT})$ and $S = c_{FF} + c_{TT}$.

Parameters **u** : (N,) array_like, bool
Input array.
v : (N,) array_like, bool
Input array.

Returns **sokalmichener** : double
The Sokal-Michener dissimilarity between vectors u and v .

`scipy.spatial.distance.sokalsneath(u, v)`

Computes the Sokal-Sneath dissimilarity between two boolean 1-D arrays.

The Sokal-Sneath dissimilarity between u and v ,

$$\frac{R}{c_{TT} + R}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$ and $R = 2(c_{TF} + c_{FT})$.

Parameters **u** : (N,) array_like, bool
Input array.
v : (N,) array_like, bool
Input array.

Returns **sokalsneath** : double
The Sokal-Sneath dissimilarity between vectors u and v .

`scipy.spatial.distance.sqeuclidean(u, v)`

Computes the squared Euclidean distance between two 1-D arrays.

The squared Euclidean distance between u and v is defined as

$$\|u - v\|_2^2.$$

Parameters **u** : (N,) array_like
Input array.
v : (N,) array_like
Input array.

Returns **sqeuclidean** : double
The squared Euclidean distance between vectors u and v .

`scipy.spatial.distance.wminkowski(u, v, p, w)`

Computes the weighted Minkowski distance between two 1-D arrays.

The weighted Minkowski distance between u and v , defined as

$$\left(\sum (w_i |u_i - v_i|^p) \right)^{1/p}.$$

Parameters

- u** : (N,) array_like
Input array.
- v** : (N,) array_like
Input array.
- p** : int
The order of the norm of the difference $\|u - v\|_p$.
- w** : (N,) array_like
The weight vector.

Returns

- wminkowski** : double
The weighted Minkowski distance between vectors u and v .

`scipy.spatial.distance.yule(u, v)`
Computes the Yule dissimilarity between two boolean 1-D arrays.

The Yule dissimilarity is defined as

$$\frac{R}{c_{TT} + c_{FF} + \frac{R}{2}}$$

where c_{ij} is the number of occurrences of $u[k] = i$ and $v[k] = j$ for $k < n$ and $R = 2.0 * (c_{TF} + c_{FT})$.

Parameters

- u** : (N,) array_like, bool
Input array.
- v** : (N,) array_like, bool
Input array.

Returns

- yule** : double
The Yule dissimilarity between vectors u and v .

5.27 Special functions (`scipy.special`)

Nearly all of the functions below are universal functions and follow broadcasting and automatic array-looping rules. Exceptions are noted.

5.27.1 Error handling

Errors are handled by returning nans, or other appropriate values. Some of the special function routines will emit warnings when an error occurs. By default this is disabled. To enable such messages use `errprint(1)`, and to disable such messages use `errprint(0)`.

Example:

```
>>> print scipy.special.bdtr(-1, 10, 0.3)
>>> scipy.special.errprint(1)
>>> print scipy.special.bdtr(-1, 10, 0.3)
```

`errprint([flag])` Sets or returns the error printing flag for special functions.

`scipy.special.errprint(flag=None)`
Sets or returns the error printing flag for special functions.

Parameters **flag** : bool, optional
Whether warnings concerning evaluation of special functions in `scipy.special` are shown. If omitted, no change is made to the current setting.

Returns **old_flag** :
Previous value of the error flag

5.27.2 Available functions

Airy functions

<code>airy(x[, out1, out2, out3, out4])</code>	<code>(Ai,Aip,Bi,Bip)=airy(z)</code> calculates the Airy functions and their derivatives
<code>airy(x[, out1, out2, out3, out4])</code>	<code>(Aie,Aipe,Bie,Bipe)=airy(z)</code> calculates the exponentially scaled Airy functions and
<code>ai_zeros(nt)</code>	Compute the zeros of Airy Functions $Ai(x)$ and $Ai'(x)$, a and a'
<code>bi_zeros(nt)</code>	Compute the zeros of Airy Functions $Bi(x)$ and $Bi'(x)$, b and b'

`scipy.special.airy(x[, out1, out2, out3, out4]) = <ufunc 'airy'>`

`(Ai,Aip,Bi,Bip)=airy(z)` calculates the Airy functions and their derivatives evaluated at real or complex number z . The Airy functions Ai and Bi are two independent solutions of $y''(x)=xy$. Aip and Bip are the first derivatives evaluated at x of Ai and Bi respectively.

`scipy.special.airye(x[, out1, out2, out3, out4]) = <ufunc 'airye'>`

`(Aie,Aipe,Bie,Bipe)=airye(z)` calculates the exponentially scaled Airy functions and their derivatives evaluated at real or complex number z . `airye(z)[0:1] = airy(z)[0:1] * exp(2.0/3.0*z*sqrt(z))` `airye(z)[2:3] = airy(z)[2:3] * exp(-abs((2.0/3.0*z*sqrt(z)).real))`

`scipy.special.ai_zeros(nt)`

Compute the zeros of Airy Functions $Ai(x)$ and $Ai'(x)$, a and a' respectively, and the associated values of $Ai(a')$ and $Ai'(a)$.

Returns **a[l-1]** – the l th zero of $Ai(x)$:
ap[l-1] – the l th zero of $Ai'(x)$:
ai[l-1] – $Ai(ap[l-1])$:
aip[l-1] – $Ai'(a[l-1])$:

`scipy.special.bi_zeros(nt)`

Compute the zeros of Airy Functions $Bi(x)$ and $Bi'(x)$, b and b' respectively, and the associated values of $Bi(b')$ and $Bi'(b)$.

Returns **b[l-1]** – the l th zero of $Bi(x)$:
bp[l-1] – the l th zero of $Bi'(x)$:
bi[l-1] – $Bi(bp[l-1])$:
bip[l-1] – $Bi'(b[l-1])$:

Elliptic Functions and Integrals

<code>ellipj(x1, x2[, out1, out2, out3, out4])</code>	<code>(sn,cn,dn,ph)=ellipj(u,m)</code> calculates the Jacobian elliptic functions of
<code>ellipk(...)</code>	This function is rather imprecise around $m=1$.
<code>ellipkm1(...)</code>	
<code>ellipkinc(...)</code>	
<code>ellipe(...)</code>	
<code>ellipeinc(...)</code>	

`scipy.special.ellipj(x1, x2[, out1, out2, out3, out4]) = <ufunc 'ellipj'>`
 (sn,cn,dn,ph)=ellipj(u,m) calculates the Jacobian elliptic functions of parameter m between 0 and 1, and real u. The returned functions are often written sn(ulm), cn(ulm), and dn(ulm). The value of ph is such that if u = ellik(ph,m), then sn(ulm) = sin(ph) and cn(ulm) = cos(ph).

`scipy.special.ellipk(m)` returns the complete integral of the first kind: $\int_0^{\pi/2} \frac{1}{\sqrt{1-m*\sin(t)**2}}$, $t=0..\pi/2$)

This function is rather imprecise around m==1. For more precision around this point, use `ellipkm1`.

`scipy.special.ellipkm1(1 - m)` returns the complete integral of the first kind: $\int_0^{\pi/2} \frac{1}{\sqrt{1-m*\sin(t)**2}}$, $t=0..\pi/2$) = <ufunc 'ellipkm1'>

`scipy.special.ellipkinc(phi, m)` returns the incomplete elliptic integral of the first kind: $\int_0^{\phi} \frac{1}{\sqrt{1-m*\sin(t)**2}}$, $t=0..\phi$) = <ufunc 'ellipkinc'>

`scipy.special.ellipe(m)` returns the complete integral of the second kind: $\int_0^{\pi/2} \sqrt{1-m*\sin(t)**2}$, $t=0..\pi/2$) = <ufunc 'ellipe'>

`scipy.special.ellipeinc(phi, m)` returns the incomplete elliptic integral of the second kind: $\int_0^{\phi} \sqrt{1-m*\sin(t)**2}$, $t=0..\phi$) = <ufunc 'ellipeinc'>

Bessel Functions

<code>jn(x1, x2[, out])</code>	<code>y=jv(v,z)</code> returns the Bessel function of real order v at complex z.
<code>jv(x1, x2[, out])</code>	<code>y=jv(v,z)</code> returns the Bessel function of real order v at complex z.
<code>jve(...)</code>	
<code>yn(x1, x2[, out])</code>	<code>y=yn(n,x)</code> returns the Bessel function of the second kind of integer
<code>yv(x1, x2[, out])</code>	<code>y=yv(v,z)</code> returns the Bessel function of the second kind of real
<code>yve(...)</code>	
<code>kn(x1, x2[, out])</code>	<code>y=kn(n,x)</code> returns the modified Bessel function of the second kind (sometimes called t
<code>kx(x1, x2[, out])</code>	<code>y=kx(v,z)</code> returns the modified Bessel function of the second kind (sometimes called t
<code>kve(v,z)</code> returns the exponentially scaled, ...)	
<code>iv(x1, x2[, out])</code>	<code>y=iv(v,z)</code> returns the modified Bessel function of real order v of
<code>ive(...)</code>	
<code>hankel1(x1, x2[, out])</code>	<code>y=hankel1(v,z)</code> returns the Hankel function of the first kind for real order v and compl
<code>hankelle(...)</code>	
<code>hankel2(x1, x2[, out])</code>	<code>y=hankel2(v,z)</code> returns the Hankel function of the second kind for real order v and cor
<code>hankel2e(...)</code>	

`scipy.special.jn(x1, x2[, out]) = <ufunc 'jv'>`
`y=jv(v,z)` returns the Bessel function of real order v at complex z.

`scipy.special.jv(x1, x2[, out]) = <ufunc 'jv'>`
`y=jv(v,z)` returns the Bessel function of real order v at complex z.

`scipy.special.jve(v, z)` returns the exponentially scaled Bessel function of real order v at complex z:
 $jve(v, z) = jv(v, z) * \exp(-\text{abs}(z.\text{imag}))$ = <ufunc 'jve'>

`scipy.special.yn(x1, x2[, out]) = <ufunc 'yn'>`
`y=yn(n,x)` returns the Bessel function of the second kind of integer order n at x.

`scipy.special.yv(x1, x2[, out]) = <ufunc 'yv'>`
`y=yv(v,z)` returns the Bessel function of the second kind of real order v at complex z.

`scipy.special.yve` (v, z) returns the exponentially scaled Bessel function of the second kind of real order v at complex z : $yve(v, z) = yv(v, z) * \exp(-\text{abs}(z.\text{imag})) = \langle \text{ufunc 'yve'} \rangle$

`scipy.special.kn` ($x1, x2[, out]$) = `<ufunc 'kn'>`

`y=kn(n,x)` returns the modified Bessel function of the second kind (sometimes called the third kind) for integer order n at x .

`scipy.special.kv` ($x1, x2[, out]$) = `<ufunc 'kv'>`

`y=kv(v,z)` returns the modified Bessel function of the second kind (sometimes called the third kind) for real order v at complex z .

`scipy.special.kve` (v, z) returns the exponentially scaled, modified Bessel function of the second kind (sometimes called the third kind) for real order v at complex z : $kve(v, z) = kv(v, z) * \exp(z) = \langle \text{ufunc 'kve'} \rangle$

`scipy.special.iv` ($x1, x2[, out]$) = `<ufunc 'iv'>`

`y=iv(v,z)` returns the modified Bessel function of real order v of z . If z is of real type and negative, v must be integer valued.

`scipy.special.ive` (v, z) returns the exponentially scaled modified Bessel function of real order v and complex z : $ive(v, z) = iv(v, z) * \exp(-\text{abs}(z.\text{real})) = \langle \text{ufunc 'ive'} \rangle$

`scipy.special.hankel1` ($x1, x2[, out]$) = `<ufunc 'hankel1'>`

`y=hankel1(v,z)` returns the Hankel function of the first kind for real order v and complex argument z .

`scipy.special.hankel1e` (v, z) returns the exponentially scaled Hankel function of the first kind for real order v and complex argument z : $\text{hankel1e}(v, z) = \text{hankel1}(v, z) * \exp(-1j * z) = \langle \text{ufunc 'hankel1e'} \rangle$

`scipy.special.hankel2` ($x1, x2[, out]$) = `<ufunc 'hankel2'>`

`y=hankel2(v,z)` returns the Hankel function of the second kind for real order v and complex argument z .

`scipy.special.hankel2e` (v, z) returns the exponentially scaled Hankel function of the second kind for real order v and complex argument z : $\text{hankel2e}(v, z) = \text{hankel2}(v, z) * \exp(1j * z) = \langle \text{ufunc 'hankel2e'} \rangle$

The following is not an universal function:

`lmbda`(v, x) Compute sequence of lambda functions with arbitrary order v and their derivatives.

`scipy.special.lmbda` (v, x)

Compute sequence of lambda functions with arbitrary order v and their derivatives. $Lv0(x)..Lv(x)$ are computed with $v0=v-\text{int}(v)$.

Zeros of Bessel Functions

These are not universal functions:

<code>jnjnp_zeros</code> (nt)	Compute nt (≤ 1200) zeros of the Bessel functions J_n and J_n'
<code>jny_n_zeros</code> (n, nt)	Compute nt zeros of the Bessel functions $J_n(x)$, $J_n'(x)$, $Y_n(x)$, and $Y_n'(x)$
<code>jn_zeros</code> (n, nt)	Compute nt zeros of the Bessel function $J_n(x)$.
<code>jnp_zeros</code> (n, nt)	Compute nt zeros of the Bessel function $J_n'(x)$.
<code>yn_zeros</code> (n, nt)	Compute nt zeros of the Bessel function $Y_n(x)$.
<code>ynp_zeros</code> (n, nt)	Compute nt zeros of the Bessel function $Y_n'(x)$.
<code>y0_zeros</code> ($nt[, \text{complex}]$)	Returns nt (complex or real) zeros of $Y_0(z)$, z_0 , and the value
<code>y1_zeros</code> ($nt[, \text{complex}]$)	Returns nt (complex or real) zeros of $Y_1(z)$, z_1 , and the value
<code>y1p_zeros</code> ($nt[, \text{complex}]$)	Returns nt (complex or real) zeros of $Y_1'(z)$, z_1' , and the value

`scipy.special.jnjnp_zeros` (*nt*)

Compute *nt* (≤ 1200) zeros of the Bessel functions J_n and J_n' and arrange them in order of their magnitudes.

Returns

- zo[l-1]** : ndarray
Value of the *l*th zero of $J_n(x)$ and $J_n'(x)$. Of length *nt*.
- n[l-1]** : ndarray
Order of the $J_n(x)$ or $J_n'(x)$ associated with *l*th zero. Of length *nt*.
- m[l-1]** : ndarray
Serial number of the zeros of $J_n(x)$ or $J_n'(x)$ associated with *l*th zero. Of length *nt*.
- t[l-1]** : ndarray
0 if *l*th zero in *zo* is zero of $J_n(x)$, 1 if it is a zero of $J_n'(x)$. Of length *nt*.

See Also

`jn_zeros`, `jnp_zeros`

`scipy.special.jnyn_zeros` (*n*, *nt*)

Compute *nt* zeros of the Bessel functions $J_n(x)$, $J_n'(x)$, $Y_n(x)$, and $Y_n'(x)$, respectively. Returns 4 arrays of length *nt*.

See `jn_zeros`, `jnp_zeros`, `yn_zeros`, `ynp_zeros` to get separate arrays.

`scipy.special.jn_zeros` (*n*, *nt*)

Compute *nt* zeros of the Bessel function $J_n(x)$.

`scipy.special.jnp_zeros` (*n*, *nt*)

Compute *nt* zeros of the Bessel function $J_n'(x)$.

`scipy.special.yn_zeros` (*n*, *nt*)

Compute *nt* zeros of the Bessel function $Y_n(x)$.

`scipy.special.ynp_zeros` (*n*, *nt*)

Compute *nt* zeros of the Bessel function $Y_n'(x)$.

`scipy.special.y0_zeros` (*nt*, *complex=0*)

Returns *nt* (complex or real) zeros of $Y_0(z)$, z_0 , and the value of $Y_0'(z_0) = -Y_1(z_0)$ at each zero.

`scipy.special.y1_zeros` (*nt*, *complex=0*)

Returns *nt* (complex or real) zeros of $Y_1(z)$, z_1 , and the value of $Y_1'(z_1) = Y_0(z_1)$ at each zero.

`scipy.special.y1p_zeros` (*nt*, *complex=0*)

Returns *nt* (complex or real) zeros of $Y_1'(z)$, z_1' , and the value of $Y_1(z_1')$ at each zero.

Faster versions of common Bessel Functions

<code>j0(x[, out])</code>	<code>y=j0(x)</code> returns the Bessel function of order 0 at x.
<code>j1(x[, out])</code>	<code>y=j1(x)</code> returns the Bessel function of order 1 at x.
<code>y0(x[, out])</code>	<code>y=y0(x)</code> returns the Bessel function of the second kind of order 0 at x.
<code>y1(x[, out])</code>	<code>y=y1(x)</code> returns the Bessel function of the second kind of order 1 at x.
<code>i0(x[, out])</code>	<code>y=i0(x)</code> returns the modified Bessel function of order 0 at x.
<code>i0e(x[, out])</code>	<code>y=i0e(x)</code> returns the exponentially scaled modified Bessel function
<code>i1(x[, out])</code>	<code>y=i1(x)</code> returns the modified Bessel function of order 1 at x.
<code>i1e(x[, out])</code>	<code>y=i1e(x)</code> returns the exponentially scaled modified Bessel function
<code>k0(x[, out])</code>	<code>y=k0(x)</code> returns the modified Bessel function of the second kind (sometimes called the third kind) of
<code>k0e(x[, out])</code>	<code>y=k0e(x)</code> returns the exponentially scaled modified Bessel function
<code>k1(x[, out])</code>	<code>y=i1(x)</code> returns the modified Bessel function of the second kind (sometimes called the third kind) of
<code>k1e(...)</code>	

`scipy.special.j0(x[, out]) = <ufunc 'j0'>`
`y=j0(x)` returns the Bessel function of order 0 at x.

`scipy.special.j1(x[, out]) = <ufunc 'j1'>`
`y=j1(x)` returns the Bessel function of order 1 at x.

`scipy.special.y0(x[, out]) = <ufunc 'y0'>`
`y=y0(x)` returns the Bessel function of the second kind of order 0 at x.

`scipy.special.y1(x[, out]) = <ufunc 'y1'>`
`y=y1(x)` returns the Bessel function of the second kind of order 1 at x.

`scipy.special.i0(x[, out]) = <ufunc 'i0'>`
`y=i0(x)` returns the modified Bessel function of order 0 at x.

`scipy.special.i0e(x[, out]) = <ufunc 'i0e'>`
`y=i0e(x)` returns the exponentially scaled modified Bessel function of order 0 at x. $i0e(x) = \exp(-\text{abs}(x)) * i0(x)$.

`scipy.special.i1(x[, out]) = <ufunc 'i1'>`
`y=i1(x)` returns the modified Bessel function of order 1 at x.

`scipy.special.i1e(x[, out]) = <ufunc 'i1e'>`
`y=i1e(x)` returns the exponentially scaled modified Bessel function of order 0 at x. $i1e(x) = \exp(-\text{abs}(x)) * i1(x)$.

`scipy.special.k0(x[, out]) = <ufunc 'k0'>`
`y=k0(x)` returns the modified Bessel function of the second kind (sometimes called the third kind) of order 0 at x.

`scipy.special.k0e(x[, out]) = <ufunc 'k0e'>`
`y=k0e(x)` returns the exponentially scaled modified Bessel function of the second kind (sometimes called the third kind) of order 0 at x. $k0e(x) = \exp(x) * k0(x)$.

`scipy.special.k1(x[, out]) = <ufunc 'k1'>`
`y=k1(x)` returns the modified Bessel function of the second kind (sometimes called the third kind) of order 1 at x.

`scipy.special.k1e(x)` returns the exponentially scaled modified Bessel function of the second kind (sometimes called the third kind) of order 1 at x. $k1e(x) = \exp(x) * k1(x) = <ufunc 'k1e'>$

Integrals of Bessel Functions

<code>itj0y0(x[, out1, out2])</code>	$(ij0, iy0)=itj0y0(x)$ returns simple integrals from 0 to x of the zeroth order
<code>it2j0y0(x[, out1, out2])</code>	$(ij0, iy0)=it2j0y0(x)$ returns the integrals $\text{int}((1-j0(t))/t, t=0..x)$ and
<code>iti0k0(x[, out1, out2])</code>	$(ii0, ik0)=iti0k0(x)$ returns simple integrals from 0 to x of the zeroth order
<code>it2i0k0(x[, out1, out2])</code>	$(ii0, ik0)=it2i0k0(x)$ returns the integrals $\text{int}((i0(t)-1)/t, t=0..x)$ and
<code>besselpoly(x1, x2, x3[, out])</code>	<code>y=besselpoly(a, lam, nu)</code> returns the value of the integral:

`scipy.special.itj0y0(x[, out1, out2]) = <ufunc 'itj0y0'>`
 $(ij0, iy0)=itj0y0(x)$ returns simple integrals from 0 to x of the zeroth order bessel functions j0 and y0.

`scipy.special.it2j0y0(x[, out1, out2]) = <ufunc 'it2j0y0'>`
 $(ij0, iy0)=it2j0y0(x)$ returns the integrals $\text{int}((1-j0(t))/t, t=0..x)$ and $\text{int}(y0(t)/t, t=x..infinity)$.

`scipy.special.iti0k0(x[, out1, out2]) = <ufunc 'iti0k0'>`
 $(ii0, ik0)=iti0k0(x)$ returns simple integrals from 0 to x of the zeroth order modified bessel functions i0 and k0.

`scipy.special.it2i0k0(x[, out1, out2]) = <ufunc 'it2i0k0'>`
 $(ii0, ik0)=it2i0k0(x)$ returns the integrals $\text{int}((i0(t)-1)/t, t=0..x)$ and $\text{int}(k0(t)/t, t=x..infinity)$.

`scipy.special.besselpoly(x1, x2, x3[, out]) = <ufunc 'besselpoly'>`

`y=besselpoly(a,lam,nu)` returns the value of the integral: $\text{integral}(x^{**lam} * jv(nu,2*a*x),x=0..1)$.

Derivatives of Bessel Functions

<code>jvp(v, z[, n])</code>	Return the nth derivative of $J_v(z)$ with respect to z .
<code>yvp(v, z[, n])</code>	Return the nth derivative of $Y_v(z)$ with respect to z .
<code>kvvp(v, z[, n])</code>	Return the nth derivative of $K_v(z)$ with respect to z .
<code>ivp(v, z[, n])</code>	Return the nth derivative of $I_v(z)$ with respect to z .
<code>h1vp(v, z[, n])</code>	Return the nth derivative of $H_{1v}(z)$ with respect to z .
<code>h2vp(v, z[, n])</code>	Return the nth derivative of $H_{2v}(z)$ with respect to z .

`scipy.special.jvp(v, z, n=1)`
Return the nth derivative of $J_v(z)$ with respect to z .

`scipy.special.yvp(v, z, n=1)`
Return the nth derivative of $Y_v(z)$ with respect to z .

`scipy.special.kvvp(v, z, n=1)`
Return the nth derivative of $K_v(z)$ with respect to z .

`scipy.special.ivp(v, z, n=1)`
Return the nth derivative of $I_v(z)$ with respect to z .

`scipy.special.h1vp(v, z, n=1)`
Return the nth derivative of $H_{1v}(z)$ with respect to z .

`scipy.special.h2vp(v, z, n=1)`
Return the nth derivative of $H_{2v}(z)$ with respect to z .

Spherical Bessel Functions

These are not universal functions:

<code>sph_jn(n, z)</code>	Compute the spherical Bessel function $j_n(z)$ and its derivative for
<code>sph_yn(n, z)</code>	Compute the spherical Bessel function $y_n(z)$ and its derivative for
<code>sph_jnyn(n, z)</code>	Compute the spherical Bessel functions, $j_n(z)$ and $y_n(z)$ and their
<code>sph_in(n, z)</code>	Compute the spherical Bessel function $i_n(z)$ and its derivative for
<code>sph_kn(n, z)</code>	Compute the spherical Bessel function $k_n(z)$ and its derivative for
<code>sph_inkn(n, z)</code>	Compute the spherical Bessel functions, $i_n(z)$ and $k_n(z)$ and their

`scipy.special.sph_jn(n, z)`
Compute the spherical Bessel function $j_n(z)$ and its derivative for all orders up to and including n .

`scipy.special.sph_yn(n, z)`
Compute the spherical Bessel function $y_n(z)$ and its derivative for all orders up to and including n .

`scipy.special.sph_jnyn(n, z)`
Compute the spherical Bessel functions, $j_n(z)$ and $y_n(z)$ and their derivatives for all orders up to and including n .

`scipy.special.sph_in(n, z)`
Compute the spherical Bessel function $i_n(z)$ and its derivative for all orders up to and including n .

`scipy.special.sph_kn(n, z)`
Compute the spherical Bessel function $k_n(z)$ and its derivative for all orders up to and including n .

`scipy.special.sph_inkn(n, z)`
Compute the spherical Bessel functions, $i_n(z)$ and $k_n(z)$ and their derivatives for all orders up to and including n .

n.

Riccati-Bessel Functions

These are not universal functions:

<code>riccati_jn(n, x)</code>	Compute the Riccati-Bessel function of the first kind and its
<code>riccati_yn(n, x)</code>	Compute the Riccati-Bessel function of the second kind and its

`scipy.special.riccati_jn(n, x)`

Compute the Riccati-Bessel function of the first kind and its derivative for all orders up to and including n.

`scipy.special.riccati_yn(n, x)`

Compute the Riccati-Bessel function of the second kind and its derivative for all orders up to and including n.

Struve Functions

<code>struve(x1, x2[, out])</code>	<code>y=struve(v,x)</code> returns the Struve function $H_v(x)$ of order v at x , x
<code>modstruve(x1, x2[, out])</code>	<code>y=modstruve(v,x)</code> returns the modified Struve function $L_v(x)$ of order
<code>itstruve0(x[, out])</code>	<code>y=itstruve0(x)</code> returns the integral of the Struve function of order 0
<code>it2struve0(x[, out])</code>	<code>y=it2struve0(x)</code> returns the integral of the Struve function of order 0
<code>itmodstruve0(x[, out])</code>	<code>y=itmodstruve0(x)</code> returns the integral of the modified Struve function

`scipy.special.struve(x1, x2[, out]) = <ufunc 'struve'>`

`y=struve(v,x)` returns the Struve function $H_v(x)$ of order v at x , x must be positive unless v is an integer.

`scipy.special.modstruve(x1, x2[, out]) = <ufunc 'modstruve'>`

`y=modstruve(v,x)` returns the modified Struve function $L_v(x)$ of order v at x , x must be positive unless v is an integer and it is recommended that $|v| \leq 20$.

`scipy.special.itstruve0(x[, out]) = <ufunc 'itstruve0'>`

`y=itstruve0(x)` returns the integral of the Struve function of order 0 from 0 to x : $\text{integral}(H_0(t), t=0..x)$.

`scipy.special.it2struve0(x[, out]) = <ufunc 'it2struve0'>`

`y=it2struve0(x)` returns the integral of the Struve function of order 0 divided by t from x to infinity: $\text{integral}(H_0(t)/t, t=x..inf)$.

`scipy.special.itmodstruve0(x[, out]) = <ufunc 'itmodstruve0'>`

`y=itmodstruve0(x)` returns the integral of the modified Struve function of order 0 from 0 to x : $\text{integral}(L_0(t), t=0..x)$.

Raw Statistical Functions

See Also

`scipy.stats`: Friendly versions of these functions.

<code>bdftr(...)</code>	
<code>bdftrc(...[, j])</code>	
<code>bdftri(x1, x2, x3[, out])</code>	<code>p=bdftri(k,n,y)</code> finds the probability p such that the sum of the
<code>bdfdtr(x1, x2, x3[, out])</code>	<code>y=bdfdtr(a,b,x)</code> returns the area from zero to x under the beta
<code>bdfdtri(x1, x2, x3[, out])</code>	<code>x=bdfdtri(a,b,p)</code> returns the p th quantile of the beta distribution. It is
<code>fdftr(x1, x2, x3[, out])</code>	<code>y=fdftr(dfn,dfd,x)</code> returns the area from zero to x under the F density

Continued on next page

Table 5.194 – continued from previous page

<code>fdtrc(x1, x2, x3[, out])</code>	<code>y=fdtrc(dfn,dfd,x)</code> returns the complemented F distribution function.
<code>fdtri(x1, x2, x3[, out])</code>	<code>x=fdtri(dfn,dfd,p)</code> finds the F density argument x such that
<code>gdtr(x1, x2, x3[, out])</code>	<code>y=gdtr(a,b,x)</code> returns the integral from zero to x of the gamma
<code>gdtrc(x1, x2, x3[, out])</code>	<code>y=gdtrc(a,b,x)</code> returns the integral from x to infinity of the gamma
<code>gdtria(x1, x2, x3[, out])</code>	
<code>gdtrib(x1, x2, x3[, out])</code>	
<code>gdtrix(x1, x2, x3[, out])</code>	
<code>nbdtr(x1, x2, x3[, out])</code>	<code>y=nbdtr(k,n,p)</code> returns the sum of the terms 0 through k of the
<code>nbdtrc(x1, x2, x3[, out])</code>	<code>y=nbdtrc(k,n,p)</code> returns the sum of the terms k+1 to infinity of the
<code>nbdtri(x1, x2, x3[, out])</code>	<code>p=nbdtri(k,n,y)</code> finds the argument p such that <code>nbdtr(k,n,p)=y</code> .
<code>pdtr(x1, x2[, out])</code>	<code>y=pdtr(k,m)</code> returns the sum of the first k terms of the Poisson
<code>pdtrc(x1, x2[, out])</code>	<code>y=pdtrc(k,m)</code> returns the sum of the terms from k+1 to infinity of the
<code>pdtri(x1, x2[, out])</code>	<code>m=pdtri(k,y)</code> returns the Poisson variable m such that the sum
<code>stdtr(...[, x])</code>	
<code>stdtridf(x1, x2[, out])</code>	<code>t=stdtridf(p,t)</code> returns the argument df such that <code>stdtr(df,t)</code> is equal to p.
<code>stdtrit(x1, x2[, out])</code>	<code>t=stdtrit(df,p)</code> returns the argument t such that <code>stdtr(df,t)</code> is equal to p.
<code>chdtr(...[, t])</code>	
<code>chdtrc(...[, t])</code>	
<code>chdtri(x1, x2[, out])</code>	<code>x=chdtri(v,p)</code> returns the argument x such that <code>chdtrc(v,x)</code> is equal
<code>ndtr(...)</code>	
<code>ndtri(x[, out])</code>	<code>x=ndtri(y)</code> returns the argument x for which the area under the
<code>smirnov(x1, x2[, out])</code>	<code>y=smirnov(n,e)</code> returns the exact Kolmogorov-Smirnov complementary
<code>smirnovi(x1, x2[, out])</code>	<code>e=smirnovi(n,y)</code> returns e such that <code>smirnov(n,e) = y</code> .
<code>kolmogorov(x[, out])</code>	<code>p=kolmogorov(y)</code> returns the complementary cumulative distribution
<code>kolmogi(x[, out])</code>	<code>y=kolmogi(p)</code> returns y such that <code>kolmogorov(y) = p</code>
<code>tklmbda(x1, x2[, out])</code>	
<code>logit(x[, out])</code>	Logit ufunc for ndarrays.
<code>expit(x[, out])</code>	Expit ufunc for ndarrays.

`scipy.special.bdtr(k, n, p)` returns the sum of the terms 0 through k of the Binomial probability density:
 $sum(nCj p^{**j} (1-p)^{**(n-j)}, j=0..k) = \text{<ufunc 'bdtr'>}$

`scipy.special.bdtrc(k, n, p)` returns the sum of the terms k+1 through n of the Binomial probability density:
 $sum(nCj p^{**j} (1-p)^{**(n-j)}, j=k+1..n) = \text{<ufunc 'bdtrc'>}$

`scipy.special.bdtri(x1, x2, x3[, out]) = <ufunc 'bdtri'>`
`p=bdtri(k,n,y)` finds the probability p such that the sum of the terms 0 through k of the Binomial probability density is equal to the given cumulative probability y.

`scipy.special.btdtr(x1, x2, x3[, out]) = <ufunc 'btdtr'>`
`y=btdtr(a,b,x)` returns the area from zero to x under the beta density function:
 $gamma(a+b)/(gamma(a)*gamma(b))*integral(t^{**}(a-1) (1-t)^{**(b-1)}, t=0..x)$. SEE ALSO `betainc`

`scipy.special.btdtri(x1, x2, x3[, out]) = <ufunc 'btdtri'>`
`x=btdtri(a,b,p)` returns the pth quantile of the beta distribution. It is effectively the inverse of `btdtr` returning the value of x for which `btdtr(a,b,x) = p`. SEE ALSO `betaincinv`

`scipy.special.fdtr(x1, x2, x3[, out]) = <ufunc 'fdtr'>`
`y=fdtr(dfn,dfd,x)` returns the area from zero to x under the F density function (also known as Snedcor's density or the variance ratio density). This is the density of $X = (unum/dfn)/(uden/dfd)$, where unum and uden are random variables having Chi square distributions with dfn and dfd degrees of freedom, respectively.

`scipy.special.fdtrc(x1, x2, x3[, out]) = <ufunc 'fdtrc'>`
`y=fdtrc(dfn,dfd,x)` returns the complemented F distribution function.

`scipy.special.fdttri(x1, x2, x3[, out]) = <ufunc 'fdtri'>`
`x=fdtri(dfn,dfd,p)` finds the F density argument x such that $\text{fdtr}(\text{dfn},\text{dfd},x)=p$.

`scipy.special.gdtr(x1, x2, x3[, out]) = <ufunc 'gdtr'>`
`y=gdtr(a,b,x)` returns the integral from zero to x of the gamma probability density function: $a^{**}b / \text{gamma}(b) * \text{integral}(t^{**}(b-1) \exp(-at),t=0..x)$. The arguments a and b are used differently here than in other definitions.

`scipy.special.gdtrc(x1, x2, x3[, out]) = <ufunc 'gdtrc'>`
`y=gdtrc(a,b,x)` returns the integral from x to infinity of the gamma probability density function. SEE `gdtr`, `gdtri`

`scipy.special.gdtria(x1, x2, x3[, out]) = <ufunc 'gdtria'>`

`scipy.special.gdtrib(x1, x2, x3[, out]) = <ufunc 'gdtrib'>`

`scipy.special.gdtrix(x1, x2, x3[, out]) = <ufunc 'gdtrix'>`

`scipy.special.nbdtr(x1, x2, x3[, out]) = <ufunc 'nbdtr'>`
`y=nbdtr(k,n,p)` returns the sum of the terms 0 through k of the negative binomial distribution: $\text{sum}((n+j-1)Cj p^{**}n (1-p)^{**}j, j=0..k)$. In a sequence of Bernoulli trials this is the probability that k or fewer failures precede the n th success.

`scipy.special.nbdtrc(x1, x2, x3[, out]) = <ufunc 'nbdtrc'>`
`y=nbdtrc(k,n,p)` returns the sum of the terms $k+1$ to infinity of the negative binomial distribution.

`scipy.special.nbdtri(x1, x2, x3[, out]) = <ufunc 'nbdtri'>`
`p=nbdtri(k,n,y)` finds the argument p such that $\text{nbdtr}(k,n,p)=y$.

`scipy.special.pdtr(x1, x2[, out]) = <ufunc 'pdtr'>`
`y=pdtr(k,m)` returns the sum of the first k terms of the Poisson distribution: $\text{sum}(\exp(-m) * m^{**}j / j!, j=0..k) = \text{gammaincc}(k+1, m)$. Arguments must both be positive and k an integer.

`scipy.special.pdtrc(x1, x2[, out]) = <ufunc 'pdtrc'>`
`y=pdtrc(k,m)` returns the sum of the terms from $k+1$ to infinity of the Poisson distribution: $\text{sum}(\exp(-m) * m^{**}j / j!, j=k+1..inf) = \text{gammainc}(k+1, m)$. Arguments must both be positive and k an integer.

`scipy.special.pdtri(x1, x2[, out]) = <ufunc 'pdtri'>`
`m=pdtri(k,y)` returns the Poisson variable m such that the sum from 0 to k of the Poisson density is equal to the given probability y : calculated by `gammaincinv(k+1, y)`. k must be a nonnegative integer and y between 0 and 1.

`scipy.special.stdtr(df, t)` returns the integral from minus infinity to t of the Student t distribution with $df > 0$ degrees of freedom: $\text{gamma}((df+1)/2)/(\text{sqrt}(df*pi)*\text{gamma}(df/2)) * \text{integral}((1+x^{**}2/df)^{**}(-df/2-1/2), x=-inf..t) = <ufunc 'stdtr'>$

`scipy.special.stdtridf(x1, x2[, out]) = <ufunc 'stdtridf'>`
`t=stdtridf(p,t)` returns the argument df such that `stdtr(df,t)` is equal to p .

`scipy.special.stdtrit(x1, x2[, out]) = <ufunc 'stdtrit'>`
`t=stdtrit(df,p)` returns the argument t such that `stdtr(df,t)` is equal to p .

`scipy.special.chdtr(v, x)` Returns the area under the left hand tail (from 0 to x) of the Chi square probability density function with v degrees of freedom: $1/(2^{**}(v/2) * \text{gamma}(v/2)) * \text{integral}(t^{**}(v/2-1) * \exp(-t/2), t=0..x) = <ufunc 'chdtr'>$

`scipy.special.chdtrc(v, x)` returns the area under the right hand tail (from x to infinity) of the Chi square probability density function with v degrees of freedom: $1/(2^{**}(v/2) * \text{gamma}(v/2)) * \text{integral}(t^{**}(v/2-1) * \exp(-t/2), t=x..inf) = <ufunc 'chdtrc'>$

Gamma and Related Functions

<code>gamma(x[, out])</code>	<code>y=gamma(z)</code> returns the gamma function of the argument. The gamma
<code>gammaln(...)</code>	<code>y=gammaln(z)</code> returns the base e logarithm of the absolute value of the
<code>gammasgn(x[, out])</code>	<code>y=gammasgn(x)</code> returns the sign of the gamma function.
<code>gammainc(x1, x2[, out])</code>	<code>y=gammainc(a,x)</code> returns the incomplete gamma integral defined as
<code>gammaincinv(x1, x2[, out])</code>	<code>gammaincinv(a, y)</code> returns x such that <code>gammainc(a, x) = y</code> .
<code>gammaincc(x1, x2[, out])</code>	<code>y=gammaincc(a,x)</code> returns the complemented incomplete gamma integral
<code>gammainccinv(x1, x2[, out])</code>	<code>x=gammainccinv(a,y)</code> returns x such that <code>gammaincc(a,x) = y</code> .
<code>beta(...)</code>	
<code>betaln(x1, x2[, out])</code>	<code>y=betaln(a,b)</code> returns the natural logarithm of the absolute value of
<code>betainc(a, b, x)</code>	Compute the incomplete beta integral of the arguments, evaluated from zero to x:: <code>gamma(a+b) / (gamma(a) * gamma(b)) * betainc(a, b, x)</code>
<code>betaincinv(a,b,y)</code>	Compute x such that <code>betainc(a,b,x) = y</code> .
<code>psi(x[, out])</code>	<code>y=psi(z)</code> is the derivative of the logarithm of the gamma function
<code>rgamma(x[, out])</code>	<code>y=rgamma(z)</code> returns one divided by the gamma function of x.
<code>polygamma(n, x)</code>	Polygamma function which is the nth derivative of the digamma (psi) function.
<code>multigammaln(a, d)</code>	Returns the log of multivariate gamma, also sometimes called the generalized gamma.

`scipy.special.gamma(x[, out]) = <ufunc 'gamma'>`

`y=gamma(z)` returns the gamma function of the argument. The gamma function is often referred to as the generalized factorial since $z^* \text{gamma}(z) = \text{gamma}(z+1)$ and $\text{gamma}(n+1) = n!$ for natural number n.

`scipy.special.gammaln(z)` returns the base e logarithm of the absolute value of the gamma function of z: $\ln(\text{abs}(\text{gamma}(z))) = \text{gammaln}(z)$

`y=gammaln(z)` returns the base e logarithm of the absolute value of the gamma function of z: $\ln(\text{abs}(\text{gamma}(z)))$

See Also

`gammasgn`

`scipy.special.gammasgn(x[, out]) = <ufunc 'gammasgn'>`

`y=gammasgn(x)` returns the sign of the gamma function.

See Also

`gammaln`

`scipy.special.gammainc(x1, x2[, out]) = <ufunc 'gammainc'>`

`y=gammainc(a,x)` returns the incomplete gamma integral defined as $1 / \text{gamma}(a) * \int_0^x \exp(-t) * t^{a-1} dt$. a must be positive and x must be ≥ 0 .

`scipy.special.gammaincinv(x1, x2[, out]) = <ufunc 'gammaincinv'>`

`gammaincinv(a, y)` returns x such that `gammainc(a, x) = y`.

`scipy.special.gammaincc(x1, x2[, out]) = <ufunc 'gammaincc'>`

`y=gammaincc(a,x)` returns the complemented incomplete gamma integral defined as $1 / \text{gamma}(a) * \int_x^\infty \exp(-t) * t^{a-1} dt = 1 - \text{gammainc}(a,x)$. a must be positive and x must be ≥ 0 .

`scipy.special.gammainccinv(x1, x2[, out]) = <ufunc 'gammainccinv'>`

`x=gammainccinv(a,y)` returns x such that `gammaincc(a,x) = y`.

`scipy.special.beta(a, b)` returns $\text{gamma}(a) * \text{gamma}(b) / \text{gamma}(a+b) = \text{beta}(a, b)$

`scipy.special.betaln(x1, x2[, out]) = <ufunc 'betaln'>`

`y=betaln(a,b)` returns the natural logarithm of the absolute value of beta: $\ln(\text{abs}(\text{beta}(a,b)))$.

`scipy.special.betainc(a, b, x) = <ufunc 'betainc'>`

Compute the incomplete beta integral of the arguments, evaluated from zero to x:

$$\text{gamma}(a+b) / (\text{gamma}(a) * \text{gamma}(b)) * \text{integral}(t^{a-1} (1-t)^{b-1}, t=0..x).$$

Notes

The incomplete beta is also sometimes defined without the terms in gamma, in which case the above definition is the so-called regularized incomplete beta. Under this definition, you can get the incomplete beta by multiplying the result of the scipy function by beta(a, b).

`scipy.special.betaincinv(a, b, y) = <ufunc 'betaincinv'>`

Compute x such that betainc(a,b,x) = y.

`scipy.special.psi(x[, out]) = <ufunc 'psi'>`

y=psi(z) is the derivative of the logarithm of the gamma function evaluated at z (also called the digamma function).

`scipy.special.rgamma(x[, out]) = <ufunc 'rgamma'>`

y=gamma(z) returns one divided by the gamma function of x.

`scipy.special.polygamma(n, x)`

Polygamma function which is the nth derivative of the digamma (psi) function.

Parameters **n** : array_like of int
 The order of the derivative of `psi`.
x : array_like
 Where to evaluate the polygamma function.
Returns **polygamma** : ndarray
 The result.

Examples

```
>>> from scipy import special
>>> x = [2, 3, 25.5]
>>> special.polygamma(1, x)
array([ 0.64493407,  0.39493407,  0.03999467])
>>> special.polygamma(0, x) == special.psi(x)
array([ True,  True,  True], dtype=bool)
```

`scipy.special.multigammaln(a, d)`

Returns the log of multivariate gamma, also sometimes called the generalized gamma.

Parameters **a** : ndarray
 The multivariate gamma is computed for each item of `a`.
d : int
 The dimension of the space of integration.
Returns **res** : ndarray
 The values of the log multivariate gamma at the given points `a`.

Notes

The formal definition of the multivariate gamma of dimension d for a real a is:

$$\Gamma_d(a) = \int_{A>0} e^{-\text{tr}(A) \cdot |A|^{a - (d+1)/2}} dA$$

with the condition $a > (d-1)/2$, and $A > 0$ being the set of all the positive definite matrices of dimension `s`. Note that `a` is a scalar: the integrand only is multivariate, the argument is not (the function is defined over a subset of the real set).

This can be proven to be equal to the much friendlier equation:

$$\Gamma_d(a) = \pi^{d(d-1)/4} \prod_{i=1}^d \Gamma(a - (i-1)/2).$$

References

R. J. Muirhead, Aspects of multivariate statistical theory (Wiley Series in probability and mathematical statistics).

Error Function and Fresnel Integrals

<code>erf(z)</code>	Returns the error function of complex argument.
<code>erfc(x[, out])</code>	<code>y=erfc(x)</code> returns $1 - \text{erf}(x)$.
<code>erfcx(x[, out])</code>	Scaled complementary error function, $\exp(x^2) \text{erfc}(x)$..
<code>erfi(x[, out])</code>	Imaginary error function, $-i \text{erf}(i z)$..
<code>erfinv(y)</code>	
<code>erfcinv(y)</code>	
<code>wofz(...)</code>	<code>y=wofz(z)</code> returns the value of the fadeeva function for complex argument
<code>dawsn(x[, out])</code>	<code>y=dawsn(x)</code> returns dawson's integral: $\exp(-x^2) *$
<code>fresnel(x[, out1, out2])</code>	<code>(ssa,cca)=fresnel(z)</code> returns the fresnel sin and cos integrals: $\text{integral}(\sin(\pi/2$
<code>fresnel_zeros(nt)</code>	Compute <code>nt</code> complex zeros of the sine and cosine Fresnel integrals
<code>modfresnelp(x[, out1, out2])</code>	<code>(fp,kp)=modfresnelp(x)</code> returns the modified fresnel integrals $F_+(x)$ and $K_+(x)$
<code>modfresnelm(x[, out1, out2])</code>	<code>(fm,km)=modfresnelm(x)</code> returns the modified fresnel integrals $F_-(x)$ and $K_-(x)$

`scipy.special.erf(z) = <ufunc 'erf'>`

Returns the error function of complex argument.

It is defined as $2/\sqrt{\pi} * \text{integral}(\exp(-t^2), t=0..z)$.

Parameters `x` : ndarray
Returns `res` : ndarray

Input array.
 The values of the error function at the given points `x`.

See Also

`erfc`, `erfinv`, `erfcinv`

Notes

The cumulative of the unit normal distribution is given by $\Phi(z) = 1/2 [1 + \text{erf}(z/\sqrt{2})]$.

References

[R151], [R152], [R153]

`scipy.special.erfc(x[, out]) = <ufunc 'erfc'>`
`y=erfc(x)` returns $1 - \text{erf}(x)$.

References

[R154]

`scipy.special.erfcx(x[, out]) = <ufunc 'erfcx'>`
 Scaled complementary error function, $\exp(x^2) \text{erfc}(x)$ New in version 0.12.0.

References

[R155]

`scipy.special.erfi(x[, out]) = <ufunc 'erfi'>`
 Imaginary error function, $-i \operatorname{erf}(i z)$ New in version 0.12.0.

References

[R156]

`scipy.special.erfinv(y)`

`scipy.special.erfcinv(y)`

`scipy.special.wofz(z)` returns the value of the fadeeva function for complex argument z : $\exp(-z^2) \operatorname{erfc}(-i z)$ = **<ufunc 'wofz'>**
 $y = \operatorname{wofz}(z)$ returns the value of the fadeeva function for complex argument z : $\exp(-z^2) \operatorname{erfc}(-i z)$

References

[R159]

`scipy.special.dawson(x[, out]) = <ufunc 'dawson'>`
 $y = \operatorname{dawson}(x)$ returns dawson's integral: $\exp(-x^2) * \int_0^x \exp(t^2) dt$.

References

[R150]

`scipy.special.fresnel(x[, out1, out2]) = <ufunc 'fresnel'>`
 (ssa,cca)=`fresnel(z)` returns the fresnel sin and cos integrals: $\int_0^z \sin(\pi/2 * t^2) dt$ and $\int_0^z \cos(\pi/2 * t^2) dt$ for real or complex z .

`scipy.special.fresnel_zeros(nt)`
 Compute nt complex zeros of the sine and cosine Fresnel integrals $S(z)$ and $C(z)$.

`scipy.special.modfresnelp(x[, out1, out2]) = <ufunc 'modfresnelp'>`
 (fp,kp)=`modfresnelp(x)` returns the modified fresnel integrals $F_+(x)$ and $K_+(x)$ as $\int_0^x \exp(1j * t^2) dt$, $t=x..inf$ and $kp = 1/\sqrt{\pi} * \exp(-1j * (x^2 + \pi/4)) * fp$

`scipy.special.modfresnelm(x[, out1, out2]) = <ufunc 'modfresnelm'>`
 (fm,km)=`modfresnelm(x)` returns the modified fresnel integrals $F_-(x)$ and $K_-(x)$ as $\int_0^x \exp(-1j * t^2) dt$, $t=x..inf$ and $kp = 1/\sqrt{\pi} * \exp(1j * (x^2 + \pi/4)) * fp$

These are not universal functions:

<code>erf_zeros(nt)</code>	Compute nt complex zeros of the error function $\operatorname{erf}(z)$.
<code>fresnelc_zeros(nt)</code>	Compute nt complex zeros of the cosine Fresnel integral $C(z)$.
<code>fresnels_zeros(nt)</code>	Compute nt complex zeros of the sine Fresnel integral $S(z)$.

`scipy.special.erf_zeros(nt)`
 Compute nt complex zeros of the error function $\operatorname{erf}(z)$.

`scipy.special.fresnelc_zeros(nt)`
 Compute nt complex zeros of the cosine Fresnel integral $C(z)$.

`scipy.special.fresnels_zeros(nt)`
 Compute nt complex zeros of the sine Fresnel integral $S(z)$.

Legendre Functions

<code>lpmv(x1, x2, x3[, out])</code>	<code>y=lpmv(m,v,x)</code> returns the associated legendre function of integer order
<code>sph_harm</code>	Compute spherical harmonics.

`scipy.special.lpmv(x1, x2, x3[, out]) = <ufunc 'lpmv'>`

`y=lpmv(m,v,x)` returns the associated legendre function of integer order m and real degree v (s.t. $v > -m-1$ or $v < m$): $|x| \leq 1$.

`scipy.special.sph_harm = <numpy.lib.function_base.vectorize object at 0x46f6350>`

Compute spherical harmonics.

This is a ufunc and may take scalar or array arguments like any other ufunc. The inputs will be broadcasted against each other.

Parameters

- m** : int
 $|m| \leq n$; the order of the harmonic.
- n** : int
 where $n \geq 0$; the degree of the harmonic. This is often called l (lower case L) in descriptions of spherical harmonics.
- theta** : float
 $[0, 2*\pi]$; the azimuthal (longitudinal) coordinate.
- phi** : float
 $[0, \pi]$; the polar (colatitudinal) coordinate.

Returns

- y_mn** : complex float
 The harmonic Y^m_n sampled at *theta* and *phi*

Notes

There are different conventions for the meaning of input arguments *theta* and *phi*. We take *theta* to be the azimuthal angle and *phi* to be the polar angle. It is common to see the opposite convention - that is *theta* as the polar angle and *phi* as the azimuthal angle.

These are not universal functions:

<code>lpn(n, z)</code>	Compute sequence of Legendre functions of the first kind (polynomials),
<code>lqn(n, z)</code>	Compute sequence of Legendre functions of the second kind,
<code>lpmn(m, n, z)</code>	Associated Legendre functions of the first kind, $P_{mn}(z)$ and its
<code>lqmn(m, n, z)</code>	Associated Legendre functions of the second kind, $Q_{mn}(z)$ and its

`scipy.special.lpn(n, z)`

Compute sequence of Legendre functions of the first kind (polynomials), $P_n(z)$ and derivatives for all degrees from 0 to n (inclusive).

See also `special.legendre` for polynomial class.

`scipy.special.lqn(n, z)`

Compute sequence of Legendre functions of the second kind, $Q_n(z)$ and derivatives for all degrees from 0 to n (inclusive).

`scipy.special.lpmn(m, n, z)`

Associated Legendre functions of the first kind, $P_{mn}(z)$ and its derivative, $P_{mn}'(z)$ of order m and degree n . Returns two arrays of size $(m+1, n+1)$ containing $P_{mn}(z)$ and $P_{mn}'(z)$ for all orders from 0..m and degrees from 0..n.

Parameters

- m** : int
 $|m| \leq n$; the order of the Legendre function.

n : int
 where $n \geq 0$; the degree of the Legendre function. Often called l (lower case L) in descriptions of the associated Legendre function

z : float or complex
 Input value.

Returns **Pmn_z** : (m+1, n+1) array
 Values for all orders 0..m and degrees 0..n

Pmn_d_z : (m+1, n+1) array
 Derivatives for all orders 0..m and degrees 0..n

`scipy.special.lqmn(m, n, z)`

Associated Legendre functions of the second kind, $Q_{mn}(z)$ and its derivative, $Q_{mn}'(z)$ of order m and degree n . Returns two arrays of size $(m+1, n+1)$ containing $Q_{mn}(z)$ and $Q_{mn}'(z)$ for all orders from 0..m and degrees from 0..n.

z can be complex.

Orthogonal polynomials

The following functions evaluate values of orthogonal polynomials:

<code>eval_legendre(n, x[, out])</code>	Evaluate Legendre polynomial at a point.
<code>eval_chebyt(n, x[, out])</code>	Evaluate Chebyshev T polynomial at a point.
<code>eval_chebyu(n, x[, out])</code>	Evaluate Chebyshev U polynomial at a point.
<code>eval_chebyc(n, x[, out])</code>	Evaluate Chebyshev C polynomial at a point.
<code>eval_chebys(n, x[, out])</code>	Evaluate Chebyshev S polynomial at a point.
<code>eval_jacobi(n, alpha, beta, x[, out])</code>	Evaluate Jacobi polynomial at a point.
<code>eval_laguerre(n, x[, out])</code>	Evaluate Laguerre polynomial at a point.
<code>eval_genlaguerre(n, alpha, x[, out])</code>	Evaluate generalized Laguerre polynomial at a point.
<code>eval_hermite(n, x[, out])</code>	Evaluate Hermite polynomial at a point.
<code>eval_hermitenorm(n, x[, out])</code>	Evaluate normalized Hermite polynomial at a point.
<code>eval_gegenbauer(n, alpha, x[, out])</code>	Evaluate Gegenbauer polynomial at a point.
<code>eval_sh_legendre(n, x[, out])</code>	Evaluate shifted Legendre polynomial at a point.
<code>eval_sh_chebyt(n, x[, out])</code>	Evaluate shifted Chebyshev T polynomial at a point.
<code>eval_sh_chebyu(n, x[, out])</code>	Evaluate shifted Chebyshev U polynomial at a point.
<code>eval_sh_jacobi(n, p, q, x[, out])</code>	Evaluate shifted Jacobi polynomial at a point.

`scipy.special.eval_legendre(n, x, out=None) = <ufunc 'eval_legendre'>`
 Evaluate Legendre polynomial at a point.

`scipy.special.eval_chebyt(n, x, out=None) = <ufunc 'eval_chebyt'>`
 Evaluate Chebyshev T polynomial at a point.

This routine is numerically stable for x in $[-1, 1]$ at least up to order 10000.

`scipy.special.eval_chebyu(n, x, out=None) = <ufunc 'eval_chebyu'>`
 Evaluate Chebyshev U polynomial at a point.

`scipy.special.eval_chebyc(n, x, out=None) = <ufunc 'eval_chebyc'>`
 Evaluate Chebyshev C polynomial at a point.

`scipy.special.eval_chebys(n, x, out=None) = <ufunc 'eval_chebys'>`
 Evaluate Chebyshev S polynomial at a point.

`scipy.special.eval_jacobi(n, alpha, beta, x, out=None) = <ufunc 'eval_jacobi'>`
 Evaluate Jacobi polynomial at a point.

`scipy.special.eval_laguerre` ($n, x, out=None$) = <ufunc 'eval_laguerre'>
Evaluate Laguerre polynomial at a point.

`scipy.special.eval_genlaguerre` ($n, alpha, x, out=None$) = <ufunc 'eval_genlaguerre'>
Evaluate generalized Laguerre polynomial at a point.

`scipy.special.eval_hermite` ($n, x, out=None$) = <ufunc 'eval_hermite'>
Evaluate Hermite polynomial at a point.

`scipy.special.eval_hermitenorm` ($n, x, out=None$) = <ufunc 'eval_hermitenorm'>
Evaluate normalized Hermite polynomial at a point.

`scipy.special.eval_gegenbauer` ($n, alpha, x, out=None$) = <ufunc 'eval_gegenbauer'>
Evaluate Gegenbauer polynomial at a point.

`scipy.special.eval_sh_legendre` ($n, x, out=None$) = <ufunc 'eval_sh_legendre'>
Evaluate shifted Legendre polynomial at a point.

`scipy.special.eval_sh_chebyt` ($n, x, out=None$) = <ufunc 'eval_sh_chebyt'>
Evaluate shifted Chebyshev T polynomial at a point.

`scipy.special.eval_sh_chebyu` ($n, x, out=None$) = <ufunc 'eval_sh_chebyu'>
Evaluate shifted Chebyshev U polynomial at a point.

`scipy.special.eval_sh_jacobi` ($n, p, q, x, out=None$) = <ufunc 'eval_sh_jacobi'>
Evaluate shifted Jacobi polynomial at a point.

The functions below, in turn, return *orthopoly1d* objects, which functions similarly as *numpy.poly1d*. The *orthopoly1d* class also has an attribute `weights` which returns the roots, weights, and total weights for the appropriate form of Gaussian quadrature. These are returned in an $n \times 3$ array with roots in the first column, weights in the second column, and total weights in the final column.

<code>legendre</code> (n [, monic])	Returns the n th order Legendre polynomial, $P_n(x)$, orthogonal over
<code>chebyt</code> (n [, monic])	Return n th order Chebyshev polynomial of first kind, $T_n(x)$. Orthogonal
<code>chebyu</code> (n [, monic])	Return n th order Chebyshev polynomial of second kind, $U_n(x)$. Orthogonal
<code>chebyc</code> (n [, monic])	Return n th order Chebyshev polynomial of first kind, $C_n(x)$. Orthogonal
<code>chebys</code> (n [, monic])	Return n th order Chebyshev polynomial of second kind, $S_n(x)$. Orthogonal
<code>jacobi</code> ($n, alpha, beta$ [, monic])	Returns the n th order Jacobi polynomial, $P^{(\alpha, \beta)}_n(x)$
<code>laguerre</code> (n [, monic])	Return the n th order Laguerre polynoimal, $L_n(x)$, orthogonal over
<code>genlaguerre</code> ($n, alpha$ [, monic])	Returns the n th order generalized (associated) Laguerre polynomial,
<code>hermite</code> (n [, monic])	Return the n th order Hermite polynomial, $H_n(x)$, orthogonal over
<code>hermitenorm</code> (n [, monic])	Return the n th order normalized Hermite polynomial, $He_n(x)$, orthogonal
<code>gegenbauer</code> ($n, alpha$ [, monic])	Return the n th order Gegenbauer (ultraspherical) polynomial,
<code>sh_legendre</code> (n [, monic])	Returns the n th order shifted Legendre polynomial, $P^*_n(x)$, orthogonal
<code>sh_chebyt</code> (n [, monic])	Return n th order shifted Chebyshev polynomial of first kind, $T_n(x)$.
<code>sh_chebyu</code> (n [, monic])	Return n th order shifted Chebyshev polynomial of second kind, $U_n(x)$.
<code>sh_jacobi</code> (n, p, q [, monic])	Returns the n th order Jacobi polynomial, $G_n(p, q, x)$

`scipy.special.legendre` ($n, monic=0$)
Returns the n th order Legendre polynomial, $P_n(x)$, orthogonal over $[-1, 1]$ with weight function 1.

`scipy.special.chebyt` ($n, monic=0$)
Return n th order Chebyshev polynomial of first kind, $T_n(x)$. Orthogonal over $[-1, 1]$ with weight function $(1-x^2)^{-(1/2)}$.

`scipy.special.chebyu` ($n, monic=0$)
Return n th order Chebyshev polynomial of second kind, $U_n(x)$. Orthogonal over $[-1, 1]$ with weight function $(1-x^2)^{(1/2)}$.

`scipy.special.chebyc` (*n*, *monic*=0)
 Return *n*th order Chebyshev polynomial of first kind, $C_n(x)$. Orthogonal over $[-2,2]$ with weight function $(1-(x/2)**2)**(-1/2)$.

`scipy.special.chebys` (*n*, *monic*=0)
 Return *n*th order Chebyshev polynomial of second kind, $S_n(x)$. Orthogonal over $[-2,2]$ with weight function $(1-(x/2)**2)**(1/2)$.

`scipy.special.jacobi` (*n*, *alpha*, *beta*, *monic*=0)
 Returns the *n*th order Jacobi polynomial, $P_n^{(\alpha,\beta)}(x)$ orthogonal over $[-1,1]$ with weighting function $(1-x)**\alpha (1+x)**\beta$ with $\alpha,\beta > -1$.

`scipy.special.laguerre` (*n*, *monic*=0)
 Return the *n*th order Laguerre polynomial, $L_n(x)$, orthogonal over $[0,\infty)$ with weighting function $\exp(-x)$

`scipy.special.genlaguerre` (*n*, *alpha*, *monic*=0)
 Returns the *n*th order generalized (associated) Laguerre polynomial, $L_n^{(\alpha)}(x)$, orthogonal over $[0,\infty)$ with weighting function $\exp(-x) x**\alpha$ with $\alpha > -1$

`scipy.special.hermite` (*n*, *monic*=0)
 Return the *n*th order Hermite polynomial, $H_n(x)$, orthogonal over $(-\infty,\infty)$ with weighting function $\exp(-x**2)$

`scipy.special.hermite`.norm (*n*, *monic*=0)
 Return the *n*th order normalized Hermite polynomial, $He_n(x)$, orthogonal over $(-\infty,\infty)$ with weighting function $\exp(-(x/2)**2)$

`scipy.special.gegenbauer` (*n*, *alpha*, *monic*=0)
 Return the *n*th order Gegenbauer (ultraspherical) polynomial, $C_n^{(\alpha)}(x)$, orthogonal over $[-1,1]$ with weighting function $(1-x**2)**(\alpha-1/2)$ with $\alpha > -1/2$

`scipy.special.sh_legendre` (*n*, *monic*=0)
 Returns the *n*th order shifted Legendre polynomial, $P_n^*(x)$, orthogonal over $[0,1]$ with weighting function 1.

`scipy.special.sh_chebyt` (*n*, *monic*=0)
 Return *n*th order shifted Chebyshev polynomial of first kind, $T_n(x)$. Orthogonal over $[0,1]$ with weight function $(x-x**2)**(-1/2)$.

`scipy.special.sh_chebyu` (*n*, *monic*=0)
 Return *n*th order shifted Chebyshev polynomial of second kind, $U_n(x)$. Orthogonal over $[0,1]$ with weight function $(x-x**2)**(1/2)$.

`scipy.special.sh_jacobi` (*n*, *p*, *q*, *monic*=0)
 Returns the *n*th order Jacobi polynomial, $G_n(p,q,x)$ orthogonal over $[0,1]$ with weighting function $(1-x)**(p-q) (x)**(q-1)$ with $p>q-1$ and $q > 0$.

Warning: Large-order polynomials obtained from these functions are numerically unstable. `orthopoly1d` objects are converted to `poly1d`, when doing arithmetic. `numpy.poly1d` works in power basis and cannot represent high-order polynomials accurately, which can cause significant inaccuracy.

Hypergeometric Functions

<code>hyp2f1(x1, x2, x3, x4[, out])</code>	<code>y=hyp2f1(a,b,c,z)</code> returns the gauss hypergeometric function
<code>hyp1f1(x1, x2, x3[, out])</code>	<code>y=hyp1f1(a,b,x)</code> returns the confluent hypergeometric function
<code>hyperu(x1, x2, x3[, out])</code>	<code>y=hyperu(a,b,x)</code> returns the confluent hypergeometric function of the
<code>hyp0f1(v, z)</code>	Confluent hypergeometric limit function 0F1.
<code>hyp2f0(x1, x2, x3, x4[, out1, out2])</code>	<code>(y,err)=hyp2f0(a,b,x,type)</code> returns <code>(y,err)</code> with the hypergeometric function 2F0 in <code>y</code> and an error

Table 5.202 – continued from previous page

<code>hyp1f2(x1, x2, x3, x4[, out1, out2])</code>	<code>(y,err)=hyp1f2(a,b,c,x)</code> returns <code>(y,err)</code> with the hypergeometric function 1F2 in <code>y</code> and an error
<code>hyp3f0(x1, x2, x3, x4[, out1, out2])</code>	<code>(y,err)=hyp3f0(a,b,c,x)</code> returns <code>(y,err)</code> with the hypergeometric function 3F0 in <code>y</code> and an error

`scipy.special.hyp2f1(x1, x2, x3, x4[, out]) = <ufunc ‘hyp2f1’>`
`y=hyp2f1(a,b,c,z)` returns the gauss hypergeometric function (${}_2F_1(a,b;c;z)$).

`scipy.special.hyp1f1(x1, x2, x3[, out]) = <ufunc ‘hyp1f1’>`
`y=hyp1f1(a,b,x)` returns the confluent hypergeometric function (${}_1F_1(a,b;x)$) evaluated at the values `a`, `b`, and `x`.

`scipy.special.hyperu(x1, x2, x3[, out]) = <ufunc ‘hyperu’>`
`y=hyperu(a,b,x)` returns the confluent hypergeometric function of the second kind $U(a,b,x)$.

`scipy.special.hyp0f1(v, z)`
 Confluent hypergeometric limit function ${}_0F_1$.

Parameters `v, z` : array_like

Returns `hyp0f1` : ndarray
 Input values.
 The confluent hypergeometric limit function.

Notes

This function is defined as:

$${}_0F_1(v, z) = \sum_{k=0}^{\infty} \frac{z^k}{(v)_k k!}.$$

It's also the limit as $q \rightarrow \infty$ of ${}_1F_1(q; v; z/q)$, and satisfies the differential equation $z f'(z) + v f'(z) = f(z)$.

`scipy.special.hyp2f0(x1, x2, x3, x4[, out1, out2]) = <ufunc ‘hyp2f0’>`
`(y,err)=hyp2f0(a,b,x,type)` returns `(y,err)` with the hypergeometric function 2F0 in `y` and an error estimate in `err`.
 The input type determines a convergence factor and can be either 1 or 2.

`scipy.special.hyp1f2(x1, x2, x3, x4[, out1, out2]) = <ufunc ‘hyp1f2’>`
`(y,err)=hyp1f2(a,b,c,x)` returns `(y,err)` with the hypergeometric function 1F2 in `y` and an error estimate in `err`.

`scipy.special.hyp3f0(x1, x2, x3, x4[, out1, out2]) = <ufunc ‘hyp3f0’>`
`(y,err)=hyp3f0(a,b,c,x)` returns `(y,err)` with the hypergeometric function 3F0 in `y` and an error estimate in `err`.

Parabolic Cylinder Functions

<code>pbdv(x1, x2[, out1, out2])</code>	<code>(d,dp)=pbdv(v,x)</code> returns <code>(d,dp)</code> with the parabolic cylinder function $Dv(x)$ in
<code>pbvv(x1, x2[, out1, out2])</code>	<code>(v,vp)=pbvv(v,x)</code> returns <code>(v,vp)</code> with the parabolic cylinder function $Vv(x)$ in
<code>pbwa(x1, x2[, out1, out2])</code>	<code>(w,wp)=pbwa(a,x)</code> returns <code>(w,wp)</code> with the parabolic cylinder function $W(a,x)$ in

`scipy.special.pbdv(x1, x2[, out1, out2]) = <ufunc ‘pbdv’>`
`(d,dp)=pbdv(v,x)` returns `(d,dp)` with the parabolic cylinder function $Dv(x)$ in `d` and the derivative, $Dv'(x)$ in `dp`.

`scipy.special.pbvv(x1, x2[, out1, out2]) = <ufunc ‘pbvv’>`
`(v,vp)=pbvv(v,x)` returns `(v,vp)` with the parabolic cylinder function $Vv(x)$ in `v` and the derivative, $Vv'(x)$ in `vp`.

`scipy.special.pbwa(x1, x2[, out1, out2]) = <ufunc ‘pbwa’>`

`(w,wp)=pbwa(a,x)` returns `(w,wp)` with the parabolic cylinder function $W(a,x)$ in `w` and the derivative, $W'(a,x)$ in `wp`. May not be accurate for large (>5) arguments in `a` and/or `x`.

These are not universal functions:

<code>pbdv_seq(v, x)</code>	Compute sequence of parabolic cylinder functions $Dv(x)$ and
<code>pbvv_seq(v, x)</code>	Compute sequence of parabolic cylinder functions $Dv(x)$ and
<code>pbdn_seq(n, z)</code>	Compute sequence of parabolic cylinder functions $Dn(z)$ and

`scipy.special.pbdv_seq(v, x)`

Compute sequence of parabolic cylinder functions $Dv(x)$ and their derivatives for $Dv_0(x)..Dv(x)$ with $v_0=v-\text{int}(v)$.

`scipy.special.pbvv_seq(v, x)`

Compute sequence of parabolic cylinder functions $Dv(x)$ and their derivatives for $Dv_0(x)..Dv(x)$ with $v_0=v-\text{int}(v)$.

`scipy.special.pbdn_seq(n, z)`

Compute sequence of parabolic cylinder functions $Dn(z)$ and their derivatives for $D_0(z)..Dn(z)$.

Mathieu and Related Functions

<code>mathieu_a(x1, x2[, out])</code>	<code>lmbda=mathieu_a(m,q)</code> returns the characteristic value for the even solution,
<code>mathieu_b(x1, x2[, out])</code>	<code>lmbda=mathieu_b(m,q)</code> returns the characteristic value for the odd solution,

`scipy.special.mathieu_a(x1, x2[, out]) = <ufunc 'mathieu_a'>`

`lmbda=mathieu_a(m,q)` returns the characteristic value for the even solution, $ce_m(z,q)$, of Mathieu's equation

`scipy.special.mathieu_b(x1, x2[, out]) = <ufunc 'mathieu_b'>`

`lmbda=mathieu_b(m,q)` returns the characteristic value for the odd solution, $se_m(z,q)$, of Mathieu's equation

These are not universal functions:

<code>mathieu_even_coef(m, q)</code>	Compute expansion coefficients for even Mathieu functions and
<code>mathieu_odd_coef(m, q)</code>	Compute expansion coefficients for even Mathieu functions and

`scipy.special.mathieu_even_coef(m, q)`

Compute expansion coefficients for even Mathieu functions and modified Mathieu functions.

`scipy.special.mathieu_odd_coef(m, q)`

Compute expansion coefficients for even Mathieu functions and modified Mathieu functions.

The following return both function and first derivative:

<code>mathieu_cem(x1, x2, x3[, out1, out2])</code>	<code>(y,yp)=mathieu_cem(m,q,x)</code> returns the even Mathieu function, $ce_m(x,q)$,
<code>mathieu_sem(x1, x2, x3[, out1, out2])</code>	<code>(y,yp)=mathieu_sem(m,q,x)</code> returns the odd Mathieu function, $se_m(x,q)$,
<code>mathieu_modcem1(x1, x2, x3[, out1, out2])</code>	<code>(y,yp)=mathieu_modcem1(m,q,x)</code> evaluates the even modified Mathieu function
<code>mathieu_modcem2(x1, x2, x3[, out1, out2])</code>	<code>(y,yp)=mathieu_modcem2(m,q,x)</code> evaluates the even modified Mathieu function
<code>mathieu_modsem1(x1, x2, x3[, out1, out2])</code>	<code>(y,yp)=mathieu_modsem1(m,q,x)</code> evaluates the odd modified Mathieu function
<code>mathieu_modsem2(x1, x2, x3[, out1, out2])</code>	<code>(y,yp)=mathieu_modsem2(m,q,x)</code> evaluates the odd modified Mathieu function

`scipy.special.mathieu_cem(x1, x2, x3[, out1, out2]) = <ufunc 'mathieu_cem'>`

`(y,yp)=mathieu_cem(m,q,x)` returns the even Mathieu function, $ce_m(x,q)$, of order `m` and parameter `q` evaluated

at x (given in degrees). Also returns the derivative with respect to x of $ce_m(x,q)$

`scipy.special.mathieu_sem(x1, x2, x3[, out1, out2]) = <ufunc 'mathieu_sem'>`

$(y,yp)=\text{mathieu_sem}(m,q,x)$ returns the odd Mathieu function, $se_m(x,q)$, of order m and parameter q evaluated at x (given in degrees). Also returns the derivative with respect to x of $se_m(x,q)$.

`scipy.special.mathieu_modcem1(x1, x2, x3[, out1, out2]) = <ufunc 'mathieu_modcem1'>`

$(y,yp)=\text{mathieu_modcem1}(m,q,x)$ evaluates the even modified Mathieu function of the first kind, $Mc1m(x,q)$, and its derivative at x for order m and parameter q .

`scipy.special.mathieu_modcem2(x1, x2, x3[, out1, out2]) = <ufunc 'mathieu_modcem2'>`

$(y,yp)=\text{mathieu_modcem2}(m,q,x)$ evaluates the even modified Mathieu function of the second kind, $Mc2m(x,q)$, and its derivative at x (given in degrees) for order m and parameter q .

`scipy.special.mathieu_modsem1(x1, x2, x3[, out1, out2]) = <ufunc 'mathieu_modsem1'>`

$(y,yp)=\text{mathieu_modsem1}(m,q,x)$ evaluates the odd modified Mathieu function of the first kind, $Ms1m(x,q)$, and its derivative at x (given in degrees) for order m and parameter q .

`scipy.special.mathieu_modsem2(x1, x2, x3[, out1, out2]) = <ufunc 'mathieu_modsem2'>`

$(y,yp)=\text{mathieu_modsem2}(m,q,x)$ evaluates the odd modified Mathieu function of the second kind, $Ms2m(x,q)$, and its derivative at x (given in degrees) for order m and parameter q .

Spheroidal Wave Functions

<code>pro_ang1(x1, x2, x3, x4[, out1, out2])</code>	$(s,sp)=\text{pro_ang1}(m,n,c,x)$ computes the prolate spheroidal angular function
<code>pro_rad1(x1, x2, x3, x4[, out1, out2])</code>	$(s,sp)=\text{pro_rad1}(m,n,c,x)$ computes the prolate spheroidal radial function
<code>pro_rad2(x1, x2, x3, x4[, out1, out2])</code>	$(s,sp)=\text{pro_rad2}(m,n,c,x)$ computes the prolate spheroidal radial function
<code>obl_ang1(x1, x2, x3, x4[, out1, out2])</code>	$(s,sp)=\text{obl_ang1}(m,n,c,x)$ computes the oblate spheroidal angular function
<code>obl_rad1(x1, x2, x3, x4[, out1, out2])</code>	$(s,sp)=\text{obl_rad1}(m,n,c,x)$ computes the oblate spheroidal radial function
<code>obl_rad2(x1, x2, x3, x4[, out1, out2])</code>	$(s,sp)=\text{obl_rad2}(m,n,c,x)$ computes the oblate spheroidal radial function
<code>pro_cv(x1, x2, x3[, out])</code>	$cv=\text{pro_cv}(m,n,c)$ computes the characteristic value of prolate spheroidal
<code>obl_cv(x1, x2, x3[, out])</code>	$cv=\text{obl_cv}(m,n,c)$ computes the characteristic value of oblate spheroidal
<code>pro_cv_seq(m, n, c)</code>	Compute a sequence of characteristic values for the prolate
<code>obl_cv_seq(m, n, c)</code>	Compute a sequence of characteristic values for the oblate

`scipy.special.pro_ang1(x1, x2, x3, x4[, out1, out2]) = <ufunc 'pro_ang1'>`

$(s,sp)=\text{pro_ang1}(m,n,c,x)$ computes the prolate spheroidal angular function of the first kind and its derivative (with respect to x) for mode parameters $m \geq 0$ and $n \geq m$, spheroidal parameter c and $|x| < 1.0$.

`scipy.special.pro_rad1(x1, x2, x3, x4[, out1, out2]) = <ufunc 'pro_rad1'>`

$(s,sp)=\text{pro_rad1}(m,n,c,x)$ computes the prolate spheroidal radial function of the first kind and its derivative (with respect to x) for mode parameters $m \geq 0$ and $n \geq m$, spheroidal parameter c and $|x| < 1.0$.

`scipy.special.pro_rad2(x1, x2, x3, x4[, out1, out2]) = <ufunc 'pro_rad2'>`

$(s,sp)=\text{pro_rad2}(m,n,c,x)$ computes the prolate spheroidal radial function of the second kind and its derivative (with respect to x) for mode parameters $m \geq 0$ and $n \geq m$, spheroidal parameter c and $|x| < 1.0$.

`scipy.special.obl_ang1(x1, x2, x3, x4[, out1, out2]) = <ufunc 'obl_ang1'>`

$(s,sp)=\text{obl_ang1}(m,n,c,x)$ computes the oblate spheroidal angular function of the first kind and its derivative (with respect to x) for mode parameters $m \geq 0$ and $n \geq m$, spheroidal parameter c and $|x| < 1.0$.

`scipy.special.obl_rad1(x1, x2, x3, x4[, out1, out2]) = <ufunc 'obl_rad1'>`

$(s,sp)=\text{obl_rad1}(m,n,c,x)$ computes the oblate spheroidal radial function of the first kind and its derivative (with respect to x) for mode parameters $m \geq 0$ and $n \geq m$, spheroidal parameter c and $|x| < 1.0$.

`scipy.special.obl_rad2(x1, x2, x3, x4[, out1, out2]) = <ufunc 'obl_rad2'>`

$(s,sp)=obl_rad2(m,n,c,x)$ computes the oblate spheroidal radial function of the second kind and its derivative (with respect to x) for mode parameters $m \geq 0$ and $n \geq m$, spheroidal parameter c and $|x| < 1.0$.

`scipy.special.pro_cv(x1, x2, x3[, out]) = <ufunc 'pro_cv'>`

$cv=pro_cv(m,n,c)$ computes the characteristic value of prolate spheroidal wave functions of order m,n ($n \geq m$) and spheroidal parameter c .

`scipy.special.obl_cv(x1, x2, x3[, out]) = <ufunc 'obl_cv'>`

$cv=obl_cv(m,n,c)$ computes the characteristic value of oblate spheroidal wave functions of order m,n ($n \geq m$) and spheroidal parameter c .

`scipy.special.pro_cv_seq(m, n, c)`

Compute a sequence of characteristic values for the prolate spheroidal wave functions for mode m and $n'=m..n$ and spheroidal parameter c .

`scipy.special.obl_cv_seq(m, n, c)`

Compute a sequence of characteristic values for the oblate spheroidal wave functions for mode m and $n'=m..n$ and spheroidal parameter c .

The following functions require pre-computed characteristic value:

<code>pro_ang1_cv(x1, x2, x3, x4, x5[, out1, out2])</code>	$(s,sp)=pro_ang1_cv(m,n,c,cv,x)$ computes the prolate spheroidal angular function
<code>pro_rad1_cv(x1, x2, x3, x4, x5[, out1, out2])</code>	$(s,sp)=pro_rad1_cv(m,n,c,cv,x)$ computes the prolate spheroidal radial function
<code>pro_rad2_cv(x1, x2, x3, x4, x5[, out1, out2])</code>	$(s,sp)=pro_rad2_cv(m,n,c,cv,x)$ computes the prolate spheroidal radial function
<code>obl_ang1_cv(x1, x2, x3, x4, x5[, out1, out2])</code>	$(s,sp)=obl_ang1_cv(m,n,c,cv,x)$ computes the oblate spheroidal angular function
<code>obl_rad1_cv(x1, x2, x3, x4, x5[, out1, out2])</code>	$(s,sp)=obl_rad1_cv(m,n,c,cv,x)$ computes the oblate spheroidal radial function
<code>obl_rad2_cv(x1, x2, x3, x4, x5[, out1, out2])</code>	$(s,sp)=obl_rad2_cv(m,n,c,cv,x)$ computes the oblate spheroidal radial function

`scipy.special.pro_ang1_cv(x1, x2, x3, x4, x5[, out1, out2]) = <ufunc 'pro_ang1_cv'>`

$(s,sp)=pro_ang1_cv(m,n,c,cv,x)$ computes the prolate spheroidal angular function of the first kind and its derivative (with respect to x) for mode parameters $m \geq 0$ and $n \geq m$, spheroidal parameter c and $|x| < 1.0$. Requires pre-computed characteristic value.

`scipy.special.pro_rad1_cv(x1, x2, x3, x4, x5[, out1, out2]) = <ufunc 'pro_rad1_cv'>`

$(s,sp)=pro_rad1_cv(m,n,c,cv,x)$ computes the prolate spheroidal radial function of the first kind and its derivative (with respect to x) for mode parameters $m \geq 0$ and $n \geq m$, spheroidal parameter c and $|x| < 1.0$. Requires pre-computed characteristic value.

`scipy.special.pro_rad2_cv(x1, x2, x3, x4, x5[, out1, out2]) = <ufunc 'pro_rad2_cv'>`

$(s,sp)=pro_rad2_cv(m,n,c,cv,x)$ computes the prolate spheroidal radial function of the second kind and its derivative (with respect to x) for mode parameters $m \geq 0$ and $n \geq m$, spheroidal parameter c and $|x| < 1.0$. Requires pre-computed characteristic value.

`scipy.special.obl_ang1_cv(x1, x2, x3, x4, x5[, out1, out2]) = <ufunc 'obl_ang1_cv'>`

$(s,sp)=obl_ang1_cv(m,n,c,cv,x)$ computes the oblate spheroidal angular function of the first kind and its derivative (with respect to x) for mode parameters $m \geq 0$ and $n \geq m$, spheroidal parameter c and $|x| < 1.0$. Requires pre-computed characteristic value.

`scipy.special.obl_rad1_cv(x1, x2, x3, x4, x5[, out1, out2]) = <ufunc 'obl_rad1_cv'>`

$(s,sp)=obl_rad1_cv(m,n,c,cv,x)$ computes the oblate spheroidal radial function of the first kind and its derivative (with respect to x) for mode parameters $m \geq 0$ and $n \geq m$, spheroidal parameter c and $|x| < 1.0$. Requires pre-computed characteristic value.

`scipy.special.obl_rad2_cv(x1, x2, x3, x4, x5[, out1, out2]) = <ufunc 'obl_rad2_cv'>`

$(s,sp)=obl_rad2_cv(m,n,c,cv,x)$ computes the oblate spheroidal radial function of the second kind and its derivative (with respect to x) for mode parameters $m \geq 0$ and $n \geq m$, spheroidal parameter c and $|x| < 1.0$. Requires pre-computed characteristic value.

Kelvin Functions

<code>kelvin(x[, out1, out2, out3, out4])</code>	(Be, Ke, Bep, Kep)=kelvin(x) returns the tuple (Be, Ke, Bep, Kep) which contains
<code>kelvin_zeros(nt)</code>	Compute nt zeros of all the Kelvin functions returned in a
<code>ber(x[, out])</code>	y=ber(x) returns the Kelvin function ber x
<code>bei(x[, out])</code>	y=bei(x) returns the Kelvin function bei x
<code>berp(x[, out])</code>	y=berp(x) returns the derivative of the Kelvin function ber x
<code>beip(x[, out])</code>	y=beip(x) returns the derivative of the Kelvin function bei x
<code>ker(x[, out])</code>	y=ker(x) returns the Kelvin function ker x
<code>kei(x[, out])</code>	y=kei(x) returns the Kelvin function kei x
<code>kerp(x[, out])</code>	y=kerp(x) returns the derivative of the Kelvin function ker x
<code>keip(x[, out])</code>	y=keip(x) returns the derivative of the Kelvin function kei x

`scipy.special.kelvin(x[, out1, out2, out3, out4]) = <ufunc 'kelvin'>`

(Be, Ke, Bep, Kep)=kelvin(x) returns the tuple (Be, Ke, Bep, Kep) which contains complex numbers representing the real and imaginary Kelvin functions and their derivatives evaluated at x. For example, kelvin(x)[0].real = ber x and kelvin(x)[0].imag = bei x with similar relationships for ker and kei.

`scipy.special.kelvin_zeros(nt)`

Compute nt zeros of all the Kelvin functions returned in a length 8 tuple of arrays of length nt. The tuple contains the arrays of zeros of (ber, bei, ker, kei, ber', bei', ker', kei')

`scipy.special.ber(x[, out]) = <ufunc 'ber'>`

y=ber(x) returns the Kelvin function ber x

`scipy.special.bei(x[, out]) = <ufunc 'bei'>`

y=bei(x) returns the Kelvin function bei x

`scipy.special.berp(x[, out]) = <ufunc 'berp'>`

y=berp(x) returns the derivative of the Kelvin function ber x

`scipy.special.beip(x[, out]) = <ufunc 'beip'>`

y=beip(x) returns the derivative of the Kelvin function bei x

`scipy.special.ker(x[, out]) = <ufunc 'ker'>`

y=ker(x) returns the Kelvin function ker x

`scipy.special.kei(x[, out]) = <ufunc 'kei'>`

y=kei(x) returns the Kelvin function kei x

`scipy.special.kerp(x[, out]) = <ufunc 'kerp'>`

y=kerp(x) returns the derivative of the Kelvin function ker x

`scipy.special.keip(x[, out]) = <ufunc 'keip'>`

y=keip(x) returns the derivative of the Kelvin function kei x

These are not universal functions:

<code>ber_zeros(nt)</code>	Compute nt zeros of the Kelvin function ber x
<code>bei_zeros(nt)</code>	Compute nt zeros of the Kelvin function bei x
<code>berp_zeros(nt)</code>	Compute nt zeros of the Kelvin function ber' x
<code>beip_zeros(nt)</code>	Compute nt zeros of the Kelvin function bei' x
<code>ker_zeros(nt)</code>	Compute nt zeros of the Kelvin function ker x
<code>kei_zeros(nt)</code>	Compute nt zeros of the Kelvin function kei x
<code>kerp_zeros(nt)</code>	Compute nt zeros of the Kelvin function ker' x
<code>keip_zeros(nt)</code>	Compute nt zeros of the Kelvin function kei' x

`scipy.special.ber_zeros` (*nt*)
 Compute *nt* zeros of the Kelvin function ber *x*

`scipy.special.bei_zeros` (*nt*)
 Compute *nt* zeros of the Kelvin function bei *x*

`scipy.special.berp_zeros` (*nt*)
 Compute *nt* zeros of the Kelvin function ber' *x*

`scipy.special.beip_zeros` (*nt*)
 Compute *nt* zeros of the Kelvin function bei' *x*

`scipy.special.ker_zeros` (*nt*)
 Compute *nt* zeros of the Kelvin function ker *x*

`scipy.special.kei_zeros` (*nt*)
 Compute *nt* zeros of the Kelvin function kei *x*

`scipy.special.kerp_zeros` (*nt*)
 Compute *nt* zeros of the Kelvin function ker' *x*

`scipy.special.keip_zeros` (*nt*)
 Compute *nt* zeros of the Kelvin function kei' *x*

Other Special Functions

<code>binom</code> (<i>n</i> , <i>k</i>)	Binomial coefficient
<code>expn</code> (<i>x1</i> , <i>x2</i> [, <i>out</i>])	$y = \text{expn}(n, x)$ returns the exponential integral for integer <i>n</i> and
<code>exp1</code> (<i>x</i> [, <i>out</i>])	$y = \text{exp1}(z)$ returns the exponential integral ($n=1$) of complex argument
<code>expi</code> (<i>x</i> [, <i>out</i>])	$y = \text{expi}(x)$ returns an exponential integral of argument <i>x</i> defined as
<code>shichi</code> (<i>x</i> [, <i>out1</i> , <i>out2</i>])	(<i>shi</i> , <i>chi</i>)= <code>shichi</code> (<i>x</i>) returns the hyperbolic sine and cosine integrals:
<code>sici</code> (<i>x</i> [, <i>out1</i> , <i>out2</i>])	(<i>si</i> , <i>ci</i>)= <code>sici</code> (<i>x</i>) returns in <i>si</i> the integral of the sinc function from 0 to <i>x</i> :
<code>spence</code> (...)	
<code>lambertw</code> (<i>z</i> [, <i>k</i> , <i>tol</i>])	Lambert W function [R332].
<code>zeta</code> (...)	
<code>zetac</code> (...[, <i>k</i>])	

`scipy.special.binom` (*n*, *k*) = <ufunc 'binom'>
 Binomial coefficient

`scipy.special.expn` (*x1*, *x2*[, *out*]) = <ufunc 'expn'>
 $y = \text{expn}(n, x)$ returns the exponential integral for integer *n* and non-negative *x* and *n*: $\text{integral}(\exp(-x^t) / t^{*n}, t=1..inf)$.

`scipy.special.exp1` (*x*[, *out*]) = <ufunc 'exp1'>
 $y = \text{exp1}(z)$ returns the exponential integral ($n=1$) of complex argument *z*: $\text{integral}(\exp(-z^t)/t, t=1..inf)$.

`scipy.special.expi` (*x*[, *out*]) = <ufunc 'expi'>
 $y = \text{expi}(x)$ returns an exponential integral of argument *x* defined as $\text{integral}(\exp(t)/t, t=-inf..x)$. See `expn` for a different exponential integral.

`scipy.special.shichi` (*x*[, *out1*, *out2*]) = <ufunc 'shichi'>
 (*shi*, *chi*)=`shichi`(*x*) returns the hyperbolic sine and cosine integrals: $\text{integral}(\sinh(t)/t, t=0..x)$ and $\text{eul} + \ln x + \text{integral}((\cosh(t)-1)/t, t=0..x)$ where *eul* is Euler's Constant.

`scipy.special.sici` (*x*[, *out1*, *out2*]) = <ufunc 'sici'>
 (*si*, *ci*)=`sici`(*x*) returns in *si* the integral of the sinc function from 0 to *x*: $\text{integral}(\sin(t)/t, t=0..x)$. It returns in *ci* the cosine integral: $\text{eul} + \ln x + \text{integral}((\cos(t) - 1)/t, t=0..x)$.

`scipy.special.spence` (x) returns the dilogarithm integral: $-\int_1^x \frac{\log t}{t-1} dt = \text{<ufunc 'spence'>}$

`scipy.special.lambertw` ($z, k=0, tol=1e-8$)
Lambert W function [R157].

The Lambert W function $W(z)$ is defined as the inverse function of $w * \exp(w)$. In other words, the value of $W(z)$ is such that $z = W(z) * \exp(W(z))$ for any complex number z .

The Lambert W function is a multivalued function with infinitely many branches. Each branch gives a separate solution of the equation $z = w * \exp(w)$. Here, the branches are indexed by the integer k .

Parameters

- z** : array_like
Input argument.
- k** : int, optional
Branch index.
- tol** : float, optional
Evaluation tolerance.

Returns

- w** : array
 w will have the same shape as z .

Notes

All branches are supported by `lambertw`:

- `lambertw(z)` gives the principal solution (branch 0)
- `lambertw(z, k)` gives the solution on branch k

The Lambert W function has two partially real branches: the principal branch ($k = 0$) is real for real $z > -1/e$, and the $k = -1$ branch is real for $-1/e < z < 0$. All branches except $k = 0$ have a logarithmic singularity at $z = 0$.

Possible issues

The evaluation can become inaccurate very close to the branch point at $-1/e$. In some corner cases, `lambertw` might currently fail to converge, or can end up on the wrong branch.

Algorithm

Halley's iteration is used to invert $w * \exp(w)$, using a first-order asymptotic approximation ($O(\log(w))$ or $O(w)$) as the initial estimate.

The definition, implementation and choice of branches is based on [R158].

References

[R157], [R158]

Examples

The Lambert W function is the inverse of $w * \exp(w)$:

```
>>> from scipy.special import lambertw
>>> w = lambertw(1)
>>> w
(0.56714329040978384+0j)
>>> w*exp(w)
(1.0+0j)
```

Any branch gives a valid inverse:

```
>>> w = lambertw(1, k=3)
>>> w
(-2.8535817554090377+17.113535539412148j)
>>> w*np.exp(w)
(1.0000000000000002+1.609823385706477e-15j)
```

Applications to equation-solving

The Lambert W function may be used to solve various kinds of equations, such as finding the value of the infinite power tower $z^{z^{z^{\dots}}}$:

```
>>> def tower(z, n):
...     if n == 0:
...         return z
...     return z ** tower(z, n-1)
...
>>> tower(0.5, 100)
0.641185744504986
>>> -lambertw(-np.log(0.5)) / np.log(0.5)
(0.64118574450498589+0j)
```

`scipy.special.zeta(x, q)` returns the Riemann zeta function of two arguments: $\sum_{k=0..inf} (k+q)**(-x)$, = <ufunc 'zeta'>

`scipy.special.zetac(x)` returns 1.0 - the Riemann zeta function: $\sum_{k=2..inf} (k**(-x))$, = <ufunc 'zetac'>

Convenience Functions

<code>cbrt(x[, out])</code>	<code>y=cbrt(x)</code> returns the real cube root of x.
<code>exp10(x[, out])</code>	<code>y=exp10(x)</code> returns 10 raised to the x power.
<code>exp2(x[, out])</code>	<code>y=exp2(x)</code> returns 2 raised to the x power.
<code>radian(x1, x2, x3[, out])</code>	<code>y=radian(d,m,s)</code> returns the angle given in (d)egrees, (m)inutes, and (s)econds in radians.
<code>cosdg(x[, out])</code>	<code>y=cosdg(x)</code> calculates the cosine of the angle x given in degrees.
<code>sindg(x[, out])</code>	<code>y=sindg(x)</code> calculates the sine of the angle x given in degrees.
<code>tandg(x[, out])</code>	<code>y=tandg(x)</code> calculates the tangent of the angle x given in degrees.
<code>cotdg(x[, out])</code>	<code>y=cotdg(x)</code> calculates the cotangent of the angle x given in degrees.
<code>log1p(x[, out])</code>	<code>y=log1p(x)</code> calculates $\log(1+x)$ for use when x is near zero.
<code>expm1(x[, out])</code>	<code>y=expm1(x)</code> calculates $\exp(x) - 1$ for use when x is near zero.
<code>cosm1(x[, out])</code>	<code>y=calculates $\cos(x) - 1$ for use when x is near zero.</code>
<code>round(x[, out])</code>	<code>y=Returns the nearest integer to x as a double precision</code>

`scipy.special.cbrt(x[, out])` = <ufunc 'cbrt'>
`y=cbrt(x)` returns the real cube root of x.

`scipy.special.exp10(x[, out])` = <ufunc 'exp10'>
`y=exp10(x)` returns 10 raised to the x power.

`scipy.special.exp2(x[, out])` = <ufunc 'exp2'>
`y=exp2(x)` returns 2 raised to the x power.

`scipy.special.radian(x1, x2, x3[, out])` = <ufunc 'radian'>
`y=radian(d,m,s)` returns the angle given in (d)egrees, (m)inutes, and (s)econds in radians.

`scipy.special.cosdg(x[, out])` = <ufunc 'cosdg'>

`y=cosdg(x)` calculates the cosine of the angle `x` given in degrees.

`scipy.special.sindg(x[, out]) = <ufunc 'sindg'>`

`y=sindg(x)` calculates the sine of the angle `x` given in degrees.

`scipy.special.tandg(x[, out]) = <ufunc 'tandg'>`

`y=tandg(x)` calculates the tangent of the angle `x` given in degrees.

`scipy.special.cotdg(x[, out]) = <ufunc 'cotdg'>`

`y=cotdg(x)` calculates the cotangent of the angle `x` given in degrees.

`scipy.special.log1p(x[, out]) = <ufunc 'log1p'>`

`y=log1p(x)` calculates $\log(1+x)$ for use when `x` is near zero.

`scipy.special.expm1(x[, out]) = <ufunc 'expm1'>`

`y=expm1(x)` calculates $\exp(x) - 1$ for use when `x` is near zero.

`scipy.special.cosm1(x[, out]) = <ufunc 'cosm1'>`

`y=calculates $\cos(x) - 1$ for use when x is near zero.`

`scipy.special.round(x[, out]) = <ufunc 'round'>`

`y=Returns the nearest integer to x as a double precision floating point result. If x ends in 0.5 exactly, the nearest even integer is chosen.`

5.28 Statistical functions (scipy.stats)

This module contains a large number of probability distributions as well as a growing library of statistical functions.

Each included distribution is an instance of the class `rv_continuous`: For each given name the following methods are available:

<code>rv_continuous([momtype, a, b, xa, xb, xtol, ...])</code>	A generic continuous random variable class meant for subclassing.
<code>rv_continuous.pdf(x, *args, **kwargs)</code>	Probability density function at <code>x</code> of the given RV.
<code>rv_continuous.logpdf(x, *args, **kwargs)</code>	Log of the probability density function at <code>x</code> of the given RV.
<code>rv_continuous.cdf(x, *args, **kwargs)</code>	Cumulative distribution function of the given RV.
<code>rv_continuous.logcdf(x, *args, **kwargs)</code>	Log of the cumulative distribution function at <code>x</code> of the given RV.
<code>rv_continuous.sf(x, *args, **kwargs)</code>	Survival function (1-cdf) at <code>x</code> of the given RV.
<code>rv_continuous.logsf(x, *args, **kwargs)</code>	Log of the survival function of the given RV.
<code>rv_continuous.ppf(q, *args, **kwargs)</code>	Percent point function (inverse of cdf) at <code>q</code> of the given RV.
<code>rv_continuous.isf(q, *args, **kwargs)</code>	Inverse survival function at <code>q</code> of the given RV.
<code>rv_continuous.moment(n, *args, **kwargs)</code>	<code>n</code> 'th order non-central moment of distribution.
<code>rv_continuous.stats(*args, **kwargs)</code>	Some statistics of the given RV
<code>rv_continuous.entropy(*args, **kwargs)</code>	Differential entropy of the RV.
<code>rv_continuous.fit(data, *args, **kwargs)</code>	Return MLEs for shape, location, and scale parameters from data.
<code>rv_continuous.expect([func, args, loc, ...])</code>	Calculate expected value of a function with respect to the distribution

```
class scipy.stats.rv_continuous (momtype=1, a=None, b=None, xa=None, xb=None, xtol=1e-14,
                                badvalue=None, name=None, longname=None, shapes=None,
                                extradoc=None)
```

A generic continuous random variable class meant for subclassing.

`rv_continuous` is a base class to construct specific distribution classes and instances from for continuous random variables. It cannot be used directly as a distribution.

Parameters `momtype` : int, optional

The type of generic moment calculation to use: 0 for pdf, 1 (default) for ppf.

- a** : float, optional
Lower bound of the support of the distribution, default is minus infinity.
- b** : float, optional
Upper bound of the support of the distribution, default is plus infinity.
- xa** : float, optional
DEPRECATED
- xb** : float, optional
DEPRECATED
- xtol** : float, optional
The tolerance for fixed point calculation for generic ppf.
- badvalue** : object, optional
The value in a result arrays that indicates a value that for which some argument restriction is violated, default is np.nan.
- name** : str, optional
The name of the instance. This string is used to construct the default example for distributions.
- longname** : str, optional
This string is used as part of the first line of the docstring returned when a subclass has no docstring of its own. Note: *longname* exists for backwards compatibility, do not use for new subclasses.
- shapes** : str, optional
The shape of the distribution. For example "m, n" for a distribution that takes two integers as the two shape arguments for all its methods.
- extradoc** : str, optional, deprecated
This string is used as the last part of the docstring returned when a subclass has no docstring of its own. Note: *extradoc* exists for backwards compatibility, do not use for new subclasses.

Notes

Methods that can be overwritten by subclasses

```

_rvs
_pdf
_cdf
_sf
_ppf
_isf
_stats
_munp
_entropy
_argcheck

```

There are additional (internal and private) generic methods that can be useful for cross-checking and for debugging, but might work in all cases when directly called.

Frozen Distribution

Alternatively, the object may be called (as a function) to fix the shape, location, and scale parameters returning a “frozen” continuous RV object:

rv = generic(<shape(s)>, loc=0, scale=1)

frozen RV object with the same methods but holding the given shape, location, and scale fixed

Subclassing

New random variables can be defined by subclassing `rv_continuous` class and re-defining at least the `_pdf` or the `_cdf` method (normalized to location 0 and scale 1) which will be given clean arguments (in between a and b) and passing the argument check method.

If positive argument checking is not correct for your RV then you will also need to re-define the `_argcheck` method.

Correct, but potentially slow defaults exist for the remaining methods but for speed and/or accuracy you can over-ride:

```
_logpdf, _cdf, _logcdf, _ppf, _rvs, _isf, _sf, _logsf
```

Rarely would you override `_isf`, `_sf` or `_logsf`, but you could.

Statistics are computed using numerical integration by default. For speed you can redefine this using `_stats`:

- take shape parameters and return mu, mu2, g1, g2
- If you can't compute one of these, return it as None
- Can also be defined with a keyword argument `moments=<str>`, where `<str>` is a string composed of 'm', 'v', 's', and/or 'k'. Only the components appearing in string should be computed and returned in the order 'm', 'v', 's', or 'k' with missing values returned as None.

Alternatively, you can override `_munp`, which takes `n` and shape parameters and returns the `n`th non-central moment of the distribution.

Examples

To create a new Gaussian distribution, we would do the following:

```
class gaussian_gen(rv_continuous):
    "Gaussian distribution"
    def _pdf:
        ...
    ...
```


Methods

<code>rvs(<shape(s)>, loc=0, scale=1, size=1)</code>	random variates
<code>pdf(x, <shape(s)>, loc=0, scale=1)</code>	probability density function
<code>logpdf(x, <shape(s)>, loc=0, scale=1)</code>	log of the probability density function
<code>cdf(x, <shape(s)>, loc=0, scale=1)</code>	cumulative density function
<code>logcdf(x, <shape(s)>, loc=0, scale=1)</code>	log of the cumulative density function
<code>sf(x, <shape(s)>, loc=0, scale=1)</code>	survival function (1-cdf — sometimes more accurate)
<code>logsf(x, <shape(s)>, loc=0, scale=1)</code>	log of the survival function
<code>ppf(q, <shape(s)>, loc=0, scale=1)</code>	percent point function (inverse of cdf — quantiles)
<code>isf(q, <shape(s)>, loc=0, scale=1)</code>	inverse survival function (inverse of sf)
<code>moment(n, <shape(s)>, loc=0, scale=1)</code>	non-central n-th moment of the distribution. May not work for array arguments.
<code>stats(<shape(s)>, loc=0, scale=1, moments='mv')</code>	mean('m'), variance('v'), skew('s'), and/or kurtosis('k')
<code>entropy(<shape(s)>, loc=0, scale=1)</code>	(differential) entropy of the RV.
<code>fit(data, <shape(s)>, loc=0, scale=1)</code>	Parameter estimates for generic data
<code>expect(func=None, args=(), loc=0, scale=1, lb=None, ub=None, conditional=False, **kwds)</code>	Expected value of a function with respect to the distribution. Additional kwd arguments passed to <code>integrate.quad</code>
<code>median(<shape(s)>, loc=0, scale=1)</code>	Median of the distribution.
<code>mean(<shape(s)>, loc=0, scale=1)</code>	Mean of the distribution.
<code>std(<shape(s)>, loc=0, scale=1)</code>	Standard deviation of the distribution.
<code>var(<shape(s)>, loc=0, scale=1)</code>	Variance of the distribution.
<code>interval(alpha, <shape(s)>, loc=0, scale=1)</code>	Interval that with <code>alpha</code> percent probability contains a random realization of this distribution.
<code>__call__(<shape(s)>, loc=0, scale=1)</code>	Calling a distribution instance creates a frozen RV object with the same methods but holding the given shape, location, and scale fixed. See Notes section.
Parameters for Methods	
<code>x</code>	(array_like) quantiles
<code>q</code>	(array_like) lower or upper tail probability
<code><shape(s)></code>	(array_like) shape parameters
<code>loc</code>	(array_like, optional) location parameter (default=0)
<code>scale</code>	(array_like, optional) scale parameter (default=1)
<code>size</code>	(int or tuple of ints, optional) shape of random variates (default computed from input arguments)
<code>moments</code>	(string, optional) composed of letters ['mvsk'] specifying which moments to compute where 'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')
<code>order</code>	(int) order of moment to calculate in method moments

`rv_continuous.pdf(x, *args, **kwargs)`

Probability density function at x of the given RV.

Parameters

- x** : array_like
quantiles
- arg1, arg2, arg3,...** : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information)
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)

Returns

- pdf** : ndarray
Probability density function evaluated at x

`rv_continuous.logpdf(x, *args, **kwargs)`

Log of the probability density function at x of the given RV.

This uses a more numerically accurate calculation if available.

Parameters

- x** : array_like
quantiles
- arg1, arg2, arg3,...** : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information)
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)

Returns

- logpdf** : array_like
Log of the probability density function evaluated at x

`rv_continuous.cdf(x, *args, **kwargs)`

Cumulative distribution function of the given RV.

Parameters

- x** : array_like
quantiles
- arg1, arg2, arg3,...** : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information)
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)

Returns

- cdf** : ndarray
Cumulative distribution function evaluated at x

`rv_continuous.logcdf(x, *args, **kwargs)`

Log of the cumulative distribution function at x of the given RV.

Parameters

- x** : array_like
quantiles
- arg1, arg2, arg3,...** : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information)
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)

Returns

- logcdf** : array_like

Log of the cumulative distribution function evaluated at x

`rv_continuous.sf(x, *args, **kws)`
Survival function (1-cdf) at x of the given RV.

Parameters

- x** : array_like
quantiles
- arg1, arg2, arg3,...** : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information)
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)

Returns

- sf** : array_like
Survival function evaluated at x

`rv_continuous.logsf(x, *args, **kws)`
Log of the survival function of the given RV.

Returns the log of the “survival function,” defined as $(1 - \text{cdf})$, evaluated at x .

Parameters

- x** : array_like
quantiles
- arg1, arg2, arg3,...** : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information)
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)

Returns

- logsf** : ndarray
Log of the survival function evaluated at x .

`rv_continuous.ppf(q, *args, **kws)`
Percent point function (inverse of cdf) at q of the given RV.

Parameters

- q** : array_like
lower tail probability
- arg1, arg2, arg3,...** : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information)
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)

Returns

- x** : array_like
quantile corresponding to the lower tail probability q .

`rv_continuous.isf(q, *args, **kws)`
Inverse survival function at q of the given RV.

Parameters

- q** : array_like
upper tail probability
- arg1, arg2, arg3,...** : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information)
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional

Returns **x** : ndarray or scalar
 scale parameter (default=1)
 Quantile corresponding to the upper tail probability q.

`rv_continuous.moment` (*n*, *args, **kwargs)
 n'th order non-central moment of distribution.

Parameters **n** : int, n>=1
 Order of moment.
arg1, arg2, arg3,... : float
 The shape parameter(s) for the distribution (see docstring of the instance object for more information).
kwargs : keyword arguments, optional
 These can include “loc” and “scale”, as well as other keyword arguments relevant for a given distribution.

`rv_continuous.stats` (*args, **kwargs)
 Some statistics of the given RV

Parameters **arg1, arg2, arg3,...** : array_like
 The shape parameter(s) for the distribution (see docstring of the instance object for more information)
loc : array_like, optional
 location parameter (default=0)
scale : array_like, optional
 scale parameter (default=1)
moments : str, optional
 composed of letters [‘mvsk’] defining which moments to compute: ‘m’ = mean, ‘v’ = variance, ‘s’ = (Fisher’s) skew, ‘k’ = (Fisher’s) kurtosis. (default=‘mv’)
Returns **stats** : sequence
 of requested moments.

`rv_continuous.entropy` (*args, **kwargs)
 Differential entropy of the RV.

Parameters **arg1, arg2, arg3,...** : array_like
 The shape parameter(s) for the distribution (see docstring of the instance object for more information).
loc : array_like, optional
 Location parameter (default=0).
scale : array_like, optional
 Scale parameter (default=1).

`rv_continuous.fit` (data, *args, **kwargs)
 Return MLEs for shape, location, and scale parameters from data.

MLE stands for Maximum Likelihood Estimate. Starting estimates for the fit are given by input arguments; for any arguments not provided with starting estimates, `self._fitstart`(data) is called to generate such.

One can hold some parameters fixed to specific values by passing in keyword arguments `f0`, `f1`, ..., `fn` (for shape parameters) and `floc` and `fscale` (for location and scale parameters, respectively).

Parameters **data** : array_like
 Data to use in calculating the MLEs.
args : floats, optional
 Starting value(s) for any shape-characterizing arguments (those not provided will be determined by a call to `_fitstart`(data)). No default value.
kwargs : floats, optional

Starting values for the location and scale parameters; no default. Special keyword arguments are recognized as holding certain parameters fixed:
 f0...fn : hold respective shape parameters fixed.
 floc : hold location parameter fixed to specified value.
 fscale : hold scale parameter fixed to specified value.

optimizer [The optimizer to use. The optimizer must take func,] and starting position as the first two arguments, plus args (for extra arguments to pass to the function to be optimized) and disp=0 to suppress output as keyword arguments.

Returns **shape, loc, scale** : tuple of floats
 MLEs for any shape statistics, followed by those for location and scale.

rv_continuous.**expect** (func=None, args=(), loc=0, scale=1, lb=None, ub=None, conditional=False, **kws)

Calculate expected value of a function with respect to the distribution

Location and scale only tested on a few examples.

Parameters **func** : callable, optional
 Function for which integral is calculated. Takes only one argument. The default is the identity mapping $f(x) = x$.

args : tuple, optional
 Argument (parameters) of the distribution.

lb, ub : scalar, optional
 Lower and upper bound for integration. default is set to the support of the distribution.

conditional : bool, optional
 If True, the integral is corrected by the conditional probability of the integration interval. The return value is the expectation of the function, conditional on being in the given interval. Default is False.

Returns **Additional keyword arguments are passed to the integration routine.** :
expected value : float

Notes

This function has not been checked for it's behavior when the integral is not finite. The integration behavior is inherited from integrate.quad.

Calling the instance as a function returns a frozen pdf whose shape, location, and scale parameters are fixed.

Similarly, each discrete distribution is an instance of the class rv_discrete:

rv_discrete([a, b, name, badvalue, ...])	A generic discrete random variable class meant for subclassing.
rv_discrete.rvs(*args, **kwargs)	Random variates of given type.
rv_discrete.pmf(k, *args, **kws)	Probability mass function at k of the given RV.
rv_discrete.logpmf(k, *args, **kws)	Log of the probability mass function at k of the given RV.
rv_discrete.cdf(k, *args, **kws)	Cumulative distribution function of the given RV.
rv_discrete.logcdf(k, *args, **kws)	Log of the cumulative distribution function at k of the given RV
rv_discrete.sf(k, *args, **kws)	Survival function (1-cdf) at k of the given RV.
rv_discrete.logsf(k, *args, **kws)	Log of the survival function of the given RV.
rv_discrete.ppf(q, *args, **kws)	Percent point function (inverse of cdf) at q of the given RV
rv_discrete.isf(q, *args, **kws)	Inverse survival function (1-sf) at q of the given RV.
rv_discrete.stats(*args, **kws)	Some statistics of the given discrete RV.
rv_discrete.moment(n, *args, **kws)	n'th non-central moment of the distribution
rv_discrete.entropy(*args, **kws)	
rv_discrete.expect([func, args, loc, lb, ...])	Calculate expected value of a function with respect to the distribution

class `scipy.stats.rv_discrete` (*a=0, b=inf, name=None, badvalue=None, moment_tol=1e-08, values=None, inc=1, longname=None, shapes=None, extradoc=None*)

A generic discrete random variable class meant for subclassing.

`rv_discrete` is a base class to construct specific distribution classes and instances from for discrete random variables. `rv_discrete` can be used to construct an arbitrary distribution with defined by a list of support points and the corresponding probabilities.

Parameters

- a** : float, optional
Lower bound of the support of the distribution, default: 0
- b** : float, optional
Upper bound of the support of the distribution, default: plus infinity
- moment_tol** : float, optional
The tolerance for the generic calculation of moments
- values** : tuple of two array_like
(*xk, pk*) where *xk* are points (integers) with positive probability *pk* with $\text{sum}(pk) = 1$
- inc** : integer
increment for the support of the distribution, default: 1 other values have not been tested
- badvalue** : object, optional
The value in (masked) arrays that indicates a value that should be ignored.
- name** : str, optional
The name of the instance. This string is used to construct the default example for distributions.
- longname** : str, optional
This string is used as part of the first line of the docstring returned when a subclass has no docstring of its own. Note: *longname* exists for backwards compatibility, do not use for new subclasses.
- shapes** : str, optional
The shape of the distribution. For example "m, n" for a distribution that takes two integers as the first two arguments for all its methods.
- extradoc** : str, optional
This string is used as the last part of the docstring returned when a subclass has no docstring of its own. Note: *extradoc* exists for backwards compatibility, do not use for new subclasses.

Notes

You can construct an arbitrary discrete rv where $P\{X=xk\} = pk$ by passing to the `rv_discrete` initialization method (through the `values=keyword`) a tuple of sequences (*xk, pk*) which describes only those values of *X* (*xk*) that occur with nonzero probability (*pk*).

To create a new discrete distribution, we would do the following:

```
class poisson_gen(rv_continuous):
    #"Poisson distribution"
    def _pmf(self, k, mu):
        ...
```

and create an instance:

```
poisson = poisson_gen(name="poisson", shapes="mu",
                      longname='A Poisson')
```

The docstring can be created from a template.

Alternatively, the object may be called (as a function) to fix the shape and location parameters returning a “frozen” discrete RV object:

```
myrv = generic(<shape(s)>, loc=0)
    - frozen RV object with the same methods but holding the given
      shape and location fixed.
```

Examples

Custom made discrete distribution:

```
>>> import matplotlib.pyplot as plt
>>> from scipy import stats
>>> xk = np.arange(7)
>>> pk = (0.1, 0.2, 0.3, 0.1, 0.1, 0.1, 0.1)
>>> custm = stats.rv_discrete(name='custm', values=(xk, pk))
>>> h = plt.plot(xk, custm.pmf(xk))
```

Random number generation:

```
>>> R = custm.rvs(size=100)
```

Display frozen pmf:

```
>>> numargs = generic.numargs
>>> [ <shape(s)> ] = ['Replace with reasonable value', ]*numargs
>>> rv = generic(<shape(s)>)
>>> x = np.arange(0, np.min(rv.dist.b, 3)+1)
>>> h = plt.plot(x, rv.pmf(x))
```

Here, `rv.dist.b` is the right endpoint of the support of `rv.dist`.

Check accuracy of cdf and ppf:

```
>>> prb = generic.cdf(x, <shape(s)>)
>>> h = plt.semilogy(np.abs(x-generic.ppf(prb, <shape(s)>))+1e-20)
```

Methods

<code>generic.rvs(<shape(s)>, loc=0, size=1)</code>	random variates
<code>generic.pmf(x, <shape(s)>, loc=0)</code>	probability mass function
<code>logpmf(x, <shape(s)>, loc=0)</code>	log of the probability density function
<code>generic.cdf(x, <shape(s)>, loc=0)</code>	cumulative density function
<code>generic.logcdf(x, <shape(s)>, loc=0)</code>	log of the cumulative density function
<code>generic.sf(x, <shape(s)>, loc=0)</code>	survival function (1-cdf — sometimes more accurate)
<code>generic.logsf(x, <shape(s)>, loc=0, scale=1)</code>	log of the survival function
<code>generic.ppf(q, <shape(s)>, loc=0)</code>	percent point function (inverse of cdf — percentiles)
<code>generic.isf(q, <shape(s)>, loc=0)</code>	inverse survival function (inverse of sf)
<code>generic.moment(n, <shape(s)>, loc=0)</code>	non-central n-th moment of the distribution. May not work for array arguments.
<code>generic.stats(<shape(s)>, loc=0, moments='mv')</code>	mean('m', axis=0), variance('v'), skew('s'), and/or kurtosis('k')
<code>generic.entropy(<shape(s)>, loc=0)</code>	entropy of the RV
<code>generic.expect(func=None, args=(), loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function with respect to the distribution. Additional kwd arguments passed to <code>integrate.quad</code>
<code>generic.median(<shape(s)>, loc=0)</code>	Median of the distribution.
<code>generic.mean(<shape(s)>, loc=0)</code>	Mean of the distribution.
<code>generic.std(<shape(s)>, loc=0)</code>	Standard deviation of the distribution.
<code>generic.var(<shape(s)>, loc=0)</code>	Variance of the distribution.
<code>generic.interval(alpha, <shape(s)>, loc=0)</code>	Interval that with <code>alpha</code> percent probability contains a random realization of this distribution.
<code>generic(<shape(s)>, loc=0)</code>	calling a distribution instance returns a frozen distribution

`rv_discrete.rvs (*args, **kwargs)`

Random variates of given type.

Parameters `arg1, arg2, arg3,...` : array_like
 The shape parameter(s) for the distribution (see docstring of the instance object for more information).
`loc` : array_like, optional
 Location parameter (default=0).
`size` : int or tuple of ints, optional
 Defining number of random variates (default=1). Note that `size` has to be given as keyword, not as positional argument.

Returns `rvs` : ndarray of scalar
 Random variates of given `size`.

`rv_discrete.pmf (k, *args, **kws)`

Probability mass function at k of the given RV.

Parameters `k` : array_like
 quantiles
`arg1, arg2, arg3,...` : array_like
 The shape parameter(s) for the distribution (see docstring of the instance object for more information)
`loc` : array_like, optional
 Location parameter (default=0).

Returns `pmf` : array_like
 Probability mass function evaluated at k

`rv_discrete.logpmf (k, *args, **kws)`

Log of the probability mass function at k of the given RV.

Parameters `k` : array_like
 Quantiles.

arg1, arg2, arg3,... : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information).

loc : array_like, optional
Location parameter. Default is 0.

Returns **logpmf** : array_like
Log of the probability mass function evaluated at k .

`rv_discrete.cdf(k, *args, **kwargs)`
Cumulative distribution function of the given RV.

Parameters **k** : array_like, int
Quantiles.

arg1, arg2, arg3,... : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information).

loc : array_like, optional
Location parameter (default=0).

Returns **cdf** : ndarray
Cumulative distribution function evaluated at k .

`rv_discrete.logcdf(k, *args, **kwargs)`
Log of the cumulative distribution function at k of the given RV

Parameters **k** : array_like, int
Quantiles.

arg1, arg2, arg3,... : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information).

loc : array_like, optional
Location parameter (default=0).

Returns **logcdf** : array_like
Log of the cumulative distribution function evaluated at k .

`rv_discrete.sf(k, *args, **kwargs)`
Survival function (1-cdf) at k of the given RV.

Parameters **k** : array_like
Quantiles.

arg1, arg2, arg3,... : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information).

loc : array_like, optional
Location parameter (default=0).

Returns **sf** : array_like
Survival function evaluated at k .

`rv_discrete.logsf(k, *args, **kwargs)`
Log of the survival function of the given RV.

Returns the log of the “survival function,” defined as $1 - \text{cdf}$, evaluated at k .

Parameters **k** : array_like
Quantiles.

arg1, arg2, arg3,... : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information).

loc : array_like, optional
Location parameter (default=0).

Returns **sf** : ndarray
Survival function evaluated at k .

`rv_discrete.ppf` (*q*, **args*, ***kws*)

Percent point function (inverse of cdf) at *q* of the given RV

Parameters

- q** : array_like
Lower tail probability.
- arg1, arg2, arg3,...** : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information).
- loc** : array_like, optional
Location parameter (default=0).
- scale** : array_like, optional
Scale parameter (default=1).

Returns

- k** : array_like
Quantile corresponding to the lower tail probability, *q*.

`rv_discrete.isf` (*q*, **args*, ***kws*)

Inverse survival function (1-sf) at *q* of the given RV.

Parameters

- q** : array_like
Upper tail probability.
- arg1, arg2, arg3,...** : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information).
- loc** : array_like, optional
Location parameter (default=0).

Returns

- k** : ndarray or scalar
Quantile corresponding to the upper tail probability, *q*.

`rv_discrete.stats` (**args*, ***kws*)

Some statistics of the given discrete RV.

Parameters

- arg1, arg2, arg3,...** : array_like
The shape parameter(s) for the distribution (see docstring of the instance object for more information).
- loc** : array_like, optional
Location parameter (default=0).
- moments** : string, optional
Composed of letters ['mvsk'] defining which moments to compute:
 - 'm' = mean.
 - 'v' = variance.
 - 's' = (Fisher's) skew.
 - 'k' = (Fisher's) kurtosis.

Returns

- stats** : sequence
The default is 'mv'.
of requested moments.

`rv_discrete.moment` (*n*, **args*, ***kws*)

n'th non-central moment of the distribution

Parameters

- n** : int, *n* >= 1
order of moment
- arg1, arg2, arg3,...** : float
The shape parameter(s) for the distribution (see docstring of the instance object for more information)
- loc** : float, optional
location parameter (default=0)
- scale** : float, optional
scale parameter (default=1)

`rv_discrete.entropy` (**args*, ***kws*)

`rv_discrete.expect` (*func=None, args=(), loc=0, lb=None, ub=None, conditional=False*)

Calculate expected value of a function with respect to the distribution for discrete distribution

Parameters

- fn** : function (default: identity mapping)
Function for which sum is calculated. Takes only one argument.
- args** : tuple
argument (parameters) of the distribution
- lb, ub** : numbers, optional
lower and upper bound for integration, default is set to the support of the distribution, lb and ub are inclusive ($ul \leq k \leq ub$)
- conditional** : bool, optional
Default is False. If true then the expectation is corrected by the conditional probability of the integration interval. The return value is the expectation of the function, conditional on being in the given interval (k such that $ul \leq k \leq ub$).

Returns

- expect** : float
Expected value.

Notes

- function is not vectorized
- accuracy: uses `self.moment_tol` as stopping criterium for heavy tailed distribution e.g. `zipf(4)`, accuracy for mean, variance in example is only $1e-5$, increasing precision (`moment_tol`) makes `zipf` very slow
- `suppmin=100` internal parameter for minimum number of points to evaluate could be added as keyword parameter, to evaluate functions with non-monotonic shapes, points include integers in `(-suppmin, suppmin)`
- uses `maxcount=1000` limits the number of points that are evaluated to break loop for infinite sums (a maximum of `suppmin+1000` positive plus `suppmin+1000` negative integers are evaluated)

5.28.1 Continuous distributions

<code>alpha</code>	An alpha continuous random variable.
<code>anglit</code>	An anglit continuous random variable.
<code>arcsine</code>	An arcsine continuous random variable.
<code>beta</code>	A beta continuous random variable.
<code>betaprime</code>	A beta prima continuous random variable.
<code>bradford</code>	A Bradford continuous random variable.
<code>burr</code>	A Burr continuous random variable.
<code>cauchy</code>	A Cauchy continuous random variable.
<code>chi</code>	A chi continuous random variable.
<code>chi2</code>	A chi-squared continuous random variable.
<code>cosine</code>	A cosine continuous random variable.
<code>dgamma</code>	A double gamma continuous random variable.
<code>dweibull</code>	A double Weibull continuous random variable.
<code>erlang</code>	An Erlang continuous random variable.
<code>expon</code>	An exponential continuous random variable.
<code>exponweib</code>	An exponentiated Weibull continuous random variable.
<code>exponpow</code>	An exponential power continuous random variable.
<code>f</code>	An F continuous random variable.
<code>fatiguelife</code>	A fatigue-life (Birnbaum-Sanders) continuous random variable.
<code>fisk</code>	A Fisk continuous random variable.
<code>foldcauchy</code>	A folded Cauchy continuous random variable.

Continued on next page

Table 5.216 – continued from previous page

foldnorm	A folded normal continuous random variable.
frechet_r	A Frechet right (or Weibull minimum) continuous random variable.
frechet_l	A Frechet left (or Weibull maximum) continuous random variable.
genlogistic	A generalized logistic continuous random variable.
genpareto	A generalized Pareto continuous random variable.
genexpon	A generalized exponential continuous random variable.
genextreme	A generalized extreme value continuous random variable.
gausshyper	A Gauss hypergeometric continuous random variable.
gamma	A gamma continuous random variable.
gengamma	A generalized gamma continuous random variable.
genhalflogistic	A generalized half-logistic continuous random variable.
gilbrat	A Gilbrat continuous random variable.
gompertz	A Gompertz (or truncated Gumbel) continuous random variable.
gumbel_r	A right-skewed Gumbel continuous random variable.
gumbel_l	A left-skewed Gumbel continuous random variable.
halfcauchy	A Half-Cauchy continuous random variable.
halflogistic	A half-logistic continuous random variable.
halfnorm	A half-normal continuous random variable.
hypsecant	A hyperbolic secant continuous random variable.
invgamma	An inverted gamma continuous random variable.
invgauss	An inverse Gaussian continuous random variable.
invweibull	An inverted Weibull continuous random variable.
johnsonsb	A Johnson SB continuous random variable.
johnsonsu	A Johnson SU continuous random variable.
ksone	General Kolmogorov-Smirnov one-sided test.
kstwobign	Kolmogorov-Smirnov two-sided test for large N.
laplace	A Laplace continuous random variable.
logistic	A logistic continuous random variable.
loggamma	A log gamma continuous random variable.
loglaplace	A log-Laplace continuous random variable.
lognorm	A lognormal continuous random variable.
lomax	A Lomax (Pareto of the second kind) continuous random variable.
maxwell	A Maxwell continuous random variable.
mielke	A Mielke’s Beta-Kappa continuous random variable.
nakagami	A Nakagami continuous random variable.
ncx2	A non-central chi-squared continuous random variable.
ncf	A non-central F distribution continuous random variable.
nct	A non-central Student’s T continuous random variable.
norm	A normal continuous random variable.
pareto	A Pareto continuous random variable.
pearson3	A pearson type III continuous random variable.
powerlaw	A power-function continuous random variable.
powerlognorm	A power log-normal continuous random variable.
powernorm	A power normal continuous random variable.
rdist	An R-distributed continuous random variable.
reciprocal	A reciprocal continuous random variable.
rayleigh	A Rayleigh continuous random variable.
rice	A Rice continuous random variable.
recipinvgauss	A reciprocal inverse Gaussian continuous random variable.
semicircular	A semicircular continuous random variable.

Continued on next page

Table 5.216 – continued from previous page

<code>t</code>	A Student's T continuous random variable.
<code>triang</code>	A triangular continuous random variable.
<code>truncexpon</code>	A truncated exponential continuous random variable.
<code>truncnorm</code>	A truncated normal continuous random variable.
<code>tukeylambd</code>	A Tukey-Lambda continuous random variable.
<code>uniform</code>	A uniform continuous random variable.
<code>vonmises</code>	A Von Mises continuous random variable.
<code>wald</code>	A Wald continuous random variable.
<code>weibull_min</code>	A Frechet right (or Weibull minimum) continuous random variable.
<code>weibull_max</code>	A Frechet left (or Weibull maximum) continuous random variable.
<code>wrapcauchy</code>	A wrapped Cauchy continuous random variable.

5.28.2 Discrete distributions

<code>bernoulli</code>	A Bernoulli discrete random variable.
<code>binom</code>	A binomial discrete random variable.
<code>boltzmann</code>	A Boltzmann (Truncated Discrete Exponential) random variable.
<code>dlaplace</code>	A Laplacian discrete random variable.
<code>geom</code>	A geometric discrete random variable.
<code>hypergeom</code>	A hypergeometric discrete random variable.
<code>logser</code>	A Logarithmic (Log-Series, Series) discrete random variable.
<code>nbinom</code>	A negative binomial discrete random variable.
<code>planck</code>	A Planck discrete exponential random variable.
<code>poisson</code>	A Poisson discrete random variable.
<code>randint</code>	A uniform discrete random variable.
<code>skellam</code>	A Skellam discrete random variable.
<code>zipf</code>	A Zipf discrete random variable.

`scipy.stats.bernoulli` = <scipy.stats.distributions.bernoulli_gen object at 0x4ad9910>
A Bernoulli discrete random variable.

Discrete random variables are defined from a standard form and may require some shape parameters to complete its specification. Any optional keyword parameters can be passed to the methods of the RV object as given below:

Parameters

- x** : array_like
quantiles
- q** : array_like
lower or upper tail probability
- p** : array_like
shape parameters
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)
- size** : int or tuple of ints, optional
shape of random variates (default computed from input arguments)
- moments** : str, optional
composed of letters ['mvsk'] specifying which moments to compute where 'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')

Alternatively, the object may be called (as a function) to fix the shape and location parameters returning a “frozen” discrete RV object :

`rv = bernoulli(p, loc=0) :`

- Frozen RV object with the same methods but holding the given shape and location fixed.

Notes

The probability mass function for `bernoulli` is:

$$\begin{aligned} \text{bernoulli.pmf}(k) &= 1-p && \text{if } k = 0 \\ &= p && \text{if } k = 1 \end{aligned}$$

for k in $\{0, 1\}$.

`bernoulli` takes p as shape parameter.

Examples

```
>>> from scipy.stats import bernoulli
>>> [ p ] = [<Replace with reasonable values>]
>>> rv = bernoulli(p)
```

Display frozen pmf

```
>>> x = np.arange(0, np.minimum(rv.dist.b, 3))
>>> h = plt.vlines(x, 0, rv.pmf(x), lw=2)
```

Here, `rv.dist.b` is the right endpoint of the support of `rv.dist`.

Check accuracy of cdf and ppf

```
>>> prb = bernoulli.cdf(x, p)
>>> h = plt.semilogy(np.abs(x - bernoulli.ppf(prb, p)) + 1e-20)
```

Random number generation

```
>>> R = bernoulli.rvs(p, size=100)
```

Methods

<code>rvs(p, loc=0, size=1)</code>	Random variates.
<code>pmf(x, p, loc=0)</code>	Probability mass function.
<code>logpmf(x, p, loc=0)</code>	Log of the probability mass function.
<code>cdf(x, p, loc=0)</code>	Cumulative density function.
<code>logcdf(x, p, loc=0)</code>	Log of the cumulative density function.
<code>sf(x, p, loc=0)</code>	Survival function (1-cdf — sometimes more accurate).
<code>logsf(x, p, loc=0)</code>	Log of the survival function.
<code>ppf(q, p, loc=0)</code>	Percent point function (inverse of cdf — percentiles).
<code>isf(q, p, loc=0)</code>	Inverse survival function (inverse of sf).
<code>stats(p, loc=0, moments='mv')</code>	Mean('m'), variance('v'), skew('s'), and/or kurtosis('k').
<code>entropy(p, loc=0)</code>	(Differential) entropy of the RV.
<code>expect(func, p, loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function (of one argument) with respect to the distribution.
<code>median(p, loc=0)</code>	Median of the distribution.
<code>mean(p, loc=0)</code>	Mean of the distribution.
<code>var(p, loc=0)</code>	Variance of the distribution.
<code>std(p, loc=0)</code>	Standard deviation of the distribution.
<code>interval(alpha, p, loc=0)</code>	Endpoints of the range that contains alpha percent of the distribution

`scipy.stats.binom` = <scipy.stats.distributions.binom_gen object at 0x4ad9710>

A binomial discrete random variable.

Discrete random variables are defined from a standard form and may require some shape parameters to complete its specification. Any optional keyword parameters can be passed to the methods of the RV object as given below:

Parameters

- x** : array_like
quantiles
- q** : array_like
lower or upper tail probability
- n, p** : array_like
shape parameters
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)
- size** : int or tuple of ints, optional
shape of random variates (default computed from input arguments)
- moments** : str, optional
composed of letters ['mvsk'] specifying which moments to compute where 'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')

Alternatively, the object may be called (as a function) to fix the shape and : location parameters returning a “frozen” discrete RV object :

rv = binom(n, p, loc=0) :

- Frozen RV object with the same methods but holding the given shape and location fixed.

Notes

The probability mass function for `binom` is:

$$\text{binom.pmf}(k) = \text{choose}(n, k) * p^{**k} * (1-p)^{**(n-k)}$$

for k in $\{0, 1, \dots, n\}$.

`binom` takes n and p as shape parameters.

Examples

```
>>> from scipy.stats import binom
>>> [ n, p ] = [<Replace with reasonable values>]
>>> rv = binom(n, p)
```

Display frozen pmf

```
>>> x = np.arange(0, np.minimum(rv.dist.b, 3))
>>> h = plt.vlines(x, 0, rv.pmf(x), lw=2)
```

Here, `rv.dist.b` is the right endpoint of the support of `rv.dist`.

Check accuracy of cdf and ppf

```
>>> prb = binom.cdf(x, n, p)
>>> h = plt.semilogy(np.abs(x - binom.ppf(prb, n, p)) + 1e-20)
```

Random number generation

```
>>> R = binom.rvs(n, p, size=100)
```

Methods

<code>rvs(n, p, loc=0, size=1)</code>	Random variates.
<code>pmf(x, n, p, loc=0)</code>	Probability mass function.
<code>logpmf(x, n, p, loc=0)</code>	Log of the probability mass function.
<code>cdf(x, n, p, loc=0)</code>	Cumulative density function.
<code>logcdf(x, n, p, loc=0)</code>	Log of the cumulative density function.
<code>sf(x, n, p, loc=0)</code>	Survival function (1-cdf — sometimes more accurate).
<code>logsf(x, n, p, loc=0)</code>	Log of the survival function.
<code>ppf(q, n, p, loc=0)</code>	Percent point function (inverse of cdf — percentiles).
<code>isf(q, n, p, loc=0)</code>	Inverse survival function (inverse of sf).
<code>stats(n, p, loc=0, moments='mv')</code>	Mean('m'), variance('v'), skew('s'), and/or kurtosis('k').
<code>entropy(n, p, loc=0)</code>	(Differential) entropy of the RV.
<code>expect(func, n, p, loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function (of one argument) with respect to the distribution.
<code>median(n, p, loc=0)</code>	Median of the distribution.
<code>mean(n, p, loc=0)</code>	Mean of the distribution.
<code>var(n, p, loc=0)</code>	Variance of the distribution.
<code>std(n, p, loc=0)</code>	Standard deviation of the distribution.
<code>interval(alpha, n, p, loc=0)</code>	Endpoints of the range that contains alpha percent of the distribution

`scipy.stats.boltzmann` = <scipy.stats.distributions.boltzmann_gen object at 0x4ae16d0>

A Boltzmann (Truncated Discrete Exponential) random variable.

Discrete random variables are defined from a standard form and may require some shape parameters to complete its specification. Any optional keyword parameters can be passed to the methods of the RV object as given below:

Parameters

- x** : array_like
quantiles
- q** : array_like
lower or upper tail probability
- lamda, N** : array_like
shape parameters
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)
- size** : int or tuple of ints, optional
shape of random variates (default computed from input arguments)
- moments** : str, optional
composed of letters ['mvsk'] specifying which moments to compute where 'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')

Alternatively, the object may be called (as a function) to fix the shape and location parameters returning a “frozen” discrete RV object :

rv = boltzmann(lamda, N, loc=0) :

- Frozen RV object with the same methods but holding the given shape and location fixed.

Notes

The probability mass function for `boltzmann` is:

$$\text{boltzmann.pmf}(k) = (1 - \exp(-\text{lambda})) \exp(-\text{lambda} * k) / (1 - \exp(-\text{lambda} * N))$$

for $k = 0, \dots, N-1$.

`boltzmann` takes `lambda` and `N` as shape parameters.

Examples

```
>>> from scipy.stats import boltzmann
>>> [ lamda, N ] = [<Replace with reasonable values>]
>>> rv = boltzmann(lamda, N)
```

Display frozen pmf

```
>>> x = np.arange(0, np.minimum(rv.dist.b, 3))
>>> h = plt.vlines(x, 0, rv.pmf(x), lw=2)
```

Here, `rv.dist.b` is the right endpoint of the support of `rv.dist`.

Check accuracy of cdf and ppf

```
>>> prb = boltzmann.cdf(x, lamda, N)
>>> h = plt.semilogy(np.abs(x - boltzmann.ppf(prb, lamda, N)) + 1e-20)
```

Random number generation

```
>>> R = boltzmann.rvs(lamda, N, size=100)
```

Methods

<code>rvs(lamda, N, loc=0, size=1)</code>	Random variates.
<code>pmf(x, lamda, N, loc=0)</code>	Probability mass function.
<code>logpmf(x, lamda, N, loc=0)</code>	Log of the probability mass function.
<code>cdf(x, lamda, N, loc=0)</code>	Cumulative density function.
<code>logcdf(x, lamda, N, loc=0)</code>	Log of the cumulative density function.
<code>sf(x, lamda, N, loc=0)</code>	Survival function (1-cdf — sometimes more accurate).
<code>logsf(x, lamda, N, loc=0)</code>	Log of the survival function.
<code>ppf(q, lamda, N, loc=0)</code>	Percent point function (inverse of cdf — percentiles).
<code>isf(q, lamda, N, loc=0)</code>	Inverse survival function (inverse of sf).
<code>stats(lamda, N, loc=0, moments='mv')</code>	Mean('m'), variance('v'), skew('s'), and/or kurtosis('k').
<code>entropy(lamda, N, loc=0)</code>	(Differential) entropy of the RV.
<code>expect(func, lamda, N, loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function (of one argument) with respect to the distribution.
<code>median(lamda, N, loc=0)</code>	Median of the distribution.
<code>mean(lamda, N, loc=0)</code>	Mean of the distribution.
<code>var(lamda, N, loc=0)</code>	Variance of the distribution.
<code>std(lamda, N, loc=0)</code>	Standard deviation of the distribution.
<code>interval(alpha, lamda, N, loc=0)</code>	Endpoints of the range that contains alpha percent of the distribution

`scipy.stats.dlaplace = <scipy.stats.distributions.dlaplace_gen object at 0x4ae1b90>`

A Laplacian discrete random variable.

Discrete random variables are defined from a standard form and may require some shape parameters to complete its specification. Any optional keyword parameters can be passed to the methods of the RV object as given below:

Parameters

- x** : array_like
quantiles
- q** : array_like
lower or upper tail probability
- a** : array_like
shape parameters
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)
- size** : int or tuple of ints, optional
shape of random variates (default computed from input arguments)
- moments** : str, optional
composed of letters ['mvsk'] specifying which moments to compute where 'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')

Alternatively, the object may be called (as a function) to fix the shape and location parameters returning a “frozen” discrete RV object :

rv = dlaplace(a, loc=0) :

- Frozen RV object with the same methods but holding the given shape and location fixed.

Notes

The probability mass function for `dlaplace` is:

$$\text{dlaplace.pmf}(k) = \tanh(a/2) * \exp(-a*abs(k))$$

for $a > 0$.

`dlaplace` takes a as shape parameter.

Examples

```
>>> from scipy.stats import dlaplace
>>> [ a ] = [<Replace with reasonable values>]
>>> rv = dlaplace(a)
```

Display frozen pmf

```
>>> x = np.arange(0, np.minimum(rv.dist.b, 3))
>>> h = plt.vlines(x, 0, rv.pmf(x), lw=2)
```

Here, `rv.dist.b` is the right endpoint of the support of `rv.dist`.

Check accuracy of cdf and ppf

```
>>> prb = dlaplace.cdf(x, a)
>>> h = plt.semilogy(np.abs(x - dlaplace.ppf(prb, a)) + 1e-20)
```

Random number generation

```
>>> R = dlaplace.rvs(a, size=100)
```

Methods

<code>rvs(a, loc=0, size=1)</code>	Random variates.
<code>pmf(x, a, loc=0)</code>	Probability mass function.
<code>logpmf(x, a, loc=0)</code>	Log of the probability mass function.
<code>cdf(x, a, loc=0)</code>	Cumulative density function.
<code>logcdf(x, a, loc=0)</code>	Log of the cumulative density function.
<code>sf(x, a, loc=0)</code>	Survival function (1-cdf — sometimes more accurate).
<code>logsf(x, a, loc=0)</code>	Log of the survival function.
<code>ppf(q, a, loc=0)</code>	Percent point function (inverse of cdf — percentiles).
<code>isf(q, a, loc=0)</code>	Inverse survival function (inverse of sf).
<code>stats(a, loc=0, moments='mv')</code>	Mean('m'), variance('v'), skew('s'), and/or kurtosis('k').
<code>entropy(a, loc=0)</code>	(Differential) entropy of the RV.
<code>expect(func, a, loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function (of one argument) with respect to the distribution.
<code>median(a, loc=0)</code>	Median of the distribution.
<code>mean(a, loc=0)</code>	Mean of the distribution.
<code>var(a, loc=0)</code>	Variance of the distribution.
<code>std(a, loc=0)</code>	Standard deviation of the distribution.
<code>interval(alpha, a, loc=0)</code>	Endpoints of the range that contains alpha percent of the distribution

`scipy.stats.geom` = <scipy.stats.distributions.geom_gen object at 0x4ad9a90>

A geometric discrete random variable.

Discrete random variables are defined from a standard form and may require some shape parameters to complete its specification. Any optional keyword parameters can be passed to the methods of the RV object as given below:

Parameters

- x** : array_like
quantiles
- q** : array_like
lower or upper tail probability
- p** : array_like
shape parameters
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)
- size** : int or tuple of ints, optional
shape of random variates (default computed from input arguments)
- moments** : str, optional
composed of letters ['mvsk'] specifying which moments to compute where 'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')

Alternatively, the object may be called (as a function) to fix the shape and location parameters returning a “frozen” discrete RV object :

rv = geom(p, loc=0) :

- Frozen RV object with the same methods but holding the given shape and location fixed.

Notes

The probability mass function for `geom` is:

$$\text{geom.pmf}(k) = (1-p)^{k-1} * p$$

for $k \geq 1$.

`geom` takes `p` as shape parameter.

Examples

```
>>> from scipy.stats import geom
>>> [ p ] = [<Replace with reasonable values>]
>>> rv = geom(p)
```

Display frozen pmf

```
>>> x = np.arange(0, np.minimum(rv.dist.b, 3))
>>> h = plt.vlines(x, 0, rv.pmf(x), lw=2)
```

Here, `rv.dist.b` is the right endpoint of the support of `rv.dist`.

Check accuracy of cdf and ppf

```
>>> prb = geom.cdf(x, p)
>>> h = plt.semilogy(np.abs(x - geom.ppf(prb, p)) + 1e-20)
```

Random number generation

```
>>> R = geom.rvs(p, size=100)
```

Methods

<code>rvs(p, loc=0, size=1)</code>	Random variates.
<code>pmf(x, p, loc=0)</code>	Probability mass function.
<code>logpmf(x, p, loc=0)</code>	Log of the probability mass function.
<code>cdf(x, p, loc=0)</code>	Cumulative density function.
<code>logcdf(x, p, loc=0)</code>	Log of the cumulative density function.
<code>sf(x, p, loc=0)</code>	Survival function (1-cdf — sometimes more accurate).
<code>logsf(x, p, loc=0)</code>	Log of the survival function.
<code>ppf(q, p, loc=0)</code>	Percent point function (inverse of cdf — percentiles).
<code>isf(q, p, loc=0)</code>	Inverse survival function (inverse of sf).
<code>stats(p, loc=0, moments='mv')</code>	Mean('m'), variance('v'), skew('s'), and/or kurtosis('k').
<code>entropy(p, loc=0)</code>	(Differential) entropy of the RV.
<code>expect(func, p, loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function (of one argument) with respect to the distribution.
<code>median(p, loc=0)</code>	Median of the distribution.
<code>mean(p, loc=0)</code>	Mean of the distribution.
<code>var(p, loc=0)</code>	Variance of the distribution.
<code>std(p, loc=0)</code>	Standard deviation of the distribution.
<code>interval(alpha, p, loc=0)</code>	Endpoints of the range that contains alpha percent of the distribution

```
scipy.stats.hypergeom = <scipy.stats.distributions.hypergeom_gen object at 0x4ad9ad0>
```

A hypergeometric discrete random variable.

The hypergeometric distribution models drawing objects from a bin. M is the total number of objects, n is total number of Type I objects. The random variate represents the number of Type I objects in N drawn without replacement from the total population.

Discrete random variables are defined from a standard form and may require some shape parameters to complete its specification. Any optional keyword parameters can be passed to the methods of the RV object as given below:

Parameters

- x** : array_like
quantiles
- q** : array_like
lower or upper tail probability
- M, n, N** : array_like
shape parameters
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)
- size** : int or tuple of ints, optional
shape of random variates (default computed from input arguments)
- moments** : str, optional
composed of letters ['mvsk'] specifying which moments to compute where
'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')

**Alternatively, the object may be called (as a function) to fix the shape and :
location parameters returning a “frozen” discrete RV object: :**

```
rv = hypergeom(M, n, N, loc=0) :
```

- Frozen RV object with the same methods but holding the given shape and location fixed.

Notes

The probability mass function is defined as:

$$\text{pmf}(k, M, n, N) = \text{choose}(n, k) * \text{choose}(M - n, N - k) / \text{choose}(M, N),$$

for $N - (M-n) \leq k \leq \min(m, N)$

Examples

```
>>> from scipy.stats import hypergeom
```

Suppose we have a collection of 20 animals, of which 7 are dogs. Then if we want to know the probability of finding a given number of dogs if we choose at random 12 of the 20 animals, we can initialize a frozen distribution and plot the probability mass function:

```
>>> [M, n, N] = [20, 7, 12]
>>> rv = hypergeom(M, n, N)
>>> x = np.arange(0, n+1)
>>> pmf_dogs = rv.pmf(x)

>>> fig = plt.figure()
>>> ax = fig.add_subplot(111)
>>> ax.plot(x, pmf_dogs, 'bo')
>>> ax.vlines(x, 0, pmf_dogs, lw=2)
>>> ax.set_xlabel('# of dogs in our group of chosen animals')
>>> ax.set_ylabel('hypergeom PMF')
>>> plt.show()
```

Instead of using a frozen distribution we can also use `hypergeom` methods directly. To for example obtain the cumulative distribution function, use:

```
>>> prb = hypergeom.cdf(x, M, n, N)
```

And to generate random numbers:

```
>>> R = hypergeom.rvs(M, n, N, size=10)
```

Methods

<code>rvs(M, n, N, loc=0, size=1)</code>	Random variates.
<code>pmf(x, M, n, N, loc=0)</code>	Probability mass function.
<code>logpmf(x, M, n, N, loc=0)</code>	Log of the probability mass function.
<code>cdf(x, M, n, N, loc=0)</code>	Cumulative density function.
<code>logcdf(x, M, n, N, loc=0)</code>	Log of the cumulative density function.
<code>sf(x, M, n, N, loc=0)</code>	Survival function (1-cdf — sometimes more accurate).
<code>logsf(x, M, n, N, loc=0)</code>	Log of the survival function.
<code>ppf(q, M, n, N, loc=0)</code>	Percent point function (inverse of cdf — percentiles).
<code>isf(q, M, n, N, loc=0)</code>	Inverse survival function (inverse of sf).
<code>stats(M, n, N, loc=0, moments='mv')</code>	Mean('m'), variance('v'), skew('s'), and/or kurtosis('k').
<code>entropy(M, n, N, loc=0)</code>	(Differential) entropy of the RV.
<code>expect(func, M, n, N, loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function (of one argument) with respect to the distribution.
<code>median(M, n, N, loc=0)</code>	Median of the distribution.
<code>mean(M, n, N, loc=0)</code>	Mean of the distribution.
<code>var(M, n, N, loc=0)</code>	Variance of the distribution.
<code>std(M, n, N, loc=0)</code>	Standard deviation of the distribution.
<code>interval(alpha, M, n, N, loc=0)</code>	Endpoints of the range that contains alpha percent of the distribution

`scipy.stats.logser = <scipy.stats.distributions.logser_gen object at 0x4ad9990>`

A Logarithmic (Log-Series, Series) discrete random variable.

Discrete random variables are defined from a standard form and may require some shape parameters to complete its specification. Any optional keyword parameters can be passed to the methods of the RV object as given below:

Parameters

- x** : array_like
quantiles
- q** : array_like
lower or upper tail probability
- p** : array_like
shape parameters
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)
- size** : int or tuple of ints, optional
shape of random variates (default computed from input arguments)
- moments** : str, optional
composed of letters ['mvsk'] specifying which moments to compute where 'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')

Alternatively, the object may be called (as a function) to fix the shape and : location parameters returning a “frozen” discrete RV object :

rv = logser(p, loc=0) :

- Frozen RV object with the same methods but holding the given shape and location fixed.

Notes

The probability mass function for `logser` is:

```
logser.pmf(k) = - p**k / (k*log(1-p))
```

for $k \geq 1$.

`logser` takes `p` as shape parameter.

Examples

```
>>> from scipy.stats import logser
>>> [ p ] = [<Replace with reasonable values>]
>>> rv = logser(p)
```

Display frozen pmf

```
>>> x = np.arange(0, np.minimum(rv.dist.b, 3))
>>> h = plt.vlines(x, 0, rv.pmf(x), lw=2)
```

Here, `rv.dist.b` is the right endpoint of the support of `rv.dist`.

Check accuracy of cdf and ppf

```
>>> prb = logser.cdf(x, p)
>>> h = plt.semilogy(np.abs(x - logser.ppf(prb, p)) + 1e-20)
```

Random number generation

```
>>> R = logser.rvs(p, size=100)
```

Methods

<code>rvs(p, loc=0, size=1)</code>	Random variates.
<code>pmf(x, p, loc=0)</code>	Probability mass function.
<code>logpmf(x, p, loc=0)</code>	Log of the probability mass function.
<code>cdf(x, p, loc=0)</code>	Cumulative density function.
<code>logcdf(x, p, loc=0)</code>	Log of the cumulative density function.
<code>sf(x, p, loc=0)</code>	Survival function (1-cdf — sometimes more accurate).
<code>logsf(x, p, loc=0)</code>	Log of the survival function.
<code>ppf(q, p, loc=0)</code>	Percent point function (inverse of cdf — percentiles).
<code>isf(q, p, loc=0)</code>	Inverse survival function (inverse of sf).
<code>stats(p, loc=0, moments='mv')</code>	Mean('m'), variance('v'), skew('s'), and/or kurtosis('k').
<code>entropy(p, loc=0)</code>	(Differential) entropy of the RV.
<code>expect(func, p, loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function (of one argument) with respect to the distribution.
<code>median(p, loc=0)</code>	Median of the distribution.
<code>mean(p, loc=0)</code>	Mean of the distribution.
<code>var(p, loc=0)</code>	Variance of the distribution.
<code>std(p, loc=0)</code>	Standard deviation of the distribution.
<code>interval(alpha, p, loc=0)</code>	Endpoints of the range that contains alpha percent of the distribution

`scipy.stats.nbinom` = <scipy.stats.distributions.nbinom_gen object at 0x4ad9d90>

A negative binomial discrete random variable.

Discrete random variables are defined from a standard form and may require some shape parameters to complete its specification. Any optional keyword parameters can be passed to the methods of the RV object as given below:

Parameters

- x** : array_like
quantiles
- q** : array_like
lower or upper tail probability
- n, p** : array_like
shape parameters
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)
- size** : int or tuple of ints, optional
shape of random variates (default computed from input arguments)
- moments** : str, optional
composed of letters ['mvsk'] specifying which moments to compute where
'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')

Alternatively, the object may be called (as a function) to fix the shape and location parameters returning a “frozen” discrete RV object :

rv = nbinom(n, p, loc=0) :

- Frozen RV object with the same methods but holding the given shape and location fixed.

Notes

The probability mass function for `nbinom` is:

$$\text{nbinom.pmf}(k) = \text{choose}(k+n-1, n-1) * p^{**n} * (1-p)^{**k}$$

for $k \geq 0$.

`nbinom` takes `n` and `p` as shape parameters.

Examples

```
>>> from scipy.stats import nbinom
>>> [ n, p ] = [<Replace with reasonable values>]
>>> rv = nbinom(n, p)
```

Display frozen pmf

```
>>> x = np.arange(0, np.minimum(rv.dist.b, 3))
>>> h = plt.vlines(x, 0, rv.pmf(x), lw=2)
```

Here, `rv.dist.b` is the right endpoint of the support of `rv.dist`.

Check accuracy of cdf and ppf

```
>>> prb = nbinom.cdf(x, n, p)
>>> h = plt.semilogy(np.abs(x - nbinom.ppf(prb, n, p)) + 1e-20)
```

Random number generation

```
>>> R = nbinom.rvs(n, p, size=100)
```

Methods

<code>rvs(n, p, loc=0, size=1)</code>	Random variates.
<code>pmf(x, n, p, loc=0)</code>	Probability mass function.
<code>logpmf(x, n, p, loc=0)</code>	Log of the probability mass function.
<code>cdf(x, n, p, loc=0)</code>	Cumulative density function.
<code>logcdf(x, n, p, loc=0)</code>	Log of the cumulative density function.
<code>sf(x, n, p, loc=0)</code>	Survival function (1-cdf — sometimes more accurate).
<code>logsf(x, n, p, loc=0)</code>	Log of the survival function.
<code>ppf(q, n, p, loc=0)</code>	Percent point function (inverse of cdf — percentiles).
<code>isf(q, n, p, loc=0)</code>	Inverse survival function (inverse of sf).
<code>stats(n, p, loc=0, moments='mv')</code>	Mean('m'), variance('v'), skew('s'), and/or kurtosis('k').
<code>entropy(n, p, loc=0)</code>	(Differential) entropy of the RV.
<code>expect(func, n, p, loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function (of one argument) with respect to the distribution.
<code>median(n, p, loc=0)</code>	Median of the distribution.
<code>mean(n, p, loc=0)</code>	Mean of the distribution.
<code>var(n, p, loc=0)</code>	Variance of the distribution.
<code>std(n, p, loc=0)</code>	Standard deviation of the distribution.
<code>interval(alpha, n, p, loc=0)</code>	Endpoints of the range that contains alpha percent of the distribution

`scipy.stats.planck = <scipy.stats.distributions.planck_gen object at 0x4ae10d0>`

A Planck discrete exponential random variable.

Discrete random variables are defined from a standard form and may require some shape parameters to complete its specification. Any optional keyword parameters can be passed to the methods of the RV object as given below:

Parameters

- x** : array_like
quantiles
- q** : array_like
lower or upper tail probability
- lamda** : array_like
shape parameters
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)
- size** : int or tuple of ints, optional
shape of random variates (default computed from input arguments)
- moments** : str, optional
composed of letters ['mvsk'] specifying which moments to compute where 'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')

Alternatively, the object may be called (as a function) to fix the shape and :

location parameters returning a “frozen” discrete RV object: :

rv = planck(lamda, loc=0) :

- Frozen RV object with the same methods but holding the given shape and location fixed.

Notes

The probability mass function for `planck` is:


```
planck.pmf(k) = (1-exp(-lambda))*exp(-lambda*k)
```

for $k \cdot \text{lambda} \geq 0$.

`planck` takes `lambda` as shape parameter.

Examples

```
>>> from scipy.stats import planck
>>> [ lamda ] = [<Replace with reasonable values>]
>>> rv = planck(lamda)
```

Display frozen pmf

```
>>> x = np.arange(0, np.minimum(rv.dist.b, 3))
>>> h = plt.vlines(x, 0, rv.pmf(x), lw=2)
```

Here, `rv.dist.b` is the right endpoint of the support of `rv.dist`.

Check accuracy of cdf and ppf

```
>>> prb = planck.cdf(x, lamda)
>>> h = plt.semilogy(np.abs(x - planck.ppf(prb, lamda)) + 1e-20)
```

Random number generation

```
>>> R = planck.rvs(lamda, size=100)
```

Methods

<code>rvs(lamda, loc=0, size=1)</code>	Random variates.
<code>pmf(x, lamda, loc=0)</code>	Probability mass function.
<code>logpmf(x, lamda, loc=0)</code>	Log of the probability mass function.
<code>cdf(x, lamda, loc=0)</code>	Cumulative density function.
<code>logcdf(x, lamda, loc=0)</code>	Log of the cumulative density function.
<code>sf(x, lamda, loc=0)</code>	Survival function (1-cdf — sometimes more accurate).
<code>logsf(x, lamda, loc=0)</code>	Log of the survival function.
<code>ppf(q, lamda, loc=0)</code>	Percent point function (inverse of cdf — percentiles).
<code>isf(q, lamda, loc=0)</code>	Inverse survival function (inverse of sf).
<code>stats(lamda, loc=0, moments='mv')</code>	Mean('m'), variance('v'), skew('s'), and/or kurtosis('k').
<code>entropy(lamda, loc=0)</code>	(Differential) entropy of the RV.
<code>expect(func, lamda, loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function (of one argument) with respect to the distribution.
<code>median(lamda, loc=0)</code>	Median of the distribution.
<code>mean(lamda, loc=0)</code>	Mean of the distribution.
<code>var(lamda, loc=0)</code>	Variance of the distribution.
<code>std(lamda, loc=0)</code>	Standard deviation of the distribution.
<code>interval(alpha, lamda, loc=0)</code>	Endpoints of the range that contains alpha percent of the distribution

`scipy.stats.poisson` = <scipy.stats.distributions.poisson_gen object at 0x4ad9b50>
 A Poisson discrete random variable.

Discrete random variables are defined from a standard form and may require some shape parameters to complete its specification. Any optional keyword parameters can be passed to the methods of the RV object as given below:

Parameters

- x** : array_like
quantiles
- q** : array_like
lower or upper tail probability
- mu** : array_like
shape parameters
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)
- size** : int or tuple of ints, optional
shape of random variates (default computed from input arguments)
- moments** : str, optional
composed of letters ['mvsk'] specifying which moments to compute where 'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')

Alternatively, the object may be called (as a function) to fix the shape and location parameters returning a "frozen" discrete RV object:

rv = poisson(mu, loc=0) :

- Frozen RV object with the same methods but holding the given shape and location fixed.

Notes

The probability mass function for `poisson` is:

$$\text{poisson.pmf}(k) = \exp(-\mu) * \mu^{**k} / k!$$

for $k \geq 0$.

`poisson` takes `mu` as shape parameter.

Examples

```
>>> from scipy.stats import poisson
>>> [ mu ] = [<Replace with reasonable values>]
>>> rv = poisson(mu)
```

Display frozen pmf

```
>>> x = np.arange(0, np.minimum(rv.dist.b, 3))
>>> h = plt.vlines(x, 0, rv.pmf(x), lw=2)
```

Here, `rv.dist.b` is the right endpoint of the support of `rv.dist`.

Check accuracy of cdf and ppf

```
>>> prb = poisson.cdf(x, mu)
>>> h = plt.semilogy(np.abs(x - poisson.ppf(prb, mu)) + 1e-20)
```

Random number generation

```
>>> R = poisson.rvs(mu, size=100)
```

Methods

<code>rvs(mu, loc=0, size=1)</code>	Random variates.
<code>pmf(x, mu, loc=0)</code>	Probability mass function.
<code>logpmf(x, mu, loc=0)</code>	Log of the probability mass function.
<code>cdf(x, mu, loc=0)</code>	Cumulative density function.
<code>logcdf(x, mu, loc=0)</code>	Log of the cumulative density function.
<code>sf(x, mu, loc=0)</code>	Survival function (1-cdf — sometimes more accurate).
<code>logsf(x, mu, loc=0)</code>	Log of the survival function.
<code>ppf(q, mu, loc=0)</code>	Percent point function (inverse of cdf — percentiles).
<code>isf(q, mu, loc=0)</code>	Inverse survival function (inverse of sf).
<code>stats(mu, loc=0, moments='mv')</code>	Mean('m'), variance('v'), skew('s'), and/or kurtosis('k').
<code>entropy(mu, loc=0)</code>	(Differential) entropy of the RV.
<code>expect(func, mu, loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function (of one argument) with respect to the distribution.
<code>median(mu, loc=0)</code>	Median of the distribution.
<code>mean(mu, loc=0)</code>	Mean of the distribution.
<code>var(mu, loc=0)</code>	Variance of the distribution.
<code>std(mu, loc=0)</code>	Standard deviation of the distribution.
<code>interval(alpha, mu, loc=0)</code>	Endpoints of the range that contains alpha percent of the distribution

`scipy.stats.randint` = <scipy.stats.distributions.randint_gen object at 0x4ae1850>

A uniform discrete random variable.

Discrete random variables are defined from a standard form and may require some shape parameters to complete its specification. Any optional keyword parameters can be passed to the methods of the RV object as given below:

Parameters

- x** : array_like
quantiles
- q** : array_like
lower or upper tail probability
- min, max** : array_like
shape parameters
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)
- size** : int or tuple of ints, optional
shape of random variates (default computed from input arguments)
- moments** : str, optional
composed of letters ['mvsk'] specifying which moments to compute where 'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')

Alternatively, the object may be called (as a function) to fix the shape and :

location parameters returning a “frozen” discrete RV object :

rv = randint(min, max, loc=0) :

- Frozen RV object with the same methods but holding the given shape and location fixed.

Notes

The probability mass function for `randint` is:

$$\text{randint.pmf}(k) = 1./(\text{max} - \text{min})$$

for $k = \text{min}, \dots, \text{max}$.

`randint` takes `min` and `max` as shape parameters.

Examples

```
>>> from scipy.stats import randint
>>> [ min, max ] = [<Replace with reasonable values>]
>>> rv = randint(min, max)
```

Display frozen pmf

```
>>> x = np.arange(0, np.minimum(rv.dist.b, 3))
>>> h = plt.vlines(x, 0, rv.pmf(x), lw=2)
```

Here, `rv.dist.b` is the right endpoint of the support of `rv.dist`.

Check accuracy of cdf and ppf

```
>>> prb = randint.cdf(x, min, max)
>>> h = plt.semilogy(np.abs(x - randint.ppf(prb, min, max)) + 1e-20)
```

Random number generation

```
>>> R = randint.rvs(min, max, size=100)
```

Methods

<code>rvs(min, max, loc=0, size=1)</code>	Random variates.
<code>pmf(x, min, max, loc=0)</code>	Probability mass function.
<code>logpmf(x, min, max, loc=0)</code>	Log of the probability mass function.
<code>cdf(x, min, max, loc=0)</code>	Cumulative density function.
<code>logcdf(x, min, max, loc=0)</code>	Log of the cumulative density function.
<code>sf(x, min, max, loc=0)</code>	Survival function (1-cdf — sometimes more accurate).
<code>logsf(x, min, max, loc=0)</code>	Log of the survival function.
<code>ppf(q, min, max, loc=0)</code>	Percent point function (inverse of cdf — percentiles).
<code>isf(q, min, max, loc=0)</code>	Inverse survival function (inverse of sf).
<code>stats(min, max, loc=0, moments='mv')</code>	Mean('m'), variance('v'), skew('s'), and/or kurtosis('k').
<code>entropy(min, max, loc=0)</code>	(Differential) entropy of the RV.
<code>expect(func, min, max, loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function (of one argument) with respect to the distribution.
<code>median(min, max, loc=0)</code>	Median of the distribution.
<code>mean(min, max, loc=0)</code>	Mean of the distribution.
<code>var(min, max, loc=0)</code>	Variance of the distribution.
<code>std(min, max, loc=0)</code>	Standard deviation of the distribution.
<code>interval(alpha, min, max, loc=0)</code>	Endpoints of the range that contains alpha percent of the distribution

`scipy.stats.skellam` = <scipy.stats.distributions.skellam_gen object at 0x4ae1d10>

A Skellam discrete random variable.

Discrete random variables are defined from a standard form and may require some shape parameters to complete its specification. Any optional keyword parameters can be passed to the methods of the RV object as given below:

Parameters

- x** : array_like
quantiles
- q** : array_like
lower or upper tail probability
- mu1,mu2** : array_like
shape parameters
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)
- size** : int or tuple of ints, optional
shape of random variates (default computed from input arguments)
- moments** : str, optional
composed of letters ['mvsk'] specifying which moments to compute where 'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')

Alternatively, the object may be called (as a function) to fix the shape and location parameters returning a “frozen” discrete RV object :

rv = skellam(mu1,mu2, loc=0) :

- Frozen RV object with the same methods but holding the given shape and location fixed.

Notes

Probability distribution of the difference of two correlated or uncorrelated Poisson random variables.

Let k_1 and k_2 be two Poisson-distributed r.v. with expected values λ_1 and λ_2 . Then, $k_1 - k_2$ follows a Skellam distribution with parameters $\mu_1 = \lambda_1 - \rho \cdot \sqrt{\lambda_1 \cdot \lambda_2}$ and $\mu_2 = \lambda_2 - \rho \cdot \sqrt{\lambda_1 \cdot \lambda_2}$, where ρ is the correlation coefficient between k_1 and k_2 . If the two Poisson-distributed r.v. are independent then $\rho = 0$.

Parameters μ_1 and μ_2 must be strictly positive.

For details see: http://en.wikipedia.org/wiki/Skellam_distribution

`skellam` takes μ_1 and μ_2 as shape parameters.

Examples

```
>>> from scipy.stats import skellam
>>> [ mu1,mu2 ] = [<Replace with reasonable values>]
>>> rv = skellam(mu1,mu2)
```

Display frozen pmf

```
>>> x = np.arange(0, np.minimum(rv.dist.b, 3))
>>> h = plt.vlines(x, 0, rv.pmf(x), lw=2)
```

Here, `rv.dist.b` is the right endpoint of the support of `rv.dist`.

Check accuracy of cdf and ppf

```
>>> prb = skellam.cdf(x, mu1,mu2)
>>> h = plt.semilogy(np.abs(x - skellam.ppf(prb, mu1,mu2)) + 1e-20)
```

Random number generation

```
>>> R = skellam.rvs(mu1,mu2, size=100)
```

Methods

<code>rvs(mu1,mu2, loc=0, size=1)</code>	Random variates.
<code>pmf(x, mu1,mu2, loc=0)</code>	Probability mass function.
<code>logpmf(x, mu1,mu2, loc=0)</code>	Log of the probability mass function.
<code>cdf(x, mu1,mu2, loc=0)</code>	Cumulative density function.
<code>logcdf(x, mu1,mu2, loc=0)</code>	Log of the cumulative density function.
<code>sf(x, mu1,mu2, loc=0)</code>	Survival function (1-cdf — sometimes more accurate).
<code>logsf(x, mu1,mu2, loc=0)</code>	Log of the survival function.
<code>ppf(q, mu1,mu2, loc=0)</code>	Percent point function (inverse of cdf — percentiles).
<code>isf(q, mu1,mu2, loc=0)</code>	Inverse survival function (inverse of sf).
<code>stats(mu1,mu2, loc=0, moments='mv')</code>	Mean('m'), variance('v'), skew('s'), and/or kurtosis('k').
<code>entropy(mu1,mu2, loc=0)</code>	(Differential) entropy of the RV.
<code>expect(func, mu1,mu2, loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function (of one argument) with respect to the distribution.
<code>median(mu1,mu2, loc=0)</code>	Median of the distribution.
<code>mean(mu1,mu2, loc=0)</code>	Mean of the distribution.
<code>var(mu1,mu2, loc=0)</code>	Variance of the distribution.
<code>std(mu1,mu2, loc=0)</code>	Standard deviation of the distribution.
<code>interval(alpha, mu1,mu2, loc=0)</code>	Endpoints of the range that contains alpha percent of the distribution

`scipy.stats.zipf = <scipy.stats.distributions.zipf_gen object at 0x4ae1110>`

A Zipf discrete random variable.

Discrete random variables are defined from a standard form and may require some shape parameters to complete its specification. Any optional keyword parameters can be passed to the methods of the RV object as given below:

Parameters

- x** : array_like
quantiles
- q** : array_like
lower or upper tail probability
- a** : array_like
shape parameters
- loc** : array_like, optional
location parameter (default=0)
- scale** : array_like, optional
scale parameter (default=1)
- size** : int or tuple of ints, optional
shape of random variates (default computed from input arguments)
- moments** : str, optional
composed of letters ['mvsk'] specifying which moments to compute where 'm' = mean, 'v' = variance, 's' = (Fisher's) skew and 'k' = (Fisher's) kurtosis. (default='mv')

Alternatively, the object may be called (as a function) to fix the shape and location parameters returning a “frozen” discrete RV object :

`rv = zipf(a, loc=0) :`

- Frozen RV object with the same methods but holding the given shape and location fixed.

Notes

The probability mass function for `zipf` is:

$$\text{zipf.pmf}(k) = 1 / (\zeta(a) * k^{**a})$$

for $k \geq 1$.

`zipf` takes `a` as shape parameter.

Examples

```
>>> from scipy.stats import zipf
>>> [ a ] = [<Replace with reasonable values>]
>>> rv = zipf(a)
```

Display frozen pmf

```
>>> x = np.arange(0, np.minimum(rv.dist.b, 3))
>>> h = plt.vlines(x, 0, rv.pmf(x), lw=2)
```

Here, `rv.dist.b` is the right endpoint of the support of `rv.dist`.

Check accuracy of cdf and ppf

```
>>> prb = zipf.cdf(x, a)
>>> h = plt.semilogy(np.abs(x - zipf.ppf(prb, a)) + 1e-20)
```

Random number generation

```
>>> R = zipf.rvs(a, size=100)
```

Methods

<code>rvs(a, loc=0, size=1)</code>	Random variates.
<code>pmf(x, a, loc=0)</code>	Probability mass function.
<code>logpmf(x, a, loc=0)</code>	Log of the probability mass function.
<code>cdf(x, a, loc=0)</code>	Cumulative density function.
<code>logcdf(x, a, loc=0)</code>	Log of the cumulative density function.
<code>sf(x, a, loc=0)</code>	Survival function (1-cdf — sometimes more accurate).
<code>logsf(x, a, loc=0)</code>	Log of the survival function.
<code>ppf(q, a, loc=0)</code>	Percent point function (inverse of cdf — percentiles).
<code>isf(q, a, loc=0)</code>	Inverse survival function (inverse of sf).
<code>stats(a, loc=0, moments='mv')</code>	Mean('m'), variance('v'), skew('s'), and/or kurtosis('k').
<code>entropy(a, loc=0)</code>	(Differential) entropy of the RV.
<code>expect(func, a, loc=0, lb=None, ub=None, conditional=False)</code>	Expected value of a function (of one argument) with respect to the distribution.
<code>median(a, loc=0)</code>	Median of the distribution.
<code>mean(a, loc=0)</code>	Mean of the distribution.
<code>var(a, loc=0)</code>	Variance of the distribution.
<code>std(a, loc=0)</code>	Standard deviation of the distribution.
<code>interval(alpha, a, loc=0)</code>	Endpoints of the range that contains alpha percent of the distribution

5.28.3 Statistical functions

Several of these functions have a similar version in `scipy.stats.mstats` which work for masked arrays.

<code>cmedian(a[, numbins])</code>	Returns the computed median value of an array.
<code>describe(a[, axis])</code>	Computes several descriptive statistics of the passed array.
<code>gmean(a[, axis, dtype])</code>	Compute the geometric mean along the specified axis.
<code>hmean(a[, axis, dtype])</code>	Calculates the harmonic mean along the specified axis.
<code>kurtosis(a[, axis, fisher, bias])</code>	Computes the kurtosis (Fisher or Pearson) of a dataset.
<code>kurtosistest(a[, axis])</code>	Tests whether a dataset has normal kurtosis
<code>mode(a[, axis])</code>	Returns an array of the modal (most common) value in the passed array.
<code>moment(a[, moment, axis])</code>	Calculates the nth moment about the mean for a sample.
<code>normaltest(a[, axis])</code>	Tests whether a sample differs from a normal distribution.
<code>skew(a[, axis, bias])</code>	Computes the skewness of a data set.
<code>skewtest(a[, axis])</code>	Tests whether the skew is different from the normal distribution.
<code>tmean(a[, limits, inclusive])</code>	Compute the trimmed mean
<code>tvar(a[, limits, inclusive])</code>	Compute the trimmed variance
<code>tmin(a[, lowerlimit, axis, inclusive])</code>	Compute the trimmed minimum
<code>tmax(a[, upperlimit[, axis, inclusive])</code>	Compute the trimmed maximum
<code>tstd(a[, limits, inclusive])</code>	Compute the trimmed sample standard deviation
<code>tsem(a[, limits, inclusive])</code>	Compute the trimmed standard error of the mean
<code>variation(a[, axis])</code>	Computes the coefficient of variation, the ratio of the biased standard deviation to the mean.

`scipy.stats.cmedian(a, numbins=1000)`

Returns the computed median value of an array.

All of the values in the input array are used. The input array is first histogrammed using *numbins* bins. The bin containing the median is selected by searching for the halfway point in the cumulative histogram. The median value is then computed by linearly interpolating across that bin.

Parameters `a` : array_like

Input array.

numbins : int
The number of bins used to histogram the data. More bins give greater accuracy to the approximation of the median.

Returns **cmedian** : float
An approximation of the median.

References

[CRCProbStat2000] Section 2.2.6

[CRCProbStat2000]

`scipy.stats.describe` (*a*, *axis=0*)

Computes several descriptive statistics of the passed array.

Parameters **a** : array_like
data

axis : int or None
axis along which statistics are calculated. If axis is None, then data array is raveled. The default axis is zero.

Returns **size of the data** : int
length of data along axis

(min, max): tuple of ndarrays or floats :
minimum and maximum value of data array

arithmetic mean : ndarray or float
mean of data along axis

unbiased variance : ndarray or float
variance of the data along axis, denominator is number of observations minus one.

biased skewness : ndarray or float
skewness, based on moment calculations with denominator equal to the number of observations, i.e. no degrees of freedom correction

biased kurtosis : ndarray or float
kurtosis (Fisher), the kurtosis is normalized so that it is zero for the normal distribution. No degrees of freedom or bias correction is used.

See Also`skew`, `kurtosis``scipy.stats.gmean` (*a*, *axis=0*, *dtype=None*)

Compute the geometric mean along the specified axis.

Returns the geometric average of the array elements. That is: n-th root of ($x_1 * x_2 * \dots * x_n$)

Parameters **a** : array_like
Input array or object that can be converted to an array.

axis : int, optional, default axis=0
Axis along which the geometric mean is computed.

dtype : dtype, optional
Type of the returned array and of the accumulator in which the elements are summed. If dtype is not specified, it defaults to the dtype of a, unless a has an integer dtype with a precision less than that of the default platform integer. In that case, the default platform integer is used.

Returns **gmean** : ndarray
see dtype parameter above

See Also

`numpy.mean` Arithmetic average
`numpy.average` Weighted average
`hmean` Harmonic mean

Notes

The geometric average is computed over a single dimension of the input array, `axis=0` by default, or all values in the array if `axis=None`. float64 intermediate and return values are used for integer inputs.

Use masked arrays to ignore any non-finite values in the input or that arise in the calculations such as Not a Number and infinity because masked arrays automatically mask any non-finite values.

`scipy.stats.hmean` (*a*, *axis=0*, *dtype=None*)

Calculates the harmonic mean along the specified axis.

That is: $n / (1/x_1 + 1/x_2 + \dots + 1/x_n)$

Parameters

- a** : array_like
Input array, masked array or object that can be converted to an array.
- axis** : int, optional, default axis=0
Axis along which the harmonic mean is computed.
- dtype** : dtype, optional
Type of the returned array and of the accumulator in which the elements are summed. If *dtype* is not specified, it defaults to the dtype of *a*, unless *a* has an integer *dtype* with a precision less than that of the default platform integer. In that case, the default platform integer is used.

Returns

- hmean** : ndarray
see *dtype* parameter above

See Also

`numpy.mean` Arithmetic average
`numpy.average` Weighted average
`gmean` Geometric mean

Notes

The harmonic mean is computed over a single dimension of the input array, `axis=0` by default, or all values in the array if `axis=None`. float64 intermediate and return values are used for integer inputs.

Use masked arrays to ignore any non-finite values in the input or that arise in the calculations such as Not a Number and infinity.

`scipy.stats.kurtosis` (*a*, *axis=0*, *fisher=True*, *bias=True*)

Computes the kurtosis (Fisher or Pearson) of a dataset.

Kurtosis is the fourth central moment divided by the square of the variance. If Fisher's definition is used, then 3.0 is subtracted from the result to give 0.0 for a normal distribution.

If `bias` is `False` then the kurtosis is calculated using k statistics to eliminate bias coming from biased moment estimators

Use `kurtosistest` to see if result is close enough to normal.

Parameters

- a** : array
data for which the kurtosis is calculated
- axis** : int or None
Axis along which the kurtosis is calculated

fisher : bool
If True, Fisher's definition is used (normal ==> 0.0). If False, Pearson's definition is used (normal ==> 3.0).

bias : bool
If False, then the calculations are corrected for statistical bias.

Returns **kurtosis** : array
The kurtosis of values along an axis. If all values are equal, return -3 for Fisher's definition and 0 for Pearson's definition.

References

[R182]

`scipy.stats.kurtosistest` (*a*, *axis=0*)
Tests whether a dataset has normal kurtosis

This function tests the null hypothesis that the kurtosis of the population from which the sample was drawn is that of the normal distribution: $kurtosis = 3(n-1)/(n+1)$.

Parameters **a** : array
array of the sample data

axis : int or None
the axis to operate along, or None to work on the whole array. The default is the first axis.

Returns **z-score** : float
The computed z-score for this test.

p-value : float
The 2-sided p-value for the hypothesis test

Notes

Valid only for $n > 20$. The Z-score is set to 0 for bad entries.

`scipy.stats.mode` (*a*, *axis=0*)
Returns an array of the modal (most common) value in the passed array.

If there is more than one such value, only the first is returned. The bin-count for the modal bins is also returned.

Parameters **a** : array_like
n-dimensional array of which to find mode(s).

axis : int, optional
Axis along which to operate. Default is 0, i.e. the first axis.

Returns **vals** : ndarray
Array of modal values.

counts : ndarray
Array of counts for each mode.

Examples

```
>>> a = np.array([[6, 8, 3, 0],
                 [3, 2, 1, 7],
                 [8, 1, 8, 4],
                 [5, 3, 0, 5],
                 [4, 7, 5, 9]])
>>> from scipy import stats
>>> stats.mode(a)
(array([[ 3.,  1.,  0.,  0.]]) , array([[ 1.,  1.,  1.,  1.]]) )
```

To get mode of whole array, specify `axis=None`:

```
>>> stats.mode(a, axis=None)
(array([ 3.]), array([ 3.]))
```

`scipy.stats.moment` (*a*, *moment=1*, *axis=0*)

Calculates the *n*th moment about the mean for a sample.

Generally used to calculate coefficients of skewness and kurtosis.

Parameters

- a** : array_like
data
- moment** : int
order of central moment that is returned
- axis** : int or None
Axis along which the central moment is computed. If None, then the data array is raveled. The default axis is zero.

Returns

- n-th central moment** : ndarray or float
The appropriate moment along the given axis or over all values if axis is None. The denominator for the moment calculation is the number of observations, no degrees of freedom correction is done.

`scipy.stats.normaltest` (*a*, *axis=0*)

Tests whether a sample differs from a normal distribution.

This function tests the null hypothesis that a sample comes from a normal distribution. It is based on D'Agostino and Pearson's [R196], [R197] test that combines skew and kurtosis to produce an omnibus test of normality.

Parameters

- a** : array_like
The array containing the data to be tested.
- axis** : int or None
If None, the array is treated as a single data set, regardless of its shape. Otherwise, each 1-d array along axis *axis* is tested.

Returns

- k2** : float or array
 $s^2 + k^2$, where *s* is the z-score returned by `skewtest` and *k* is the z-score returned by `kurtosistest`.
- p-value** : float or array
A 2-sided chi squared probability for the hypothesis test.

References

[R196], [R197]

`scipy.stats.skew` (*a*, *axis=0*, *bias=True*)

Computes the skewness of a data set.

For normally distributed data, the skewness should be about 0. A skewness value > 0 means that there is more weight in the left tail of the distribution. The function `skewtest` can be used to determine if the skewness value is close enough to 0, statistically speaking.

Parameters

- a** : ndarray
data
- axis** : int or None
axis along which skewness is calculated
- bias** : bool
If False, then the calculations are corrected for statistical bias.

Returns

- skewness** : ndarray
The skewness of values along an axis, returning 0 where all values are equal.

References

[CRCProbStat2000] Section 2.2.24.1

[CRCProbStat2000]

`scipy.stats.skewtest(a, axis=0)`

Tests whether the skew is different from the normal distribution.

This function tests the null hypothesis that the skewness of the population that the sample was drawn from is the same as that of a corresponding normal distribution.

Parameters **a** : array
axis : int or None
Returns **z-score** : float
The computed z-score for this test.
p-value : float
a 2-sided p-value for the hypothesis test

Notes

The sample size must be at least 8.

`scipy.stats.tmean(a, limits=None, inclusive=(True, True))`

Compute the trimmed mean

This function finds the arithmetic mean of given values, ignoring values outside the given *limits*.

Parameters **a** : array_like
array of values
limits : None or (lower limit, upper limit), optional
Values in the input array less than the lower limit or greater than the upper limit will be ignored. When *limits* is None, then all values are used. Either of the limit values in the tuple can also be None representing a half-open interval. The default value is None.
inclusive : (bool, bool), optional
A tuple consisting of the (lower flag, upper flag). These flags determine whether values exactly equal to the lower or upper limits are included. The default value is (True, True).
Returns **tmean** : float

`scipy.stats.tvar(a, limits=None, inclusive=(True, True))`

Compute the trimmed variance

This function computes the sample variance of an array of values, while ignoring values which are outside of given *limits*.

Parameters **a** : array_like
array of values
limits : None or (lower limit, upper limit), optional
Values in the input array less than the lower limit or greater than the upper limit will be ignored. When *limits* is None, then all values are used. Either of the limit values in the tuple can also be None representing a half-open interval. The default value is None.
inclusive : (bool, bool), optional
A tuple consisting of the (lower flag, upper flag). These flags determine whether values exactly equal to the lower or upper limits are included. The default value is (True, True).
Returns **tvar** : float
Trimmed variance.

`scipy.stats.tmin` (*a*, *lowerlimit=None*, *axis=0*, *inclusive=True*)

Compute the trimmed minimum

This function finds the minimum value of an array *a* along the specified axis, but only considering values greater than a specified lower limit.

Parameters

- a** : array_like
array of values
- lowerlimit** : None or float, optional
Values in the input array less than the given limit will be ignored. When lowerlimit is None, then all values are used. The default value is None.
- axis** : None or int, optional
Operate along this axis. None means to use the flattened array and the default is zero
- inclusive** : {True, False}, optional
This flag determines whether values exactly equal to the lower limit are included. The default value is True.

Returns

- tmin** : float

`scipy.stats.tmax` (*a*, *upperlimit*, *axis=0*, *inclusive=True*)

Compute the trimmed maximum

This function computes the maximum value of an array along a given axis, while ignoring values larger than a specified upper limit.

Parameters

- a** : array_like
array of values
- upperlimit** : None or float, optional
Values in the input array greater than the given limit will be ignored. When upperlimit is None, then all values are used. The default value is None.
- axis** : None or int, optional
Operate along this axis. None means to use the flattened array and the default is zero.
- inclusive** : {True, False}, optional
This flag determines whether values exactly equal to the upper limit are included. The default value is True.

Returns

- tmax** : float

`scipy.stats.tstd` (*a*, *limits=None*, *inclusive=(True, True)*)

Compute the trimmed sample standard deviation

This function finds the sample standard deviation of given values, ignoring values outside the given *limits*.

Parameters

- a** : array_like
array of values
- limits** : None or (lower limit, upper limit), optional
Values in the input array less than the lower limit or greater than the upper limit will be ignored. When limits is None, then all values are used. Either of the limit values in the tuple can also be None representing a half-open interval. The default value is None.
- inclusive** : (bool, bool), optional
A tuple consisting of the (lower flag, upper flag). These flags determine whether values exactly equal to the lower or upper limits are included. The default value is (True, True).

Returns

- tstd** : float

`scipy.stats.tsem` (*a*, *limits=None*, *inclusive=(True, True)*)

Compute the trimmed standard error of the mean

This function finds the standard error of the mean for given values, ignoring values outside the given *limits*.

Parameters

- a** : array_like
array of values
- limits** : None or (lower limit, upper limit), optional
Values in the input array less than the lower limit or greater than the upper limit will be ignored. When limits is None, then all values are used. Either of the limit values in the tuple can also be None representing a half-open interval. The default value is None.
- inclusive** : (bool, bool), optional
A tuple consisting of the (lower flag, upper flag). These flags determine whether values exactly equal to the lower or upper limits are included. The default value is (True, True).

Returns

- tsem** : float

`scipy.stats.variation(a, axis=0)`

Computes the coefficient of variation, the ratio of the biased standard deviation to the mean.

Parameters

- a** : array_like
Input array.
- axis** : int or None
Axis along which to calculate the coefficient of variation.

References

[R203]

<code>cumfreq(a[, numbins, defaultreallimits, weights])</code>	Returns a cumulative frequency histogram, using the histogram function.
<code>histogram2(a, bins)</code>	Compute histogram using divisions in bins.
<code>histogram(a[, numbins, defaultlimits, ...])</code>	Separates the range into several bins and returns the number of instances in each.
<code>itemfreq(a)</code>	Returns a 2D array of item frequencies.
<code>percentileofscore(a, score[, kind])</code>	The percentile rank of a score relative to a list of scores.
<code>scoreatpercentile(a, per[, limit, ...])</code>	Calculate the score at a given percentile of the input sequence.
<code>relfreq(a[, numbins, defaultreallimits, weights])</code>	Returns a relative frequency histogram, using the histogram function.

`scipy.stats.cumfreq(a, numbins=10, defaultreallimits=None, weights=None)`

Returns a cumulative frequency histogram, using the histogram function.

Parameters

- a** : array_like
Input array.
- numbins** : int, optional
The number of bins to use for the histogram. Default is 10.
- defaultlimits** : tuple (lower, upper), optional
The lower and upper values for the range of the histogram. If no value is given, a range slightly larger than the range of the values in *a* is used. Specifically $(a.min() - s, a.max() + s)$, where $s = (1/2)(a.max() - a.min()) / (numbins - 1)$.
- weights** : array_like, optional
The weights for each value in *a*. Default is None, which gives each value a weight of 1.0

Returns

- cumfreq** : ndarray
Binned values of cumulative frequency.
- lowerreallimit** : float
Lower real limit
- binsize** : float
Width of each bin.
- extrapoints** : int
Extra points.

Examples

```
>>> x = [1, 4, 2, 1, 3, 1]
>>> cumfreqs, lowlim, binsize, extrapoints = sp.stats.cumfreq(x, numbins=4)
>>> cumfreqs
array([ 3.,  4.,  5.,  6.])
>>> cumfreqs, lowlim, binsize, extrapoints = ... sp.stats.cumfreq(x, numbins=4, defaulttr
>>> cumfreqs
array([ 1.,  2.,  3.,  3.])
>>> extrapoints
3
```

`scipy.stats.histogram2(a, bins)`

Compute histogram using divisions in bins.

Count the number of times values from array *a* fall into numerical ranges defined by *bins*. Range *x* is given by `bins[x] <= range_x < bins[x+1]` where `x=0,N` and `N` is the length of the *bins* array. The last range is given by `bins[N] <= range_N < infinity`. Values less than `bins[0]` are not included in the histogram.

Parameters **a** : array_like of rank 1
 The array of values to be assigned into bins
bins : array_like of rank 1
 Defines the ranges of values to use during histogramming.
Returns **histogram2** : ndarray of rank 1
 Each value represents the occurrences for a given bin (range) of values.

`scipy.stats.histogram(a, numbins=10, defaultlimits=None, weights=None, printextras=False)`

Separates the range into several bins and returns the number of instances in each bin.

Parameters **a** : array_like
 Array of scores which will be put into bins.
numbins : int, optional
 The number of bins to use for the histogram. Default is 10.
defaultlimits : tuple (lower, upper), optional
 The lower and upper values for the range of the histogram. If no value is given, a range slightly larger than the range of the values in *a* is used. Specifically `(a.min() - s, a.max() + s)`, where `s = (1/2) * (a.max() - a.min()) / (numbins - 1)`.
weights : array_like, optional
 The weights for each value in *a*. Default is None, which gives each value a weight of 1.0
printextras : bool, optional
 If True, the number of extra points is printed to standard output. Default is False.
Returns **histogram** : ndarray
 Number of points (or sum of weights) in each bin.
low_range : float
 Lowest value of histogram, the lower limit of the first bin.
binsize : float
 The size of the bins (all bins have the same size).
extrapoints : int
 The number of points outside the range of the histogram.

See Also

`numpy.histogram`

Notes

This histogram is based on numpy's histogram but has a larger range by default if default limits is not set.

`scipy.stats.itemfreq(a)`

Returns a 2D array of item frequencies.

Parameters `a` : (N,) array_like

Returns `itemfreq` : (2,K) ndarray

Input array.
A 2D frequency table (col [0:n-1]=scores, col n=frequencies). Column 1 contains sorted, unique values from *a*, column 2 contains their respective counts.

Notes

This uses a loop that is only reasonably fast if the number of unique elements is not large. For integers, `numpy.bincount` is much faster. This function currently does not support strings or multi-dimensional scores.

Examples

```
>>> a = np.array([1, 1, 5, 0, 1, 2, 2, 0, 1, 4])
>>> stats.itemfreq(a)
array([[ 0.,  2.],
       [ 1.,  4.],
       [ 2.,  2.],
       [ 4.,  1.],
       [ 5.,  1.]])
>>> np.bincount(a)
array([2, 4, 2, 0, 1, 1])
```

```
>>> stats.itemfreq(a/10.)
array([[ 0. ,  2. ],
       [ 0.1,  4. ],
       [ 0.2,  2. ],
       [ 0.4,  1. ],
       [ 0.5,  1. ]])
```

`scipy.stats.percentileofscore(a, score, kind='rank')`

The percentile rank of a score relative to a list of scores.

A `percentileofscore` of, for example, 80% means that 80% of the scores in *a* are below the given score. In the case of gaps or ties, the exact definition depends on the optional keyword, *kind*.

Parameters `a` : array_like

Array of scores to which *score* is compared.

score : int or float

Score that is compared to the elements in *a*.

kind : {'rank', 'weak', 'strict', 'mean'}, optional

This optional parameter specifies the interpretation of the resulting score:

- “rank”**: *Average percentage ranking of score. In case of multiple matches, average the percentage rankings of all matching scores.*
- “weak”**: *This kind corresponds to the definition of a cumulative*

distribution function. A percentileofscore of 80% means that 80% of values are less than or equal to the provided score.

- “strict”: Similar to “weak”, except that only values that are strictly less than the given score are counted.
- “mean”: The average of the “weak” and “strict” scores, often used in

testing. See http://en.wikipedia.org/wiki/Percentile_rank

Returns `pcos` : float
Percentile-position of score (0-100) relative to *a*.

Examples

Three-quarters of the given values lie below a given score:

```
>>> percentileofscore([1, 2, 3, 4], 3)
75.0
```

With multiple matches, note how the scores of the two matches, 0.6 and 0.8 respectively, are averaged:

```
>>> percentileofscore([1, 2, 3, 3, 4], 3)
70.0
```

Only 2/5 values are strictly less than 3:

```
>>> percentileofscore([1, 2, 3, 3, 4], 3, kind='strict')
40.0
```

But 4/5 values are less than or equal to 3:

```
>>> percentileofscore([1, 2, 3, 3, 4], 3, kind='weak')
80.0
```

The average between the weak and the strict scores is

```
>>> percentileofscore([1, 2, 3, 3, 4], 3, kind='mean')
60.0
```

`scipy.stats.scoreatpercentile` (*a*, *per*, *limit*=(), *interpolation_method*='fraction', *axis*=None)
Calculate the score at a given percentile of the input sequence.

For example, the score at *per*=50 is the median. If the desired quantile lies between two data points, we interpolate between them, according to the value of *interpolation*. If the parameter *limit* is provided, it should be a tuple (lower, upper) of two values.

Parameters

- a** : array_like
A 1-D array of values from which to extract score.
- per** : array_like
Percentile(s) at which to extract score. Values should be in range [0,100].
- limit** : tuple, optional
Tuple of two scalars, the lower and upper limits within which to compute the percentile. Values of *a* outside this (closed) interval will be ignored.
- interpolation** : {'fraction', 'lower', 'higher'}, optional
This optional parameter specifies the interpolation method to use, when the desired quantile lies between two data points *i* and *j*
 - fraction: $i + (j - i) * \text{fraction}$ where *fraction* is the fractional part of the index surrounded by *i* and *j*.
 - lower: *i*.
 - higher: *j*.

axis : int, optional
Axis along which the percentiles are computed. The default (None) is to compute the median along a flattened version of the array.

Returns **score** : float (or sequence of floats)
Score at percentile.

See Also`percentileofscore`**Examples**

```
>>> from scipy import stats
>>> a = np.arange(100)
>>> stats.scoreatpercentile(a, 50)
49.5
```

`scipy.stats.relfreq(a, numbins=10, defaultreallimits=None, weights=None)`

Returns a relative frequency histogram, using the histogram function.

Parameters **a** : array_like
Input array.

numbins : int, optional
The number of bins to use for the histogram. Default is 10.

defaultreallimits : tuple (lower, upper), optional
The lower and upper values for the range of the histogram. If no value is given, a range slightly larger than the range of the values in *a* is used. Specifically $(a.\text{min}() - s, a.\text{max}() + s)$, where $s = (1/2)(a.\text{max}() - a.\text{min}()) / (\text{numbins} - 1)$.

weights : array_like, optional
The weights for each value in *a*. Default is None, which gives each value a weight of 1.0

Returns **relfreq** : ndarray
Binned values of relative frequency.

lowerreallimit : float
Lower real limit

binsize : float
Width of each bin.

extrapoints : int
Extra points.

Examples

```
>>> a = np.array([1, 4, 2, 1, 3, 1])
>>> relfreqs, lowlim, binsize, extrapoints = sp.stats.relfreq(a, numbins=4)
>>> relfreqs
array([ 0.5         ,  0.16666667,  0.16666667,  0.16666667])
>>> np.sum(relfreqs) # relative frequencies should add up to 1
0.99999999999999989
```

<code>binned_statistic(x, values[, statistic, ...])</code>	Compute a binned statistic for a set of data.
<code>binned_statistic_2d(x, y, values[, ...])</code>	Compute a bidimensional binned statistic for a set of data.
<code>binned_statistic_dd(sample, values[, ...])</code>	Compute a multidimensional binned statistic for a set of data.

`scipy.stats.binned_statistic(x, values, statistic='mean', bins=10, range=None)`

Compute a binned statistic for a set of data.

This is a generalization of a histogram function. A histogram divides the space into bins, and returns the count of the number of points in each bin. This function allows the computation of the sum, mean, median, or other statistic of the values within each bin. New in version 0.11.0.

Parameters

- x** : array_like
A sequence of values to be binned.
- values** : array_like
The values on which the statistic will be computed. This must be the same shape as *x*.
- statistic** : string or callable, optional
The statistic to compute (default is 'mean'). The following statistics are available:
 - 'mean' : compute the mean of values for points within each bin. Empty bins will be represented by NaN.
 - 'median' : compute the median of values for points within each bin. Empty bins will be represented by NaN.
 - 'count' : compute the count of points within each bin. This is identical to an unweighted histogram. *values* array is not referenced.
 - 'sum' : compute the sum of values for points within each bin. This is identical to a weighted histogram.
 - 'function' : a user-defined function which takes a 1D array of values, and outputs a single numerical statistic. This function will be called on the values in each bin. Empty bins will be represented by function([]), or NaN if this returns an error.
- bins** : int or sequence of scalars, optional
If *bins* is an int, it defines the number of equal-width bins in the given range (10, by default). If *bins* is a sequence, it defines the bin edges, including the rightmost edge, allowing for non-uniform bin widths.
- range** : (float, float), optional
The lower and upper range of the bins. If not provided, range is simply $(x.min(), x.max())$. Values outside the range are ignored.

Returns

- statistic** : array
The values of the selected statistic in each bin.
- bin_edges** : array of dtype float
Return the bin edges $(length(statistic)+1)$.
- binnumber** : 1-D ndarray of ints
This assigns to each observation an integer that represents the bin in which this observation falls. Array has the same length as *values*.

See Also

`numpy.histogram`, `binned_statistic_2d`, `binned_statistic_dd`

Notes

All but the last (righthand-most) bin is half-open. In other words, if *bins* is:

```
[1, 2, 3, 4]
```

then the first bin is $[1, 2)$ (including 1, but excluding 2) and the second $[2, 3)$. The last bin, however, is $[3, 4]$, which *includes* 4.

Examples

```
>>> stats.binned_statistic([1, 2, 1, 2, 4], np.arange(5), statistic='mean',
... bins=3)
(array([ 1.,  2.,  4.]), array([ 1.,  2.,  3.,  4.]), array([[1, 2, 1, 2, 3]]))
```

```
>>> stats.binned_statistic([1, 2, 1, 2, 4], np.arange(5), statistic='mean', bins=3)
(array([ 1.,  2.,  4.]), array([ 1.,  2.,  3.,  4.]), array([[1, 2, 1, 2, 3]]))
```

```
scipy.stats.binned_statistic_2d(x, y, values, statistic='mean', bins=10, range=None)
```

Compute a bidimensional binned statistic for a set of data.

This is a generalization of a histogram2d function. A histogram divides the space into bins, and returns the count of the number of points in each bin. This function allows the computation of the sum, mean, median, or other statistic of the values within each bin. New in version 0.11.0.

Parameters **x** : (N,) array_like

A sequence of values to be binned along the first dimension.

y : (M,) array_like

A sequence of values to be binned along the second dimension.

values : (N,) array_like

The values on which the statistic will be computed. This must be the same shape as *x*.

statistic : string or callable, optional

The statistic to compute (default is 'mean'). The following statistics are available:

- 'mean' : compute the mean of values for points within each bin. Empty bins will be represented by NaN.
- 'median' : compute the median of values for points within each bin. Empty bins will be represented by NaN.
- 'count' : compute the count of points within each bin. This is identical to an unweighted histogram. *values* array is not referenced.
- 'sum' : compute the sum of values for points within each bin. This is identical to a weighted histogram.
- *function* : a user-defined function which takes a 1D array of values, and outputs a single numerical statistic. This function will be called on the values in each bin. Empty bins will be represented by function([]), or NaN if this returns an error.

bins : int or [int, int] or array-like or [array, array], optional

The bin specification:

- the number of bins for the two dimensions ($nx=ny=bins$),
- the number of bins in each dimension ($nx, ny = bins$),
- the bin edges for the two dimensions ($x_edges = y_edges = bins$),
- the bin edges in each dimension ($x_edges, y_edges = bins$).

range : (2,2) array_like, optional

The leftmost and rightmost edges of the bins along each dimension (if not specified explicitly in the *bins* parameters): $[[xmin, xmax], [ymin, ymax]]$. All values outside of this range will be considered outliers and not tallied in the histogram.

Returns

statistic : (nx, ny) ndarray

The values of the selected statistic in each two-dimensional bin

xedges : (nx + 1) ndarray

The bin edges along the first dimension.

yedges : (ny + 1) ndarray

The bin edges along the second dimension.

binnumber : 1-D ndarray of ints

This assigns to each observation an integer that represents the bin in which this observation falls. Array has the same length as *values*.

See Also

`numpy.histogram2d`, `binned_statistic`, `binned_statistic_dd`

`scipy.stats.binned_statistic_dd` (*sample*, *values*, *statistic*='mean', *bins*=10, *range*=None)

Compute a multidimensional binned statistic for a set of data.

This is a generalization of a `histogramdd` function. A histogram divides the space into bins, and returns the count of the number of points in each bin. This function allows the computation of the sum, mean, median, or other statistic of the values within each bin. New in version 0.11.0.

- Parameters**
- sample** : array_like
Data to histogram passed as a sequence of D arrays of length N, or as an (N,D) array.
 - values** : array_like
The values on which the statistic will be computed. This must be the same shape as x.
 - statistic** : string or callable, optional
The statistic to compute (default is 'mean'). The following statistics are available:
 - 'mean' : compute the mean of values for points within each bin. Empty bins will be represented by NaN.
 - 'median' : compute the median of values for points within each bin. Empty bins will be represented by NaN.
 - 'count' : compute the count of points within each bin. This is identical to an unweighted histogram. *values* array is not referenced.
 - 'sum' : compute the sum of values for points within each bin. This is identical to a weighted histogram.
 - *function* : a user-defined function which takes a 1D array of values, and outputs a single numerical statistic. This function will be called on the values in each bin. Empty bins will be represented by `function([])`, or NaN if this returns an error.
 - bins** : sequence or int, optional
The bin specification:
 - A sequence of arrays describing the bin edges along each dimension.
 - The number of bins for each dimension (`nx, ny, ... =bins`)
 - The number of bins for all dimensions (`nx=ny=...=bins`).
 - range** : sequence, optional
A sequence of lower and upper bin edges to be used if the edges are not given explicitly in *bins*. Defaults to the minimum and maximum values along each dimension.
- Returns**
- statistic** : ndarray, shape(`nx1, nx2, nx3, ...`)
The values of the selected statistic in each two-dimensional bin
 - edges** : list of ndarrays
A list of D arrays describing the (`nxi + 1`) bin edges for each dimension
 - binnumber** : 1-D ndarray of ints
This assigns to each observation an integer that represents the bin in which this observation falls. Array has the same length as *values*.

See Also

`np.histogramdd`, `binned_statistic`, `binned_statistic_2d`

Continued

Table 5.221 – continued from previous page

<code>obrientransform(*args)</code>	Computes a transform on input data (any number of columns).
<code>signaltonoise(a[, axis, ddof])</code>	The signal-to-noise ratio of the input data.
<code>bayes_mvs(data[, alpha])</code>	Bayesian confidence intervals for the mean, var, and std.
<code>sem(a[, axis, ddof])</code>	Calculates the standard error of the mean (or standard error of measurement) of the values in the array.
<code>zmap(scores, compare[, axis, ddof])</code>	Calculates the relative z-scores.
<code>zscore(a[, axis, ddof])</code>	Calculates the z score of each value in the sample, relative to the sample mean and standard deviation.

`scipy.stats.obrientransform(*args)`

Computes a transform on input data (any number of columns).

Used to test for homogeneity of variance prior to running one-way stats. Each array in `*args` is one level of a factor. If an `F_oneway` run on the transformed data and found significant, variances are unequal. From Maxwell and Delaney, p.112.

Parameters `args` : ndarray

Returns `obrientransform`: ndarray
Any number of arrays.
Transformed data for use in an ANOVA.

`scipy.stats.signaltonoise(a, axis=0, ddof=0)`

The signal-to-noise ratio of the input data.

Returns the signal-to-noise ratio of `a`, here defined as the mean divided by the standard deviation.

Parameters `a` : array_like

An array_like object containing the sample data.

axis : int or None, optional

If `axis` is equal to None, the array is first ravel'd. If `axis` is an integer, this is the axis over which to operate. Default is 0.

ddof : int, optional

Degrees of freedom correction for standard deviation. Default is 0.

Returns `s2n` : ndarray

The mean to standard deviation ratio(s) along `axis`, or 0 where the standard deviation is 0.

`scipy.stats.bayes_mvs(data, alpha=0.9)`

Bayesian confidence intervals for the mean, var, and std.

Parameters `data` : array_like

Input data, if multi-dimensional it is flattened to 1-D by `bayes_mvs`. Requires 2 or more data points.

alpha : float, optional

Returns `mean_cntr, var_cntr, std_cntr` : tuple
Probability that the returned confidence interval contains the true parameter.

The three results are for the mean, variance and standard deviation, respectively. Each result is a tuple of the form:

`(center, (lower, upper))`

with `center` the mean of the conditional pdf of the value given the data, and `(lower, upper)` a confidence interval, centered on the median, containing the estimate to a probability `alpha`.

Notes

Each tuple of mean, variance, and standard deviation estimates represent the `(center, (lower, upper))` with `center` the mean of the conditional pdf of the value given the data and `(lower, upper)` is a confidence interval centered on the median, containing the estimate to a probability `alpha`.

Converts data to 1-D and assumes all data has the same mean and variance. Uses Jeffrey's prior for variance and std.

Equivalent to `tuple((x.mean(), x.interval(alpha)) for x in mvstdist(dat))`

References

T.E. Oliphant, "A Bayesian perspective on estimating mean, variance, and standard-deviation from data", <http://hdl.handle.net/1877/438>, 2006.

`scipy.stats.sem(a, axis=0, ddof=1)`

Calculates the standard error of the mean (or standard error of measurement) of the values in the input array.

Parameters **a** : array_like

An array containing the values for which the standard error is returned.

axis : int or None, optional.

If axis is None, ravel *a* first. If axis is an integer, this will be the axis over which to operate. Defaults to 0.

ddof : int, optional

Delta degrees-of-freedom. How many degrees of freedom to adjust for bias in limited samples relative to the population estimate of variance. Defaults

Returns **s** : ndarray or float

The standard error of the mean in the sample(s), along the input axis.

Notes

The default value for *ddof* is different to the default (0) used by other *ddof* containing routines, such as `np.std` and `stats.nanstd`.

Examples

Find standard error along the first axis:

```
>>> from scipy import stats
>>> a = np.arange(20).reshape(5, 4)
>>> stats.sem(a)
array([ 2.8284,  2.8284,  2.8284,  2.8284])
```

Find standard error across the whole array, using n degrees of freedom:

```
>>> stats.sem(a, axis=None, ddof=0)
1.2893796958227628
```

`scipy.stats.zmap(scores, compare, axis=0, ddof=0)`

Calculates the relative z-scores.

Returns an array of z-scores, i.e., scores that are standardized to zero mean and unit variance, where mean and variance are calculated from the comparison array.

Parameters **scores** : array_like

The input for which z-scores are calculated.

compare : array_like

The input from which the mean and standard deviation of the normalization are taken; assumed to have the same dimension as *scores*.

axis : int or None, optional

Axis over which mean and variance of *compare* are calculated. Default is 0.

ddof : int, optional

Returns **zscore** : array_like
 Degrees of freedom correction in the calculation of the standard deviation.
 Default is 0.
 Z-scores, in the same shape as *scores*.

Notes

This function preserves ndarray subclasses, and works also with matrices and masked arrays (it uses *asanyarray* instead of *asarray* for parameters).

Examples

```
>>> a = [0.5, 2.0, 2.5, 3]
>>> b = [0, 1, 2, 3, 4]
>>> zmap(a, b)
array([-1.06066017, 0.          , 0.35355339, 0.70710678])
```

`scipy.stats.zscore(a, axis=0, ddof=0)`

Calculates the z score of each value in the sample, relative to the sample mean and standard deviation.

Parameters **a** : array_like
 An array like object containing the sample data.
axis : int or None, optional
 If *axis* is equal to None, the array is first raveled. If *axis* is an integer, this is the axis over which to operate. Default is 0.
ddof : int, optional
 Degrees of freedom correction in the calculation of the standard deviation.
Returns **zscore** : array_like
 Default is 0.
 The z-scores, standardized by mean and standard deviation of input array *a*.

Notes

This function preserves ndarray subclasses, and works also with matrices and masked arrays (it uses *asanyarray* instead of *asarray* for parameters).

Examples

```
>>> a = np.array([ 0.7972,  0.0767,  0.4383,  0.7866,  0.8091,  0.1954,
                 0.6307, 0.6599,  0.1065,  0.0508])
>>> from scipy import stats
>>> stats.zscore(a)
array([ 1.1273, -1.247 , -0.0552,  1.0923,  1.1664, -0.8559,  0.5786,
        0.6748, -1.1488, -1.3324])
```

Computing along a specified axis, using *n-1* degrees of freedom (*ddof=1*) to calculate the standard deviation:

```
>>> b = np.array([[ 0.3148,  0.0478,  0.6243,  0.4608],
                 [ 0.7149,  0.0775,  0.6072,  0.9656],
                 [ 0.6341,  0.1403,  0.9759,  0.4064],
                 [ 0.5918,  0.6948,  0.904 ,  0.3721],
                 [ 0.0921,  0.2481,  0.1188,  0.1366]])
>>> stats.zscore(b, axis=1, ddof=1)
array([[ -0.19264823, -1.28415119,  1.07259584,  0.40420358],
       [ 0.33048416, -1.37380874,  0.04251374,  1.00081084],
       [ 0.26796377, -1.12598418,  1.23283094, -0.37481053],
       [-0.22095197,  0.24468594,  1.19042819, -1.21416216],
       [-0.82780366,  1.4457416 , -0.43867764, -0.1792603 ]])
```

<code>threshold(a[, threshmin, threshmax, newval])</code>	Clip array to a given value.
<code>trimboth(a, proportiontocut)</code>	Slices off a proportion of items from both ends of an array.
<code>triml(a, proportiontocut[, tail])</code>	Slices off a proportion of items from ONE end of the passed array

`scipy.stats.threshold(a, threshmin=None, threshmax=None, newval=0)`

Clip array to a given value.

Similar to `numpy.clip()`, except that values less than *threshmin* or greater than *threshmax* are replaced by *newval*, instead of by *threshmin* and *threshmax* respectively.

Parameters

- a** : array_like
Data to threshold.
- threshmin** : float, int or None, optional
Minimum threshold, defaults to None.
- threshmax** : float, int or None, optional
Maximum threshold, defaults to None.
- newval** : float or int, optional
Value to put in place of values in *a* outside of bounds. Defaults to 0.

Returns

- out** : ndarray
The clipped input array, with values less than *threshmin* or greater than *threshmax* replaced with *newval*.

Examples

```
>>> a = np.array([9, 9, 6, 3, 1, 6, 1, 0, 0, 8])
>>> from scipy import stats
>>> stats.threshold(a, threshmin=2, threshmax=8, newval=-1)
array([-1, -1,  6,  3, -1,  6, -1, -1, -1,  8])
```

`scipy.stats.trimboth(a, proportiontocut)`

Slices off a proportion of items from both ends of an array.

Slices off the passed proportion of items from both ends of the passed array (i.e., with *proportiontocut* = 0.1, slices leftmost 10% **and** rightmost 10% of scores). You must pre-sort the array if you want ‘proper’ trimming. Slices off less if proportion results in a non-integer slice index (i.e., conservatively slices off *proportiontocut*).

Parameters

- a** : array_like
Data to trim.
- proportiontocut** : float or int
Proportion of total data set to trim of each end.

Returns

- out** : ndarray
Trimmed version of array *a*.

Examples

```
>>> from scipy import stats
>>> a = np.arange(20)
>>> b = stats.trimboth(a, 0.1)
>>> b.shape
(16,)
```

`scipy.stats.triml(a, proportiontocut, tail='right')`

Slices off a proportion of items from ONE end of the passed array distribution.

If *proportiontocut* = 0.1, slices off ‘leftmost’ or ‘rightmost’ 10% of scores. Slices off LESS if proportion results in a non-integer slice index (i.e., conservatively slices off *proportiontocut*).

Parameters	a : array_like Input array
	proportiontocut : float Fraction to cut off of ‘left’ or ‘right’ of distribution
	tail : string, {‘left’, ‘right’}, optional Defaults to ‘right’.
Returns	trim1 : ndarray Trimmed version of array <i>a</i>

<code>f_oneway(*args)</code>	Performs a 1-way ANOVA.
<code>pearsonr(x, y)</code>	Calculates a Pearson correlation coefficient and the p-value for testing
<code>spearmanr(a[, b, axis])</code>	Calculates a Spearman rank-order correlation coefficient and the p-value
<code>pointbiserialr(x, y)</code>	Calculates a point biserial correlation coefficient and the associated p-value.
<code>kendalltau(x, y[, initial_lexsort])</code>	Calculates Kendall’s tau, a correlation measure for ordinal data.
<code>linregress(x[, y])</code>	Calculate a regression line

`scipy.stats.f_oneway(*args)`

Performs a 1-way ANOVA.

The one-way ANOVA tests the null hypothesis that two or more groups have the same population mean. The test is applied to samples from two or more groups, possibly with differing sizes.

Parameters	sample1, sample2, ... : array_like The sample measurements for each group.
Returns	F-value : float The computed F-value of the test.
	p-value : float The associated p-value from the F-distribution.

Notes

The ANOVA test has important assumptions that must be satisfied in order for the associated p-value to be valid.

- 1.The samples are independent.
- 2.Each sample is from a normally distributed population.
- 3.The population standard deviations of the groups are all equal. This property is known as homoscedasticity.

If these assumptions are not true for a given set of data, it may still be possible to use the Kruskal-Wallis H-test (`‘stats.kruskal’`) although with some loss of power.

The algorithm is from Heiman[2], pp.394-7.

References

[R172], [R173]

`scipy.stats.pearsonr(x, y)`

Calculates a Pearson correlation coefficient and the p-value for testing non-correlation.

The Pearson correlation coefficient measures the linear relationship between two datasets. Strictly speaking, Pearson’s correlation requires that each dataset be normally distributed. Like other correlation coefficients, this one varies between -1 and +1 with 0 implying no correlation. Correlations of -1 or +1 imply an exact linear relationship. Positive correlations imply that as x increases, so does y. Negative correlations imply that as x increases, y decreases.

The p-value roughly indicates the probability of an uncorrelated system producing datasets that have a Pearson correlation at least as extreme as the one computed from these datasets. The p-values are not entirely reliable but are probably reasonable for datasets larger than 500 or so.

Parameters	x : (N,) array_like
-------------------	----------------------------

Returns **y** : (N,) array_like
 (Pearson's correlation coefficient, :
 2-tailed p-value)

References

<http://www.statsoft.com/textbook/glosp.html#Pearson%20Correlation>

`scipy.stats.spearmanr` (*a*, *b=None*, *axis=0*)

Calculates a Spearman rank-order correlation coefficient and the p-value to test for non-correlation.

The Spearman correlation is a nonparametric measure of the monotonicity of the relationship between two datasets. Unlike the Pearson correlation, the Spearman correlation does not assume that both datasets are normally distributed. Like other correlation coefficients, this one varies between -1 and +1 with 0 implying no correlation. Correlations of -1 or +1 imply an exact monotonic relationship. Positive correlations imply that as *x* increases, so does *y*. Negative correlations imply that as *x* increases, *y* decreases.

The p-value roughly indicates the probability of an uncorrelated system producing datasets that have a Spearman correlation at least as extreme as the one computed from these datasets. The p-values are not entirely reliable but are probably reasonable for datasets larger than 500 or so.

Parameters **a, b** : 1D or 2D array_like, *b* is optional
 One or two 1-D or 2-D arrays containing multiple variables and observations. Each column of *a* and *b* represents a variable, and each row entry a single observation of those variables. See also *axis*. Both arrays need to have the same length in the *axis* dimension.

axis : int or None, optional
 If *axis=0* (default), then each column represents a variable, with observations in the rows. If *axis=1*, the relationship is transposed: each row represents a variable, while the columns contain observations. If *axis=None*, then both arrays will be raveled.

Returns **rho** : float or ndarray (2-D square)
 Spearman correlation matrix or correlation coefficient (if only 2 variables are given as parameters. Correlation matrix is square with length equal to total number of variables (columns or rows) in *a* and *b* combined.

p-value : float
 The two-sided p-value for a hypothesis test whose null hypothesis is that two sets of data are uncorrelated, has same dimension as *rho*.

Notes

Changes in `scipy 0.8.0`: rewrite to add tie-handling, and *axis*.

References

[CRCProbStat2000] Section 14.7

[CRCProbStat2000]

Examples

```
>>> spearmanr([1, 2, 3, 4, 5], [5, 6, 7, 8, 7])
(0.82078268166812329, 0.088587005313543798)
>>> np.random.seed(1234321)
>>> x2n=np.random.randn(100, 2)
>>> y2n=np.random.randn(100, 2)
>>> spearmanr(x2n)
(0.059969996999699973, 0.55338590803773591)
```

```

>>> spearmanr(x2n[:,0], x2n[:,1])
(0.059969996999699973, 0.55338590803773591)
>>> rho, pval = spearmanr(x2n,y2n)
>>> rho
array([[ 1.          ,  0.05997   ,  0.18569457,  0.06258626],
       [ 0.05997   ,  1.          ,  0.110003  ,  0.02534653],
       [ 0.18569457,  0.110003  ,  1.          ,  0.03488749],
       [ 0.06258626,  0.02534653,  0.03488749,  1.          ]])
>>> pval
array([[ 0.          ,  0.55338591,  0.06435364,  0.53617935],
       [ 0.55338591,  0.          ,  0.27592895,  0.80234077],
       [ 0.06435364,  0.27592895,  0.          ,  0.73039992],
       [ 0.53617935,  0.80234077,  0.73039992,  0.          ]])
>>> rho, pval = spearmanr(x2n.T, y2n.T, axis=1)
>>> rho
array([[ 1.          ,  0.05997   ,  0.18569457,  0.06258626],
       [ 0.05997   ,  1.          ,  0.110003  ,  0.02534653],
       [ 0.18569457,  0.110003  ,  1.          ,  0.03488749],
       [ 0.06258626,  0.02534653,  0.03488749,  1.          ]])
>>> spearmanr(x2n, y2n, axis=None)
(0.10816770419260482, 0.1273562188027364)
>>> spearmanr(x2n.ravel(), y2n.ravel())
(0.10816770419260482, 0.1273562188027364)

>>> xint = np.random.randint(10, size=(100,2))
>>> spearmanr(xint)
(0.052760927029710199, 0.60213045837062351)

```

`scipy.stats.pointbiserialr(x,y)`

Calculates a point biserial correlation coefficient and the associated p-value.

The point biserial correlation is used to measure the relationship between a binary variable, x , and a continuous variable, y . Like other correlation coefficients, this one varies between -1 and +1 with 0 implying no correlation. Correlations of -1 or +1 imply a deterministic relationship.

This function uses a shortcut formula but produces the same result as `pearsonr`.

Parameters

- x** : array_like of bools
Input array.
- y** : array_like
Input array.

Returns

- r** : float
R value
- p-value** : float
2-tailed p-value

References

http://en.wikipedia.org/wiki/Point-biserial_correlation_coefficient

Examples

```

>>> from scipy import stats
>>> a = np.array([0, 0, 0, 1, 1, 1, 1])
>>> b = np.arange(7)
>>> stats.pointbiserialr(a, b)
(0.8660254037844386, 0.011724811003954652)
>>> stats.pearsonr(a, b)

```

```
(0.86602540378443871, 0.011724811003954626)
>>> np.corrcoef(a, b)
array([[ 1.          ,  0.8660254],
       [ 0.8660254,  1.          ]])
```

`scipy.stats.kendalltau(x, y, initial_lexsort=True)`

Calculates Kendall's tau, a correlation measure for ordinal data.

Kendall's tau is a measure of the correspondence between two rankings. Values close to 1 indicate strong agreement, values close to -1 indicate strong disagreement. This is the tau-b version of Kendall's tau which accounts for ties.

Parameters `x, y` : array_like
 Arrays of rankings, of the same shape. If arrays are not 1-D, they will be flattened to 1-D.

initial_lexsort : bool, optional
 Whether to use lexsort or quicksort as the sorting method for the initial sort of the inputs. Default is lexsort (True), for which `kendalltau` is of complexity $O(n \log(n))$. If False, the complexity is $O(n^2)$, but with a smaller pre-factor (so quicksort may be faster for small arrays).

Returns **Kendall's tau** : float
 The tau statistic.

p-value : float
 The two-sided p-value for a hypothesis test whose null hypothesis is an absence of association, $\tau = 0$.

Notes

The definition of Kendall's tau that is used is:

$$\tau = (P - Q) / \sqrt{(P + Q + T) * (P + Q + U)}$$

where P is the number of concordant pairs, Q the number of discordant pairs, T the number of ties only in x, and U the number of ties only in y. If a tie occurs for the same pair in both x and y, it is not added to either T or U.

References

W.R. Knight, "A Computer Method for Calculating Kendall's Tau with Ungrouped Data", Journal of the American Statistical Association, Vol. 61, No. 314, Part 1, pp. 436-439, 1966.

Examples

```
>>> x1 = [12, 2, 1, 12, 2]
>>> x2 = [1, 4, 7, 1, 0]
>>> tau, p_value = sp.stats.kendalltau(x1, x2)
>>> tau
-0.47140452079103173
>>> p_value
0.24821309157521476
```

`scipy.stats.linregress(x, y=None)`

Calculate a regression line

This computes a least-squares regression for two sets of measurements.

Parameters `x, y` : array_like
 two sets of measurements. Both arrays should have the same length. If only x is given (and y=None), then it must be a two-dimensional array where one

Returns

- slope** : float
dimension has length 2. The two sets of measurements are then found by splitting the array along the length-2 dimension.
slope of the regression line
- intercept** : float
intercept of the regression line
- r-value** : float
correlation coefficient
- p-value** : float
two-sided p-value for a hypothesis test whose null hypothesis is that the slope is zero.
- stderr** : float
Standard error of the estimate

Examples

```
>>> from scipy import stats
>>> import numpy as np
>>> x = np.random.random(10)
>>> y = np.random.random(10)
>>> slope, intercept, r_value, p_value, std_err = stats.linregress(x,y)

# To get coefficient of determination (r_squared)

>>> print "r-squared:", r_value**2
r-squared: 0.15286643777
```

<code>ttest_1samp(a, popmean[, axis])</code>	Calculates the T-test for the mean of ONE group of scores.
<code>ttest_ind(a, b[, axis, equal_var])</code>	Calculates the T-test for the means of TWO INDEPENDENT samples of scores.
<code>ttest_rel(a, b[, axis])</code>	Calculates the T-test on TWO RELATED samples of scores, a and b.
<code>kstest(rvs, cdf[, args, N, alternative, mode])</code>	Perform the Kolmogorov-Smirnov test for goodness of fit.
<code>chisquare(f_obs[, f_exp, ddof])</code>	Calculates a one-way chi square test.
<code>ks_2samp(data1, data2)</code>	Computes the Kolmogorov-Smirnov statistic on 2 samples.
<code>mannwhitneyu(x, y[, use_continuity])</code>	Computes the Mann-Whitney rank test on samples x and y.
<code>tiecorrect(rankvals)</code>	Tie correction factor for ties in the Mann-Whitney U and
<code>rankdata(a)</code>	Assign ranks to the data in <i>a</i> , dealing with ties appropriately.
<code>ranksums(x, y)</code>	Compute the Wilcoxon rank-sum statistic for two samples.
<code>wilcoxon(x[, y, zero_method])</code>	Calculate the Wilcoxon signed-rank test.
<code>kruskal(*args)</code>	Compute the Kruskal-Wallis H-test for independent samples
<code>friedmanchisquare(*args)</code>	Computes the Friedman test for repeated measurements

`scipy.stats.ttest_1samp(a, popmean, axis=0)`
Calculates the T-test for the mean of ONE group of scores.

This is a two-sided test for the null hypothesis that the expected value (mean) of a sample of independent observations *a* is equal to the given population mean, *popmean*.

Parameters

- a** : array_like
sample observation
- popmean** : float or array_like
expected value in null hypothesis, if array_like than it must have the same shape as *a* excluding the axis dimension
- axis** : int, optional, (default axis=0)
Axis can equal None (ravel array first), or an integer (the axis over which to operate on a).

Returns **t** : float or array
t-statistic
prob : float or array
two-tailed p-value

Examples

```
>>> from scipy import stats

>>> np.random.seed(7654567) # fix seed to get the same result
>>> rvs = stats.norm.rvs(loc=5, scale=10, size=(50,2))
```

Test if mean of random sample is equal to true mean, and different mean. We reject the null hypothesis in the second case and don't reject it in the first case.

```
>>> stats.ttest_1samp(rvs,5.0)
(array([-0.68014479, -0.04323899]), array([ 0.49961383,  0.96568674]))
>>> stats.ttest_1samp(rvs,0.0)
(array([ 2.77025808,  4.11038784]), array([ 0.00789095,  0.00014999]))
```

Examples using axis and non-scalar dimension for population mean.

```
>>> stats.ttest_1samp(rvs, [5.0, 0.0])
(array([-0.68014479,  4.11038784]), array([ 4.99613833e-01,  1.49986458e-04]))
>>> stats.ttest_1samp(rvs.T, [5.0, 0.0], axis=1)
(array([-0.68014479,  4.11038784]), array([ 4.99613833e-01,  1.49986458e-04]))
>>> stats.ttest_1samp(rvs, [[5.0], [0.0]])
(array([[ -0.68014479, -0.04323899],
        [ 2.77025808,  4.11038784]]), array([[ 4.99613833e-01,  9.65686743e-01],
        [ 7.89094663e-03,  1.49986458e-04]]))
```

`scipy.stats.ttest_ind(a, b, axis=0, equal_var=True)`

Calculates the T-test for the means of TWO INDEPENDENT samples of scores.

This is a two-sided test for the null hypothesis that 2 independent samples have identical average (expected) values. This test assumes that the populations have identical variances.

Parameters **a, b** : array_like
The arrays must have the same shape, except in the dimension corresponding to *axis* (the first, by default).

axis : int, optional
Axis can equal None (ravel array first), or an integer (the axis over which to operate on a and b).

equal_var : bool, optional
If True (default), perform a standard independent 2 sample test that assumes equal population variances [R201]. If False, perform Welch's t-test, which does not assume equal population variance [R202]. New in version 0.11.0.

Returns **t** : float or array
The calculated t-statistic.
prob : float or array
The two-tailed p-value.

Notes

We can use this test, if we observe two independent samples from the same or different population, e.g. exam scores of boys and girls or of two ethnic groups. The test measures whether the average (expected) value differs significantly across samples. If we observe a large p-value, for example larger than 0.05 or 0.1, then we cannot

reject the null hypothesis of identical average scores. If the p-value is smaller than the threshold, e.g. 1%, 5% or 10%, then we reject the null hypothesis of equal averages.

References

[R201], [R202]

Examples

```
>>> from scipy import stats
>>> np.random.seed(12345678)
```

Test with sample with identical means:

```
>>> rvs1 = stats.norm.rvs(loc=5, scale=10, size=500)
>>> rvs2 = stats.norm.rvs(loc=5, scale=10, size=500)
>>> stats.ttest_ind(rvs1, rvs2)
(0.26833823296239279, 0.78849443369564776)
>>> stats.ttest_ind(rvs1, rvs2, equal_var = False)
(0.26833823296239279, 0.78849452749500748)
```

`ttest_ind` underestimates p for unequal variances:

```
>>> rvs3 = stats.norm.rvs(loc=5, scale=20, size=500)
>>> stats.ttest_ind(rvs1, rvs3)
(-0.46580283298287162, 0.64145827413436174)
>>> stats.ttest_ind(rvs1, rvs3, equal_var = False)
(-0.46580283298287162, 0.64149646246569292)
```

When $n1 \neq n2$, the equal variance t-statistic is no longer equal to the unequal variance t-statistic:

```
>>> rvs4 = stats.norm.rvs(loc=5, scale=20, size=100)
>>> stats.ttest_ind(rvs1, rvs4)
(-0.99882539442782481, 0.3182832709103896)
>>> stats.ttest_ind(rvs1, rvs4, equal_var = False)
(-0.69712570584654099, 0.48716927725402048)
```

T-test with different means, variance, and n:

```
>>> rvs5 = stats.norm.rvs(loc=8, scale=20, size=100)
>>> stats.ttest_ind(rvs1, rvs5)
(-1.4679669854490653, 0.14263895620529152)
>>> stats.ttest_ind(rvs1, rvs5, equal_var = False)
(-0.94365973617132992, 0.34744170334794122)
```

`scipy.stats.ttest_rel(a, b, axis=0)`

Calculates the T-test on TWO RELATED samples of scores, a and b.

This is a two-sided test for the null hypothesis that 2 related or repeated samples have identical average (expected) values.

Parameters **a, b** : array_like

The arrays must have the same shape.

axis : int, optional, (default axis=0)

Axis can equal None (ravel array first), or an integer (the axis over which to operate on a and b).

Returns **t** : float or array
t-statistic

prob : float or array
two-tailed p-value

Notes

Examples for the use are scores of the same set of student in different exams, or repeated sampling from the same units. The test measures whether the average score differs significantly across samples (e.g. exams). If we observe a large p-value, for example greater than 0.05 or 0.1 then we cannot reject the null hypothesis of identical average scores. If the p-value is smaller than the threshold, e.g. 1%, 5% or 10%, then we reject the null hypothesis of equal averages. Small p-values are associated with large t-statistics.

References

http://en.wikipedia.org/wiki/T-test#Dependent_t-test

Examples

```
>>> from scipy import stats
>>> np.random.seed(12345678) # fix random seed to get same numbers

>>> rvs1 = stats.norm.rvs(loc=5, scale=10, size=500)
>>> rvs2 = (stats.norm.rvs(loc=5, scale=10, size=500) +
...         stats.norm.rvs(scale=0.2, size=500))
>>> stats.ttest_rel(rvs1, rvs2)
(0.24101764965300962, 0.80964043445811562)
>>> rvs3 = (stats.norm.rvs(loc=8, scale=10, size=500) +
...         stats.norm.rvs(scale=0.2, size=500))
>>> stats.ttest_rel(rvs1, rvs3)
(-3.9995108708727933, 7.3082402191726459e-005)
```

`scipy.stats.kstest` (*rvs*, *cdf*, *args=()*, *N=20*, *alternative='two-sided'*, *mode='approx'*, ***kwds*)
Perform the Kolmogorov-Smirnov test for goodness of fit.

This performs a test of the distribution $G(x)$ of an observed random variable against a given distribution $F(x)$. Under the null hypothesis the two distributions are identical, $G(x)=F(x)$. The alternative hypothesis can be either 'two-sided' (default), 'less' or 'greater'. The KS test is only valid for continuous distributions.

Parameters **rvs** : str, array or callable

If a string, it should be the name of a distribution in `scipy.stats`. If an array, it should be a 1-D array of observations of random variables. If a callable, it should be a function to generate random variables; it is required to have a keyword argument *size*.

cdf : str or callable

If a string, it should be the name of a distribution in `scipy.stats`. If *rvs* is a string then *cdf* can be False or the same as *rvs*. If a callable, that callable is used to calculate the cdf.

args : tuple, sequence, optional

Distribution parameters, used if *rvs* or *cdf* are strings.

N : int, optional

Sample size if *rvs* is string or callable. Default is 20.

alternative : { 'two-sided', 'less', 'greater' }, optional

Defines the alternative hypothesis (see explanation above). Default is 'two-sided'.

mode : 'approx' (default) or 'asympt', optional

Defines the distribution used for calculating the p-value.

- 'approx' : use approximation to exact distribution of test statistic

With 3 degrees of freedom the t distribution looks sufficiently different from the normal distribution, that we can reject the hypothesis that the sample came from the normal distribution at the 10% level:

```
>>> np.random.seed(987654321)
>>> stats.kstest(stats.t.rvs(3, size=100), 'norm')
(0.131016895759829, 0.058826222555312224)
```

`scipy.stats.chisquare` (*f_obs*, *f_exp*=None, *ddof*=0)

Calculates a one-way chi square test.

The chi square test tests the null hypothesis that the categorical data has the given frequencies.

Parameters	f_obs : array observed frequencies in each category
	f_exp : array, optional expected frequencies in each category. By default the categories are assumed to be equally likely.
	ddof : int, optional adjustment to the degrees of freedom for the p-value
Returns	chisquare statistic : float The chisquare test statistic
	p : float The p-value of the test.

Notes

This test is invalid when the observed or expected frequencies in each category are too small. A typical rule is that all of the observed and expected frequencies should be at least 5. The default degrees of freedom, $k-1$, are for the case when no parameters of the distribution are estimated. If p parameters are estimated by efficient maximum likelihood then the correct degrees of freedom are $k-1-p$. If the parameters are estimated in a different way, then then the dof can be between $k-1-p$ and $k-1$. However, it is also possible that the asymptotic distributions is not a chisquare, in which case this test is not appropriate.

References

[R171]

`scipy.stats.ks_2samp` (*data1*, *data2*)

Computes the Kolmogorov-Smirnof statistic on 2 samples.

This is a two-sided test for the null hypothesis that 2 independent samples are drawn from the same continuous distribution.

Parameters	a, b : sequence of 1-D ndarrays two arrays of sample observations assumed to be drawn from a continuous distribution, sample sizes can be different
Returns	D : float KS statistic
	p-value : float two-tailed p-value

Notes

This tests whether 2 samples are drawn from the same distribution. Note that, like in the case of the one-sample K-S test, the distribution is assumed to be continuous.

This is the two-sided test, one-sided tests are not implemented. The test uses the two-sided asymptotic Kolmogorov-Smirnov distribution.

If the K-S statistic is small or the p-value is high, then we cannot reject the hypothesis that the distributions of the two samples are the same.

Examples

```
>>> from scipy import stats
>>> np.random.seed(12345678) #fix random seed to get the same result
>>> n1 = 200 # size of first sample
>>> n2 = 300 # size of second sample
```

For a different distribution, we can reject the null hypothesis since the pvalue is below 1%:

```
>>> rvs1 = stats.norm.rvs(size=n1, loc=0., scale=1)
>>> rvs2 = stats.norm.rvs(size=n2, loc=0.5, scale=1.5)
>>> stats.ks_2samp(rvs1, rvs2)
(0.20833333333333337, 4.6674975515806989e-005)
```

For a slightly different distribution, we cannot reject the null hypothesis at a 10% or lower alpha since the p-value at 0.144 is higher than 10%

```
>>> rvs3 = stats.norm.rvs(size=n2, loc=0.01, scale=1.0)
>>> stats.ks_2samp(rvs1, rvs3)
(0.10333333333333333, 0.14498781825751686)
```

For an identical distribution, we cannot reject the null hypothesis since the p-value is high, 41%:

```
>>> rvs4 = stats.norm.rvs(size=n2, loc=0.0, scale=1.0)
>>> stats.ks_2samp(rvs1, rvs4)
(0.07999999999999996, 0.41126949729859719)
```

`scipy.stats.mannwhitneyu(x, y, use_continuity=True)`

Computes the Mann-Whitney rank test on samples x and y.

Parameters	x, y : array_like	Array of samples, should be one-dimensional.
	use_continuity : bool, optional	Whether a continuity correction (1/2.) should be taken into account. Default is True.
Returns	u : float	The Mann-Whitney statistics.
	prob : float	One-sided p-value assuming a asymptotic normal distribution.

Notes

Use only when the number of observation in each sample is > 20 and you have 2 independent samples of ranks. Mann-Whitney U is significant if the u-obtained is LESS THAN or equal to the critical value of U.

This test corrects for ties and by default uses a continuity correction. The reported p-value is for a one-sided hypothesis, to get the two-sided p-value multiply the returned p-value by 2.

`scipy.stats.tiecorrect(rankvals)`

Tie correction factor for ties in the Mann-Whitney U and Kruskal-Wallis H tests.

Parameters	rankvals : 1-d array_like	A 1-d sequence of ranks. Typically this will be the array returned by <code>stats.rankdata</code> .
Returns	factor : float	Correction factor for U or H.

See Also

rankdata Assign ranks to the data
mannwhitney Mann-Whitney rank test
kruskal Kruskal-Wallis H test

References

[R200]

Examples

```
>>> tiecorrect([1, 2.5, 2.5, 4])
0.9
>>> ranks = rankdata([1, 3, 2, 4, 5, 7, 2, 8, 4])
>>> ranks
array([ 1. ,  4. ,  2.5,  5.5,  7. ,  8. ,  2.5,  9. ,  5.5])
>>> tiecorrect(ranks)
0.9833333333333333
```

scipy.stats.**rankdata**(*a*)

Assign ranks to the data in *a*, dealing with ties appropriately.

Equal values are assigned a rank that is the average of the ranks that would have been otherwise assigned to all of the values within that set. Ranks begin at 1.

Parameters **a** : array_like
This array is first flattened.
Returns **ranks** : ndarray
An array of length equal to the size of *a*, containing rank scores.

Notes

All floating point types are converted to numpy.float64 before ranking. This may result in spurious ties if an input array of floats has a wider data type than numpy.float64 (e.g. numpy.float128).

Examples

```
>>> rankdata([0, 2, 3, 2])
array([ 1. ,  2.5,  4. ,  2.5])
```

scipy.stats.**ranksums**(*x, y*)

Compute the Wilcoxon rank-sum statistic for two samples.

The Wilcoxon rank-sum test tests the null hypothesis that two sets of measurements are drawn from the same distribution. The alternative hypothesis is that values in one sample are more likely to be larger than the values in the other sample.

This test should be used to compare two samples from continuous distributions. It does not handle ties between measurements in *x* and *y*. For tie-handling and an optional continuity correction see '**stats.mannwhitneyu**'_

Parameters **x,y** : array_like
The data from the two samples
Returns **z-statistic** : float
The test statistic under the large-sample approximation that the rank sum statistic is normally distributed
p-value : float
The two-sided p-value of the test

References

[R198]

`scipy.stats.wilcoxon(x, y=None, zero_method='wilcox')`

Calculate the Wilcoxon signed-rank test.

The Wilcoxon signed-rank test tests the null hypothesis that two related paired samples come from the same distribution. In particular, it tests whether the distribution of the differences $x - y$ is symmetric about zero. It is a non-parametric version of the paired T-test.

Parameters

- x** : array_like
The first set of measurements.
- y** : array_like, optional
The second set of measurements. If y is not given, then the x array is considered to be the differences between the two sets of measurements.
- zero_method** : string, {"pratt", "wilcox", "zsplit"}, optional
 - "pratt"**: Pratt treatment: includes zero-differences in the ranking process (more conservative)
 - "wilcox"**: Wilcoxon treatment: discards all zero-differences
 - "zsplit"**: Zero rank split: just like Pratt, but splitting the zero rank between positive and negative ones

Returns

- T** : float
The sum of the ranks of the differences above or below zero, whichever is smaller.
- p-value** : float
The two-sided p-value for the test.

Notes

Because the normal approximation is used for the calculations, the samples used should be large. A typical rule is to require that $n > 20$.

References

[R204]

`scipy.stats.kruskal(*args)`

Compute the Kruskal-Wallis H-test for independent samples

The Kruskal-Wallis H-test tests the null hypothesis that the population median of all of the groups are equal. It is a non-parametric version of ANOVA. The test works on 2 or more independent samples, which may have different sizes. Note that rejecting the null hypothesis does not indicate which of the groups differs. Post-hoc comparisons between groups are required to determine which groups are different.

Parameters

- sample1, sample2, ...** : array_like
Two or more arrays with the sample measurements can be given as arguments.

Returns

- H-statistic** : float
The Kruskal-Wallis H statistic, corrected for ties
- p-value** : float
The p-value for the test using the assumption that H has a chi square distribution

Notes

Due to the assumption that H has a chi square distribution, the number of samples in each group must not be too small. A typical rule is that each sample must have at least 5 measurements.

References

[R181]

`scipy.stats.friedmanchisquare(*args)`

Computes the Friedman test for repeated measurements

The Friedman test tests the null hypothesis that repeated measurements of the same individuals have the same distribution. It is often used to test for consistency among measurements obtained in different ways. For example, if two measurement techniques are used on the same set of individuals, the Friedman test can be used to determine if the two measurement techniques are consistent.

Parameters **measurements1, measurements2, measurements3...** : array_like
 Arrays of measurements. All of the arrays must have the same number of elements. At least 3 sets of measurements must be given.

Returns **friedman chi-square statistic** : float
 the test statistic, correcting for ties

p-value : float
 the associated p-value assuming that the test statistic has a chi squared distribution

Notes

Due to the assumption that the test statistic has a chi squared distribution, the p-value is only reliable for $n > 10$ and more than 6 repeated measurements.

References

[R176]

<code>ansari(x, y)</code>	Perform the Ansari-Bradley test for equal scale parameters
<code>bartlett(*args)</code>	Perform Bartlett's test for equal variances
<code>levene(*args, **kwds)</code>	Perform Levene test for equal variances.
<code>shapiro(x[, a, reta])</code>	Perform the Shapiro-Wilk test for normality.
<code>anderson(x[, dist])</code>	Anderson-Darling test for data coming from a particular distribution
<code>binom_test(x[, n, p])</code>	Perform a test that the probability of success is p.
<code>fligner(*args, **kwds)</code>	Perform Fligner's test for equal variances.
<code>mood(x, y)</code>	Perform Mood's test for equal scale parameters.
<code>oneway(*args, **kwds)</code>	Test for equal means in two or more samples from the normal distribution.

`scipy.stats.ansari(x, y)`

Perform the Ansari-Bradley test for equal scale parameters

The Ansari-Bradley test is a non-parametric test for the equality of the scale parameter of the distributions from which two samples were drawn.

Parameters **x, y** : array_like
 arrays of sample data

Returns **AB** : float
 The Ansari-Bradley test statistic

p-value : float
 The p-value of the hypothesis test

See Also

fligner A non-parametric test for the equality of k variances
mood A non-parametric test for the equality of two scale parameters

Notes

The p-value given is exact when the sample sizes are both less than 55 and there are no ties, otherwise a normal approximation for the p-value is used.

References

[R166]

`scipy.stats.bartlett` (*args)

Perform Bartlett's test for equal variances

Bartlett's test tests the null hypothesis that all input samples are from populations with equal variances. For samples from significantly non-normal populations, Levene's test '**levene**'_ is more robust.

Parameters **sample1, sample2,...** : array_like
arrays of sample data. May be different lengths.

Returns **T** : float
The test statistic.

p-value : float
The p-value of the test.

References

[R167], [R168]

`scipy.stats.levene` (*args, **kwargs)

Perform Levene test for equal variances.

The Levene test tests the null hypothesis that all input samples are from populations with equal variances. Levene's test is an alternative to Bartlett's test `bartlett` in the case where there are significant deviations from normality.

Parameters **sample1, sample2, ...** : array_like
The sample data, possibly with different lengths

center : {'mean', 'median', 'trimmed'}, optional
Which function of the data to use in the test. The default is 'median'.

proportiontocut : float, optional
When *center* is 'trimmed', this gives the proportion of data points to cut from each end. (See `scipy.stats.trim_mean`.) Default is 0.05.

Returns **W** : float
The test statistic.

p-value : float
The p-value for the test.

Notes

Three variations of Levene's test are possible. The possibilities and their recommended usages are:

- 'median' : Recommended for skewed (non-normal) distributions
- 'mean' : Recommended for symmetric, moderate-tailed distributions.
- 'trimmed' : Recommended for heavy-tailed distributions.

References

[R183], [R184], [R185]

`scipy.stats.shapiro` (x, a=None, reta=False)

Perform the Shapiro-Wilk test for normality.

The Shapiro-Wilk test tests the null hypothesis that the data was drawn from a normal distribution.

Parameters **x** : array_like

a : array_like, optional
 Array of sample data.
 Array of internal parameters used in the calculation. If these are not given, they will be computed internally. If *x* has length *n*, then *a* must have length *n*/2.
reta : bool, optional
 Whether or not to return the internally computed *a* values. The default is False.
Returns **W** : float
 The test statistic.
p-value : float
 The p-value for the hypothesis test.
a : array_like, optional
 If *reta* is True, then these are the internally computed “a” values that may be passed into this function on future calls.

See Also

[*anderson*](#) The Anderson-Darling test for normality

References

[R199]

`scipy.stats.anderson(x, dist='norm')`

Anderson-Darling test for data coming from a particular distribution

The Anderson-Darling test is a modification of the Kolmogorov- Smirnov test [kstest_](#) for the null hypothesis that a sample is drawn from a population that follows a particular distribution. For the Anderson-Darling test, the critical values depend on which distribution is being tested against. This function works for normal, exponential, logistic, or Gumbel (Extreme Value Type I) distributions.

Parameters **x** : array_like
 array of sample data
dist : {'norm', 'expon', 'logistic', 'gumbel', 'extreme1'}, optional
 the type of distribution to test against. The default is 'norm' and 'extreme1' is a synonym for 'gumbel'
Returns **A2** : float
 The Anderson-Darling test statistic
critical : list
 The critical values for this distribution
sig : list
 The significance levels for the corresponding critical values in percents. The function returns critical values for a differing set of significance levels depending on the distribution that is being tested against.

Notes

Critical values provided are for the following significance levels:

normal/exponential 15%, 10%, 5%, 2.5%, 1%
logistic 25%, 10%, 5%, 2.5%, 1%, 0.5%
Gumbel 25%, 10%, 5%, 2.5%, 1%

If A2 is larger than these critical values then for the corresponding significance level, the null hypothesis that the data come from the chosen distribution can be rejected.

References

[R160], [R161], [R162], [R163], [R164], [R165]

`scipy.stats.binom_test(x, n=None, p=0.5)`Perform a test that the probability of success is p .

This is an exact, two-sided test of the null hypothesis that the probability of success in a Bernoulli experiment is p .

Parameters

- x** : integer or array_like
the number of successes, or if x has length 2, it is the number of successes and the number of failures.
- n** : integer
the number of trials. This is ignored if x gives both the number of successes and failures
- p** : float, optional
The hypothesized probability of success. $0 \leq p \leq 1$. The default value is $p = 0.5$

Returns

- p-value** : float
The p-value of the hypothesis test

References

[R169]

`scipy.stats.fligner(*args, **kwargs)`

Perform Fligner's test for equal variances.

Fligner's test tests the null hypothesis that all input samples are from populations with equal variances. Fligner's test is non-parametric in contrast to Bartlett's test `bartlett` and Levene's test `levene`.

Parameters

- sample1, sample2, ...** : array_like
arrays of sample data. Need not be the same length
- center** : {'mean', 'median', 'trimmed'}, optional
keyword argument controlling which function of the data is used in computing the test statistic. The default is 'median'.
- proportiontocut** : float, optional
When *center* is 'trimmed', this gives the proportion of data points to cut from each end. (See `scipy.stats.trim_mean`.) Default is 0.05.

Returns

- Xsq** : float
the test statistic
- p-value** : float
the p-value for the hypothesis test

Notes

As with Levene's test there are three variants of Fligner's test that differ by the measure of central tendency used in the test. See `levene` for more information.

References

[R174], [R175]

`scipy.stats.mood(x, y)`

Perform Mood's test for equal scale parameters.

Mood's two-sample test for scale parameters is a non-parametric test for the null hypothesis that two samples are drawn from the same distribution with the same scale parameter.

Parameters

- x, y** : array_like
Arrays of sample data.

p : float
The p-value of the test

dof : int
Degrees of freedom

expected : ndarray, same shape as *observed*
The expected frequencies, based on the marginal sums of the table.

See Also

`contingency.expected_freq`, `fisher_exact`, `chisquare`

Notes

An often quoted guideline for the validity of this calculation is that the test should be used only if the observed and expected frequency in each cell is at least 5.

This is a test for the independence of different categories of a population. The test is only meaningful when the dimension of *observed* is two or more. Applying the test to a one-dimensional table will always result in *expected* equal to *observed* and a chi-square statistic equal to 0.

This function does not handle masked arrays, because the calculation does not make sense with missing values.

Like `stats.chisquare`, this function computes a chi-square statistic; the convenience this function provides is to figure out the expected frequencies and degrees of freedom from the given contingency table. If these were already known, and if the Yates' correction was not required, one could use `stats.chisquare`. That is, if one calls:

```
chi2, p, dof, ex = chi2_contingency(obs, correction=False)
```

then the following is true:

```
(chi2, p) == stats.chisquare(obs.ravel(), f_exp=ex.ravel(),
                             ddof=obs.size - 1 - dof)
```

References

[R170]

Examples

A two-way example (2 x 3):

```
>>> obs = np.array([[10, 10, 20], [20, 20, 20]])
>>> chi2_contingency(obs)
(2.7777777777777777,
 0.24935220877729619,
 2,
 array([[ 12.,  12.,  16.],
        [ 18.,  18.,  24.]])
```

A four-way example (2 x 2 x 2 x 2):

```
>>> obs = np.array(
...     [[[[12, 17],
...         [11, 16]],
...         [[11, 12],
...         [15, 16]]],
...     [[23, 15],
...     [30, 22]],
```

```

...     [[14, 17],
...     [15, 16]]])
>>> chi2_contingency(obs)
(8.7584514426741897,
 0.64417725029295503,
 11,
 array([[ [ [ 14.15462386, 14.15462386],
           [ 16.49423111, 16.49423111]],
        [ [ 11.2461395 , 11.2461395 ],
          [ 13.10500554, 13.10500554]]]],
       [ [ [ 19.5591166 , 19.5591166 ],
          [ 22.79202844, 22.79202844]],
        [ [ 15.54012004, 15.54012004],
          [ 18.10873492, 18.10873492]]]])
    
```

`scipy.stats.contingency.expected_freq(observed)`
 Compute the expected frequencies from a contingency table.

Given an n -dimensional contingency table of observed frequencies, compute the expected frequencies for the table based on the marginal sums under the assumption that the groups associated with each dimension are independent.

Parameters **observed** : array_like
 The table of observed frequencies. (While this function can handle a 1-D array, that case is trivial. Generally *observed* is at least 2-D.)

Returns **expected** : ndarray of float64
 The expected frequencies, based on the marginal sums of the table. Same shape as *observed*.

Examples

```

>>> observed = np.array([[10, 10, 20], [20, 20, 20]])
>>> expected_freq(observed)
array([[ 12., 12., 16.],
       [ 18., 18., 24.]])
    
```

`scipy.stats.contingency.margins(a)`
 Return a list of the marginal sums of the array *a*.

Parameters **a** : ndarray
 The array for which to compute the marginal sums.

Returns **margsums** : list of ndarrays
 A list of length *a.ndim*. *margsums[k]* is the result of summing *a* over all axes except *k*; it has the same number of dimensions as *a*, but the length of each axis except axis *k* will be 1.

Examples

```

>>> a = np.arange(12).reshape(2, 6)
>>> a
array([[ 0,  1,  2,  3,  4,  5],
       [ 6,  7,  8,  9, 10, 11]])
>>> m0, m1 = margins(a)
>>> m0
array([[15],
       [51]])
>>> m1
array([[ 6,  8, 10, 12, 14, 16]])
    
```

```

>>> b = np.arange(24).reshape(2, 3, 4)
>>> m0, m1, m2 = margins(b)
>>> m0
array([[ [ 66]],
        [[210]])
>>> m1
array([[ [ 60],
         [ 92],
         [124]])
>>> m2
array([[ [60, 66, 72, 78]])

```

`scipy.stats.fisher_exact` (*table*, *alternative='two-sided'*)

Performs a Fisher exact test on a 2x2 contingency table.

Parameters

- table** : array_like of ints
A 2x2 contingency table. Elements should be non-negative integers.
- alternative** : {'two-sided', 'less', 'greater'}, optional
Which alternative hypothesis to the null hypothesis the test uses. Default is 'two-sided'.

Returns

- oddsratio** : float
This is prior odds ratio and not a posterior estimate.
- p_value** : float
P-value, the probability of obtaining a distribution at least as extreme as the one that was actually observed, assuming that the null hypothesis is true.

See Also

[*chi2_contingency*](#)

Chi-square test of independence of variables in a contingency table.

Notes

The calculated odds ratio is different from the one R uses. In R language, this implementation returns the (more common) “unconditional Maximum Likelihood Estimate”, while R uses the “conditional Maximum Likelihood Estimate”.

For tables with large numbers the (inexact) chi-square test implemented in the function `chi2_contingency` can also be used.

Examples

Say we spend a few days counting whales and sharks in the Atlantic and Indian oceans. In the Atlantic ocean we find 8 whales and 1 shark, in the Indian ocean 2 whales and 5 sharks. Then our contingency table is:

	Atlantic	Indian
whales	8	2
sharks	1	5

We use this table to find the p-value:

```

>>> oddsratio, pvalue = stats.fisher_exact([[8, 2], [1, 5]])
>>> pvalue
0.0349...

```

The probability that we would observe this or an even more imbalanced ratio by chance is about 3.5%. A commonly used significance level is 5%, if we adopt that we can therefore conclude that our observed imbalance is statistically significant; whales prefer the Atlantic while sharks prefer the Indian ocean.

5.28.5 General linear model

`glm(data, para)` Calculates a linear model fit ...

`scipy.stats.glm(data, para)`

Calculates a linear model fit ... anova/ancova/lin-regress/t-test/etc. Taken from:

Returns **statistic, p-value ??? :**

References

Peterson et al. Statistical limitations in functional neuroimaging I. Non-inferential methods and statistical models. *Phil Trans Royal Soc Lond B* 354: 1239-1260.

5.28.6 Plot-tests

<code>ppcc_max(x[, brack, dist])</code>	Returns the shape parameter that maximizes the probability plot correlation coefficient for t
<code>ppcc_plot(x, a, b[, dist, plot, N])</code>	Returns (shape, ppcc), and optionally plots shape vs.
<code>probplot(x[, sparams, dist, fit, plot])</code>	Calculate quantiles for a probability plot of sample data against a specified theoretical distri

`scipy.stats.ppcc_max(x, brack=(0.0, 1.0), dist='tukeylambda')`

Returns the shape parameter that maximizes the probability plot correlation coefficient for the given data to a one-parameter family of distributions.

See also `ppcc_plot`

`scipy.stats.ppcc_plot(x, a, b, dist='tukeylambda', plot=None, N=80)`

Returns (shape, ppcc), and optionally plots shape vs. ppcc (probability plot correlation coefficient) as a function of shape parameter for a one-parameter family of distributions from shape value a to b.

See also `ppcc_max`

`scipy.stats.probplot(x, sparams=(), dist='norm', fit=True, plot=None)`

Calculate quantiles for a probability plot of sample data against a specified theoretical distribution.

`probplot` optionally calculates a best-fit line for the data and plots the results using Matplotlib or a given plot function.

Parameters **x** : array_like

Sample/response data from which `probplot` creates the plot.

sparams : tuple, optional

Distribution-specific shape parameters (location(s) and scale(s)).

dist : str, optional

Distribution function name. The default is 'norm' for a normal probability plot.

fit : bool, optional

Fit a least-squares regression (best-fit) line to the sample data if True (default).

plot : object, optional

If given, plots the quantiles and least squares fit. `plot` is an object with methods "plot", "title", "xlabel", "ylabel" and "text". The `matplotlib.pyplot` module or a Matplotlib axes object can be used, or a custom object with the same methods. By default, no plot is created.

Returns (**osm, osr**) : tuple of ndarrays

Tuple of theoretical quantiles (osm, or order statistic medians) and ordered responses (osr).

(slope, intercept, r) : tuple of floats, optional

Tuple containing the result of the least-squares fit, if that is performed by `probplot`. *r* is the square root of the coefficient of determination. If `fit=False` and `plot=None`, this tuple is not returned.

Notes

Even if `plot` is given, the figure is not shown or saved by `probplot`; `plot.show()` or `plot.savefig('filename.png')` should be used after calling `probplot`.

Examples

```
>>> import scipy.stats as stats
>>> nsample = 100
>>> np.random.seed(7654321)
```

A t distribution with small degrees of freedom:

```
>>> ax1 = plt.subplot(221)
>>> x = stats.t.rvs(3, size=nsample)
>>> res = stats.probplot(x, plot=plt)
```

A t distribution with larger degrees of freedom:

```
>>> ax2 = plt.subplot(222)
>>> x = stats.t.rvs(25, size=nsample)
>>> res = stats.probplot(x, plot=plt)
```

A mixture of 2 normal distributions with broadcasting:

```
>>> ax3 = plt.subplot(223)
>>> x = stats.norm.rvs(loc=[0,5], scale=[1,1.5],
...                  size=(nsample/2.,2)).ravel()
>>> res = stats.probplot(x, plot=plt)
```

A standard normal distribution:

```
>>> ax4 = plt.subplot(224)
>>> x = stats.norm.rvs(loc=0, scale=1, size=nsample)
>>> res = stats.probplot(x, plot=plt)
```

5.28.7 Masked statistics functions

Statistical functions for masked arrays (`scipy.stats.mstats`)

This module contains a large number of statistical functions that can be used with masked arrays.

Most of these functions are similar to those in `scipy.stats` but might have small differences in the API or in the algorithm used. Since this is a relatively new package, some API changes are still possible.

<code>argstoarray(*args)</code>	Constructs a 2D array from a group of sequences.
<code>betai(a, b, x)</code>	Returns the incomplete beta function.

Table 5.229 – continued from previous page

<code>chisquare(f_obs[, f_exp])</code>	Calculates a one-way chi square test.
<code>count_tied_groups(x[, use_missing])</code>	Counts the number of tied values.
<code>describe(a[, axis])</code>	Computes several descriptive statistics of the passed array.
<code>f_oneway(*args)</code>	Performs a 1-way ANOVA, returning an F-value and probability given
<code>f_value_wilks_lambda(ER, EF, dfnum, dfden, a, b)</code>	Calculation of Wilks lambda F-statistic for multivariate data, per
<code>find_repeats(arr)</code>	Find repeats in arr and return a tuple (repeats, repeat_count).
<code>friedmanchisquare(*args)</code>	Friedman Chi-Square is a non-parametric, one-way within-subjects ANCO
<code>gmean(a[, axis])</code>	Compute the geometric mean along the specified axis.
<code>hmean(a[, axis])</code>	Calculates the harmonic mean along the specified axis.
<code>kendalltau(x, y[, use_ties, use_missing])</code>	Computes Kendall’s rank correlation tau on two variables <i>x</i> and <i>y</i> .
<code>kendalltau_seasonal(x)</code>	Computes a multivariate extension Kendall’s rank correlation tau, design
<code>kruskalwallis(*args)</code>	Compute the Kruskal-Wallis H-test for independent samples
<code>kruskalwallis(*args)</code>	Compute the Kruskal-Wallis H-test for independent samples
<code>ks_twosamp(data1, data2[, alternative])</code>	Computes the Kolmogorov-Smirnov test on two samples.
<code>ks_twosamp(data1, data2[, alternative])</code>	Computes the Kolmogorov-Smirnov test on two samples.
<code>kurtosis(a[, axis, fisher, bias])</code>	Computes the kurtosis (Fisher or Pearson) of a dataset.
<code>kurtosistest(a[, axis])</code>	Tests whether a dataset has normal kurtosis
<code>linregress(*args)</code>	Calculate a regression line
<code>mannwhitneyu(x, y[, use_continuity])</code>	Computes the Mann-Whitney statistic
<code>plotting_positions(data[, alpha, beta])</code>	Returns plotting positions (or empirical percentile points) for the data.
<code>mode(a[, axis])</code>	Returns an array of the modal (most common) value in the passed array.
<code>moment(a[, moment, axis])</code>	Calculates the <i>n</i> th moment about the mean for a sample.
<code>mquantiles(a[, prob, alphap, betap, axis, limit])</code>	Computes empirical quantiles for a data array.
<code>msign(x)</code>	Returns the sign of <i>x</i> , or 0 if <i>x</i> is masked.
<code>normaltest(a[, axis])</code>	Tests whether a sample differs from a normal distribution.
<code>obrientransform(*args)</code>	Computes a transform on input data (any number of columns).
<code>pearsonr(x, y)</code>	Calculates a Pearson correlation coefficient and the p-value for testing
<code>plotting_positions(data[, alpha, beta])</code>	Returns plotting positions (or empirical percentile points) for the data.
<code>pointbiserialr(x, y)</code>	Calculates a point biserial correlation coefficient and the associated p-val
<code>rankdata(data[, axis, use_missing])</code>	Returns the rank (also known as order statistics) of each data point along
<code>scoreatpercentile(data, per[, limit, ...])</code>	Calculate the score at the given ‘per’ percentile of the sequence <i>a</i> .
<code>sem(a[, axis])</code>	Calculates the standard error of the mean (or standard error of measurem
<code>signaltonoise(data[, axis])</code>	Calculates the signal-to-noise ratio, as the ratio of the mean over standar
<code>skew(a[, axis, bias])</code>	Computes the skewness of a data set.
<code>skewtest(a[, axis])</code>	Tests whether the skew is different from the normal distribution.
<code>spearmanr(x, y[, use_ties])</code>	Calculates a Spearman rank-order correlation coefficient and the p-value
<code>theilslopes(y[, x, alpha])</code>	Computes the Theil slope over the dataset (<i>x</i> , <i>y</i>), as the median of all slop
<code>threshold(a[, threshmin, threshmax, newval])</code>	Clip array to a given value.
<code>tmax(a, upperlimit[, axis, inclusive])</code>	Compute the trimmed maximum
<code>tmean(a[, limits, inclusive])</code>	Compute the trimmed mean
<code>tmin(a[, lowerlimit, axis, inclusive])</code>	Compute the trimmed minimum
<code>trim(a[, limits, inclusive, relative, axis])</code>	Trims an array by masking the data outside some given limits.
<code>trima(a[, limits, inclusive])</code>	Trims an array by masking the data outside some given limits.
<code>trimboth(data[, proportiontocut, inclusive, ...])</code>	Trims the smallest and largest data values.
<code>trimmed_stde(a[, limits, inclusive, axis])</code>	Returns the standard error of the trimmed mean along the given axis.
<code>trimr(a[, limits, inclusive, axis])</code>	Trims an array by masking some proportion of the data on each end.
<code>trimtail(data[, proportiontocut, tail, ...])</code>	Trims the data by masking values from one tail.
<code>tsem(a[, limits, inclusive])</code>	Compute the trimmed standard error of the mean
<code>ttest_onesamp(a, popmean)</code>	Calculates the T-test for the mean of ONE group of scores.
<code>ttest_ind(a, b[, axis])</code>	Calculates the T-test for the means of TWO INDEPENDENT samples of

Table 5.229 – continued from previous page

<code>ttest_onesamp(a, popmean)</code>	Calculates the T-test for the mean of ONE group of scores.
<code>ttest_rel(a, b[, axis])</code>	Calculates the T-test on TWO RELATED samples of scores, a and b.
<code>tvar(a[, limits, inclusive])</code>	Compute the trimmed variance
<code>variation(a[, axis])</code>	Computes the coefficient of variation, the ratio of the biased standard deviation to the mean.
<code>winsorize(a[, limits, inclusive, inplace, axis])</code>	Returns a Winsorized version of the input array.
<code>zmap(scores, compare[, axis, ddof])</code>	Calculates the relative z-scores.
<code>zscore(a[, axis, ddof])</code>	Calculates the z score of each value in the sample, relative to the sample mean.

`scipy.stats.mstats.argstoarray(*args)`

Constructs a 2D array from a group of sequences.

Sequences are filled with missing values to match the length of the longest sequence.

Parameters `args` : sequences

Returns `argstoarray` : ^{Group of sequences.} MaskedArray

A ($m \times n$) masked array, where m is the number of arguments and n the length of the longest argument.

Notes

`numpy.ma.row_stack` has identical behavior, but is called with a sequence of sequences.

`scipy.stats.mstats.betai(a, b, x)`

Returns the incomplete beta function.

$$I_x(a,b) = 1/B(a,b) * (\text{Integral}(0,x) \text{ of } t^{(a-1)}(1-t)^{(b-1)} dt)$$

where $a, b > 0$ and $B(a,b) = G(a)G(b)/(G(a+b))$ where $G(a)$ is the gamma function of a .

The standard broadcasting rules apply to a , b , and x .

Parameters `a` : array_like or float > 0

`b` : array_like or float > 0

`x` : array_like or float

Returns `betai` : ndarray ^{x will be clipped to be no greater than 1.0 .}

Incomplete beta function.

`scipy.stats.mstats.chisquare(f_obs, f_exp=None)`

Calculates a one-way chi square test.

The chi square test tests the null hypothesis that the categorical data has the given frequencies.

Parameters `f_obs` : array

observed frequencies in each category

`f_exp` : array, optional

expected frequencies in each category. By default the categories are assumed to be equally likely.

`ddof` : int, optional

Returns `chisquare statistic` : float ^{adjustment to the degrees of freedom for the p-value}

The chisquare test statistic

`p` : float

The p-value of the test.

Notes

This test is invalid when the observed or expected frequencies in each category are too small. A typical rule is that all of the observed and expected frequencies should be at least 5. The default degrees of freedom, $k-1$, are for the case when no parameters of the distribution are estimated. If p parameters are estimated by efficient maximum likelihood then the correct degrees of freedom are $k-1-p$. If the parameters are estimated in a different way, then then the dof can be between $k-1-p$ and $k-1$. However, it is also possible that the asymptotic distributions is not a chisquare, in which case this test is not appropriate.

References

[R187]

`scipy.stats.mstats.count_tied_groups(x, use_missing=False)`
 Counts the number of tied values.

Parameters **x** : sequence
 Sequence of data on which to counts the ties
use_missing : boolean
 Whether to consider missing values as tied.
Returns **count_tied_groups** : dict
 Returns a dictionary (nb of ties: nb of groups).

Examples

```
>>> z = [0, 0, 0, 2, 2, 2, 3, 3, 4, 5, 6]
>>> count_tied_groups(z)
>>> {2:1, 3:2}
>>> # The ties were 0 (3x), 2 (3x) and 3 (2x)
>>> z = ma.array([0, 0, 1, 2, 2, 2, 3, 3, 4, 5, 6])
>>> count_tied_groups(z)
>>> {2:2, 3:1}
>>> # The ties were 0 (2x), 2 (3x) and 3 (2x)
>>> z[[1,-1]] = masked
>>> count_tied_groups(z, use_missing=True)
>>> {2:2, 3:1}
>>> # The ties were 2 (3x), 3 (2x) and masked (2x)
```

`scipy.stats.mstats.describe(a, axis=0)`
 Computes several descriptive statistics of the passed array.

Parameters **a** : array
Returns **axis** : int or None
n : int
 (size of the data (discarding missing values))
mm : (int, int)
 min, max
arithmetic mean : float
unbiased variance : float
biased skewness : float
biased kurtosis : float

Examples

```
>>> ma = np.ma.array(range(6), mask=[0, 0, 0, 1, 1, 1])
>>> describe(ma)
(array(3),
 (0, 2),
 1.0,
```

```

1.0,
masked_array(data = 0.0,
             mask = False,
             fill_value = 1e+20)
',
-1.5)

```

`scipy.stats.mstats.f_oneway(*args)`

Performs a 1-way ANOVA, returning an F-value and probability given any number of groups. From Heiman, pp.394-7.

Usage: `f_oneway(*args)` where **args* is 2 or more arrays, one per treatment group

Returns: f-value, probability

`scipy.stats.mstats.f_value_wilks_lambda(ER, EF, dfnum, dfden, a, b)`

Calculation of Wilks lambda F-statistic for multivariate data, per Maxwell & Delaney p.657.

`scipy.stats.mstats.find_repeats(arr)`

Find repeats in arr and return a tuple (repeats, repeat_count). Masked values are discarded.

Parameters **arr** : sequence

Returns **repeats** : ndarray
Input array. The array is flattened if it is not 1D.

Array of repeated values.

counts [ndarray] Array of counts.

`scipy.stats.mstats.friedmanchisquare(*args)`

Friedman Chi-Square is a non-parametric, one-way within-subjects ANOVA. This function calculates the Friedman Chi-square test for repeated measures and returns the result, along with the associated probability value.

Each input is considered a given group. Ideally, the number of treatments among each group should be equal. If this is not the case, only the first n treatments are taken into account, where n is the number of treatments of the smallest group. If a group has some missing values, the corresponding treatments are masked in the other groups. The test statistic is corrected for ties.

Masked values in one group are propagated to the other groups.

Returns: chi-square statistic, associated p-value

`scipy.stats.mstats.gmean(a, axis=0)`

Compute the geometric mean along the specified axis.

Returns the geometric average of the array elements. That is: n-th root of (x1 * x2 * ... * xn)

Parameters **a** : array_like

Input array or object that can be converted to an array.

axis : int, optional, default axis=0

Axis along which the geometric mean is computed.

dtype : dtype, optional

Type of the returned array and of the accumulator in which the elements are summed. If dtype is not specified, it defaults to the dtype of a, unless a has an integer dtype with a precision less than that of the default platform integer. In that case, the default platform integer is used.

Returns **gmean** : ndarray

see dtype parameter above

See Also

[`numpy.mean`](#) Arithmetic average

numpy.average

Weighted average

hmean

Harmonic mean

Notes

The geometric average is computed over a single dimension of the input array, axis=0 by default, or all values in the array if axis=None. float64 intermediate and return values are used for integer inputs.

Use masked arrays to ignore any non-finite values in the input or that arise in the calculations such as Not a Number and infinity because masked arrays automatically mask any non-finite values.

`scipy.stats.mstats.hmean(a, axis=0)`

Calculates the harmonic mean along the specified axis.

That is: $n / (1/x_1 + 1/x_2 + \dots + 1/x_n)$

Parameters **a** : array_like

Input array, masked array or object that can be converted to an array.

axis : int, optional, default axis=0

Axis along which the harmonic mean is computed.

dtype : dtype, optional

Type of the returned array and of the accumulator in which the elements are summed. If *dtype* is not specified, it defaults to the dtype of *a*, unless *a* has an integer *dtype* with a precision less than that of the default platform integer. In that case, the default platform integer is used.

Returns

hmean : ndarray

see *dtype* parameter above

See Also

numpy.mean Arithmetic average

numpy.average

Weighted average

gmean

Geometric mean

Notes

The harmonic mean is computed over a single dimension of the input array, axis=0 by default, or all values in the array if axis=None. float64 intermediate and return values are used for integer inputs.

Use masked arrays to ignore any non-finite values in the input or that arise in the calculations such as Not a Number and infinity.

`scipy.stats.mstats.kendalltau(x, y, use_ties=True, use_missing=False)`

Computes Kendall's rank correlation tau on two variables *x* and *y*.

Parameters **xdata** : sequence

First data list (for example, time).

ydata : sequence

Second data list.

use_ties : {True, False}, optional

Whether ties correction should be performed.

use_missing : {False, True}, optional

Whether missing data should be allocated a rank of 0 (False) or the average rank (True)

Returns

tau : float

Kendall tau

prob : float

Approximate 2-side p-value.

`scipy.stats.mstats.kendalltau_seasonal(x)`

Computes a multivariate extension Kendall's rank correlation tau, designed for seasonal data.

Parameters **x**: 2D array :

Array of seasonal data, with seasons in columns.

`scipy.stats.mstats.kruskalwallis(*args)`

Compute the Kruskal-Wallis H-test for independent samples

The Kruskal-Wallis H-test tests the null hypothesis that the population median of all of the groups are equal. It is a non-parametric version of ANOVA. The test works on 2 or more independent samples, which may have different sizes. Note that rejecting the null hypothesis does not indicate which of the groups differs. Post-hoc comparisons between groups are required to determine which groups are different.

Parameters **sample1, sample2, ...** : array_like

Two or more arrays with the sample measurements can be given as arguments.

Returns **H-statistic** : float

The Kruskal-Wallis H statistic, corrected for ties

p-value : float

The p-value for the test using the assumption that H has a chi square distribution

Notes

Due to the assumption that H has a chi square distribution, the number of samples in each group must not be too small. A typical rule is that each sample must have at least 5 measurements.

References

[R188]

`scipy.stats.mstats.kruskalwallis(*args)`

Compute the Kruskal-Wallis H-test for independent samples

The Kruskal-Wallis H-test tests the null hypothesis that the population median of all of the groups are equal. It is a non-parametric version of ANOVA. The test works on 2 or more independent samples, which may have different sizes. Note that rejecting the null hypothesis does not indicate which of the groups differs. Post-hoc comparisons between groups are required to determine which groups are different.

Parameters **sample1, sample2, ...** : array_like

Two or more arrays with the sample measurements can be given as arguments.

Returns **H-statistic** : float

The Kruskal-Wallis H statistic, corrected for ties

p-value : float

The p-value for the test using the assumption that H has a chi square distribution

Notes

Due to the assumption that H has a chi square distribution, the number of samples in each group must not be too small. A typical rule is that each sample must have at least 5 measurements.

References

[R188]

`scipy.stats.mstats.ks_twosamp(data1, data2, alternative='two-sided')`

Computes the Kolmogorov-Smirnov test on two samples.

Missing values are discarded.

Parameters

- data1** : array_like
First data set
- data2** : array_like
Second data set
- alternative** : {'two-sided', 'less', 'greater'}, optional
Indicates the alternative hypothesis. Default is 'two-sided'.

Returns

- d** : float
Value of the Kolmogorov Smirnov test
- p** : float
Corresponding p-value.

`scipy.stats.mstats.ks_twosamp` (*data1*, *data2*, *alternative='two-sided'*)
 Computes the Kolmogorov-Smirnov test on two samples.

Missing values are discarded.

Parameters

- data1** : array_like
First data set
- data2** : array_like
Second data set
- alternative** : {'two-sided', 'less', 'greater'}, optional
Indicates the alternative hypothesis. Default is 'two-sided'.

Returns

- d** : float
Value of the Kolmogorov Smirnov test
- p** : float
Corresponding p-value.

`scipy.stats.mstats.kurtosis` (*a*, *axis=0*, *fisher=True*, *bias=True*)
 Computes the kurtosis (Fisher or Pearson) of a dataset.

Kurtosis is the fourth central moment divided by the square of the variance. If Fisher's definition is used, then 3.0 is subtracted from the result to give 0.0 for a normal distribution.

If *bias* is False then the kurtosis is calculated using k statistics to eliminate bias coming from biased moment estimators

Use `kurtosistest` to see if result is close enough to normal.

Parameters

- a** : array
data for which the kurtosis is calculated
- axis** : int or None
Axis along which the kurtosis is calculated
- fisher** : bool
If True, Fisher's definition is used (normal ==> 0.0). If False, Pearson's definition is used (normal ==> 3.0).
- bias** : bool
If False, then the calculations are corrected for statistical bias.

Returns

- kurtosis** : array
The kurtosis of values along an axis. If all values are equal, return -3 for Fisher's definition and 0 for Pearson's definition.

References

[R189]

`scipy.stats.mstats.kurtosistest` (*a*, *axis=0*)
 Tests whether a dataset has normal kurtosis

This function tests the null hypothesis that the kurtosis of the population from which the sample was drawn is that of the normal distribution: $kurtosis = 3(n-1)/(n+1)$.

Parameters

- a** : array
array of the sample data
- axis** : int or None
the axis to operate along, or None to work on the whole array. The default is the first axis.

Returns

- z-score** : float
The computed z-score for this test.
- p-value** : float
The 2-sided p-value for the hypothesis test

Notes

Valid only for $n > 20$. The Z-score is set to 0 for bad entries.

`scipy.stats.mstats.linregress` (*args)

Calculate a regression line

This computes a least-squares regression for two sets of measurements.

Parameters

- x, y** : array_like
two sets of measurements. Both arrays should have the same length. If only x is given (and y=None), then it must be a two-dimensional array where one dimension has length 2. The two sets of measurements are then found by splitting the array along the length-2 dimension.

Returns

- slope** : float
slope of the regression line
- intercept** : [float]
intercept of the regression line
- r-value** : [float]
correlation coefficient
- p-value** : [float]
two-sided p-value for a hypothesis test whose null hypothesis is that the slope is zero.
- stderr** : [float]
Standard error of the estimate

Notes

Missing values are considered pair-wise: if a value is missing in x, the corresponding value in y is masked.

Examples

```
>>> from scipy import stats
>>> import numpy as np
>>> x = np.random.random(10)
>>> y = np.random.random(10)
>>> slope, intercept, r_value, p_value, std_err = stats.linregress(x,y)
```

```
# To get coefficient of determination (r_squared)
```

```
>>> print "r-squared:", r_value**2
r-squared: 0.15286643777
```

`scipy.stats.mstats.mannwhitneyu` (x, y, use_continuity=True)

Computes the Mann-Whitney statistic

Missing values in x and/or y are discarded.

Parameters

- x** : sequence
Input
- y** : sequence
Input
- use_continuity** : {True, False}, optional
Whether a continuity correction (1/2.) should be taken into account.

Returns **u** : float
The Mann-Whitney statistics

prob : float
Approximate p-value assuming a normal distribution.

`scipy.stats.mstats.plotting_positions` (*data*, *alpha*=0.4, *beta*=0.4)

Returns plotting positions (or empirical percentile points) for the data.

Plotting positions are defined as $(i-\alpha)/(n+1-\alpha-\beta)$, where:

- *i* is the rank order statistics
- *n* is the number of unmasked values along the given axis
- *alpha* and *beta* are two parameters.

Typical values for alpha and beta are:

- (0,1) : $p(k) = k/n$, linear interpolation of cdf (R, type 4)
- (.5,.5) : $p(k) = (k-1/2)/n$, piecewise linear function (R, type 5)
- (0,0) : $p(k) = k/(n+1)$, Weibull (R type 6)
- (1,1) : $p(k) = (k-1)/(n-1)$, in this case, $p(k) = \text{mode}[F(x[k])]$. That's R default (R type 7)
- (1/3,1/3): $p(k) = (k-1/3)/(n+1/3)$, then $p(k) \sim \text{median}[F(x[k])]$. The resulting quantile estimates are approximately median-unbiased regardless of the distribution of *x*. (R type 8)
- (3/8,3/8): $p(k) = (k-3/8)/(n+1/4)$, Blom. The resulting quantile estimates are approximately unbiased if *x* is normally distributed (R type 9)
- (.4,.4) : approximately quantile unbiased (Cunnane)
- (.35,.35): APL, used with PWM
- (.3175, .3175): used in `scipy.stats.probplot`

Parameters **data** : array_like
Input data, as a sequence or array of dimension at most 2.

alpha : float, optional
Plotting positions parameter. Default is 0.4.

beta : float, optional
Plotting positions parameter. Default is 0.4.

Returns **positions** : MaskedArray
The calculated plotting positions.

`scipy.stats.mstats.mode` (*a*, *axis*=0)

Returns an array of the modal (most common) value in the passed array.

If there is more than one such value, only the first is returned. The bin-count for the modal bins is also returned.

Parameters **a** : array_like
n-dimensional array of which to find mode(s).

axis : int, optional
Axis along which to operate. Default is 0, i.e. the first axis.

Returns **vals** : ndarray
Array of modal values.

counts : ndarray
Array of counts for each mode.

Examples

```
>>> a = np.array([[6, 8, 3, 0],
                 [3, 2, 1, 7],
                 [8, 1, 8, 4],
```

```

        [5, 3, 0, 5],
        [4, 7, 5, 9]])
>>> from scipy import stats
>>> stats.mode(a)
(array([[ 3.,  1.,  0.,  0.]]), array([[ 1.,  1.,  1.,  1.]])

```

To get mode of whole array, specify axis=None:

```

>>> stats.mode(a, axis=None)
(array([ 3.]), array([ 3.]))

```

`scipy.stats.mstats.moment(a, moment=1, axis=0)`
Calculates the nth moment about the mean for a sample.

Generally used to calculate coefficients of skewness and kurtosis.

Parameters

- a** : array_like
data
- moment** : int
order of central moment that is returned
- axis** : int or None
Axis along which the central moment is computed. If None, then the data array is raveled. The default axis is zero.

Returns

- n-th central moment** : ndarray or float
The appropriate moment along the given axis or over all values if axis is None. The denominator for the moment calculation is the number of observations, no degrees of freedom correction is done.

`scipy.stats.mstats.mquantiles(a, prob=[0.25, 0.5, 0.75], alphap=0.4, betap=0.4, axis=None, limit=())`

Computes empirical quantiles for a data array.

Samples quantile are defined by $Q(p) = (1-\text{gamma}) * x[j] + \text{gamma} * x[j+1]$, where $x[j]$ is the j-th order statistic, and gamma is a function of $j = \text{floor}(n * p + m)$, $m = \text{alphap} + p * (1 - \text{alphap} - \text{betap})$ and $g = n * p + m - j$.

Reinterpreting the above equations to compare to **R** lead to the equation: $p(k) = (k - \text{alphap}) / (n + 1 - \text{alphap} - \text{betap})$

Typical values of (alphap,betap) are:

- (0,1) : $p(k) = k/n$: linear interpolation of cdf (**R** type 4)
- (.5,.5) : $p(k) = (k - 1/2.) / n$: piecewise linear function (**R** type 5)
- (0,0) : $p(k) = k / (n+1)$: (**R** type 6)
- (1,1) : $p(k) = (k-1) / (n-1)$: $p(k) = \text{mode}[F(x[k])]$. (**R** type 7, **R** default)
- (1/3,1/3) : $p(k) = (k-1/3) / (n+1/3)$: Then $p(k) \sim \text{median}[F(x[k])]$. The resulting quantile estimates are approximately median-unbiased regardless of the distribution of x . (**R** type 8)
- (3/8,3/8) : $p(k) = (k-3/8) / (n+1/4)$: Blom. The resulting quantile estimates are approximately unbiased if x is normally distributed (**R** type 9)
- (.4,.4) : approximately quantile unbiased (Cunnane)
- (.35,.35) : APL, used with PWM

Parameters

- a** : array_like
Input data, as a sequence or array of dimension at most 2.
- prob** : array_like, optional
List of quantiles to compute.
- alphap** : float, optional

Plotting positions parameter, default is 0.4.
betap : float, optional
 Plotting positions parameter, default is 0.4.
axis : int, optional
 Axis along which to perform the trimming. If None (default), the input array is first flattened.
limit : tuple
 Tuple of (lower, upper) values. Values of *a* outside this open interval are ignored.
Returns **mquantiles** : MaskedArray
 An array containing the calculated quantiles.

Notes

This formulation is very similar to **R** except the calculation of *m* from *alphap* and *betap*, where in **R** *m* is defined with each type.

References

[R190]

Examples

```
>>> from scipy.stats.mstats import mquantiles
>>> a = np.array([6., 47., 49., 15., 42., 41., 7., 39., 43., 40., 36.])
>>> mquantiles(a)
array([ 19.2,  40. ,  42.8])
```

Using a 2D array, specifying axis and limit.

```
>>> data = np.array([[ 6.,  7.,  1.],
                    [ 47., 15.,  2.],
                    [ 49., 36.,  3.],
                    [ 15., 39.,  4.],
                    [ 42., 40., -999.],
                    [ 41., 41., -999.],
                    [  7., -999., -999.],
                    [ 39., -999., -999.],
                    [ 43., -999., -999.],
                    [ 40., -999., -999.],
                    [ 36., -999., -999.]])
>>> mquantiles(data, axis=0, limit=(0, 50))
array([[ 19.2 ,  14.6 ,  1.45],
       [ 40.   ,  37.5 ,  2.5 ],
       [ 42.8 ,  40.05,  3.55]])

>>> data[:, 2] = -999.
>>> mquantiles(data, axis=0, limit=(0, 50))
masked_array(data =
  [[19.2 14.6 --]
  [40.0 37.5 --]
  [42.8 40.05 --]],
             mask =
  [[False False  True]
  [False False  True]
  [False False  True]],
             fill_value = 1e+20)
```

`scipy.stats.mstats.msign(x)`

Returns the sign of x , or 0 if x is masked.

`scipy.stats.mstats.normaltest(a, axis=0)`

Tests whether a sample differs from a normal distribution.

This function tests the null hypothesis that a sample comes from a normal distribution. It is based on D'Agostino and Pearson's [R191], [R192] test that combines skew and kurtosis to produce an omnibus test of normality.

Parameters **a** : array_like

The array containing the data to be tested.

axis : int or None

If None, the array is treated as a single data set, regardless of its shape.

Otherwise, each 1-d array along axis *axis* is tested.

Returns

k2 : float or array

$s^2 + k^2$, where s is the z-score returned by `skewtest` and k is the z-score returned by `kurtosistest`.

p-value : float or array

A 2-sided chi squared probability for the hypothesis test.

References

[R191], [R192]

`scipy.stats.mstats.obrientransform(*args)`

Computes a transform on input data (any number of columns). Used to test for homogeneity of variance prior to running one-way stats. Each array in **args* is one level of a factor. If an `F_oneway()` run on the transformed data and found significant, variances are unequal. From Maxwell and Delaney, p.112.

Returns: transformed data for use in an ANOVA

`scipy.stats.mstats.pearsonr(x, y)`

Calculates a Pearson correlation coefficient and the p-value for testing non-correlation.

The Pearson correlation coefficient measures the linear relationship between two datasets. Strictly speaking, Pearson's correlation requires that each dataset be normally distributed. Like other correlation coefficients, this one varies between -1 and +1 with 0 implying no correlation. Correlations of -1 or +1 imply an exact linear relationship. Positive correlations imply that as x increases, so does y . Negative correlations imply that as x increases, y decreases.

The p-value roughly indicates the probability of an uncorrelated system producing datasets that have a Pearson correlation at least as extreme as the one computed from these datasets. The p-values are not entirely reliable but are probably reasonable for datasets larger than 500 or so.

Parameters **x** : 1D array

Returns **y** : 1D array the same length as x
(Pearson's correlation coefficient, :
2-tailed p-value)

References

<http://www.statsoft.com/textbook/glosp.html#Pearson%20Correlation>

`scipy.stats.mstats.plotting_positions(data, alpha=0.4, beta=0.4)`

Returns plotting positions (or empirical percentile points) for the data.

Plotting positions are defined as $(i-\alpha) / (n+1-\alpha-\beta)$, where:

- i is the rank order statistics
- n is the number of unmasked values along the given axis
- α and β are two parameters.

Typical values for alpha and beta are:

- (0,1) : $p(k) = k/n$, linear interpolation of cdf (R, type 4)
- (.5,.5) : $p(k) = (k-1/2.) / n$, piecewise linear function (R, type 5)
- (0,0) : $p(k) = k / (n+1)$, Weibull (R type 6)
- (1,1) : $p(k) = (k-1) / (n-1)$, in this case, $p(k) = \text{mode}[F(x[k])]$. That's R default (R type 7)
- (1/3,1/3): $p(k) = (k-1/3) / (n+1/3)$, then $p(k) \sim \text{median}[F(x[k])]$. The resulting quantile estimates are approximately median-unbiased regardless of the distribution of x . (R type 8)
- (3/8,3/8): $p(k) = (k-3/8) / (n+1/4)$, Blom. The resulting quantile estimates are approximately unbiased if x is normally distributed (R type 9)
- (.4,.4) : approximately quantile unbiased (Cunnane)
- (.35,.35): APL, used with PWM
- (.3175, .3175): used in `scipy.stats.probplot`

Parameters

- data** : array_like
Input data, as a sequence or array of dimension at most 2.
- alpha** : float, optional
Plotting positions parameter. Default is 0.4.
- beta** : float, optional
Plotting positions parameter. Default is 0.4.

Returns

- positions** : MaskedArray
The calculated plotting positions.

`scipy.stats.mstats.pointbiserialr(x, y)`

Calculates a point biserial correlation coefficient and the associated p-value.

The point biserial correlation is used to measure the relationship between a binary variable, x , and a continuous variable, y . Like other correlation coefficients, this one varies between -1 and +1 with 0 implying no correlation. Correlations of -1 or +1 imply a determinative relationship.

This function uses a shortcut formula but produces the same result as `pearsonr`.

Parameters

- x** : array_like of bools
Input array.
- y** : [array_like] Input array.

Returns

- r** : float
R value
- p-value** : [float] 2-tailed p-value

Notes

Missing values are considered pair-wise: if a value is missing in x , the corresponding value in y is masked.

Examples

```
>>> from scipy import stats
>>> a = np.array([0, 0, 0, 1, 1, 1, 1])
>>> b = np.arange(7)
>>> stats.pointbiserialr(a, b)
(0.8660254037844386, 0.011724811003954652)
>>> stats.pearsonr(a, b)
(0.86602540378443871, 0.011724811003954626)
>>> np.corrcoef(a, b)
```

```
array([[ 1.          ,  0.8660254],
       [ 0.8660254,  1.          ]])
```

`scipy.stats.mstats.rankdata` (*data*, *axis=None*, *use_missing=False*)

Returns the rank (also known as order statistics) of each data point along the given axis.

If some values are tied, their rank is averaged. If some values are masked, their rank is set to 0 if *use_missing* is False, or set to the average rank of the unmasked values if *use_missing* is True.

Parameters **data** : sequence

Input data. The data is transformed to a masked array

axis : [{None,int}, optional] Axis along which to perform the ranking. If None, the array is first flattened. An exception is raised if the axis is specified for arrays with a dimension larger than 2

use_missing : [{boolean}, optional] Whether the masked values have a rank of 0 (False) or equal to the average rank of the unmasked values (True).

`scipy.stats.mstats.scoreatpercentile` (*data*, *per*, *limit=()*, *alphap=0.4*, *betap=0.4*)

Calculate the score at the given 'per' percentile of the sequence a. For example, the score at per=50 is the median.

This function is a shortcut to `mquantile`

`scipy.stats.mstats.sem` (*a*, *axis=0*)

Calculates the standard error of the mean (or standard error of measurement) of the values in the input array.

Parameters **a** : array_like

An array containing the values for which the standard error is returned.

axis : int or None, optional.

If axis is None, ravel *a* first. If axis is an integer, this will be the axis over which to operate. Defaults to 0.

ddof : int, optional

Delta degrees-of-freedom. How many degrees of freedom to adjust for bias in limited samples relative to the population estimate of variance. Defaults

Returns **s** : ndarray or float

The standard error of the mean in the sample(s), along the input axis.

Notes

The default value for *ddof* is different to the default (0) used by other *ddof* containing routines, such as `np.std` and `stats.nanstd`.

Examples

Find standard error along the first axis:

```
>>> from scipy import stats
>>> a = np.arange(20).reshape(5,4)
>>> stats.sem(a)
array([ 2.8284,  2.8284,  2.8284,  2.8284])
```

Find standard error across the whole array, using *n* degrees of freedom:

```
>>> stats.sem(a, axis=None, ddof=0)
1.2893796958227628
```

`scipy.stats.mstats.signaltonoise` (*data*, *axis=0*)

Calculates the signal-to-noise ratio, as the ratio of the mean over standard deviation along the given axis.

Parameters

data :	sequence	Input data
axis	[[0, int], optional]	Axis along which to compute. If None, the computation is performed on a flat version of the array.

`scipy.stats.mstats.skew` (*a*, *axis=0*, *bias=True*)

Computes the skewness of a data set.

For normally distributed data, the skewness should be about 0. A skewness value > 0 means that there is more weight in the left tail of the distribution. The function `skewtest` can be used to determine if the skewness value is close enough to 0, statistically speaking.

Parameters

a :	ndarray	data
axis :	int or None	axis along which skewness is calculated
bias :	bool	

Returns

skewness :	ndarray	If False, then the calculations are corrected for statistical bias. The skewness of values along an axis, returning 0 where all values are equal.
-------------------	---------	--

References

[CRCProbStat2000] Section 2.2.24.1

[CRCProbStat2000]

`scipy.stats.mstats.skewtest` (*a*, *axis=0*)

Tests whether the skew is different from the normal distribution.

This function tests the null hypothesis that the skewness of the population that the sample was drawn from is the same as that of a corresponding normal distribution.

Parameters

a :	array
------------	-------

Returns

axis :	int or None	
z-score :	float	The computed z-score for this test.
p-value :	float	a 2-sided p-value for the hypothesis test

Notes

The sample size must be at least 8.

`scipy.stats.mstats.spearmanr` (*x*, *y*, *use_ties=True*)

Calculates a Spearman rank-order correlation coefficient and the p-value to test for non-correlation.

The Spearman correlation is a nonparametric measure of the linear relationship between two datasets. Unlike the Pearson correlation, the Spearman correlation does not assume that both datasets are normally distributed. Like other correlation coefficients, this one varies between -1 and +1 with 0 implying no correlation. Correlations of -1 or +1 imply an exact linear relationship. Positive correlations imply that as x increases, so does y. Negative correlations imply that as x increases, y decreases. Missing values are discarded pair-wise: if a value is missing in x, the corresponding value in y is masked. The p-value roughly indicates the probability of an uncorrelated system producing datasets that have a Spearman correlation at least as extreme as the one computed from these datasets. The p-values are not entirely reliable but are probably reasonable for datasets larger than 500 or so.

Parameters

x :	1D array
------------	----------

Returns **(Spearman correlation coefficient, 2-tailed p-value)**

y [1D array the same length as x] The lengths of both arrays must be ≥ 2

use_ties [{True, False}, optional] Whether the correction for ties should be computed.

`scipy.stats.mstats.theilslopes` (*y*, *x=None*, *alpha=0.05*)

Computes the Theil slope over the dataset (x,y), as the median of all slopes between paired values.

Parameters **y** : sequence
Dependent variable.

x [{None, sequence}, optional] Independent variable. If None, use `arange(len(y))` instead.

alpha [float] Confidence degree.

Returns **medslope** : float
Theil slope

medintercept [float] Intercept of the Theil line, as `median(y)-medslope*median(x)`

lo_slope [float] Lower bound of the confidence interval on `medslope`

up_slope [float] Upper bound of the confidence interval on `medslope`

`scipy.stats.mstats.threshold` (*a*, *threshmin=None*, *threshmax=None*, *newval=0*)

Clip array to a given value.

Similar to `numpy.clip()`, except that values less than `threshmin` or greater than `threshmax` are replaced by `newval`, instead of by `threshmin` and `threshmax` respectively.

Parameters **a** : ndarray
Input data

threshmin : {None, float}, optional
Lower threshold. If None, set to the minimum value.

threshmax : {None, float}, optional
Upper threshold. If None, set to the maximum value.

newval : {0, float}, optional
Value outside the thresholds.

Returns **a, with values less (greater) than threshmin (threshmax) replaced with newval.** :

`scipy.stats.mstats.tmax` (*a*, *upperlimit*, *axis=0*, *inclusive=True*)

Compute the trimmed maximum

This function computes the maximum value of an array along a given axis, while ignoring values larger than a specified upper limit.

Parameters **a** : array_like
array of values

upperlimit : None or float, optional
Values in the input array greater than the given limit will be ignored. When `upperlimit` is None, then all values are used. The default value is None.

axis : None or int, optional
Operate along this axis. None means to use the flattened array and the default is zero.

inclusive : {True, False}, optional
This flag determines whether values exactly equal to the upper limit are included. The default value is True.

Returns **tmax** : float

`scipy.stats.mstats.tmean` (*a*, *limits=None*, *inclusive=(True, True)*)

Compute the trimmed mean

This function finds the arithmetic mean of given values, ignoring values outside the given `limits`.

Parameters

- a** : array_like
array of values
- limits** : None or (lower limit, upper limit), optional
Values in the input array less than the lower limit or greater than the upper limit will be ignored. When limits is None, then all values are used. Either of the limit values in the tuple can also be None representing a half-open interval. The default value is None.
- inclusive** : (bool, bool), optional
A tuple consisting of the (lower flag, upper flag). These flags determine whether values exactly equal to the lower or upper limits are included. The default value is (True, True).

Returns

- tmean** : float

`scipy.stats.mstats.tmin(a, lowerlimit=None, axis=0, inclusive=True)`

Compute the trimmed minimum

This function finds the minimum value of an array *a* along the specified axis, but only considering values greater than a specified lower limit.

Parameters

- a** : array_like
array of values
- lowerlimit** : None or float, optional
Values in the input array less than the given limit will be ignored. When lowerlimit is None, then all values are used. The default value is None.
- axis** : None or int, optional
Operate along this axis. None means to use the flattened array and the default is zero
- inclusive** : {True, False}, optional
This flag determines whether values exactly equal to the lower limit are included. The default value is True.

Returns

- tmin** : float

`scipy.stats.mstats.trim(a, limits=None, inclusive=(True, True), relative=False, axis=None)`

Trims an array by masking the data outside some given limits.

Returns a masked version of the input array.

Parameters

- a** : sequence
Input array
- limits** : {None, tuple}, optional
If *relative* is False, tuple (lower limit, upper limit) in absolute values. Values of the input array lower (greater) than the lower (upper) limit are masked.
If *relative* is True, tuple (lower percentage, upper percentage) to cut on each side of the array, with respect to the number of unmasked data.
Noting *n* the number of unmasked data before trimming, the (*n**limits[0])th smallest data and the (*n**limits[1])th largest data are masked, and the total number of unmasked data after trimming is *n**(1.-sum(limits)) In each case, the value of one limit can be set to None to indicate an open interval.
If limits is None, no trimming is performed
- inclusive** : {(bool, bool) tuple}, optional
If *relative* is False, tuple indicating whether values exactly equal to the absolute limits are allowed. If *relative* is True, tuple indicating whether the number of data being masked on each side should be rounded (True) or truncated (False).
- relative** : bool, optional
Whether to consider the limits as absolute values (False) or proportions to cut (True).
- axis** : int, optional

Axis along which to trim.

Examples

```
>>> z = [ 1, 2, 3, 4, 5, 6, 7, 8, 9,10]
>>> trim(z, (3,8))
[--,--, 3, 4, 5, 6, 7, 8,--,--]
>>> trim(z, (0.1,0.2),relative=True)
[--, 2, 3, 4, 5, 6, 7, 8,--,--]
```

`scipy.stats.mstats.trima` (*a*, *limits=None*, *inclusive=(True, True)*)

Trims an array by masking the data outside some given limits. Returns a masked version of the input array.

Parameters **a** : sequence

Input array.

limits : {None, tuple}, optional

Tuple of (lower limit, upper limit) in absolute values. Values of the input array lower (greater) than the lower (upper) limit will be masked. A limit is None indicates an open interval.

inclusive : {(True,True) tuple}, optional

Tuple of (lower flag, upper flag), indicating whether values exactly equal to the lower (upper) limit are allowed.

`scipy.stats.mstats.trimboth` (*data*, *proportiontocut=0.2*, *inclusive=(True, True)*, *axis=None*)

Trims the smallest and largest data values.

Trims the *data* by masking the `int(proportiontocut * n)` smallest and `int(proportiontocut * n)` largest values of data along the given axis, where *n* is the number of unmasked values before trimming.

Parameters **data** : ndarray

Data to trim.

proportiontocut : float, optional

Percentage of trimming (as a float between 0 and 1). If *n* is the number of unmasked values before trimming, the number of values after trimming is $(1 - 2 * \text{proportiontocut}) * n$. Default is 0.2.

inclusive : {(bool, bool) tuple}, optional

Tuple indicating whether the number of data being masked on each side should be rounded (True) or truncated (False).

axis : int, optional

Axis along which to perform the trimming. If None, the input array is first flattened.

`scipy.stats.mstats.trimmed_std` (*a*, *limits=(0.1, 0.1)*, *inclusive=(1, 1)*, *axis=None*)

Returns the standard error of the trimmed mean along the given axis.

Parameters **a** : sequence

Input array

limits : {(0.1,0.1), tuple of float}, optional

tuple (lower percentage, upper percentage) to cut on each side of the array, with respect to the number of unmasked data.

If *n* is the number of unmasked data before trimming, the values smaller than $n * \text{limits}[0]$ and the values larger than $n * \text{limits}[1]$ are masked, and the total number of unmasked data after trimming is $n * (1 - \text{sum}(\text{limits}))$. In each case, the value of one limit can be set to None to indicate an open interval. If *limits* is None, no trimming is performed.

inclusive : {(bool, bool) tuple} optional

Tuple indicating whether the number of data being masked on each side should be rounded (True) or truncated (False).

axis : int, optional

Returns **trimmed_std** : scalar or ndarray
Axis along which to trim.

`scipy.stats.mstats.trimr(a, limits=None, inclusive=(True, True), axis=None)`

Trims an array by masking some proportion of the data on each end. Returns a masked version of the input array.

Parameters **a** : sequence

Input array.

limits : {None, tuple}, optional

Tuple of the percentages to cut on each side of the array, with respect to the number of unmasked data, as floats between 0. and 1. Noting n the number of unmasked data before trimming, the $(n*\text{limits}[0])$ th smallest data and the $(n*\text{limits}[1])$ th largest data are masked, and the total number of unmasked data after trimming is $n*(1-\text{sum}(\text{limits}))$. The value of one limit can be set to None to indicate an open interval.

inclusive : {(True, True) tuple}, optional

Tuple of flags indicating whether the number of data being masked on the left (right) end should be truncated (True) or rounded (False) to integers.

axis : {None, int}, optional

Axis along which to trim. If None, the whole array is trimmed, but its shape is maintained.

`scipy.stats.mstats.trimtail(data, proportiontocut=0.2, tail='left', inclusive=(True, True), axis=None)`

Trims the data by masking values from one tail.

Parameters **data** : array_like

Data to trim.

proportiontocut : float, optional

Percentage of trimming. If n is the number of unmasked values before trimming, the number of values after trimming is $(1 - \text{proportiontocut}) * n$. Default is 0.2.

tail : {'left', 'right'}, optional

If 'left' the *proportiontocut* lowest values will be masked. If 'right' the *proportiontocut* highest values will be masked. Default is 'left'.

inclusive : {(bool, bool) tuple}, optional

Tuple indicating whether the number of data being masked on each side should be rounded (True) or truncated (False). Default is (True, True).

axis : int, optional

Axis along which to perform the trimming. If None, the input array is first flattened. Default is None.

Returns **trimtail** : ndarray
Returned array of same shape as *data* with masked tail values.

`scipy.stats.mstats.tsem(a, limits=None, inclusive=(True, True))`

Compute the trimmed standard error of the mean

This function finds the standard error of the mean for given values, ignoring values outside the given *limits*.

Parameters **a** : array_like

array of values

limits : None or (lower limit, upper limit), optional

Values in the input array less than the lower limit or greater than the upper limit will be ignored. When *limits* is None, then all values are used. Either

of the limit values in the tuple can also be None representing a half-open interval. The default value is None.

inclusive : (bool, bool), optional

A tuple consisting of the (lower flag, upper flag). These flags determine whether values exactly equal to the lower or upper limits are included. The default value is (True, True).

Returns **tsem** : float

`scipy.stats.mstats.ttest_onesamp(a, popmean)`

Calculates the T-test for the mean of ONE group of scores.

This is a two-sided test for the null hypothesis that the expected value (mean) of a sample of independent observations *a* is equal to the given population mean, *popmean*.

Parameters **a** : array_like

sample observation

popmean : float or array_like

expected value in null hypothesis, if array_like than it must have the same shape as *a* excluding the axis dimension

axis : int, optional, (default axis=0)

Axis can equal None (ravel array first), or an integer (the axis over which to operate on a).

Returns **t** : float or array

t-statistic

prob : float or array

two-tailed p-value

Examples

```
>>> from scipy import stats
```

```
>>> np.random.seed(7654567) # fix seed to get the same result
```

```
>>> rvs = stats.norm.rvs(loc=5, scale=10, size=(50,2))
```

Test if mean of random sample is equal to true mean, and different mean. We reject the null hypothesis in the second case and don't reject it in the first case.

```
>>> stats.ttest_1samp(rvs,5.0)
```

```
(array([-0.68014479, -0.04323899]), array([ 0.49961383,  0.96568674]))
```

```
>>> stats.ttest_1samp(rvs,0.0)
```

```
(array([ 2.77025808,  4.11038784]), array([ 0.00789095,  0.00014999]))
```

Examples using axis and non-scalar dimension for population mean.

```
>>> stats.ttest_1samp(rvs,[5.0,0.0])
```

```
(array([-0.68014479,  4.11038784]), array([ 4.99613833e-01,  1.49986458e-04]))
```

```
>>> stats.ttest_1samp(rvs.T,[5.0,0.0],axis=1)
```

```
(array([-0.68014479,  4.11038784]), array([ 4.99613833e-01,  1.49986458e-04]))
```

```
>>> stats.ttest_1samp(rvs,[[5.0],[0.0]])
```

```
(array([[ -0.68014479, -0.04323899],
        [ 2.77025808,  4.11038784]]), array([[ 4.99613833e-01,  9.65686743e-01],
        [ 7.89094663e-03,  1.49986458e-04]]))
```

`scipy.stats.mstats.ttest_ind(a, b, axis=0)`

Calculates the T-test for the means of TWO INDEPENDENT samples of scores.

This is a two-sided test for the null hypothesis that 2 independent samples have identical average (expected) values. This test assumes that the populations have identical variances.

Parameters	a, b : array_like	The arrays must have the same shape, except in the dimension corresponding to <i>axis</i> (the first, by default).
	axis : int, optional	Axis can equal None (ravel array first), or an integer (the axis over which to operate on a and b).
	equal_var : bool, optional	If True (default), perform a standard independent 2 sample test that assumes equal population variances [R193]. If False, perform Welch's t-test, which does not assume equal population variance [R194]. New in version 0.11.0.
Returns	t : float or array	The calculated t-statistic.
	prob : float or array	The two-tailed p-value.

Notes

We can use this test, if we observe two independent samples from the same or different population, e.g. exam scores of boys and girls or of two ethnic groups. The test measures whether the average (expected) value differs significantly across samples. If we observe a large p-value, for example larger than 0.05 or 0.1, then we cannot reject the null hypothesis of identical average scores. If the p-value is smaller than the threshold, e.g. 1%, 5% or 10%, then we reject the null hypothesis of equal averages.

References

[R193], [R194]

Examples

```
>>> from scipy import stats
>>> np.random.seed(12345678)
```

Test with sample with identical means:

```
>>> rvs1 = stats.norm.rvs(loc=5, scale=10, size=500)
>>> rvs2 = stats.norm.rvs(loc=5, scale=10, size=500)
>>> stats.ttest_ind(rvs1, rvs2)
(0.26833823296239279, 0.78849443369564776)
>>> stats.ttest_ind(rvs1, rvs2, equal_var = False)
(0.26833823296239279, 0.78849452749500748)
```

`ttest_ind` underestimates p for unequal variances:

```
>>> rvs3 = stats.norm.rvs(loc=5, scale=20, size=500)
>>> stats.ttest_ind(rvs1, rvs3)
(-0.46580283298287162, 0.64145827413436174)
>>> stats.ttest_ind(rvs1, rvs3, equal_var = False)
(-0.46580283298287162, 0.64149646246569292)
```

When $n_1 \neq n_2$, the equal variance t-statistic is no longer equal to the unequal variance t-statistic:

```
>>> rvs4 = stats.norm.rvs(loc=5, scale=20, size=100)
>>> stats.ttest_ind(rvs1, rvs4)
(-0.99882539442782481, 0.3182832709103896)
>>> stats.ttest_ind(rvs1, rvs4, equal_var = False)
(-0.69712570584654099, 0.48716927725402048)
```

T-test with different means, variance, and n:

```
>>> rvs5 = stats.norm.rvs(loc=8, scale=20, size=100)
>>> stats.ttest_ind(rvs1, rvs5)
(-1.4679669854490653, 0.14263895620529152)
>>> stats.ttest_ind(rvs1, rvs5, equal_var = False)
(-0.94365973617132992, 0.34744170334794122)
```

`scipy.stats.mstats.ttest_onesamp` (*a*, *popmean*)

Calculates the T-test for the mean of ONE group of scores.

This is a two-sided test for the null hypothesis that the expected value (mean) of a sample of independent observations *a* is equal to the given population mean, *popmean*.

Parameters

- a** : array_like
sample observation
- popmean** : float or array_like
expected value in null hypothesis, if array_like than it must have the same shape as *a* excluding the axis dimension
- axis** : int, optional, (default axis=0)
Axis can equal None (ravel array first), or an integer (the axis over which to operate on a).

Returns

- t** : float or array
t-statistic
- prob** : float or array
two-tailed p-value

Examples

```
>>> from scipy import stats
>>> np.random.seed(7654567) # fix seed to get the same result
>>> rvs = stats.norm.rvs(loc=5, scale=10, size=(50,2))
```

Test if mean of random sample is equal to true mean, and different mean. We reject the null hypothesis in the second case and don't reject it in the first case.

```
>>> stats.ttest_1samp(rvs, 5.0)
(array([-0.68014479, -0.04323899]), array([ 0.49961383,  0.96568674]))
>>> stats.ttest_1samp(rvs, 0.0)
(array([ 2.77025808,  4.11038784]), array([ 0.00789095,  0.00014999]))
```

Examples using axis and non-scalar dimension for population mean.

```
>>> stats.ttest_1samp(rvs, [5.0, 0.0])
(array([-0.68014479,  4.11038784]), array([ 4.99613833e-01,  1.49986458e-04]))
>>> stats.ttest_1samp(rvs.T, [5.0, 0.0], axis=1)
(array([-0.68014479,  4.11038784]), array([ 4.99613833e-01,  1.49986458e-04]))
>>> stats.ttest_1samp(rvs, [[5.0], [0.0]])
(array([[ -0.68014479, -0.04323899],
        [ 2.77025808,  4.11038784]]), array([[ 4.99613833e-01,  9.65686743e-01],
        [ 7.89094663e-03,  1.49986458e-04]]))
```

`scipy.stats.mstats.ttest_rel` (*a*, *b*, *axis=None*)

Calculates the T-test on TWO RELATED samples of scores, *a* and *b*.

This is a two-sided test for the null hypothesis that 2 related or repeated samples have identical average (expected) values.

Parameters **a, b** : array_like
 The arrays must have the same shape.
axis : int, optional, (default axis=0)
 Axis can equal None (ravel array first), or an integer (the axis over which to operate on a and b).
Returns **t** : float or array
 t-statistic
prob : float or array
 two-tailed p-value

Notes

Examples for the use are scores of the same set of student in different exams, or repeated sampling from the same units. The test measures whether the average score differs significantly across samples (e.g. exams). If we observe a large p-value, for example greater than 0.05 or 0.1 then we cannot reject the null hypothesis of identical average scores. If the p-value is smaller than the threshold, e.g. 1%, 5% or 10%, then we reject the null hypothesis of equal averages. Small p-values are associated with large t-statistics.

References

http://en.wikipedia.org/wiki/T-test#Dependent_t-test

Examples

```
>>> from scipy import stats
>>> np.random.seed(12345678) # fix random seed to get same numbers

>>> rvs1 = stats.norm.rvs(loc=5, scale=10, size=500)
>>> rvs2 = (stats.norm.rvs(loc=5, scale=10, size=500) +
...         stats.norm.rvs(scale=0.2, size=500))
>>> stats.ttest_rel(rvs1, rvs2)
(0.24101764965300962, 0.80964043445811562)
>>> rvs3 = (stats.norm.rvs(loc=8, scale=10, size=500) +
...         stats.norm.rvs(scale=0.2, size=500))
>>> stats.ttest_rel(rvs1, rvs3)
(-3.9995108708727933, 7.3082402191726459e-005)
```

scipy.stats.mstats.**tvar**(*a*, *limits=None*, *inclusive=(True, True)*)
 Compute the trimmed variance

This function computes the sample variance of an array of values, while ignoring values which are outside of given *limits*.

Parameters **a** : array_like
 array of values
limits : None or (lower limit, upper limit), optional
 Values in the input array less than the lower limit or greater than the upper limit will be ignored. When *limits* is None, then all values are used. Either of the limit values in the tuple can also be None representing a half-open interval. The default value is None.
inclusive : (bool, bool), optional
 A tuple consisting of the (lower flag, upper flag). These flags determine whether values exactly equal to the lower or upper limits are included. The default value is (True, True).
Returns **tvar** : float
 Trimmed variance.

`scipy.stats.mstats.variation` (*a*, *axis=0*)

Computes the coefficient of variation, the ratio of the biased standard deviation to the mean.

Parameters

- a** : array_like
Input array.
- axis** : int or None
Axis along which to calculate the coefficient of variation.

References

[R195]

`scipy.stats.mstats.winsorize` (*a*, *limits=None*, *inclusive=(True, True)*, *inplace=False*, *axis=None*)

Returns a Winsorized version of the input array.

The (`limits[0]`)th lowest values are set to the (`limits[0]`)th percentile, and the (`limits[1]`)th highest values are set to the (`limits[1]`)th percentile. Masked values are skipped.

Parameters

- a** : sequence
Input array.
- limits** : {None, tuple of float}, optional
Tuple of the percentages to cut on each side of the array, with respect to the number of unmasked data, as floats between 0. and 1. Noting *n* the number of unmasked data before trimming, the (`n*limits[0]`)th smallest data and the (`n*limits[1]`)th largest data are masked, and the total number of unmasked data after trimming is `n*(1.-sum(limits))`. The value of one limit can be set to None to indicate an open interval.
- inclusive** : {(True, True) tuple}, optional
Tuple indicating whether the number of data being masked on each side should be rounded (True) or truncated (False).
- inplace** : {False, True}, optional
Whether to winsorize in place (True) or to use a copy (False)
- axis** : {None, int}, optional
Axis along which to trim. If None, the whole array is trimmed, but its shape is maintained.

`scipy.stats.mstats.zmap` (*scores*, *compare*, *axis=0*, *ddof=0*)

Calculates the relative z-scores.

Returns an array of z-scores, i.e., scores that are standardized to zero mean and unit variance, where mean and variance are calculated from the comparison array.

Parameters

- scores** : array_like
The input for which z-scores are calculated.
- compare** : array_like
The input from which the mean and standard deviation of the normalization are taken; assumed to have the same dimension as *scores*.
- axis** : int or None, optional
Axis over which mean and variance of *compare* are calculated. Default is 0.
- ddof** : int, optional
Degrees of freedom correction in the calculation of the standard deviation. Default is 0.

Returns

- zscore** : array_like
Z-scores, in the same shape as *scores*.

Notes

This function preserves ndarray subclasses, and works also with matrices and masked arrays (it uses *asanyarray* instead of *asarray* for parameters).

Examples

```
>>> a = [0.5, 2.0, 2.5, 3]
>>> b = [0, 1, 2, 3, 4]
>>> zmap(a, b)
array([-1.06066017,  0.          ,  0.35355339,  0.70710678])
```

`scipy.stats.mstats.zscore(a, axis=0, ddof=0)`

Calculates the z score of each value in the sample, relative to the sample mean and standard deviation.

Parameters

- a** : array_like
An array like object containing the sample data.
- axis** : int or None, optional
If *axis* is equal to None, the array is first raveled. If *axis* is an integer, this is the axis over which to operate. Default is 0.
- ddof** : int, optional
Degrees of freedom correction in the calculation of the standard deviation. Default is 0.

Returns

- zscore** : array_like
The z-scores, standardized by mean and standard deviation of input array *a*.

Notes

This function preserves ndarray subclasses, and works also with matrices and masked arrays (it uses *asanyarray* instead of *asarray* for parameters).

Examples

```
>>> a = np.array([ 0.7972,  0.0767,  0.4383,  0.7866,  0.8091,  0.1954,
                 0.6307,  0.6599,  0.1065,  0.0508])
>>> from scipy import stats
>>> stats.zscore(a)
array([ 1.1273, -1.247 , -0.0552,  1.0923,  1.1664, -0.8559,  0.5786,
        0.6748, -1.1488, -1.3324])
```

Computing along a specified axis, using n-1 degrees of freedom (`ddof=1`) to calculate the standard deviation:

```
>>> b = np.array([[ 0.3148,  0.0478,  0.6243,  0.4608],
                 [ 0.7149,  0.0775,  0.6072,  0.9656],
                 [ 0.6341,  0.1403,  0.9759,  0.4064],
                 [ 0.5918,  0.6948,  0.904 ,  0.3721],
                 [ 0.0921,  0.2481,  0.1188,  0.1366]])
>>> stats.zscore(b, axis=1, ddof=1)
array([[ -0.19264823, -1.28415119,  1.07259584,  0.40420358],
       [  0.33048416, -1.37380874,  0.04251374,  1.00081084],
       [  0.26796377, -1.12598418,  1.23283094, -0.37481053],
       [ -0.22095197,  0.24468594,  1.19042819, -1.21416216],
       [ -0.82780366,  1.4457416 , -0.43867764, -0.1792603 ]])
```

5.28.8 Univariate and multivariate kernel density estimation (`scipy.stats.kde`)

`gaussian_kde(dataset[, bw_method])` Representation of a kernel-density estimate using Gaussian kernels.

class `scipy.stats.gaussian_kde` (*dataset*, *bw_method=None*)

Representation of a kernel-density estimate using Gaussian kernels.

Kernel density estimation is a way to estimate the probability density function (PDF) of a random variable in a non-parametric way. `gaussian_kde` works for both uni-variate and multi-variate data. It includes automatic bandwidth determination. The estimation works best for a unimodal distribution; bimodal or multi-modal distributions tend to be oversmoothed.

Parameters **dataset** : array_like

Datapoints to estimate from. In case of univariate data this is a 1-D array, otherwise a 2-D array with shape (# of dims, # of data).

bw_method : str, scalar or callable, optional

The method used to calculate the estimator bandwidth. This can be ‘scott’, ‘silverman’, a scalar constant or a callable. If a scalar, this will be used directly as *kde.factor*. If a callable, it should take a `gaussian_kde` instance as only parameter and return a scalar. If None (default), ‘scott’ is used. See Notes for more details.

Notes

Bandwidth selection strongly influences the estimate obtained from the KDE (much more so than the actual shape of the kernel). Bandwidth selection can be done by a “rule of thumb”, by cross-validation, by “plug-in methods” or by other means; see [R179], [R180] for reviews. `gaussian_kde` uses a rule of thumb, the default is Scott’s Rule.

Scott’s Rule [R177], implemented as `scotts_factor`, is:

$$n^{-(1/(d+4))},$$

with n the number of data points and d the number of dimensions. Silverman’s Rule [R178], implemented as `silverman_factor`, is:

$$n * (d + 2) / 4. ** (-1. / (d + 4)).$$

Good general descriptions of kernel density estimation can be found in [R177] and [R178], the mathematics for this multi-dimensional implementation can be found in [R177].

References

[R177], [R178], [R179], [R180]

Examples

Generate some random two-dimensional data:

```
>>> from scipy import stats
>>> def measure(n):
>>>     "Measurement model, return two coupled measurements."
>>>     m1 = np.random.normal(size=n)
>>>     m2 = np.random.normal(scale=0.5, size=n)
>>>     return m1+m2, m1-m2
```


```
>>> m1, m2 = measure(2000)
>>> xmin = m1.min()
>>> xmax = m1.max()
>>> ymin = m2.min()
>>> ymax = m2.max()
```

Perform a kernel density estimate on the data:

```
>>> X, Y = np.mgrid[xmin:xmax:100j, ymin:ymax:100j]
>>> positions = np.vstack([X.ravel(), Y.ravel()])
>>> values = np.vstack([m1, m2])
>>> kernel = stats.gaussian_kde(values)
>>> Z = np.reshape(kernel(positions).T, X.shape)
```

Plot the results:

```
>>> import matplotlib.pyplot as plt
>>> fig = plt.figure()
>>> ax = fig.add_subplot(111)
>>> ax.imshow(np.rot90(Z), cmap=plt.cm.gist_earth_r,
...          extent=[xmin, xmax, ymin, ymax])
>>> ax.plot(m1, m2, 'k.', markersize=2)
>>> ax.set_xlim([xmin, xmax])
>>> ax.set_ylim([ymin, ymax])
>>> plt.show()
```



Attributes

dataset	(ndarray) The dataset with which <code>gaussian_kde</code> was initialized.
d	(int) Number of dimensions.
n	(int) Number of datapoints.
factor	(float) The bandwidth factor, obtained from <code>kde.covariance_factor</code> , with which the covariance matrix is multiplied.
covariance	(ndarray) The covariance matrix of <code>dataset</code> , scaled by the calculated bandwidth (<code>kde.factor</code>).
inv_cov	(ndarray) The inverse of <code>covariance</code> .

Methods

kde.evaluate(points)	(ndarray) Evaluate the estimated pdf on a provided set of points.
kde(points)	(ndarray) Same as kde.evaluate(points)
kde.integrate_gaussian(mean, cov)	(float) Multiply pdf with a specified Gaussian and integrate over the whole domain.
kde.integrate_box_1d(low, high)	(float) Integrate pdf (1D only) between two bounds.
kde.integrate_box(low_bounds, high_bounds)	(float) Integrate pdf over a rectangular space between low_bounds and high_bounds.
kde.integrate_kde(other_kde)	(float) Integrate two kernel density estimates multiplied together.
kde.resample(size=None)	(ndarray) Randomly sample a dataset from the estimated pdf.
kde.set_bandwidth(bw_method=None)	(float) Computes the bandwidth, i.e. the coefficient that multiplies the data covariance matrix to obtain the kernel covariance matrix. .. versionadded:: 0.11.0
kde.covariance_factor	(float) Computes the coefficient (<i>kde.factor</i>) that multiplies the data covariance matrix to obtain the kernel covariance matrix. The default is <code>scotts_factor</code> . A subclass can overwrite this method to provide a different method, or set it through a call to <code>kde.set_bandwidth</code> .

For many more stat related functions install the software R and the interface package rpy.

5.29 Statistical functions for masked arrays (`scipy.stats.mstats`)

This module contains a large number of statistical functions that can be used with masked arrays.

Most of these functions are similar to those in `scipy.stats` but might have small differences in the API or in the algorithm used. Since this is a relatively new package, some API changes are still possible.

<code>argstoarray(*args)</code>	Constructs a 2D array from a group of sequences.
<code>betai(a, b, x)</code>	Returns the incomplete beta function.
<code>chisquare(f_obs[, f_exp])</code>	Calculates a one-way chi square test.
<code>count_tied_groups(x[, use_missing])</code>	Counts the number of tied values.
<code>describe(a[, axis])</code>	Computes several descriptive statistics of the passed array.
<code>f_oneway(*args)</code>	Performs a 1-way ANOVA, returning an F-value and probability given
<code>f_value_wilks_lambda(ER, EF, dfnum, dfden, a, b)</code>	Calculation of Wilks lambda F-statistic for multivariate data, per
<code>find_repeats(arr)</code>	Find repeats in arr and return a tuple (repeats, repeat_count).
<code>friedmanchisquare(*args)</code>	Friedman Chi-Square is a non-parametric, one-way within-subjects ANCO
<code>gmean(a[, axis])</code>	Compute the geometric mean along the specified axis.
<code>hmean(a[, axis])</code>	Calculates the harmonic mean along the specified axis.
<code>kendalltau(x, y[, use_ties, use_missing])</code>	Computes Kendall's rank correlation tau on two variables <i>x</i> and <i>y</i> .
<code>kendalltau_seasonal(x)</code>	Computes a multivariate extension Kendall's rank correlation tau, design
<code>kruskalwallis(*args)</code>	Compute the Kruskal-Wallis H-test for independent samples
<code>kruskalwallis(*args)</code>	Compute the Kruskal-Wallis H-test for independent samples
<code>ks_twosamp(data1, data2[, alternative])</code>	Computes the Kolmogorov-Smirnov test on two samples.
<code>ks_twosamp(data1, data2[, alternative])</code>	Computes the Kolmogorov-Smirnov test on two samples.
<code>kurtosis(a[, axis, fisher, bias])</code>	Computes the kurtosis (Fisher or Pearson) of a dataset.
<code>kurtosistest(a[, axis])</code>	Tests whether a dataset has normal kurtosis
<code>linregress(*args)</code>	Calculate a regression line
<code>mannwhitneyu(x, y[, use_continuity])</code>	Computes the Mann-Whitney statistic
<code>plotting_positions(data[, alpha, beta])</code>	Returns plotting positions (or empirical percentile points) for the data.
<code>mode(a[, axis])</code>	Returns an array of the modal (most common) value in the passed array.

Table 5.231 – continued from previous page

<code>moment(a[, moment, axis])</code>	Calculates the nth moment about the mean for a sample.
<code>mquantiles(a[, prob, alphap, betap, axis, limit])</code>	Computes empirical quantiles for a data array.
<code>msign(x)</code>	Returns the sign of x, or 0 if x is masked.
<code>normaltest(a[, axis])</code>	Tests whether a sample differs from a normal distribution.
<code>obrientransform(*args)</code>	Computes a transform on input data (any number of columns).
<code>pearsonr(x, y)</code>	Calculates a Pearson correlation coefficient and the p-value for testing
<code>plotting_positions(data[, alpha, beta])</code>	Returns plotting positions (or empirical percentile points) for the data.
<code>pointbiserialr(x, y)</code>	Calculates a point biserial correlation coefficient and the associated p-value
<code>rankdata(data[, axis, use_missing])</code>	Returns the rank (also known as order statistics) of each data point along
<code>scoreatpercentile(data, per[, limit, ...])</code>	Calculate the score at the given ‘per’ percentile of the sequence a.
<code>sem(a[, axis])</code>	Calculates the standard error of the mean (or standard error of measurement)
<code>signaltonoise(data[, axis])</code>	Calculates the signal-to-noise ratio, as the ratio of the mean over standard
<code>skew(a[, axis, bias])</code>	Computes the skewness of a data set.
<code>skewtest(a[, axis])</code>	Tests whether the skew is different from the normal distribution.
<code>spearmanr(x, y[, use_ties])</code>	Calculates a Spearman rank-order correlation coefficient and the p-value
<code>theilslopes(y[, x, alpha])</code>	Computes the Theil slope over the dataset (x,y), as the median of all slopes
<code>threshold(a[, threshmin, threshmax, newval])</code>	Clip array to a given value.
<code>tmax(a, upperlimit[, axis, inclusive])</code>	Compute the trimmed maximum
<code>tmean(a[, limits, inclusive])</code>	Compute the trimmed mean
<code>tmin(a[, lowerlimit, axis, inclusive])</code>	Compute the trimmed minimum
<code>trim(a[, limits, inclusive, relative, axis])</code>	Trims an array by masking the data outside some given limits.
<code>trima(a[, limits, inclusive])</code>	Trims an array by masking the data outside some given limits.
<code>trimboth(data[, proportiontocut, inclusive, ...])</code>	Trims the smallest and largest data values.
<code>trimmed_stde(a[, limits, inclusive, axis])</code>	Returns the standard error of the trimmed mean along the given axis.
<code>trimr(a[, limits, inclusive, axis])</code>	Trims an array by masking some proportion of the data on each end.
<code>trimtail(data[, proportiontocut, tail, ...])</code>	Trims the data by masking values from one tail.
<code>tsem(a[, limits, inclusive])</code>	Compute the trimmed standard error of the mean
<code>ttest_onesamp(a, popmean)</code>	Calculates the T-test for the mean of ONE group of scores.
<code>ttest_ind(a, b[, axis])</code>	Calculates the T-test for the means of TWO INDEPENDENT samples of scores
<code>ttest_onesamp(a, popmean)</code>	Calculates the T-test for the mean of ONE group of scores.
<code>ttest_rel(a, b[, axis])</code>	Calculates the T-test on TWO RELATED samples of scores, a and b.
<code>tvar(a[, limits, inclusive])</code>	Compute the trimmed variance
<code>variation(a[, axis])</code>	Computes the coefficient of variation, the ratio of the biased standard deviation
<code>winsorize(a[, limits, inclusive, inplace, axis])</code>	Returns a Winsorized version of the input array.
<code>zmap(scores, compare[, axis, ddof])</code>	Calculates the relative z-scores.
<code>zscore(a[, axis, ddof])</code>	Calculates the z score of each value in the sample, relative to the sample

`scipy.stats.mstats.argstoarray(*args)`

Constructs a 2D array from a group of sequences.

Sequences are filled with missing values to match the length of the longest sequence.

Parameters `args` : sequences

Returns `argstoarray` : `MaskedArray` Group of sequences.

A ($m \times n$) masked array, where m is the number of arguments and n the length of the longest argument.

Notes

`numpy.ma.row_stack` has identical behavior, but is called with a sequence of sequences.

`scipy.stats.mstats.betai(a, b, x)`

Returns the incomplete beta function.

$$I_x(a,b) = 1/B(a,b) * (\text{Integral}(0,x) \text{ of } t^{a-1}(1-t)^{b-1} dt)$$

where $a, b > 0$ and $B(a,b) = \Gamma(a)\Gamma(b)/\Gamma(a+b)$ where $\Gamma(a)$ is the gamma function of a .

The standard broadcasting rules apply to a , b , and x .

Parameters

- a** : array_like or float > 0
- b** : array_like or float > 0
- x** : array_like or float

Returns

- betainc** : ndarray x will be clipped to be no greater than 1.0 .
Incomplete beta function.

`scipy.stats.mstats.chisquare` (*f_obs*, *f_exp*=None)

Calculates a one-way chi square test.

The chi square test tests the null hypothesis that the categorical data has the given frequencies.

Parameters

- f_obs** : array
observed frequencies in each category
- f_exp** : array, optional
expected frequencies in each category. By default the categories are assumed to be equally likely.
- ddof** : int, optional
adjustment to the degrees of freedom for the p-value

Returns

- chisquare statistic** : float
The chisquare test statistic
- p** : float
The p-value of the test.

Notes

This test is invalid when the observed or expected frequencies in each category are too small. A typical rule is that all of the observed and expected frequencies should be at least 5. The default degrees of freedom, $k-1$, are for the case when no parameters of the distribution are estimated. If p parameters are estimated by efficient maximum likelihood then the correct degrees of freedom are $k-1-p$. If the parameters are estimated in a different way, then then the dof can be between $k-1-p$ and $k-1$. However, it is also possible that the asymptotic distributions is not a chisquare, in which case this test is not appropriate.

References

[R187]

`scipy.stats.mstats.count_tied_groups` (*x*, *use_missing*=False)

Counts the number of tied values.

Parameters

- x** : sequence
Sequence of data on which to counts the ties
- use_missing** : boolean
Whether to consider missing values as tied.

Returns

- count_tied_groups** : dict
Returns a dictionary (nb of ties: nb of groups).

Examples

```
>>> z = [0, 0, 0, 2, 2, 2, 3, 3, 4, 5, 6]
>>> count_tied_groups(z)
>>> {2:1, 3:2}
>>> # The ties were 0 (3x), 2 (3x) and 3 (2x)
>>> z = ma.array([0, 0, 1, 2, 2, 2, 3, 3, 4, 5, 6])
>>> count_tied_groups(z)
```

```
>>> {2:2, 3:1}
>>> # The ties were 0 (2x), 2 (3x) and 3 (2x)
>>> z[[1,-1]] = masked
>>> count_tied_groups(z, use_missing=True)
>>> {2:2, 3:1}
>>> # The ties were 2 (3x), 3 (2x) and masked (2x)
```

`scipy.stats.mstats.describe(a, axis=0)`

Computes several descriptive statistics of the passed array.

Parameters **a** : array

Returns **axis** : int or None
n : int (size of the data (discarding missing values))
mm : (int, int) min, max
arithmetic mean : float
unbiased variance : float
biased skewness : float
biased kurtosis : float

Examples

```
>>> ma = np.ma.array(range(6), mask=[0, 0, 0, 1, 1, 1])
>>> describe(ma)
(array(3),
 (0, 2),
 1.0,
 1.0,
 masked_array(data = 0.0,
              mask = False,
              fill_value = 1e+20)
 ,
 -1.5)
```

`scipy.stats.mstats.f_oneway(*args)`

Performs a 1-way ANOVA, returning an F-value and probability given any number of groups. From Heiman, pp.394-7.

Usage: `f_oneway(*args)` where **args* is 2 or more arrays, one per treatment group

Returns: f-value, probability

`scipy.stats.mstats.f_value_wilks_lambda(ER, EF, dfnum, dfden, a, b)`

Calculation of Wilks lambda F-statistic for multivariate data, per Maxwell & Delaney p.657.

`scipy.stats.mstats.find_repeats(arr)`

Find repeats in arr and return a tuple (repeats, repeat_count). Masked values are discarded.

Parameters **arr** : sequence
Input array. The array is flattened if it is not 1D.

Returns **repeats** : ndarray
Array of repeated values.

counts : [ndarray] Array of counts.

`scipy.stats.mstats.friedmanchisquare(*args)`

Friedman Chi-Square is a non-parametric, one-way within-subjects ANOVA. This function calculates the Friedman Chi-square test for repeated measures and returns the result, along with the associated probability value.

Each input is considered a given group. Ideally, the number of treatments among each group should be equal. If this is not the case, only the first n treatments are taken into account, where n is the number of treatments of the smallest group. If a group has some missing values, the corresponding treatments are masked in the other groups. The test statistic is corrected for ties.

Masked values in one group are propagated to the other groups.

Returns: chi-square statistic, associated p-value

`scipy.stats.mstats.gmean(a, axis=0)`

Compute the geometric mean along the specified axis.

Returns the geometric average of the array elements. That is: n -th root of $(x_1 * x_2 * \dots * x_n)$

Parameters

- a** : array_like
Input array or object that can be converted to an array.
- axis** : int, optional, default axis=0
Axis along which the geometric mean is computed.
- dtype** : dtype, optional
Type of the returned array and of the accumulator in which the elements are summed. If *dtype* is not specified, it defaults to the dtype of *a*, unless *a* has an integer dtype with a precision less than that of the default platform integer. In that case, the default platform integer is used.

Returns

- gmean** : ndarray
see *dtype* parameter above

See Also

[`numpy.mean`](#) Arithmetic average

[`numpy.average`](#)
Weighted average

[`hmean`](#) Harmonic mean

Notes

The geometric average is computed over a single dimension of the input array, *axis*=0 by default, or all values in the array if *axis*=None. float64 intermediate and return values are used for integer inputs.

Use masked arrays to ignore any non-finite values in the input or that arise in the calculations such as Not a Number and infinity because masked arrays automatically mask any non-finite values.

`scipy.stats.mstats.hmean(a, axis=0)`

Calculates the harmonic mean along the specified axis.

That is: $n / (1/x_1 + 1/x_2 + \dots + 1/x_n)$

Parameters

- a** : array_like
Input array, masked array or object that can be converted to an array.
- axis** : int, optional, default axis=0
Axis along which the harmonic mean is computed.
- dtype** : dtype, optional
Type of the returned array and of the accumulator in which the elements are summed. If *dtype* is not specified, it defaults to the dtype of *a*, unless *a* has an integer *dtype* with a precision less than that of the default platform integer. In that case, the default platform integer is used.

Returns

- hmean** : ndarray
see *dtype* parameter above

See Also

`numpy.mean` Arithmetic average
`numpy.average` Weighted average
`gmean` Geometric mean

Notes

The harmonic mean is computed over a single dimension of the input array, `axis=0` by default, or all values in the array if `axis=None`. float64 intermediate and return values are used for integer inputs.

Use masked arrays to ignore any non-finite values in the input or that arise in the calculations such as Not a Number and infinity.

`scipy.stats.mstats.kendalltau` (*x*, *y*, *use_ties=True*, *use_missing=False*)

Computes Kendall's rank correlation tau on two variables *x* and *y*.

Parameters

- xdata** : sequence
First data list (for example, time).
- ydata** : sequence
Second data list.
- use_ties** : {True, False}, optional
Whether ties correction should be performed.
- use_missing** : {False, True}, optional
Whether missing data should be allocated a rank of 0 (False) or the average rank (True)

Returns

- tau** : float
Kendall tau
- prob** : float
Approximate 2-side p-value.

`scipy.stats.mstats.kendalltau_seasonal` (*x*)

Computes a multivariate extension Kendall's rank correlation tau, designed for seasonal data.

Parameters

- x**: 2D array :
Array of seasonal data, with seasons in columns.

`scipy.stats.mstats.kruskalwallis` (*args)

Compute the Kruskal-Wallis H-test for independent samples

The Kruskal-Wallis H-test tests the null hypothesis that the population median of all of the groups are equal. It is a non-parametric version of ANOVA. The test works on 2 or more independent samples, which may have different sizes. Note that rejecting the null hypothesis does not indicate which of the groups differs. Post-hoc comparisons between groups are required to determine which groups are different.

Parameters

- sample1, sample2, ...** : array_like
Two or more arrays with the sample measurements can be given as arguments.

Returns

- H-statistic** : float
The Kruskal-Wallis H statistic, corrected for ties
- p-value** : float
The p-value for the test using the assumption that H has a chi square distribution

Notes

Due to the assumption that H has a chi square distribution, the number of samples in each group must not be too small. A typical rule is that each sample must have at least 5 measurements.

References

[R188]

`scipy.stats.mstats.kruskalwallis(*args)`

Compute the Kruskal-Wallis H-test for independent samples

The Kruskal-Wallis H-test tests the null hypothesis that the population median of all of the groups are equal. It is a non-parametric version of ANOVA. The test works on 2 or more independent samples, which may have different sizes. Note that rejecting the null hypothesis does not indicate which of the groups differs. Post-hoc comparisons between groups are required to determine which groups are different.

Parameters **sample1, sample2, ...** : array_like
Two or more arrays with the sample measurements can be given as arguments.

Returns **H-statistic** : float
The Kruskal-Wallis H statistic, corrected for ties

p-value : float
The p-value for the test using the assumption that H has a chi square distribution

Notes

Due to the assumption that H has a chi square distribution, the number of samples in each group must not be too small. A typical rule is that each sample must have at least 5 measurements.

References

[R188]

`scipy.stats.mstats.ks_twosamp(data1, data2, alternative='two-sided')`

Computes the Kolmogorov-Smirnov test on two samples.

Missing values are discarded.

Parameters **data1** : array_like
First data set

data2 : array_like
Second data set

alternative : {'two-sided', 'less', 'greater'}, optional
Indicates the alternative hypothesis. Default is 'two-sided'.

Returns **d** : float
Value of the Kolmogorov Smirnov test

p : float
Corresponding p-value.

`scipy.stats.mstats.ks_twosamp(data1, data2, alternative='two-sided')`

Computes the Kolmogorov-Smirnov test on two samples.

Missing values are discarded.

Parameters **data1** : array_like
First data set

data2 : array_like
Second data set

alternative : {'two-sided', 'less', 'greater'}, optional
Indicates the alternative hypothesis. Default is 'two-sided'.

Returns **d** : float
Value of the Kolmogorov Smirnov test

p : float
Corresponding p-value.

`scipy.stats.mstats.kurtosis` (*a*, *axis=0*, *fisher=True*, *bias=True*)

Computes the kurtosis (Fisher or Pearson) of a dataset.

Kurtosis is the fourth central moment divided by the square of the variance. If Fisher's definition is used, then 3.0 is subtracted from the result to give 0.0 for a normal distribution.

If *bias* is `False` then the kurtosis is calculated using k statistics to eliminate bias coming from biased moment estimators

Use `kurtosistest` to see if result is close enough to normal.

Parameters

- a** : array
data for which the kurtosis is calculated
- axis** : int or None
Axis along which the kurtosis is calculated
- fisher** : bool
If True, Fisher's definition is used (normal ==> 0.0). If False, Pearson's definition is used (normal ==> 3.0).
- bias** : bool
If False, then the calculations are corrected for statistical bias.

Returns

- kurtosis** : array
The kurtosis of values along an axis. If all values are equal, return -3 for Fisher's definition and 0 for Pearson's definition.

References

[R189]

`scipy.stats.mstats.kurtosistest` (*a*, *axis=0*)

Tests whether a dataset has normal kurtosis

This function tests the null hypothesis that the kurtosis of the population from which the sample was drawn is that of the normal distribution: $kurtosis = 3(n-1)/(n+1)$.

Parameters

- a** : array
array of the sample data
- axis** : int or None
the axis to operate along, or None to work on the whole array. The default is the first axis.

Returns

- z-score** : float
The computed z-score for this test.
- p-value** : float
The 2-sided p-value for the hypothesis test

Notes

Valid only for $n > 20$. The Z-score is set to 0 for bad entries.

`scipy.stats.mstats.linregress` (*args)

Calculate a regression line

This computes a least-squares regression for two sets of measurements.

Parameters

- x, y** : array_like
two sets of measurements. Both arrays should have the same length. If only *x* is given (and *y=None*), then it must be a two-dimensional array where one dimension has length 2. The two sets of measurements are then found by splitting the array along the length-2 dimension.

Returns

- slope** : float
slope of the regression line
- intercept** : [float]
[float] intercept of the regression line

<i>r-value</i>	[float] correlation coefficient
<i>p-value</i>	[float] two-sided p-value for a hypothesis test whose null hypothesis is that the slope is zero.
<i>stderr</i>	[float] Standard error of the estimate

Notes

Missing values are considered pair-wise: if a value is missing in *x*, the corresponding value in *y* is masked.

Examples

```
>>> from scipy import stats
>>> import numpy as np
>>> x = np.random.random(10)
>>> y = np.random.random(10)
>>> slope, intercept, r_value, p_value, std_err = stats.linregress(x,y)
```

To get coefficient of determination (r_squared)

```
>>> print "r-squared:", r_value**2
r-squared: 0.15286643777
```

`scipy.stats.mstats.mannwhitneyu(x, y, use_continuity=True)`

Computes the Mann-Whitney statistic

Missing values in *x* and/or *y* are discarded.

Parameters	x : sequence	Input
	y : sequence	Input
	use_continuity : {True, False}, optional	Whether a continuity correction (1/2.) should be taken into account.
Returns	u : float	The Mann-Whitney statistics
	prob : float	Approximate p-value assuming a normal distribution.

`scipy.stats.mstats.plotting_positions(data, alpha=0.4, beta=0.4)`

Returns plotting positions (or empirical percentile points) for the data.

Plotting positions are defined as $(i-\alpha)/(n+1-\alpha-\beta)$, where:

- *i* is the rank order statistics
- *n* is the number of unmasked values along the given axis
- *alpha* and *beta* are two parameters.

Typical values for *alpha* and *beta* are:

- (0,1) : $p(k) = k/n$, linear interpolation of cdf (R, type 4)
- (.5,.5) : $p(k) = (k-1/2.) / n$, piecewise linear function (R, type 5)
- (0,0) : $p(k) = k / (n+1)$, Weibull (R type 6)
- (1,1) : $p(k) = (k-1) / (n-1)$, in this case, $p(k) = \text{mode}[F(x[k])]$. That's R default (R type 7)
- (1/3,1/3): $p(k) = (k-1/3) / (n+1/3)$, then $p(k) \sim \text{median}[F(x[k])]$. The resulting quantile estimates are approximately median-unbiased regardless of the distribution of *x*. (R type 8)
- (3/8,3/8): $p(k) = (k-3/8) / (n+1/4)$, Blom. The resulting quantile estimates are approximately unbiased if *x* is normally distributed (R type 9)
- (.4,.4) : approximately quantile unbiased (Cunnane)

- (.35,.35): APL, used with PWM
- (.3175, .3175): used in `scipy.stats.probplot`

Parameters

data : array_like
Input data, as a sequence or array of dimension at most 2.

alpha : float, optional
Plotting positions parameter. Default is 0.4.

beta : float, optional
Plotting positions parameter. Default is 0.4.

Returns

positions : MaskedArray
The calculated plotting positions.

`scipy.stats.mstats.mode(a, axis=0)`

Returns an array of the modal (most common) value in the passed array.

If there is more than one such value, only the first is returned. The bin-count for the modal bins is also returned.

Parameters

a : array_like
n-dimensional array of which to find mode(s).

axis : int, optional
Axis along which to operate. Default is 0, i.e. the first axis.

Returns

vals : ndarray
Array of modal values.

counts : ndarray
Array of counts for each mode.

Examples

```
>>> a = np.array([[6, 8, 3, 0],
                 [3, 2, 1, 7],
                 [8, 1, 8, 4],
                 [5, 3, 0, 5],
                 [4, 7, 5, 9]])
>>> from scipy import stats
>>> stats.mode(a)
(array([[ 3.,  1.,  0.,  0.]]) , array([[ 1.,  1.,  1.,  1.]]) )
```

To get mode of whole array, specify `axis=None`:

```
>>> stats.mode(a, axis=None)
(array([ 3.]) , array([ 3.]])
```

`scipy.stats.mstats.moment(a, moment=1, axis=0)`

Calculates the nth moment about the mean for a sample.

Generally used to calculate coefficients of skewness and kurtosis.

Parameters

a : array_like
data

moment : int
order of central moment that is returned

axis : int or None
Axis along which the central moment is computed. If None, then the data array is raveled. The default axis is zero.

Returns

n-th central moment : ndarray or float
The appropriate moment along the given axis or over all values if axis is None. The denominator for the moment calculation is the number of observations, no degrees of freedom correction is done.

`scipy.stats.mstats.mquantiles(a, prob=[0.25, 0.5, 0.75], alphap=0.4, betap=0.4, axis=None, limit=())`

Computes empirical quantiles for a data array.

Samples quantile are defined by $Q(p) = (1-\gamma) * x[j] + \gamma * x[j+1]$, where $x[j]$ is the j -th order statistic, and γ is a function of $j = \text{floor}(n * p + m)$, $m = \text{alphap} + p * (1 - \text{alphap} - \text{betap})$ and $g = n * p + m - j$.

Reinterpreting the above equations to compare to **R** lead to the equation: $p(k) = (k - \text{alphap}) / (n + 1 - \text{alphap} - \text{betap})$

Typical values of (alphap,betap) are:

- (0,1): $p(k) = k/n$: linear interpolation of cdf (**R** type 4)
- (.5,.5): $p(k) = (k - 1/2) / n$: piecewise linear function (**R** type 5)
- (0,0): $p(k) = k / (n+1)$: (**R** type 6)
- (1,1): $p(k) = (k-1) / (n-1)$: $p(k) = \text{mode}[F(x[k])]$. (**R** type 7, **R** default)
- (1/3,1/3): $p(k) = (k-1/3) / (n+1/3)$: Then $p(k) \sim \text{median}[F(x[k])]$. The resulting quantile estimates are approximately median-unbiased regardless of the distribution of x . (**R** type 8)
- (3/8,3/8): $p(k) = (k-3/8) / (n+1/4)$: Blom. The resulting quantile estimates are approximately unbiased if x is normally distributed (**R** type 9)
- (.4,.4): approximately quantile unbiased (Cunnane)
- (.35,.35): APL, used with PWM

Parameters **a**: array_like

Input data, as a sequence or array of dimension at most 2.

prob: array_like, optional

List of quantiles to compute.

alphap: float, optional

Plotting positions parameter, default is 0.4.

betap: float, optional

Plotting positions parameter, default is 0.4.

axis: int, optional

Axis along which to perform the trimming. If None (default), the input array is first flattened.

limit: tuple

Tuple of (lower, upper) values. Values of a outside this open interval are ignored.

Returns **mquantiles**: MaskedArray

An array containing the calculated quantiles.

Notes

This formulation is very similar to **R** except the calculation of m from `alphap` and `betap`, where in **R** m is defined with each type.

References

[R190]

Examples

```
>>> from scipy.stats.mstats import mquantiles
>>> a = np.array([6., 47., 49., 15., 42., 41., 7., 39., 43., 40., 36.])
>>> mquantiles(a)
array([ 19.2,  40. ,  42.8])
```

Using a 2D array, specifying axis and limit.

```
>>> data = np.array([[ 6.,  7.,  1.],
                    [ 47., 15.,  2.],
                    [ 49., 36.,  3.],
                    [ 15., 39.,  4.],
                    [ 42., 40., -999.],
                    [ 41., 41., -999.],
                    [  7., -999., -999.],
                    [ 39., -999., -999.],
                    [ 43., -999., -999.],
                    [ 40., -999., -999.],
                    [ 36., -999., -999.]])
>>> mquantiles(data, axis=0, limit=(0, 50))
array([[ 19.2 ,  14.6 ,   1.45],
       [ 40.   ,  37.5 ,   2.5 ],
       [ 42.8 ,  40.05,   3.55]])
```

```
>>> data[:, 2] = -999.
>>> mquantiles(data, axis=0, limit=(0, 50))
masked_array(data =
  [[19.2 14.6 --]
  [40.0 37.5 --]
  [42.8 40.05 --]],
             mask =
  [[False False  True]
  [False False  True]
  [False False  True]],
             fill_value = 1e+20)
```

`scipy.stats.mstats.msign(x)`
 Returns the sign of *x*, or 0 if *x* is masked.

`scipy.stats.mstats.normaltest(a, axis=0)`
 Tests whether a sample differs from a normal distribution.

This function tests the null hypothesis that a sample comes from a normal distribution. It is based on D'Agostino and Pearson's [R191], [R192] test that combines skew and kurtosis to produce an omnibus test of normality.

Parameters

- a** : array_like
The array containing the data to be tested.
- axis** : int or None
If None, the array is treated as a single data set, regardless of its shape. Otherwise, each 1-d array along axis *axis* is tested.

Returns

- k2** : float or array
 $s^2 + k^2$, where *s* is the z-score returned by `skewtest` and *k* is the z-score returned by `kurtosistest`.
- p-value** : float or array
A 2-sided chi squared probability for the hypothesis test.

References

[R191], [R192]

`scipy.stats.mstats.obrientransform(*args)`
 Computes a transform on input data (any number of columns). Used to test for homogeneity of variance prior to running one-way stats. Each array in **args* is one level of a factor. If an `F_oneway()` run on the transformed data and found significant, variances are unequal. From Maxwell and Delaney, p.112.

Returns: transformed data for use in an ANOVA

`scipy.stats.mstats.pearsonr(x, y)`

Calculates a Pearson correlation coefficient and the p-value for testing non-correlation.

The Pearson correlation coefficient measures the linear relationship between two datasets. Strictly speaking, Pearson's correlation requires that each dataset be normally distributed. Like other correlation coefficients, this one varies between -1 and +1 with 0 implying no correlation. Correlations of -1 or +1 imply an exact linear relationship. Positive correlations imply that as x increases, so does y. Negative correlations imply that as x increases, y decreases.

The p-value roughly indicates the probability of an uncorrelated system producing datasets that have a Pearson correlation at least as extreme as the one computed from these datasets. The p-values are not entirely reliable but are probably reasonable for datasets larger than 500 or so.

Parameters `x` : 1D array
Returns `y` : 1D array the same length as `x`
 (Pearson's correlation coefficient, :
 2-tailed p-value)

References

<http://www.statsoft.com/textbook/glosp.html#Pearson%20Correlation>

`scipy.stats.mstats.plotting_positions(data, alpha=0.4, beta=0.4)`

Returns plotting positions (or empirical percentile points) for the data.

Plotting positions are defined as $(i - \alpha) / (n + 1 - \alpha - \beta)$, where:

- `i` is the rank order statistics
- `n` is the number of unmasked values along the given axis
- `alpha` and `beta` are two parameters.

Typical values for `alpha` and `beta` are:

- (0,1) : $p(k) = k/n$, linear interpolation of cdf (R, type 4)
- (.5,.5) : $p(k) = (k - 1/2) / n$, piecewise linear function (R, type 5)
- (0,0) : $p(k) = k / (n + 1)$, Weibull (R type 6)
- (1,1) : $p(k) = (k - 1) / (n - 1)$, in this case, $p(k) = \text{mode}[F(x[k])]$. That's R default (R type 7)
- (1/3,1/3): $p(k) = (k - 1/3) / (n + 1/3)$, then $p(k) \sim \text{median}[F(x[k])]$. The resulting quantile estimates are approximately median-unbiased regardless of the distribution of `x`. (R type 8)
- (3/8,3/8): $p(k) = (k - 3/8) / (n + 1/4)$, Blom. The resulting quantile estimates are approximately unbiased if `x` is normally distributed (R type 9)
- (.4,.4) : approximately quantile unbiased (Cunnane)
- (.35,.35): APL, used with PWM
- (.3175, .3175): used in `scipy.stats.probplot`

Parameters `data` : array_like
 Input data, as a sequence or array of dimension at most 2.
alpha : float, optional
 Plotting positions parameter. Default is 0.4.
beta : float, optional
 Plotting positions parameter. Default is 0.4.
Returns `positions` : MaskedArray
 The calculated plotting positions.

`scipy.stats.mstats.pointbiserialr(x, y)`

Calculates a point biserial correlation coefficient and the associated p-value.

The point biserial correlation is used to measure the relationship between a binary variable, x , and a continuous variable, y . Like other correlation coefficients, this one varies between -1 and +1 with 0 implying no correlation. Correlations of -1 or +1 imply a determinative relationship. This function uses a shortcut formula but produces the same result as `pearsonr`.

Parameters	x : array_like of bools	Input array.
	y	[array_like] Input array.
Returns	r : float	R value
	p-value	[float] 2-tailed p-value

Notes

Missing values are considered pair-wise: if a value is missing in x , the corresponding value in y is masked.

Examples

```
>>> from scipy import stats
>>> a = np.array([0, 0, 0, 1, 1, 1, 1])
>>> b = np.arange(7)
>>> stats.pointbiserialr(a, b)
(0.8660254037844386, 0.011724811003954652)
>>> stats.pearsonr(a, b)
(0.86602540378443871, 0.011724811003954626)
>>> np.corrcoef(a, b)
array([[ 1.          ,  0.8660254 ],
       [ 0.8660254,  1.          ]])
```

`scipy.stats.mstats.rankdata` (*data*, *axis=None*, *use_missing=False*)

Returns the rank (also known as order statistics) of each data point along the given axis.

If some values are tied, their rank is averaged. If some values are masked, their rank is set to 0 if `use_missing` is False, or set to the average rank of the unmasked values if `use_missing` is True.

Parameters	data : sequence	Input data. The data is transformed to a masked array
	axis	[None,int], optional] Axis along which to perform the ranking. If None, the array is first flattened. An exception is raised if the axis is specified for arrays with a dimension larger than 2
	use_missing	[boolean], optional] Whether the masked values have a rank of 0 (False) or equal to the average rank of the unmasked values (True).

`scipy.stats.mstats.scoreatpercentile` (*data*, *per*, *limit=()*, *alphap=0.4*, *betap=0.4*)

Calculate the score at the given 'per' percentile of the sequence *a*. For example, the score at `per=50` is the median.

This function is a shortcut to `mquantile`

`scipy.stats.mstats.sem` (*a*, *axis=0*)

Calculates the standard error of the mean (or standard error of measurement) of the values in the input array.

Parameters	a : array_like	An array containing the values for which the standard error is returned.
	axis : int or None, optional.	

If *axis* is `None`, ravel *a* first. If *axis* is an integer, this will be the axis over which to operate. Defaults to 0.

ddof : int, optional

Delta degrees-of-freedom. How many degrees of freedom to adjust for bias in limited samples relative to the population estimate of variance. Defaults

Returns *s* : ndarray or float

to 1.

The standard error of the mean in the sample(s), along the input axis.

Notes

The default value for *ddof* is different to the default (0) used by other *ddof* containing routines, such as `np.std` and `stats.nanstd`.

Examples

Find standard error along the first axis:

```
>>> from scipy import stats
>>> a = np.arange(20).reshape(5, 4)
>>> stats.sem(a)
array([ 2.8284,  2.8284,  2.8284,  2.8284])
```

Find standard error across the whole array, using *n* degrees of freedom:

```
>>> stats.sem(a, axis=None, ddof=0)
1.2893796958227628
```

`scipy.stats.mstats.signaltonoise` (*data*, *axis=0*)

Calculates the signal-to-noise ratio, as the ratio of the mean over standard deviation along the given axis.

Parameters *data* : sequence

Input data

axis

[{0, int}, optional] Axis along which to compute. If `None`, the computation is performed on a flat version of the array.

`scipy.stats.mstats.skew` (*a*, *axis=0*, *bias=True*)

Computes the skewness of a data set.

For normally distributed data, the skewness should be about 0. A skewness value > 0 means that there is more weight in the left tail of the distribution. The function `skewtest` can be used to determine if the skewness value is close enough to 0, statistically speaking.

Parameters *a* : ndarray

data

axis : int or `None`

axis along which skewness is calculated

bias : bool

Returns

skewness : ndarray

If `False`, then the calculations are corrected for statistical bias. The skewness of values along an axis, returning 0 where all values are equal.

References

[CRCProbStat2000] Section 2.2.24.1

[CRCProbStat2000]

Input data
threshmin : {None, float}, optional
 Lower threshold. If None, set to the minimum value.
threshmax : {None, float}, optional
 Upper threshold. If None, set to the maximum value.
newval : {0, float}, optional
 Value outside the thresholds.
Returns **a**, with values less (greater) than **threshmin** (**threshmax**) replaced with **newval** . :

`scipy.stats.mstats.tmax(a, upperlimit, axis=0, inclusive=True)`
 Compute the trimmed maximum

This function computes the maximum value of an array along a given axis, while ignoring values larger than a specified upper limit.

Parameters **a** : array_like
 array of values
upperlimit : None or float, optional
 Values in the input array greater than the given limit will be ignored. When upperlimit is None, then all values are used. The default value is None.
axis : None or int, optional
 Operate along this axis. None means to use the flattened array and the default is zero.
inclusive : {True, False}, optional
 This flag determines whether values exactly equal to the upper limit are included. The default value is True.
Returns **tmax** : float

`scipy.stats.mstats.tmean(a, limits=None, inclusive=(True, True))`
 Compute the trimmed mean

This function finds the arithmetic mean of given values, ignoring values outside the given *limits*.

Parameters **a** : array_like
 array of values
limits : None or (lower limit, upper limit), optional
 Values in the input array less than the lower limit or greater than the upper limit will be ignored. When limits is None, then all values are used. Either of the limit values in the tuple can also be None representing a half-open interval. The default value is None.
inclusive : (bool, bool), optional
 A tuple consisting of the (lower flag, upper flag). These flags determine whether values exactly equal to the lower or upper limits are included. The default value is (True, True).
Returns **tmean** : float

`scipy.stats.mstats.tmin(a, lowerlimit=None, axis=0, inclusive=True)`
 Compute the trimmed minimum

This function finds the minimum value of an array *a* along the specified axis, but only considering values greater than a specified lower limit.

Parameters **a** : array_like
 array of values
lowerlimit : None or float, optional
 Values in the input array less than the given limit will be ignored. When lowerlimit is None, then all values are used. The default value is None.
axis : None or int, optional
 Operate along this axis. None means to use the flattened array and the default is zero

inclusive : {True, False}, optional
 This flag determines whether values exactly equal to the lower limit are included. The default value is True.

Returns **tmin** : float

`scipy.stats.mstats.trim(a, limits=None, inclusive=(True, True), relative=False, axis=None)`
 Trims an array by masking the data outside some given limits.

Returns a masked version of the input array.

Parameters **a** : sequence
 Input array

limits : {None, tuple}, optional
 If *relative* is False, tuple (lower limit, upper limit) in absolute values. Values of the input array lower (greater) than the lower (upper) limit are masked.
 If *relative* is True, tuple (lower percentage, upper percentage) to cut on each side of the array, with respect to the number of unmasked data.
 Noting *n* the number of unmasked data before trimming, the (*n**limits[0])th smallest data and the (*n**limits[1])th largest data are masked, and the total number of unmasked data after trimming is *n**(1.-sum(limits)) In each case, the value of one limit can be set to None to indicate an open interval.
 If limits is None, no trimming is performed

inclusive : {(bool, bool) tuple}, optional
 If *relative* is False, tuple indicating whether values exactly equal to the absolute limits are allowed. If *relative* is True, tuple indicating whether the number of data being masked on each side should be rounded (True) or truncated (False).

relative : bool, optional
 Whether to consider the limits as absolute values (False) or proportions to cut (True).

axis : int, optional
 Axis along which to trim.

Examples

```
>>> z = [ 1, 2, 3, 4, 5, 6, 7, 8, 9,10]
>>> trim(z, (3,8))
[--, --, 3, 4, 5, 6, 7, 8, --, --]
>>> trim(z, (0.1,0.2), relative=True)
[--, 2, 3, 4, 5, 6, 7, 8, --, --]
```

`scipy.stats.mstats.trima(a, limits=None, inclusive=(True, True))`
 Trims an array by masking the data outside some given limits. Returns a masked version of the input array.

Parameters **a** : sequence
 Input array.

limits : {None, tuple}, optional
 Tuple of (lower limit, upper limit) in absolute values. Values of the input array lower (greater) than the lower (upper) limit will be masked. A limit is None indicates an open interval.

inclusive : {(True,True) tuple}, optional
 Tuple of (lower flag, upper flag), indicating whether values exactly equal to the lower (upper) limit are allowed.

`scipy.stats.mstats.trimboth(data, proportiontocut=0.2, inclusive=(True, True), axis=None)`
 Trims the smallest and largest data values.

Trims the *data* by masking the $\text{int}(\text{proportiontocut} * n)$ smallest and $\text{int}(\text{proportiontocut} * n)$ largest values of data along the given axis, where *n* is the number of unmasked values before trimming.

Parameters

- data** : ndarray
Data to trim.
- proportiontocut** : float, optional
Percentage of trimming (as a float between 0 and 1). If *n* is the number of unmasked values before trimming, the number of values after trimming is $(1 - 2 * \text{proportiontocut}) * n$. Default is 0.2.
- inclusive** : {(bool, bool) tuple}, optional
Tuple indicating whether the number of data being masked on each side should be rounded (True) or truncated (False).
- axis** : int, optional
Axis along which to perform the trimming. If None, the input array is first flattened.

`scipy.stats.mstats.trimmed_stde(a, limits=(0.1, 0.1), inclusive=(1, 1), axis=None)`

Returns the standard error of the trimmed mean along the given axis.

Parameters

- a** : sequence
Input array
- limits** : {(0.1,0.1), tuple of float}, optional
tuple (lower percentage, upper percentage) to cut on each side of the array, with respect to the number of unmasked data.
If *n* is the number of unmasked data before trimming, the values smaller than $n * \text{limits}[0]$ and the values larger than $n * \text{limits}[1]$ are masked, and the total number of unmasked data after trimming is $n * (1 - \text{sum}(\text{limits}))$. In each case, the value of one limit can be set to None to indicate an open interval. If *limits* is None, no trimming is performed.
- inclusive** : {(bool, bool) tuple} optional
Tuple indicating whether the number of data being masked on each side should be rounded (True) or truncated (False).
- axis** : int, optional
Axis along which to trim.

Returns

- trimmed_stde** : scalar or ndarray

`scipy.stats.mstats.trimr(a, limits=None, inclusive=(True, True), axis=None)`

Trims an array by masking some proportion of the data on each end. Returns a masked version of the input array.

Parameters

- a** : sequence
Input array.
- limits** : {None, tuple}, optional
Tuple of the percentages to cut on each side of the array, with respect to the number of unmasked data, as floats between 0. and 1. Noting *n* the number of unmasked data before trimming, the $(n * \text{limits}[0])$ th smallest data and the $(n * \text{limits}[1])$ th largest data are masked, and the total number of unmasked data after trimming is $n * (1 - \text{sum}(\text{limits}))$. The value of one limit can be set to None to indicate an open interval.
- inclusive** : {(True, True) tuple}, optional
Tuple of flags indicating whether the number of data being masked on the left (right) end should be truncated (True) or rounded (False) to integers.
- axis** : {None, int}, optional
Axis along which to trim. If None, the whole array is trimmed, but its shape is maintained.

`scipy.stats.mstats.trimtail` (*data*, *proportiontocut*=0.2, *tail*='left', *inclusive*=(*True*, *True*), *axis*=None)

Trims the data by masking values from one tail.

Parameters

- data** : array_like
Data to trim.
- proportiontocut** : float, optional
Percentage of trimming. If *n* is the number of unmasked values before trimming, the number of values after trimming is $(1 - \text{proportiontocut}) * n$. Default is 0.2.
- tail** : {'left','right'}, optional
If 'left' the *proportiontocut* lowest values will be masked. If 'right' the *proportiontocut* highest values will be masked. Default is 'left'.
- inclusive** : {(bool, bool) tuple}, optional
Tuple indicating whether the number of data being masked on each side should be rounded (*True*) or truncated (*False*). Default is (*True*, *True*).
- axis** : int, optional
Axis along which to perform the trimming. If *None*, the input array is first flattened. Default is *None*.

Returns

- trimtail** : ndarray
Returned array of same shape as *data* with masked tail values.

`scipy.stats.mstats.tsem` (*a*, *limits*=None, *inclusive*=(*True*, *True*))

Compute the trimmed standard error of the mean

This function finds the standard error of the mean for given values, ignoring values outside the given *limits*.

Parameters

- a** : array_like
array of values
- limits** : None or (lower limit, upper limit), optional
Values in the input array less than the lower limit or greater than the upper limit will be ignored. When *limits* is *None*, then all values are used. Either of the limit values in the tuple can also be *None* representing a half-open interval. The default value is *None*.
- inclusive** : (bool, bool), optional
A tuple consisting of the (lower flag, upper flag). These flags determine whether values exactly equal to the lower or upper limits are included. The default value is (*True*, *True*).

Returns

- tsem** : float

`scipy.stats.mstats.ttest_onesamp` (*a*, *popmean*)

Calculates the T-test for the mean of ONE group of scores.

This is a two-sided test for the null hypothesis that the expected value (mean) of a sample of independent observations *a* is equal to the given population mean, *popmean*.

Parameters

- a** : array_like
sample observation
- popmean** : float or array_like
expected value in null hypothesis, if array_like than it must have the same shape as *a* excluding the axis dimension
- axis** : int, optional, (default axis=0)
Axis can equal *None* (ravel array first), or an integer (the axis over which to operate on *a*).

Returns

- t** : float or array
t-statistic
- prob** : float or array
two-tailed p-value

Examples

```
>>> from scipy import stats

>>> np.random.seed(7654567) # fix seed to get the same result
>>> rvs = stats.norm.rvs(loc=5, scale=10, size=(50,2))
```

Test if mean of random sample is equal to true mean, and different mean. We reject the null hypothesis in the second case and don't reject it in the first case.

```
>>> stats.ttest_1samp(rvs,5.0)
(array([-0.68014479, -0.04323899]), array([ 0.49961383,  0.96568674]))
>>> stats.ttest_1samp(rvs,0.0)
(array([ 2.77025808,  4.11038784]), array([ 0.00789095,  0.00014999]))
```

Examples using axis and non-scalar dimension for population mean.

```
>>> stats.ttest_1samp(rvs, [5.0, 0.0])
(array([-0.68014479,  4.11038784]), array([ 4.99613833e-01,  1.49986458e-04]))
>>> stats.ttest_1samp(rvs.T, [5.0, 0.0], axis=1)
(array([-0.68014479,  4.11038784]), array([ 4.99613833e-01,  1.49986458e-04]))
>>> stats.ttest_1samp(rvs, [[5.0], [0.0]])
(array([[ -0.68014479, -0.04323899],
        [ 2.77025808,  4.11038784]]), array([[ 4.99613833e-01,  9.65686743e-01],
        [ 7.89094663e-03,  1.49986458e-04]]))
```

`scipy.stats.mstats.ttest_ind(a, b, axis=0)`

Calculates the T-test for the means of TWO INDEPENDENT samples of scores.

This is a two-sided test for the null hypothesis that 2 independent samples have identical average (expected) values. This test assumes that the populations have identical variances.

Parameters **a, b** : array_like

The arrays must have the same shape, except in the dimension corresponding to *axis* (the first, by default).

axis : int, optional

Axis can equal None (ravel array first), or an integer (the axis over which to operate on a and b).

equal_var : bool, optional

If True (default), perform a standard independent 2 sample test that assumes equal population variances [R193]. If False, perform Welch's t-test, which does not assume equal population variance [R194]. New in version 0.11.0.

Returns

t : float or array

The calculated t-statistic.

prob : float or array

The two-tailed p-value.

Notes

We can use this test, if we observe two independent samples from the same or different population, e.g. exam scores of boys and girls or of two ethnic groups. The test measures whether the average (expected) value differs significantly across samples. If we observe a large p-value, for example larger than 0.05 or 0.1, then we cannot reject the null hypothesis of identical average scores. If the p-value is smaller than the threshold, e.g. 1%, 5% or 10%, then we reject the null hypothesis of equal averages.

References

[R193], [R194]

Examples

```
>>> from scipy import stats
>>> np.random.seed(12345678)
```

Test with sample with identical means:

```
>>> rvs1 = stats.norm.rvs(loc=5, scale=10, size=500)
>>> rvs2 = stats.norm.rvs(loc=5, scale=10, size=500)
>>> stats.ttest_ind(rvs1, rvs2)
(0.26833823296239279, 0.78849443369564776)
>>> stats.ttest_ind(rvs1, rvs2, equal_var = False)
(0.26833823296239279, 0.78849452749500748)
```

`ttest_ind` underestimates p for unequal variances:

```
>>> rvs3 = stats.norm.rvs(loc=5, scale=20, size=500)
>>> stats.ttest_ind(rvs1, rvs3)
(-0.46580283298287162, 0.64145827413436174)
>>> stats.ttest_ind(rvs1, rvs3, equal_var = False)
(-0.46580283298287162, 0.64149646246569292)
```

When $n1 \neq n2$, the equal variance t-statistic is no longer equal to the unequal variance t-statistic:

```
>>> rvs4 = stats.norm.rvs(loc=5, scale=20, size=100)
>>> stats.ttest_ind(rvs1, rvs4)
(-0.99882539442782481, 0.3182832709103896)
>>> stats.ttest_ind(rvs1, rvs4, equal_var = False)
(-0.69712570584654099, 0.48716927725402048)
```

T-test with different means, variance, and n:

```
>>> rvs5 = stats.norm.rvs(loc=8, scale=20, size=100)
>>> stats.ttest_ind(rvs1, rvs5)
(-1.4679669854490653, 0.14263895620529152)
>>> stats.ttest_ind(rvs1, rvs5, equal_var = False)
(-0.94365973617132992, 0.34744170334794122)
```

`scipy.stats.mstats.ttest_onesamp` (*a*, *popmean*)

Calculates the T-test for the mean of ONE group of scores.

This is a two-sided test for the null hypothesis that the expected value (mean) of a sample of independent observations *a* is equal to the given population mean, *popmean*.

Parameters

- a** : array_like
sample observation
- popmean** : float or array_like
expected value in null hypothesis, if array_like than it must have the same shape as *a* excluding the axis dimension
- axis** : int, optional, (default axis=0)
Axis can equal None (ravel array first), or an integer (the axis over which to operate on a).

Returns

- t** : float or array
t-statistic
- prob** : float or array
two-tailed p-value

Examples

```
>>> from scipy import stats

>>> np.random.seed(7654567) # fix seed to get the same result
>>> rvs = stats.norm.rvs(loc=5, scale=10, size=(50,2))
```

Test if mean of random sample is equal to true mean, and different mean. We reject the null hypothesis in the second case and don't reject it in the first case.

```
>>> stats.ttest_1samp(rvs,5.0)
(array([-0.68014479, -0.04323899]), array([ 0.49961383,  0.96568674]))
>>> stats.ttest_1samp(rvs,0.0)
(array([ 2.77025808,  4.11038784]), array([ 0.00789095,  0.00014999]))
```

Examples using axis and non-scalar dimension for population mean.

```
>>> stats.ttest_1samp(rvs, [5.0, 0.0])
(array([-0.68014479,  4.11038784]), array([ 4.99613833e-01,  1.49986458e-04]))
>>> stats.ttest_1samp(rvs.T, [5.0, 0.0], axis=1)
(array([-0.68014479,  4.11038784]), array([ 4.99613833e-01,  1.49986458e-04]))
>>> stats.ttest_1samp(rvs, [[5.0], [0.0]])
(array([[ -0.68014479, -0.04323899],
        [ 2.77025808,  4.11038784]]), array([[ 4.99613833e-01,  9.65686743e-01],
        [ 7.89094663e-03,  1.49986458e-04]]))
```

`scipy.stats.mstats.ttest_rel(a, b, axis=None)`

Calculates the T-test on TWO RELATED samples of scores, a and b.

This is a two-sided test for the null hypothesis that 2 related or repeated samples have identical average (expected) values.

Parameters

- a, b** : array_like
The arrays must have the same shape.
- axis** : int, optional, (default axis=0)
Axis can equal None (ravel array first), or an integer (the axis over which to operate on a and b).

Returns

- t** : float or array
t-statistic
- prob** : float or array
two-tailed p-value

Notes

Examples for the use are scores of the same set of student in different exams, or repeated sampling from the same units. The test measures whether the average score differs significantly across samples (e.g. exams). If we observe a large p-value, for example greater than 0.05 or 0.1 then we cannot reject the null hypothesis of identical average scores. If the p-value is smaller than the threshold, e.g. 1%, 5% or 10%, then we reject the null hypothesis of equal averages. Small p-values are associated with large t-statistics.

References

http://en.wikipedia.org/wiki/T-test#Dependent_t-test

Examples

```
>>> from scipy import stats
>>> np.random.seed(12345678) # fix random seed to get same numbers

>>> rvs1 = stats.norm.rvs(loc=5, scale=10, size=500)
>>> rvs2 = (stats.norm.rvs(loc=5, scale=10, size=500) +
...         stats.norm.rvs(scale=0.2, size=500))
>>> stats.ttest_rel(rvs1, rvs2)
(0.24101764965300962, 0.80964043445811562)
>>> rvs3 = (stats.norm.rvs(loc=8, scale=10, size=500) +
...         stats.norm.rvs(scale=0.2, size=500))
>>> stats.ttest_rel(rvs1, rvs3)
(-3.9995108708727933, 7.3082402191726459e-005)
```

`scipy.stats.mstats.tvar` (*a*, *limits=None*, *inclusive=(True, True)*)

Compute the trimmed variance

This function computes the sample variance of an array of values, while ignoring values which are outside of given *limits*.

Parameters

- a** : array_like
array of values
- limits** : None or (lower limit, upper limit), optional
Values in the input array less than the lower limit or greater than the upper limit will be ignored. When *limits* is None, then all values are used. Either of the limit values in the tuple can also be None representing a half-open interval. The default value is None.
- inclusive** : (bool, bool), optional
A tuple consisting of the (lower flag, upper flag). These flags determine whether values exactly equal to the lower or upper limits are included. The default value is (True, True).

Returns

- tvar** : float
Trimmed variance.

`scipy.stats.mstats.variation` (*a*, *axis=0*)

Computes the coefficient of variation, the ratio of the biased standard deviation to the mean.

Parameters

- a** : array_like
Input array.
- axis** : int or None
Axis along which to calculate the coefficient of variation.

References

[R195]

`scipy.stats.mstats.winsorize` (*a*, *limits=None*, *inclusive=(True, True)*, *inplace=False*, *axis=None*)

Returns a Winsorized version of the input array.

The (*limits*[0])th lowest values are set to the (*limits*[0])th percentile, and the (*limits*[1])th highest values are set to the (*limits*[1])th percentile. Masked values are skipped.

Parameters

- a** : sequence
Input array.
- limits** : {None, tuple of float}, optional

Tuple of the percentages to cut on each side of the array, with respect to the number of unmasked data, as floats between 0. and 1. Noting n the number of unmasked data before trimming, the $(n*\text{limits}[0])$ th smallest data and the $(n*\text{limits}[1])$ th largest data are masked, and the total number of unmasked data after trimming is $n*(1.-\text{sum}(\text{limits}))$. The value of one limit can be set to `None` to indicate an open interval.

inclusive : {(True, True) tuple}, optional

Tuple indicating whether the number of data being masked on each side should be rounded (True) or truncated (False).

inplace : {False, True}, optional

Whether to winsorize in place (True) or to use a copy (False)

axis : {None, int}, optional

Axis along which to trim. If `None`, the whole array is trimmed, but its shape is maintained.

`scipy.stats.mstats.zmap(scores, compare, axis=0, ddof=0)`

Calculates the relative z-scores.

Returns an array of z-scores, i.e., scores that are standardized to zero mean and unit variance, where mean and variance are calculated from the comparison array.

Parameters **scores** : array_like

The input for which z-scores are calculated.

compare : array_like

The input from which the mean and standard deviation of the normalization are taken; assumed to have the same dimension as *scores*.

axis : int or None, optional

Axis over which mean and variance of *compare* are calculated. Default is 0.

ddof : int, optional

Degrees of freedom correction in the calculation of the standard deviation. Default is 0.

Returns **zscore** : array_like

Z-scores, in the same shape as *scores*.

Notes

This function preserves ndarray subclasses, and works also with matrices and masked arrays (it uses *asanyarray* instead of *asarray* for parameters).

Examples

```
>>> a = [0.5, 2.0, 2.5, 3]
>>> b = [0, 1, 2, 3, 4]
>>> zmap(a, b)
array([-1.06066017,  0.          ,  0.35355339,  0.70710678])
```

`scipy.stats.mstats.zscore(a, axis=0, ddof=0)`

Calculates the z score of each value in the sample, relative to the sample mean and standard deviation.

Parameters **a** : array_like

An array like object containing the sample data.

axis : int or None, optional

If *axis* is equal to `None`, the array is first raveled. If *axis* is an integer, this is the axis over which to operate. Default is 0.

ddof : int, optional

Degrees of freedom correction in the calculation of the standard deviation. Default is 0.

Returns `zscore` : array_like

The z-scores, standardized by mean and standard deviation of input array *a*.

Notes

This function preserves ndarray subclasses, and works also with matrices and masked arrays (it uses *asanyarray* instead of *asarray* for parameters).

Examples

```
>>> a = np.array([ 0.7972,  0.0767,  0.4383,  0.7866,  0.8091,  0.1954,
                  0.6307,  0.6599,  0.1065,  0.0508])
>>> from scipy import stats
>>> stats.zscore(a)
array([ 1.1273, -1.247 , -0.0552,  1.0923,  1.1664, -0.8559,  0.5786,
        0.6748, -1.1488, -1.3324])
```

Computing along a specified axis, using n-1 degrees of freedom (ddof=1) to calculate the standard deviation:

```
>>> b = np.array([[ 0.3148,  0.0478,  0.6243,  0.4608],
                  [ 0.7149,  0.0775,  0.6072,  0.9656],
                  [ 0.6341,  0.1403,  0.9759,  0.4064],
                  [ 0.5918,  0.6948,  0.904 ,  0.3721],
                  [ 0.0921,  0.2481,  0.1188,  0.1366]])
>>> stats.zscore(b, axis=1, ddof=1)
array([[ -0.19264823, -1.28415119,  1.07259584,  0.40420358],
       [  0.33048416, -1.37380874,  0.04251374,  1.00081084],
       [  0.26796377, -1.12598418,  1.23283094, -0.37481053],
       [ -0.22095197,  0.24468594,  1.19042819, -1.21416216],
       [ -0.82780366,  1.4457416 , -0.43867764, -0.1792603 ]])
```

5.30 C/C++ integration (scipy.weave)

Warning: This documentation is work-in-progress and unorganized.

5.30.1 C/C++ integration

`inline` – a function for including C/C++ code within Python
`blitz` – a function for compiling Numeric expressions to C++
`ext_tools` – a module that helps construct C/C++ extension modules.
`accelerate` – a module that inline accelerates Python functions

Note: On Linux one needs to have the Python development headers installed in order to be able to compile things with the *weave* module. Since this is a runtime dependency these headers (typically in a pythonX.Y-dev package) are not always installed when installing *scipy*.

<code>inline(code[, arg_names, local_dict, ...])</code>	Inline C/C++ code within Python scripts.
<code>blitz(expr[, local_dict, global_dict, ...])</code>	
<code>ext_tools</code>	
<code>accelerate</code>	

```
scipy.weave.inline(code, arg_names=[], local_dict=None, global_dict=None, force=0, compiler='', verbose=0, support_code=None, headers=[], customize=None, type_converters=None, auto_downcast=1, newarr_converter=0, **kw)
```

Inline C/C++ code within Python scripts.

`inline()` compiles and executes C/C++ code on the fly. Variables in the local and global Python scope are also available in the C/C++ code. Values are passed to the C/C++ code by assignment much like variables passed are passed into a standard Python function. Values are returned from the C/C++ code through a special argument called `return_val`. Also, the contents of mutable objects can be changed within the C/C++ code and the changes remain after the C code exits and returns to Python.

`inline` has quite a few options as listed below. Also, the keyword arguments for distutils extension modules are accepted to specify extra information needed for compiling.

Parameters **code** : string

A string of valid C++ code. It should not specify a return statement. Instead it should assign results that need to be returned to Python in the `return_val`.

arg_names : [str], optional

A list of Python variable names that should be transferred from Python into the C/C++ code. It defaults to an empty string.

local_dict : dict, optional

If specified, it is a dictionary of values that should be used as the local scope for the C/C++ code. If `local_dict` is not specified the local dictionary of the calling function is used.

global_dict : dict, optional

If specified, it is a dictionary of values that should be used as the global scope for the C/C++ code. If `global_dict` is not specified, the global dictionary of the calling function is used.

force : {0, 1}, optional

If 1, the C++ code is compiled every time `inline` is called. This is really only useful for debugging, and probably only useful if your editing `support_code` a lot.

compiler : str, optional

The name of compiler to use when compiling. On windows, it understands 'msvc' and 'gcc' as well as all the compiler names understood by distutils. On Unix, it'll only understand the values understood by distutils. (I should add 'gcc' though to this).

On windows, the compiler defaults to the Microsoft C++ compiler. If this isn't available, it looks for mingw32 (the gcc compiler).

On Unix, it'll probably use the same compiler that was used when compiling Python. Cygwin's behavior should be similar.

verbose : {0,1,2}, optional

Specifies how much information is printed during the compile phase of inlining code. 0 is silent (except on windows with msvc where it still prints some garbage). 1 informs you when compiling starts, finishes, and how long it took. 2 prints out the command lines for the compilation process and can be useful if your having problems getting code to work. Its handy for finding the name of the .cpp file if you need to examine it. `verbose` has no affect if the compilation isn't necessary.

support_code : str, optional

A string of valid C++ code declaring extra code that might be needed by your compiled function. This could be declarations of functions, classes, or structures.

headers : [str], optional

A list of strings specifying header files to use when compiling the code. The list might look like ["<vector>", "'my_header' "]. Note that

the header strings need to be in a form than can be pasted at the end of a `#include` statement in the C++ code.

customize : `base_info.custom_info`, optional

An alternative way to specify *support_code*, *headers*, etc. needed by the function. See `scipy.weave.base_info` for more details. (not sure this'll be used much).

type_converters : [type converters], optional

These guys are what convert Python data types to C/C++ data types. If you'd like to use a different set of type conversions than the default, specify them here. Look in the type conversions section of the main documentation for examples.

auto_downcast : {1,0}, optional

This only affects functions that have numpy arrays as input variables. Setting this to 1 will cause all floating point values to be cast as float instead of double if all the Numeric arrays are of type float. If even one of the arrays has type double or double complex, all variables maintain there standard types.

newarr_converter : int, optional

Unused.

Other Parameters

Relevant `mod:'distutils'` keywords. These are duplicated from Greg Ward's :

`class:'distutils.extension.Extension'` class for convenience: :

sources : [string]

list of source filenames, relative to the distribution root (where the setup script lives), in Unix form (slash-separated) for portability. Source files may be C, C++, SWIG (.i), platform-specific resource files, or whatever else is recognized by the "build_ext" command as source for a Python extension.

Note: The *module_path* file is always appended to the front of this list

include_dirs : [string]

list of directories to search for C/C++ header files (in Unix form for portability)

define_macros : [(name

list of macros to define; each macro is defined using a 2-tuple, where 'value' is either the string to define it to or None to define it without a particular value (equivalent of "#define FOO" in source or -DFOO on Unix C compiler command line)

undef_macros : [string]

list of macros to undefine explicitly

library_dirs : [string]

list of directories to search for C/C++ libraries at link time

libraries : [string]

list of library names (not filenames or paths) to link against

runtime_library_dirs : [string]

list of directories to search for C/C++ libraries at run time (for shared extensions, this is when the extension is loaded)

extra_objects : [string]

list of extra files to link with (eg. object files not implied by 'sources', static library that must be explicitly specified, binary resource files, etc.)

extra_compile_args : [string]

any extra platform- and compiler-specific information to use when compiling the source files in 'sources'. For platforms and compilers where "command line" makes sense, this is typically a list of command-line arguments, but for other platforms it could be anything.

- extra_link_args** : [string]
any extra platform- and compiler-specific information to use when linking object files together to create the extension (or to create a new static Python interpreter). Similar interpretation as for 'extra_compile_args'.
- export_symbols** : [string]
list of symbols to be exported from a shared extension. Not used on all platforms, and not generally necessary for Python extensions, which typically export exactly one symbol: "init" + extension_name.
- swig_opts** : [string]
any extra options to pass to SWIG if a source file has the .i extension.
- depends** : [string]
list of files that the extension depends on
- language** : string
extension language (i.e. "c", "c++", "objc"). Will be detected from the source extensions if not provided.

See Also

distutils.extension.Extension

Describes additional parameters.

scipy.weave.**blitz** (*expr, local_dict=None, global_dict=None, check_size=1, verbose=0, **kw*)

Functions

assign_variable_types(variables[, ...])	
downcast(var_specs)	Cast python scalars down to most common type of arrays used.
format_error_msg(errors)	
generate_file_name(module_name, module_location)	
generate_module(module_string, module_file)	generate the source code file. Only overwrite
indent(st, spaces)	

Classes

ext_function(name, code_block, args[, ...])
ext_function_from_specs(name, code_block, ...)
ext_module(name[, compiler])

BIBLIOGRAPHY

- [KK] D.A. Knoll and D.E. Keyes, “Jacobian-free Newton-Krylov methods”, *J. Comp. Phys.* 193, 357 (2003).
- [PP] PETSc <http://www.mcs.anl.gov/petsc/> and its Python bindings <http://code.google.com/p/petsc4py/>
- [AMG] PyAMG (algebraic multigrid preconditioners/solvers) <http://code.google.com/p/pyamg/>
- [CT] Cooley, James W., and John W. Tukey, 1965, “An algorithm for the machine calculation of complex Fourier series,” *Math. Comput.* 19: 297-301.
- [NR] Press, W., Teukolsky, S., Vetterline, W.T., and Flannery, B.P., 2007, *Numerical Recipes: The Art of Scientific Computing*, ch. 12-13. Cambridge Univ. Press, Cambridge, UK.
- [Mak] J. Makhoul, 1980, ‘A Fast Cosine Transform in One and Two Dimensions’, *IEEE Transactions on acoustics, speech and signal processing* vol. 28(1), pp. 27-34, <http://dx.doi.org/10.1109/TASSP.1980.1163351>
- [WPC] http://en.wikipedia.org/wiki/Discrete_cosine_transform
- [WPS] http://en.wikipedia.org/wiki/Discrete_sine_transform
- [R1] “Statistics toolbox.” API Reference Documentation. The MathWorks. <http://www.mathworks.com/access/helpdesk/help/toolbox/stats/>. Accessed October 1, 2007.
- [R2] “Hierarchical clustering.” API Reference Documentation. The Wolfram Research, Inc. <http://reference.wolfram.com/mathematica/HierarchicalClustering/tutorial/HierarchicalClustering.html>. Accessed October 1, 2007.
- [R3] Gower, JC and Ross, GJS. “Minimum Spanning Trees and Single Linkage Cluster Analysis.” *Applied Statistics.* 18(1): pp. 54–64. 1969.
- [R4] Ward Jr, JH. “Hierarchical grouping to optimize an objective function.” *Journal of the American Statistical Association.* 58(301): pp. 236–44. 1963.
- [R5] Johnson, SC. “Hierarchical clustering schemes.” *Psychometrika.* 32(2): pp. 241–54. 1966.
- [R6] Sneath, PH and Sokal, RR. “Numerical taxonomy.” *Nature.* 193: pp. 855–60. 1962.
- [R7] Batagelj, V. “Comparing resemblance measures.” *Journal of Classification.* 12: pp. 73–90. 1995.
- [R8] Sokal, RR and Michener, CD. “A statistical method for evaluating systematic relationships.” *Scientific Bulletins.* 38(22): pp. 1409–38. 1958.
- [R9] Edelbrock, C. “Mixture model tests of hierarchical clustering algorithms: the problem of classifying everybody.” *Multivariate Behavioral Research.* 14: pp. 367–84. 1979.
- [CODATA2010] CODATA Recommended Values of the Fundamental Physical Constants 2010. <http://physics.nist.gov/cuu/Constants/index.html>

- [R19] 'Romberg's method' http://en.wikipedia.org/wiki/Romberg%27s_method
- [HNW93] E. Hairer, S.P. Norsett and G. Wanner, Solving Ordinary Differential Equations i. Nonstiff Problems. 2nd edition. Springer Series in Computational Mathematics, Springer-Verlag (1993)
- [R21] Krogh, "Efficient Algorithms for Polynomial Interpolation and Numerical Differentiation", 1970.
- [R22] <http://www.qhull.org/>
- [R20] <http://www.qhull.org/>
- [CT] See, for example, P. Alfeld, "A trivariate Clough-Tocher scheme for tetrahedral data". Computer Aided Geometric Design, 1, 169 (1984); G. Farin, "Triangular Bernstein-Bezier patches". Computer Aided Geometric Design, 3, 83 (1986).
- [Nielson83] G. Nielson, "A method for interpolating scattered data based upon a minimum norm network". Math. Comp., 40, 253 (1983).
- [Renka84] R. J. Renka and A. K. Cline. "A Triangle-based C1 interpolation method.", Rocky Mountain J. Math., 14, 223 (1984).
- [R40] P. Dierckx, "An algorithm for smoothing, differentiation and integration of experimental data using spline functions", J.Comp.Appl.Maths 1 (1975) 165-184.
- [R41] P. Dierckx, "A fast algorithm for smoothing data on a rectangular grid while using spline functions", SIAM J.Numer.Anal. 19 (1982) 1286-1304.
- [R42] P. Dierckx, "An improved algorithm for curve fitting with spline functions", report tw54, Dept. Computer Science,K.U. Leuven, 1981.
- [R43] P. Dierckx, "Curve and surface fitting with splines", Monographs on Numerical Analysis, Oxford University Press, 1993.
- [R37] P. Dierckx, "Algorithms for smoothing data with periodic and parametric splines, Computer Graphics and Image Processing", 20 (1982) 171-184.
- [R38] P. Dierckx, "Algorithms for smoothing data with periodic and parametric splines", report tw55, Dept. Computer Science, K.U.Leuven, 1981.
- [R39] P. Dierckx, "Curve and surface fitting with splines", Monographs on Numerical Analysis, Oxford University Press, 1993.
- [R32] C. de Boor, "On calculating with b-splines", J. Approximation Theory, 6, p.50-62, 1972.
- [R33] M.G. Cox, "The numerical evaluation of b-splines", J. Inst. Maths Applies, 10, p.134-149, 1972.
- [R34] P. Dierckx, "Curve and surface fitting with splines", Monographs on Numerical Analysis, Oxford University Press, 1993.
- [R35] P.W. Gaffney, The calculation of indefinite integrals of b-splines", J. Inst. Maths Applies, 17, p.37-41, 1976.
- [R36] P. Dierckx, "Curve and surface fitting with splines", Monographs on Numerical Analysis, Oxford University Press, 1993.
- [R44] C. de Boor, "On calculating with b-splines", J. Approximation Theory, 6, p.50-62, 1972.
- [R45] M.G. Cox, "The numerical evaluation of b-splines", J. Inst. Maths Applies, 10, p.134-149, 1972.
- [R46] P. Dierckx, "Curve and surface fitting with splines", Monographs on Numerical Analysis, Oxford University Press, 1993.
- [R29] de Boor C : On calculating with b-splines, J. Approximation Theory 6 (1972) 50-62.
- [R30] Cox M.G. : The numerical evaluation of b-splines, J. Inst. Maths applies 10 (1972) 134-149.

- [R31] Dierckx P. : Curve and surface fitting with splines, Monographs on Numerical Analysis, Oxford University Press, 1993.
- [R26] Dierckx P.:An algorithm for surface fitting with spline functions Ima J. Numer. Anal. 1 (1981) 267-283.
- [R27] Dierckx P.:An algorithm for surface fitting with spline functions report tw50, Dept. Computer Science,K.U.Leuven, 1980.
- [R28] Dierckx P.:Curve and surface fitting with splines, Monographs on Numerical Analysis, Oxford University Press, 1993.
- [R23] Dierckx P. : An algorithm for surface fitting with spline functions Ima J. Numer. Anal. 1 (1981) 267-283.
- [R24] Dierckx P. : An algorithm for surface fitting with spline functions report tw50, Dept. Computer Science,K.U.Leuven, 1980.
- [R25] Dierckx P. : Curve and surface fitting with splines, Monographs on Numerical Analysis, Oxford University Press, 1993.
- [R26] Dierckx P.:An algorithm for surface fitting with spline functions Ima J. Numer. Anal. 1 (1981) 267-283.
- [R27] Dierckx P.:An algorithm for surface fitting with spline functions report tw50, Dept. Computer Science,K.U.Leuven, 1980.
- [R28] Dierckx P.:Curve and surface fitting with splines, Monographs on Numerical Analysis, Oxford University Press, 1993.
- [R23] Dierckx P. : An algorithm for surface fitting with spline functions Ima J. Numer. Anal. 1 (1981) 267-283.
- [R24] Dierckx P. : An algorithm for surface fitting with spline functions report tw50, Dept. Computer Science,K.U.Leuven, 1980.
- [R25] Dierckx P. : Curve and surface fitting with splines, Monographs on Numerical Analysis, Oxford University Press, 1993.
- [R50] G. H. Golub and C. F. Van Loan, *Matrix Computations*, Baltimore, MD, Johns Hopkins University Press, 1985, pg. 15
- [R47] R. A. Horn & C. R. Johnson, *Matrix Analysis*. Cambridge, UK: Cambridge University Press, 1999, pp. 146-7.
- [R48] P. H. Leslie, On the use of matrices in certain population mathematics, *Biometrika*, Vol. 33, No. 3, 183–212 (Nov. 1945)
- [R49] P. H. Leslie, Some further notes on the use of matrices in population mathematics, *Biometrika*, Vol. 35, No. 3/4, 213–245 (Dec. 1948)
- [R51] http://en.wikipedia.org/wiki/Closing_%28morphology%29
- [R52] http://en.wikipedia.org/wiki/Mathematical_morphology
- [R53] http://en.wikipedia.org/wiki/Dilation_%28morphology%29
- [R54] http://en.wikipedia.org/wiki/Mathematical_morphology
- [R55] http://en.wikipedia.org/wiki/Erosion_%28morphology%29
- [R56] http://en.wikipedia.org/wiki/Mathematical_morphology
- [R57] http://en.wikipedia.org/wiki/Mathematical_morphology
- [R58] http://en.wikipedia.org/wiki/Hit-or-miss_transform
- [R59] http://en.wikipedia.org/wiki/Opening_%28morphology%29
- [R60] http://en.wikipedia.org/wiki/Mathematical_morphology
- [R61] <http://cmm.ensmp.fr/~serra/cours/pdf/en/ch6en.pdf>, slide 15.

- [R62] <http://www.qi.tnw.tudelft.nl/Courses/FIP/noframes/fip-Morpholo.html#Heading102>
- [R63] <http://cmm.ensmp.fr/Micromorph/course/sld011.htm>, and following slides
- [R64] http://en.wikipedia.org/wiki/Top-hat_transform
- [R65] http://en.wikipedia.org/wiki/Mathematical_morphology
- [R66] http://en.wikipedia.org/wiki/Dilation_%28morphology%29
- [R67] http://en.wikipedia.org/wiki/Mathematical_morphology
- [R68] http://en.wikipedia.org/wiki/Erosion_%28morphology%29
- [R69] http://en.wikipedia.org/wiki/Mathematical_morphology
- [R70] http://en.wikipedia.org/wiki/Mathematical_morphology
- [R71] http://en.wikipedia.org/wiki/Mathematical_morphology
- [R264] P. T. Boggs and J. E. Rogers, "Orthogonal Distance Regression," in "Statistical analysis of measurement error models and applications: proceedings of the AMS-IMS-SIAM joint summer research conference held June 10-16, 1989," Contemporary Mathematics, vol. 112, pg. 186, 1990.
- [R79] Nelder, J A, and R Mead. 1965. A Simplex Method for Function Minimization. The Computer Journal 7: 308-13.
- [R80] Wright M H. 1996. Direct search methods: Once scorned, now respectable, in Numerical Analysis 1995: Proceedings of the 1995 Dundee Biennial Conference in Numerical Analysis (Eds. D F Griffiths and G A Watson). Addison Wesley Longman, Harlow, UK. 191-208.
- [R81] Powell, M J D. 1964. An efficient method for finding the minimum of a function of several variables without calculating derivatives. The Computer Journal 7: 155-162.
- [R82] Press W, S A Teukolsky, W T Vetterling and B P Flannery. Numerical Recipes (any edition), Cambridge University Press.
- [R83] Nocedal, J, and S J Wright. 2006. Numerical Optimization. Springer New York.
- [R84] Byrd, R H and P Lu and J. Nocedal. 1995. A Limited Memory Algorithm for Bound Constrained Optimization. SIAM Journal on Scientific and Statistical Computing 16 (5): 1190-1208.
- [R85] Zhu, C and R H Byrd and J Nocedal. 1997. L-BFGS-B: Algorithm 778: L-BFGS-B, FORTRAN routines for large scale bound constrained optimization. ACM Transactions on Mathematical Software 23 (4): 550-560.
- [R86] Nash, S G. Newton-Type Minimization Via the Lanczos Method. 1984. SIAM Journal of Numerical Analysis 21: 770-778.
- [R87] Powell, M J D. A direct search optimization method that models the objective and constraint functions by linear interpolation. 1994. Advances in Optimization and Numerical Analysis, eds. S. Gomez and J-P Hennart, Kluwer Academic (Dordrecht), 51-67.
- [R76] Nelder, J.A. and Mead, R. (1965), "A simplex method for function minimization", The Computer Journal, 7, pp. 308-313
- [R77] Wright, M.H. (1996), "Direct Search Methods: Once Scorned, Now Respectable", in Numerical Analysis 1995, Proceedings of the 1995 Dundee Biennial Conference in Numerical Analysis, D.F. Griffiths and G.A. Watson (Eds.), Addison Wesley Longman, Harlow, UK, pp. 191-208.
- [R78] Wright & Nocedal, "Numerical Optimization", 1999, pp. 120-122.
- [R72] Wales, David J. 2003, Energy Landscapes, Cambridge University Press, Cambridge, UK.
- [R73] Wales, D J, and Doye J P K, Global Optimization by Basin-Hopping and the Lowest Energy Structures of Lennard-Jones Clusters Containing up to 110 Atoms. Journal of Physical Chemistry A, 1997, 101, 5111.

- [R74] Li, Z. and Scheraga, H. A., Monte Carlo-minimization approach to the multiple-minima problem in protein folding, Proc. Natl. Acad. Sci. USA, 1987, 84, 6611.
- [R75] Wales, D. J. and Scheraga, H. A., Global optimization of clusters, crystals, and biomolecules, Science, 1999, 285, 1368.
- [Brent1973] Brent, R. P., *Algorithms for Minimization Without Derivatives*. Englewood Cliffs, NJ: Prentice-Hall, 1973. Ch. 3-4.
- [PressEtal1992] Press, W. H.; Flannery, B. P.; Teukolsky, S. A.; and Vetterling, W. T. *Numerical Recipes in FORTRAN: The Art of Scientific Computing*, 2nd ed. Cambridge, England: Cambridge University Press, pp. 352-355, 1992. Section 9.3: “Van Wijngaarden-Dekker-Brent Method.”
- [Ridders1979] Ridders, C. F. J. “A New Algorithm for Computing a Single Root of a Real Continuous Function.” IEEE Trans. Circuits Systems 26, 979-980, 1979.
- [R88] More, Jorge J., Burton S. Garbow, and Kenneth E. Hillstom. 1980. User Guide for MINPACK-1.
- [R89] C. T. Kelley. 1995. Iterative Methods for Linear and Nonlinear Equations. Society for Industrial and Applied Mathematics. <<http://www.siam.org/books/kelley/>>
- [vR] B.A. van der Rotten, PhD thesis, “A limited memory Broyden method to solve high-dimensional systems of nonlinear equations”. Mathematisch Instituut, Universiteit Leiden, The Netherlands (2003).
<http://www.math.leidenuniv.nl/scripties/Rotten.pdf>
- [vR] B.A. van der Rotten, PhD thesis, “A limited memory Broyden method to solve high-dimensional systems of nonlinear equations”. Mathematisch Instituut, Universiteit Leiden, The Netherlands (2003).
<http://www.math.leidenuniv.nl/scripties/Rotten.pdf>
- [KK] D.A. Knoll and D.E. Keyes, J. Comp. Phys. 193, 357 (2003).
- [BJM] A.H. Baker and E.R. Jessup and T. Manteuffel, SIAM J. Matrix Anal. Appl. 26, 962 (2005).
- [Ey] 22. Eyert, J. Comp. Phys., 124, 271 (1996).
- [R111] Wikipedia, “Analytic signal”. http://en.wikipedia.org/wiki/Analytic_signal
- [R101] Oppenheim, A. V. and Schafer, R. W., “Discrete-Time Signal Processing”, Prentice-Hall, Englewood Cliffs, New Jersey (1989). (See, for example, Section 7.4.)
- [R102] Smith, Steven W., “The Scientist and Engineer’s Guide to Digital Signal Processing”, Ch. 17. <http://www.dspguide.com/ch17/1.htm>
- [R118] J. H. McClellan and T. W. Parks, “A unified approach to the design of optimum FIR linear phase digital filters”, IEEE Trans. Circuit Theory, vol. CT-20, pp. 697-701, 1973.
- [R119] J. H. McClellan, T. W. Parks and L. R. Rabiner, “A Computer Program for Designing Optimum FIR Linear Phase Digital Filters”, IEEE Trans. Audio Electroacoust., vol. AU-21, pp. 506-525, 1973.
- [R97] http://en.wikipedia.org/wiki/Discretization#Discretization_of_linear_state_space_models
- [R98] http://teachtech.no/publications/discretetime_signals_systems/discrete.pdf
- [R99] G. Zhang, X. Chen, and T. Chen, Digital redesign via the generalized bilinear transformation, Int. J. Control, vol. 82, no. 4, pp. 741-754, 2009. (http://www.ece.ualberta.ca/~gfzhang/research/ZCC07_preprint.pdf)
- [R90] M.S. Bartlett, “Periodogram Analysis and Continuous Spectra”, Biometrika 37, 1-16, 1950.
- [R91] E.R. Kanasewich, “Time Sequence Analysis in Geophysics”, The University of Alberta Press, 1975, pp. 109-110.
- [R92] A.V. Oppenheim and R.W. Schafer, “Discrete-Time Signal Processing”, Prentice-Hall, 1999, pp. 468-471.
- [R93] Wikipedia, “Window function”, http://en.wikipedia.org/wiki/Window_function

- [R94] W.H. Press, B.P. Flannery, S.A. Teukolsky, and W.T. Vetterling, “Numerical Recipes”, Cambridge University Press, 1986, page 429.
- [R95] Blackman, R.B. and Tukey, J.W., (1958) The measurement of power spectra, Dover Publications, New York.
- [R96] Oppenheim, A.V., and R.W. Schaffer. Discrete-Time Signal Processing. Upper Saddle River, NJ: Prentice-Hall, 1999, pp. 468-471.
- [R103] Blackman, R.B. and Tukey, J.W., (1958) The measurement of power spectra, Dover Publications, New York.
- [R104] E.R. Kanasewich, “Time Sequence Analysis in Geophysics”, The University of Alberta Press, 1975, pp. 109-110.
- [R105] Wikipedia, “Window function”, http://en.wikipedia.org/wiki/Window_function
- [R106] W.H. Press, B.P. Flannery, S.A. Teukolsky, and W.T. Vetterling, “Numerical Recipes”, Cambridge University Press, 1986, page 425.
- [R107] Blackman, R.B. and Tukey, J.W., (1958) The measurement of power spectra, Dover Publications, New York.
- [R108] E.R. Kanasewich, “Time Sequence Analysis in Geophysics”, The University of Alberta Press, 1975, pp. 106-108.
- [R109] Wikipedia, “Window function”, http://en.wikipedia.org/wiki/Window_function
- [R110] W.H. Press, B.P. Flannery, S.A. Teukolsky, and W.T. Vetterling, “Numerical Recipes”, Cambridge University Press, 1986, page 425.
- [R112] J. F. Kaiser, “Digital Filters” - Ch 7 in “Systems analysis by digital computer”, Editors: F.F. Kuo and J.F. Kaiser, p 218-285. John Wiley and Sons, New York, (1966).
- [R113] E.R. Kanasewich, “Time Sequence Analysis in Geophysics”, The University of Alberta Press, 1975, pp. 177-178.
- [R114] Wikipedia, “Window function”, http://en.wikipedia.org/wiki/Window_function
- [R100] Bioinformatics (2006) 22 (17): 2059-2065. doi: 10.1093/bioinformatics/btl355 <http://bioinformatics.oxfordjournals.org/content/22/17/2059.long>
- [R120] P. Welch, “The use of the fast Fourier transform for the estimation of power spectra: A method based on time averaging over short, modified periodograms”, IEEE Trans. Audio Electroacoust. vol. 15, pp. 70-73, 1967.
- [R121] M.S. Bartlett, “Periodogram Analysis and Continuous Spectra”, Biometrika, vol. 37, pp. 1-16, 1950.
- [R115] N.R. Lomb “Least-squares frequency analysis of unequally spaced data”, Astrophysics and Space Science, vol 39, pp. 447-462, 1976
- [R116] J.D. Scargle “Studies in astronomical time series analysis. II - Statistical aspects of spectral analysis of unevenly spaced data”, The Astrophysical Journal, vol 263, pp. 835-853, 1982
- [R117] R.H.D. Townsend, “Fast calculation of the Lomb-Scargle periodogram using graphics processing units.”, The Astrophysical Journal Supplement Series, vol 191, pp. 247-253, 2010
- [BJM] A.H. Baker and E.R. Jessup and T. Manteuffel, SIAM J. Matrix Anal. Appl. 26, 962 (2005).
- [BPh] A.H. Baker, PhD thesis, University of Colorado (2003). <http://amath.colorado.edu/activities/thesis/allisonb/Thesis.ps>
- [R16] C. C. Paige and M. A. Saunders (1982a). “LSQR: An algorithm for sparse linear equations and sparse least squares”, ACM TOMS 8(1), 43-71.
- [R17] C. C. Paige and M. A. Saunders (1982b). “Algorithm 583. LSQR: Sparse linear equations and least squares problems”, ACM TOMS 8(2), 195-209.
- [R18] M. A. Saunders (1995). “Solution of sparse rectangular systems using LSQR and CRAIG”, BIT 35, 588-604.

- [R14] D. C.-L. Fong and M. A. Saunders, “LSMR: An iterative algorithm for sparse least-squares problems”, SIAM J. Sci. Comput., vol. 33, pp. 2950-2971, 2011. <http://arxiv.org/abs/1006.0758>
- [R15] LSMR Software, <http://www.stanford.edu/~clfong/lsmr.html>
- [R10] ARPACK Software, <http://www.caam.rice.edu/software/ARPACK/>
- [R11] R. B. Lehoucq, D. C. Sorensen, and C. Yang, ARPACK USERS GUIDE: Solution of Large Scale Eigenvalue Problems by Implicitly Restarted Arnoldi Methods. SIAM, Philadelphia, PA, 1998.
- [R12] ARPACK Software, <http://www.caam.rice.edu/software/ARPACK/>
- [R13] R. B. Lehoucq, D. C. Sorensen, and C. Yang, ARPACK USERS GUIDE: Solution of Large Scale Eigenvalue Problems by Implicitly Restarted Arnoldi Methods. SIAM, Philadelphia, PA, 1998.
- [SLU] SuperLU <http://crd.lbl.gov/~xiaoye/SuperLU/>
- [BJM] A.H. Baker and E.R. Jessup and T. Manteuffel, SIAM J. Matrix Anal. Appl. 26, 962 (2005).
- [BPh] A.H. Baker, PhD thesis, University of Colorado (2003). <http://amath.colorado.edu/activities/thesis/allisonb/Thesis.ps>
- [R146] C. C. Paige and M. A. Saunders (1982a). “LSQR: An algorithm for sparse linear equations and sparse least squares”, ACM TOMS 8(1), 43-71.
- [R147] C. C. Paige and M. A. Saunders (1982b). “Algorithm 583. LSQR: Sparse linear equations and least squares problems”, ACM TOMS 8(2), 195-209.
- [R148] M. A. Saunders (1995). “Solution of sparse rectangular systems using LSQR and CRAIG”, BIT 35, 588-604.
- [R144] D. C.-L. Fong and M. A. Saunders, “LSMR: An iterative algorithm for sparse least-squares problems”, SIAM J. Sci. Comput., vol. 33, pp. 2950-2971, 2011. <http://arxiv.org/abs/1006.0758>
- [R145] LSMR Software, <http://www.stanford.edu/~clfong/lsmr.html>
- [R140] ARPACK Software, <http://www.caam.rice.edu/software/ARPACK/>
- [R141] R. B. Lehoucq, D. C. Sorensen, and C. Yang, ARPACK USERS GUIDE: Solution of Large Scale Eigenvalue Problems by Implicitly Restarted Arnoldi Methods. SIAM, Philadelphia, PA, 1998.
- [R142] ARPACK Software, <http://www.caam.rice.edu/software/ARPACK/>
- [R143] R. B. Lehoucq, D. C. Sorensen, and C. Yang, ARPACK USERS GUIDE: Solution of Large Scale Eigenvalue Problems by Implicitly Restarted Arnoldi Methods. SIAM, Philadelphia, PA, 1998.
- [SLU] SuperLU <http://crd.lbl.gov/~xiaoye/SuperLU/>
- [Qhull] <http://www.qhull.org/>
- [Qhull] <http://www.qhull.org/>
- [Qhull] <http://www.qhull.org/>
- [R151] http://en.wikipedia.org/wiki/Error_function
- [R152] Milton Abramowitz and Irene A. Stegun, eds. Handbook of Mathematical Functions with Formulas, Graphs, and Mathematical Tables. New York: Dover, 1972. http://www.math.sfu.ca/~cbm/aands/page_297.htm
- [R153] Steven G. Johnson, Faddeeva W function implementation. <http://ab-initio.mit.edu/Faddeeva>
- [R154] Steven G. Johnson, Faddeeva W function implementation. <http://ab-initio.mit.edu/Faddeeva>
- [R155] Steven G. Johnson, Faddeeva W function implementation. <http://ab-initio.mit.edu/Faddeeva>
- [R156] Steven G. Johnson, Faddeeva W function implementation. <http://ab-initio.mit.edu/Faddeeva>
- [R159] Steven G. Johnson, Faddeeva W function implementation. <http://ab-initio.mit.edu/Faddeeva>
- [R150] Steven G. Johnson, Faddeeva W function implementation. <http://ab-initio.mit.edu/Faddeeva>

- [R157] http://en.wikipedia.org/wiki/Lambert_W_function
- [R158] Corless et al, "On the Lambert W function", *Adv. Comp. Math.* 5 (1996) 329-359.
<http://www.apmaths.uwo.ca/~djeffrey/Offprints/W-adv-cm.pdf>
- [CRCProbStat2000] Zwillinger, D. and Kokoska, S. (2000). *CRC Standard Probability and Statistics Tables and Formulae*. Chapman & Hall: New York. 2000.
- [R182] Zwillinger, D. and Kokoska, S. (2000). *CRC Standard Probability and Statistics Tables and Formulae*. Chapman & Hall: New York. 2000.
- [R196] D'Agostino, R. B. (1971), "An omnibus test of normality for moderate and large sample size," *Biometrika*, 58, 341-348
- [R197] D'Agostino, R. and Pearson, E. S. (1973), "Testing for departures from normality," *Biometrika*, 60, 613-622
- [CRCProbStat2000] Zwillinger, D. and Kokoska, S. (2000). *CRC Standard Probability and Statistics Tables and Formulae*. Chapman & Hall: New York. 2000.
- [R203] Zwillinger, D. and Kokoska, S. (2000). *CRC Standard Probability and Statistics Tables and Formulae*. Chapman & Hall: New York. 2000.
- [R172] Lowry, Richard. "Concepts and Applications of Inferential Statistics". Chapter 14.
<http://faculty.vassar.edu/lowry/ch14pt1.html>
- [R173] Heiman, G.W. *Research Methods in Statistics*. 2002.
- [CRCProbStat2000] Zwillinger, D. and Kokoska, S. (2000). *CRC Standard Probability and Statistics Tables and Formulae*. Chapman & Hall: New York. 2000.
- [R201] http://en.wikipedia.org/wiki/T-test#Independent_two-sample_t-test
- [R202] http://en.wikipedia.org/wiki/Welch%27s_t_test
- [R171] Lowry, Richard. "Concepts and Applications of Inferential Statistics". Chapter 8.
<http://faculty.vassar.edu/lowry/ch8pt1.html>
- [R200] Siegel, S. (1956) *Nonparametric Statistics for the Behavioral Sciences*. New York: McGraw-Hill.
- [R198] http://en.wikipedia.org/wiki/Wilcoxon_rank-sum_test
- [R204] http://en.wikipedia.org/wiki/Wilcoxon_signed-rank_test
- [R181] http://en.wikipedia.org/wiki/Kruskal-Wallis_one-way_analysis_of_variance
- [R176] http://en.wikipedia.org/wiki/Friedman_test
- [R166] Sprent, Peter and N.C. Smeeton. *Applied nonparametric statistical methods*. 3rd ed. Chapman and Hall/CRC. 2001. Section 5.8.2.
- [R167] <http://www.itl.nist.gov/div898/handbook/eda/section3/eda357.htm>
- [R168] Snedecor, George W. and Cochran, William G. (1989), *Statistical Methods*, Eighth Edition, Iowa State University Press.
- [R183] <http://www.itl.nist.gov/div898/handbook/eda/section3/eda35a.htm>
- [R184] Levene, H. (1960). In *Contributions to Probability and Statistics: Essays in Honor of Harold Hotelling*, I. Olkin et al. eds., Stanford University Press, pp. 278-292.
- [R185] Brown, M. B. and Forsythe, A. B. (1974), *Journal of the American Statistical Association*, 69, 364-367
- [R199] <http://www.itl.nist.gov/div898/handbook/prc/section2/prc213.htm>
- [R160] <http://www.itl.nist.gov/div898/handbook/prc/section2/prc213.htm>

- [R161] Stephens, M. A. (1974). EDF Statistics for Goodness of Fit and Some Comparisons, *Journal of the American Statistical Association*, Vol. 69, pp. 730-737.
- [R162] Stephens, M. A. (1976). Asymptotic Results for Goodness-of-Fit Statistics with Unknown Parameters, *Annals of Statistics*, Vol. 4, pp. 357-369.
- [R163] Stephens, M. A. (1977). Goodness of Fit for the Extreme Value Distribution, *Biometrika*, Vol. 64, pp. 583-588.
- [R164] Stephens, M. A. (1977). Goodness of Fit with Special Reference to Tests for Exponentiality , Technical Report No. 262, Department of Statistics, Stanford University, Stanford, CA.
- [R165] Stephens, M. A. (1979). Tests of Fit for the Logistic Distribution Based on the Empirical Distribution Function, *Biometrika*, Vol. 66, pp. 591-595.
- [R169] http://en.wikipedia.org/wiki/Binomial_test
- [R174] <http://www.stat.psu.edu/~bgl/center/tr/TR993.ps>
- [R175] Fligner, M.A. and Killeen, T.J. (1976). Distribution-free two-sample tests for scale. 'Journal of the American Statistical Association.' 71(353), 210-213.
- [R170] http://en.wikipedia.org/wiki/Contingency_table
- [R187] Lowry, Richard. "Concepts and Applications of Inferential Statistics". Chapter 8. <http://faculty.vassar.edu/lowry/ch8pt1.html>
- [R188] http://en.wikipedia.org/wiki/Kruskal-Wallis_one-way_analysis_of_variance
- [R188] http://en.wikipedia.org/wiki/Kruskal-Wallis_one-way_analysis_of_variance
- [R189] Zwillinger, D. and Kokoska, S. (2000). *CRC Standard Probability and Statistics Tables and Formulae*. Chapman & Hall: New York. 2000.
- [R190] *R* statistical software at <http://www.r-project.org/>
- [R191] D'Agostino, R. B. (1971), "An omnibus test of normality for moderate and large sample size," *Biometrika*, 58, 341-348
- [R192] D'Agostino, R. and Pearson, E. S. (1973), "Testing for departures from normality," *Biometrika*, 60, 613-622
- [CRCProbStat2000] Zwillinger, D. and Kokoska, S. (2000). *CRC Standard Probability and Statistics Tables and Formulae*. Chapman & Hall: New York. 2000.
- [R193] http://en.wikipedia.org/wiki/T-test#Independent_two-sample_t-test
- [R194] http://en.wikipedia.org/wiki/Welch%27s_t_test
- [R195] Zwillinger, D. and Kokoska, S. (2000). *CRC Standard Probability and Statistics Tables and Formulae*. Chapman & Hall: New York. 2000.
- [R177] D.W. Scott, "Multivariate Density Estimation: Theory, Practice, and Visualization", John Wiley & Sons, New York, Chicester, 1992.
- [R178] B.W. Silverman, "Density Estimation for Statistics and Data Analysis", Vol. 26, Monographs on Statistics and Applied Probability, Chapman and Hall, London, 1986.
- [R179] B.A. Turlach, "Bandwidth Selection in Kernel Density Estimation: A Review", *CORE and Institut de Statistique*, Vol. 19, pp. 1-33, 1993.
- [R180] D.M. Bashtannyk and R.J. Hyndman, "Bandwidth selection for kernel conditional density estimation", *Computational Statistics & Data Analysis*, Vol. 36, pp. 279-298, 2001.
- [R187] Lowry, Richard. "Concepts and Applications of Inferential Statistics". Chapter 8. <http://faculty.vassar.edu/lowry/ch8pt1.html>

- [R188] http://en.wikipedia.org/wiki/Kruskal-Wallis_one-way_analysis_of_variance
- [R188] http://en.wikipedia.org/wiki/Kruskal-Wallis_one-way_analysis_of_variance
- [R189] Zwillinger, D. and Kokoska, S. (2000). CRC Standard Probability and Statistics Tables and Formulae. Chapman & Hall: New York. 2000.
- [R190] R statistical software at <http://www.r-project.org/>
- [R191] D'Agostino, R. B. (1971), "An omnibus test of normality for moderate and large sample size," *Biometrika*, 58, 341-348
- [R192] D'Agostino, R. and Pearson, E. S. (1973), "Testing for departures from normality," *Biometrika*, 60, 613-622
- [CRCProbStat2000] Zwillinger, D. and Kokoska, S. (2000). CRC Standard Probability and Statistics Tables and Formulae. Chapman & Hall: New York. 2000.
- [R193] http://en.wikipedia.org/wiki/T-test#Independent_two-sample_t-test
- [R194] http://en.wikipedia.org/wiki/Welch%27s_t_test
- [R195] Zwillinger, D. and Kokoska, S. (2000). CRC Standard Probability and Statistics Tables and Formulae. Chapman & Hall: New York. 2000.

PYTHON MODULE INDEX

S

- scipy.cluster, 195
- scipy.cluster.hierarchy, 199
- scipy.cluster.vq, 195
- scipy.constants, 214
- scipy.fftpack, 229
- scipy.fftpack._fftpack, 242
- scipy.fftpack.convolve, 241
- scipy.integrate, 243
- scipy.interpolate, 257
- scipy.io, 296
- scipy.io.arff, 301
- scipy.io.netcdf, 302
- scipy.io.wavfile, 300
- scipy.linalg, 306
- scipy.linalg.blas, 416
- scipy.linalg.lapack, 435
- scipy.misc, 485
- scipy.ndimage, 495
- scipy.ndimage.filters, 495
- scipy.ndimage.fourier, 507
- scipy.ndimage.interpolation, 509
- scipy.ndimage.measurements, 514
- scipy.ndimage.morphology, 523
- scipy.odr, 546
- scipy.optimize, 554
- scipy.optimize.nonlin, 613
- scipy.signal, 614
- scipy.sparse, 700
- scipy.sparse.csgraph, 811
- scipy.sparse.linalg, 787
- scipy.spatial, 821
- scipy.spatial.distance, 854
- scipy.special, 868
- scipy.stats, 895
- scipy.stats.mstats, 1001
- scipy.weave, 1026
- scipy.weave.ext_tools, 1029

INDEX

Symbols

- `__call__()` (scipy.interpolate.BarycentricInterpolator method), 260
 - `__call__()` (scipy.interpolate.BivariateSpline method), 291
 - `__call__()` (scipy.interpolate.CloughTocher2DInterpolator method), 272
 - `__call__()` (scipy.interpolate.InterpolatedUnivariateSpline method), 277
 - `__call__()` (scipy.interpolate.KroghInterpolator method), 261
 - `__call__()` (scipy.interpolate.LSQBivariateSpline method), 293
 - `__call__()` (scipy.interpolate.LSQUnivariateSpline method), 279
 - `__call__()` (scipy.interpolate.LinearNDInterpolator method), 271
 - `__call__()` (scipy.interpolate.NearestNDInterpolator method), 271
 - `__call__()` (scipy.interpolate.PchipInterpolator method), 265
 - `__call__()` (scipy.interpolate.PiecewisePolynomial method), 263
 - `__call__()` (scipy.interpolate.Rbf method), 273
 - `__call__()` (scipy.interpolate.RectBivariateSpline method), 287
 - `__call__()` (scipy.interpolate.RectSphereBivariateSpline method), 290
 - `__call__()` (scipy.interpolate.SmoothBivariateSpline method), 292
 - `__call__()` (scipy.interpolate.UnivariateSpline method), 276
 - `__call__()` (scipy.interpolate.interp1d method), 259
 - `__call__()` (scipy.interpolate.interp2d method), 274
- A**
- `add_points()` (scipy.spatial.ConvexHull method), 848
 - `add_points()` (scipy.spatial.Delaunay method), 846
 - `add_points()` (scipy.spatial.Voronoi method), 851
 - `add_xi()` (scipy.interpolate.BarycentricInterpolator method), 260
 - `affine_transform()` (in module scipy.ndimage.interpolation), 509
 - `ai_zeros()` (in module scipy.special), 869
 - `airy` (in module scipy.special), 869
 - `airy` (in module scipy.special), 869
 - `anderson()` (in module scipy.optimize), 598
 - `anderson()` (in module scipy.stats), 966
 - `anneal()` (in module scipy.optimize), 573
 - `ansari()` (in module scipy.stats), 964
 - `append()` (scipy.interpolate.PchipInterpolator method), 265
 - `append()` (scipy.interpolate.PiecewisePolynomial method), 263
 - `approximate_taylor_polynomial()` (in module scipy.interpolate), 296
 - `arcsin()` (scipy.sparse.bsr_matrix method), 703
 - `arcsin()` (scipy.sparse.coo_matrix method), 710
 - `arcsin()` (scipy.sparse.csc_matrix method), 716
 - `arcsin()` (scipy.sparse.csr_matrix method), 723
 - `arcsin()` (scipy.sparse.dia_matrix method), 729
 - `arcsinh()` (scipy.sparse.bsr_matrix method), 703
 - `arcsinh()` (scipy.sparse.coo_matrix method), 710
 - `arcsinh()` (scipy.sparse.csc_matrix method), 717
 - `arcsinh()` (scipy.sparse.csr_matrix method), 723
 - `arcsinh()` (scipy.sparse.dia_matrix method), 729
 - `arctan()` (scipy.sparse.bsr_matrix method), 703
 - `arctan()` (scipy.sparse.coo_matrix method), 710
 - `arctan()` (scipy.sparse.csc_matrix method), 717
 - `arctan()` (scipy.sparse.csr_matrix method), 723
 - `arctan()` (scipy.sparse.dia_matrix method), 729
 - `arctanh()` (scipy.sparse.bsr_matrix method), 704
 - `arctanh()` (scipy.sparse.coo_matrix method), 710
 - `arctanh()` (scipy.sparse.csc_matrix method), 717
 - `arctanh()` (scipy.sparse.csr_matrix method), 723
 - `arctanh()` (scipy.sparse.dia_matrix method), 729
 - `argrelextrema()` (in module scipy.signal), 694
 - `argrelmax()` (in module scipy.signal), 693
 - `argrelmin()` (in module scipy.signal), 693
 - `argstoarray()` (in module scipy.stats.mstats), 975, 1002
 - `ArpackError`, 783, 809
 - `ArpackNoConvergence`, 783, 809
 - `asformat()` (scipy.sparse.bsr_matrix method), 704

asformat() (scipy.sparse.coo_matrix method), 710
asformat() (scipy.sparse.csc_matrix method), 717
asformat() (scipy.sparse.csr_matrix method), 723
asformat() (scipy.sparse.dia_matrix method), 729
asformat() (scipy.sparse.dok_matrix method), 734
asformat() (scipy.sparse.lil_matrix method), 739
asfptype() (scipy.sparse.bsr_matrix method), 704
asfptype() (scipy.sparse.coo_matrix method), 710
asfptype() (scipy.sparse.csc_matrix method), 717
asfptype() (scipy.sparse.csr_matrix method), 723
asfptype() (scipy.sparse.dia_matrix method), 729
asfptype() (scipy.sparse.dok_matrix method), 735
asfptype() (scipy.sparse.lil_matrix method), 739
aslinearoperator() (in module scipy.sparse.linalg), 762, 788
assignValue() (scipy.io.netcdf.netcdf_variable method), 305
astype() (scipy.sparse.bsr_matrix method), 704
astype() (scipy.sparse.coo_matrix method), 710
astype() (scipy.sparse.csc_matrix method), 717
astype() (scipy.sparse.csr_matrix method), 723
astype() (scipy.sparse.dia_matrix method), 729
astype() (scipy.sparse.dok_matrix method), 735
astype() (scipy.sparse.lil_matrix method), 739
average() (in module scipy.cluster.hierarchy), 204

B

barthann() (in module scipy.signal), 661
bartlett() (in module scipy.signal), 662
bartlett() (in module scipy.stats), 965
barycentric_interpolate() (in module scipy.interpolate), 266
BarycentricInterpolator (class in scipy.interpolate), 259
basinhopping() (in module scipy.optimize), 575
bayes_mvs() (in module scipy.stats), 947
bdtr (in module scipy.special), 876
bdtrc (in module scipy.special), 876
bdtri (in module scipy.special), 876
bei (in module scipy.special), 891
bei_zeros() (in module scipy.special), 892
beip (in module scipy.special), 891
beip_zeros() (in module scipy.special), 892
bellman_ford() (in module scipy.sparse.csgraph), 754, 815
ber (in module scipy.special), 891
ber_zeros() (in module scipy.special), 891
bernoulli (in module scipy.stats), 911
berp (in module scipy.special), 891
berp_zeros() (in module scipy.special), 892
bessel() (in module scipy.signal), 643
besselpoly (in module scipy.special), 873
beta (in module scipy.special), 879
betai() (in module scipy.stats.mstats), 975, 1002
betainc (in module scipy.special), 879

betaincinv (in module scipy.special), 880
betaln (in module scipy.special), 879
bi_zeros() (in module scipy.special), 869
bicg() (in module scipy.sparse.linalg), 764, 791
bicgstab() (in module scipy.sparse.linalg), 765, 791
bilinear() (in module scipy.signal), 628
binary_closing() (in module scipy.ndimage.morphology), 523
binary_dilation() (in module scipy.ndimage.morphology), 525
binary_erosion() (in module scipy.ndimage.morphology), 527
binary_fill_holes() (in module scipy.ndimage.morphology), 528
binary_hit_or_miss() (in module scipy.ndimage.morphology), 529
binary_opening() (in module scipy.ndimage.morphology), 530
binary_propagation() (in module scipy.ndimage.morphology), 532
binned_statistic() (in module scipy.stats), 943
binned_statistic_2d() (in module scipy.stats), 945
binned_statistic_dd() (in module scipy.stats), 946
binom (in module scipy.special), 892
binom (in module scipy.stats), 913
binom_test() (in module scipy.stats), 967
bisection() (in module scipy.optimize), 588
bisplev() (in module scipy.interpolate), 286, 295
bisplep() (in module scipy.interpolate), 285, 294
BivariateSpline (class in scipy.interpolate), 290
black_tophat() (in module scipy.ndimage.morphology), 534
blackman() (in module scipy.signal), 664
blackmanharris() (in module scipy.signal), 666
blitz() (in module scipy.weave), 1029
block_diag() (in module scipy.linalg), 339
block_diag() (in module scipy.sparse), 745
bmat() (in module scipy.sparse), 747
bode() (in module scipy.signal), 650
bode() (scipy.signal.lti method), 645
bohman() (in module scipy.signal), 668
boltzmann (in module scipy.stats), 914
boxcar() (in module scipy.signal), 669
bracket() (in module scipy.optimize), 583
braycurtis() (in module scipy.spatial.distance), 836, 862
breadth_first_order() (in module scipy.sparse.csgraph), 755, 816
breadth_first_tree() (in module scipy.sparse.csgraph), 756, 817
brent() (in module scipy.optimize), 582
brenth() (in module scipy.optimize), 587
brentq() (in module scipy.optimize), 585
broyden1() (in module scipy.optimize), 594
broyden2() (in module scipy.optimize), 595

- brute() (in module `scipy.optimize`), 579
 bspline() (in module `scipy.signal`), 617
 bsr_matrix (class in `scipy.sparse`), 701
 btdtr (in module `scipy.special`), 876
 btdtri (in module `scipy.special`), 876
 butter() (in module `scipy.signal`), 640
 buttord() (in module `scipy.signal`), 640
 bytescale() (in module `scipy.misc`), 486
- ## C
- C2F() (in module `scipy.constants`), 227
 C2K() (in module `scipy.constants`), 226
 canberra() (in module `scipy.spatial.distance`), 837, 862
 cascade() (in module `scipy.signal`), 689
 caxpy (in module `scipy.linalg.blas`), 348, 418
 cbrt (in module `scipy.special`), 894
 cc_diff() (in module `scipy.fftpack`), 238
 ccopy (in module `scipy.linalg.blas`), 348, 418
 cdf() (`scipy.stats.rv_continuous` method), 900
 cdf() (`scipy.stats.rv_discrete` method), 907
 cdist() (in module `scipy.spatial.distance`), 831, 857
 cdotc (in module `scipy.linalg.blas`), 349, 418
 cdotu (in module `scipy.linalg.blas`), 349, 419
 ceil() (`scipy.sparse.bsr_matrix` method), 704
 ceil() (`scipy.sparse.coo_matrix` method), 710
 ceil() (`scipy.sparse.csc_matrix` method), 717
 ceil() (`scipy.sparse.csr_matrix` method), 723
 ceil() (`scipy.sparse.dia_matrix` method), 729
 center_of_mass() (in `scipy.ndimage.measurements`), 514
 central_diff_weights() (in module `scipy.misc`), 487
 centroid() (in module `scipy.cluster.hierarchy`), 204
 cg() (in module `scipy.sparse.linalg`), 766, 792
 cgbsv (in module `scipy.linalg.lapack`), 370, 439
 cgbtrf (in module `scipy.linalg.lapack`), 370, 439
 cgbtrs (in module `scipy.linalg.lapack`), 370, 440
 cgebal (in module `scipy.linalg.lapack`), 371, 440
 cgees (in module `scipy.linalg.lapack`), 371, 440
 cgeev (in module `scipy.linalg.lapack`), 371, 441
 cgegv (in module `scipy.linalg.lapack`), 371, 441
 cgehrd (in module `scipy.linalg.lapack`), 372, 441
 cgelss (in module `scipy.linalg.lapack`), 372, 441
 cgemm (in module `scipy.linalg.blas`), 349, 419
 cgemv (in module `scipy.linalg.blas`), 349, 419
 cgeqp3 (in module `scipy.linalg.lapack`), 372, 442
 cgeqrf (in module `scipy.linalg.lapack`), 373, 442
 cgerc (in module `scipy.linalg.blas`), 350, 419
 cgerqf (in module `scipy.linalg.lapack`), 373, 442
 cgeru (in module `scipy.linalg.blas`), 350, 420
 cgesdd (in module `scipy.linalg.lapack`), 373, 442
 cgesv (in module `scipy.linalg.lapack`), 373, 443
 cgetrf (in module `scipy.linalg.lapack`), 374, 443
 cgetri (in module `scipy.linalg.lapack`), 374, 443
 cgetrs (in module `scipy.linalg.lapack`), 374, 443
 cgges (in module `scipy.linalg.lapack`), 374, 444
 cggev (in module `scipy.linalg.lapack`), 375, 444
 cgs() (in module `scipy.sparse.linalg`), 766, 793
 chbevd (in module `scipy.linalg.lapack`), 375, 444
 chbevz (in module `scipy.linalg.lapack`), 375, 445
 chdtr (in module `scipy.special`), 877
 chdtrc (in module `scipy.special`), 877
 chdtri (in module `scipy.special`), 877
 cheb1ord() (in module `scipy.signal`), 641
 cheb2ord() (in module `scipy.signal`), 642
 chebwin() (in module `scipy.signal`), 671
 cheby1() (in module `scipy.signal`), 640
 cheby2() (in module `scipy.signal`), 641
 chebyc() (in module `scipy.special`), 885
 chebys() (in module `scipy.special`), 886
 chebyshev() (in module `scipy.spatial.distance`), 837, 863
 chebyt() (in module `scipy.special`), 885
 chebyu() (in module `scipy.special`), 885
 check_format() (`scipy.sparse.bsr_matrix` method), 704
 check_format() (`scipy.sparse.csc_matrix` method), 717
 check_format() (`scipy.sparse.csr_matrix` method), 724
 check_grad() (in module `scipy.optimize`), 602
 cheev (in module `scipy.linalg.lapack`), 376, 445
 cheevd (in module `scipy.linalg.lapack`), 376, 445
 cheevr (in module `scipy.linalg.lapack`), 376, 446
 chegv (in module `scipy.linalg.lapack`), 376, 446
 chegvd (in module `scipy.linalg.lapack`), 377, 446
 chegvz (in module `scipy.linalg.lapack`), 377, 446
 chemv (in module `scipy.linalg.blas`), 350, 420
 chi2_contingency() (in module `scipy.stats`), 968
 chirp() (in module `scipy.signal`), 655
 chisquare() (in module `scipy.stats`), 960
 chisquare() (in module `scipy.stats.mstats`), 975, 1003
 cho_factor() (in module `scipy.linalg`), 326
 cho_solve() (in module `scipy.linalg`), 326
 cho_solve_banded() (in module `scipy.linalg`), 327
 cholesky() (in module `scipy.linalg`), 325
 cholesky_banded() (in module `scipy.linalg`), 325
 circulant() (in module `scipy.linalg`), 339
 cityblock() (in module `scipy.spatial.distance`), 837, 863
 cKDTree (class in `scipy.spatial`), 825
 claswp (in module `scipy.linalg.lapack`), 377, 447
 clauum (in module `scipy.linalg.lapack`), 378, 447
 clear() (`scipy.sparse.dok_matrix` method), 735
 close() (`scipy.io.netcdf.netcdf_file` method), 304
 close() (`scipy.spatial.ConvexHull` method), 849
 close() (`scipy.spatial.Delaunay` method), 846
 close() (`scipy.spatial.Voronoi` method), 851
 CloughTocher2DInterpolator (class in `scipy.interpolate`), 271
 ClusterNode (class in `scipy.cluster.hierarchy`), 210
 cmedian() (in module `scipy.stats`), 932
 comb() (in module `scipy.misc`), 487
 companion() (in module `scipy.linalg`), 340

- complete() (in module scipy.cluster.hierarchy), 203
 - complex_ode (class in scipy.integrate), 257
 - conj() (scipy.sparse.bsr_matrix method), 704
 - conj() (scipy.sparse.coo_matrix method), 711
 - conj() (scipy.sparse.csc_matrix method), 717
 - conj() (scipy.sparse.csr_matrix method), 724
 - conj() (scipy.sparse.dia_matrix method), 729
 - conj() (scipy.sparse.dok_matrix method), 735
 - conj() (scipy.sparse.lil_matrix method), 739
 - conjtransp() (scipy.sparse.dok_matrix method), 735
 - conjugate() (scipy.sparse.bsr_matrix method), 704
 - conjugate() (scipy.sparse.coo_matrix method), 711
 - conjugate() (scipy.sparse.csc_matrix method), 717
 - conjugate() (scipy.sparse.csr_matrix method), 724
 - conjugate() (scipy.sparse.dia_matrix method), 729
 - conjugate() (scipy.sparse.dok_matrix method), 735
 - conjugate() (scipy.sparse.lil_matrix method), 739
 - connected_components() (in module scipy.sparse.csgraph), 750, 811
 - ConstantWarning, 216
 - cont2discrete() (in module scipy.signal), 654
 - convex_hull (scipy.spatial.Delaunay attribute), 845
 - convex_hull_plot_2d() (in module scipy.spatial), 852
 - ConvexHull (class in scipy.spatial), 847
 - convolve (in module scipy.fftpack.convolve), 241
 - convolve() (in module scipy.ndimage.filters), 496
 - convolve() (in module scipy.signal), 615
 - convolve1d() (in module scipy.ndimage.filters), 497
 - convolve2d() (in module scipy.signal), 616
 - convolve_z (in module scipy.fftpack.convolve), 241
 - coo_matrix (class in scipy.sparse), 707
 - cophenet() (in module scipy.cluster.hierarchy), 206
 - copy() (scipy.sparse.bsr_matrix method), 704
 - copy() (scipy.sparse.coo_matrix method), 711
 - copy() (scipy.sparse.csc_matrix method), 717
 - copy() (scipy.sparse.csr_matrix method), 724
 - copy() (scipy.sparse.dia_matrix method), 730
 - copy() (scipy.sparse.dok_matrix method), 735
 - copy() (scipy.sparse.lil_matrix method), 740
 - correlate() (in module scipy.ndimage.filters), 497
 - correlate() (in module scipy.signal), 615
 - correlate1d() (in module scipy.ndimage.filters), 498
 - correlate2d() (in module scipy.signal), 616
 - correlation() (in module scipy.spatial.distance), 838, 863
 - correspond() (in module scipy.cluster.hierarchy), 213
 - cosdg (in module scipy.special), 894
 - coshm() (in module scipy.linalg), 334
 - cosine() (in module scipy.spatial.distance), 838, 863
 - cosm() (in module scipy.linalg), 333
 - cosm1 (in module scipy.special), 895
 - cotdg (in module scipy.special), 895
 - count_neighbors() (scipy.spatial.cKDTree method), 826
 - count_neighbors() (scipy.spatial.KDTree method), 822
 - count_tied_groups() (in module scipy.stats.mstats), 976, 1003
 - cpbsv (in module scipy.linalg.lapack), 378, 447
 - cpbtrf (in module scipy.linalg.lapack), 378, 447
 - cpbtrs (in module scipy.linalg.lapack), 378, 448
 - cposv (in module scipy.linalg.lapack), 379, 448
 - cpotrf (in module scipy.linalg.lapack), 379, 448
 - cpotri (in module scipy.linalg.lapack), 379, 448
 - cpotrs (in module scipy.linalg.lapack), 379, 449
 - createDimension() (scipy.io.netcdf.netcdf_file method), 304
 - createVariable() (scipy.io.netcdf.netcdf_file method), 304
 - crotpg (in module scipy.linalg.blas), 351, 420
 - cs_diff() (in module scipy.fftpack), 237
 - csc_matrix (class in scipy.sparse), 714
 - cscal (in module scipy.linalg.blas), 351, 420
 - cspline1d() (in module scipy.signal), 617
 - cspline1d_eval() (in module scipy.signal), 618
 - cspline2d() (in module scipy.signal), 618
 - csr_matrix (class in scipy.sparse), 720
 - csrot (in module scipy.linalg.blas), 351, 421
 - csscal (in module scipy.linalg.blas), 351, 421
 - cswap (in module scipy.linalg.blas), 352, 421
 - ctrmv (in module scipy.linalg.blas), 352, 421
 - ctrsyl (in module scipy.linalg.lapack), 379, 449
 - ctrtri (in module scipy.linalg.lapack), 380, 449
 - ctrtrs (in module scipy.linalg.lapack), 380, 449
 - cubic() (in module scipy.signal), 617
 - cumfreq() (in module scipy.stats), 939
 - cumtrapz() (in module scipy.integrate), 249
 - cungqr (in module scipy.linalg.lapack), 380, 450
 - cungrq (in module scipy.linalg.lapack), 380, 450
 - cunmqr (in module scipy.linalg.lapack), 381, 450
 - curve_fit() (in module scipy.optimize), 584
 - cwt() (in module scipy.signal), 691
- ## D
- dasum (in module scipy.linalg.blas), 352, 422
 - Data (class in scipy.odr), 549
 - data (scipy.spatial.cKDTree attribute), 826
 - daub() (in module scipy.signal), 690
 - dawson (in module scipy.special), 882
 - daxpy (in module scipy.linalg.blas), 352, 422
 - dblquad() (in module scipy.integrate), 245
 - dcopy (in module scipy.linalg.blas), 353, 422
 - dct() (in module scipy.fftpack), 233
 - ddot (in module scipy.linalg.blas), 353, 422
 - decimate() (in module scipy.signal), 626
 - deconvolve() (in module scipy.signal), 625
 - deg2rad() (scipy.sparse.bsr_matrix method), 704
 - deg2rad() (scipy.sparse.coo_matrix method), 711
 - deg2rad() (scipy.sparse.csc_matrix method), 717
 - deg2rad() (scipy.sparse.csr_matrix method), 724
 - deg2rad() (scipy.sparse.dia_matrix method), 730

- Delaunay (class in `scipy.spatial`), 843
- `delaunay_plot_2d()` (in module `scipy.spatial`), 851
- `dendrogram()` (in module `scipy.cluster.hierarchy`), 208
- `depth_first_order()` (in module `scipy.sparse.csgraph`), 755, 816
- `depth_first_tree()` (in module `scipy.sparse.csgraph`), 757, 818
- `derivative()` (in module `scipy.misc`), 487
- `derivative()` (`scipy.interpolate.KroghInterpolator` method), 261
- `derivative()` (`scipy.interpolate.PchipInterpolator` method), 265
- `derivative()` (`scipy.interpolate.PiecewisePolynomial` method), 263
- `derivatives()` (`scipy.interpolate.InterpolatedUnivariateSpline` method), 277
- `derivatives()` (`scipy.interpolate.KroghInterpolator` method), 262
- `derivatives()` (`scipy.interpolate.LSQUnivariateSpline` method), 279
- `derivatives()` (`scipy.interpolate.PchipInterpolator` method), 265
- `derivatives()` (`scipy.interpolate.PiecewisePolynomial` method), 263
- `derivatives()` (`scipy.interpolate.UnivariateSpline` method), 276
- `describe()` (in module `scipy.stats`), 933
- `describe()` (in module `scipy.stats.mstats`), 976, 1004
- `destroy_convolve_cache` (in module `scipy.fftpack.convolve`), 242
- `destroy_drfft_cache` (in module `scipy.fftpack._fftpack`), 243
- `destroy_zfft_cache` (in module `scipy.fftpack._fftpack`), 243
- `destroy_zfftn_cache` (in module `scipy.fftpack._fftpack`), 243
- `det()` (in module `scipy.linalg`), 309
- `detrend()` (in module `scipy.signal`), 626
- `dgbsv` (in module `scipy.linalg.lapack`), 381, 450
- `dgbrtf` (in module `scipy.linalg.lapack`), 381, 451
- `dgbrs` (in module `scipy.linalg.lapack`), 382, 451
- `dgebal` (in module `scipy.linalg.lapack`), 382, 451
- `dgees` (in module `scipy.linalg.lapack`), 382, 451
- `dgeev` (in module `scipy.linalg.lapack`), 382, 452
- `dgegv` (in module `scipy.linalg.lapack`), 383, 452
- `dgehrd` (in module `scipy.linalg.lapack`), 383, 452
- `dgelss` (in module `scipy.linalg.lapack`), 383, 453
- `dgemm` (in module `scipy.linalg.blas`), 353, 423
- `dgemv` (in module `scipy.linalg.blas`), 353, 423
- `dgeqp3` (in module `scipy.linalg.lapack`), 384, 453
- `dgeqrf` (in module `scipy.linalg.lapack`), 384, 453
- `dger` (in module `scipy.linalg.blas`), 354, 423
- `dgerqf` (in module `scipy.linalg.lapack`), 384, 454
- `dgesdd` (in module `scipy.linalg.lapack`), 384, 454
- `dgesv` (in module `scipy.linalg.lapack`), 385, 454
- `dgetrf` (in module `scipy.linalg.lapack`), 385, 454
- `dgetri` (in module `scipy.linalg.lapack`), 385, 455
- `dgetrs` (in module `scipy.linalg.lapack`), 385, 455
- `dgges` (in module `scipy.linalg.lapack`), 386, 455
- `dggev` (in module `scipy.linalg.lapack`), 386, 456
- `dia_matrix` (class in `scipy.sparse`), 727
- `diagbroyden()` (in module `scipy.optimize`), 601
- `diagonal()` (`scipy.sparse.bsr_matrix` method), 704
- `diagonal()` (`scipy.sparse.coo_matrix` method), 711
- `diagonal()` (`scipy.sparse.csc_matrix` method), 717
- `diagonal()` (`scipy.sparse.csr_matrix` method), 724
- `diagonal()` (`scipy.sparse.dia_matrix` method), 730
- `diagonal()` (`scipy.sparse.dok_matrix` method), 735
- `diagonal()` (`scipy.sparse.lil_matrix` method), 740
- `diags()` (in module `scipy.sparse`), 743
- `diagsvd()` (in module `scipy.linalg`), 324
- `dice()` (in module `scipy.spatial.distance`), 838, 864
- `diff()` (in module `scipy.fftpack`), 235
- `dijkstra()` (in module `scipy.sparse.csgraph`), 752, 813
- `dimpulse()` (in module `scipy.signal`), 652
- `distance_matrix()` (in module `scipy.spatial`), 853
- `distance_transform_bf()` (in module `scipy.ndimage.morphology`), 534
- `distance_transform_cdt()` (in module `scipy.ndimage.morphology`), 534
- `distance_transform_edt()` (in module `scipy.ndimage.morphology`), 535
- `dnamch` (in module `scipy.linalg.lapack`), 386, 456
- `dlaplace` (in module `scipy.stats`), 916
- `dlaswp` (in module `scipy.linalg.lapack`), 387, 456
- `dlaum` (in module `scipy.linalg.lapack`), 387, 456
- `dlsim()` (in module `scipy.signal`), 651
- `dnrm2` (in module `scipy.linalg.blas`), 354, 423
- `dok_matrix` (class in `scipy.sparse`), 733
- `dorgqr` (in module `scipy.linalg.lapack`), 387, 456
- `dorgrq` (in module `scipy.linalg.lapack`), 387, 457
- `dormqr` (in module `scipy.linalg.lapack`), 388, 457
- `dot()` (`scipy.sparse.bsr_matrix` method), 704
- `dot()` (`scipy.sparse.coo_matrix` method), 711
- `dot()` (`scipy.sparse.csc_matrix` method), 717
- `dot()` (`scipy.sparse.csr_matrix` method), 724
- `dot()` (`scipy.sparse.dia_matrix` method), 730
- `dot()` (`scipy.sparse.dok_matrix` method), 735
- `dot()` (`scipy.sparse.lil_matrix` method), 740
- `dpbsv` (in module `scipy.linalg.lapack`), 388, 457
- `dpbtrf` (in module `scipy.linalg.lapack`), 388, 458
- `dpbtrs` (in module `scipy.linalg.lapack`), 388, 458
- `dpsov` (in module `scipy.linalg.lapack`), 389, 458
- `dpotrf` (in module `scipy.linalg.lapack`), 389, 458
- `dpotri` (in module `scipy.linalg.lapack`), 389, 459
- `dpotrs` (in module `scipy.linalg.lapack`), 389, 459
- `drfft` (in module `scipy.fftpack._fftpack`), 242
- `drot` (in module `scipy.linalg.blas`), 354, 424

drotg (in module `scipy.linalg.blas`), 354, 424
 drotm (in module `scipy.linalg.blas`), 355, 424
 drotmg (in module `scipy.linalg.blas`), 355, 424
 dsbevd (in module `scipy.linalg.lapack`), 390, 459
 dsbevd (in module `scipy.linalg.lapack`), 390, 459
 dsbevx (in module `scipy.linalg.lapack`), 390, 459
 dscal (in module `scipy.linalg.blas`), 355, 425
 dstep() (in module `scipy.signal`), 653
 dswap (in module `scipy.linalg.blas`), 355, 425
 dsyev (in module `scipy.linalg.lapack`), 390, 460
 dsyevd (in module `scipy.linalg.lapack`), 391, 460
 dsyevr (in module `scipy.linalg.lapack`), 391, 460
 dsygv (in module `scipy.linalg.lapack`), 391, 461
 dsygvd (in module `scipy.linalg.lapack`), 391, 461
 dsygvx (in module `scipy.linalg.lapack`), 392, 461
 dsymv (in module `scipy.linalg.blas`), 356, 425
 dtrmv (in module `scipy.linalg.blas`), 356, 425
 dtrsyl (in module `scipy.linalg.lapack`), 392, 461
 dtrtri (in module `scipy.linalg.lapack`), 392, 462
 dtrtrs (in module `scipy.linalg.lapack`), 393, 462
 dzasum (in module `scipy.linalg.blas`), 356, 426
 dznrm2 (in module `scipy.linalg.blas`), 356, 426

E

eig() (in module `scipy.linalg`), 315
 eig_banded() (in module `scipy.linalg`), 319
 eigh() (in module `scipy.linalg`), 317
 eigs() (in module `scipy.sparse.linalg`), 775, 801
 eigsh() (in module `scipy.sparse.linalg`), 777, 803
 eigvals() (in module `scipy.linalg`), 316
 eigvals_banded() (in module `scipy.linalg`), 320
 eigvalsh() (in module `scipy.linalg`), 318
 eliminate_zeros() (`scipy.sparse.bsr_matrix` method), 704
 eliminate_zeros() (`scipy.sparse.csc_matrix` method), 718
 eliminate_zeros() (`scipy.sparse.csr_matrix` method), 724
 ellip() (in module `scipy.signal`), 642
 ellipse (in module `scipy.special`), 870
 ellipseinc (in module `scipy.special`), 870
 ellipj (in module `scipy.special`), 870
 ellipk() (in module `scipy.special`), 870
 ellipkinc (in module `scipy.special`), 870
 ellipkm1 (in module `scipy.special`), 870
 ellipord() (in module `scipy.signal`), 643
 entropy() (`scipy.stats.rv_continuous` method), 902
 entropy() (`scipy.stats.rv_discrete` method), 908
 erf (in module `scipy.special`), 881
 erf_zeros() (in module `scipy.special`), 882
 erfc (in module `scipy.special`), 881
 erfcinv() (in module `scipy.special`), 882
 erfex (in module `scipy.special`), 881
 erfi (in module `scipy.special`), 882
 erfinv() (in module `scipy.special`), 882
 errprint() (in module `scipy.special`), 868
 euclidean() (in module `scipy.spatial.distance`), 838, 864

ev() (`scipy.interpolate.BivariateSpline` method), 291
 ev() (`scipy.interpolate.LSQBivariateSpline` method), 293
 ev() (`scipy.interpolate.RectBivariateSpline` method), 287
 ev() (`scipy.interpolate.RectSphereBivariateSpline` method), 290
 ev() (`scipy.interpolate.SmoothBivariateSpline` method), 292
 eval_chebyc (in module `scipy.special`), 884
 eval_chebys (in module `scipy.special`), 884
 eval_chebyt (in module `scipy.special`), 884
 eval_chebyu (in module `scipy.special`), 884
 eval_gegenbauer (in module `scipy.special`), 885
 eval_genlaguerre (in module `scipy.special`), 885
 eval_hermite (in module `scipy.special`), 885
 eval_hermitenorm (in module `scipy.special`), 885
 eval_jacobi (in module `scipy.special`), 884
 eval_laguerre (in module `scipy.special`), 884
 eval_legendre (in module `scipy.special`), 884
 eval_sh_chebyt (in module `scipy.special`), 885
 eval_sh_chebyu (in module `scipy.special`), 885
 eval_sh_jacobi (in module `scipy.special`), 885
 eval_sh_legendre (in module `scipy.special`), 885
 excitingmixing() (in module `scipy.optimize`), 599
 exp1 (in module `scipy.special`), 892
 exp10 (in module `scipy.special`), 894
 exp2 (in module `scipy.special`), 894
 expect() (`scipy.stats.rv_continuous` method), 903
 expect() (`scipy.stats.rv_discrete` method), 908
 expected_freq() (in module `scipy.stats.contingency`), 970
 expi (in module `scipy.special`), 892
 expit (in module `scipy.special`), 878
 expm() (in module `scipy.linalg`), 333
 expm() (in module `scipy.sparse.linalg`), 763, 789
 expm1 (in module `scipy.special`), 895
 expm1() (`scipy.sparse.bsr_matrix` method), 704
 expm1() (`scipy.sparse.coo_matrix` method), 711
 expm1() (`scipy.sparse.csc_matrix` method), 718
 expm1() (`scipy.sparse.csr_matrix` method), 724
 expm1() (`scipy.sparse.dia_matrix` method), 730
 expm2() (in module `scipy.linalg`), 333
 expm3() (in module `scipy.linalg`), 333
 expn (in module `scipy.special`), 892
 extend() (`scipy.interpolate.PchipInterpolator` method), 266
 extend() (`scipy.interpolate.PiecewisePolynomial` method), 264
 extrema() (in module `scipy.ndimage.measurements`), 515
 eye() (in module `scipy.sparse`), 742

F

F2C() (in module `scipy.constants`), 227
 F2K() (in module `scipy.constants`), 227
 f_oneway() (in module `scipy.stats`), 951
 f_oneway() (in module `scipy.stats.mstats`), 977, 1004

- f_value_wilks_lambda() (in module `scipy.stats.mstats`), 977, 1004
 factorial() (in module `scipy.misc`), 488
 factorial2() (in module `scipy.misc`), 488
 factorialk() (in module `scipy.misc`), 489
 factorized() (in module `scipy.sparse.linalg`), 764, 790
 fcluster() (in module `scipy.cluster.hierarchy`), 199
 fclusterdata() (in module `scipy.cluster.hierarchy`), 200
 fdtr (in module `scipy.special`), 876
 fdtrc (in module `scipy.special`), 876
 fdtri (in module `scipy.special`), 876
 fft() (in module `scipy.fftpack`), 230
 fft2() (in module `scipy.fftpack`), 231
 fftconvolve() (in module `scipy.signal`), 615
 fftfreq() (in module `scipy.fftpack`), 240
 fftn() (in module `scipy.fftpack`), 231
 fftshift() (in module `scipy.fftpack`), 239
 filtfilt() (in module `scipy.signal`), 624
 find() (in module `scipy.constants`), 216
 find_best_blas_type() (in module `scipy.linalg`), 346
 find_objects() (in module `scipy.ndimage.measurements`), 515
 find_peaks_cwt() (in module `scipy.signal`), 692
 find_repeats() (in module `scipy.stats.mstats`), 977, 1004
 find_simplex() (`scipy.spatial.Delaunay` method), 847
 firwin() (in module `scipy.signal`), 628
 firwin2() (in module `scipy.signal`), 629
 fisher_exact() (in module `scipy.stats`), 971
 fit() (`scipy.stats.rv_continuous` method), 902
 fixed_point() (in module `scipy.optimize`), 590
 fixed_quad() (in module `scipy.integrate`), 247
 flattop() (in module `scipy.signal`), 672
 fligner() (in module `scipy.stats`), 967
 floor() (`scipy.sparse.bsr_matrix` method), 705
 floor() (`scipy.sparse.coo_matrix` method), 711
 floor() (`scipy.sparse.csc_matrix` method), 718
 floor() (`scipy.sparse.csr_matrix` method), 724
 floor() (`scipy.sparse.dia_matrix` method), 730
 floyd_warshall() (in module `scipy.sparse.csgraph`), 753, 814
 flush() (`scipy.io.netcdf.netcdf_file` method), 304
 fmin() (in module `scipy.optimize`), 557
 fmin_bfgs() (in module `scipy.optimize`), 562
 fmin_cg() (in module `scipy.optimize`), 559
 fmin_cobyla() (in module `scipy.optimize`), 569
 fmin_l_bfgs_b() (in module `scipy.optimize`), 566
 fmin_ncg() (in module `scipy.optimize`), 563
 fmin_powell() (in module `scipy.optimize`), 558
 fmin_slsqp() (in module `scipy.optimize`), 571
 fmin_tnc() (in module `scipy.optimize`), 567
 fminbound() (in module `scipy.optimize`), 581
 fourier_ellipsoid() (in module `scipy.ndimage.fourier`), 507
 fourier_gaussian() (in module `scipy.ndimage.fourier`), 507
 fourier_shift() (in module `scipy.ndimage.fourier`), 508
 fourier_uniform() (in module `scipy.ndimage.fourier`), 508
 freqresp() (in module `scipy.signal`), 644
 freqresp() (`scipy.signal.lti` method), 646
 freqs() (in module `scipy.signal`), 631
 freqz() (in module `scipy.signal`), 632
 fresnel (in module `scipy.special`), 882
 fresnel_zeros() (in module `scipy.special`), 882
 fresnelc_zeros() (in module `scipy.special`), 882
 fresnels_zeros() (in module `scipy.special`), 882
 friedmanchisquare() (in module `scipy.stats`), 964
 friedmanchisquare() (in module `scipy.stats.mstats`), 977, 1004
 from_mlab_linkage() (in module `scipy.cluster.hierarchy`), 206
 fromimage() (in module `scipy.misc`), 489
 fromkeys() (`scipy.sparse.dok_matrix` static method), 735
 fsolve() (in module `scipy.optimize`), 592
 funm() (in module `scipy.linalg`), 335
- ## G
- gamma (in module `scipy.special`), 879
 gammainc (in module `scipy.special`), 879
 gammaincc (in module `scipy.special`), 879
 gammainccinv (in module `scipy.special`), 879
 gammaincinv (in module `scipy.special`), 879
 gammaln (in module `scipy.special`), 879
 gammasgn (in module `scipy.special`), 879
 gauss_spline() (in module `scipy.signal`), 617
 gaussian() (in module `scipy.signal`), 674
 gaussian_filter() (in module `scipy.ndimage.filters`), 498
 gaussian_filter1d() (in module `scipy.ndimage.filters`), 499
 gaussian_gradient_magnitude() (in module `scipy.ndimage.filters`), 499
 gaussian_kde (class in `scipy.stats`), 999
 gaussian_laplace() (in module `scipy.ndimage.filters`), 500
 gausspulse() (in module `scipy.signal`), 656
 gdt (in module `scipy.special`), 877
 gdtrc (in module `scipy.special`), 877
 gdtria (in module `scipy.special`), 877
 gdtrib (in module `scipy.special`), 877
 gdtrix (in module `scipy.special`), 877
 gegenbauer() (in module `scipy.special`), 886
 general_gaussian() (in module `scipy.signal`), 675
 generate_binary_structure() (in module `scipy.ndimage.morphology`), 536
 generic_filter() (in module `scipy.ndimage.filters`), 500
 generic_filter1d() (in module `scipy.ndimage.filters`), 500
 generic_gradient_magnitude() (in module `scipy.ndimage.filters`), 501
 generic_laplace() (in module `scipy.ndimage.filters`), 502
 genlaguerre() (in module `scipy.special`), 886

- geom (in module `scipy.stats`), 917
- geometric_transform() (in module `scipy.ndimage.interpolation`), 509
- get() (`scipy.sparse.dok_matrix` method), 735
- get_blas_funcs() (in module `scipy.linalg`), 345
- get_coeffs() (`scipy.interpolate.BivariateSpline` method), 291
- get_coeffs() (`scipy.interpolate.InterpolatedUnivariateSpline` method), 277
- get_coeffs() (`scipy.interpolate.LSQBivariateSpline` method), 293
- get_coeffs() (`scipy.interpolate.LSQUnivariateSpline` method), 279
- get_coeffs() (`scipy.interpolate.RectBivariateSpline` method), 287
- get_coeffs() (`scipy.interpolate.RectSphereBivariateSpline` method), 290
- get_coeffs() (`scipy.interpolate.SmoothBivariateSpline` method), 292
- get_coeffs() (`scipy.interpolate.UnivariateSpline` method), 276
- get_count() (`scipy.cluster.hierarchy.ClusterNode` method), 211
- get_id() (`scipy.cluster.hierarchy.ClusterNode` method), 211
- get_knots() (`scipy.interpolate.BivariateSpline` method), 291
- get_knots() (`scipy.interpolate.InterpolatedUnivariateSpline` method), 277
- get_knots() (`scipy.interpolate.LSQBivariateSpline` method), 293
- get_knots() (`scipy.interpolate.LSQUnivariateSpline` method), 279
- get_knots() (`scipy.interpolate.RectBivariateSpline` method), 287
- get_knots() (`scipy.interpolate.RectSphereBivariateSpline` method), 290
- get_knots() (`scipy.interpolate.SmoothBivariateSpline` method), 292
- get_knots() (`scipy.interpolate.UnivariateSpline` method), 276
- get_lapack_funcs() (in module `scipy.linalg`), 346
- get_left() (`scipy.cluster.hierarchy.ClusterNode` method), 211
- get_residual() (`scipy.interpolate.BivariateSpline` method), 291
- get_residual() (`scipy.interpolate.InterpolatedUnivariateSpline` method), 277
- get_residual() (`scipy.interpolate.LSQBivariateSpline` method), 293
- get_residual() (`scipy.interpolate.LSQUnivariateSpline` method), 279
- get_residual() (`scipy.interpolate.RectBivariateSpline` method), 287
- get_residual() (`scipy.interpolate.RectSphereBivariateSpline` method), 290
- get_residual() (`scipy.interpolate.SmoothBivariateSpline` method), 292
- get_residual() (`scipy.interpolate.UnivariateSpline` method), 276
- get_right() (`scipy.cluster.hierarchy.ClusterNode` method), 211
- get_shape() (`scipy.sparse.bsr_matrix` method), 705
- get_shape() (`scipy.sparse.coo_matrix` method), 711
- get_shape() (`scipy.sparse.csc_matrix` method), 718
- get_shape() (`scipy.sparse.csr_matrix` method), 724
- get_shape() (`scipy.sparse.dia_matrix` method), 730
- get_shape() (`scipy.sparse.dok_matrix` method), 735
- get_shape() (`scipy.sparse.lil_matrix` method), 740
- get_window() (in module `scipy.signal`), 625, 660
- getcol() (`scipy.sparse.bsr_matrix` method), 705
- getcol() (`scipy.sparse.coo_matrix` method), 711
- getcol() (`scipy.sparse.csc_matrix` method), 718
- getcol() (`scipy.sparse.csr_matrix` method), 724
- getcol() (`scipy.sparse.dia_matrix` method), 730
- getcol() (`scipy.sparse.dok_matrix` method), 735
- getcol() (`scipy.sparse.lil_matrix` method), 740
- getdata() (`scipy.sparse.bsr_matrix` method), 705
- getformat() (`scipy.sparse.bsr_matrix` method), 705
- getformat() (`scipy.sparse.coo_matrix` method), 711
- getformat() (`scipy.sparse.csc_matrix` method), 718
- getformat() (`scipy.sparse.csr_matrix` method), 724
- getformat() (`scipy.sparse.dia_matrix` method), 730
- getformat() (`scipy.sparse.dok_matrix` method), 735
- getformat() (`scipy.sparse.lil_matrix` method), 740
- getH() (`scipy.sparse.bsr_matrix` method), 705
- getH() (`scipy.sparse.coo_matrix` method), 711
- getH() (`scipy.sparse.csc_matrix` method), 718
- getH() (`scipy.sparse.csr_matrix` method), 724
- getH() (`scipy.sparse.dia_matrix` method), 730
- getH() (`scipy.sparse.dok_matrix` method), 735
- getH() (`scipy.sparse.lil_matrix` method), 740
- getmaxprint() (`scipy.sparse.bsr_matrix` method), 705
- getmaxprint() (`scipy.sparse.coo_matrix` method), 711
- getmaxprint() (`scipy.sparse.csc_matrix` method), 718
- getmaxprint() (`scipy.sparse.csr_matrix` method), 724
- getmaxprint() (`scipy.sparse.dia_matrix` method), 730
- getmaxprint() (`scipy.sparse.dok_matrix` method), 735
- getmaxprint() (`scipy.sparse.lil_matrix` method), 740
- getnnz() (`scipy.sparse.bsr_matrix` method), 705
- getnnz() (`scipy.sparse.coo_matrix` method), 711
- getnnz() (`scipy.sparse.csc_matrix` method), 718
- getnnz() (`scipy.sparse.csr_matrix` method), 724
- getnnz() (`scipy.sparse.dia_matrix` method), 730
- getnnz() (`scipy.sparse.dok_matrix` method), 735
- getnnz() (`scipy.sparse.lil_matrix` method), 740
- getrow() (`scipy.sparse.bsr_matrix` method), 705
- getrow() (`scipy.sparse.coo_matrix` method), 711

getrow() (scipy.sparse.csc_matrix method), 718
 getrow() (scipy.sparse.csr_matrix method), 724
 getrow() (scipy.sparse.dia_matrix method), 730
 getrow() (scipy.sparse.dok_matrix method), 735
 getrow() (scipy.sparse.lil_matrix method), 740
 getrowview() (scipy.sparse.lil_matrix method), 740
 getValue() (scipy.io.netcdf.netcdf_variable method), 305
 glm() (in module scipy.stats), 972
 gmean() (in module scipy.stats), 933
 gmean() (in module scipy.stats.mstats), 977, 1005
 gmres() (in module scipy.sparse.linalg), 767, 794
 golden() (in module scipy.optimize), 582
 grey_closing() (in module scipy.ndimage.morphology), 537
 grey_dilation() (in module scipy.ndimage.morphology), 539
 grey_erosion() (in module scipy.ndimage.morphology), 540
 grey_opening() (in module scipy.ndimage.morphology), 542
 griddata() (in module scipy.interpolate), 268

H

h1vp() (in module scipy.special), 874
 h2vp() (in module scipy.special), 874
 hadamard() (in module scipy.linalg), 340
 hamming() (in module scipy.signal), 677
 hamming() (in module scipy.spatial.distance), 839, 864
 hankel() (in module scipy.linalg), 341
 hankel1 (in module scipy.special), 871
 hankel1e (in module scipy.special), 871
 hankel2 (in module scipy.special), 871
 hankel2e (in module scipy.special), 871
 hann() (in module scipy.signal), 679
 has_key() (scipy.sparse.dok_matrix method), 735
 has_sorted_indices (scipy.sparse.bsr_matrix attribute), 702
 has_sorted_indices (scipy.sparse.csc_matrix attribute), 715
 has_sorted_indices (scipy.sparse.csr_matrix attribute), 722
 hermite() (in module scipy.special), 886
 hermitenorm() (in module scipy.special), 886
 hessenberg() (in module scipy.linalg), 332
 hilbert() (in module scipy.fftpack), 236
 hilbert() (in module scipy.linalg), 341
 hilbert() (in module scipy.signal), 625
 histogram() (in module scipy.ndimage.measurements), 516
 histogram() (in module scipy.stats), 940
 histogram2() (in module scipy.stats), 940
 hmean() (in module scipy.stats), 934
 hmean() (in module scipy.stats.mstats), 978, 1005
 hstack() (in module scipy.sparse), 748

hyp0f1() (in module scipy.special), 887
 hyp1f1 (in module scipy.special), 887
 hyp1f2 (in module scipy.special), 887
 hyp2f0 (in module scipy.special), 887
 hyp2f1 (in module scipy.special), 887
 hyp3f0 (in module scipy.special), 887
 hypergeom (in module scipy.stats), 919
 hyperu (in module scipy.special), 887

I

i0 (in module scipy.special), 873
 i0e (in module scipy.special), 873
 i1 (in module scipy.special), 873
 i1e (in module scipy.special), 873
 icamax (in module scipy.linalg.blas), 357, 426
 idamax (in module scipy.linalg.blas), 357, 426
 idct() (in module scipy.fftpack), 234
 identity() (in module scipy.sparse), 742
 ifft() (in module scipy.fftpack), 230
 ifft2() (in module scipy.fftpack), 231
 ifftn() (in module scipy.fftpack), 232
 ifftshift() (in module scipy.fftpack), 239
 ihilbert() (in module scipy.fftpack), 237
 iirdesign() (in module scipy.signal), 633
 iirfilter() (in module scipy.signal), 634
 imfilter() (in module scipy.misc), 489
 impulse() (in module scipy.signal), 647
 impulse() (scipy.signal.lti method), 646
 impulse2() (in module scipy.signal), 648
 imread() (in module scipy.misc), 489
 imread() (in module scipy.ndimage), 546
 imresize() (in module scipy.misc), 490
 imrotate() (in module scipy.misc), 490
 imsave() (in module scipy.misc), 490
 imshow() (in module scipy.misc), 491
 inconsistent() (in module scipy.cluster.hierarchy), 206
 info() (in module scipy.misc), 491
 init_convolution_kernel (in module scipy.fftpack.convolve), 241
 inline() (in module scipy.weave), 1026
 integral() (scipy.interpolate.BivariateSpline method), 291
 integral() (scipy.interpolate.InterpolatedUnivariateSpline method), 278
 integral() (scipy.interpolate.LSQBivariateSpline method), 294
 integral() (scipy.interpolate.LSQUnivariateSpline method), 279
 integral() (scipy.interpolate.RectBivariateSpline method), 287
 integral() (scipy.interpolate.SmoothBivariateSpline method), 292
 integral() (scipy.interpolate.UnivariateSpline method), 276
 integrate() (scipy.integrate.complex_ode method), 257

integrate() (scipy.integrate.ode method), 256
 interp1d (class in scipy.interpolate), 258
 interp2d (class in scipy.interpolate), 273
 InterpolatedUnivariateSpline (class in scipy.interpolate), 276
 inv() (in module scipy.linalg), 306
 inv() (in module scipy.sparse.linalg), 762, 789
 invhilbert() (in module scipy.linalg), 342
 invres() (in module scipy.signal), 639
 irfft() (in module scipy.fftpack), 232
 is_isomorphic() (in module scipy.cluster.hierarchy), 213
 is_leaf() (scipy.cluster.hierarchy.ClusterNode method), 211
 is_monotonic() (in module scipy.cluster.hierarchy), 213
 is_valid_dm() (in module scipy.spatial.distance), 835, 861
 is_valid_im() (in module scipy.cluster.hierarchy), 212
 is_valid_linkage() (in module scipy.cluster.hierarchy), 213
 is_valid_y() (in module scipy.spatial.distance), 835, 861
 isamax (in module scipy.linalg.blas), 357, 427
 isf() (scipy.stats.rv_continuous method), 901
 isf() (scipy.stats.rv_discrete method), 908
 issparse() (in module scipy.sparse), 749
 isspmatrix() (in module scipy.sparse), 749
 isspmatrix_bsr() (in module scipy.sparse), 749
 isspmatrix_coo() (in module scipy.sparse), 749
 isspmatrix_csc() (in module scipy.sparse), 749
 isspmatrix_csr() (in module scipy.sparse), 749
 isspmatrix_dia() (in module scipy.sparse), 749
 isspmatrix_dok() (in module scipy.sparse), 749
 isspmatrix_lil() (in module scipy.sparse), 749
 it2i0k0 (in module scipy.special), 873
 it2j0y0 (in module scipy.special), 873
 it2struve0 (in module scipy.special), 875
 itemfreq() (in module scipy.stats), 941
 items() (scipy.sparse.dok_matrix method), 735
 itemsize() (scipy.io.netcdf.netcdf_variable method), 306
 iterate_structure() (in module scipy.ndimage.morphology), 543
 iteritems() (scipy.sparse.dok_matrix method), 736
 iterkeys() (scipy.sparse.dok_matrix method), 736
 itervalues() (scipy.sparse.dok_matrix method), 736
 iti0k0 (in module scipy.special), 873
 itilbert() (in module scipy.fftpack), 236
 itj0y0 (in module scipy.special), 873
 itmodstruve0 (in module scipy.special), 875
 itstruve0 (in module scipy.special), 875
 iv (in module scipy.special), 871
 ive (in module scipy.special), 871
 ivp() (in module scipy.special), 874
 izamax (in module scipy.linalg.blas), 357, 427

J

j0 (in module scipy.special), 873

j1 (in module scipy.special), 873
 jaccard() (in module scipy.spatial.distance), 839, 865
 jacobi() (in module scipy.special), 886
 jn (in module scipy.special), 870
 jn_zeros() (in module scipy.special), 872
 jnjnp_zeros() (in module scipy.special), 871
 jnp_zeros() (in module scipy.special), 872
 jnyn_zeros() (in module scipy.special), 872
 johnson() (in module scipy.sparse.csgraph), 754, 815
 jv (in module scipy.special), 870
 jve (in module scipy.special), 870
 jvp() (in module scipy.special), 874

K

k0 (in module scipy.special), 873
 k0e (in module scipy.special), 873
 k1 (in module scipy.special), 873
 k1e (in module scipy.special), 873
 K2C() (in module scipy.constants), 226
 K2F() (in module scipy.constants), 228
 kaiser() (in module scipy.signal), 681
 kaiser_atten() (in module scipy.signal), 634
 kaiser_beta() (in module scipy.signal), 635
 kaiserord() (in module scipy.signal), 635
 KDTree (class in scipy.spatial), 821
 kei (in module scipy.special), 891
 kei_zeros() (in module scipy.special), 892
 keip (in module scipy.special), 891
 keip_zeros() (in module scipy.special), 892
 kelvin (in module scipy.special), 891
 kelvin_zeros() (in module scipy.special), 891
 kendalltau() (in module scipy.stats), 954
 kendalltau() (in module scipy.stats.mstats), 978, 1006
 kendalltau_seasonal() (in module scipy.stats.mstats), 978, 1006
 ker (in module scipy.special), 891
 ker_zeros() (in module scipy.special), 892
 kerp (in module scipy.special), 891
 kerp_zeros() (in module scipy.special), 892
 keys() (scipy.sparse.dok_matrix method), 736
 kmeans() (in module scipy.cluster.vq), 196
 kmeans2() (in module scipy.cluster.vq), 198
 kn (in module scipy.special), 871
 kolmogi (in module scipy.special), 878
 kolmogorov (in module scipy.special), 878
 krogh_interpolate() (in module scipy.interpolate), 266
 KroghInterpolator (class in scipy.interpolate), 260
 kron() (in module scipy.linalg), 314
 kron() (in module scipy.sparse), 743
 kronsum() (in module scipy.sparse), 743
 kruskal() (in module scipy.stats), 963
 kruskalwallis() (in module scipy.stats.mstats), 979, 1006, 1007
 ks_2samp() (in module scipy.stats), 960

- ks_twosamp() (in module `scipy.stats.mstats`), 979, 980, 1007
- kstest() (in module `scipy.stats`), 958
- kulsinski() (in module `scipy.spatial.distance`), 839, 865
- kurtosis() (in module `scipy.stats`), 934
- kurtosis() (in module `scipy.stats.mstats`), 980, 1007
- kurtosistest() (in module `scipy.stats`), 935
- kurtosistest() (in module `scipy.stats.mstats`), 980, 1008
- kv (in module `scipy.special`), 871
- kve (in module `scipy.special`), 871
- kvp() (in module `scipy.special`), 874
- ## L
- label() (in module `scipy.ndimage.measurements`), 517
- lagrange() (in module `scipy.interpolate`), 296
- laguerre() (in module `scipy.special`), 886
- lambda2nu() (in module `scipy.constants`), 229
- lambertw() (in module `scipy.special`), 893
- laplace() (in module `scipy.ndimage.filters`), 502
- laplacian() (in module `scipy.sparse.csgraph`), 750, 811
- leaders() (in module `scipy.cluster.hierarchy`), 201
- leafsize (`scipy.spatial.cKDTree` attribute), 826
- leastsq() (in module `scipy.optimize`), 564
- leaves_list() (in module `scipy.cluster.hierarchy`), 212
- legendre() (in module `scipy.special`), 885
- lena() (in module `scipy.misc`), 492
- leslie() (in module `scipy.linalg`), 343
- levene() (in module `scipy.stats`), 965
- lfilter() (in module `scipy.signal`), 621
- lfilter_zi() (in module `scipy.signal`), 623
- lfiltic() (in module `scipy.signal`), 622
- lgmres() (in module `scipy.sparse.linalg`), 768, 795
- lift_points() (`scipy.spatial.Delaunay` method), 847
- lil_matrix (class in `scipy.sparse`), 738
- line_search() (in module `scipy.optimize`), 602
- linearmixing() (in module `scipy.optimize`), 600
- LinearNDInterpolator (class in `scipy.interpolate`), 270
- LinearOperator (class in `scipy.sparse.linalg`), 761, 787
- linkage() (in module `scipy.cluster.hierarchy`), 201
- linregress() (in module `scipy.stats`), 954
- linregress() (in module `scipy.stats.mstats`), 981, 1008
- lmbda() (in module `scipy.special`), 871
- loadarff() (in module `scipy.io.arff`), 301
- loadmat() (in module `scipy.io`), 297
- lobpcg() (in module `scipy.sparse.linalg`), 779, 806
- log1p (in module `scipy.special`), 895
- log1p() (`scipy.sparse.bsr_matrix` method), 705
- log1p() (`scipy.sparse.coo_matrix` method), 711
- log1p() (`scipy.sparse.csc_matrix` method), 718
- log1p() (`scipy.sparse.csr_matrix` method), 725
- log1p() (`scipy.sparse.dia_matrix` method), 730
- logcdf() (`scipy.stats.rv_continuous` method), 900
- logcdf() (`scipy.stats.rv_discrete` method), 907
- logit (in module `scipy.special`), 878
- logm() (in module `scipy.linalg`), 333
- logpdf() (`scipy.stats.rv_continuous` method), 900
- logpmf() (`scipy.stats.rv_discrete` method), 906
- logser (in module `scipy.stats`), 921
- logsf() (`scipy.stats.rv_continuous` method), 901
- logsf() (`scipy.stats.rv_discrete` method), 907
- logsumexp() (in module `scipy.misc`), 493
- lombscargle() (in module `scipy.signal`), 699
- lpmn() (in module `scipy.special`), 883
- lpmv (in module `scipy.special`), 883
- lpn() (in module `scipy.special`), 883
- lqmn() (in module `scipy.special`), 884
- lqn() (in module `scipy.special`), 883
- lsim() (in module `scipy.signal`), 646
- lsim2() (in module `scipy.signal`), 647
- lsmr() (in module `scipy.sparse.linalg`), 773, 800
- LSQBivariateSpline (class in `scipy.interpolate`), 292
- lsqr() (in module `scipy.sparse.linalg`), 771, 798
- LSQUivariateSpline (class in `scipy.interpolate`), 278
- lstsq() (in module `scipy.linalg`), 311
- lti (class in `scipy.signal`), 645
- lu() (in module `scipy.linalg`), 321
- lu_factor() (in module `scipy.linalg`), 322
- lu_solve() (in module `scipy.linalg`), 322
- ## M
- m (`scipy.spatial.cKDTree` attribute), 826
- mahalanobis() (in module `scipy.spatial.distance`), 839, 865
- mannwhitneyu() (in module `scipy.stats`), 961
- mannwhitneyu() (in module `scipy.stats.mstats`), 981, 1009
- map_coordinates() (in module `scipy.ndimage.interpolation`), 510
- margins() (in module `scipy.stats.contingency`), 970
- matching() (in module `scipy.spatial.distance`), 840, 865
- mathieu_a (in module `scipy.special`), 888
- mathieu_b (in module `scipy.special`), 888
- mathieu_cem (in module `scipy.special`), 888
- mathieu_even_coef() (in module `scipy.special`), 888
- mathieu_modcem1 (in module `scipy.special`), 889
- mathieu_modcem2 (in module `scipy.special`), 889
- mathieu_modsem1 (in module `scipy.special`), 889
- mathieu_modsem2 (in module `scipy.special`), 889
- mathieu_odd_coef() (in module `scipy.special`), 888
- mathieu_sem (in module `scipy.special`), 889
- matmat() (`scipy.sparse.bsr_matrix` method), 705
- matmat() (`scipy.sparse.linalg.LinearOperator` method), 762, 788
- matvec() (`scipy.sparse.bsr_matrix` method), 705
- matvec() (`scipy.sparse.linalg.LinearOperator` method), 762, 788
- maxdists() (in module `scipy.cluster.hierarchy`), 207
- maxes (`scipy.spatial.cKDTree` attribute), 826

- maximum() (in module `scipy.ndimage.measurements`), 518
 maximum_filter() (in module `scipy.ndimage.filters`), 502
 maximum_filter1d() (in module `scipy.ndimage.filters`), 503
 maximum_position() (in module `scipy.ndimage.measurements`), 519
 maxinconsts() (in module `scipy.cluster.hierarchy`), 207
 maxRstat() (in module `scipy.cluster.hierarchy`), 207
 mean() (in module `scipy.ndimage.measurements`), 519
 mean() (`scipy.sparse.bsr_matrix` method), 705
 mean() (`scipy.sparse.coo_matrix` method), 711
 mean() (`scipy.sparse.csc_matrix` method), 718
 mean() (`scipy.sparse.csr_matrix` method), 725
 mean() (`scipy.sparse.dia_matrix` method), 730
 mean() (`scipy.sparse.dok_matrix` method), 736
 mean() (`scipy.sparse.lil_matrix` method), 740
 medfilt() (in module `scipy.signal`), 620
 medfilt2d() (in module `scipy.signal`), 620
 median() (in module `scipy.cluster.hierarchy`), 205
 median_filter() (in module `scipy.ndimage.filters`), 503
 minimize() (in module `scipy.optimize`), 554
 minimize_scalar() (in module `scipy.optimize`), 580
 minimum() (in module `scipy.ndimage.measurements`), 520
 minimum_filter() (in module `scipy.ndimage.filters`), 504
 minimum_filter1d() (in module `scipy.ndimage.filters`), 504
 minimum_position() (in module `scipy.ndimage.measurements`), 521
 minimum_spanning_tree() (in module `scipy.sparse.csgraph`), 758, 819
 minkowski() (in module `scipy.spatial.distance`), 840, 866
 minkowski_distance() (in module `scipy.spatial`), 854
 minkowski_distance_p() (in module `scipy.spatial`), 854
 minres() (in module `scipy.sparse.linalg`), 769, 796
 mins (`scipy.spatial.cKDTree` attribute), 826
 mminfo() (in module `scipy.io`), 300
 mmread() (in module `scipy.io`), 300
 mmwrite() (in module `scipy.io`), 300
 mode() (in module `scipy.stats`), 935
 mode() (in module `scipy.stats.mstats`), 982, 1010
 Model (class in `scipy.odr`), 550
 modfresnelm (in module `scipy.special`), 882
 modfresnelp (in module `scipy.special`), 882
 modstruve (in module `scipy.special`), 875
 moment() (in module `scipy.stats`), 936
 moment() (in module `scipy.stats.mstats`), 983, 1010
 moment() (`scipy.stats.rv_continuous` method), 902
 moment() (`scipy.stats.rv_discrete` method), 908
 mood() (in module `scipy.stats`), 967
 morlet() (in module `scipy.signal`), 690
 morphological_gradient() (in module `scipy.ndimage.morphology`), 544
 morphological_laplace() (in module `scipy.ndimage.morphology`), 545
 mquantiles() (in module `scipy.stats.mstats`), 983, 1010
 msign() (in module `scipy.stats.mstats`), 984, 1012
 multigammaln() (in module `scipy.special`), 880
 multiply() (`scipy.sparse.bsr_matrix` method), 705
 multiply() (`scipy.sparse.coo_matrix` method), 711
 multiply() (`scipy.sparse.csc_matrix` method), 718
 multiply() (`scipy.sparse.csr_matrix` method), 725
 multiply() (`scipy.sparse.dia_matrix` method), 730
 multiply() (`scipy.sparse.dok_matrix` method), 736
 multiply() (`scipy.sparse.lil_matrix` method), 740
- ## N
- n (`scipy.spatial.cKDTree` attribute), 826
 nbdtr (in module `scipy.special`), 877
 nbdtrc (in module `scipy.special`), 877
 nbdtri (in module `scipy.special`), 877
 nbinom (in module `scipy.stats`), 922
 ndtr (in module `scipy.special`), 878
 ndtri (in module `scipy.special`), 878
 NearestNDInterpolator (class in `scipy.interpolate`), 271
 netcdf_file (class in `scipy.io.netcdf`), 302
 netcdf_variable (class in `scipy.io.netcdf`), 304
 newton() (in module `scipy.optimize`), 589
 newton_krylov() (in module `scipy.optimize`), 596
 nnls() (in module `scipy.optimize`), 573
 nnz (`scipy.sparse.dia_matrix` attribute), 728
 nonzero() (`scipy.sparse.bsr_matrix` method), 705
 nonzero() (`scipy.sparse.coo_matrix` method), 712
 nonzero() (`scipy.sparse.csc_matrix` method), 718
 nonzero() (`scipy.sparse.csr_matrix` method), 725
 nonzero() (`scipy.sparse.dia_matrix` method), 730
 nonzero() (`scipy.sparse.dok_matrix` method), 736
 nonzero() (`scipy.sparse.lil_matrix` method), 740
 norm() (in module `scipy.linalg`), 310
 normaltest() (in module `scipy.stats`), 936
 normaltest() (in module `scipy.stats.mstats`), 985, 1012
 nu2lambda() (in module `scipy.constants`), 229
 num_obs_dm() (in module `scipy.spatial.distance`), 836, 861
 num_obs_linkage() (in module `scipy.cluster.hierarchy`), 214
 num_obs_y() (in module `scipy.spatial.distance`), 836, 862
 nuttall() (in module `scipy.signal`), 683
- ## O
- obl_ang1 (in module `scipy.special`), 889
 obl_ang1_cv (in module `scipy.special`), 890
 obl_cv (in module `scipy.special`), 890
 obl_cv_seq() (in module `scipy.special`), 890
 obl_rad1 (in module `scipy.special`), 889
 obl_rad1_cv (in module `scipy.special`), 890
 obl_rad2 (in module `scipy.special`), 889

- obl_rad2_cv (in module `scipy.special`), 890
 obrientransform() (in module `scipy.stats`), 947
 obrientransform() (in module `scipy.stats.mstats`), 985, 1012
 ode (class in `scipy.integrate`), 253
 odeint() (in module `scipy.integrate`), 252
 ODR (class in `scipy.odr`), 546
 odr() (in module `scipy.odr`), 546
 odr_error, 553
 odr_stop, 553
 oneway() (in module `scipy.stats`), 968
 order_filter() (in module `scipy.signal`), 619
 orth() (in module `scipy.linalg`), 324
 Output (class in `scipy.odr`), 551
 output() (`scipy.signal.lti` method), 646
- ## P
- pade() (in module `scipy.misc`), 494
 parzen() (in module `scipy.signal`), 685
 pascal() (in module `scipy.linalg`), 343
 pbdn_seq() (in module `scipy.special`), 888
 pbdv (in module `scipy.special`), 887
 pbdv_seq() (in module `scipy.special`), 888
 pbvv (in module `scipy.special`), 887
 pbvv_seq() (in module `scipy.special`), 888
 pbwa (in module `scipy.special`), 887
 pchip_interpolate() (in module `scipy.interpolate`), 268
 PchipInterpolator (class in `scipy.interpolate`), 264
 pdf() (`scipy.stats.rv_continuous` method), 900
 pdist() (in module `scipy.spatial.distance`), 829, 854
 pdtr (in module `scipy.special`), 877
 pdtrc (in module `scipy.special`), 877
 pdtri (in module `scipy.special`), 877
 pearsonr() (in module `scipy.stats`), 951
 pearsonr() (in module `scipy.stats.mstats`), 985, 1013
 percentile_filter() (in module `scipy.ndimage.filters`), 504
 percentileofscore() (in module `scipy.stats`), 941
 periodogram() (in module `scipy.signal`), 695
 physical_constants (in module `scipy.constants`), 216
 piecewise_polynomial_interpolate() (in module `scipy.interpolate`), 267
 PiecewisePolynomial (class in `scipy.interpolate`), 262
 pinv() (in module `scipy.linalg`), 312
 pinv2() (in module `scipy.linalg`), 313
 pinvh() (in module `scipy.linalg`), 313
 planck (in module `scipy.stats`), 924
 plane_distance() (`scipy.spatial.Delaunay` method), 847
 plotting_positions() (in module `scipy.stats.mstats`), 982, 985, 1009, 1013
 pmf() (`scipy.stats.rv_discrete` method), 906
 pointbiseriialr() (in module `scipy.stats`), 953
 pointbiseriialr() (in module `scipy.stats.mstats`), 986, 1013
 poisson (in module `scipy.stats`), 925
 polygamma() (in module `scipy.special`), 880
 pop() (`scipy.sparse.dok_matrix` method), 736
 popitem() (`scipy.sparse.dok_matrix` method), 736
 ppcc_max() (in module `scipy.stats`), 972
 ppcc_plot() (in module `scipy.stats`), 972
 ppf() (`scipy.stats.rv_continuous` method), 901
 ppf() (`scipy.stats.rv_discrete` method), 907
 pprint() (`scipy.odr.Output` method), 552
 pre_order() (`scipy.cluster.hierarchy.ClusterNode` method), 211
 precision() (in module `scipy.constants`), 216
 prewitt() (in module `scipy.ndimage.filters`), 505
 pro_ang1 (in module `scipy.special`), 889
 pro_ang1_cv (in module `scipy.special`), 890
 pro_cv (in module `scipy.special`), 890
 pro_cv_seq() (in module `scipy.special`), 890
 pro_rad1 (in module `scipy.special`), 889
 pro_rad1_cv (in module `scipy.special`), 890
 pro_rad2 (in module `scipy.special`), 889
 pro_rad2_cv (in module `scipy.special`), 890
 probplot() (in module `scipy.stats`), 972
 prune() (`scipy.sparse.bsr_matrix` method), 705
 prune() (`scipy.sparse.csc_matrix` method), 718
 prune() (`scipy.sparse.csr_matrix` method), 725
 psi (in module `scipy.special`), 880
- ## Q
- qmf() (in module `scipy.signal`), 691
 qmr() (in module `scipy.sparse.linalg`), 770, 797
 qr() (in module `scipy.linalg`), 327
 qr_multiply() (in module `scipy.linalg`), 328
 qspline1d() (in module `scipy.signal`), 618
 qspline2d() (in module `scipy.signal`), 618
 quad() (in module `scipy.integrate`), 243
 quadratic() (in module `scipy.signal`), 617
 quadrature() (in module `scipy.integrate`), 247
 query() (`scipy.spatial.cKDTree` method), 827
 query() (`scipy.spatial.KDTree` method), 823
 query_ball_point() (`scipy.spatial.cKDTree` method), 827
 query_ball_point() (`scipy.spatial.KDTree` method), 824
 query_ball_tree() (`scipy.spatial.cKDTree` method), 828
 query_ball_tree() (`scipy.spatial.KDTree` method), 824
 query_pairs() (`scipy.spatial.cKDTree` method), 828
 query_pairs() (`scipy.spatial.KDTree` method), 825
 qz() (in module `scipy.linalg`), 329
- ## R
- rad2deg() (`scipy.sparse.bsr_matrix` method), 705
 rad2deg() (`scipy.sparse.coo_matrix` method), 712
 rad2deg() (`scipy.sparse.csc_matrix` method), 719
 rad2deg() (`scipy.sparse.csr_matrix` method), 725
 rad2deg() (`scipy.sparse.dia_matrix` method), 731
 radian (in module `scipy.special`), 894
 rand() (in module `scipy.sparse`), 748
 randint (in module `scipy.stats`), 927

rank_filter() (in module scipy.ndimage.filters), 505
 rankdata() (in module scipy.stats), 962
 rankdata() (in module scipy.stats.mstats), 987, 1014
 ranksums() (in module scipy.stats), 962
 Rbf (class in scipy.interpolate), 272
 read() (in module scipy.io.wavfile), 301
 readsav() (in module scipy.io), 299
 RealData (class in scipy.odr), 552
 RectBivariateSpline (class in scipy.interpolate), 286
 RectSphereBivariateSpline (class in scipy.interpolate), 288
 relfreq() (in module scipy.stats), 943
 remez() (in module scipy.signal), 636
 resample() (in module scipy.signal), 627
 reshape() (scipy.sparse.bsr_matrix method), 706
 reshape() (scipy.sparse.coo_matrix method), 712
 reshape() (scipy.sparse.csc_matrix method), 719
 reshape() (scipy.sparse.csr_matrix method), 725
 reshape() (scipy.sparse.dia_matrix method), 731
 reshape() (scipy.sparse.dok_matrix method), 736
 reshape() (scipy.sparse.lil_matrix method), 740
 residue() (in module scipy.signal), 638
 residuez() (in module scipy.signal), 638
 resize() (scipy.sparse.dok_matrix method), 736
 restart() (scipy.odr.ODR method), 548
 rfft() (in module scipy.fftpack), 232
 rfftfreq() (in module scipy.fftpack), 240
 rgamma (in module scipy.special), 880
 riccati_jn() (in module scipy.special), 875
 riccati_yn() (in module scipy.special), 875
 ricker() (in module scipy.signal), 691
 ridder() (in module scipy.optimize), 588
 rint() (scipy.sparse.bsr_matrix method), 706
 rint() (scipy.sparse.coo_matrix method), 712
 rint() (scipy.sparse.csc_matrix method), 719
 rint() (scipy.sparse.csr_matrix method), 725
 rint() (scipy.sparse.dia_matrix method), 731
 rogerstanimoto() (in module scipy.spatial.distance), 840, 866
 romb() (in module scipy.integrate), 251
 romberg() (in module scipy.integrate), 248
 root() (in module scipy.optimize), 591
 roots() (scipy.interpolate.InterpolatedUnivariateSpline method), 278
 roots() (scipy.interpolate.LSQUnivariateSpline method), 279
 roots() (scipy.interpolate.UnivariateSpline method), 276
 rosen() (in module scipy.optimize), 583
 rosen_der() (in module scipy.optimize), 584
 rosen_hess() (in module scipy.optimize), 584
 rosen_hess_prod() (in module scipy.optimize), 584
 rotate() (in module scipy.ndimage.interpolation), 511
 round (in module scipy.special), 895
 rsf2csf() (in module scipy.linalg), 331

run() (scipy.odr.ODR method), 548
 russellrao() (in module scipy.spatial.distance), 840, 866
 rv_continuous (class in scipy.stats), 895
 rv_discrete (class in scipy.stats), 903
 rvs() (scipy.stats.rv_discrete method), 906

S

sasum (in module scipy.linalg.blas), 358, 427
 savemat() (in module scipy.io), 298
 sawtooth() (in module scipy.signal), 657
 saxpy (in module scipy.linalg.blas), 358, 427
 sc_diff() (in module scipy.fftpack), 237
 scasum (in module scipy.linalg.blas), 358, 427
 schur() (in module scipy.linalg), 330
 scipy.cluster (module), 195
 scipy.cluster.hierarchy (module), 199
 scipy.cluster.vq (module), 195
 scipy.constants (module), 214
 scipy.fftpack (module), 229
 scipy.fftpack._fftpack (module), 242
 scipy.fftpack.convolve (module), 241
 scipy.integrate (module), 243
 scipy.interpolate (module), 257
 scipy.io (module), 296
 scipy.io.arff (module), 116, 301
 scipy.io.netcdf (module), 117, 302
 scipy.io.wavfile (module), 116, 300
 scipy.linalg (module), 306
 scipy.linalg.blas (module), 346, 416
 scipy.linalg.lapack (module), 366, 435
 scipy.misc (module), 485
 scipy.ndimage (module), 495
 scipy.ndimage.filters (module), 495
 scipy.ndimage.fourier (module), 507
 scipy.ndimage.interpolation (module), 509
 scipy.ndimage.measurements (module), 514
 scipy.ndimage.morphology (module), 523
 scipy.odr (module), 546
 scipy.optimize (module), 554
 scipy.optimize.nonlin (module), 613
 scipy.signal (module), 614
 scipy.sparse (module), 700
 scipy.sparse.csgraph (module), 750, 811
 scipy.sparse.linalg (module), 761, 787
 scipy.spatial (module), 821
 scipy.spatial.distance (module), 828, 854
 scipy.special (module), 868
 scipy.stats (module), 895
 scipy.stats.mstats (module), 973, 1001
 scipy.weave (module), 1026
 scipy.weave.ext_tools (module), 1029
 scnrm2 (in module scipy.linalg.blas), 358, 428
 scopy (in module scipy.linalg.blas), 358, 428
 scoreatpercentile() (in module scipy.stats), 942

- scoreatpercentile() (in module scipy.stats.mstats), 987, 1014
- sdot (in module scipy.linalg.blas), 359, 428
- sem() (in module scipy.stats), 948
- sem() (in module scipy.stats.mstats), 987, 1014
- sepfir2d() (in module scipy.signal), 617
- set_f_params() (scipy.integrate.complex_ode method), 257
- set_f_params() (scipy.integrate.ode method), 256
- set_initial_value() (scipy.integrate.complex_ode method), 257
- set_initial_value() (scipy.integrate.ode method), 256
- set_integrator() (scipy.integrate.complex_ode method), 257
- set_integrator() (scipy.integrate.ode method), 256
- set_iprint() (scipy.odr.ODR method), 548
- set_jac_params() (scipy.integrate.complex_ode method), 257
- set_jac_params() (scipy.integrate.ode method), 256
- set_job() (scipy.odr.ODR method), 548
- set_link_color_palette() (in module scipy.cluster.hierarchy), 214
- set_meta() (scipy.odr.Data method), 550
- set_meta() (scipy.odr.Model method), 551
- set_meta() (scipy.odr.RealData method), 553
- set_shape() (scipy.sparse.bsr_matrix method), 706
- set_shape() (scipy.sparse.coo_matrix method), 712
- set_shape() (scipy.sparse.csc_matrix method), 719
- set_shape() (scipy.sparse.csr_matrix method), 725
- set_shape() (scipy.sparse.dia_matrix method), 731
- set_shape() (scipy.sparse.dok_matrix method), 736
- set_shape() (scipy.sparse.lil_matrix method), 740
- set_smoothing_factor() (scipy.interpolate.InterpolatedUnivariateSpline method), 278
- set_smoothing_factor() (scipy.interpolate.LSQUnivariateSpline method), 279
- set_smoothing_factor() (scipy.interpolate.UnivariateSpline method), 276
- set_yi() (scipy.interpolate.BarycentricInterpolator method), 260
- setdefault() (scipy.sparse.dok_matrix method), 736
- setdiag() (scipy.sparse.bsr_matrix method), 706
- setdiag() (scipy.sparse.coo_matrix method), 712
- setdiag() (scipy.sparse.csc_matrix method), 719
- setdiag() (scipy.sparse.csr_matrix method), 725
- setdiag() (scipy.sparse.dia_matrix method), 731
- setdiag() (scipy.sparse.dok_matrix method), 736
- setdiag() (scipy.sparse.lil_matrix method), 740
- seuclidean() (in module scipy.spatial.distance), 841, 866
- sf() (scipy.stats.rv_continuous method), 901
- sf() (scipy.stats.rv_discrete method), 907
- sgbsv (in module scipy.linalg.lapack), 393, 462
- sgbtrf (in module scipy.linalg.lapack), 393, 462
- sgbtrs (in module scipy.linalg.lapack), 393, 463
- sgebal (in module scipy.linalg.lapack), 394, 463
- sgees (in module scipy.linalg.lapack), 394, 463
- sgeev (in module scipy.linalg.lapack), 394, 464
- sggev (in module scipy.linalg.lapack), 395, 464
- sgghrd (in module scipy.linalg.lapack), 395, 464
- sgelss (in module scipy.linalg.lapack), 395, 464
- sgemm (in module scipy.linalg.blas), 359, 428
- sgemv (in module scipy.linalg.blas), 359, 429
- sgeqp3 (in module scipy.linalg.lapack), 395, 465
- sgerqf (in module scipy.linalg.lapack), 396, 465
- sger (in module scipy.linalg.blas), 360, 429
- sgerqf (in module scipy.linalg.lapack), 396, 465
- sgesdd (in module scipy.linalg.lapack), 396, 466
- sgesv (in module scipy.linalg.lapack), 396, 466
- sgetrf (in module scipy.linalg.lapack), 397, 466
- sgetri (in module scipy.linalg.lapack), 397, 466
- sgetrz (in module scipy.linalg.lapack), 397, 467
- sgges (in module scipy.linalg.lapack), 397, 467
- sggev (in module scipy.linalg.lapack), 398, 467
- sh_chebyt() (in module scipy.special), 886
- sh_chebyu() (in module scipy.special), 886
- sh_jacobi() (in module scipy.special), 886
- sh_legendre() (in module scipy.special), 886
- shapiro() (in module scipy.stats), 965
- shichi (in module scipy.special), 892
- shift() (in module scipy.fftpack), 238
- shift() (in module scipy.ndimage.interpolation), 512
- shortest_path() (in module scipy.sparse.csgraph), 751, 812
- show_options() (in module scipy.optimize), 603
- sici (in module scipy.special), 892
- sign() (scipy.sparse.bsr_matrix method), 706
- sign() (scipy.sparse.coo_matrix method), 712
- sign() (scipy.sparse.csc_matrix method), 719
- sign() (scipy.sparse.csr_matrix method), 725
- sign() (scipy.sparse.dia_matrix method), 731
- signaltonoise() (in module scipy.stats), 947
- signaltonoise() (in module scipy.stats.mstats), 987, 1015
- signm() (in module scipy.linalg), 334
- simps() (in module scipy.integrate), 250
- sin() (scipy.sparse.bsr_matrix method), 706
- sin() (scipy.sparse.coo_matrix method), 712
- sin() (scipy.sparse.csc_matrix method), 719
- sin() (scipy.sparse.csr_matrix method), 725
- sin() (scipy.sparse.dia_matrix method), 731
- sindg (in module scipy.special), 895
- single() (in module scipy.cluster.hierarchy), 203
- sinh() (scipy.sparse.bsr_matrix method), 706
- sinh() (scipy.sparse.coo_matrix method), 712
- sinh() (scipy.sparse.csc_matrix method), 719
- sinh() (scipy.sparse.csr_matrix method), 725
- sinh() (scipy.sparse.dia_matrix method), 731
- sinhm() (in module scipy.linalg), 334
- sinm() (in module scipy.linalg), 334

- skellam (in module `scipy.stats`), 928
- skew() (in module `scipy.stats`), 936
- skew() (in module `scipy.stats.mstats`), 988, 1015
- skewtest() (in module `scipy.stats`), 937
- skewtest() (in module `scipy.stats.mstats`), 988, 1015
- slamch (in module `scipy.linalg.lapack`), 398, 468
- slaswp (in module `scipy.linalg.lapack`), 398, 468
- slauum (in module `scipy.linalg.lapack`), 399, 468
- slepian() (in module `scipy.signal`), 686
- smirnov (in module `scipy.special`), 878
- smirnovi (in module `scipy.special`), 878
- SmoothBivariateSpline (class in `scipy.interpolate`), 291
- snrm2 (in module `scipy.linalg.blas`), 360, 429
- sobel() (in module `scipy.ndimage.filters`), 506
- sokalmichener() (in module `scipy.spatial.distance`), 841, 867
- sokalsneath() (in module `scipy.spatial.distance`), 841, 867
- solve() (in module `scipy.linalg`), 307
- solve_banded() (in module `scipy.linalg`), 307
- solve_continuous_are() (in module `scipy.linalg`), 337
- solve_discrete_are() (in module `scipy.linalg`), 337
- solve_discrete_lyapunov() (in module `scipy.linalg`), 338
- solve_lyapunov() (in module `scipy.linalg`), 338
- solve_sylvester() (in module `scipy.linalg`), 337
- solve_triangular() (in module `scipy.linalg`), 309
- solveh_banded() (in module `scipy.linalg`), 308
- sorgqr (in module `scipy.linalg.lapack`), 399, 468
- sorgqr (in module `scipy.linalg.lapack`), 399, 469
- sormqr (in module `scipy.linalg.lapack`), 399, 469
- sort_indices() (`scipy.sparse.bsr_matrix` method), 706
- sort_indices() (`scipy.sparse.csc_matrix` method), 719
- sort_indices() (`scipy.sparse.csr_matrix` method), 726
- sorted_indices() (`scipy.sparse.bsr_matrix` method), 706
- sorted_indices() (`scipy.sparse.csc_matrix` method), 719
- sorted_indices() (`scipy.sparse.csr_matrix` method), 726
- spalde() (in module `scipy.interpolate`), 284
- sparse_distance_matrix() (`scipy.spatial.cKDTree` method), 828
- sparse_distance_matrix() (`scipy.spatial.KDTree` method), 825
- SparseEfficiencyWarning, 785
- SparseWarning, 785
- spbsv (in module `scipy.linalg.lapack`), 400, 469
- spbtrf (in module `scipy.linalg.lapack`), 400, 469
- spbtrs (in module `scipy.linalg.lapack`), 400, 470
- spdiags() (in module `scipy.sparse`), 744
- spearmnr() (in module `scipy.stats`), 952
- spearmnr() (in module `scipy.stats.mstats`), 988, 1016
- spence (in module `scipy.special`), 892
- sph_harm (in module `scipy.special`), 883
- sph_in() (in module `scipy.special`), 874
- sph_inkn() (in module `scipy.special`), 874
- sph_jn() (in module `scipy.special`), 874
- sph_jnyn() (in module `scipy.special`), 874
- sph_kn() (in module `scipy.special`), 874
- sph_yn() (in module `scipy.special`), 874
- spilu() (in module `scipy.sparse.linalg`), 782, 808
- splev() (in module `scipy.interpolate`), 283
- spline_filter() (in module `scipy.ndimage.interpolation`), 513
- spline_filter() (in module `scipy.signal`), 618
- spline_filter1d() (in module `scipy.ndimage.interpolation`), 513
- splint() (in module `scipy.interpolate`), 283
- split() (`scipy.sparse.dok_matrix` method), 736
- splprep() (in module `scipy.interpolate`), 281
- splrep() (in module `scipy.interpolate`), 280
- splu() (in module `scipy.sparse.linalg`), 781, 807
- sposv (in module `scipy.linalg.lapack`), 400, 470
- spotrf (in module `scipy.linalg.lapack`), 401, 470
- spotri (in module `scipy.linalg.lapack`), 401, 470
- spotrs (in module `scipy.linalg.lapack`), 401, 471
- sproot() (in module `scipy.interpolate`), 284
- spsolve() (in module `scipy.sparse.linalg`), 763, 790
- squeclidean() (in module `scipy.spatial.distance`), 842, 867
- sqrtm() (in module `scipy.linalg`), 335
- square() (in module `scipy.signal`), 658
- squareform() (in module `scipy.spatial.distance`), 834, 860
- srot (in module `scipy.linalg.blas`), 360, 429
- srotg (in module `scipy.linalg.blas`), 360, 430
- srotm (in module `scipy.linalg.blas`), 360, 430
- srotmg (in module `scipy.linalg.blas`), 361, 430
- ss2tf() (in module `scipy.signal`), 654
- ss2zpk() (in module `scipy.signal`), 654
- ss_diff() (in module `scipy.fftpack`), 237
- ssbev (in module `scipy.linalg.lapack`), 401, 471
- ssbevd (in module `scipy.linalg.lapack`), 402, 471
- ssbevz (in module `scipy.linalg.lapack`), 402, 471
- sscal (in module `scipy.linalg.blas`), 361, 430
- sswap (in module `scipy.linalg.blas`), 361, 431
- ssyev (in module `scipy.linalg.lapack`), 402, 472
- ssyevd (in module `scipy.linalg.lapack`), 402, 472
- ssyevr (in module `scipy.linalg.lapack`), 403, 472
- ssygv (in module `scipy.linalg.lapack`), 403, 472
- ssygvd (in module `scipy.linalg.lapack`), 403, 473
- ssygvz (in module `scipy.linalg.lapack`), 403, 473
- ssymv (in module `scipy.linalg.blas`), 361, 431
- standard_deviation() (in `scipy.ndimage.measurements` module), 521
- stats() (`scipy.stats.rv_continuous` method), 902
- stats() (`scipy.stats.rv_discrete` method), 908
- stdtr (in module `scipy.special`), 877
- stdtridf (in module `scipy.special`), 877
- stdtrit (in module `scipy.special`), 877
- step() (in module `scipy.signal`), 649
- step() (`scipy.signal.lti` method), 646
- step2() (in module `scipy.signal`), 649
- strmv (in module `scipy.linalg.blas`), 362, 431

strsyl (in module `scipy.linalg.lapack`), 404, 473
 strtri (in module `scipy.linalg.lapack`), 404, 473
 strtrs (in module `scipy.linalg.lapack`), 404, 474
 struve (in module `scipy.special`), 875
 successful() (`scipy.integrate.complex_ode` method), 257
 successful() (`scipy.integrate.ode` method), 257
 sum() (in module `scipy.ndimage.measurements`), 522
 sum() (`scipy.sparse.bsr_matrix` method), 706
 sum() (`scipy.sparse.coo_matrix` method), 712
 sum() (`scipy.sparse.csc_matrix` method), 719
 sum() (`scipy.sparse.csr_matrix` method), 726
 sum() (`scipy.sparse.dia_matrix` method), 731
 sum() (`scipy.sparse.dok_matrix` method), 736
 sum() (`scipy.sparse.lil_matrix` method), 741
 sum_duplicates() (`scipy.sparse.bsr_matrix` method), 706
 sum_duplicates() (`scipy.sparse.csc_matrix` method), 719
 sum_duplicates() (`scipy.sparse.csr_matrix` method), 726
 svd() (in module `scipy.linalg`), 323
 svds() (in module `scipy.sparse.linalg`), 780, 807
 svdvals() (in module `scipy.linalg`), 324
 sweep_poly() (in module `scipy.signal`), 659
 symiirorder1() (in module `scipy.signal`), 620
 symiirorder2() (in module `scipy.signal`), 621
 sync() (`scipy.io.netcdf.netcdf_file` method), 304

T

take() (`scipy.sparse.dok_matrix` method), 737
 tan() (`scipy.sparse.bsr_matrix` method), 706
 tan() (`scipy.sparse.coo_matrix` method), 712
 tan() (`scipy.sparse.csc_matrix` method), 719
 tan() (`scipy.sparse.csr_matrix` method), 726
 tan() (`scipy.sparse.dia_matrix` method), 731
 tandg (in module `scipy.special`), 895
 tanh() (`scipy.sparse.bsr_matrix` method), 706
 tanh() (`scipy.sparse.coo_matrix` method), 712
 tanh() (`scipy.sparse.csc_matrix` method), 719
 tanh() (`scipy.sparse.csr_matrix` method), 726
 tanh() (`scipy.sparse.dia_matrix` method), 731
 tanhm() (in module `scipy.linalg`), 334
 tanm() (in module `scipy.linalg`), 334
 tf2ss() (in module `scipy.signal`), 654
 tf2zpk() (in module `scipy.signal`), 653
 theilslopes() (in module `scipy.stats.mstats`), 989, 1016
 threshold() (in module `scipy.stats`), 950
 threshold() (in module `scipy.stats.mstats`), 989, 1016
 tiecorrect() (in module `scipy.stats`), 961
 tilbert() (in module `scipy.fftpack`), 236
 tklmbda (in module `scipy.special`), 878
 tmax() (in module `scipy.stats`), 938
 tmax() (in module `scipy.stats.mstats`), 989, 1017
 tmean() (in module `scipy.stats`), 937
 tmean() (in module `scipy.stats.mstats`), 989, 1017
 tmin() (in module `scipy.stats`), 937
 tmin() (in module `scipy.stats.mstats`), 990, 1017

to_mlab_linkage() (in module `scipy.cluster.hierarchy`), 207
 to_tree() (in module `scipy.cluster.hierarchy`), 212
 toarray() (`scipy.sparse.bsr_matrix` method), 706
 toarray() (`scipy.sparse.coo_matrix` method), 713
 toarray() (`scipy.sparse.csc_matrix` method), 719
 toarray() (`scipy.sparse.csr_matrix` method), 726
 toarray() (`scipy.sparse.dia_matrix` method), 731
 toarray() (`scipy.sparse.dok_matrix` method), 737
 toarray() (`scipy.sparse.lil_matrix` method), 741
 tobsr() (`scipy.sparse.bsr_matrix` method), 706
 tobsr() (`scipy.sparse.coo_matrix` method), 713
 tobsr() (`scipy.sparse.csc_matrix` method), 720
 tobsr() (`scipy.sparse.csr_matrix` method), 726
 tobsr() (`scipy.sparse.dia_matrix` method), 732
 tobsr() (`scipy.sparse.dok_matrix` method), 737
 tobsr() (`scipy.sparse.lil_matrix` method), 741
 tocoo() (`scipy.sparse.bsr_matrix` method), 707
 tocoo() (`scipy.sparse.coo_matrix` method), 713
 tocoo() (`scipy.sparse.csc_matrix` method), 720
 tocoo() (`scipy.sparse.csr_matrix` method), 726
 tocoo() (`scipy.sparse.dia_matrix` method), 732
 tocoo() (`scipy.sparse.dok_matrix` method), 737
 tocoo() (`scipy.sparse.lil_matrix` method), 741
 tocsr() (`scipy.sparse.bsr_matrix` method), 707
 tocsr() (`scipy.sparse.coo_matrix` method), 713
 tocsr() (`scipy.sparse.csc_matrix` method), 720
 tocsr() (`scipy.sparse.csr_matrix` method), 726
 tocsr() (`scipy.sparse.dia_matrix` method), 732
 tocsr() (`scipy.sparse.dok_matrix` method), 737
 tocsr() (`scipy.sparse.lil_matrix` method), 741
 todense() (`scipy.sparse.bsr_matrix` method), 707
 todense() (`scipy.sparse.coo_matrix` method), 713
 todense() (`scipy.sparse.csc_matrix` method), 720
 todense() (`scipy.sparse.csr_matrix` method), 726
 todense() (`scipy.sparse.dia_matrix` method), 732
 todense() (`scipy.sparse.dok_matrix` method), 737
 todense() (`scipy.sparse.lil_matrix` method), 741
 todia() (`scipy.sparse.bsr_matrix` method), 707
 todia() (`scipy.sparse.coo_matrix` method), 714
 todia() (`scipy.sparse.csc_matrix` method), 720
 todia() (`scipy.sparse.csr_matrix` method), 727
 todia() (`scipy.sparse.dia_matrix` method), 732
 todia() (`scipy.sparse.dok_matrix` method), 737
 todia() (`scipy.sparse.lil_matrix` method), 741
 todok() (`scipy.sparse.bsr_matrix` method), 707
 todok() (`scipy.sparse.coo_matrix` method), 714

todok() (scipy.sparse.csc_matrix method), 720
 todok() (scipy.sparse.csr_matrix method), 727
 todok() (scipy.sparse.dia_matrix method), 732
 todok() (scipy.sparse.dok_matrix method), 737
 todok() (scipy.sparse.lil_matrix method), 741
 toeplitz() (in module scipy.linalg), 344
 toimage() (in module scipy.misc), 494
 tolil() (scipy.sparse.bsr_matrix method), 707
 tolil() (scipy.sparse.coo_matrix method), 714
 tolil() (scipy.sparse.csc_matrix method), 720
 tolil() (scipy.sparse.csr_matrix method), 727
 tolil() (scipy.sparse.dia_matrix method), 732
 tolil() (scipy.sparse.dok_matrix method), 737
 tolil() (scipy.sparse.lil_matrix method), 741
 tplquad() (in module scipy.integrate), 246
 transform (scipy.spatial.Delaunay attribute), 845
 transpose() (scipy.sparse.bsr_matrix method), 707
 transpose() (scipy.sparse.coo_matrix method), 714
 transpose() (scipy.sparse.csc_matrix method), 720
 transpose() (scipy.sparse.csr_matrix method), 727
 transpose() (scipy.sparse.dia_matrix method), 732
 transpose() (scipy.sparse.dok_matrix method), 737
 transpose() (scipy.sparse.lil_matrix method), 741
 tri() (in module scipy.linalg), 345
 triang() (in module scipy.signal), 688
 tril() (in module scipy.linalg), 314
 tril() (in module scipy.sparse), 745
 trim() (in module scipy.stats.mstats), 990, 1018
 trim1() (in module scipy.stats), 950
 trima() (in module scipy.stats.mstats), 991, 1018
 trimboth() (in module scipy.stats), 950
 trimboth() (in module scipy.stats.mstats), 991, 1018
 trimmed_std() (in module scipy.stats.mstats), 991, 1019
 trimr() (in module scipy.stats.mstats), 992, 1019
 trimtail() (in module scipy.stats.mstats), 992, 1019
 triu() (in module scipy.linalg), 315
 triu() (in module scipy.sparse), 746
 trunc() (scipy.sparse.bsr_matrix method), 707
 trunc() (scipy.sparse.coo_matrix method), 714
 trunc() (scipy.sparse.csc_matrix method), 720
 trunc() (scipy.sparse.csr_matrix method), 727
 trunc() (scipy.sparse.dia_matrix method), 733
 tsearch() (in module scipy.spatial), 853
 tsem() (in module scipy.stats), 938
 tsem() (in module scipy.stats.mstats), 992, 1020
 tstd() (in module scipy.stats), 938
 ttest_1samp() (in module scipy.stats), 955
 ttest_ind() (in module scipy.stats), 956
 ttest_ind() (in module scipy.stats.mstats), 993, 1021
 ttest_onesamp() (in module scipy.stats.mstats), 993, 995, 1020, 1022
 ttest_rel() (in module scipy.stats), 957
 ttest_rel() (in module scipy.stats.mstats), 995, 1023
 tvar() (in module scipy.stats), 937

tvar() (in module scipy.stats.mstats), 996, 1024
 typecode() (scipy.io.netcdf.netcdf_variable method), 306

U

uniform_filter() (in module scipy.ndimage.filters), 506
 uniform_filter1d() (in module scipy.ndimage.filters), 506
 unique_roots() (in module scipy.signal), 637
 unit() (in module scipy.constants), 215
 UnivariateSpline (class in scipy.interpolate), 275
 update() (scipy.sparse.dok_matrix method), 737

V

value() (in module scipy.constants), 215
 values() (scipy.sparse.dok_matrix method), 737
 variance() (in module scipy.ndimage.measurements), 522
 variation() (in module scipy.stats), 939
 variation() (in module scipy.stats.mstats), 996, 1024
 vertex_to_simplex (scipy.spatial.Delaunay attribute), 845
 viewitems() (scipy.sparse.dok_matrix method), 737
 viewkeys() (scipy.sparse.dok_matrix method), 738
 viewvalues() (scipy.sparse.dok_matrix method), 738
 Voronoi (class in scipy.spatial), 849
 voronoi_plot_2d() (in module scipy.spatial), 852
 vq() (in module scipy.cluster.vq), 196
 vstack() (in module scipy.sparse), 748

W

ward() (in module scipy.cluster.hierarchy), 205
 watershed_ift() (in module scipy.ndimage.measurements), 523
 weighted() (in module scipy.cluster.hierarchy), 204
 welch() (in module scipy.signal), 697
 white_tophat() (in module scipy.ndimage.morphology), 545
 whiten() (in module scipy.cluster.vq), 195
 who() (in module scipy.misc), 494
 whosmat() (in module scipy.io), 298
 wiener() (in module scipy.signal), 620
 wilcoxon() (in module scipy.stats), 963
 winsorize() (in module scipy.stats.mstats), 997, 1024
 wminkowski() (in module scipy.spatial.distance), 842, 867
 wofz (in module scipy.special), 882
 write() (in module scipy.io.wavfile), 301

Y

y0 (in module scipy.special), 873
 y0_zeros() (in module scipy.special), 872
 y1 (in module scipy.special), 873
 y1_zeros() (in module scipy.special), 872
 y1p_zeros() (in module scipy.special), 872
 yn (in module scipy.special), 870
 yn_zeros() (in module scipy.special), 872

ynp_zeros() (in module `scipy.special`), 872
 yule() (in module `scipy.spatial.distance`), 842, 868
 yv (in module `scipy.special`), 870
 yve (in module `scipy.special`), 870
 yvp() (in module `scipy.special`), 874

Z

zaxpy (in module `scipy.linalg.blas`), 362, 431
 zcopy (in module `scipy.linalg.blas`), 362, 432
 zdotc (in module `scipy.linalg.blas`), 362, 432
 zdotu (in module `scipy.linalg.blas`), 363, 432
 zdrot (in module `scipy.linalg.blas`), 363, 432
 zdscal (in module `scipy.linalg.blas`), 363, 433
 zeta (in module `scipy.special`), 894
 zetac (in module `scipy.special`), 894
 zfft (in module `scipy.fftpack._fftpack`), 242
 zfftn (in module `scipy.fftpack._fftpack`), 243
 zgbsv (in module `scipy.linalg.lapack`), 405, 474
 zgbtrf (in module `scipy.linalg.lapack`), 405, 474
 zgbtrs (in module `scipy.linalg.lapack`), 405, 474
 zgebal (in module `scipy.linalg.lapack`), 405, 475
 zgees (in module `scipy.linalg.lapack`), 406, 475
 zgeev (in module `scipy.linalg.lapack`), 406, 475
 zgegv (in module `scipy.linalg.lapack`), 406, 476
 zgehrd (in module `scipy.linalg.lapack`), 407, 476
 zgels (in module `scipy.linalg.lapack`), 407, 476
 zgemm (in module `scipy.linalg.blas`), 364, 433
 zgemv (in module `scipy.linalg.blas`), 364, 433
 zgeqp3 (in module `scipy.linalg.lapack`), 407, 477
 zgeqrf (in module `scipy.linalg.lapack`), 407, 477
 zgerc (in module `scipy.linalg.blas`), 364, 433
 zgerqf (in module `scipy.linalg.lapack`), 408, 477
 zgeru (in module `scipy.linalg.blas`), 364, 434
 zgesdd (in module `scipy.linalg.lapack`), 408, 477
 zgesv (in module `scipy.linalg.lapack`), 408, 478
 zgetrf (in module `scipy.linalg.lapack`), 408, 478
 zgetri (in module `scipy.linalg.lapack`), 409, 478
 zgetrs (in module `scipy.linalg.lapack`), 409, 478
 zgges (in module `scipy.linalg.lapack`), 409, 479
 zggev (in module `scipy.linalg.lapack`), 410, 479
 zhbevd (in module `scipy.linalg.lapack`), 410, 479
 zhbevz (in module `scipy.linalg.lapack`), 410, 480
 zheev (in module `scipy.linalg.lapack`), 411, 480
 zheevd (in module `scipy.linalg.lapack`), 411, 480
 zheevr (in module `scipy.linalg.lapack`), 411, 481
 zhegv (in module `scipy.linalg.lapack`), 411, 481
 zhegvd (in module `scipy.linalg.lapack`), 412, 481
 zhegvz (in module `scipy.linalg.lapack`), 412, 481
 zhemv (in module `scipy.linalg.blas`), 365, 434
 zipf (in module `scipy.stats`), 930
 zlaswp (in module `scipy.linalg.lapack`), 412, 482
 zlaum (in module `scipy.linalg.lapack`), 412, 482
 zmap() (in module `scipy.stats`), 948
 zmap() (in module `scipy.stats.mstats`), 997, 1025

zoom() (in module `scipy.ndimage.interpolation`), 513
 zpbsv (in module `scipy.linalg.lapack`), 413, 482
 zpbtrf (in module `scipy.linalg.lapack`), 413, 482
 zpbtrs (in module `scipy.linalg.lapack`), 413, 483
 zpk2ss() (in module `scipy.signal`), 654
 zpk2tf() (in module `scipy.signal`), 653
 zposv (in module `scipy.linalg.lapack`), 413, 483
 zpotrf (in module `scipy.linalg.lapack`), 414, 483
 zpotri (in module `scipy.linalg.lapack`), 414, 483
 zpotrs (in module `scipy.linalg.lapack`), 414, 484
 zrfft (in module `scipy.fftpack._fftpack`), 242
 zrotg (in module `scipy.linalg.blas`), 365, 434
 zscal (in module `scipy.linalg.blas`), 365, 434
 zscore() (in module `scipy.stats`), 949
 zscore() (in module `scipy.stats.mstats`), 998, 1025
 zswap (in module `scipy.linalg.blas`), 365, 435
 ztrmv (in module `scipy.linalg.blas`), 366, 435
 ztrsyl (in module `scipy.linalg.lapack`), 414, 484
 ztrtri (in module `scipy.linalg.lapack`), 415, 484
 ztrtrs (in module `scipy.linalg.lapack`), 415, 484
 zungqr (in module `scipy.linalg.lapack`), 415, 485
 zungqr (in module `scipy.linalg.lapack`), 415, 485
 zunmqr (in module `scipy.linalg.lapack`), 416, 485