

The mdframed package

Examples for `framemethod=default`

Marco Daniel

1.9a

2013/06/21

In this document I collect various examples for `framemethod=default`. Some presented examples are more or less exorbitant.

Contents

1 Loading	1	Example 4 – framed picture which is centered	3
2 Examples	1	Example 5 – Theorem environments .	3
Example 1 – very simple	2	Example 6 – theorem with separate header and the help of TikZ (complex)	4
Example 2 – hidden line + frame title	2	Example 7 – hide only a part of a line	5
Example 3 – colored frame title	2		

1 Loading

In the preamble only the package `mdframed` with the option `framemethod=default` is loaded. All other modifications will be done by `\mdfdefinestyle` or `\mdfsetup`.

Note

Every `\global` inside the examples is necessary to work with my own created environment `tltxmdfexample*`.

2 Examples

All examples have the following settings:

```
\mdfsetup{skipabove=\topskip,skipbelow=\topskip}
\newrobustcmd\ExampleText{%
  An \textit{inhomogeneous linear} differential equation has the form
  \begin{align}
    L[v] = f,
  \end{align}
  where  $L$  is a linear differential operator,  $v$  is the dependent
  variable, and  $f$  is a given non-zero function of the independent
  variables alone.
}
```

Example 1 – very simple

```
\global\mdfdefinestyle{exampledefault}{%
  linecolor=red,linewidth=3pt,%
  leftmargin=1cm,rightmargin=1cm
}
\begin{mdframed}[style=exampledefault]
\ExampleText
\end{mdframed}
```

An *inhomogeneous linear* differential equation has the form

$$L[v] = f, \quad (1)$$

where L is a linear differential operator, v is the dependent variable, and f is a given non-zero function of the independent variables alone.

Example 2 – hidden line + frame title

```
\global\mdfapptodefinestyle{exampledefault}{%
  topline=false,bottomline=false}
\begin{mdframed}[style=exampledefault,frametitle={Inhomogeneous linear}]
\ExampleText
\end{mdframed}
```

Inhomogeneous linear

An *inhomogeneous linear* differential equation has the form

$$L[v] = f, \quad (2)$$

where L is a linear differential operator, v is the dependent variable, and f is a given non-zero function of the independent variables alone.

Example 3 – colored frame title

```
\global\mdfapptodefinestyle{exampledefault}{%
  rightline=true,innerleftmargin=10,innerrightmargin=10,
  frametitle=rule=true,frametitle=rulecolor=green,
  frametitlebackgroundcolor=yellow,
  frametitle=rulewidth=2pt}
\begin{mdframed}[style=exampledefault,frametitle={Inhomogeneous linear}]
```

```
\ExampleText
\end{mdframed}
```

Inhomogeneous linear


An *inhomogeneous linear* differential equation has the form

$$L[v] = f, \quad (3)$$

where L is a linear differential operator, v is the dependent variable, and f is a given non-zero function of the independent variables alone.

Example 4 – framed picture which is centered

```
\begin{mdframed}[userdefinedwidth=6cm,align=center,
                 linecolor=blue,linewidth=4pt]
\textit{CTAN lion drawing by Duane Bibby; thanks to \url{www.ctan.org}}
\IfFileExists{ctan-lion.png}{%
  {\includegraphics[width=\linewidth]{ctan-lion.png}}{%
  {\rule{\linewidth}{4cm}}}%
\end{mdframed}
```



Example 5 – Theorem environments

```
\mdfdefinestyle{theoremstyle}{%
  linecolor=red,linewidth=2pt,%
  frametitlerule=true,%
  frametitlebackgroundcolor=gray!20,
  innertopmargin=\topskip,
}%
\mdtheorem[style=theoremstyle]{definition}{Definition}
\begin{definition}
```

```

\ExampleText
\end{definition}
\begin{definition}[Inhomogeneous linear]
\ExampleText
\end{definition}
\begin{definition*}[Inhomogeneous linear]
\ExampleText
\end{definition*}

```

Definition 1

An *inhomogeneous linear* differential equation has the form

$$L[v] = f, \quad (4)$$

where L is a linear differential operator, v is the dependent variable, and f is a given non-zero function of the independent variables alone.

Definition 2: Inhomogeneous linear

An *inhomogeneous linear* differential equation has the form

$$L[v] = f, \quad (5)$$

where L is a linear differential operator, v is the dependent variable, and f is a given non-zero function of the independent variables alone.

Definition: Inhomogeneous linear

An *inhomogeneous linear* differential equation has the form

$$L[v] = f, \quad (6)$$

where L is a linear differential operator, v is the dependent variable, and f is a given non-zero function of the independent variables alone.

Example 6 – theorem with separate header and the help of TikZ (complex)

```

\newcounter{theo}[section]
\newenvironment{theo}[1]{}{}
\stepcounter{theo}%
\ifstrempy{#1}%
{\mdfsetup{%
  frametitle={%
    \tikz[baseline=(current bounding box.east),outer sep=0pt]

```

```
\node[anchor=east,rectangle,fill=blue!20]
{\strut Theorem~\thetheo;}}
}%
{\mdfsetup{%
    frametitle={%
        \tikz[baseline=(current bounding box.east),outer sep=0pt]
        \node[anchor=east,rectangle,fill=blue!20]
        {\strut Theorem~\thetheo:~#1};}}}%
}%
\mdfsetup{innertopmargin=10pt,linecolor=blue!20,%
    linewidth=2pt,topline=true,
    frametitleaboveskip=\dimexpr-\ht\strutbox\relax,}
\begin{mdframed}\relax%
}{\end{mdframed}}
\begin{theo}[Inhomogeneous Linear]
\ExampleText
\end{theo}

\begin{theo}
\ExampleText
\end{theo}
```

Theorem 1: Inhomogeneous Linear

An *inhomogeneous linear* differential equation has the form

$$L[v] = f, \quad (7)$$

where L is a linear differential operator, v is the dependent variable, and f is a given non-zero function of the independent variables alone.

Theorem 2

An *inhomogeneous linear* differential equation has the form

$$L[v] = f, \quad (8)$$

where L is a linear differential operator, v is the dependent variable, and f is a given non-zero function of the independent variables alone.

Example 7 – hide only a part of a line

The example below is inspired by the following post on StackExchange [Theorem decorations that stay with theorem environment](#)

```
\makeatletter
\newlength{\interruptlength}
\newrobustcmd{\interruptrule}[3]{%
```

```

\color{#1}%
\hspace*{\dimexpr\mdfboundingboxwidth+
          \mdf@innerrightmargin@length\relax}%
\rule[\dimexpr-\mdfboundingboxdepth+
      #2\interruptlength\relax]{%
  {\mdf@middlelinewidth@length}%
  {\dimexpr\mdfboundingboxtotalheight-#3\interruptlength\relax}%
}
\newrobustcmd\overlaplines[2][white]{%
\mdfsetup{everyline=false}%
\setlength{\interruptlength}{#2}
\appto\mdf@frame@leftline@single{\llap{\interruptrule{#1}{1}{2}}}
\appto\mdf@frame@rightline@single{\rlap{\interruptrule{#1}{1}{2}}}
\appto\mdf@frame@leftline@first{\llap{\interruptrule{#1}{0}{1}}}
\appto\mdf@frame@rightline@first{\rlap{\interruptrule{#1}{0}{1}}}
\appto\mdf@frame@leftline@second{\llap{\interruptrule{#1}{1}{1}}}
\appto\mdf@frame@rightline@second{\rlap{\interruptrule{#1}{1}{1}}}
\appto\mdf@frame@leftline@middle{\llap{\interruptrule{#1}{0}{0}}}
\appto\mdf@frame@rightline@middle{\rlap{\interruptrule{#1}{0}{0}}}
}
\makeatother

\overlaplines{2.5ex}
\begin{mdframed}[linecolor=blue,linewidth=8pt]
\ExampleText
\end{mdframed}
\overlaplines[blue!70!black!20]{2.5ex}
\begin{mdframed}[linecolor=blue,linewidth=8pt]
\ExampleText
\end{mdframed}

```

An *inhomogeneous linear* differential equation has the form

$$L[v] = f, \tag{9}$$

where L is a linear differential operator, v is the dependent variable, and f is a given non-zero function of the independent variables alone.

An *inhomogeneous linear* differential equation has the form

$$L[v] = f, \tag{10}$$

where L is a linear differential operator, v is the dependent variable, and f is a given non-zero function of the independent variables alone.